

Detterman, Mark, Env. Health

From: Detterman, Mark, Env. Health
Sent: Tuesday, June 28, 2011 10:35 AM
To: 'Kiernan, James'
Subject: FW: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Categories: Red Category

James,

Per our telephone conversation just now, and provided there are no significant changes to well locations, the draft version of well location plan helps ACEH understand the intent of the well locations as commented on in the first Technical Comment of the April 27, 2011 DIR letter. Thanks for forwarding the draft figure. Although the WP was approved in the April letter, should there be doubts, please consider the work plan “fully” approved.

*Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org*

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Detterman, Mark, Env. Health
Sent: Tuesday, June 28, 2011 10:16 AM
To: 'Kiernan, James'
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Yeah, that’s what I realized after I sent the email; little slow this AM...

So what’s the purpose of the well near V14 at the SE corner of the site? Give me a call if you want to move it along quicker.

*Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org*

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Kiernan, James [mailto:jkiernan@croworld.com]
Sent: Tuesday, June 28, 2011 9:55 AM
To: Detterman, Mark, Env. Health
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Great thanks, at least you have the revised site plan in hand now.

From: Detterman, Mark, Env. Health [mailto:Mark.Detterman@acgov.org]
Sent: Tuesday, June 28, 2011 9:52 AM
To: Kiernan, James
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

James,

You can use this email as acknowledgement of your request to extend the WP addendum to July 15th; let's use a similar extension on the SWI report, so September 15th. This assumes I / we can approve the locations (and reasonably quickly).

In case I've not mentioned it, I'm on vacation starting July 4 to July 15 (a Friday).

Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Kiernan, James [mailto:jkiernan@croworld.com]
Sent: Tuesday, June 28, 2011 9:38 AM
To: Detterman, Mark, Env. Health
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Can I take the response below as formally granting an extension to 7/15 for submittal of the revised site plan? (just want to be sure)

From: Detterman, Mark, Env. Health [mailto:Mark.Detterman@acgov.org]
Sent: Wednesday, June 22, 2011 10:31 AM
To: Kiernan, James
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Thanks; got it.

Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876

Fax: 510.337.9335

Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Kiernan, James [mailto:jkiernan@croworld.com]
Sent: Wednesday, June 22, 2011 10:29 AM
To: Detterman, Mark, Env. Health
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Technically no, as the deadline to submit the revised site plan was 5/20, I shot you an e-mail about that on 6/1. So I may need a response of extension to say 7/15 for that.

As for the planned investigation, it's in progress, but a little behind schedule as I only recently was able to contact the property owner to double-check the planned development hadn't changed. So we will likely need an extension on that 7/15 deadline for the report, but can cross that bridge later.

From: Detterman, Mark, Env. Health [mailto:Mark.Detterman@acgov.org]
Sent: Wednesday, June 22, 2011 10:23 AM
To: Kiernan, James
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Great; how are the deadlines, did we extend them yet?

Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Kiernan, James [mailto:jkiernan@croworld.com]
Sent: Wednesday, June 22, 2011 9:53 AM
To: Detterman, Mark, Env. Health
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Update: I finally received the CAD file from the architect and we're in the process of incorporating onto our figure.

From: Detterman, Mark, Env. Health [mailto:Mark.Detterman@acgov.org]
Sent: Wednesday, April 20, 2011 9:03 AM
To: Kiernan, James
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

OK, so do you have the plans as separate docs, in the interim? Maybe it'll be good enough to understand the layout? (I'd still get that worked on for the near future; guess that should be considered a standing request.)

Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Kiernan, James [mailto:jkiernan@croworld.com]
Sent: Wednesday, April 20, 2011 7:43 AM
To: Detterman, Mark, Env. Health
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Trying to contact the architect to get the CAD file, not sure but may take some time.

From: Detterman, Mark, Env. Health [mailto:Mark.Detterman@acgov.org]
Sent: Tuesday, April 19, 2011 8:44 AM
To: Kiernan, James
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

To get them incorporated into the site plan. I know it can get busy, but it helps understand a site's potential limitations, or work arounds.

Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Kiernan, James [mailto:jkiernan@croworld.com]
Sent: Tuesday, April 19, 2011 6:48 AM
To: Detterman, Mark, Env. Health
Subject: RE: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Did you want me to send you the plans or incorporate them into our site plan?

From: Detterman, Mark, Env. Health [mailto:Mark.Detterman@acgov.org]
Sent: Monday, April 18, 2011 3:47 PM
To: Kiernan, James
Subject: Chevron #9-7127 (Mountain House / Tracy / RO185) - Question

Hi James,

I was reviewing this work plan to try to keep it moving and ended up with a request. I was hoping to handle it as an email, rather than a letter...


On Figure 2 the wells are placed to accommodate the future building per the report text; can you place the future building plans to allow that understanding?

Let me know if you would. An email submittal would work.
Thanks,



Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>



GROUNDWATER FLOW DIRECTION



LEGEND

- ⊙ PROPOSED MONITORING WELL LOCATION
- ⊠ PROPOSED BORING LOCATION
- MONITORING WELL LOCATION
- ⊕ WATER SUPPLY WELL (LIVESTOCK)
- SOIL BORING LOCATION (KLEINFELDER)
- ⊠ SOIL BORING LOCATION (PEG)
- ▲ APPROXIMATE SOIL VAPOR SAMPLE LOCATION

NOTE: PROPOSED FEATURES ARE SHOWN IN BLUE.

Figure 2
 SITE PLAN AND PROPOSED BORING AND WELL LOCATIONS
 FORMER CHEVRON SERVICE STATION 9-7127
 GRANT LINE ROAD AND INTERSTATE 580
 Tracy, California

