



RECEIVED

3:26 pm, Feb 10, 2009

Alameda County
Environmental Health

Stacie H. Frerichs
Team Lead
Marketing Business Unit

Chevron Environmental Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9655
Fax (925) 842-8370

February 6, 2009
(date)

Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Chevron Facility # 9-7127

Address: Grant Line Road and Interstate 580, Tracy, California

I have reviewed the attached report titled Second Semi-Annual 2008 Groundwater Monitoring Report and dated February 6, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Stacie H. Frerichs
Project Manager

Enclosure: Report



CONESTOGA-ROVERS
& ASSOCIATES

2000 Opportunity Dr, Suite 110, Roseville, California 95678
Telephone: 916-677-3407, ext. 100 Facsimile: 916-677-3687
www.CRAworld.com

February 6, 2009

Reference No. 631656

Mr. Steven Plunkett
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Second Semi-Annual 2008 Groundwater Monitoring Report
Former Chevron Service Station 9-7127
I-580 and Grant Line Road
Tracy, California
LOP Case #RO0000185

Dear Mr. Plunkett:

Conestoga-Rovers & Associates (CRA) is submitting the attached *Groundwater Monitoring and Sampling Report* (report) on behalf of Chevron Environmental Management Company (Chevron) for the referenced site. The report (prepared by Gettler-Ryan Inc. and dated December 31, 2008) presents the results of the monitoring and sampling of wells MW-3, MW-4, and MW-6, and the sampling of the onsite water-supply well, performed during fourth quarter 2008. Wells MW-1, MW-3, MW-4, and MW-6 are monitored and sampled on a semi-annual basis during the second and fourth quarters, and the water-supply well is sampled on an annual basis during the fourth quarter. Please note that well MW-1 was not sampled during the current event due to the presence of light non-aqueous phase liquid (LNAPL). Wells MW-2, MW-5, MW-7, and MW-8 are sampled on an annual basis during the second quarter. Also attached are Figure 1 (Vicinity Map) showing the site location, and Figure 2 (Concentration Map) presenting the second semi-annual 2008 analytical results along with a rose diagram. The monitoring results during 2008 are discussed below.

During 2008, petroleum hydrocarbon concentrations in the site wells generally were similar to or less than those observed during 2007. During 2008, LNAPL was detected in well MW-1 at thicknesses of 0.83 feet and 1.82 feet, and a total of approximately 1.32 gallons of LNAPL was removed from the well by hand bailing. Various amounts of LNAPL have historically been detected in this well. Elevated concentrations of total petroleum hydrocarbons as gasoline (TPHg) (19,000 micrograms per liter [$\mu\text{g}/\text{L}$] and 20,000 $\mu\text{g}/\text{L}$) and benzene (8,300 $\mu\text{g}/\text{L}$ and 7,500 $\mu\text{g}/\text{L}$) were detected in well MW-3 during 2008; lower concentrations of toluene (up to 440 $\mu\text{g}/\text{L}$), ethylbenzene (up to 510 $\mu\text{g}/\text{L}$), and xylenes (up to 640 $\mu\text{g}/\text{L}$) were also detected. Concentrations in well MW-3 continue to decrease. Methyl tertiary butyl ether (MTBE) was not detected in well MW-3 during 2008. Lower concentrations of TPHg (up to 530 $\mu\text{g}/\text{L}$) and benzene (up to 63 $\mu\text{g}/\text{L}$) were detected in well MW-4 during 2008; these concentrations are consistent with historical fluctuations. Only low concentrations of toluene (up to 6 $\mu\text{g}/\text{L}$), ethylbenzene (up to 5 $\mu\text{g}/\text{L}$), and xylenes (up to 10 $\mu\text{g}/\text{L}$) were detected in well MW-4 during 2008; MTBE was not detected and has not been detected in this well since 2001. TPHg, benzene, toluene, ethylbenzene, and xylenes (BTEX), and

Equal
Employment
Opportunity Employer



CONESTOGA-ROVERS
& ASSOCIATES

February 6, 2009

2

Reference No. 631656

MTBE were not detected in wells MW-2, MW-5 through MW-8, or the water-supply well during 2008, and generally have not been detected in these wells throughout the course of monitoring.

Based on the analytical results, elevated concentrations of TPHg and BTEX remain in groundwater in the area of well MW-3 downgradient of the former underground storage tanks (USTs) and dispensers. The TPHg and BTEX concentrations in well MW-3 continue to decrease. Lower level impacts are present in upgradient well MW-4; concentrations in this well have generally decreased over the last several years. Based on the monitoring results, the extent of impacted groundwater appears to have been relatively well-defined. CRA recommends continued monitoring and sampling to further evaluate groundwater quality and concentration trends.

LNAPL continues to be detected in well MW-1 adjacent to the former USTs. Previous remedial efforts have been unsuccessful in removing the LNAPL. As requested by Alameda County Environmental Health (ACEH), CRA prepared and submitted a Corrective Action Plan Addendum and Proposed Feasibility Study, dated December 2008, that proposed the performance of a pump test in well MW-1 to evaluate the hydrogeologic characteristics and behavior of groundwater beneath the site. This information would be used to further define the necessary scope of remediation and to further evaluate available remedial options at the site. This investigation will be performed upon receipt of approval from ACEH.

Please contact Mr. James Kiernan at (916) 751-4102 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Christopher J. Benedict

James P. Kiernan, P.E. #C68498


CB/kw/2
Encl.

Figure 1 Vicinity Map
Figure 2 Concentration Map – November 26, 2008

Attachment A Groundwater Monitoring and Sampling Report

cc: Ms. Stacie Frerichs, Chevron Environmental Management Company
 Mr. Ardavan Onsori





SOURCE: TOPO! MAPS.

figure 1

VICINITY MAP
FORMER CHEVRON SERVICE STATION 9-7127
GRANT LINE ROAD AND INTERSTATE 580
Tracy, California






figure 2

ATTACHMENT A

GROUNDWATER MONITORING AND SAMPLING REPORT



GETTLER - RYAN INC.



TRANSMITTAL

January 5, 2009
G-R #385251

TO: Mr. James Kiernan
Conestoga-Rovers & Associates
2000 Opportunity Drive, Suite 110
Roseville, California 95678

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-7127 (MTI)
I-580 and Grant Line Road
Tracy, California**

WE HAVE ENCLOSED THE FOLLOWING:

| COPIES | DATED | DESCRIPTION |
|--------|-------------------|--|
| 3 | December 31, 2008 | Groundwater Monitoring and Sampling Report Second Semi-Annual Event of November 26, 2008 |

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced items for your use and distribution (including PDF submittal of the entire report to GeoTracker):

Ms. Stacie H. Frerichs, Chevron Environmental Management Company, 6111 Bollinger Canyon Road, Room 3596, San Ramon, CA 94583

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 (**Distributed by CRA via PDF**)

Ms. Christyl Escarda, RWQCB, Central Valley Region, 11020 Sun Center Drive, Suite 200, Rancho Cordova, CA 95670-6114 (**No Hard Copy**)

Mr. Ardavan Onsori, 29310 Union City Blvd., Union City, CA 94587

Enclosures

trans/9-7127-SHF 4Q08



Stacie H. Frerichs
Team Lead
Marketing Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9655
Fax (925) 842-8370

January 5, 2009

(date)

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Facility # 9-7127

Address: I-580 & Grant Line Road, Tracy, California

I have reviewed the attached routine groundwater monitoring report dated January 5, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Stacie H. Frerichs". The signature is fluid and cursive, with "Stacie" and "H." being more formal and "Frerichs" being more stylized.

Stacie H. Frerichs
Project Manager

Enclosure: Report

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job # 385251
 Event Date: 11-26-08
 Sampler: RT

| WELL ID | Vault Frame Condition | Gasket/ O-Ring (M)missing | BOLTS (M) Missing (R) Replaced | Bolt Flanges B= Broken S= Stripped R=Retap | APRON Condition C=Cracked B=Broken G=Gone | Grout Seal (Deficient) inches from TOC | Casing (Condition prevents tight cap seal) | REPLACE LOCK Y/N | REPLACE CAP Y/N | WELL VAULT Manufacture/Size/ # of Bolts | Pictures Taken Yes / No |
|---------|-----------------------|---------------------------|--------------------------------|---|--|---|--|------------------|-----------------|---|-------------------------|
| MW-1 | OK | N/A | N/A | N/A | OK | | → | | | 3' STOVEPIPE | |
| MW-2 | OK | N/A | N/A | N/A | OK | | → | | | | |
| MW-3 | OK | N/A | N/A | N/A | OK | | → | | | | |
| MW-4 | OK | | | | | | → | | | 12" EMCO 2 | |
| MW-5 | OK | N/A | N/A | N/A | OK | | → | | | 4' STOVEPIPE | |
| MW-6 | OK | | | | | | → | | | 12" EMCO 2 | |
| MW-7 | OK | N/A | N/A | N/A | OK | | → | | | 4' STOVEPIPE | |
| MW-8 | DAMAGED | N/A | N/A | N/A | DAMAGED | DAMAGED | BENT CASING | ↓ | ↓ | 3' STOVEPIPE | YES |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Comments MW-8 WAS BENT OVER HAS BEEN HIT POSSIBLY BY VEHICLE.
 A SECTION OF THE CASING ≈ 1ft. IS SEPARATED FROM THE CASING (BENT), THE REST OF THE CASING IS BENT ALSO UNABLE TO PUT PROBE DOWN
 FAILING TO MONITOR.



GETTLER - RYAN INC.



December 31, 2008
G-R Job #385251

Ms. Stacie H. Frerichs
Chevron Environmental Management Company
6111 Bollinger Canyon Rd., Room 3596
San Ramon, CA 94583

RE: Second Semi-Annual Event of November 26, 2008
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

Dear Ms. H. Frerichs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.


Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. A Concentration Map is included as Figure 2. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882



- Figure 1: Potentiometric Map
Figure 2: Concentration Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Table 3: Groundwater Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.



GETTLER - RYAN INC.
6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

PROJECT NUMBER
385251

REVIEWED BY

FILE NAME: P:\Enviro\Chevron\9-7127\Q08-9-7127.DWG | Layout Tab: Pot4


POTENTIOMETRIC MAP
Former Chevron Service Station #9-7127
Interstate 580 and Grant Line Road
Tracy, California

DATE
November 26, 2008

REVISED DATE

1

FIGURE



Source: Figure modified from drawing provided by RRM engineering contracting firm.



GETTLER - RYAN INC.
6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

CONCENTRATION MAP
Former Chevron Service Station #9-7127
Interstate 580 and Grant Line Road
Tracy, California

PROJECT NUMBER
385251

REVIEWED BY

DATE

REVISED DATE

November 26, 2008

FILE NAME: P:\Enviro\Chevron\9-7127\Q08-9-7127.DWG | Layout Tab: Con4

2

FIGURE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | | MTBE (µg/L) |
|-----------------------|--------|--------------|--------------|---------------|----------------------|-----------------|-------------|-------------|-------------|-------------|--------|----------------|
| | | | | | REMOVED (gallons) | TPH-G (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | | |
| MW-1 | | | | | | | | | | | | |
| 02/15/94 | 329.17 | 299.40 | 29.77 | -- | -- | 99,000 | 20,000 | 24,000 | 2000 | 9800 | -- | -- |
| 04/21/94 | 329.17 | 299.32 | 29.85 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/01/94 | 329.17 | 299.25 | 29.92 | -- | -- | 56,000 | 12,000 | 15,000 | 1100 | 5800 | -- | -- |
| 06/28/94 | 329.17 | 299.02 | 30.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/19/94 | 329.17 | 308.87 | 20.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/94 | 329.17 | 298.96 | 30.61 | 0.50 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/12/94 | 329.17 | 298.04 | 31.66 | 0.66 | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/12/94 | 329.17 | 298.70 | 31.70 | 1.54 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/30/94 | 329.17 | 299.84 | 29.95 | 0.77 | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/09/95 | 329.17 | 299.88 | 29.54 | 0.31 | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/18/95 | 329.17 | 300.16 | 29.01 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/17/95 | 329.17 | 300.08 | 29.09 | -- | -- | 130,000 | 22,000 | 30,000 | 2000 | 10,000 | -- | -- |
| 06/07/95 | 329.17 | 299.93 | 29.24 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/21/95 | 329.17 | 299.51 | 29.66 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/15/95 | 329.17 | 299.30 | 29.87 | -- | -- | 41,000 | 9400 | 12,000 | 1400 | 7700 | -- | -- |
| 09/07/95 | 329.17 | 299.32 | 29.85 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/09/95 | 329.17 | 299.16 | 30.01 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/15/95 | 329.17 | 299.29 | 29.88 | -- | -- | 68,000 | 15,000 | 9600 | 1100 | 5500 | <2000 | |
| 12/30/95 | 329.17 | 299.18 | 29.99 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/29/96 | 329.17 | 299.85 | 29.32 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/27/96 | 329.17 | 300.66 | 28.51 | -- | -- | 520 | 48 | 71 | <0.5 | 27 | 28 | |
| 03/05/96 | 329.17 | 300.73 | 28.44 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/23/96 | 329.17 | 300.97 | 28.20 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/30/96 | 329.17 | 300.70 | 28.47 | -- | -- | 57,000 | 15,000 | 11,000 | 1100 | 4900 | <250 | |
| 06/19/96 | 329.17 | 300.74 | 28.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/15/96 | 329.17 | 300.51 | 28.66 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/96 | 329.17 | 300.44 | 28.73 | -- | -- | 74,000 | 11,000 | 9500 | 790 | 3600 | <120 | |
| 09/09/96 | 329.17 | 300.32 | 28.85 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/28/96 | 329.17 | 300.64 | 28.53 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/11/96 | 329.17 | 300.40 | 28.77 | -- | -- | 69,000 | 13,000 | 9100 | 810 | 3200 | <250 | |
| 05/06/97 | 329.17 | 301.05 | 28.12 | -- | -- | 98,000 | 23,000 | 17,000 | 1100 | 5200 | <500 | |
| 07/27/97 | 329.17 | 300.99 | 28.18 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | 329.17 | 300.44 | 28.73 | -- | -- | 58,000 | 19,000 | 9700 | 1100 | 4000 | <500 | |
| 05/31/98 ³ | 329.17 | 302.14 | 27.03 | 0.05 | -- | 180,000 | 25,000 | 25,000 | 1700 | 9300 | 19,000 | |
| 05/31/98 ² | 329.17 | 302.14 | 27.03 | 0.05 | -- | -- | -- | -- | -- | -- | <500 | |
| 08/12/98 ² | 329.17 | 301.99 | 27.18 | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | |
|-------------------------|---------------|---|--------------|---------------|----------------------|--|---------------------------------|---------------------------------|---------------------------------|---------------------------------|------------------------------------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g}/\text{L}$) | B ($\mu\text{g}/\text{L}$) | T ($\mu\text{g}/\text{L}$) | E ($\mu\text{g}/\text{L}$) | X ($\mu\text{g}/\text{L}$) | MTBE ($\mu\text{g}/\text{L}$) |
| MW-1 (cont) | | | | | | | | | | | |
| 11/23/98 | 329.17 | 301.63 | 27.54 | -- | -- | 131,000 | 14,600 | 23,700 | 1990 | 13,600 | <200 |
| 05/11/99 ^{2,7} | 329.17 | 301.89 | 27.28 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/24/99 | 329.17 | 301.22 ⁸ | 28.11 | >0.2 | 0.26 | -- | -- | -- | -- | -- | -- |
| 05/23/00 ¹ | 329.17 | 302.34** | 27.61 | 0.97 | 0.52 ¹³ | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 10/31/00 | 329.17 | 301.47** | 28.35 | 0.81 | 0.26 ¹³ | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 05/18/01 | 329.17 | 301.27** | 28.62 | 0.90 | 0.00 | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 11/16/01 ¹⁵ | 329.17 | 300.63** | 28.57 | 0.04 | 0.00 | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 07/01/02 ¹⁵ | 329.17 | 300.38** | 29.36 | 0.71 | 0.50 ¹³ | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 11/08/02 ¹⁵ | 329.17 | 300.07** | 29.82 | 0.90 | 0.13 ¹³ | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 06/13/03 ¹⁵ | 329.17 | 300.59** | 28.83 | 0.31 | 1.85 ¹⁸ | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 11/20/03 | 329.17 | INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER | | | | | -- | -- | -- | -- | -- |
| 05/18/04 | 329.17 | INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER | | | | | -- | -- | -- | -- | -- |
| 11/19/04 | 329.17 | INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER | | | | | -- | -- | -- | -- | -- |
| 05/03/05 | 329.17 | INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER | | | | | -- | -- | -- | -- | -- |
| 11/28/05 | 329.17 | INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER | | | | | -- | -- | -- | -- | -- |
| 05/25/06 | 329.17 | INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER | | | | | -- | -- | -- | -- | -- |
| 11/21/06 | 329.17 | INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER | | | | | -- | -- | -- | -- | -- |
| 05/09/07 | 329.17 | 299.78** | 29.70 | 0.39 | 1.30 ¹³ | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 11/17/07 | 329.17 | 299.68** | 30.83 | 1.67 | 1.69 ¹³ | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 04/30/08 | 329.17 | 298.29** | 31.54 | 0.83 | 0.53 ¹³ | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| 11/26/08 | 329.17 | 298.73** | 31.90 | 1.82 | 0.79 ²³ | NOT SAMPLED DUE TO THE PRESENCE OF SPH | | | | | |
| MW-2 | | | | | | | | | | | |
| 02/15/94 | 327.22 | 300.13 | 27.09 | -- | -- | 83 | 21 | 6.0 | 1.0 | 3.0 | -- |
| 04/21/94 | 327.22 | 299.41 | 27.81 | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/01/94 | 327.22 | 299.24 | 27.98 | -- | -- | <50 | 1.3 | 0.5 | <0.5 | <0.5 | -- |
| 06/28/94 | 327.22 | 299.05 | 28.17 | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/19/94 | 327.22 | 298.87 | 28.35 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/94 | 327.22 | 298.70 | 28.52 | -- | -- | 82 | 13 | 16 | 3.6 | 14 | -- |
| 09/12/94 | 327.22 | 298.66 | 28.56 | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/12/94 | 327.22 | 298.60 | 28.62 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/30/94 | 327.22 | 298.84 | 28.38 | -- | -- | <50 | 3.6 | 4.5 | 1.0 | 4.5 | -- |
| 03/09/95 | 327.22 | 299.81 | 27.41 | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/18/95 | 327.22 | 300.43 | 26.79 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/17/95 | 327.22 | 300.27 | 26.95 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* | GWE (mst) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | MTBE ($\mu\text{g}/\text{L}$) | |
|------------------------|--------|--------------|--------------|---------------|----------------------|-------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|------------------------------------|------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g}/\text{L}$) | B ($\mu\text{g}/\text{L}$) | T ($\mu\text{g}/\text{L}$) | E ($\mu\text{g}/\text{L}$) | X ($\mu\text{g}/\text{L}$) | | |
| MW-2 (cont) | | | | | | | | | | | | |
| 06/07/95 | 327.22 | 300.16 | 27.06 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/21/95 | 327.22 | 299.75 | 27.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/15/95 | 327.22 | 299.65 | 27.57 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 09/07/95 | 327.22 | 298.53 | 28.69 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/09/95 | 327.22 | 299.37 | 27.85 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/15/95 | 327.22 | 299.31 | 27.91 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 12/30/95 | 327.22 | 299.62 | 27.60 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/29/96 | 327.22 | 300.06 | 27.16 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/27/96 | 327.22 | 300.97 | 26.25 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 03/05/96 | 327.22 | 300.52 | 26.70 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/23/96 | 327.22 | 301.40 | 25.82 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/30/96 | 327.22 | 301.06 | 26.16 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 06/19/96 | 327.22 | 300.95 | 26.27 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/15/96 | 327.22 | 300.76 | 26.46 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/96 | 327.22 | 300.50 | 26.72 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 09/06/96 | 327.22 | 300.42 | 26.80 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/28/96 | 327.22 | 300.39 | 26.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/11/96 | 327.22 | 300.50 | 26.72 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/06/97 | 327.22 | 301.21 | 26.01 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 07/27/97 | 327.22 | 300.84 | 26.38 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | 327.22 | 300.72 | 26.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/31/98 | 327.22 | 302.75 | 24.47 | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | <0.6 | <10 |
| 11/23/98 | 327.22 | 302.28 | 24.94 | -- | -- | SAMPLED ANNUALLY | | | | | | -- |
| 05/11/99 | 327.22 | 302.73 | 24.49 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 05/23/00 | 327.22 | 302.19 | 25.03 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| 10/31/00 | 327.22 | 301.30 | 25.92 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 05/18/01 | 327.22 | 301.14 | 26.08 | 0.00 | 0.00 | <50 | 0.52 | 2.6 | <0.50 | 1.9 | <2.5 | -- |
| 11/16/01 | 327.22 | 300.41 | 26.81 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 07/01/02 | 327.22 | 300.25 | 26.97 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 11/08/02 | 327.22 | 299.92 | 27.30 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 06/13/03 ¹⁹ | 327.22 | 300.49 | 26.73 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/20/03 | 327.22 | 300.74 | 26.48 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 05/18/04 ¹⁹ | 327.22 | 300.14 | 27.08 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/19/04 | 327.22 | 300.52 | 26.70 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | | -- |
| 05/03/05 ¹⁹ | 327.22 | 299.97 | 27.25 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/28/05 | 327.22 | 299.77 | 27.45 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | | MTBE (µg/L) |
|------------------------|---------------|--------------|--------------|---------------|----------------------|------------------|-------------|-------------|-------------|-------------|-------|----------------|
| | | | | | REMOVED (gallons) | TPH-G (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | | |
| MW-2 (cont) | | | | | | | | | | | | |
| 05/25/06 ¹⁹ | 327.22 | 300.62 | 26.60 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/21/06 | 327.22 | 300.21 | 27.01 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |
| 05/09/07 ¹⁹ | 327.22 | 299.68 | 27.54 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/17/07 | 327.22 | 300.11 | 27.11 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |
| 04/30/08 ¹⁹ | 327.22 | 299.35 | 27.87 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/26/08 | 327.22 | 298.52 | 28.70 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |
| MW-3 | | | | | | | | | | | | |
| 02/15/94 | 329.28 | 299.41 | 29.87 | -- | -- | 23,000 | 11,000 | 1700 | 540 | 1000 | -- | -- |
| 04/21/94 | 329.28 | 299.32 | 29.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/01/94 | 329.28 | 299.17 | 30.11 | -- | -- | 27,000 | 12,000 | 2600 | 600 | 2200 | -- | -- |
| 06/28/94 | 329.28 | 298.97 | 30.31 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/19/94 | 329.28 | 298.78 | 30.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/94 | 329.28 | 298.67 | 30.61 | -- | -- | 34,000 | 16,000 | 4100 | 770 | 3000 | -- | -- |
| 09/12/94 | 329.28 | 298.63 | 30.65 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/12/94 | 329.28 | 298.54 | 30.74 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/30/94 | 329.28 | 298.84 | 30.44 | -- | -- | 33,000 | 16,000 | 3000 | 740 | 2400 | -- | -- |
| 03/09/95 | 329.28 | 299.75 | 29.53 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/18/95 | 329.28 | 300.31 | 28.97 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/17/95 | 329.28 | 300.09 | 29.19 | -- | -- | 27,000 | 10,000 | 760 | 490 | 1000 | -- | -- |
| 06/07/95 | 329.28 | 300.04 | 29.24 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/21/95 | 329.28 | 299.58 | 29.70 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/15/95 | 329.28 | 299.50 | 29.78 | -- | -- | 39,000 | 13,000 | 2900 | 700 | 1700 | -- | -- |
| 09/07/95 | 329.28 | 299.42 | 29.86 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/09/95 | 329.28 | 299.26 | 30.02 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/15/95 | 329.28 | 299.22 | 30.06 | -- | -- | 21,000 | 8000 | 2900 | 430 | 1500 | <1000 | -- |
| 12/30/95 | 329.28 | 299.53 | 29.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/29/96 | 329.28 | 300.06 | 29.22 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/27/96 | 329.28 | 300.85 | 28.43 | -- | -- | <2500 | 5000 | 500 | 220 | 130 | 710 | -- |
| 03/05/96 | 329.28 | 300.93 | 28.35 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/23/96 | 329.28 | 301.18 | 28.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/30/96 | 329.28 | 300.86 | 28.42 | -- | -- | 37,000 | 13,000 | 7200 | 870 | 2900 | <120 | -- |
| 06/19/96 | 329.28 | 300.77 | 28.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/15/96 | 329.28 | 300.65 | 28.63 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/96 | 329.28 | 300.38 | 28.90 | -- | -- | 50,000 | 9500 | 6900 | 740 | 2900 | <120 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | MTBE ($\mu\text{g/L}$) |
|---------------------------|---------------|--------------|--------------|---------------|----------------------|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----------------------------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g/L}$) | B ($\mu\text{g/L}$) | T ($\mu\text{g/L}$) | E ($\mu\text{g/L}$) | X ($\mu\text{g/L}$) | |
| MW-3 (cont) | | | | | | | | | | | |
| 09/06/96 | 329.28 | 300.30 | 28.98 | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/28/96 | 329.28 | 300.30 | 28.98 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/11/96 | 329.28 | 300.44 | 28.84 | -- | -- | 52,000 | 11,000 | 5500 | 780 | 3000 | <250 |
| 05/06/97 | 329.28 | 301.06 | 28.22 | -- | -- | 93,000 | 23,000 | 15,000 | 1400 | 6200 | <500 |
| 07/27/97 | 329.28 | 300.70 | 28.58 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | 329.28 | 300.58 | 28.70 | -- | -- | 81,000 | 29,000 | 17,000 | 1600 | 6700 | <500 |
| 05/31/98 | 329.28 | 302.60 | 26.68 | -- | -- | 78,000 | 24,000 | 12,000 | 1200 | 5800 | 1300 |
| 05/31/98 ³ | 329.28 | 302.60 | 26.68 | -- | -- | -- | -- | -- | -- | -- | <500 |
| 08/12/98 ² | 329.28 | 302.25 | 27.03 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/23/98 | 329.28 | 302.19 | 27.09 | -- | -- | 97,200 | 17,900 | 12,800 | 1200 | 6950 | <100 |
| 05/11/99 ² | 329.28 | 302.60 | 26.68 | -- | -- | 51,000 | 18,000 | 7800 | 670 | 3600 | <2.5 |
| 05/11/99 ³ | 329.28 | 302.60 | 26.68 | -- | -- | -- | -- | -- | -- | -- | <100 |
| 11/24/99 | 329.28 | 301.83 | 27.45 | -- | -- | 62,800 | 16,600 | 8300 | 900 | 4890 | <500 |
| 05/23/00 ¹ | 329.28 | 302.11 | 27.17 | 0.00 | 0.00 | 27,000 ⁷ | 14,000 | 12,000 | 940 | 4,600 | 770 |
| 10/31/00 ¹ | 329.28 | 301.27 | 28.01 | 0.00 | 0.00 | 110,000 ¹⁰ | 25,700 | 21,300 | 1,300 | 7,320 | 1,680 |
| 05/18/01 ¹ | 329.28 | 301.07 | 28.21 | 0.00 | 0.00 | 58,000 ⁷ | 19,000 | 16,000 | 1,400 | 7,000 | 2,300/11 ¹⁴ |
| 11/16/01 ¹ | 329.28 | 300.41 | 28.87 | 0.00 | 0.00 | 100,000 | 23,000 | 16,000 | 1,400 | 6,800 | <200 |
| 07/01/02 ¹ | 329.28 | 300.20 | 29.08 | 0.00 | 0.00 | 75,000 | 16,000 | 8,800 | 980 | 4,000 | 140/<10 ¹⁷ |
| 11/08/02 | 329.28 | 299.89 | 29.39 | 0.00 | 0.00 | 45,000 | 9,800 | 5,800 | 590 | 2,400 | <50 |
| 06/13/03 ^{19,20} | 329.28 | 300.46 | 28.82 | 0.00 | 0.00 | 42,000 | 9,100 | 4,100 | 580 | 1,800 | 5 |
| 11/20/03 ¹⁹ | 329.28 | 300.51 | 28.77 | 0.00 | 0.00 | 52,000 | 12,000 | 4,500 | 660 | 3,200 | 5 |
| 05/18/04 ¹⁹ | 329.28 | 300.07 | 29.21 | 0.00 | 0.00 | 57,000 | 15,000 | 5,700 | 840 | 3,400 | 9 |
| 11/19/04 ¹⁹ | 329.28 | 300.42 | 28.86 | 0.00 | 0.00 | 67,000 | 15,000 | 4,200 | 850 | 3,400 | 7 |
| 05/03/05 ¹⁹ | 329.28 | 299.88 | 29.40 | 0.00 | 0.00 | 54,000 | 13,000 | 3,400 | 690 | 2,600 | <10 |
| 11/28/05 ¹⁹ | 329.28 | 299.72 | 29.56 | 0.00 | 0.00 | 56,000 | 16,000 | 1,800 | 950 | 3,500 | <25 |
| 05/25/06 ¹⁹ | 329.28 | 300.47 | 28.81 | 0.00 | 0.00 | 38,000 | 9,400 | 1,800 | 680 | 2,100 | <5 |
| 11/21/06 ¹⁹ | 329.28 | 300.06 | 29.22 | 0.00 | 0.00 | 27,000 | 10,000 | 420 | 650 | 1,600 | <5 |
| 05/09/07 ¹⁹ | 329.28 | 299.55 | 29.73 | 0.00 | 0.00 | 40,000 | 9,200 | 660 | 590 | 1,300 | <10 |
| 11/17/07 ¹⁹ | 329.28 | 298.90 | 30.38 | 0.00 | 0.00 | 22,000 | 9,200 | 86 | 610 | 560 | 3 |
| 04/30/08 ¹⁹ | 329.28 | 299.46 | 29.82 | 0.00 | 0.00 | 19,000 | 8,300 | 440 | 510 | 620 | <5 |
| 11/26/08 ¹⁹ | 329.28 | 298.55 | 30.73 | 0.00 | 0.00 | 20,000 | 7,500 | 230 | 470 | 640 | <10 |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | |
|------------------|---------------|--------------|--------------|---------------|----------------------|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----------------------------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g/L}$) | B ($\mu\text{g/L}$) | T ($\mu\text{g/L}$) | E ($\mu\text{g/L}$) | X ($\mu\text{g/L}$) | MTBE ($\mu\text{g/L}$) |
| MW-4 | | | | | | | | | | | |
| 05/21/93 | -- | -- | -- | -- | -- | <50 | 12 | 2.0 | <0.5 | 1.0 | -- |
| 11/05/93 | -- | -- | -- | -- | -- | 300 | 56 | 10 | 0.8 | 3.0 | -- |
| 02/15/94 | 329.44 | 299.54 | 29.90 | -- | -- | 260 | 47 | 12 | 2.0 | 4.0 | -- |
| 04/21/94 | 329.44 | 299.45 | 29.99 | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/01/94 | 329.44 | 299.30 | 30.14 | -- | -- | 860 | 200 | 23 | 2.8 | 9.6 | -- |
| 06/28/94 | 329.44 | 299.12 | 30.32 | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/19/94 | 329.44 | 298.94 | 30.50 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/94 | 329.44 | 298.82 | 30.62 | -- | -- | 1700 | 250 | 27 | 6.4 | 15 | -- |
| 09/12/94 | 329.44 | 298.75 | 30.69 | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/12/94 | 329.44 | 298.69 | 30.75 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/30/94 | 329.44 | 298.93 | 30.51 | -- | -- | 830 | 350 | 29 | 8.1 | 22 | -- |
| 03/09/95 | 329.44 | 299.83 | 29.61 | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/18/95 | 329.44 | 300.36 | 29.08 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/17/95 | 329.44 | 300.22 | 29.22 | -- | -- | 470 | 200 | 2.2 | 0.9 | 2.1 | -- |
| 06/07/95 | 329.44 | 300.17 | 29.27 | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/21/95 | 329.44 | 299.72 | 29.72 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/15/95 | 329.44 | 299.67 | 29.77 | -- | -- | 100 | 4.2 | 0.8 | <0.5 | <0.5 | -- |
| 09/07/95 | 329.44 | 299.59 | 29.85 | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/09/95 | 329.44 | 299.42 | 30.02 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/15/95 | 329.44 | 299.39 | 30.05 | -- | -- | 270 | 94 | 9.4 | 0.77 | 4.3 | 27 |
| 12/30/95 | 329.44 | 299.65 | 29.79 | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/29/96 | 329.44 | 300.13 | 29.31 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/27/96 | 329.44 | 300.86 | 28.58 | -- | -- | 690 | 100 | 15 | <0.5 | 2.0 | 79 |
| 03/05/96 | 329.44 | 300.89 | 28.55 | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/23/96 | 329.44 | 301.29 | 28.15 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/30/96 | 329.44 | 301.04 | 28.40 | -- | -- | 700 | 240 | 4.0 | 0.6 | 3.9 | <5.0 |
| 06/19/96 | 329.44 | 300.97 | 28.47 | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/15/96 | 329.44 | 300.82 | 28.62 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/96 | 329.44 | 300.59 | 28.85 | -- | -- | <50 | 11 | <0.5 | <0.5 | <0.5 | <5.0 |
| 09/06/96 | 329.44 | 300.52 | 28.92 | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/28/96 | 329.44 | 300.54 | 28.90 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/11/96 | 329.44 | 300.66 | 28.78 | -- | -- | 240 | 57 | 1.4 | 0.7 | 1.8 | <5.0 |
| 05/06/97 | 329.44 | 301.33 | 28.11 | -- | -- | 240 | 74 | 2.7 | <0.5 | 1.6 | <5.0 |
| 07/27/97 | 329.44 | 301.01 | 28.43 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | 329.44 | 300.86 | 28.58 | -- | -- | 270 | 230 | 3.5 | 1.0 | 1.6 | <2.5 |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | | MTBE ($\mu\text{g/L}$) |
|------------------------|---------------|--------------|--------------|---------------|----------------------|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|----------------------|-----------------------------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g/L}$) | B ($\mu\text{g/L}$) | T ($\mu\text{g/L}$) | E ($\mu\text{g/L}$) | X ($\mu\text{g/L}$) | | |
| MW-4 (cont) | | | | | | | | | | | | |
| 05/31/98 | 329.44 | 302.91 | 26.53 | -- | -- | 1000 | 450 | 3.4 | 4.5 | <6.0 | <20 | |
| 08/12/98 ² | 329.44 | 302.62 | 26.82 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/23/98 ⁶ | 329.44 | 305.52 | 23.92 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/23/98 ⁶ | 329.44 | 305.25 | 24.19 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 05/11/99 ² | 329.44 | 306.24 | 23.20 | -- | -- | 470 | 260 | 2.6 | <0.5 | 4.3 | 35 | |
| 05/11/99 ³ | 329.44 | 306.24 | 23.20 | -- | -- | -- | -- | -- | -- | -- | <2.0 | |
| 11/24/99 | 329.44 | 306.41 | 23.03 | -- | -- | 2400 | 562 | <5.0 | 10.7 | 10.4 | 38.1 | |
| 5/23/00 ¹ | 329.44 | 305.30 | 24.14 | 0.00 | 0.00 | 370 ⁸ | 470 ⁹ | 1.1 | 9.7 | 5.9 | 84 | |
| 10/31/00 ¹ | 329.44 | 304.42 | 25.02 | 0.00 | 0.00 | 672 ¹¹ | 224 | <5.00 | <5.00 | <15.0 | <25.0 | |
| 05/18/01 ¹ | 329.44 | 304.23 | 25.21 | 0.00 | 0.00 | 230 ⁷ | 37 | <0.50 | 1.3 | 0.95 | 22/2.1 ¹⁴ | |
| 11/16/01 ¹⁶ | 329.44 | 303.53 | 25.91 | 0.00 | 0.00 | 290 | 36 | <0.50 | <0.50 | <1.5 | <2.5 | |
| 07/01/02 | 329.44 | 303.33 | 26.11 | 0.00 | 0.00 | 410 | 60 | <0.50 | 2.1 | <1.5 | <2.5 | |
| 11/08/02 | 329.44 | 303.01 | 26.43 | 0.00 | 0.00 | 64 | 7.0 | <0.50 | <0.50 | <1.5 | <2.5 | |
| 06/13/03 ¹⁹ | 329.44 | 302.58 | 26.86 | 0.00 | 0.00 | 79 | 4 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 11/20/03 ¹⁹ | 329.44 | 302.81 | 26.63 | 0.00 | 0.00 | 350 | 36 | <0.5 | 2 | 0.7 | <0.5 | |
| 05/18/04 ¹⁹ | 329.44 | 303.13 | 26.31 | 0.00 | 0.00 | 160 | 22 | <0.5 | 2 | 1 | <0.5 | |
| 11/19/04 ¹⁹ | 329.44 | 302.56 | 26.88 | 0.00 | 0.00 | 480 | 93 | 2 | 4 | 4 | <0.5 | |
| 05/03/05 ¹⁹ | 329.44 | 302.96 | 26.48 | 0.00 | 0.00 | 180 | 40 | 0.8 | 1 | 1 | <0.5 | |
| 11/28/05 ¹⁹ | 329.44 | 302.76 | 26.68 | 0.00 | 0.00 | 630 | 96 | 2 | 5 | 5 | <0.5 | |
| 05/25/06 ¹⁹ | 329.44 | 303.59 | 25.85 | 0.00 | 0.00 | 2,400 | 490 | 11 | 33 | 21 | <0.5 | |
| 11/21/06 ¹⁹ | 329.44 | 303.16 | 26.28 | 0.00 | 0.00 | <50 | 3 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 05/09/07 ¹⁹ | 329.44 | 302.69 | 26.75 | 0.00 | 0.00 | 940 | 170 | 5 | 9 | 11 | <0.5 | |
| 11/17/07 ¹⁹ | 329.44 | 302.03 | 27.41 | 0.00 | 0.00 | 580 | 150 | 5 | 4 | 7 | <0.5 | |
| 04/30/08 ¹⁹ | 329.44 | 302.44 | 27.00 | 0.00 | 0.00 | 73 | 15 | 0.6 | 0.7 | 0.9 | <0.5 | |
| 11/26/08 ¹⁹ | 329.44 | 301.52 | 27.92 | 0.00 | 0.00 | 530 | 63 | 6 | 5 | 10 | <0.5 | |
| MW-5 | | | | | | | | | | | | |
| 05/25/93 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | 0.9 | -- | |
| 11/05/93 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | |
| 02/15/94 | 312.88 | 287.78 | 25.10 | -- | -- | <50 | <0.5 | 1.0 | <0.5 | 1.0 | -- | |
| 04/21/94 | 312.88 | 299.67 | 13.21 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 06/01/94 | 312.88 | 299.49 | 13.39 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | |
| 06/28/94 | 312.88 | 299.15 | 13.73 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 07/19/94 | 312.88 | 299.08 | 13.80 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/02/94 | 312.88 | 298.86 | 14.02 | -- | -- | <50 | 3.2 | 1.8 | <0.5 | 2.1 | -- | |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | | MTBE ($\mu\text{g/L}$) |
|--------------------|---------------|--------------|--------------|---------------|----------------------|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------|-----------------------------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g/L}$) | B ($\mu\text{g/L}$) | T ($\mu\text{g/L}$) | E ($\mu\text{g/L}$) | X ($\mu\text{g/L}$) | | |
| MW-5 (cont) | | | | | | | | | | | | |
| 09/12/94 | 312.88 | 298.85 | 14.03 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/12/94 | 312.88 | 298.73 | 14.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/30/94 | 312.88 | 298.97 | 13.91 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 03/09/95 | 312.88 | 299.91 | 12.97 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/18/95 | 312.88 | 300.40 | 12.48 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/17/95 | 312.88 | 300.17 | 12.71 | -- | -- | 150 | 1.0 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 06/07/95 | 312.88 | 300.03 | 12.85 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/21/95 | 312.88 | 299.58 | 13.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/15/95 | 312.88 | 299.47 | 13.41 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 09/07/95 | 312.88 | 299.46 | 13.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/09/95 | 312.88 | 299.27 | 13.61 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/15/95 | 312.88 | 299.25 | 13.63 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 12/30/95 | 312.88 | 299.58 | 13.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/29/96 | 312.88 | 300.13 | 12.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/27/96 | 312.88 | 300.86 | 12.02 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 03/05/96 | 312.88 | 300.92 | 11.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/23/96 | 312.88 | 301.11 | 11.77 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/30/96 | 312.88 | 300.71 | 12.17 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 06/19/96 | 312.88 | 300.63 | 12.25 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/15/96 | 312.88 | 300.49 | 12.39 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/96 | 312.88 | 300.23 | 12.65 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 09/06/96 | 312.88 | 300.20 | 12.68 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/28/96 | 312.88 | 300.16 | 12.72 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/11/96 | 312.88 | 300.27 | 12.61 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/06/97 | 312.88 | 300.82 | 12.06 | -- | -- | <50 | 2.2 | 2.0 | <0.5 | 1.7 | <5.0 | -- |
| 07/27/97 | 312.88 | 300.49 | 12.39 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | 312.88 | 300.43 | 12.45 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/31/98 | 312.88 | 302.30 | 10.58 | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | <10 | -- |
| 11/23/98 | 312.88 | 301.96 | 10.92 | -- | -- | SAMPLED ANNUALLY | | | | | | |
| 05/11/99 | 312.88 | 302.39 | 10.49 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 05/23/00 | 312.88 | 301.79 | 11.09 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| 10/31/00 | 312.88 | 300.97 | 11.91 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 05/18/01 | 312.88 | 300.82 | 12.06 | 0.00 | 0.00 | <50 | 0.52 | 2.0 | <0.50 | 1.0 | <2.5 | -- |
| 11/16/01 | 312.88 | 300.11 | 12.77 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 07/01/02 | 312.88 | 299.94 | 12.94 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 11/08/02 | 312.88 | 299.61 | 13.27 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | |
|------------------------|------------------|------------------|--------------|---------------|----------------------|-------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|------------------------------------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g}/\text{L}$) | B ($\mu\text{g}/\text{L}$) | T ($\mu\text{g}/\text{L}$) | E ($\mu\text{g}/\text{L}$) | X ($\mu\text{g}/\text{L}$) | MTBE ($\mu\text{g}/\text{L}$) |
| MW-5 (cont) | | | | | | | | | | | |
| 06/13/03 ¹⁹ | 312.88 | 300.03 | 12.85 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/20/03 | 312.88 | 300.21 | 12.67 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- |
| 05/18/04 ¹⁹ | 312.88 | 299.98 | 12.90 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/19/04 | 312.88 | 300.05 | 12.83 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | -- |
| 05/03/05 ¹⁹ | 312.88 | 300.00 | 12.88 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/28/05 | 312.88 | 299.39 | 13.49 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | -- |
| 05/25/06 ¹⁹ | NP ²¹ | 300.58 | 12.30 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/21/06 | 312.88 | 300.12 | 12.76 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | -- |
| 05/09/07 ¹⁹ | NP ²¹ | 299.76 | 13.12 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/17/07 | 312.88 | 299.23 | 13.65 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | -- |
| 04/30/08 ¹⁹ | NP ²¹ | 299.12 | 13.76 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/26/08 | 312.88 | 298.23 | 14.65 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | -- |
| MW-6 | | | | | | | | | | | |
| 12/30/95 | 312.20 | 298.55 | 13.65 | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/29/96 | 312.20 | 300.02 | 12.18 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/27/96 | 312.20 | 300.75 | 11.45 | -- | -- | 70 | 1.1 | <0.5 | <0.5 | <0.5 | <5.0 |
| 03/05/96 | 312.20 | 300.88 | 11.32 | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/23/96 | 312.20 | 301.08 | 11.12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/30/96 | 312.20 | 300.75 | 11.45 | -- | -- | 60 | 1.3 | <0.5 | <0.5 | 0.9 | <5.0 |
| 06/19/96 | 312.20 | 300.66 | 11.54 | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/15/96 | 312.20 | 300.44 | 11.76 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/96 | 312.20 | 300.25 | 11.95 | -- | -- | 90 | 1.6 | <0.5 | <0.5 | <0.5 | <5.0 |
| 09/06/96 | 312.20 | 300.18 | 12.02 | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/28/96 | 312.20 | 300.19 | 12.01 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/11/96 | 312.20 | 300.30 | 11.90 | -- | -- | 110 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 05/06/97 | 312.20 | 300.92 | 11.28 | -- | -- | 170 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 07/27/97 | 312.20 | 300.52 | 11.68 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | 312.20 | 300.43 | 11.77 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 05/31/98 | 312.20 | 302.39 | 9.81 | -- | -- | <50 | 0.89 | 0.65 | <0.3 | <0.6 | <10 |
| 11/23/98 | 312.20 | UNABLE TO LOCATE | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/98 | 312.20 | 301.88 | 10.32 | -- | -- | 66 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 05/11/99 | 312.20 | 302.40 | 9.80 | -- | -- | <50 | 1.9 | <0.5 | <0.5 | <0.5 | 2.9 |
| 11/24/99 | 312.20 | 301.55 | 10.65 | -- | -- | 77.2 | 13.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 05/23/00 | 312.20 | 301.85 | 10.35 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | |
|------------------------|------------------|------------------|--------------|---------------|----------------------|-----------------|-------------|-------------|-------------|-------------|----------------|
| | | | | | REMOVED (gallons) | TPH-G (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | MTBE (µg/L) |
| MW-6 (cont) | | | | | | | | | | | |
| 10/31/00 | 312.20 | 301.83 | 10.37 | 0.00 | 0.00 | <50.0 | <0.500 | <0.500 | <0.500 | <1.50 | 5.08 |
| 05/18/01 | 312.20 | 300.89 | 11.31 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| 11/16/01 | 312.20 | 300.31 | 11.89 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 07/01/02 | 312.20 | 300.04 | 12.16 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 11/08/02 | 312.20 | 299.70 | 12.50 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 06/13/03 | 312.20 | UNABLE TO LOCATE | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/20/03 | 312.20 | UNABLE TO LOCATE | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/18/04 ¹⁹ | 312.20 | 299.94 | 12.26 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/19/04 ¹⁹ | 312.20 | 300.16 | 12.04 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 05/03/05 ¹⁹ | 312.20 | 299.98 | 12.22 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/28/05 ¹⁹ | 312.20 | 299.59 | 12.61 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 05/25/06 ¹⁹ | 312.20 | 300.37 | 11.83 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/21/06 ¹⁹ | 312.20 | 300.10 | 12.10 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 05/09/07 ¹⁹ | NP ²¹ | 312.20 | 299.82 | 12.38 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/17/07 ¹⁹ | NP ²¹ | 312.20 | 299.25 | 12.95 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 04/30/08 ¹⁹ | 312.20 | 298.56 | 13.64 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/26/08 ¹⁹ | 312.20 | 298.40 | 13.80 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| MW-7 | | | | | | | | | | | |
| 12/30/95 | 313.36 | 300.98 | 12.38 | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/29/96 | 313.36 | 300.22 | 13.14 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/27/96 | 313.36 | 301.02 | 12.34 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 03/05/96 | 313.36 | 301.01 | 12.35 | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/23/96 | 313.36 | 301.23 | 12.13 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/30/96 | 313.36 | 300.94 | 12.42 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 06/19/96 | 313.36 | 300.79 | 12.57 | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/15/96 | 313.36 | 300.66 | 12.70 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/96 | 313.36 | 300.51 | 12.85 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 09/06/96 | 313.36 | 300.46 | 12.90 | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/28/96 | 313.36 | 300.52 | 12.84 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/11/96 | 313.36 | 300.61 | 12.75 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/06/97 | 313.36 | 301.22 | 12.14 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 07/27/97 | 313.36 | 300.91 | 12.45 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | 313.36 | 300.82 | 12.54 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/31/98 | 313.36 | 302.61 | 10.75 | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | <10 |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (mst) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | | MTBE ($\mu\text{g}/\text{L}$) |
|------------------------|------------------|--------------|--------------|---------------|----------------------|-------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|-------|------------------------------------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g}/\text{L}$) | B ($\mu\text{g}/\text{L}$) | T ($\mu\text{g}/\text{L}$) | E ($\mu\text{g}/\text{L}$) | X ($\mu\text{g}/\text{L}$) | | |
| MW-7 (cont) | | | | | | | | | | | | |
| 11/23/98 | 313.36 | 302.52 | 10.84 | -- | -- | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 313.36 | 302.96 | 10.40 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 05/23/00 | 313.36 | 302.39 | 10.97 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| 10/31/00 | 313.36 | 301.51 | 11.85 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 05/18/01 | 313.36 | 301.34 | 12.02 | 0.00 | 0.00 | <50 | <0.50 | 1.7 | <0.50 | 1.2 | <2.5 | |
| 11/16/01 | 313.36 | 300.53 | 12.83 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 07/01/02 | 313.36 | 300.42 | 12.94 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 11/08/02 | 313.36 | 300.11 | 13.25 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 06/13/03 ¹⁹ | 313.36 | 300.55 | 12.81 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/20/03 | 313.36 | 300.77 | 12.59 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 05/18/04 ¹⁹ | 313.36 | 300.53 | 12.83 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/19/04 | 313.36 | 300.57 | 12.79 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |
| 05/03/05 ¹⁹ | 313.36 | 300.55 | 12.81 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/28/05 | 313.36 | 299.78 | 13.58 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |
| 05/25/06 ¹⁹ | NP ²¹ | 313.36 | 301.07 | 12.29 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/21/06 | | 313.36 | 300.62 | 12.74 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- |
| 05/09/07 ¹⁹ | NP ²¹ | 313.36 | 300.31 | 13.05 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/17/07 | | 313.36 | 299.63 | 13.73 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- |
| 04/30/08 ¹⁹ | NP ²¹ | 313.36 | 299.43 | 13.93 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/26/08 | | 313.36 | 298.50 | 14.86 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- |
| MW-8 | | | | | | | | | | | | |
| 12/30/95 | 329.91 | 299.61 | 30.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/29/96 | 329.91 | 300.35 | 29.56 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/27/96 | 329.91 | 301.23 | 28.68 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | <5.0 |
| 03/05/96 | 329.91 | 301.16 | 28.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/23/96 | 329.91 | 301.66 | 28.25 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/30/96 | 329.91 | 301.47 | 28.44 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 06/19/96 | 329.91 | 301.40 | 28.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/15/96 | 329.91 | 301.24 | 28.67 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/96 | 329.91 | 300.99 | 28.92 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 09/06/96 | 329.91 | 300.92 | 28.99 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/28/96 | 329.91 | 300.85 | 29.06 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/11/96 | 329.91 | 300.93 | 28.98 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/06/97 | 329.91 | 301.77 | 28.14 | -- | -- | <50 | 3.6 | 3.1 | 0.7 | 2.5 | -- | <5.0 |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | | MTBE (µg/L) |
|------------------------|------------------|---------------------|--------------|---------------|----------------------|------------------|-------------|-------------|-------------|-------------|------|----------------|
| | | | | | REMOVED (gallons) | TPH-G (µg/L) | B (µg/L) | T (µg/L) | E (µg/L) | X (µg/L) | | |
| MW-8 (cont) | | | | | | | | | | | | |
| 07/27/97 | 329.91 | 301.36 | 28.55 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | 329.91 | 301.11 | 28.80 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/31/98 | 329.91 | 303.34 | 26.57 | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | <10 | |
| 11/23/98 | 329.91 | 302.95 | 26.96 | -- | -- | SAMPLED ANNUALLY | | | | | -- | |
| 05/11/99 | 329.91 | 303.43 | 26.48 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | |
| 05/23/00 | 329.91 | 302.82 | 27.09 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | |
| 10/31/00 | 329.91 | 318.78 | 11.13 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | |
| 05/18/01 | 329.91 | 301.67 | 28.24 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | |
| 11/16/01 | 329.91 | 300.84 | 29.07 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | |
| 07/01/02 | 329.91 | 300.74 | 29.17 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | |
| 11/08/02 | 329.91 | 300.4 | 29.51 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | |
| 06/13/03 ¹⁹ | 329.91 | 300.77 | 29.14 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 11/20/03 | 329.91 | 300.97 | 28.94 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | |
| 05/18/04 ¹⁹ | 329.91 | 300.56 | 29.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 11/19/04 | 329.91 | 300.81 | 29.10 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | -- | |
| 05/03/05 ¹⁹ | 329.91 | 300.40 | 29.51 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 11/28/05 | 329.91 | 300.17 | 29.74 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | -- | |
| 05/25/06 ¹⁹ | 329.91 | 300.96 | 28.95 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 11/21/06 | 329.91 | 300.77 | 29.14 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | -- | |
| 05/09/07 ¹⁹ | 329.91 | 300.19 | 29.72 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 11/17/07 | 329.91 | 299.83 | 30.08 | 0.00 | 0.00 | SAMPLED ANNUALLY | | | | | -- | |
| 04/30/08 ¹⁹ | -- ²² | -- ²² | 28.97 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 11/26/08 | -- ²² | INACCESSIBLE | | -- | -- | -- | -- | -- | -- | -- | -- | |
| SUPPLY WELL | | | | | | | | | | | | |
| 11/15/95 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 11/11/96 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 07/27/97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 05/31/98 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/23/98 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 |
| 05/11/99 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/24/99 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 05/23/00 | -- | -- | -- | -- | -- | SAMPLED ANNUALLY | | | | | -- | |
| 10/30/00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | | MTBE ($\mu\text{g/L}$) |
|---------------------------|---------------|--------------|--------------|---------------|----------------------|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------|-----------------------------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g/L}$) | B ($\mu\text{g/L}$) | T ($\mu\text{g/L}$) | E ($\mu\text{g/L}$) | X ($\mu\text{g/L}$) | | |
| SUPPLY WELL (cont) | | | | | | | | | | | | |
| 05/18/01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/16/01 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | |
| 07/01/02 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | |
| 11/08/02 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | |
| 11/20/03 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 05/18/04 | -- | -- | -- | -- | -- | SAMPLED ANNUALLY | | | | | | |
| 11/19/04 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 05/03/05 | -- | -- | -- | -- | -- | SAMPLED ANNUALLY | | | | | | |
| 11/28/05 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 05/25/06 | -- | -- | -- | -- | -- | SAMPLED ANNUALLY | | | | | | |
| 11/21/06 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 11/17/07 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 04/30/08 | -- | -- | -- | -- | -- | SAMPLED ANNUALLY | | | | | | |
| 11/26/08 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| BAILER BLANK | | | | | | | | | | | | |
| 02/15/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| TRIP BLANK | | | | | | | | | | | | |
| 02/15/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 06/01/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 09/02/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 11/30/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 05/17/95 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 08/15/95 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 11/15/95 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 02/27/96 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 05/30/96 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 08/27/96 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 11/11/96 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 05/06/97 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 07/27/97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/97 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 05/31/98 | -- | -- | -- | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | <10 | |

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | TOTAL SPH | | | | | | |
|--------------------------|---------------|--------------|--------------|---------------|----------------------|-------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|------------------------------------|
| | | | | | REMOVED (gallons) | TPH-G ($\mu\text{g}/\text{L}$) | B ($\mu\text{g}/\text{L}$) | T ($\mu\text{g}/\text{L}$) | E ($\mu\text{g}/\text{L}$) | X ($\mu\text{g}/\text{L}$) | MTBE ($\mu\text{g}/\text{L}$) |
| TRIP BLANK (cont) | | | | | | | | | | | |
| 11/23/98 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 |
| 05/11/99 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 05/23/00 | -- | -- | -- | -- | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.5 |
| 10/31/00 | -- | -- | -- | -- | -- | <50.0 | <0.500 | <0.500 | <0.500 | <1.50 | 49.0 |
| 05/18/01 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| QA | | | | | | | | | | | |
| 11/16/01 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 07/01/02 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 11/08/02 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 06/13/03 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/20/03 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 05/18/04 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/19/04 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 05/03/05 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/28/05 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 05/25/06 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/21/06 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 05/09/07 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/17/07 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 04/30/08 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 11/26/08 ¹⁹ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |

Table 1
Groundwater Monitoring Data and Analytical Results
 Former Chevron Service Station #9-7127
 I-580 and Grant Line Road
 Tracy, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbon Thickness

SPH = Separate Phase Hydrocarbons

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

-- = Not Measured/Not Analyzed

NP = No Purge

($\mu\text{g/L}$) = Micrograms per liter

QA = Quality Assurance/Trip Blank

* TOC elevations are relative to msl.

** GWE has been corrected for the presence of SPH, correction factor = [(TOC - DTW) + (SPHT x 0.80)].

¹ ORC present in well.

² ORC Installed.

³ Confirmation run.

⁴ Due to the presence of Separate Phase Hydrocarbons results for EPA 8015/8020 do not represent true values for TPH-Gasoline, BTEX, or MTBE.

The results were reported respectively as 24,000, 140, 830, 210, 1500 and <0.05 mg/Kg.

⁵ Estimated Groundwater Elevation.

⁶ Well was not sampled due to damaged casing and debris in well. Ground water elevation is an estimate.

⁷ Laboratory report indicates gasoline C6-C12.

⁸ Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.

⁹ Laboratory report indicates result exceeds the linear range of calibration.

¹⁰ Laboratory report indicates gasoline.

¹¹ Laboratory report indicates the results for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.

¹² Chromatogram pattern indicates an unidentified hydrocarbon.

¹³ Product + Water removed.

¹⁴ MTBE by EPA Method 8260 was analyzed outside the EPA recommended holding time.

¹⁵ Skimmer in well.

¹⁶ ORC not present in well.

¹⁷ MTBE by EPA Method 8260.

¹⁸ 4.5 liters of SPH removed from skimmer and 2.5 liters of SPH removed from well.

¹⁹ BTEX and MTBE by EPA Method 8260.

²⁰ Removed ORC from well.

²¹ Area inaccessible to truck; unable to purge.

²² TOC has been altered; unable to determined GWE.

²³ Product only removed from well.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID | DATE | TBA ($\mu\text{g/L}$) | MTBE ($\mu\text{g/L}$) | DIPE ($\mu\text{g/L}$) | ETBE ($\mu\text{g/L}$) | TAME ($\mu\text{g/L}$) |
|-------------|-----------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| MW-2 | 06/13/03 | -- | <0.5 | -- | -- | -- |
| | 11/20/03 | SAMPLED ANNUALLY | -- | -- | -- | -- |
| | 05/18/04 | -- | <0.5 | -- | -- | -- |
| | 05/03/05 | -- | <0.5 | -- | -- | -- |
| | 05/25/06 | -- | <0.5 | -- | -- | -- |
| | 05/09/07 | -- | <0.5 | -- | -- | -- |
| | 04/30/08 | -- | <0.5 | -- | -- | -- |
| MW-3 | 05/18/01 ¹ | 1,000 | 11 | <10 | <10 | <10 |
| | 07/01/02 | 600 | <10 | <10 | <10 | <10 |
| | 06/13/03 | -- | 5 | -- | -- | -- |
| | 11/20/03 | -- | 5 | -- | -- | -- |
| | 05/18/04 | -- | 9 | -- | -- | -- |
| | 11/19/04 | -- | 7 | -- | -- | -- |
| | 05/03/05 | -- | <10 | -- | -- | -- |
| | 11/28/05 | -- | <25 | -- | -- | -- |
| | 05/25/06 | -- | <5 | -- | -- | -- |
| | 11/21/06 | -- | <5 | -- | -- | -- |
| | 05/09/07 | -- | <10 | -- | -- | -- |
| | 11/17/07 | -- | 3 | -- | -- | -- |
| | 04/30/08 | -- | <5 | -- | -- | -- |
| | 11/26/08 | -- | <10 | -- | -- | -- |
| MW-4 | 05/18/01 ¹ | 200 | 2.1 | <2.0 | <2.0 | <2.0 |
| | 06/13/03 | -- | <0.5 | -- | -- | -- |
| | 11/20/03 | -- | <0.5 | -- | -- | -- |
| | 05/18/04 | -- | <0.5 | -- | -- | -- |
| | 11/19/04 | -- | <0.5 | -- | -- | -- |
| | 05/03/05 | -- | <0.5 | -- | -- | -- |
| | 11/28/05 | -- | <0.5 | -- | -- | -- |
| | 05/25/06 | -- | <0.5 | -- | -- | -- |
| | 11/21/06 | -- | <0.5 | -- | -- | -- |
| | 05/09/07 | -- | <0.5 | -- | -- | -- |
| | 11/17/07 | -- | <0.5 | -- | -- | -- |
| | 04/30/08 | -- | <0.5 | -- | -- | -- |
| | 11/26/08 | -- | <0.5 | -- | -- | -- |

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID | DATE | TBA ($\mu\text{g/L}$) | MTBE ($\mu\text{g/L}$) | DIPE ($\mu\text{g/L}$) | ETBE ($\mu\text{g/L}$) | TAME ($\mu\text{g/L}$) |
|----------------|-----------------|---|--|--|--|--|
| MW-5 | 06/13/03 | -- | <0.5 | -- | -- | -- |
| | 11/20/03 | SAMPLED ANNUALLY | -- | -- | -- | -- |
| | 05/18/04 | -- | <0.5 | -- | -- | -- |
| | 05/03/05 | -- | <0.5 | -- | -- | -- |
| | 05/25/06 | -- | <0.5 | -- | -- | -- |
| | 05/09/07 | -- | <0.5 | -- | -- | -- |
| | 04/30/08 | -- | <0.5 | -- | -- | -- |
| MW-6 | 05/18/04 | -- | <0.5 | -- | -- | -- |
| | 11/19/04 | -- | <0.5 | -- | -- | -- |
| | 05/03/05 | -- | <0.5 | -- | -- | -- |
| | 11/28/05 | -- | <0.5 | -- | -- | -- |
| | 05/25/06 | -- | <0.5 | -- | -- | -- |
| | 11/21/06 | -- | <0.5 | -- | -- | -- |
| | 05/09/07 | -- | <0.5 | -- | -- | -- |
| | 11/17/07 | -- | <0.5 | -- | -- | -- |
| | 04/30/08 | -- | <0.5 | -- | -- | -- |
| | 11/26/08 | -- | <0.5 | -- | -- | -- |
| MW-7 | 06/13/03 | -- | <0.5 | -- | -- | -- |
| | 11/20/03 | SAMPLED ANNUALLY | -- | -- | -- | -- |
| | 05/18/04 | -- | <0.5 | -- | -- | -- |
| | 05/03/05 | -- | <0.5 | -- | -- | -- |
| | 05/25/06 | -- | <0.5 | -- | -- | -- |
| | 05/09/07 | -- | <0.5 | -- | -- | -- |
| | 04/30/08 | -- | <0.5 | -- | -- | -- |
| MW-8 | 06/13/03 | -- | <0.5 | -- | -- | -- |
| | 11/20/03 | SAMPLED ANNUALLY | -- | -- | -- | -- |
| | 05/18/04 | -- | <0.5 | -- | -- | -- |
| | 05/03/05 | -- | <0.5 | -- | -- | -- |
| | 05/25/06 | -- | <0.5 | -- | -- | -- |
| | 05/09/07 | -- | <0.5 | -- | -- | -- |
| | 04/30/08 | -- | <0.5 | -- | -- | -- |

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Former Chevron Service Station #9-7127
 I-580 and Grant Line Road
 Tracy, California

| WELL ID | DATE | TBA ($\mu\text{g/L}$) | MTBE ($\mu\text{g/L}$) | DIPE ($\mu\text{g/L}$) | ETBE ($\mu\text{g/L}$) | TAME ($\mu\text{g/L}$) |
|-------------|----------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| SUPPLY WELL | 11/28/05 | -- | <0.5 | -- | -- | -- |
| | 11/21/06 | -- | <0.5 | -- | -- | -- |
| | 11/17/07 | -- | <0.5 | -- | -- | -- |
| | 04/30/08 | SAMPLED ANNUALLY | -- | -- | -- | -- |
| | 11/26/08 | -- | <0.5 | -- | -- | -- |

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

EXPLANATIONS:

TBA = t-Butyl alcohol

MTBE = Methyl Tertiary Butyl Ether

DIPE = di-Isopropyl ether

ETBE = Ethyl t-butyl ether

TAME = t-Amyl methyl ether

($\mu\text{g/L}$) = Micrograms per liter

-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

¹ Laboratory report indicates samples were analyzed outside the EPA recommended holding time.

Table 3
Groundwater Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | Time | Volume (gallons) | pH | Conduct. ($\mu\text{mhos}/\text{cm}$) | Temp. $^{\circ}\text{C}^{\circ}\text{F}$ | D.O. (mg/L) | ORP (mV) | Alkalinity (mg/L) | Nitrate (mg/L) | Sulfate (mg/L) | Phosphate (mg/L) | Ferrous Iron (mg/L) |
|------------------|-------|---------------------|------|--|---|----------------|-------------|----------------------|-------------------|-------------------|---------------------|------------------------|
| MW-1 | | | | | | | | | | | | |
| 07/27/97 | 14:46 | | | | | | | | | | | |
| 07/27/97 | 14:51 | 7.5 | 7.09 | 212.00 | 20.9/-- | 2.37 | -5.0 | 500 | -- | -- | -- | -- |
| 07/27/97 | 14:56 | 15.0 | 7.11 | 212.00 | 21/-- | 2.24 | -6.0 | 600 | -- | -- | -- | -- |
| 07/27/97 | 15:01 | 22.5 | 7.11 | 211.00 | 21.1/-- | 2.24 | -5.0 | 550 | -- | -- | -- | -- |
| 07/27/97 | 15:03 | 23.0 | 7.10 | 212.00 | 20.9/-- | 2.25 | -6.0 | 550 | <1.0 | 14 | <100 | 2.2 |
| 05/31/98 | 13:30 | | | | | | | | | | | |
| 05/31/98 | 13:36 | 9.0 | 6.96 | 1331.00 | 20.6/-- | 0.15 | 3.2 | 975 | -- | -- | -- | -- |
| 05/31/98 | 13:40 | 18.0 | 6.97 | 1239.00 | 20.2/-- | 0.40 | 1.3 | 900 | -- | -- | -- | -- |
| 05/31/98 | 13:48 | 27.0 | 6.95 | 1199.00 | 20.5/-- | 0.66 | 1.3 | 950 | -- | -- | -- | -- |
| 05/31/98 | 13:50 | 28.0 | 6.97 | 1201.00 | 20.4/-- | 0.60 | 2.0 | 950 | <1.0 | 4.0 | <10 | 4.1 |
| 08/12/98 | -- | -- | -- | -- | -- | 0.45 | -- | -- | -- | -- | -- | -- |
| 11/23/98 | 16:00 | 0.0 | 7.00 | 1706.00 | 16.6/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 15:45 | 8.0 | 7.60 | 1800.00 | 23.5/-- | 0.3 (Pre) | 118 (Pre) | -- | -- | -- | -- | -- |
| 05/11/99 | 15:48 | 16.0 | 7.60 | 1600.00 | 21.3/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 15:50 | 24.0 | 7.60 | 1600.00 | 21.5/-- | 1.5 (Post) | 26 (Post) | -- | 1.7 | -- | -- | 1.5 |
| MW-2 | | | | | | | | | | | | |
| 07/27/97 | 14:01 | | | | | | | | | | | |
| 07/27/97 | 14:03 | 2.0 | 6.95 | 206.00 | 21.2/-- | 9.83 | 2.1 | 300 | -- | -- | -- | -- |
| 07/27/97 | 14:05 | 4.0 | 6.95 | 206.00 | 21.2/-- | 9.85 | 3.0 | 350 | -- | -- | -- | -- |
| 07/27/97 | 14:07 | 6.0 | 6.95 | 205.00 | 21.2/-- | 9.93 | 3.0 | 325 | -- | -- | -- | -- |
| 07/27/97 | 14:09 | 7.0 | 6.95 | 205.00 | 21.2/-- | 9.90 | 3.0 | 350 | 59 | 68 | <10 | 0.019 |
| 05/31/98 | 12:34 | | | | | | | | | | | |
| 05/31/98 | 12:37 | 2.0 | 7.01 | 800.00 | 21.1/-- | 2.16 | -13 | 250 | -- | -- | -- | -- |
| 05/31/98 | 12:40 | 4.0 | 7.03 | 800.00 | 21.1/-- | 2.55 | -10 | 300 | -- | -- | -- | -- |
| 05/31/98 | 12:43 | 6.0 | 7.01 | 795.00 | 21.1/-- | 2.83 | -11 | 275 | -- | -- | -- | -- |
| 05/31/98 | 12:46 | 7.0 | 6.99 | 796.00 | 21.2/-- | 2.80 | -10 | 275 | 54 | 57 | <10 | 0.11 |
| 05/11/99 | 12:05 | 3.0 | 7.60 | 1200.00 | 21.4/-- | 2.2 (Pre) | 107 (Pre) | -- | -- | -- | -- | -- |
| 05/11/99 | 12:08 | 6.0 | 6.90 | 1100.00 | 21.1/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 12:10 | 7.0 | 7.00 | 1100.00 | 21.2/-- | 2.3 (Post) | 91 (Post) | 290 | 62 | 59 | -- | 0.043 |
| 05/23/00 | 5:11 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 5:14 | 2.5 | 6.68 | 937.00 | --/72.0 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 5:17 | 5.0 | 6.58 | 939.00 | --/71.5 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 5:20 | 7.0 | 6.54 | 908.00 | --/71.1 | -- | -- | -- | -- | -- | -- | -- |

Table 3
Groundwater Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | Time | Volume (gallons) | pH | Conduct. ($\mu\text{mhos/cm}$) | Temp. °C/°F | D.O. (mg/L) | ORP (mV) | Alkalinity (mg/L) | Nitrate (mg/L) | Sulfate (mg/L) | Phosphate (mg/L) | Ferrous Iron (mg/L) |
|------------------|-------|---------------------|------|-------------------------------------|----------------|----------------|-------------|----------------------|-------------------|-------------------|---------------------|------------------------|
| MW-3 | | | | | | | | | | | | |
| 07/27/97 | 14:29 | | | | | | | | | | | |
| 07/27/97 | 14:31 | 2.0 | 7.11 | 269.00 | 23/-- | 8.75 | -4.3 | 875 | -- | -- | -- | -- |
| 07/27/97 | 14:33 | 4.0 | 6.95 | 264.00 | 22/-- | 6.22 | 2.8 | 850 | -- | -- | -- | -- |
| 07/27/97 | 14:35 | 6.0 | 6.93 | 261.00 | 21.9/-- | 6.90 | 4.3 | 850 | -- | -- | -- | -- |
| 07/27/97 | 14:37 | 7.0 | 6.94 | 262.00 | 21.9/-- | 6.70 | 4.3 | 850 | <1.0 | <1.0 | <10 | 2.1 |
| 05/31/98 | 13:13 | | | | | | | | | | | |
| 05/31/98 | 13:15 | 2.0 | 6.89 | 1266.00 | 21.1/-- | 0.45 | 12.3 | 750 | -- | -- | -- | -- |
| 05/31/98 | 13:17 | 4.0 | 6.75 | 1155.00 | 21/-- | 0.40 | 12.2 | 700 | -- | -- | -- | -- |
| 05/31/98 | 13:19 | 6.0 | 6.79 | 1200.00 | 20.9/-- | 0.38 | 12.1 | 675 | -- | -- | -- | -- |
| 05/31/98 | 13:23 | 7.0 | 6.78 | 1199.00 | 20.9/-- | 0.35 | 12.1 | 700 | <1.0 | 4.0 | <10 | 3.1 |
| 08/12/98 | -- | -- | -- | -- | -- | 0.33 | -- | -- | -- | -- | -- | -- |
| 11/23/98 | 15:32 | 2.5 | 7.00 | 1705.00 | 16.6/-- | -- | -- | -- | -- | -- | -- | -- |
| 11/23/98 | 15:36 | 4.5 | 7.00 | 1720.00 | 16.4/-- | -- | -- | -- | -- | -- | -- | -- |
| 11/23/98 | 15:40 | 6.5 | 6.90 | 1723.00 | 16.4/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 17:01 | 3.0 | 8.00 | 1500.00 | 21.4/-- | 1.5 (Pre) | -7.0 (Pre) | -- | -- | -- | -- | -- |
| 05/11/99 | 17:03 | 6.0 | 7.20 | 1700.00 | 21.4/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 17:04 | 9.0 | 7.20 | 1700.00 | 21.4/-- | 1.5 (Post) | -19 (Post) | 480 | <1.0 | 8.8 | -- | 1.5 |
| 11/24/99 | 11:33 | 2.0 | 6.70 | 1588.00 | 17.9/-- | -- | -- | -- | -- | -- | -- | -- |
| 11/24/99 | 11:36 | 4.0 | 6.70 | 1564.00 | 18.3/-- | -- | -- | -- | -- | -- | -- | -- |
| 11/24/99 | 11:39 | 6.0 | 6.80 | 1517.00 | 18.4/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 7:30 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 7:33 | 2.5 | 6.56 | 1251.00 | --/70.6 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 7:36 | 5.0 | 6.53 | 1155.00 | --/70.0 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 7:39 | 7.0 | 6.51 | 1137.00 | --/69.8 | -- | -- | -- | -- | -- | -- | -- |
| 07/27/97 | 14:14 | | | | | | | | | | | |
| 07/27/97 | 14:16 | 2.0 | 7.22 | 244.00 | 20.6/-- | 8.75 | -13 | 500 | -- | -- | -- | -- |
| 07/27/97 | 14:18 | 4.0 | 7.21 | 243.00 | 20.6/-- | 8.20 | -13 | 550 | -- | -- | -- | -- |
| MW-4 | | | | | | | | | | | | |
| 07/27/97 | 14:20 | 6.0 | 7.24 | 246.00 | 20.5/-- | 8.55 | -13 | 525 | -- | -- | -- | -- |
| 07/27/97 | 14:22 | 7.0 | 7.22 | 245.00 | 20.6/-- | 8.50 | -13 | 550 | 80 | 68 | <10 | 0.15 |
| 05/31/98 | 12:51 | | | | | | | | | | | |
| 05/31/98 | 12:54 | 3.0 | 7.01 | 1300.00 | 20.4/-- | 2.83 | -10 | 450 | -- | -- | -- | -- |
| 05/31/98 | 12:57 | 6.0 | 6.98 | 1290.00 | 20.4/-- | 2.82 | -12 | 400 | -- | -- | -- | -- |
| 05/31/98 | 13:00 | 9.0 | 6.90 | 1280.00 | 20.4/-- | 2.80 | -11 | 375 | -- | -- | -- | -- |
| 05/31/98 | 13:03 | 10.0 | 6.92 | 1283.00 | 20.4/-- | 2.80 | -12 | 400 | 17 | 30 | <10 | 7.4 |

Table 3
Groundwater Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | Time | Volume (gallons) | pH | Conduct. ($\mu\text{mhos/cm}$) | Temp $^{\circ}\text{C}/^{\circ}\text{F}$ | D.O. (mg/L) | ORP (mV) | Alkalinity (mg/L) | Nitrate (mg/L) | Sulfate (mg/L) | Phosphate (mg/L) | Ferrous Iron (mg/L) |
|--------------------|-------|---------------------|------|-------------------------------------|---|----------------|-------------|----------------------|-------------------|-------------------|---------------------|------------------------|
| MW-4 (cont) | | | | | | | | | | | | |
| 08/12/98 | -- | -- | -- | -- | -- | 0.82 | -- | -- | -- | -- | -- | -- |
| 12/23/98 | 16:45 | 5.0 | 6.80 | 1062.00 | 9.9/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 15:00 | 1.5 | 7.80 | 1400.00 | 21.5/-- | 0.3 (Pre) | 148 (Pre) | -- | -- | -- | -- | -- |
| 05/11/99 | 15:02 | 3.0 | 7.40 | 1500.00 | 20.6/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 15:04 | 4.0 | 7.30 | 1500.00 | 20.6/-- | 1.8 (Post) | 124 (Post) | 430 | 86 | 64 | -- | 0.027 |
| 11/24/99 | 11:05 | 1.5 | 7.00 | 1310.00 | 17.8/-- | -- | -- | -- | -- | -- | -- | -- |
| 11/24/99 | 11:06 | 2.0 | 6.90 | 1319.00 | 18.2/-- | -- | -- | -- | -- | -- | -- | -- |
| 11/24/99 | 11:08 | 4.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 6:48 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 6:52 | 1.5 | 7.18 | 1036.00 | --/71.6 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 6:56 | 3.0 | 6.24 | 1014.00 | --/69.3 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 6:59 | 4.0 | 6.24 | 1039.00 | --/69.6 | -- | -- | -- | -- | -- | -- | -- |
| MW-5 | | | | | | | | | | | | |
| 07/27/97 | 13:15 | | | | | | | | | | | |
| 07/27/97 | 13:18 | 3.0 | 7.95 | 274.00 | 19.3/-- | 10.45 | -55 | 300 | -- | -- | -- | -- |
| 07/27/97 | 13:20 | 6.0 | 7.92 | 273.00 | 19/-- | 10.35 | -54 | 350 | -- | -- | -- | -- |
| 07/27/97 | 13:22 | 9.0 | 7.90 | 274.00 | 18.9/-- | 10.30 | -52 | 300 | -- | -- | -- | -- |
| 07/27/97 | 13:24 | 10.0 | 7.91 | 273.00 | 19/-- | 10.31 | -53 | 300 | 82 | 100 | <10 | 0.013 |
| 05/31/98 | 12:07 | | | | | | | | | | | |
| 05/31/98 | 12:09 | 34.5 | 6.85 | 785.00 | 18.9/-- | 3.20 | -25 | 350 | -- | -- | -- | -- |
| 05/31/98 | 12:11 | 69.0 | 7.00 | 980.00 | 18.9/-- | 3.27 | -26 | 400 | -- | -- | -- | -- |
| 05/31/98 | 12:13 | 13.5 | 7.01 | 981.00 | 18.9/-- | 3.21 | -28 | 400 | -- | -- | -- | -- |
| 05/31/98 | 12:15 | 14.0 | 7.00 | 990.00 | 18.8/-- | 3.20 | -28 | 450 | 35 | 90 | <10 | 1.9 |
| 05/11/99 | 13:10 | 3.0 | 8.00 | 1700.00 | 18.9/-- | 5.1 (Pre) | 98 (Pre) | -- | -- | -- | -- | -- |
| 05/11/99 | 13:13 | 6.0 | 7.40 | 1700.00 | 18.2/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 13:17 | 9.0 | 7.40 | 1700.00 | 18.4/-- | 4.6 (Post) | 140 (Post) | 330 | 62 | 100 | -- | <0.01 |
| 05/23/00 | 5:47 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 5:53 | 3.0 | 7.80 | 1241.00 | --/70.3 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 5:59 | 6.0 | 7.62 | 1178.00 | --/68.8 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 6:07 | 9.0 | 7.62 | 1165.00 | --/67.4 | -- | -- | -- | -- | -- | -- | -- |
| MW-6 | | | | | | | | | | | | |
| 07/27/97 | 13:42 | | | | | | | | | | | |
| 07/27/97 | 13:44 | 3.0 | 7.54 | 261.00 | 23.2/-- | 11.28 | -40 | 400 | -- | -- | -- | -- |

Table 3
Groundwater Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | Time | Volume (gallons) | pH | Conduct. ($\mu\text{hos}/\text{cm}$) | Temp. $^{\circ}\text{C} / ^{\circ}\text{F}$ | D.O. (mg/L) | ORP (mV) | Alkalinity (mg/L) | Nitrate (mg/L) | Sulfate (mg/L) | Phosphate (mg/L) | Ferrous Iron (mg/L) |
|--------------------|-------|---------------------|------|---|--|----------------|-------------|----------------------|-------------------|-------------------|---------------------|------------------------|
| MW-6 (cont) | | | | | | | | | | | | |
| 07/27/97 | 13:46 | 6.0 | 7.34 | 232.00 | 19.4/-- | 8.10 | -18 | 450 | -- | -- | -- | -- |
| 07/27/97 | 13:48 | 9.0 | 7.26 | 227.00 | 19/-- | 8.35 | -16 | 400 | -- | -- | -- | -- |
| 07/27/97 | 13:50 | 10.0 | 7.20 | 228.00 | 19.1/-- | 8.32 | -15 | 400 | 17 | 27 | <10 | 0.017 |
| 05/31/98 | 11:48 | | | | | | | | | | | |
| 05/31/98 | 11:51 | 3.0 | 6.98 | 966.00 | 18.7/-- | 0.72 | 3.20 | 500 | -- | -- | -- | -- |
| 05/31/98 | 11:54 | 6.0 | 6.96 | 970.00 | 18.7/-- | 0.51 | 3.19 | 450 | -- | -- | -- | -- |
| 05/31/98 | 11:57 | 9.0 | 6.95 | 959.00 | 18.7/-- | 0.36 | 3.42 | 400 | -- | -- | -- | -- |
| 05/31/98 | 12:00 | 10.0 | 6.90 | 960.00 | 18.6/-- | 0.40 | 3.40 | 450 | 68 | 51 | <10 | 3.5 |
| 12/23/98 | 15:15 | 3.0 | 6.40 | 1038.00 | 15/-- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/98 | 15:20 | 6.0 | 6.70 | 980.00 | 15.7/-- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/98 | 15:24 | 9.0 | 6.80 | 964.00 | 15.6/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 14:20 | 3.0 | 7.00 | 1200.00 | 18.6/-- | 0.3 (Pre) | 140 (Pre) | -- | -- | -- | -- | -- |
| 05/11/99 | 14:23 | 6.0 | 6.40 | 1100.00 | 19.3/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 14:29 | 9.0 | 6.40 | 1100.00 | 19.1/-- | 0.4 (Post) | 214 (Post) | 370 | 52 | 39 | -- | 0.064 |
| 11/24/99 | 13:13 | 3.0 | 6.00 | 1130.00 | 19.6/-- | -- | -- | -- | -- | -- | -- | -- |
| 11/24/99 | 13:18 | 6.0 | 6.90 | 1105.00 | 20/-- | -- | -- | -- | -- | -- | -- | -- |
| 11/24/99 | 13:22 | 9.0 | 7.10 | 1114.00 | 20.2/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 8:15 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 8:21 | 3.0 | 6.97 | 950.00 | --/66.2 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 8:28 | 6.0 | 6.97 | 995.00 | --/65.5 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 8:35 | 9.0 | 6.98 | 1002.00 | --/65.6 | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | | | | | | | | | | | | |
| 07/27/97 | 13:02 | | | | | | | | | | | |
| 07/27/97 | 13:04 | 3.0 | 7.91 | 245.00 | 19.6/-- | 8.95 | -52 | 350 | -- | -- | -- | -- |
| 07/27/97 | 13:06 | 6.0 | 7.94 | 264.00 | 19.3/-- | 9.70 | -55 | 325 | -- | -- | -- | -- |
| 07/27/97 | 13:08 | 9.0 | 7.95 | 266.00 | 19.3/-- | 9.80 | -55 | 350 | -- | -- | -- | -- |
| 07/27/97 | 13:10 | 10.0 | 7.93 | 265.00 | 19.3/-- | 9.79 | -55 | 350 | 99 | 100 | <10 | 0.012 |
| 05/31/98 | 12:16 | | | | | | | | | | | |
| 05/31/98 | 12:18 | 3.0 | 6.85 | 1020.00 | 19.6/-- | 3.60 | -20 | 350 | -- | -- | -- | -- |
| 05/31/98 | 12:20 | 6.0 | 7.25 | 1020.00 | 18.9/-- | 3.80 | -21 | 300 | -- | -- | -- | -- |
| 05/31/98 | 12:22 | 9.0 | 7.28 | 1000.00 | 18.8/-- | 4.20 | -21 | 350 | -- | -- | -- | -- |
| 05/31/98 | 12:24 | 10.0 | 7.30 | 1001.00 | 18.9/-- | 4.40 | -20 | 325 | 45 | 85 | <10 | 0.011 |
| 05/11/99 | 12:41 | 3.0 | 6.80 | 1200.00 | 18.2/-- | 5.2 (Pre) | 95 (Pre) | -- | -- | -- | -- | -- |
| 05/11/99 | 12:44 | 6.0 | 7.40 | 1400.00 | 18.5/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 12:48 | 9.0 | 7.40 | 1400.00 | 18.2/-- | 5.2 (Post) | 96 (Post) | 300 | 75 | 86 | -- | 0.14 |

Table 3
Groundwater Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

| WELL ID/ DATE | Time | Volume (gallons) | pH | Conduct. ($\mu\text{mhos/cm}$) | Temp. $^{\circ}\text{C}/^{\circ}\text{F}$ | D.O. (mg/L) | ORP (mV) | Alkalinity (mg/L) | Nitrate (mg/L) | Sulfate (mg/L) | Phosphate (mg/L) | Ferrous Iron (mg/L) |
|--------------------|-------|---------------------|------|-------------------------------------|--|----------------|-------------|----------------------|-------------------|-------------------|---------------------|------------------------|
| MW-7 (cont) | | | | | | | | | | | | |
| 05/23/00 | 6:10 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 6:15 | 3.0 | 8.01 | 1157.00 | --/68.8 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 6:21 | 6.0 | 7.70 | 1158.00 | --/67.8 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 6:27 | 9.0 | 7.68 | 1136.00 | --/67.8 | -- | -- | -- | -- | -- | -- | -- |
| MW-8 | | | | | | | | | | | | |
| 07/27/97 | 12:38 | | | | | | | | | | | |
| 07/27/97 | 12:40 | 2.2 | 7.85 | 141.00 | 21.1/-- | 9.40 | -61.3 | 100 | -- | -- | -- | -- |
| 07/27/97 | 12:42 | 4.6 | 7.84 | 141.00 | 20.8/-- | 9.30 | -48.3 | 150 | -- | -- | -- | -- |
| 07/27/97 | 12:44 | 6.6 | 7.83 | 142.00 | 20.9/-- | 9.25 | -50 | 100 | -- | -- | -- | -- |
| 07/27/97 | 12:46 | 7.0 | 7.84 | 141.00 | 20.8/-- | 9.25 | -50 | 100 | 50 | 24 | <10 | 0.02 |
| 05/31/98 | 11:18 | | | | | | | | | | | |
| 05/31/98 | 11:21 | 3.0 | 7.03 | 357.00 | 21.1/-- | 6.58 | -28 | 150 | -- | -- | -- | -- |
| 05/31/98 | 11:24 | 6.0 | 7.09 | 381.00 | 20.5/-- | 6.50 | -30 | 200 | -- | -- | -- | -- |
| 05/31/98 | 11:27 | 9.0 | 7.08 | 373.00 | 20.5/-- | 6.40 | -31 | 175 | -- | -- | -- | -- |
| 05/31/98 | 11:30 | 10.0 | 7.08 | 375.00 | 20.5/-- | 6.41 | -30 | 200 | 35 | 16 | <1.0 | 0.42 |
| 05/11/99 | 11:20 | 3.0 | 8.00 | 1600.00 | 18.2/-- | 6.07 (Pre) | 103 (Pre) | -- | -- | -- | -- | -- |
| 05/11/99 | 11:24 | 6.0 | 7.30 | 1200.00 | 18.5/-- | -- | -- | -- | -- | -- | -- | -- |
| 05/11/99 | 11:26 | 8.0 | 7.10 | 1200.00 | 18.2/-- | 5.44 (Post) | 92 (Post) | 110 | 42 | 19 | -- | 0.028 |
| 05/23/00 | 4:23 | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 4:26 | 2.5 | 7.64 | 4280.00 | --/76.2 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 4:29 | 5.0 | 7.39 | 4320.00 | --/72.5 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | 4:32 | 7.5 | 7.27 | 4390.00 | --/71.2 | -- | -- | -- | -- | -- | -- | -- |
| SUPPLY WELL | | | | | | | | | | | | |
| 07/27/97 | 13:40 | -- | 7.85 | 257.00 | 22.7 | 4.89 | -53 | 200 | 48 | 76 | <10 | 1.5 |
| 11/23/98 | 15:15 | 1.0 | 7.40 | 1115.00 | 20.4 | -- | -- | -- | -- | -- | -- | -- |
| 11/24/99 | 12:45 | -- | 2.50 | 5386.00 | 18.8 | -- | -- | -- | -- | -- | -- | -- |
| 05/23/00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 3
Groundwater Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

($\mu\text{mhos}/\text{cm}$) = Micromhos per centimeter

D.O. = Dissolved Oxygen

(mg/L) = Milligrams per liter

ORP = Oxidation-Reduction Potential

(mV) = Millivolts

(ppm) = Parts per million

$^{\circ}\text{C}/^{\circ}\text{F}$ = Degrees Celsius/Degrees Fahrenheit

Conduct. = Conductivity

Temp. = Temperature

(Pre) = Pre-purge reading

(Post) = Post-purge reading

-- = Not Measured/Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-7127**Job Number: **385251**Site Address: **I-580 And Grant Line Road**Event Date: **11-26-08** (inclusive)City: **Tracy, CA**Sampler: **FT**

Well ID

MW-1

Date Monitored:

11-26-08

Well Diameter

2 1/4 in.

| | | | | |
|--------------------|-------------|-----------|-----------|------------|
| Volume Factor (VF) | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

Total Depth

39.47 ft.

Depth to Water

31.90 ft. Check if water column is less than 0.50 ft.**7.57** xVF **—** = **—** x3 case volume = Estimated Purge Volume: **—** gal.Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **—****Purge Equipment:**

Disposable Bailer

Stainless Steel Bailer

Stack Pump

Suction Pump

Grundfos

Peristaltic Pump

QED Bladder Pump

Other: _____

Sampling Equipment:

Disposable Bailer

Pressure Bailer

Discrete Bailer

Peristaltic Pump

QED Bladder Pump

Other: _____

Time Started: **1315** (2400 hrs)Time Completed: **1345** (2400 hrs)Depth to Product: **30.08** ftDepth to Water: **31.90** ftHydrocarbon Thickness: **1.82** ft

Visual Confirmation/Description:

YES / LT. BUR

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: **—** galAmt Removed from Well: **3.6165** galWater Removed: **—**Product Transferred to: **CONTAINER**

Start Time (purge): _____

Sample Time/Date: **/**Approx. Flow Rate: **—** gpm.Did well de-water? If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
($\mu\text{mhos}/\text{cm} - \mu\text{S}$)Temperature
(C / F)D.O.
(mg/L)ORP
(mV)**LABORATORY INFORMATION**

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|-----------------------------|
| MW- | x voa vial | YES | HCL | LANCASTER | TPH-G(8015)/BTEX+MTBE(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-7127**
Site Address: **I-580 And Grant Line Road**
City: **Tracy, CA**

Job Number: **385251**
Event Date: **11-26-08** (inclusive)
Sampler: **FT**

Well ID **MW-2**
Well Diameter **(2) 4** in.
Total Depth **38.26** ft.
Depth to Water **28.70** ft.
9.56 xVF _____ = _____

Date Monitored:

11-26-08

| | | | | |
|--------------------|------------|----------|----------|-----------|
| Volume Factor (VF) | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____

Sample Time/Date: _____ / _____

Approx. Flow Rate: _____ gpm.

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity ($\mu\text{mhos}/\text{cm} - \mu\text{S}$) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|----|---|---------------------|-------------|----------|
|-----------------|---------------|----|---|---------------------|-------------|----------|

| LABORATORY INFORMATION | | | | | | |
|------------------------|---------------|---------|---------------|------------|-----------------------------|--|
| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES | |
| MW- | x voa vial | YES | HCL | LANCASTER | TPH-G(8015)/BTEX+MTBE(8260) | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

COMMENTS: m/o

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-7127**
 Site Address: **I-580 And Grant Line Road**
 City: **Tracy, CA**

Job Number: **385251**
 Event Date: **11-26-08** (inclusive)
 Sampler: **FT**

Well ID: **MW- 3**

Date Monitored: **11-26-08**

Well Diameter: **24** in.

| | | | | |
|--------------------|-------------|-----------|-----------|------------|
| Volume Factor (VF) | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

Total Depth: **40.05** ft.

Depth to Water: **30.73** ft.

Check if water column is less than 0.50 ft.
 $9.32 \times VF .17 = 1.58$ x3 case volume = Estimated Purge Volume: **5.0** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **32.59**

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer
 Stack Pump
 Suction Pump
 Grundfos
 Peristaltic Pump
 QED Bladder Pump
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer
 Discrete Bailer
 Peristaltic Pump
 QED Bladder Pump
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): **1227**

Weather Conditions: **Rain**

Sample Time/Date: **1248 11-26-08**

Water Color: **CLEAR** Odor: **ODIN** **Sinon**

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? **NO** If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: **30.77**

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (μ hos/cm - μ S) | Temperature ($^{\circ}$ F) | D.O. (mg/L) | ORP (mV) |
|--------------------|---------------|------|---|--------------------------------|----------------|-------------|
| 1232 | 1.5 | 7.05 | 871 | 18.7 | _____ | _____ |
| 1237 | 3.0 | 7.01 | 885 | 18.4 | _____ | _____ |
| 1242 | 5.0 | 6.97 | 892 | 18.2 | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|-----------------------------|
| MW- 3 | 6 x voa vial | YES | HCL | LANCASTER | TPH-G(8015)/BTEX+MTBE(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 11-26-08 (inclusive)
 City: Tracy, CA Sampler: FR

| | | | |
|--|-------------------------------------|---|---|
| Well ID | <u>MW- 4</u> | Date Monitored: | <u>11-26-08</u> |
| Well Diameter | <u>2 1/4</u> in. | Volume Factor (VF) | 3/4"= 0.02 1"= 0.04 2"= 0.17 3"= 0.38 4"= 0.66 5"= 1.02 6"= 1.50 12"= 5.80 |
| Total Depth | <u>31.68</u> ft. | <input type="checkbox"/> Check if water column is less than 0.50 ft. | |
| Depth to Water | <u>27.92</u> ft. | <u>3.76</u> x VF <u>.17</u> = <u>.63</u> x3 case volume = Estimated Purge Volume: <u>2.0</u> gal. | |
| Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>28.67</u> | | | |
| Purge Equipment: | | | |
| Disposable Bailer | <input checked="" type="checkbox"/> | Sampling Equipment: | <input checked="" type="checkbox"/> |
| Stainless Steel Bailer | <input type="checkbox"/> | Disposable Bailer | <input checked="" type="checkbox"/> |
| Stack Pump | <input type="checkbox"/> | Pressure Bailer | <input type="checkbox"/> |
| Suction Pump | <input type="checkbox"/> | Discrete Bailer | <input type="checkbox"/> |
| Grundfos | <input type="checkbox"/> | Peristaltic Pump | <input type="checkbox"/> |
| Peristaltic Pump | <input type="checkbox"/> | QED Bladder Pump | <input type="checkbox"/> |
| QED Bladder Pump | <input type="checkbox"/> | Other: | <input type="checkbox"/> |
| Other: | | | |

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 12:00 Weather Conditions: Drain
 Sample Time/Date: 12/15 / 11-26-08 Water Color: Light Brown Odor: Y/N
 Approx. Flow Rate: 1 gpm. Sediment Description: S. Gray
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 28.00

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity ($\mu\text{mhos}/\text{cm} - \mu\text{S}$) | Temperature ($^{\circ}\text{C} / ^{\circ}\text{F}$) | D.O. (mg/L) | ORP (mV) |
|--------------------|---------------|-------------|--|--|----------------|-------------|
| <u>1203</u> | <u>.75</u> | <u>7.19</u> | <u>1012</u> | <u>18.4</u> | | |
| <u>1206</u> | <u>1.5</u> | <u>7.17</u> | <u>1006</u> | <u>18.2</u> | | |
| <u>1209</u> | <u>2.0</u> | <u>7.15</u> | <u>999</u> | <u>17.9</u> | | |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|--------------|-----------------|------------|---------------|------------------|------------------------------------|
| <u>MW- 4</u> | <u>6</u> x vial | <u>YES</u> | <u>HCL</u> | <u>LANCASTER</u> | <u>TPH-G(8015)/BTEX+MTBE(8260)</u> |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 11-26-08 (inclusive)
 Sampler: FT

Well ID MW- 5

Date Monitored: 11-26-08

Well Diameter (2) 4 in.

| | | | | |
|--------------------|------------|----------|----------|-----------|
| Volume Factor (VF) | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Total Depth 28.12 ft.

Depth to Water 14.65 ft.

Check if water column is less than 0.50 ft.

13.47 xVF — = — x3 case volume = Estimated Purge Volume: — gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: —

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: RAW

Sample Time/Date: /

Water Color: _____ Odor: X / N _____

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water?

If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
($\mu\text{mhos/cm} - \mu\text{s}$)

Temperature
(C / F)

D.O.
(mg/L)

ORP
(mV)

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|-----------------------------|
| MW- | x voa vial | YES | HCL | LANCASTER | TPH-G(8015)/BTEX+MTBE(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: m/jo

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-7127**Job Number: **385251**Site Address: **I-580 And Grant Line Road**Event Date: **11-26-08** (inclusive)City: **Tracy, CA**Sampler: **RT**Well ID **MW- 6**Date Monitored: **11-26-08**Well Diameter **24** in.

| | | | | |
|-------------|-------------|-----------|-----------|------------|
| Volume | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| Factor (VF) | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

Total Depth **28.71** ft.Depth to Water **13.80** ft.14.91 xVF .17 = 2.53 x3 case volume = Estimated Purge Volume: **7.5** gal. Check if water column is less than 0.50 ft.Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **16.78****Purge Equipment:**Disposable Bailer Stainless Steel Bailer Stack Pump Suction Pump Grundfos Peristaltic Pump QED Bladder Pump

Other: _____

Sampling Equipment:Disposable Bailer Pressure Bailer Discrete Bailer Peristaltic Pump QED Bladder Pump

Other: _____

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): **1045**Weather Conditions: **Partly Cloudy**Sample Time/Date: **110 11-26-08**Water Color: **CLEAR** Odor: **Y / N**Approx. Flow Rate: **100** gpm.

Sediment Description: _____

Did well de-water? **NO** If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: **13.90**

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity ($\mu\text{mhos}/\text{cm} - \mu\text{S}$) | Temperature ($^{\circ}\text{C} / ^{\circ}\text{F}$) | D.O. (mg/L) | ORP (mV) |
|--------------------|---------------|------|--|--|----------------|-------------|
| 1051 | 2.5 | 7.15 | 1023 | 17.8 | | |
| 1057 | 5.0 | 7.12 | 1019 | 17.5 | | |
| 1104 | 7.5 | 7.10 | 1010 | 17.3 | | |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|-----------------------------|
| MW- 6 | 6 x voa vial | YES | HCL | LANCASTER | TPH-G(8015)/BTEX+MTBE(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-7127**Job Number: **385251**Site Address: **I-580 And Grant Line Road**Event Date: **11.26.08** (inclusive)City: **Tracy, CA**Sampler: **RT**Well ID **MW- 7**Date Monitored: **11.26.08**Well Diameter **2 1/4** in.

| | | | | |
|--------------------|------------|----------|----------|-----------|
| Volume Factor (VF) | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Total Depth **28.10** ft.Depth to Water **14.86** ft.**13.24** Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer

Stainless Steel Bailer

Stack Pump

Suction Pump

Grundfos

Peristaltic Pump

QED Bladder Pump

Other: _____

Sampling Equipment:

Disposable Bailer

Pressure Bailer

Discrete Bailer

Peristaltic Pump

QED Bladder Pump

Other: _____

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: _____

Water Color: _____ Odor: Y / N _____

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water?

If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
($\mu\text{hos}/\text{cm} - \mu\text{S}$)Temperature
(C / F)D.O.
(mg/L)ORP
(mV)**LABORATORY INFORMATION**

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|-----------------------------|
| MW- | x voa vial | YES | HCL | LANCASTER | TPH-G(8015)/BTEX+MTBE(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: **MVO**

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-7127**Job Number: **385251**Site Address: **I-580 And Grant Line Road**Event Date: **11-26-08** (inclusive)City: **Tracy, CA**Sampler: **FT**Well ID **MW- 8**Date Monitored: **11/26/08**Well Diameter **(2) 4 in.**

| | | | | |
|--------------------|------------|----------|----------|-----------|
| Volume Factor (VF) | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Total Depth **41.77 ft.**Depth to Water **NA ft.** Check if water column is less than 0.50 ft.**N/A** x VF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer

Stainless Steel Bailer

Stack Pump

Suction Pump

Grundfos

Peristaltic Pump

QED Bladder Pump

Other: _____

Sampling Equipment:

Disposable Bailer

Pressure Bailer

Discrete Bailer

Peristaltic Pump

QED Bladder Pump

Other: _____

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): _____

Sample Time/Date: _____

Approx. Flow Rate: _____ gpm.

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Weather Conditions:

Water Color: _____ Odor: Y / N _____

Sediment Description:Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
(μ hos/cm - μ S)Temperature
(C / F)D.O.
(mg/L)ORP
(mV)**LABORATORY INFORMATION**

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|-----------------------------|
| MW- | x voa vial | YES | HCL | LANCASTER | TPH-G(8015)/BTEX+MTBE(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: **CASING HAS BEEN DAMAGED (BENT) UNABLE TO PUT PROBE DOWN CASING. STORED THAT CASING IS IN WAS KNOCKED OVER. SEE PICTURES**

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-7127**Job Number: **385251**Site Address: **I-580 And Grant Line Road**Event Date: **11.26.08** (inclusive)City: **Tracy, CA**Sampler: **FT**Well ID **SupplyWell**Date Monitored: **11/26**Well Diameter **14 in.**

| | | | | |
|--------------------|------------|----------|----------|-----------|
| Volume Factor (VF) | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Total Depth **ft.**Depth to Water **ft.** Check if water column is less than 0.50 ft.**xVF** = x3 case volume = Estimated Purge Volume: gal.Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **Purge Equipment:**

Disposable Bailer

Stainless Steel Bailer

Stack Pump

Suction Pump

Grundfos

Peristaltic Pump

QED Bladder Pump

Other: **Sampling Equipment:**

Disposable Bailer

Pressure Bailer

Discrete Bailer

Peristaltic Pump

QED Bladder Pump

Other: **None**Time Started: (2400 hrs)Time Completed: (2400 hrs)Depth to Product: ftDepth to Water: ftHydrocarbon Thickness: ftVisual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: galAmt Removed from Well: galWater Removed: Product Transferred to: Start Time (purge): Sample Time/Date: **1300 / 11.26.08**Approx. Flow Rate: gpm.Did well de-water? If yes, Time: Volume: gal. DTW @ Sampling: Weather Conditions: **Rain**Water Color: **CLEAR** Odor: **Y / N**Sediment Description: Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
($\mu\text{mhos}/\text{cm} - \mu\text{S}$)Temperature
(C / F)D.O.
(mg/L)ORP
(mV)**LABORATORY INFORMATION**

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|------------|---------------|---------|---------------|------------|-----------------------------|
| SupplyWell | 6 x voa vial | YES | HCL | LANCASTER | TPH-G(8015)/BTEX+MTBE(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:

Chevron California Region Analysis Request/Chain of Custody



12/01/08-08

For Lancaster Laboratories use only

Acct. #: 12099

Sample # 5543298 - 02

Group #: 009175

Group# 1122367

CRA MTI Project # 63H-1655

Facility #: SSF9-7127 G-R#385251 Global ID#T0600102298
 Site Address: I-580 AND GRANT LINE ROAD, TRACY, CA
 Chevron PM: MTI CRAKJ
 Consultant/Office: Deanna L. Harding (deanna@grinc.com)
 Consultant Prj. Mgr.: Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: FRANK TERNINON

| Sample Identification | Date Collected | Time Collected | Grab | Composite | Soil | Water | Oil | Air | Total Number of Containers |
|-----------------------|----------------|----------------|------|-----------|------|-------|-----|-----|----------------------------|
| QA | 11-26-08 | | | | | | | | W 2 XX |
| MW-3 | | 1248 | X | | | | | | 6 XX X |
| MW-4 | | 1215 | X | | | | | | 6 XX X |
| MW-6 | | 1110 | X | | | | | | 6 XX X |
| Supply Well | | 1300 | X | | | | | | 6 XX X |

| Turnaround Time Requested (TAT) (please circle) | Relinquished by: | Date | Time | Received by: | Date | Time |
|--|--|---------|-------------------------------------|--------------|-------|-----------------------|
| STD. TAT 24 hour | 72 hour | 48 hour | 11-26-08 | | 11/08 | 0630 |
| | 4 day | 5 day | | | 11/28 | 1245 |
| Data Package Options (please circle if required) | | | Relinquished by: | Date | Time | |
| QC Summary | Type I - Full | | Reclaim | 12/11/08 | 1605 | |
| Type VI (Raw Data) | <input type="checkbox"/> Coat Deliverable not needed | EDF/EDD | Relinquished by Commercial Carrier: | | | |
| WIP (RWQCB) | | | UPS FedEx Other | | | |
| Disk | | | Temperature Upon Receipt | 14-3 | C° | Custody Seals intact? |
| | | | | | | Yes No |

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

- J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds
 8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy's on highest hit
 Run ___ oxy's on all hits

Comments / Remarks



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax 717-656-2681 • www.lancasterlabs.com

Analysis Report

RECEIVED:

DEC 10 2008

ANALYTICAL RESULTS

Prepared for **GETTLER-RYAN INC.**
GENERAL CONTRACTORS

Chevron c/o CRA
Suite 110
2000 Opportunity Drive
Roseville CA 95678

916-677-3407

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 1122367. Samples arrived at the laboratory on Tuesday, December 02, 2008. The PO# for this group is 97127 and the release number is MTI.

| <u>Client Description</u> | <u>Lancaster Labs Number</u> |
|--------------------------------|------------------------------|
| QA-T-081126 NA Water | 5543298 |
| MW-3-W-081126 Grab Water | 5543299 |
| MW-4-W-081126 Grab Water | 5543300 |
| MW-6-W-081126 Grab Water | 5543301 |
| SupplyWell-W-081126 Grab Water | 5543302 |

ELECTRONIC Gettler-Ryan, Inc.
COPY TO

Attn: Cheryl Hansen



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax 717-656-2681 • www.lancasterlabs.com

Analysis Report

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,

Michele M. Turner

Michele M. Turner
Director



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5543298

Group No. 1122367

QA-T-081126 NA Water
Facility# 97127 Job# 385251 MTI# 63H-1656 GRD
I-580 & Grant Line-Tracy T0600102298 QA
Collected: 11/26/2008

Account Number: 12099

Submitted: 12/02/2008 09:30
Reported: 12/09/2008 at 16:25
Discard: 01/09/2009

Chevron c/o CRA
Suite 110
2000 Opportunity Drive
Roseville CA 95678

580QA

| CAT No. | Analysis Name | CAS Number | As Received | | | Dilution Factor | |
|------------|-----------------------------|------------|-------------|--------|--------------------|--------------------|---|
| | | | Result | Method | Detection Limit | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | | 50 | ug/l | 1 |
| 06054 | BTEX+MTBE by 8260B | | | | | | |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | | 0.5 | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | N.D. | | 0.5 | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | N.D. | | 0.5 | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | | 0.5 | ug/l | 1 |
| 06310 | Xylene (Total) | 1330-20-7 | N.D. | | 0.5 | ug/l | 1 |

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | | Dilution Factor |
|------------|----------------------------|--------------|----------|------------------|------------------|--------------------|
| | | | Trial# | Date and Time | Analyst | |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 12/07/2008 21:22 | Kathie J Bowman | 1 |
| 06054 | BTEX+MTBE by 8260B | SW-846 8260B | 1 | 12/05/2008 01:36 | Florida A Cimino | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 12/07/2008 21:22 | Kathie J Bowman | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 12/05/2008 01:36 | Florida A Cimino | 1 |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5543299

Group No. 1122367

MW-3-W-081126 Grab Water

Facility# 97127 Job# 385251 MTI# 63H-1656 GRD
I-580 & Grant Line-Tracy T0600102298 MW-3

Collected: 11/26/2008 12:48 by FT

Account Number: 12099

Submitted: 12/02/2008 09:30

Chevron c/o CRA

Reported: 12/09/2008 at 16:25

Suite 110

Discard: 01/09/2009

2000 Opportunity Drive

Roseville CA 95678

580M3

| CAT No. | Analysis Name | CAS Number | As Received | | Method Detection Limit | Units | Dilution Factor |
|------------|-----------------------------|------------|-------------|-----|------------------------------|-------|--------------------|
| | | | Result | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 20,000 | | 2,500 | ug/l | 50 |
| 06054 | BTEX+MTBE by 8260B | | | | | | |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 10 | ug/l | 20 | |
| 05401 | Benzene | 71-43-2 | 7,500 | 100 | ug/l | 200 | |
| 05407 | Toluene | 108-88-3 | 230 | 10 | ug/l | 20 | |
| 05415 | Ethylbenzene | 100-41-4 | 470 | 10 | ug/l | 20 | |
| 06310 | Xylene (Total) | 1330-20-7 | 640 | 10 | ug/l | 20 | |

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | Dilution Factor |
|------------|----------------------------|--------------|----------|------------------|----------------------|
| | | | Trial# | Date and Time | |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 12/08/2008 02:08 | Kathie J Bowman 50 |
| 06054 | BTEX+MTBE by 8260B | SW-846 8260B | 1 | 12/05/2008 01:57 | Florida A Cimino 20 |
| 06054 | BTEX+MTBE by 8260B | SW-846 8260B | 1 | 12/05/2008 02:19 | Florida A Cimino 200 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 12/08/2008 02:08 | Kathie J Bowman 50 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 12/05/2008 01:57 | Florida A Cimino 20 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 2 | 12/05/2008 02:19 | Florida A Cimino 200 |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5543300

Group No. 1122367

MW-4-W-081126 Grab Water
Facility# 97127 Job# 385251 MTI# 63H-1656 GRD
I-580 & Grant Line-Tracy T0600102298 MW-4
Collected: 11/26/2008 12:15 by FT

Account Number: 12099

Submitted: 12/02/2008 09:30
Reported: 12/09/2008 at 16:25
Discard: 01/09/2009

Chevron c/o CRA
Suite 110
2000 Opportunity Drive
Roseville CA 95678

580M4

| CAT No. | Analysis Name | CAS Number | As Received | | | Dilution Factor | |
|------------|-----------------------------|------------|-------------|--------|--------------------|--------------------|---|
| | | | Result | Method | Detection Limit | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 530 | | 50 | ug/l | 1 |
| 06054 | BTEX+MTBE by 8260B | | | | | | |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | | 0.5 | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | 63 | | 0.5 | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | 6 | | 0.5 | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | 5 | | 0.5 | ug/l | 1 |
| 06310 | Xylene (Total) | 1330-20-7 | 10 | | 0.5 | ug/l | 1 |

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | | Dilution Factor |
|------------|----------------------------|--------------|----------|------------------|-------------------|--------------------|
| | | | Trial# | Date and Time | Analyst | |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 12/08/2008 23:17 | Jennifer B Werner | 1 |
| 06054 | BTEX+MTBE by 8260B | SW-846 8260B | 1 | 12/05/2008 02:40 | Florida A Cimino | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 12/08/2008 23:17 | Jennifer B Werner | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 12/05/2008 02:40 | Florida A Cimino | 1 |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5543301

Group No. 1122367

MW-6-W-081126 Grab Water
Facility# 97127 Job# 385251 MTI# 63H-1656 GRD
I-580 & Grant Line-Tracy T0600102298 MW-6
Collected: 11/26/2008 11:10 by FT

Account Number: 12099

Submitted: 12/02/2008 09:30
Reported: 12/09/2008 at 16:25
Discard: 01/09/2009

Chevron c/o CRA
Suite 110
2000 Opportunity Drive
Roseville CA 95678

580M6

| CAT No. | Analysis Name | CAS Number | As Received | | Dilution Factor |
|------------|-----------------------------|------------|-------------|------------------------------|--------------------|
| | | | Result | Method Detection Limit | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | 50 | ug/l 1 |
| 06054 | BTEX+MTBE by 8260B | | | | |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | ug/l 1 |
| 05401 | Benzene | 71-43-2 | N.D. | 0.5 | ug/l 1 |
| 05407 | Toluene | 108-88-3 | N.D. | 0.5 | ug/l 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | ug/l 1 |
| 06310 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | ug/l 1 |

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | | Dilution Factor |
|------------|----------------------------|--------------|----------|------------------|-------------------|--------------------|
| | | | Trial# | Date and Time | Analyst | |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 12/08/2008 23:47 | Jennifer B Werner | 1 |
| 06054 | BTEX+MTBE by 8260B | SW-846 8260B | 1 | 12/05/2008 03:01 | Florida A Cimino | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 12/08/2008 23:47 | Jennifer B Werner | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 12/05/2008 03:01 | Florida A Cimino | 1 |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5543302

Group No. 1122367

SupplyWell-W-081126 Grab Water
Facility# 97127 Job# 385251 MTI# 63H-1656 GRD
I-580 & Grant Line-Tracy T0600102298 SupplyWell
Collected: 11/26/2008 13:00 by FT

Account Number: 12099

Submitted: 12/02/2008 09:30
Reported: 12/09/2008 at 16:25
Discard: 01/09/2009

Chevron c/o CRA
Suite 110
2000 Opportunity Drive
Roseville CA 95678

580SW

| CAT No. | Analysis Name | CAS Number | As Received | | | Dilution Factor | |
|------------|-----------------------------|------------|-------------|--------|--------------------|--------------------|---|
| | | | Result | Method | Detection Limit | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | | 50 | ug/l | 1 |
| 06054 | BTEX+MTBE by 8260B | | | | | | |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | | 0.5 | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | N.D. | | 0.5 | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | N.D. | | 0.5 | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | | 0.5 | ug/l | 1 |
| 06310 | Xylene (Total) | 1330-20-7 | N.D. | | 0.5 | ug/l | 1 |

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | | Dilution Factor |
|------------|----------------------------|--------------|----------|------------------|-------------------|--------------------|
| | | | Trial# | Date and Time | Analyst | |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 12/09/2008 00:17 | Jennifer B Werner | 1 |
| 06054 | BTEX+MTBE by 8260B | SW-846 8260B | 1 | 12/05/2008 03:23 | Florida A Cimino | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 12/09/2008 00:17 | Jennifer B Werner | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 12/05/2008 03:23 | Florida A Cimino | 1 |

Quality Control Summary

Client Name: Chevron c/o CRA
 Reported: 12/09/08 at 04:25 PM

Group Number: 1122367

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

| <u>Analysis Name</u> | <u>Blank Result</u> | <u>Blank MDL</u> | <u>Report Units</u> | <u>LCS %REC</u> | <u>LCSD %REC</u> | <u>LCS/LCSD Limits</u> | <u>RPD</u> | <u>RPD Max</u> |
|--|---------------------|------------------|--|-----------------|------------------|------------------------|------------|----------------|
| Batch number: 08340F20A TPH-GRO N. CA water C6-C12 | | | Sample number(s): 5543298-5543299 N.D. 50. ug/l 118 | | 109 | 75-135 | 8 | 30 |
| Batch number: 08343A08A TPH-GRO N. CA water C6-C12 | | | Sample number(s): 5543300-5543302 N.D. 50. ug/l 91 | | 91 | 75-135 | 0 | 30 |
| Batch number: F083394AA Methyl Tertiary Butyl Ether | | | Sample number(s): 5543298-5543302 N.D. 0.5 ug/l 94 | | | 73-119 | | |
| Benzene | | | N.D. 0.5 ug/l 97 | | | 78-119 | | |
| Toluene | | | N.D. 0.5 ug/l 100 | | | 85-115 | | |
| Ethylbenzene | | | N.D. 0.5 ug/l 97 | | | 82-119 | | |
| Xylene (Total) | | | N.D. 0.5 ug/l 100 | | | 83-113 | | |

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

| <u>Analysis Name</u> | <u>MS %REC</u> | <u>MSD %REC</u> | <u>MS/MSD Limits</u> | <u>RPD MAX</u> | <u>BKG Conc</u> | <u>DUP Conc</u> | <u>DUP RPD</u> | <u>Dup RPD Max</u> |
|--|----------------|-----------------|---|----------------|-----------------|-----------------|----------------|--------------------|
| Batch number: 08340F20A TPH-GRO N. CA water C6-C12 | | | Sample number(s): 5543298-5543299 UNSPK: P543194 104 63-154 | | | | | |
| Batch number: 08343A08A TPH-GRO N. CA water C6-C12 | | | Sample number(s): 5543300-5543302 UNSPK: P541613 127 63-154 | | | | | |
| Batch number: F083394AA Methyl Tertiary Butyl Ether | | | Sample number(s): 5543298-5543302 UNSPK: P543258 98 95 69-127 2 30 | | | | | |
| Benzene | 104 | 102 | 83-128 2 30 | | | | | |
| Toluene | 109 | 104 | 83-127 5 30 | | | | | |
| Ethylbenzene | 103 | 98 | 82-129 6 30 | | | | | |
| Xylene (Total) | 107 | 102 | 82-130 5 30 | | | | | |

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-GRO N. CA water C6-C12
 Batch number: 08340F20A
 Trifluorotoluene-F

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 2

Quality Control Summary

Client Name: Chevron c/o CRA
Reported: 12/09/08 at 04:25 PM

Group Number: 1122367

Surrogate Quality Control

| | |
|---------|-----|
| 5543298 | 83 |
| 5543299 | 81 |
| Blank | 80 |
| LCS | 107 |
| LCSD | 106 |
| MS | 104 |

Limits: 63-135

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 08343A08A
Trifluorotoluene-F

| | |
|---------|-----|
| 5543300 | 111 |
| 5543301 | 108 |
| 5543302 | 109 |
| Blank | 100 |
| LCS | 109 |
| LCSD | 107 |
| MS | 122 |

Limits: 63-135

Analysis Name: BTEX+MTBE by 8260B
Batch number: F083394AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 5543298 | 86 | 85 | 90 | 90 |
| 5543299 | 88 | 88 | 93 | 94 |
| 5543300 | 86 | 87 | 91 | 91 |
| 5543301 | 90 | 89 | 93 | 95 |
| 5543302 | 91 | 89 | 94 | 98 |
| Blank | 91 | 89 | 95 | 95 |
| LCS | 91 | 90 | 94 | 96 |
| MS | 93 | 94 | 96 | 97 |
| MSD | 92 | 91 | 95 | 97 |

Limits: 80-116 77-113 80-113 78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

| | | | |
|-------------------------|--|------------------------|--|
| N.D. | none detected | BMQL | Below Minimum Quantitation Level |
| TNTC | Too Numerous To Count | MPN | Most Probable Number |
| IU | International Units | CP Units | cobalt-chloroplatinate units |
| umhos/cm | micromhos/cm | NTU | nephelometric turbidity units |
| C | degrees Celsius | F | degrees Fahrenheit |
| Cal | (diet) calories | lb. | pound(s) |
| meq | milliequivalents | kg | kilogram(s) |
| g | gram(s) | mg | milligram(s) |
| ug | microgram(s) | l | liter(s) |
| ml | milliliter(s) | ul | microliter(s) |
| m3 | cubic meter(s) | fib >5 um/ml | fibers greater than 5 microns in length per ml |
| < | less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test. | | |
| > | greater than | | |
| ppm | parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas. | | |
| ppb | parts per billion | | |
| Dry weight basis | Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. | | |

U.S. EPA data qualifiers:

| Organic Qualifiers | | Inorganic Qualifiers | |
|---------------------------|---|-----------------------------|---|
| A | TIC is a possible aldol-condensation product | B | Value is <CRDL, but \geq IDL |
| B | Analyte was also detected in the blank | E | Estimated due to interference |
| C | Pesticide result confirmed by GC/MS | M | Duplicate injection precision not met |
| D | Compound quantitated on a diluted sample | N | Spike amount not within control limits |
| E | Concentration exceeds the calibration range of the instrument | S | Method of standard additions (MSA) used for calculation |
| J | Estimated value | U | Compound was not detected |
| N | Presumptive evidence of a compound (TICs only) | W | Post digestion spike out of control limits |
| P | Concentration difference between primary and confirmation columns $>25\%$ | * | Duplicate analysis not within control limits |
| U | Compound was not detected | + | Correlation coefficient for MSA <0.995 |
| X,Y,Z | Defined in case narrative | | |

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.