



RECEIVED

By Alameda County Environmental Health at 4:05 pm, Feb 10, 2014

Carryl MacLeod
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6506
CMacleod@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RE: Fourth Quarter 2013 Groundwater Monitoring Report
Former Chevron Service Station 97127
Grant Line Road and Interstate 580
Tracy, California
RWQCB # RO0000185

Dear Mr. Detterman:

ARCADIS U.S., Inc. (ARCADIS), at the request of Chevron Environmental Management Company (Chevron), has prepared the enclosed Fourth Quarter 2013 Groundwater Monitoring Report for Former Chevron Service Station 97127, located at Grant Line Road and Interstate 580 in Tracy, California.

I declare to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct. The enclosed report is submitted pursuant to the requirements of California Water Code Section 13267 (b)(1).

Sincerely,

A handwritten signature in black ink that reads "Carryl MacLeod".

Carryl MacLeod
Project Manager



Mr. Mark Detterman, P.G., C.E.G.
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Subject:

Fourth Quarter 2013 Groundwater Monitoring Report
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California
RWQCB # RO0000185

Dear Mr. Detterman:

ARCADIS U.S., Inc. (ARCADIS) has prepared this *Fourth Quarter of 2013 Groundwater Monitoring Report*, on behalf of Chevron Environmental Management Company (Chevron), to document the results of groundwater monitoring and sampling at former Chevron Service Station No. 97127, located at Grant Line Road and Interstate 580 in Tracy, California (the Site; Figure 1).

Groundwater Monitoring and Sampling

Gettler-Ryan Inc. (G-R) conducted quarterly groundwater monitoring and sampling on December 4, 2013. The groundwater monitoring and sampling program consists of measuring depth-to-groundwater, collecting groundwater samples, and analyzing the samples.

Field Procedures

G-R measured the depth to groundwater on December 4, 2013 from 15 of the 15 monitoring wells associated with the site monitoring network (MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14 and MW-15), shown on Figure 2.

G-R subsequently collected groundwater samples on December 4, 2013 from 8 monitoring wells (MW-4, MW-6, MW-8, MW-9, MW-12, MW-13, MW-14 and MW-15) and 1 water supply well (WSW-1). Monitoring wells MW-2, MW-5, MW-7 are sampled annually during the second quarter monitoring event. Monitoring wells

ARCADIS U.S., Inc.
101 Creekside Ridge Court
Suite 200
Roseville
California 95678
Tel 916.786.0320
Fax 916.786.0366
www.arcadis-us.com

ENVIRONMENT

Date:
February 10, 2014

Contact:
Tonya R. Russi

Phone:
916.865.3168

Email:
Tonya.Russi@
arcadis-us.com

Our ref:
B0047959.0001

MW-1, MW-3, MW-10, and MW-11 contained separate phase hydrocarbons (SPH); therefore, groundwater samples were not collected from these wells during the fourth quarter 2013 monitoring and sampling event.

Groundwater samples were collected in accordance with California Environmental Protection Agency (CalEPA), Department of Toxic Substances Control procedures outlined in *Representative Sampling of Groundwater for Hazardous Substances*.¹

Samples were collected with new disposable bailers after purging approximately three well volumes. Purging and sampling was performed using the following series of activities and protocols:

- During the purge cycle, groundwater field parameter measurements consisting of specific conductance, pH and temperature were measured using a water quality meter
- Approximately three times the volume of standing water was removed from each monitoring well and field parameters were recorded on a well volume basis
- After the purge cycle was complete, a groundwater sample was collected for analysis with a disposable polyethylene bailer and transferred to the appropriate laboratory supplied sample containers prefilled with preservative; the water column was allowed to recharge to a minimum of 80 percent of its pre-purge elevation before a groundwater sample was collected

SPH was observed in monitoring wells MW-1, MW-3, MW-10, and MW-11 at a thickness of 2.34 feet (ft), 0.34 foot, 0.28 foot, and 1.12 ft, respectively. SPH has historically been observed in monitoring well MW-1 beginning on December 28, 1992, in monitoring well MW-3 beginning on May 22, 2009; SPH has been detected in MW-11 beginning April 4, 2013. SPH has not been historically observed in MW-10. Evaluation of groundwater elevation versus time graphs at MW-10 suggest that groundwater elevations are near historic lows, excluding an assumed erroneous reading taken during the fourth quarter 2012. Further evaluation of the boring logs and install location within the former UST tank pit, suggest LNAPL is infiltrating through the coarse grains associated with the fill material due to the historically low

¹ California Environmental Protection Agency Department of Toxic Substances Control. 2008. *Representative Sampling of Groundwater for Hazardous Substances* (July 1995, revised February 2008). California: February 2008.

groundwater elevation. Further evaluation of LNAPL infiltration will be performed during the first quarter 2014.

Groundwater monitoring and sampling field data sheets are presented in the G-R groundwater monitoring and sampling data package (Attachment 1). Purge water and equipment decontamination water generated during the sampling event was transported by Clean Harbors Environmental Services to Evergreen Oil located in Newark, California.

Laboratory Analysis

Subsequent to collection, samples were packed on ice in an attempt to maintain the samples at approximately 4 degrees Celsius (°C), and shipped under appropriate chain-of-custody protocols for analysis to Lancaster Laboratories (Lancaster) of Lancaster, Pennsylvania, a California Department of Public Health certified analytical laboratory. The groundwater samples were analyzed for the following chemicals:

- Total petroleum hydrocarbons as gasoline range organics (TPH-GRO) [C₆-C₁₂] by United States Environmental Protection Agency (USEPA) Method 8015B
- Benzene, toluene, ethylbenzene and total xylenes (BTEX) by USEPA Method 8260B
- Methyl tertiary butyl ether (MTBE) by USEPA Method 8260B

Quality assurance/quality control (QA/QC) samples, including trip blanks, were submitted for laboratory analysis. A laboratory supplied trip blank accompanied each sample delivery group. Trip blank samples were analyzed for TPH-GRO, BTEX and MTBE. Analytes were not detected in the trip blank at concentrations at or above the respective laboratory method detection limit (MDL). The laboratory analytical report and chain-of-custody record for the quarterly groundwater sampling event are presented in Attachment 2. Historical groundwater monitoring data results ending on February 21, 2012 are included in Attachment 3. Current Analytical Groundwater Gauging and Analytical Data for the December 4, 2013 monitoring event are included in Table 1. Historical groundwater monitoring data and analytical results, beginning June 25, 2012 are included in Table 2.

Results

Groundwater Flow

Depth-to-water measurements were subtracted from surveyed top of casing elevations to calculate the groundwater elevation at each monitoring well. Depth-to-water measurements and calculated groundwater elevations are presented in Table 1. Calculated groundwater elevation data was used to construct a groundwater elevation contour map of the site (Figure 3).

On average, groundwater elevations at the site monitoring wells increased 0.13 foot from the third quarter 2013 event. The horizontal groundwater flow direction across the site was toward the north-northeast at an approximate horizontal hydraulic gradient of 0.001 foot per foot (ft/ft) as shown on the groundwater elevation contour map presented as Figure 3. The predominant groundwater flow direction across the site has been to the north, as depicted on the groundwater flow direction rose diagram presented as Figure 1 of Attachment 4.

Groundwater Analytical

Analytical results from the quarterly groundwater monitoring and sampling event are presented in Table 1. Historical analytical results through February 21, 2012, as provided by G-R, are presented in Attachment 3. Historical analytical results beginning July 25, 2012, are presented in Table 2. A concentration map of TPH-GRO, benzene and MTBE across the site are presented as Figure 4. Maximum and minimum concentrations of petroleum hydrocarbon constituents detected in groundwater samples collected during the fourth quarter of 2013 are presented in the table below:

Constituent	Frequency of Detection Above the MDL ¹	Range of Detected Concentrations in µg/L ²	California Primary MCL ³ in µg/L ²	Frequency of Exceedances	Concentration of MCL Exceedance in µg/L ² (Well ID)
TPH-GRO	6/9	430 – 64,000	--	--	--
Benzene	6/9	110 – 23,000	1	6/6	320 (MW-4); 2,300 (MW-9); 140 (MW-12); 110 (MW-13); 23,000 (MW-14); 20,000 (MW-15)
Toluene	5/9	1 – 8,000	150	3/5	1,500 (MW-9); 8,000 (MW-14); 2,300 (MW-15)
Ethylbenzene	5/9	1 – 1,500	300	2/5	1,500 (MW-14); 1,100 (MW-15)
Total Xylenes	5/9	3 – 5,500	1,750	2/5	5,500 (MW-14); 3,700 (MW-15)
MTBE	2/9	2	13	0/2	--

Notes:

1. MDL = method detection limit
2. µg/L = microgram per liter, equivalent to part per billion (ppb)
3. MCL = maximum contaminant level

Concentration graphs for TPH-GRO, benzene, MTBE and groundwater elevation versus time at wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-8, MW-7, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14 and MW-15 are presented as Figures 1 through 15, respectively, of Attachment 5. Measured SPH thickness and groundwater elevations versus time at wells MW-1, MW-3, and MW-11 are presented as Figures 1 through 3, respectively, of Attachment 6.

Chemical concentration ranges of groundwater samples collected during the fourth quarter of 2013 are generally consistent with the concentration ranges detected during previous quarterly monitoring and sampling events.

Summary and Conclusions

- Groundwater flowed toward the north-northeast across the site at an approximate horizontal hydraulic gradient of 0.001 ft/ft
- Benzene, toluene, ethylbenzene and total xylenes were detected above the respective California primary maximum contaminant level (MCL) in groundwater samples collected from the site monitoring network
- TPH-GRO and MTBE were detected above their respective laboratory MDL in groundwater samples collected from the site monitoring well network
- SPH was observed in monitoring wells MW-1, MW-3, MW-10, MW-11

Recommendations

ARCADIS recommends a reduction in the frequency of the groundwater monitoring and sampling program from quarterly to semiannual events.

Future Work

ARCADIS plans to install an additional offsite monitoring well during the first quarter 2014 to further delineate offsite soil and groundwater concentrations. Results from the installation of the offsite monitoring well will be included in the evaluation of potential transport mechanisms from various media that may be impacted by releases of petroleum hydrocarbon constituents. The Site Conceptual Model will be updated with the data collected during field activities. In an email, dated November 7, 2013, the Alameda County Environmental Health (ACEH) granted ARCADIS an extension to submit a report summarizing the site assessment activities performed during the fourth quarter 2013, and will include the results of field activities planned for the first quarter 2014.

Closing

If you have any questions or comments regarding the contents of this report, please contact Tonya Russi of ARCADIS at 916.865.3168 or by e-mail at Tonya.Russi@arcadis-us.com.

Sincerely,

ARCADIS U.S., Inc.

Tonya Russi

Tonya R. Russi
Senior Scientist

DL

David W. Lay, P.G., C.P.G.
Principal Geologist



Enclosures:

- Table 1 Fourth Quarter 2013 Groundwater Monitoring Data and Analytical Results
 Table 2 Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
- Figure 1 Site Location Map
 Figure 2 Site Plan
 Figure 3 Groundwater Elevation Contour Map, December 4, 2013
 Figure 4 TPH-GRO, Benzene and MTBE Concentration Map, December 4, 2013
- Attachment 1 Groundwater Monitoring and Sampling Data Package, Gettler-Ryan Inc., December 13, 2013
 Attachment 2 Groundwater Analytical Results, Lancaster Laboratories, December 16, 2013
 Attachment 3 Historical Groundwater Monitoring Data and Analytical Results, Ending February 21, 2012
 Attachment 4 Figure 1 (Groundwater Flow Direction Rose Diagram)
 Attachment 5 Figures 1 through 14 (Chemical Concentrations and Groundwater Elevations versus Time Graphs)
 Attachment 6 Figure 1 through 3 (Measured Separate Phase Hydrocarbon Thickness and Groundwater Elevation versus Time Graph)

Copies:

Ms. Carryl MacLeod, Chevron Environmental Management Company
 Ms. Vera Fischer, Central Valley Regional Water Quality Control Board
 Mr. Ardavan Onsori, DM Livermore, Inc.
 Mr. Wyman Hong, Zone 7 Water Agency
 Martin & Jeanne Moghadam

Tables

Table 1
Fourth Quarter 2013 Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-1	12/04/13	SPH	331.81	33.05	2.34	300.52	--	--	--	--	--	--	Monitored only
MW-2	12/04/13		329.88	29.31	0.00	300.57	--	--	--	--	--	--	
MW-3	12/04/13	SPH	331.91	31.72	0.34	300.45	--	--	--	--	--	--	Monitored only
MW-4	12/04/13		329.25	28.62	0.00	300.63	1,900	320	19	6	100	<0.5	
MW-5	12/04/13		315.84	15.33	0.00	300.51	--	--	--	--	--	--	
MW-6	12/04/13		314.92	14.43	0.00	300.49	<50	<0.5	<0.5	<0.5	<0.5	2	
MW-7	12/04/13		316.28	15.70	0.00	300.58	--	--	--	--	--	--	
MW-8	12/04/13		333.00	32.23	0.00	300.77	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-9	12/04/13		332.45	31.84	0.00	300.61	9,600	2,300	1,500	54	330	<3	
MW-10	12/04/13	SPH	331.66	31.34	0.28	300.53	--	--	--	--	--	--	Monitored only
MW-11	12/04/13	SPH	331.87	32.23	1.12	300.48	--	--	--	--	--	--	Monitored only
MW-12	12/04/13		332.42	31.90	0.00	300.52	470	140	1	<0.5	3	<0.5	
MW-13	12/04/13		331.49	31.00	0.00	300.49	430	110	<0.5	1	<0.5	2	
MW-14	12/04/13		332.12	31.60	0.00	300.52	64,000	23,000	8,000	1,500	5,500	<50	
MW-15	12/04/13		332.77	32.22	0.00	300.55	50,000	20,000	2,300	1,100	3,700	<50	
WSW-1	12/04/13		--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	

Notes:

TPH-GRO = Total petroleum hydrocarbons as gasoline range organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Total xylenes

MTBE = Methyl tertiary butyl ether

SPH = Separate phase hydrocarbons

TOC = Top of casing (surveyed)

MSL = Mean sea level

µg/L = Microgram per liter

< = Analyte was not detected above laboratory method detection limit

-- = Not measured or analyzed

Calc. GW Elev. = Calculated groundwater elevation = TOC - Depth to Water + 0.75*(Measured SPH Thickness); assuming a specific gravity of 0.75 for SPH

Well survey data (TOC elevation) provided by Muir Consulting, Inc., April 2013

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-1	06/25/12	SPH	331.93	31.85	1.80	300.08	--	--	--	--	--	--	
	09/22/12	SPH	331.93	32.85	2.42	299.08	--	--	--	--	--	--	
	12/10/12	SPH	331.93	32.21	1.90	299.72	--	--	--	--	--	--	
	03/26/13	SPH	331.81	31.30	1.29	300.51	--	--	--	--	--	--	
	06/13/13	SPH	331.81	32.39	2.03	300.94	--	--	--	--	--	--	
	09/04/13	SPH	331.81	33.23	2.53	300.48	--	--	--	--	--	--	
	12/04/13	SPH	331.81	33.05	2.34	300.52	--	--	--	--	--	--	
MW-2	06/25/12		329.98	28.60	0.00	301.38	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/22/12		329.98	29.15	0.00	300.83	--	--	--	--	--	--	
	12/10/12		329.98	28.79	0.00	301.19	--	--	--	--	--	--	
	03/26/13		329.88	28.45	0.00	301.43	--	--	--	--	--	--	
	06/13/13		329.88	28.89	0.00	300.99	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/04/13		329.88	29.47	0.00	300.41	--	--	--	--	--	--	
	12/04/13		329.88	29.31	0.00	300.57	--	--	--	--	--	--	
MW-3	06/25/12	SPH	332.03	30.88	0.22	301.15	--	--	--	--	--	--	
	09/22/12	SPH	332.03	31.58	0.42	300.45	--	--	--	--	--	--	
	12/10/12	SPH	332.03	31.00	0.06	301.03	--	--	--	--	--	--	
	03/26/13	SPH	331.91	30.65	0.21	301.26	--	--	--	--	--	--	
	06/13/13	SPH	331.91	31.54	0.63	300.84	--	--	--	--	--	--	
	09/04/13	SPH	331.91	32.08	0.73	300.38	--	--	--	--	--	--	
	12/04/13	SPH	331.91	31.72	0.34	300.45	--	--	--	--	--	--	
MW-4	06/25/12		320.22	27.88	0.00	292.34	1,300	170	44	23		<0.5	
	09/22/12		329.44*	28.35	0.00	301.09	--	--	--	--	--	--	
	12/10/12		329.44*	28.11	0.00	301.33	490	<0.5	<0.5	<0.5	25	<0.5	
	03/26/13		329.25	27.73	0.00	301.52	--	--	--	--	--	--	
	06/13/13		329.25	28.16	0.00	301.09	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/04/13		329.25	28.75	0.00	300.50	--	--	--	--	--	--	
	12/04/13		329.25	28.62	0.00	300.63	1900	320	19	6	100	<0.5	

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-5	06/25/12	INA	315.97	14.68	0.00	301.29	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/22/12		315.97	15.19	0.00	300.78	--	--	--	--	--	--	
	12/10/12		315.97	14.63	0.00	301.34	--	--	--	--	--	--	
	03/26/13	INA	315.84	--	0.00	--	--	--	--	--	--	--	
	06/13/13		315.84	14.96	0.00	300.88	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/04/13		315.84	15.52	0.00	300.32	--	--	--	--	--	--	
	12/04/13		315.84	15.33	0.00	300.51	--	--	--	--	--	--	
MW-6	06/25/12		314.91	13.79	0.00	301.12	<50	<0.5	<0.5	<0.5	<0.5	1	
	09/22/12		314.91	14.33	0.00	300.58	--	--	--	--	--	--	
	12/10/12		314.91	13.87	0.00	301.04	<50	<0.5	<0.5	<0.5	<0.5	1	
	03/26/13		314.92	13.56	0.00	301.36	--	--	--	--	--	--	
	06/13/13		314.92	14.08	0.00	300.84	<50	<0.5	<0.5	<0.5	<0.5	2	
	09/04/13		314.92	14.65	0.00	300.27	--	--	--	--	--	--	
	12/04/13		314.92	14.43	0.00	300.49	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2
MW-7	06/25/12	INA	316.39	14.98	0.00	301.41	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/22/12		316.39	15.46	0.00	300.93	--	--	--	--	--	--	
	12/10/12		316.39	14.93	0.00	301.46	--	--	--	--	--	--	
	03/26/13		316.28	14.85	0.00	301.43	--	--	--	--	--	--	
	06/13/13		316.28	15.28	0.00	301.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/04/13		316.28	15.83	0.00	300.45	--	--	--	--	--	--	
	12/04/13		316.28	15.70	0.00	300.58	--	--	--	--	--	--	
MW-8	03/26/13		333.00	--	0.00	--	--	--	--	--	--	--	
	06/13/13		333.00	31.75	0.00	301.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/04/13		333.00	32.33	0.00	300.67	--	--	--	--	--	--	
	12/04/13		333.00	32.23	0.00	300.77	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-9	06/25/12		332.56	31.13	0.00	301.43	2,400	370	84	59	62	<0.5	
	09/22/12		332.56	31.65	0.00	300.91	5,200	1,100	950	110	300	<5	
	12/10/12		332.56	31.34	0.00	301.22	6,800	1,400	1,100	90	370	<5	
	03/26/13		332.45	31.00	0.00	301.45	4,400	700	110	57	120	<0.5	
	06/13/13		332.45	31.42	0.00	301.03	1,400	190	11	24	10	<0.5	
	09/04/13		332.45	31.99	0.00	300.46	5,900	930	350	30	230	<1	
	12/04/13		332.45	31.84	0.00	300.61	9,600	2300	1500	54	330	<3	

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-10	06/25/12		331.77	30.32	0.00	301.45	2,500	420	70	27	180	<5	
	09/22/12		331.77	30.85	0.00	300.92	2,900	620	470	30	160	<5	
	12/10/12		331.77	36.64	0.00	295.13	3,100	630	27	<5	37	<5	
	03/26/13		331.66	30.16	0.00	301.50	920	150	18	4	26	<0.5	
	06/13/13		331.66	30.63	0.00	301.03	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/04/13		331.66	31.14	0.00	300.52	6,800	1,300	510	14	180	<1	
	12/04/13	SPH	331.66	31.34	0.28	300.53	--	--	--	--	--	--	--
MW-11	06/25/12		331.98	30.63	0.00	301.35	47,000	9,800	7,900	880	3,900	<50	
	09/22/12		331.98	31.15	0.00	300.83	51,000	9,000	7,200	1,200	4,600	<50	
	12/10/12		331.98	30.88	0.00	301.10	41,000	8,400	6,800	720	3,600	<25	
	03/26/13	SPH	331.87	31.35	1.26	300.52	--	--	--	--	--	--	
	06/13/13	SPH	331.87	31.96	1.33	300.91	--	--	--	--	--	--	
	09/04/13	SPH	331.87	32.36	1.26	300.46	--	--	--	--	--	--	
	12/04/13	SPH	331.87	32.23	1.12	300.48	--	--	--	--	--	--	--
MW-12	06/25/12		332.53	31.23	0.00	301.30	570	21	0.8	38	3	<0.5	
	09/22/12		332.53	31.78	0.00	300.75	350	2	<0.5	6	<0.5	<0.5	
	12/10/12		332.53	31.37	0.00	301.16	380	17	<0.5	1	0.9	<0.5	
	03/26/13		332.42	31.05	0.00	301.37	240	7	0.7	0.9	1	<0.5	
	06/13/13		332.42	31.51	0.00	300.91	180	7	0.6	0.6	0.5	<0.5	
	09/04/13		332.42	32.06	0.00	300.36	160	12	<0.5	<0.5	0.7	<0.5	
	12/04/13		332.42	31.90	0.00	300.52	470	140	1	<0.5	3	<0.5	
MW-13	06/25/12		331.60	30.34	0.00	301.26	290	22	0.7	2	1	2	
	09/22/12		331.60	30.89	0.00	300.71	290	11	0.6	4	0.7	2	
	12/10/12		331.60	30.47	0.00	301.13	240	16	<0.5	5	1	1	
	03/26/13		331.49	30.15	0.00	301.34	290	23	<0.5	2	<0.5	2	
	06/13/13		331.49	30.62	0.00	300.87	240	22	<0.5	<0.5	<0.5	2	
	09/04/13		331.49	31.19	0.00	300.30	210	40	<0.5	<0.5	<0.5	2	
	12/04/13		331.49	31.00	0.00	300.49	430	110	<0.5	1	<0.5	2	

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-14	06/25/12		332.24	30.92	0.00	301.32	80,000	23,000	9,800	1,100	4,300	<50	
	09/22/12		332.24	31.45	0.00	300.79	83,000	25,000	9,900	1,800	6,600	<25	
	12/10/12		332.24	31.07	0.00	301.17	70,000	19,000	8,700	1,200	4,600	<50	
	03/26/13		332.12	30.74	0.00	301.38	92,000	23,000	6,200	1,200	4,700	<5	
	06/13/13		332.12	31.21	0.00	300.91	76,000	24,000	7,000	1,300	4,900	<10	
	09/04/13		332.12	31.77	0.00	300.35	100,000	23,000	8,200	1,400	5,500	<25	
	12/04/13		332.12	31.60	0.00	300.52	64,000	23,000	8,000	1,500	5,500	<50	
MW-15	06/25/12		332.88	31.51	0.00	301.37	88,000	28,000	8,400	1,100	4,300	<50	
	09/22/12		332.88	32.05	0.00	300.83	77,000	29,000	9,000	1,700	6,400	<25	
	12/10/12		332.88	31.70	0.00	301.18	71,000	22,000	5,900	1,200	4,800	<100	
	03/26/13		332.77	31.36	0.00	301.41	96,000	25,000	4,300	1,200	4,400	<5	
	06/13/13		332.77	31.81	0.00	300.96	58,000	24,000	4,500	1,100	3,900	12	
	09/04/13		332.77	32.37	0.00	300.40	95,000	24,000	4,400	1,200	4,400	<25	
	12/04/13		332.77	32.22	0.00	300.55	50,000	20,000	2,300	1,100	3,700	<50	
WSW-1	06/25/12		--	--	--	--	--	--	--	--	--	--	
	09/22/12		--	--	--	--	--	--	--	--	--	--	
	12/10/12		--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	03/26/13		--	--	--	--	--	--	--	--	--	--	
	06/13/13		--	--	--	--	--	--	--	--	--	--	
	09/04/13		--	--	--	--	--	--	--	--	--	--	
	12/04/13		--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
-----------	------	-------	--------------------------------	--------------------------------	--	--	-------------------	-------------	-------------	-------------	-------------	----------------	----------

Notes:

TPH-GRO = Total petroleum hydrocarbons as gasoline range organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Total xylenes

MTBE = Methyl tertiary butyl ether

SPH = Separate phase hydrocarbons

TOC = Top of casing (surveyed)

MSL = Mean sea level

µg/L = Microgram per liter

< = Analyte was not detected above laboratory method detection limit

- = Not measured or analyzed

J = Estimated value (less than the method reporting limit and greater than or equal to the method detection limit)

N = Identity of contaminant uncertain (hydrocarbon pattern atypical of indicated analyte); see lab report

R = Data rejected (data determined to be unreliable by laboratory)

INA = Well inaccessible due to steep terrain, grab samples collected


Calc. GW Elev. = Calculated groundwater elevation = TOC - Depth to Water + 0.75*(Measured SPH Thickness); assuming a specific gravity of 0.75 for SPH

Well survey data (TOC elevation) provided by Muir Consulting, Inc., April 2013

ARCADIS


Figures

CITY: PETALUMA, CA DIV/GROUP: ENV DB: J. HARRIS
 C:\Users\jharri\Desktop\ENV\CAD\B0047959\004000204013\DWG\47959\N01.dwg LAYOUT: 1 SAVED: 1/8/2014 1:03 PM ACADVER: 18.1S (LMS TECH) PAGES: 1 PLOTSTYLETABLE: ARCADIS.CTB PLOTTED: 1/10/2014 12:51 PM BY: HARRIS, JESSICA



**SITE
LOCATION**

REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., MIDWAY AND CLIFTON COURT FOREBAY, CALIFORNIA, 2012.



CHEVRON SITE ID 97127
 GRANT LINE ROAD AND INTERSTATE 580
 TRACY, CALIFORNIA
**FOURTH QUARTER 2013
 GROUNDWATER MONITORING REPORT**

SITE LOCATION MAP



FIGURE
1

XREFS: IMAGES: PROJECTNAME: Clifton Court Forebay 2012.jpg Midway 2012.jpg





CITY: PETALUMA, CA DIV/GROUP: ENV DE: J. HARRIS
 C:\Users\jharris\Desktop\ENV\CAD\B0047559\0004\00002\4013\DWG\47559B01.dwg LAYOUT: 2 SAVED: 1/8/2014 1:04 PM ACADVER: 18.1S (LMS TECH) PAGES: 18 PLOTTED: 1/10/2014 12:51 PM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: 47559B01


GRANT LINE ROAD

INTERSTATE 580 ON RAMP


JESS RANCH ROAD


LEGEND

-  PROPERTY BOUNDARY
-  FENCE
-  MW-1 MONITORING WELL LOCATION
-  WSW-1 WATER SUPPLY WELL (LIVESTOCK)



- NOTES:
- MONITORING WELL LOCATIONS BASED ON SURVEY DATA PROVIDED BY VIRGIL CHAVEZ LAND SURVEYING (SEPTEMBER 2011) DRAWING FILE 305620cad.dwg. MW-6 LOCATION WAS NOT SURVEYED AND IS APPROXIMATE.
 - MAP MODIFIED FROM CONESTOGA-ROVERS & ASSOCIATES (CRA) FIGURE ENTITLED "FIGURE 2 CONCENTRATION MAP" DATED FEBRUARY 21, 2012, DRAWING FILE xsite.dwg. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.




CHEVRON SITE ID 97127 GRANT LINE ROAD AND INTERSTATE 580 TRACY, CALIFORNIA FOURTH QUARTER 2013 GROUNDWATER MONITORING REPORT	
SITE PLAN	
	FIGURE 2

CITY: PETALUMA, CA DIV/GROUP: ENV DB: J. HARRIS
 C:\Users\jharris\Desktop\ENVCAD\B0047559\0004\000024\013\DWG\47559W01.dwg LAYOUT: 3 SAVED: 1/9/2014 1:21 PM ACADVER: 18.1S (LMS TECH) PAGESETUP: SETUP1 PLOTSTYLETABLE: ARCADIS.CTB PLOTTED: 1/10/2014 12:50 PM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: 47559W01

GRANT LINE ROAD

INTERSTATE 580 ON RAMP

JESS RANCH ROAD




LEGEND

- PROPERTY BOUNDARY
- FENCE
- MW-1 MONITORING WELL LOCATION
- WSW-1 WATER SUPPLY WELL (LIVESTOCK)
- (300.55) GROUNDWATER ELEVATION IN FEET MEAN SEA LEVEL (FT MSL)
- 300.50 GROUNDWATER ELEVATION CONTOUR IN FT MSL (DASHED WHERE INFERRED)
- 0.001 FT/FT GROUNDWATER FLOW DIRECTION AND GRADIENT IN FOOT PER FOOT (FT/FT)
- (NM) NOT MONITORED
- * DUE TO THE PRESENCE OF SEPARATE PHASE HYDROCARBONS (SPH), GROUNDWATER ELEVATIONS NOT USED FOR CONTOURING

NOTES:

1. MONITORING WELL LOCATIONS BASED ON SURVEY DATA PROVIDED BY VIRGIL CHAVEZ LAND SURVEYING (SEPTEMBER 2011) DRAWING FILE 305620cad.dwg. MW-6 LOCATION WAS NOT SURVEYED AND IS APPROXIMATE.
2. MAP MODIFIED FROM CONESTOGA-ROVERS & ASSOCIATES (CRA) FIGURE ENTITLED "FIGURE 2 CONCENTRATION MAP" DATED FEBRUARY 21, 2012, DRAWING FILE xsite.dwg. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
3. CALCULATED GROUNDWATER ELEVATION = TOC-DEPTH TO WATER+0.75*(MEASURED SPH THICKNESS); ASSUMING A SPECIFIC GRAVITY OF 0.75 FOR SPH.




CHEVRON SITE ID 97127
 GRANT LINE ROAD AND INTERSTATE 580
 TRACY, CALIFORNIA
**FOURTH QUARTER 2013
 GROUNDWATER MONITORING REPORT**

**GROUNDWATER ELEVATION
 CONTOUR MAP
 DECEMBER 4, 2013**

ARCADIS

CITY: PETALUMA, CA DIV/GROUP: ENV DE: J. HARRIS
 C:\Users\jharris\Desktop\ENV\CAD\B0047559\0004\000024\013\DWG\47559\001.dwg LAYOUT: 4 SAVED: 1/8/2014 1:30 PM ACADVER: 18.15 (LMS TECH) PAGES: 10 PLOTTED: 1/10/2014 12:51 PM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME:



LEGEND

--- PROPERTY BOUNDARY

-x-x-x- FENCE

MW-1 MONITORING WELL LOCATION

WSW-1 WATER SUPPLY WELL (LIVESTOCK)

MW-12		BORING ID
TPH-GRO	470	CONCENTRATION (µg/L)
Benzene	140	
MTBE	<0.5	

ANALYTE

TPH-GRO TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS

B BENZENE

MTBE METHYL TERTIARY BUTYL ETHER


µg/L MICROGRAMS PER LITER

< NOT DETECTED AT OR ABOVE STATED LABORATORY REPORTING LIMIT

(NS) NOT SAMPLED

* SEPARATE PHASE HYDROCARBONS (SPH) PRESENT IN WELL

- NOTES:**
- MONITORING WELL LOCATIONS BASED ON SURVEY DATA PROVIDED BY VIRGIL CHAVEZ LAND SURVEYING (SEPTEMBER 2011) DRAWING FILE 305620cad.dwg. MW-6 LOCATION WAS NOT SURVEYED AND IS APPROXIMATE.
 - MAP MODIFIED FROM CONESTOGA-ROVERS & ASSOCIATES (CRA) FIGURE ENTITLED "FIGURE 2 CONCENTRATION MAP" DATED FEBRUARY 21, 2012, DRAWING FILE xsite.dwg. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
 - MONITORING WELL MW-8 DISCONTINUED FROM MONITORING AND SAMPLING PROGRAM.



CHEVRON SITE ID 97127
 GRANT LINE ROAD AND INTERSTATE 580
 TRACY, CALIFORNIA

**FOURTH QUARTER 2013
 GROUNDWATER MONITORING REPORT**

**TPH-GRO, BENZENE AND MTBE
 CONCENTRATION MAP
 DECEMBER 4, 2013**

ARCADIS

FIGURE **4**

ARCADIS

Attachment 1

Groundwater Monitoring and
Sampling Data Package, Gettler-
Ryan Inc., December 13, 2013



GETTLER-RYAN INC.



TRANSMITTAL

December 13, 2013

G-R #385251

TO: Ms. Tonya Russi
ARCADIS
950 Glenn Drive, Suite 125
Folsom, CA 95630

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6805 Sierra Court, Suite G
Dublin, California 94568

RE: **Former Chevron Service Station
#9-7127
I-580 and Grant Line Road
Tracy, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package Fourth Quarter Event of December 4, 2013

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/9-7127

WELL CONDITION STATUS SHEET

Client/Facility #: **Chevron #9-7127**
 Site Address: **I-580 And Grant Line Road**
 City: **Tracy, CA**

Job #: **385251**
 Event Date: **12/4/13**
 Sampler: **GILBERT MEDINA**

WELL ID	Vault Frame Condition	Gasket/O-Ring (M) Missing (R) Replaced	BOLTS (M) Missing (R) Replaced	Bolt Flanges B=Broken S=Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Y/N
Mw-1	OK	NA	→	→	OK	→	→	Y	N	STOVE PIPE	N
Mw-2	OK	NA	→	→	OK	→	→	↓	↓	↓	↓
Mw-3	OK	NA	→	→	OK	→	→	↓	↓	↓	↓
Mw-4	OK	→	→	→	→	→	→	N	N	EMCO 12/2	↓
Mw-5	OK	NA	→	→	OK	→	→	N	↓	STOVE PIPE	↓
Mw-6	OK	→	→	→	→	→	→	N	N	EMCO 12/2	↓
Mw-7	OK	NA	→	→	OK	→	→	N	↓	STOVE PIPE	↓
Mw-8	OK	NA	→	→	OK	→	→	Y	↓	↓	↓
Mw-9	OK	NA	→	→	OK	→	→	↓	↓	↓	↓
Mw-10	OK	NA	→	→	OK	→	→	↓	↓	↓	↓
Mw-11	OK	NA	→	→	OK	→	→	↓	↓	↓	↓
Mw-12	OK	NA	→	→	OK	→	→	↓	↓	↓	↓
Mw-13	OK	NA	→	→	OK	→	→	↓	↓	↓	↓
Mw-14	OK	NA	→	→	OK	→	→	↓	↓	↓	↓
Mw-15	OK	NA	→	→	OK	→	→	↓	↓	↓	↓
Supply Well	OK	NA	→	→	OK	→	→	NA	NA	3'x4' VAULT	↓

Comments _____

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Seaport Environmental located in Redwood City, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GM

Well ID: MW-1
 Well Diameter: 4 in.
 Total Depth: 39.44 ft.
 Depth to Water: 33.05 ft.
6.39 xVF = _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 30.71 ft
 Depth to Water: 33.05 ft
 Hydrocarbon Thickness: 2.34 ft
 Visual Confirmation/Description:
OILY
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: 0

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: PH PRESENT, UNABLE TO SAMPLE

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: 1 Add/Replaced Plug: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GM

Well ID: MW-2
 Well Diameter: 2 in.
 Total Depth: 38.48 ft.
 Depth to Water: 29.31 ft.
9.17 xVF = _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: M/O

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: 1 Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GM

Well ID: MW-3
 Well Diameter: 2 in.
 Total Depth: 40.05 ft.
 Depth to Water: 31.72 ft.
8.33 xVF = _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____	(2400 hrs)
Time Completed:	_____	(2400 hrs)
Depth to Product:	<u>31.38</u>	ft
Depth to Water:	<u>31.72</u>	ft
Hydrocarbon Thickness:	<u>0.34</u>	ft
Visual Confirmation/Description:	<u>DILY</u>	
Skimmer / Absorbant Sock (circle one)	_____	
Amt Removed from Skimmer:	_____	gal
Amt Removed from Well:	_____	gal
Water Removed:	<u>0</u>	gal

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: SPH PRESENT, UNABLE TO SAMPLE.

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: 1 Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 12/4/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-4
 Well Diameter: 2
 Total Depth: 31.67 ft.
 Depth to Water: 28.62 ft.
3.05 xVF 0.17 = 0.51

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 29.23 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer X
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0930 Weather Conditions: COLD
 Sample Time/Date: 1014 12/4/13 Water Color: Brown Odor: Y/N STRONG
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 29.20

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0933</u>	<u>.75</u>	<u>7.03</u>	<u>1.35</u>	<u>17.6</u>	_____	_____
<u>0938</u>	<u>1.5</u>	<u>6.99</u>	<u>1.34</u>	<u>17.6</u>	_____	_____
<u>0945</u>	<u>2</u>	<u>6.97</u>	<u>1.34</u>	<u>17.5</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6x vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GM

Well ID: MW-5
 Well Diameter: 2 in.
 Total Depth: 28.16 ft.
 Depth to Water: 15.33 ft.
12.83 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: M/O



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GJR

Well ID: MW-6
 Well Diameter: 2
 Total Depth: 28.86 ft.
 Depth to Water: 14.43 ft.

Date Monitored: 12/4/13

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.31
 $14.43 \times VF \ 0.17 = 2.45 \times 3 \text{ case volume} = \text{Estimated Purge Volume: } 7.5 \text{ gal.}$

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____ X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1150 Weather Conditions: COLD
 Sample Time/Date: 1227/12/4/13 Water Color: TAN Odor: Y (N)
 Approx. Flow Rate: - gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 16.16

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1155</u>	<u>2.5</u>	<u>7.57</u>	<u>1.21</u>	<u>14.4</u>		
<u>1200</u>	<u>5</u>	<u>7.53</u>	<u>1.20</u>	<u>14.4</u>		
<u>1205</u>	<u>7.5</u>	<u>7.49</u>	<u>1.19</u>	<u>14.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GM

Well ID: MW-7
 Well Diameter: 2 in.
 Total Depth: 28.19 ft.
 Depth to Water: 15.70 ft.
12.49 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: M/O



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 12/4/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-8
 Well Diameter: 2
 Total Depth: 41.77 ft.
 Depth to Water: 32.23 ft.
9.54 xVF 0.17 = 1.62

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 34.13 x3 case volume = Estimated Purge Volume: 5 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1050 Weather Conditions: COLD
 Sample Time/Date: 1130 / 12/4/13 Water Color: TAN Odor: Y/N
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 33.94

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (pmhos/cm - μS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1055</u>	<u>2</u>	<u>7.04</u>	<u>1.10</u>	<u>15.9</u>	_____	_____
<u>1059</u>	<u>3.5</u>	<u>7.54</u>	<u>1.09</u>	<u>15.7</u>	_____	_____
<u>1105</u>	<u>5</u>	<u>7.51</u>	<u>1.06</u>	<u>15.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-8</u>	<u>5 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: Gm

Well ID: MW-9
 Well Diameter: 2
 Total Depth: 40.68 ft.
 Depth to Water: 31.89 ft.

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.60
 xVF 0.17 = 1.50 x3 case volume = Estimated Purge Volume: 4.5 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0840 Weather Conditions: COLD
 Sample Time/Date: 0920 / 12/4/13 Water Color: GRAY Odor: YDN STRONG
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 32.05

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm-pS)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>0843</u>	<u>1.5</u>	<u>6.92</u>	<u>1.10</u>	<u>17.5</u>	_____	_____
<u>0847</u>	<u>3</u>	<u>6.91</u>	<u>1.10</u>	<u>17.6</u>	_____	_____
<u>0852</u>	<u>4.5</u>	<u>6.88</u>	<u>1.09</u>	<u>17.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>1px voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GM

Well ID: MW-10
 Well Diameter: 2 in.
 Total Depth: 40.44 ft.
 Depth to Water: 31.34 ft.
9.10 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 12/4/13

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 31.06 ft
 Depth to Water: 31.34 ft
 Hydrocarbon Thickness: 0.28 ft
 Visual Confirmation/Description:
OILY
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: 0 gal

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: SPH PRESENT, UNABLE TO SAMPLE!

Add/Replaced Gasket: A Add/Replaced Bolt: _____ Add/Replaced Lock: | Add/Replaced Plug: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GM

Well ID: MW-1P
 Well Diameter: 2 in.
 Total Depth: 37.74 ft.
 Depth to Water: 32.23 ft.

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

5.51 xVF - = - x3 case volume = Estimated Purge Volume: - gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: -

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: - (2400 hrs)
 Time Completed: - (2400 hrs)
 Depth to Product: 31.11 ft
 Depth to Water: 32.23 ft
 Hydrocarbon Thickness: 1.12 ft
 Visual Confirmation/Description: OILY
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: - gal
 Amt Removed from Well: - gal
 Water Removed: 0

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: SPH PRESENT, UNABLE TO SAMPLE

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: 1 Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GM

Well ID: MW-12
 Well Diameter: 2
 Total Depth: 35.45 ft.
 Depth to Water: 31.90 ft.
3.55 xVF 0.17 = 0.60

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 2 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.61

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0545
 Sample Time/Date: 0618 / 12/4/13
 Approx. Flow Rate: _____ gpm.
 Did well de-water? NO If yes, Time: _____

Weather Conditions: COLD
 Water Color: TAN Odor: YDN SLIGHT
 Sediment Description: SILT
 Volume: _____ gal. DTW @ Sampling: 32.26

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0548</u>	<u>.75</u>	<u>6.91</u>	<u>1.73</u>	<u>18.1</u>	_____	_____
<u>0553</u>	<u>1.5</u>	<u>6.89</u>	<u>1.72</u>	<u>18.0</u>	_____	_____
<u>0557</u>	<u>2</u>	<u>6.86</u>	<u>1.70</u>	<u>18.0</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>6 x vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 12/4/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: Mw-13 Date Monitored: 12/4/13
 Well Diameter: 2
 Total Depth: 41.64 ft.
 Depth to Water: 31.00 ft. Check if water column is less than 0.50 ft.
10.64 xVF 0.17 = 1.80 x3 case volume = Estimated Purge Volume: 5.5 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 33.12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0630 Weather Conditions: COLD
 Sample Time/Date: 0701 12/4/13 Water Color: CLOUDY Odor: Y/N
 Approx. Flow Rate: _____ gpm. Sediment Description: CLAY
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 32.66

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ^{MS} (µmhos/cm - µS)	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
<u>0635</u>	<u>2</u>	<u>6.99</u>	<u>1.20</u>	<u>18.4</u>		
<u>0640</u>	<u>4</u>	<u>6.95</u>	<u>1.18</u>	<u>18.4</u>		
<u>0644</u>	<u>5.5</u>	<u>6.90</u>	<u>1.17</u>	<u>18.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>Mw-13</u>	<u>6x vovial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: 1 Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 12/4/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-14 Date Monitored: 12/4/13
 Well Diameter: 2
 Total Depth: 36.49 ft.
 Depth to Water: 31.60 ft. Check if water column is less than 0.50 ft.
4.89 xVF 0.17 = 0.83 x3 case volume = Estimated Purge Volume: 2.5 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.57

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer A
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0710 Weather Conditions: COLD
 Sample Time/Date: 0740 12/4/13 Water Color: GRAY Odor: (Y) N STRONG
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 32.56

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - pS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0713</u>	<u>1</u>	<u>6.65</u>	<u>1.18</u>	<u>18.5</u>		
<u>0716</u>	<u>1.75</u>	<u>6.69</u>	<u>1.19</u>	<u>18.6</u>		
<u>0721</u>	<u>2.5</u>	<u>6.69</u>	<u>1.13</u>	<u>18.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-14</u>	<u>6x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: 1 Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 12/4/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-15
 Well Diameter: 2
 Total Depth: 39.22 ft.
 Depth to Water: 32.22 ft.

Date Monitored: 12/4/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 33.62
 $7.00 \times VF \ 0.17 = 1.19$ x3 case volume = Estimated Purge Volume: 3.57 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0750 Weather Conditions: COLD
 Sample Time/Date: 0825/12/4/13 Water Color: CLOUDY Odor: Ø IN MODERATE
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 33.06

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0750</u>	<u>1.5</u>	<u>6.64</u>	<u>1.09</u>	<u>18.3</u>	_____	_____
<u>0756</u>	<u>3</u>	<u>6.66</u>	<u>1.67</u>	<u>18.4</u>	_____	_____
<u>0800</u>	<u>4</u>	<u>6.70</u>	<u>1.06</u>	<u>18.4</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-15</u>	<u>6 x vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: 1 Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 12/4/13 (inclusive)
 Sampler: GM

Well ID: SUPPLY Well

Date Monitored: 12/4/13

Well Diameter: _____
 Total Depth: _____ ft.
 Depth to Water: _____ ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____ xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

~~Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____~~

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft.
 Depth to Water: _____ ft.
 Hydrocarbon Thickness: _____ ft.
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: COLD
 Sample Time/Date: 1030 / 12/4/13 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>Supply Well</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



Lancaster Laboratories

Acct. # _____ Group # _____ Sample # _____
 For Eurofins Lancaster Laboratories use only
 Instructions on reverse side correspond with circled numbers.

1 Client Information				4 Matrix				5 Analyses Requested											
Facility # 7127-OML G-RA385251 Global WBS 10800102256				<input type="checkbox"/> Sediment <input checked="" type="checkbox"/> Ground <input type="checkbox"/> Surface <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil Total Number of Containers				BTEX + MTBE 8021 <input type="checkbox"/> 8260 <input checked="" type="checkbox"/> TPH-GRO 8015 <input type="checkbox"/> 8260 <input type="checkbox"/> TPH-DRO 8015 without Silica Gel Cleanup <input type="checkbox"/> TPH-DRO 8015 with Silica Gel Cleanup <input type="checkbox"/> 8260 Full Scan Oxygenates Total Lead Method _____ Dissolved Lead Method _____											
Site/Address--																			
Chevron PM		Lead Consultant																	
Consultant/Office																			
Consultant Project Mgr																			
Consultant Phone # 714 444 2180				Grab <input type="checkbox"/> Composite <input type="checkbox"/>				Results in Dry Weight <input type="checkbox"/> J value reporting needed <input type="checkbox"/> <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds <input type="checkbox"/> 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run _____ oxy's on highest hit <input type="checkbox"/> Run _____ oxy's on all hits											
Sampler GILBERT MEDINA																			
2 Sample Identification		Soil Depth		Collected		6 Remarks													
QA		12/4/13		X															
Mw-4		1014		W															
Mw-6		1227		↓															
Mw-8		1130		↓															
Mw-9		0920		↓															
Mw-12		0619		↓															
Mw-13		0701		↓															
Mw-14		0740		↓															
Mw-15		0325		↓															
Supply Well		1030		↓															

7 Turnaround Time Requested (TAT) (please circle)			Relinquished by <i>[Signature]</i>		Date 12/4/13	Time	Received by	Date	Time
Standard 5 day 4 day 72 hour 48 hour 24 hour			Relinquished by		Date	Time	Received by	Date	Time
8 Data Package (circle if required)		EDD (circle if required)		Relinquished by Commercial Carrier:			Received by		
Type I - Full		EDFFLAT (default)		UPS <input checked="" type="checkbox"/> FedEx _____ Other _____					
Type VI (Raw Data)		Other: _____		Temperature Upon Receipt _____ °C			Custody Seals Intact? Yes No		

ARCADIS

Attachment 2

Groundwater Analytical Results,
Lancaster Laboratories,
December 16, 2013

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Chevron
L4310
6001 Bollinger Canyon Rd.
San Ramon CA 94583

December 16, 2013

Project: 97127

Submittal Date: 12/05/2013

Group Number: 1438712

PO Number: 0015119899

Release Number: HOPKINS/MACLEOD

State of Sample Origin: CA

Client Sample Description

QA-T-131204 NA Water
MW-4-W-131204 Grab Groundwater
MW-6-W-131204 Grab Groundwater
MW-8-W-131204 Grab Groundwater
MW-9-W-131204 Grab Groundwater
MW-12-W-131204 Grab Groundwater
MW-13-W-131204 Grab Groundwater
MW-14-W-131204 Grab Groundwater
MW-15-W-131204 Grab Groundwater
SupplyWell-W-131204 Grab Groundwater

Lancaster Labs (LL) #

7302555
7302556
7302557
7302558
7302559
7302560
7302561
7302562
7302563
7302564

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Gettler-Ryan Inc.	Attn: Gettler Ryan
ELECTRONIC COPY TO	Arcadis	Attn: Tonya Russi
ELECTRONIC COPY TO	ARCADIS U.S., Inc.	Attn: Cameron McGovern
ELECTRONIC COPY TO	Arcadis US, Inc.	Attn: Brett Krehbiel

Respectfully Submitted,



Amek Carter
Specialist

(717) 556-7252

Sample Description: QA-T-131204 NA Water
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302555
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013

Chevron

Submitted: 12/05/2013 09:15

L4310

Reported: 12/16/2013 21:16

6001 Bollinger Canyon Rd.
San Ramon CA 94583

GLTQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/11/2013 21:36	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/11/2013 21:36	Brett W Kenyon	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13339A20A	12/06/2013 10:20	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13339A20A	12/06/2013 10:20	Catherine J Schwarz	1

Sample Description: MW-4-W-131204 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302556
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013 10:14 by GM Chevron
L4310
Submitted: 12/05/2013 09:15 6001 Bollinger Canyon Rd.
Reported: 12/16/2013 21:16 San Ramon CA 94583

GLTM4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	320	5	10
10943	Ethylbenzene	100-41-4	6	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	19	0.5	1
10943	Xylene (Total)	1330-20-7	100	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	1,900	500	10

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/11/2013 23:12	Brett W Kenyon	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/11/2013 23:36	Brett W Kenyon	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/11/2013 23:12	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Z133451AA	12/11/2013 23:36	Brett W Kenyon	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13339A20A	12/06/2013 13:11	Catherine J Schwarz	10
01146	GC VOA Water Prep	SW-846 5030B	1	13339A20A	12/06/2013 13:11	Catherine J Schwarz	10

Sample Description: MW-6-W-131204 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302557
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013 12:27 by GM

Chevron

L4310

Submitted: 12/05/2013 09:15

6001 Bollinger Canyon Rd.

Reported: 12/16/2013 21:16

San Ramon CA 94583

GLTM6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	2	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/11/2013 22:01	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/11/2013 22:01	Brett W Kenyon	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13339A20A	12/06/2013 11:21	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13339A20A	12/06/2013 11:21	Catherine J Schwarz	1

Sample Description: MW-8-W-131204 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302558
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013 11:30 by GM

Chevron

L4310

Submitted: 12/05/2013 09:15

6001 Bollinger Canyon Rd.

Reported: 12/16/2013 21:16

San Ramon CA 94583

GLTM8

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/12/2013 00:00	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/12/2013 00:00	Brett W Kenyon	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13339A20A	12/06/2013 11:43	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13339A20A	12/06/2013 11:43	Catherine J Schwarz	1

Sample Description: MW-9-W-131204 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302559
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013 09:20 by GM Chevron
L4310
Submitted: 12/05/2013 09:15 6001 Bollinger Canyon Rd.
Reported: 12/16/2013 21:16 San Ramon CA 94583

GLTM9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	2,300	25	50
10943	Ethylbenzene	100-41-4	54	3	5
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	3	5
10943	Toluene	108-88-3	1,500	25	50
10943	Xylene (Total)	1330-20-7	330	3	5
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	9,600	500	10

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/12/2013 00:24	Brett W Kenyon	5
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/12/2013 00:48	Brett W Kenyon	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/12/2013 00:24	Brett W Kenyon	5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Z133451AA	12/12/2013 00:48	Brett W Kenyon	50
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13339A20A	12/06/2013 13:33	Catherine J Schwarz	10
01146	GC VOA Water Prep	SW-846 5030B	1	13339A20A	12/06/2013 13:33	Catherine J Schwarz	10

Sample Description: MW-12-W-131204 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302560
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013 06:18 by GM Chevron
L4310
Submitted: 12/05/2013 09:15 6001 Bollinger Canyon Rd.
Reported: 12/16/2013 21:16 San Ramon CA 94583

GLT12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	140	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	1	0.5	1
10943	Xylene (Total)	1330-20-7	3	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	470	50	1

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/12/2013 01:12	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/12/2013 01:12	Brett W Kenyon	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13339A20A	12/06/2013 12:05	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13339A20A	12/06/2013 12:05	Catherine J Schwarz	1

Sample Description: MW-13-W-131204 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302561
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013 07:01 by GM Chevron
L4310
Submitted: 12/05/2013 09:15 6001 Bollinger Canyon Rd.
Reported: 12/16/2013 21:16 San Ramon CA 94583

GLT13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	110	0.5	1
10943	Ethylbenzene	100-41-4	1	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	2	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	430	50	1

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/12/2013 01:36	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/12/2013 01:36	Brett W Kenyon	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13343B20A	12/10/2013 18:25	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13343B20A	12/10/2013 18:25	Catherine J Schwarz	1

Sample Description: MW-14-W-131204 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302562
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013 07:40 by GM Chevron
L4310
Submitted: 12/05/2013 09:15 6001 Bollinger Canyon Rd.
Reported: 12/16/2013 21:16 San Ramon CA 94583

GLT14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	23,000	500	1000
10943	Ethylbenzene	100-41-4	1,500	50	100
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	50	100
10943	Toluene	108-88-3	8,000	50	100
10943	Xylene (Total)	1330-20-7	5,500	50	100
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	64,000	1,300	25

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/12/2013 02:00	Brett W Kenyon	100
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F133492AA	12/15/2013 21:53	Brett W Kenyon	1000
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/12/2013 02:00	Brett W Kenyon	100
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F133492AA	12/15/2013 21:53	Brett W Kenyon	1000
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13343B20A	12/10/2013 23:11	Catherine J Schwarz	25
01146	GC VOA Water Prep	SW-846 5030B	1	13343B20A	12/10/2013 23:11	Catherine J Schwarz	25

Sample Description: MW-15-W-131204 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302563
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013 08:25 by GM Chevron
L4310
Submitted: 12/05/2013 09:15 6001 Bollinger Canyon Rd.
Reported: 12/16/2013 21:16 San Ramon CA 94583

GLT15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	20,000	500	1000
10943	Ethylbenzene	100-41-4	1,100	50	100
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	50	100
10943	Toluene	108-88-3	2,300	50	100
10943	Xylene (Total)	1330-20-7	3,700	50	100
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	50,000	1,000	20

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/12/2013 02:24	Brett W Kenyon	100
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F133492AA	12/15/2013 22:15	Brett W Kenyon	1000
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/12/2013 02:24	Brett W Kenyon	100
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F133492AA	12/15/2013 22:15	Brett W Kenyon	1000
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13343B20A	12/10/2013 23:33	Catherine J Schwarz	20
01146	GC VOA Water Prep	SW-846 5030B	1	13343B20A	12/10/2013 23:33	Catherine J Schwarz	20

Sample Description: SupplyWell-W-131204 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LL Sample # WW 7302564
LL Group # 1438712
Account # 11928

Project Name: 97127

Collected: 12/04/2013 10:30 by GM Chevron
L4310
Submitted: 12/05/2013 09:15 6001 Bollinger Canyon Rd.
Reported: 12/16/2013 21:16 San Ramon CA 94583

GLTSW

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z133451AA	12/12/2013 02:48	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z133451AA	12/12/2013 02:48	Brett W Kenyon	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13343B20A	12/10/2013 18:47	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13343B20A	12/10/2013 18:47	Catherine J Schwarz	1

Quality Control Summary

Client Name: Chevron
Reported: 12/16/13 at 09:16 PM

Group Number: 1438712

Surrogate Quality Control

Analysis Name: UST VOCs by 8260B - Water
Batch number: Z133451AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7302555	100	96	101	98
7302556	98	94	101	100
7302557	100	96	102	99
7302558	99	95	101	97
7302559	98	96	101	99
7302560	98	97	101	100
7302561	98	95	101	99
7302562	98	95	102	99
7302563	98	96	101	98
7302564	99	95	101	98
Blank	100	97	101	98
LCS	99	97	101	101
MS	98	98	101	101
MSD	99	98	101	101
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 13339A20A
Trifluorotoluene-F

7302555	79
7302556	83
7302557	84
7302558	79
7302559	91
7302560	87
Blank	79
LCS	83
LCSD	83
Limits:	63-135

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 13343B20A
Trifluorotoluene-F

7302561	84
7302562	81
7302563	84
7302564	76
Blank	77
LCS	83
LCSD	81
Limits:	63-135

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody



Lancaster Laboratories

Acct. # 11928

For Eurofins Lancaster Laboratories, use only
 Group # 1438712 Sample # 7302555-64
 Instructions on reverse side correspond with circled numbers.

1 Client Information				4 Matrix			5 Analyses Requested										6 Remarks	
Facility # <u>5559-7127-OML G-R#385251 Global WBS#T0600102298</u> Site Address <u>1500 AND GRANT LINE ROAD, TRACY, CA</u> Chevron PM <u>ARCADISTR</u> Lead Consultant <u>RUSSI</u> Consultant/Office <u>Geller-Ryan, Inc., 8805 Sierra Court, Suite G, Dublin, CA 94568</u> Consultant Project Mgr. <u>Deanna L. Harding, deanna@grinc.com</u> Consultant Phone # <u>(925) 551-7444 x180</u> Sampler <u>GILBERT MEDINA</u>				<input type="checkbox"/> Sediment <input checked="" type="checkbox"/> Ground <input type="checkbox"/> Surface <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air			Total Number of Containers BTEX + MTBE 8021 <input type="checkbox"/> 8260 <input checked="" type="checkbox"/> TPH-GRO 8015 <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> TPH-DRO 8015 without Silica Gel Cleanup <input type="checkbox"/> TPH-DRO 8015 with Silica Gel Cleanup <input type="checkbox"/> 8260 Full Scan Oxygenates Total Lead Method Dissolved Lead Method										SCR #: _____ <input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds <input type="checkbox"/> 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run _____ oxy's on highest hit <input type="checkbox"/> Run _____ oxy's on all hits	
2 Sample Identification		3 Soil Depth	Collected		Grab	Composite											6	
			Date	Time														
QA			12/4/13		X													
Mw-4				1014														
Mw-6				1227														
Mw-8				1130														
Mw-9				0920														
Mw-12				0618														
Mw-13				0701														
Mw-14				0740														
Mw-15				0825														
Supply Well				1030														
7 Turnaround Time Requested (TAT) (please circle) Standard 5 day 4 day 72 hour 48 hour 24 hour							Relinquished by <u>[Signature]</u> Date <u>12/4/13</u> Time _____ Received by _____ Date _____ Time _____			9								
8 Data Package (circle if required) Type I - Full Type VI (Raw Data)							EDD (circle if required) <u>EDFFLAT</u> EDFFLAT (default) Other: _____			Relinquished by Commercial Carrier: UPS <input checked="" type="checkbox"/> FedEx _____ Other _____ Temperature Upon Receipt _____ °C			Received by <u>[Signature]</u> Date <u>12/5/13</u> Time <u>0915</u> Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

Inorganic Qualifiers

- B** Value is $<$ CRDL, but \geq IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- *** Duplicate analysis not within control limits
- +** Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ARCADIS

Attachment 3

Historical Groundwater Monitoring
Data and Analytical Results,
Ending February 21, 2012

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-1												
12/28/92 ²⁵	329.17	299.73**	30.78	1.67	--	--	--	--	--	--	--	--
02/15/94	329.17	299.40	29.77	--	--	99,000	20,000	24,000	2000	9800	--	--
04/21/94	329.17	299.32	29.85	--	--	--	--	--	--	--	--	--
06/01/94	329.17	299.25	29.92	--	--	56,000	12,000	15,000	1100	5800	--	--
06/28/94	329.17	299.02	30.15	--	--	--	--	--	--	--	--	--
07/19/94	329.17	308.87	20.30	--	--	--	--	--	--	--	--	--
09/02/94	329.17	298.96	30.61	0.50	--	--	--	--	--	--	--	--
09/12/94	329.17	298.04	31.66	0.66	--	--	--	--	--	--	--	--
10/12/94	329.17	298.70	31.70	1.54	--	--	--	--	--	--	--	--
11/30/94	329.17	299.84	29.95	0.77	--	--	--	--	--	--	--	--
03/09/95	329.17	299.88	29.54	0.31	--	--	--	--	--	--	--	--
04/18/95	329.17	300.16	29.01	--	--	--	--	--	--	--	--	--
05/17/95	329.17	300.08	29.09	--	--	130,000	22,000	30,000	2000	10,000	--	--
06/07/95	329.17	299.93	29.24	--	--	--	--	--	--	--	--	--
07/21/95	329.17	299.51	29.66	--	--	--	--	--	--	--	--	--
08/15/95	329.17	299.30	29.87	--	--	41,000	9400	12,000	1400	7700	--	--
09/07/95	329.17	299.32	29.85	--	--	--	--	--	--	--	--	--
10/09/95	329.17	299.16	30.01	--	--	--	--	--	--	--	--	--
11/15/95	329.17	299.29	29.88	--	--	68,000	15,000	9600	1100	5500	<2000	--
12/30/95	329.17	299.18	29.99	--	--	--	--	--	--	--	--	--
01/29/96	329.17	299.85	29.32	--	--	--	--	--	--	--	--	--
02/27/96	329.17	300.66	28.51	--	--	520	48	71	<0.5	27	28	--
03/05/96	329.17	300.73	28.44	--	--	--	--	--	--	--	--	--
04/23/96	329.17	300.97	28.20	--	--	--	--	--	--	--	--	--
05/30/96	329.17	300.70	28.47	--	--	57,000	15,000	11,000	1100	4900	<250	--
06/19/96	329.17	300.74	28.43	--	--	--	--	--	--	--	--	--
07/15/96	329.17	300.51	28.66	--	--	--	--	--	--	--	--	--
08/27/96	329.17	300.44	28.73	--	--	74,000	11,000	9500	790	3600	<120	--
09/09/96	329.17	300.32	28.85	--	--	--	--	--	--	--	--	--
10/28/96	329.17	300.64	28.53	--	--	--	--	--	--	--	--	--
11/11/96	329.17	300.40	28.77	--	--	69,000	13,000	9100	810	3200	<250	--
05/06/97	329.17	301.05	28.12	--	--	98,000	23,000	17,000	1100	5200	<500	--
07/27/97	329.17	300.99	28.18	--	--	--	--	--	--	--	--	--
11/18/97	329.17	300.44	28.73	--	--	58,000	19,000	9700	1100	4000	<500	--
05/31/98	329.17	302.14	27.03	0.05	--	180,000	25,000	25,000	1700	9300	19,000	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						MTBE (µg/L)
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-1 (cont)											
05/31/98 ³	329.17	302.14	27.03	0.05	--	--	--	--	--	--	<500
08/12/98 ²	329.17	301.99	27.18	--	--	--	--	--	--	--	--
11/23/98	329.17	301.63	27.54	--	--	131,000	14,600	23,700	1990	13,600	<200
05/11/99 ^{2,7}	329.17	301.89	27.28	--	--	--	--	--	--	--	--
11/24/99	329.17	301.22 ⁸	28.11	>0.2	0.26	--	--	--	--	--	--
05/23/00 ¹	329.17	302.34**	27.61	0.97	0.52 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
10/31/00	329.17	301.47**	28.35	0.81	0.26 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/18/01	329.17	301.27**	28.62	0.90	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/16/01 ¹⁵	329.17	300.63**	28.57	0.04	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
07/01/02 ¹⁵	329.17	300.38**	29.36	0.71	0.50 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/08/02 ¹⁵	329.17	300.07**	29.82	0.90	0.13 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/13/03 ¹⁵	329.17	300.59**	28.83	0.31	1.85 ¹⁸	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/20/03	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/18/04	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
11/19/04	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/03/05	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
11/28/05	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/25/06	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
11/21/06	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/09/07	329.17	299.78**	29.70	0.39	1.30 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/17/07	329.17	299.68**	30.83	1.67	1.69 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
04/30/08	329.17	298.29**	31.54	0.83	0.53 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/26/08	329.17	298.73**	31.90	1.82	0.79 ²³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/22/09 ²⁴	329.17	298.00**	31.95	0.97	1.29 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/24/09	329.17	298.38**	32.06	1.59	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/25/10	329.17	299.19**	30.68	0.88	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/29/10	329.17	299.64**	31.67	2.68	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/02/11	329.17	299.70**	29.63	0.20	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/23/11	331.93	301.72**	31.43	1.53	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
02/21/12	331.93	301.79**	31.20	1.32	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-2												
12/28/92 ²⁵	327.22	298.63	28.59	--	--	<50	<0.4	<0.3	<0.3	0.6	--	
02/15/94	327.22	300.13	27.09	--	--	83	21	6.0	1.0	3.0	--	
04/21/94	327.22	299.41	27.81	--	--	--	--	--	--	--	--	
06/01/94	327.22	299.24	27.98	--	--	<50	1.3	0.5	<0.5	<0.5	--	
06/28/94	327.22	299.05	28.17	--	--	--	--	--	--	--	--	
07/19/94	327.22	298.87	28.35	--	--	--	--	--	--	--	--	
09/02/94	327.22	298.70	28.52	--	--	82	13	16	3.6	14	--	
09/12/94	327.22	298.66	28.56	--	--	--	--	--	--	--	--	
10/12/94	327.22	298.60	28.62	--	--	--	--	--	--	--	--	
11/30/94	327.22	298.84	28.38	--	--	<50	3.6	4.5	1.0	4.5	--	
03/09/95	327.22	299.81	27.41	--	--	--	--	--	--	--	--	
04/18/95	327.22	300.43	26.79	--	--	--	--	--	--	--	--	
05/17/95	327.22	300.27	26.95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/07/95	327.22	300.16	27.06	--	--	--	--	--	--	--	--	
07/21/95	327.22	299.75	27.47	--	--	--	--	--	--	--	--	
08/15/95	327.22	299.65	27.57	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/07/95	327.22	298.53	28.69	--	--	--	--	--	--	--	--	
10/09/95	327.22	299.37	27.85	--	--	--	--	--	--	--	--	
11/15/95	327.22	299.31	27.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
12/30/95	327.22	299.62	27.60	--	--	--	--	--	--	--	--	
01/29/96	327.22	300.06	27.16	--	--	--	--	--	--	--	--	
02/27/96	327.22	300.97	26.25	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
03/05/96	327.22	300.52	26.70	--	--	--	--	--	--	--	--	
04/23/96	327.22	301.40	25.82	--	--	--	--	--	--	--	--	
05/30/96	327.22	301.06	26.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
06/19/96	327.22	300.95	26.27	--	--	--	--	--	--	--	--	
07/15/96	327.22	300.76	26.46	--	--	--	--	--	--	--	--	
08/27/96	327.22	300.50	26.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
09/06/96	327.22	300.42	26.80	--	--	--	--	--	--	--	--	
10/28/96	327.22	300.39	26.83	--	--	--	--	--	--	--	--	
11/11/96	327.22	300.50	26.72	--	--	--	--	--	--	--	--	
05/06/97	327.22	301.21	26.01	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
07/27/97	327.22	300.84	26.38	--	--	--	--	--	--	--	--	
11/18/97	327.22	300.72	26.50	--	--	--	--	--	--	--	--	
05/31/98	327.22	302.75	24.47	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-2 (cont)											
11/23/98	327.22	302.28	24.94	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	327.22	302.73	24.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	327.22	302.19	25.03	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	327.22	301.30	25.92	0.00	0.00	--	--	--	--	--	--
05/18/01	327.22	301.14	26.08	0.00	0.00	<50	0.52	2.6	<0.50	1.9	<2.5
11/16/01	327.22	300.41	26.81	0.00	0.00	--	--	--	--	--	--
07/01/02	327.22	300.25	26.97	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	327.22	299.92	27.30	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	327.22	300.49	26.73	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	327.22	300.74	26.48	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	327.22	300.14	27.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	327.22	300.52	26.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/03/05 ¹⁹	327.22	299.97	27.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	327.22	299.77	27.45	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/25/06 ¹⁹	327.22	300.62	26.60	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	327.22	300.21	27.01	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/09/07 ¹⁹	327.22	299.68	27.54	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	327.22	300.11	27.11	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
04/30/08 ¹⁹	327.22	299.35	27.87	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08	327.22	298.52	28.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/22/09 ¹⁹	327.22	299.02	28.20	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09	327.22	298.44	28.78	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/25/10 ¹⁹	327.22	299.15	28.07	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10	327.22	298.52	28.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/02/11 ¹⁹	327.22	299.69	27.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/23/11	329.98	301.58	28.40	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
02/21/12	329.98	301.70	28.28	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
MW-3											
12/28/92 ²⁵	329.28	298.59	30.69	--	--	19,000	8,900	660	380	720	--
02/15/94	329.28	299.41	29.87	--	--	23,000	11,000	1700	540	1000	--
04/21/94	329.28	299.32	29.96	--	--	--	--	--	--	--	--
06/01/94	329.28	299.17	30.11	--	--	27,000	12,000	2600	600	2200	--
06/28/94	329.28	298.97	30.31	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-3 (cont)												
07/19/94	329.28	298.78	30.50	--	--	--	--	--	--	--	--	--
09/02/94	329.28	298.67	30.61	--	--	34,000	16,000	4100	770	3000	--	--
09/12/94	329.28	298.63	30.65	--	--	--	--	--	--	--	--	--
10/12/94	329.28	298.54	30.74	--	--	--	--	--	--	--	--	--
11/30/94	329.28	298.84	30.44	--	--	33,000	16,000	3000	740	2400	--	--
03/09/95	329.28	299.75	29.53	--	--	--	--	--	--	--	--	--
04/18/95	329.28	300.31	28.97	--	--	--	--	--	--	--	--	--
05/17/95	329.28	300.09	29.19	--	--	27,000	10,000	760	490	1000	--	--
06/07/95	329.28	300.04	29.24	--	--	--	--	--	--	--	--	--
07/21/95	329.28	299.58	29.70	--	--	--	--	--	--	--	--	--
08/15/95	329.28	299.50	29.78	--	--	39,000	13,000	2900	700	1700	--	--
09/07/95	329.28	299.42	29.86	--	--	--	--	--	--	--	--	--
10/09/95	329.28	299.26	30.02	--	--	--	--	--	--	--	--	--
11/15/95	329.28	299.22	30.06	--	--	21,000	8000	2900	430	1500	<1000	--
12/30/95	329.28	299.53	29.75	--	--	--	--	--	--	--	--	--
01/29/96	329.28	300.06	29.22	--	--	--	--	--	--	--	--	--
02/27/96	329.28	300.85	28.43	--	--	<2500	5000	500	220	130	710	--
03/05/96	329.28	300.93	28.35	--	--	--	--	--	--	--	--	--
04/23/96	329.28	301.18	28.10	--	--	--	--	--	--	--	--	--
05/30/96	329.28	300.86	28.42	--	--	37,000	13,000	7200	870	2900	<120	--
06/19/96	329.28	300.77	28.51	--	--	--	--	--	--	--	--	--
07/15/96	329.28	300.65	28.63	--	--	--	--	--	--	--	--	--
08/27/96	329.28	300.38	28.90	--	--	50,000	9500	6900	740	2900	<120	--
09/06/96	329.28	300.30	28.98	--	--	--	--	--	--	--	--	--
10/28/96	329.28	300.30	28.98	--	--	--	--	--	--	--	--	--
11/11/96	329.28	300.44	28.84	--	--	52,000	11,000	5500	780	3000	<250	--
05/06/97	329.28	301.06	28.22	--	--	93,000	23,000	15,000	1400	6200	<500	--
07/27/97	329.28	300.70	28.58	--	--	--	--	--	--	--	--	--
11/18/97	329.28	300.58	28.70	--	--	81,000	29,000	17,000	1600	6700	<500	--
05/31/98	329.28	302.60	26.68	--	--	78,000	24,000	12,000	1200	5800	1300	--
05/31/98 ³	329.28	302.60	26.68	--	--	--	--	--	--	--	<500	--
08/12/98 ²	329.28	302.25	27.03	--	--	--	--	--	--	--	--	--
11/23/98	329.28	302.19	27.09	--	--	97,200	17,900	12,800	1200	6950	<100	--
05/11/99 ²	329.28	302.60	26.68	--	--	51,000	18,000	7800	670	3600	<2.5	--
05/11/99 ³	329.28	302.60	26.68	--	--	--	--	--	--	--	<100	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-3 (cont)											
11/24/99	329.28	301.83	27.45	--	--	62,800	16,600	8300	900	4890	<500
05/23/00 ¹	329.28	302.11	27.17	0.00	0.00	27,000 ⁷	14,000	12,000	940	4,600	770
10/31/00 ¹	329.28	301.27	28.01	0.00	0.00	110,000 ¹⁰	25,700	21,300	1,300	7,320	1,680
05/18/01 ¹	329.28	301.07	28.21	0.00	0.00	58,000 ⁷	19,000	16,000	1,400	7,000	2,300/11 ¹⁴
11/16/01 ¹	329.28	300.41	28.87	0.00	0.00	100,000	23,000	16,000	1,400	6,800	<200
07/01/02 ¹	329.28	300.20	29.08	0.00	0.00	75,000	16,000	8,800	980	4,000	140/<10 ¹⁷
11/08/02	329.28	299.89	29.39	0.00	0.00	45,000	9,800	5,800	590	2,400	<50
06/13/03 ^{19,20}	329.28	300.46	28.82	0.00	0.00	42,000	9,100	4,100	580	1,800	5
11/20/03 ¹⁹	329.28	300.51	28.77	0.00	0.00	52,000	12,000	4,500	660	3,200	5
05/18/04 ¹⁹	329.28	300.07	29.21	0.00	0.00	57,000	15,000	5,700	840	3,400	9
11/19/04 ¹⁹	329.28	300.42	28.86	0.00	0.00	67,000	15,000	4,200	850	3,400	7
05/03/05 ¹⁹	329.28	299.88	29.40	0.00	0.00	54,000	13,000	3,400	690	2,600	<10
11/28/05 ¹⁹	329.28	299.72	29.56	0.00	0.00	56,000	16,000	1,800	950	3,500	<25
05/25/06 ¹⁹	329.28	300.47	28.81	0.00	0.00	38,000	9,400	1,800	680	2,100	<5
11/21/06 ¹⁹	329.28	300.06	29.22	0.00	0.00	27,000	10,000	420	650	1,600	<5
05/09/07 ¹⁹	329.28	299.55	29.73	0.00	0.00	40,000	9,200	660	590	1,300	<10
11/17/07 ¹⁹	329.28	298.90	30.38	0.00	0.00	22,000	9,200	86	610	560	3
04/30/08 ¹⁹	329.28	299.46	29.82	0.00	0.00	19,000	8,300	440	510	620	<5
11/26/08 ¹⁹	329.28	298.55	30.73	0.00	0.00	20,000	7,500	230	470	640	<10
05/22/09	329.28	299.28**	30.58	0.72	0.90 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/24/09	329.28	298.90**	31.16	0.98	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/25/10	329.28	299.10**	30.38	0.25	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/29/10	329.28	299.05**	30.72	0.61	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/02/11	329.28	299.63**	29.68	0.04	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/23/11	332.03	301.52**	30.54	0.04	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/21/12	332.03	301.66**	30.38	0.01	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
MW-4											
05/21/93	--	--	--	--	--	<50	12	2.0	<0.5	1.0	--
11/05/93	--	--	--	--	--	300	56	10	0.8	3.0	--
02/15/94	329.44	299.54	29.90	--	--	260	47	12	2.0	4.0	--
04/21/94	329.44	299.45	29.99	--	--	--	--	--	--	--	--
06/01/94	329.44	299.30	30.14	--	--	860	200	23	2.8	9.6	--
06/28/94	329.44	299.12	30.32	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-4 (cont)											
07/19/94	329.44	298.94	30.50	--	--	--	--	--	--	--	--
09/02/94	329.44	298.82	30.62	--	--	1700	250	27	6.4	15	--
09/12/94	329.44	298.75	30.69	--	--	--	--	--	--	--	--
10/12/94	329.44	298.69	30.75	--	--	--	--	--	--	--	--
11/30/94	329.44	298.93	30.51	--	--	830	350	29	8.1	22	--
03/09/95	329.44	299.83	29.61	--	--	--	--	--	--	--	--
04/18/95	329.44	300.36	29.08	--	--	--	--	--	--	--	--
05/17/95	329.44	300.22	29.22	--	--	470	200	2.2	0.9	2.1	--
06/07/95	329.44	300.17	29.27	--	--	--	--	--	--	--	--
07/21/95	329.44	299.72	29.72	--	--	--	--	--	--	--	--
08/15/95	329.44	299.67	29.77	--	--	100	4.2	0.8	<0.5	<0.5	--
09/07/95	329.44	299.59	29.85	--	--	--	--	--	--	--	--
10/09/95	329.44	299.42	30.02	--	--	--	--	--	--	--	--
11/15/95	329.44	299.39	30.05	--	--	270	94	9.4	0.77	4.3	27
12/30/95	329.44	299.65	29.79	--	--	--	--	--	--	--	--
01/29/96	329.44	300.13	29.31	--	--	--	--	--	--	--	--
02/27/96	329.44	300.86	28.58	--	--	690	100	15	<0.5	2.0	79
03/05/96	329.44	300.89	28.55	--	--	--	--	--	--	--	--
04/23/96	329.44	301.29	28.15	--	--	--	--	--	--	--	--
05/30/96	329.44	301.04	28.40	--	--	700	240	4.0	0.6	3.9	<5.0
06/19/96	329.44	300.97	28.47	--	--	--	--	--	--	--	--
07/15/96	329.44	300.82	28.62	--	--	--	--	--	--	--	--
08/27/96	329.44	300.59	28.85	--	--	<50	11	<0.5	<0.5	<0.5	<5.0
09/06/96	329.44	300.52	28.92	--	--	--	--	--	--	--	--
10/28/96	329.44	300.54	28.90	--	--	--	--	--	--	--	--
11/11/96	329.44	300.66	28.78	--	--	240	57	1.4	0.7	1.8	<5.0
05/06/97	329.44	301.33	28.11	--	--	240	74	2.7	<0.5	1.6	<5.0
07/27/97	329.44	301.01	28.43	--	--	--	--	--	--	--	--
11/18/97	329.44	300.86	28.58	--	--	270	230	3.5	1.0	1.6	<2.5
05/31/98	329.44	302.91	26.53	--	--	1000	450	3.4	4.5	<6.0	<20
08/12/98 ²	329.44	302.62	26.82	--	--	--	--	--	--	--	--
11/23/98 ⁶	329.44	305.52	23.92	--	--	--	--	--	--	--	--
12/23/98 ⁶	329.44	305.25	24.19	--	--	--	--	--	--	--	--
05/11/99 ²	329.44	306.24	23.20	--	--	470	260	2.6	<0.5	4.3	35
05/11/99 ³	329.44	306.24	23.20	--	--	--	--	--	--	--	<2.0

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						MTBE (µg/L)
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-4 (cont)											
11/24/99	329.44	306.41	23.03	--	--	2400	562	<5.0	10.7	10.4	38.1
5/23/00 ¹	329.44	305.30	24.14	0.00	0.00	370 ⁸	470 ⁹	1.1	9.7	5.9	84
10/31/00 ¹	329.44	304.42	25.02	0.00	0.00	672 ¹¹	224	<5.00	<5.00	<15.0	<25.0
05/18/01 ¹	329.44	304.23	25.21	0.00	0.00	230 ⁷	37	<0.50	1.3	0.95	22/2.1 ¹⁴
11/16/01 ¹⁶	329.44	303.53	25.91	0.00	0.00	290	36	<0.50	<0.50	<1.5	<2.5
07/01/02	329.44	303.33	26.11	0.00	0.00	410	60	<0.50	2.1	<1.5	<2.5
11/08/02	329.44	303.01	26.43	0.00	0.00	64	7.0	<0.50	<0.50	<1.5	<2.5
06/13/03 ¹⁹	329.44	302.58	26.86	0.00	0.00	79	4	<0.5	<0.5	<0.5	<0.5
11/20/03 ¹⁹	329.44	302.81	26.63	0.00	0.00	350	36	<0.5	2	0.7	<0.5
05/18/04 ¹⁹	329.44	303.13	26.31	0.00	0.00	160	22	<0.5	2	1	<0.5
11/19/04 ¹⁹	329.44	302.56	26.88	0.00	0.00	480	93	2	4	4	<0.5
05/03/05 ¹⁹	329.44	302.96	26.48	0.00	0.00	180	40	0.8	1	1	<0.5
11/28/05 ¹⁹	329.44	302.76	26.68	0.00	0.00	630	96	2	5	5	<0.5
05/25/06 ¹⁹	329.44	303.59	25.85	0.00	0.00	2,400	490	11	33	21	<0.5
11/21/06 ¹⁹	329.44	303.16	26.28	0.00	0.00	<50	3	<0.5	<0.5	<0.5	<0.5
05/09/07 ¹⁹	329.44	302.69	26.75	0.00	0.00	940	170	5	9	11	<0.5
11/17/07 ¹⁹	329.44	302.03	27.41	0.00	0.00	580	150	5	4	7	<0.5
04/30/08 ¹⁹	329.44	302.44	27.00	0.00	0.00	73	15	0.6	0.7	0.9	<0.5
11/26/08 ¹⁹	329.44	301.52	27.92	0.00	0.00	530	63	6	5	10	<0.5
05/22/09 ¹⁹	329.44	301.95	27.49	0.00	0.00	400	56	6	4	16	<0.5
11/24/09 ¹⁹	329.44	301.30	28.14	0.00	0.00	1,400	160	18	10	38	<0.5
05/25/10 ¹⁹	329.44	302.04	27.40	0.00	0.00	1,100	93	19	15	32	<0.5
11/29/10 ¹⁹	329.44	301.39	28.05	0.00	0.00	520	130	9	3	24	<0.5
05/02/11 ¹⁹	329.44	302.56	26.88	0.00	0.00	420	59	7	5	16	<0.5
11/23/11 ¹⁹	320.22	292.54	27.68	0.00	0.00	1,400	140	32	20	47	<0.5
02/21/12	320.22	292.60	27.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--
MW-5											
05/25/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	0.9	--
11/05/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/15/94	312.88	287.78	25.10	--	--	<50	<0.5	1.0	<0.5	1.0	--
04/21/94	312.88	299.67	13.21	--	--	--	--	--	--	--	--
06/01/94	312.88	299.49	13.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/28/94	312.88	299.15	13.73	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5 (cont)											
07/19/94	312.88	299.08	13.80	--	--	--	--	--	--	--	--
09/02/94	312.88	298.86	14.02	--	--	<50	3.2	1.8	<0.5	2.1	--
09/12/94	312.88	298.85	14.03	--	--	--	--	--	--	--	--
10/12/94	312.88	298.73	14.15	--	--	--	--	--	--	--	--
11/30/94	312.88	298.97	13.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/95	312.88	299.91	12.97	--	--	--	--	--	--	--	--
04/18/95	312.88	300.40	12.48	--	--	--	--	--	--	--	--
05/17/95	312.88	300.17	12.71	--	--	150	1.0	<0.5	<0.5	<0.5	--
06/07/95	312.88	300.03	12.85	--	--	--	--	--	--	--	--
07/21/95	312.88	299.58	13.30	--	--	--	--	--	--	--	--
08/15/95	312.88	299.47	13.41	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/07/95	312.88	299.46	13.42	--	--	--	--	--	--	--	--
10/09/95	312.88	299.27	13.61	--	--	--	--	--	--	--	--
11/15/95	312.88	299.25	13.63	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/30/95	312.88	299.58	13.30	--	--	--	--	--	--	--	--
01/29/96	312.88	300.13	12.75	--	--	--	--	--	--	--	--
02/27/96	312.88	300.86	12.02	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/05/96	312.88	300.92	11.96	--	--	--	--	--	--	--	--
04/23/96	312.88	301.11	11.77	--	--	--	--	--	--	--	--
05/30/96	312.88	300.71	12.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96	312.88	300.63	12.25	--	--	--	--	--	--	--	--
07/15/96	312.88	300.49	12.39	--	--	--	--	--	--	--	--
08/27/96	312.88	300.23	12.65	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96	312.88	300.20	12.68	--	--	--	--	--	--	--	--
10/28/96	312.88	300.16	12.72	--	--	--	--	--	--	--	--
11/11/96	312.88	300.27	12.61	--	--	--	--	--	--	--	--
05/06/97	312.88	300.82	12.06	--	--	<50	2.2	2.0	<0.5	1.7	<5.0
07/27/97	312.88	300.49	12.39	--	--	--	--	--	--	--	--
11/18/97	312.88	300.43	12.45	--	--	--	--	--	--	--	--
05/31/98	312.88	302.30	10.58	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	312.88	301.96	10.92	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	312.88	302.39	10.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	312.88	301.79	11.09	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	312.88	300.97	11.91	0.00	0.00	--	--	--	--	--	--
05/18/01	312.88	300.82	12.06	0.00	0.00	<50	0.52	2.0	<0.50	1.0	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5 (cont)											
11/16/01	312.88	300.11	12.77	0.00	0.00	--	--	--	--	--	--
07/01/02	312.88	299.94	12.94	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	312.88	299.61	13.27	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	312.88	300.03	12.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	312.88	300.21	12.67	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	312.88	299.98	12.90	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	312.88	300.05	12.83	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/03/05 ¹⁹	312.88	300.00	12.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	312.88	299.39	13.49	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/06 ¹⁹	NP ²¹	312.88	300.58	12.30	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06		312.88	300.12	12.76	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/09/07 ¹⁹	NP ²¹	312.88	299.76	13.12	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07		312.88	299.23	13.65	0.00	SAMPLED ANNUALLY	--	--	--	--	--
04/30/08 ¹⁹	NP ²¹	312.88	299.12	13.76	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08		312.88	298.23	14.65	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/22/09 ¹⁹	NP ²¹	312.88	299.18	13.70	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09		312.88	298.17	14.71	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/10 ¹⁹	NP ²¹	312.88	298.60	14.28	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10		312.88	298.31	14.57	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/02/11 ¹⁹	NP ²¹	312.88	299.20	13.68	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/23/11		315.97	301.50	14.47	0.00	SAMPLED ANNUALLY	--	--	--	--	--
02/21/12	315.97	301.59	14.38	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
MW-6											
11/22/95 ²⁵	312.20	299.00	13.20	--	--	<50	<0.50	<0.50	<0.50	<0.50	--
12/30/95	312.20	298.55	13.65	--	--	--	--	--	--	--	--
01/29/96	312.20	300.02	12.18	--	--	--	--	--	--	--	--
02/27/96	312.20	300.75	11.45	--	--	70	1.1	<0.5	<0.5	<0.5	<5.0
03/05/96	312.20	300.88	11.32	--	--	--	--	--	--	--	--
04/23/96	312.20	301.08	11.12	--	--	--	--	--	--	--	--
05/30/96	312.20	300.75	11.45	--	--	60	1.3	<0.5	<0.5	0.9	<5.0
06/19/96	312.20	300.66	11.54	--	--	--	--	--	--	--	--
07/15/96	312.20	300.44	11.76	--	--	--	--	--	--	--	--
08/27/96	312.20	300.25	11.95	--	--	90	1.6	<0.5	<0.5	<0.5	<5.0

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-6 (cont)											
09/06/96	312.20	300.18	12.02	--	--	--	--	--	--	--	--
10/28/96	312.20	300.19	12.01	--	--	--	--	--	--	--	--
11/11/96	312.20	300.30	11.90	--	--	110	<0.5	<0.5	<0.5	<0.5	<5.0
05/06/97	312.20	300.92	11.28	--	--	170	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	312.20	300.52	11.68	--	--	--	--	--	--	--	--
11/18/97	312.20	300.43	11.77	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/31/98	312.20	302.39	9.81	--	--	<50	0.89	0.65	<0.3	<0.6	<10
11/23/98	312.20	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
12/23/98	312.20	301.88	10.32	--	--	66	<0.5	<0.5	<0.5	<0.5	<2.5
05/11/99	312.20	302.40	9.80	--	--	<50	1.9	<0.5	<0.5	<0.5	2.9
11/24/99	312.20	301.55	10.65	--	--	77.2	13.5	<0.5	<0.5	<0.5	<2.5
05/23/00	312.20	301.85	10.35	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	312.20	301.83	10.37	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<1.50	5.08
05/18/01	312.20	300.89	11.31	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/16/01	312.20	300.31	11.89	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	312.20	300.04	12.16	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	312.20	299.70	12.50	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/13/03	312.20	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
11/20/03	312.20	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
05/18/04 ¹⁹	312.20	299.94	12.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04 ¹⁹	312.20	300.16	12.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05 ¹⁹	312.20	299.98	12.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05 ¹⁹	312.20	299.59	12.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06 ¹⁹	312.20	300.37	11.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06 ¹⁹	312.20	300.10	12.10	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/09/07 ¹⁹	NP ²¹	299.82	12.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 ¹⁹	NP ²¹	299.25	12.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/30/08 ¹⁹	312.20	298.56	13.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08 ¹⁹	312.20	298.40	13.80	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/22/09 ¹⁹	312.20	299.26	12.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09 ¹⁹	312.20	298.16	14.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/10 ¹⁹	312.20	298.98	13.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10 ¹⁹	312.20	298.34	13.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						MTBE (µg/L)
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-6 (cont)											
05/02/11 ¹⁹	312.20	299.49	12.71	0.00	0.00	<50	1	<0.5	<0.5	<0.5	0.7
11/23/11 ¹⁹	314.91	301.38	13.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8
02/21/12	314.91	301.51	13.40	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--
MW-7											
11/22/95 ²⁵	313.36	299.21	14.15	--	--	<50	<0.50	<0.50	<0.50	<0.50	--
12/30/95	313.36	300.98	12.38	--	--	--	--	--	--	--	--
01/29/96	313.36	300.22	13.14	--	--	--	--	--	--	--	--
02/27/96	313.36	301.02	12.34	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/05/96	313.36	301.01	12.35	--	--	--	--	--	--	--	--
04/23/96	313.36	301.23	12.13	--	--	--	--	--	--	--	--
05/30/96	313.36	300.94	12.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96	313.36	300.79	12.57	--	--	--	--	--	--	--	--
07/15/96	313.36	300.66	12.70	--	--	--	--	--	--	--	--
08/27/96	313.36	300.51	12.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96	313.36	300.46	12.90	--	--	--	--	--	--	--	--
10/28/96	313.36	300.52	12.84	--	--	--	--	--	--	--	--
11/11/96	313.36	300.61	12.75	--	--	--	--	--	--	--	--
05/06/97	313.36	301.22	12.14	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	313.36	300.91	12.45	--	--	--	--	--	--	--	--
11/18/97	313.36	300.82	12.54	--	--	--	--	--	--	--	--
05/31/98	313.36	302.61	10.75	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	313.36	302.52	10.84	--	--	SAMPLED ANNUALLY			--	--	--
05/11/99	313.36	302.96	10.40	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	313.36	302.39	10.97	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	313.36	301.51	11.85	0.00	0.00	--	--	--	--	--	--
05/18/01	313.36	301.34	12.02	0.00	0.00	<50	<0.50	1.7	<0.50	1.2	<2.5
11/16/01	313.36	300.53	12.83	0.00	0.00	--	--	--	--	--	--
07/01/02	313.36	300.42	12.94	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	313.36	300.11	13.25	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	313.36	300.55	12.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	313.36	300.77	12.59	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	313.36	300.53	12.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-7 (cont)											
11/19/04	313.36	300.57	12.79	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/03/05 ¹⁹	313.36	300.55	12.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	313.36	299.78	13.58	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/06 ¹⁹	NP ²¹ 313.36	301.07	12.29	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	313.36	300.62	12.74	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/09/07 ¹⁹	NP ²¹ 313.36	300.31	13.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	313.36	299.63	13.73	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
04/30/08 ¹⁹	NP ²¹ 313.36	299.43	13.93	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08	313.36	298.50	14.86	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/22/09 ¹⁹	NP ²¹ 313.36	299.75	13.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09	313.36	298.50	15.01	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/10 ¹⁹	NP ²¹ 313.36	298.93	14.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10	313.36	298.61	14.75	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/02/11 ¹⁹	NP ²¹ 313.36	299.41	13.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/23/11	316.39	301.64	14.75	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
02/21/12	316.39	301.81	14.58	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
MW-9											
11/18/11 ²⁶	332.56	301.58	30.98	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.56	301.58	30.98	--	--	2,500	480	81	55	52	<3
02/21/12¹⁹	332.56	301.68	30.88	--	--	2,900	590	100	64	81	<5
MW-10											
11/18/11 ²⁶	331.77	301.59	30.18	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	331.77	301.62	30.15	--	--	8,700	500	220	58	430	<3
02/21/12¹⁹	331.77	301.69	30.08	--	--	1,300	260	90	25	130	<3
MW-11											
11/18/11 ²⁶	331.98	301.83	30.15	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	331.98	301.56	30.42	--	--	61,000	5,500	11,000	1,300	6,400	<5
02/21/12¹⁹	331.98	301.63	30.35	--	--	62,000	6,400	7,800	1,100	5,000	<25

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-12											
11/18/11 ²⁶	332.53	302.11	30.42	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.53	301.50	31.03	--	--	4,100	880	190	160	150	<1
02/21/12 ¹⁹	332.53	301.61	30.92	--	--	2,800	750	9	150	18	<5
MW-13											
11/18/11 ²⁶	331.60	301.47	30.13	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	331.60	301.46	30.14	--	--	1,100	150	61	26	55	2
02/21/12 ¹⁹	331.60	301.58	30.02	--	--	430	43	1	13	2	3
MW-14											
11/18/11 ²⁶	332.24	301.53	30.71	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.24	301.52	30.72	--	--	68,000	19,000	9,400	1,400	4,900	<25
02/21/12 ¹⁹	332.24	301.64	30.60	--	--	80,000	17,000	8,900	1,100	3,900	<10
MW-15											
11/18/11 ²⁶	332.88	301.56	31.32	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.88	301.55	31.33	--	--	24,000	9,500	2,200	260	990	<10
02/21/12 ¹⁹	332.88	301.66	31.22	--	--	110,000	25,000	8,800	1,000	3,800	<13
MW-8											
11/22/95 ²⁵	329.91	299.56	30.35	--	--	<50	<0.50	<0.50	<0.50	<0.50	--
12/30/95	329.91	299.61	30.30	--	--	--	--	--	--	--	--
01/29/96	329.91	300.35	29.56	--	--	--	--	--	--	--	--
02/27/96	329.91	301.23	28.68	--	--	<50	<0.5	<0.5	<0.5	<5.0	<5.0
03/05/96	329.91	301.16	28.75	--	--	--	--	--	--	--	--
04/23/96	329.91	301.66	28.25	--	--	--	--	--	--	--	--
05/30/96	329.91	301.47	28.44	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96	329.91	301.40	28.51	--	--	--	--	--	--	--	--
07/15/96	329.91	301.24	28.67	--	--	--	--	--	--	--	--
08/27/96	329.91	300.99	28.92	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96	329.91	300.92	28.99	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-8 (cont)											
10/28/96	329.91	300.85	29.06	--	--	--	--	--	--	--	--
11/11/96	329.91	300.93	28.98	--	--	--	--	--	--	--	--
05/06/97	329.91	301.77	28.14	--	--	<50	3.6	3.1	0.7	2.5	<5.0
07/27/97	329.91	301.36	28.55	--	--	--	--	--	--	--	--
11/18/97	329.91	301.11	28.80	--	--	--	--	--	--	--	--
05/31/98	329.91	303.34	26.57	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	329.91	302.95	26.96	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	329.91	303.43	26.48	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	329.91	302.82	27.09	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	329.91	318.78	11.13	0.00	0.00	--	--	--	--	--	--
05/18/01	329.91	301.67	28.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/16/01	329.91	300.84	29.07	0.00	0.00	--	--	--	--	--	--
07/01/02	329.91	300.74	29.17	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	329.91	300.4	29.51	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	329.91	300.77	29.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	329.91	300.97	28.94	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	329.91	300.56	29.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	329.91	300.81	29.10	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/03/05 ¹⁹	329.91	300.40	29.51	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	329.91	300.17	29.74	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/25/06 ¹⁹	329.91	300.96	28.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	329.91	300.77	29.14	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/09/07 ¹⁹	329.91	300.19	29.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	329.91	299.83	30.08	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
04/30/08 ¹⁹	-- ²²	-- ²²	28.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08	-- ²²	WELL DAMAGED		--	--	--	--	--	--	--	--
05/22/09	-- ²²	WELL DAMAGED		--	--	--	--	--	--	--	--
11/24/09	-- ²²	WELL DAMAGED		--	--	--	--	--	--	--	--
MONITORING/SAMPLING DISCONTINUED											
SUPPLY WELL											
11/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
11/11/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	--	--	--	--	--	--	--	--	--	--	--
11/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
SUPPLY WELL (cont)											
05/31/98	--	--	--	--	--	--	--	--	--	--	--
11/23/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
05/11/99	--	--	--	--	--	--	--	--	--	--	--
11/24/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
10/30/00	--	--	--	--	--	--	--	--	--	--	--
05/18/01	--	--	--	--	--	--	--	--	--	--	--
11/16/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/20/03 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/18/04	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/19/04 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/28/05 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/21/06 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/30/08	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/26/08 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/10	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/29/10	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/02/11	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/23/11 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/21/12	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
BAILER BLANK											
02/15/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
TRIP BLANK												
02/15/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/01/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/30/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/17/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
02/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
05/30/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
08/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
11/11/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
05/06/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	--	--	--	--	--	--	--	--	--	--	--	--
11/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
05/31/98	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.0
05/11/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	<2.5
10/31/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<1.50	49.0
05/18/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5
QA												
11/16/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
06/13/03 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/18/04 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/09/07 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft)	GWE (msl)	DTW (ft)	SPHT (ft)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
QA (cont)											
04/30/08 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/22/09 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
DISCONTINUED											

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation
(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbon Thickness

SPH = Separate Phase Hydrocarbons

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

-- = Not Measured/Not Analyzed

NP = No Purge

(µg/L) = Micrograms per liter

QA = Quality Assurance/Trip Blank

* TOC elevations are relative to msl.

** GWE has been corrected for the presence of SPH, correction factor = [(TOC - DTW) + (SPHT x 0.80)].

TOC elevations were surveyed on September 6, 2011, by Virgil Chavez Land Surveying and was provided on October 28, 2011.

1 ORC present in well.

2 ORC Installed.

3 Confirmation run.

4 Due to the presence of Separate Phase Hydrocarbons results for EPA 8015/8020 do not represent true values for TPH-Gasoline, BTEX, or MTBE. The results were reported respectively as 24,000, 140, 830, 210, 1,500, and <0.05 mg/Kg.

5 Estimated Groundwater Elevation.

6 Well was not sampled due to damaged casing and debris in well. Ground water elevation is an estimate.

7 Laboratory report indicates gasoline C6-C12.

8 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.

9 Laboratory report indicates result exceeds the linear range of calibration.

10 Laboratory report indicates gasoline.

11 Laboratory report indicates the results for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.

12 Chromatogram pattern indicates an unidentified hydrocarbon.

13 Product + Water removed.

14 MTBE by EPA Method 8260 was analyzed outside the EPA recommended holding time.

15 Skimmer in well.

16 ORC not present in well.

17 MTBE by EPA Method 8260.

18 4.5 liters of SPH removed from skimmer and 2.5 liters of SPH removed from well.

19 BTEX and MTBE by EPA Method 8260.

20 Removed ORC from well.

21 Area inaccessible to truck; unable to purge.

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

EXPLANATIONS:


- 22 TOC has been altered; unable to determine GWE.
- 23 Product only removed from well.
- 24 Skimmer removed from well.
- 25 Depth to water and analytical data provided by CRA.
- 26 Well development performed.

Attachment 4

Figure 1 (Groundwater Flow
Direction Rose Diagram)

**ATTACHMENT 4
FIGURE 1
GROUNDWATER FLOW DIRECTION ROSE DIAGRAM**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California



Legend
Concentric circles represent monitoring events beginning 1SA05 through 4Q13 quarterly monitoring event.

■ Groundwater Flow Direction


Note
Groundwater gradient and flow data beginning 1SA05 through 1Q12 monitoring events provided by Gettler Ryan, Inc.

Attachment 5

Figures 1 through 14 (Chemical Concentrations and Groundwater Elevations versus Time Graphs)


**ATTACHMENT 5
FIGURE 1
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-1**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 2
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-2**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 3
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-3**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 4
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-4**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 5
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-5**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 6
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-6**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 7
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-7**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 8
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-8**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 9
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-9**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 10
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-10**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 11
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-11**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 12
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-12**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 13
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-13**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 14
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-14**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California



**ATTACHMENT 5
FIGURE 15
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-15**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




Attachment 6

Figure 1 through 3 (Measured Separate Phase Hydrocarbon Thickness and Groundwater Elevation versus Time Graph)


**ATTACHMENT 6
FIGURE 1
MEASURED SEPARATE PHASE HYDROCARBON THICKNESS AND
GROUNDWATER ELEVATION VERSUS TIME – MW-1**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California



**ATTACHMENT 6
FIGURE 2
MEASURED SEPARATE PHASE HYDROCARBON THICKNESS AND
GROUNDWATER ELEVATION VERSUS TIME – MW-3**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, Calif



**ATTACHMENT 6
FIGURE 3
MEASURED SEPARATE PHASE HYDROCARBON THICKNESS AND
GROUNDWATER ELEVATION VERSUS TIME – MW-11**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California

