



January 29, 2001

Mr. Scott Serry
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Subject: Quarterly Groundwater Monitoring and Sampling Report-Fourth Quarter 2000
1075 40th Street
Oakland, CA 94608
AEI Project No. 3119

ENVIRONMENTAL
PROTECTION
00 JAN 30 PM 2 48

Dear Mr. Seery:

Enclosed is the report documenting the findings of the fourth episode of groundwater monitoring and sampling for the year 2000.
Please call Mr. Peter McIntyre or myself at (925) 283-6000 if you have any questions.

Sincerely,

Orion Alcalay
Environmental Scientist

Corporate Headquarters

Los Angeles
(310) 798-4255

Phoenix
(602) 240-5990

San Francisco
(800) 801-3224

Seattle
(425) 401-8500

New York
(212) 279-7770

www.aeiconsultants.com

January 29, 2001

**QUARTERLY GROUNDWATER MONITORING
REPORT**
Fourth Quarter 2000

1075 40th Street
Oakland, CA 94608

Project No. 3119

Prepared For

Fidelity Roof Company
1075 40th Street
Oakland, CA 94608

Prepared By

AEI Consultants
3210 Old Tunnel Road, Suite B
Lafayette, CA 94549
(800) 801-3224

AEI

January 29, 2001

Mr. Monte Upshaw
Fidelity Roof Company
1075 40th Street
Oakland, CA 94608

RE: Quarterly Groundwater Monitoring and Sampling Report
Fourth Quarter 2000
1075 40th Street
Oakland, California
Project No. 3119

Dear Mr. Upshaw:

AEI Consultants (AEI) has prepared this report on your behalf, in response to your request for a groundwater investigation at the above referenced site (Figure 1: Site Location Map). The investigation was initiated by the property owner in accordance with the requirements of the Alameda County Health Care Services Agency (ACHCSA). The purpose of this activity is to monitor groundwater quality in the vicinity of previous underground storage tanks. This report presents the findings of the fourth episode of groundwater monitoring and sampling for the year 2000. Due to circumstances beyond our control, the work was not conducted until January 12, 2001.

Site Description and Background

The site is located in a mixed residential and commercial area of Oakland at 1075 40th Street. The site currently supports the operation of Fidelity Roof Company.

On December 19, 1995, Tank Protect Engineering removed one (1) 1,000 gallon diesel underground storage tank (UST) and one (1) 500 gallon gasoline UST from the southeast corner of the property. The removal of the tanks produced a single excavation. The excavated soil was stockpiled north of the excavation. Three discrete soil samples were collected from beneath the USTs. Analysis of the samples indicated that soil beneath the 1,000 gallon UST was impacted with minor concentrations of Total Petroleum Hydrocarbons (TPH) as gasoline, TPH as diesel, benzene, toluene, ethylbenzene and total xylenes (BTEX) and methyl tertiary butyl ether (MTBE). A single soil sample collected from beneath the 500 gallon UST indicated that 100 mg/kg of TPH as gasoline and 96 mg/kg of TPH as diesel were present.

On September 12, 1996, AEI advanced four soil borings in the vicinity of the former UST excavation (Ref. 1). Soil samples were collected from all of the borings and groundwater samples were collected from two of the borings. Analytical results from the

subsurface investigation revealed significant levels of gasoline and diesel present in soil to the south and to the west of the open excavation. The contamination was thought to extend beneath the existing pump island. Groundwater analysis indicated maximum concentrations of 5,500 µg/L of TPH as gasoline, 340 µg/L of benzene, and 2,100 µg/L of TPH as diesel. Due to the high concentrations of petroleum hydrocarbons within the groundwater, the ACHCSA required further investigation of the extent and magnitude of the groundwater contaminant plume.

During the Phase II Subsurface Investigation, AEI collected four soil samples from the stockpile. The samples were combined into one composite sample for analysis in the laboratory. Analysis of the samples indicated concentrations of 3.8 mg/kg of TPH as gasoline, 28 mg/kg of TPH as diesel, and minor concentrations of BTEX. Approval was granted by Ms. Hugo of the ACHCSA to reuse the stockpiled soil as backfill material.

On October 25, 1996, AEI extended the excavation laterally 7 feet to the south and 12 feet to west (Ref. 2). Soil was removed to a depth of 9 feet below ground surface (bgs). The contaminated soil was stockpiled on-site and profiled for disposal into a Class III Landfill. The dispenser island and associated piping were also removed. Groundwater was not encountered during the excavation activities. Four confirmation soil samples were collected from the excavation sidewalls. Analyses of the soil samples collected from the excavation sidewalls indicated that up to 150 mg/kg of TPH as gasoline, 16 mg/kg of benzene, and 300 mg/kg of TPH as diesel remains within the western sidewall of the excavation.

The excavated soil was profiled and accepted for disposal at the BFI Vasco Road Sanitary Landfill, in Livermore, California. In November, 1996, approximately 235 tons of contaminated soil was loaded and transported to the landfill for disposal, under non-hazardous waste manifest.

On March 6, 1997, AEI installed three groundwater monitoring wells (Ref. 3). The wells were subsequently sampled in March, 1997, June, 1997, October, 1997 and January, 1998. The analytical data from January 1998 indicated that 29,000 µg/L of TPH as gasoline, 5,600 µg/L of benzene and 7,300 µg/L of TPH as diesel were present in the groundwater.

At the request of the ACHCSA, six additional soil borings were drilled south and west of the well locations on November 4, 1998 (Ref. 4). The locations of these borings were chosen to assess the lateral extent of impacted groundwater at the site. TPH as diesel was detected at 2,400 µg/L in the groundwater to the south of the former excavation. No significant concentrations of petroleum hydrocarbons were detected from the other borings.

Based on the results of these six soil borings, the ACHCSA requested the installation of a fourth groundwater monitoring well at the site, located south of the former tank locations

along Yerba Buena Avenue. Monitoring well MW-4 was installed on July 15, 1999 and two soil samples at 10 and 14 feet bgs were analyzed from the boring (Ref. 5). No detectable concentrations of petroleum hydrocarbons were found in the soil samples.

The analytical results of prior groundwater sampling episodes are included in Table 2. This report describes the results of the subsequent groundwater monitoring event which took place on January 12, 2001.

Summary of Activities

AEI measured the depth to groundwater in the four wells on January 12, 2001. Prior to sampling, the depth from the top of the well casings was measured with an electric water level indicator. The wells were purged and sampled using disposable Teflon bailers. Temperature, pH, and specific conductivity were measured during the purging of the wells. AEI removed at least 3 well volumes. Once the temperature, pH, and specific conductivity stabilized, a water sample was collected. The well locations are shown in Figure 2.

Water was poured from the bailers into 1 liter amber bottles and 40 ml VOA vials and capped so that there was no head space or visible air bubbles within the sample containers. Samples were shipped on ice under proper chain of custody protocol to McCampbell Analytical, Inc. of Pacheco, California (State Certification #1644).

Groundwater samples were submitted for chemical analysis for Total Petroleum Hydrocarbons (TPH) as gasoline (EPA Method 5030/8015), MTBE (EPA Method 8020/602), benzene, toluene, ethylbenzene, and xylenes (BTEX) (EPA Method 8020/602), and TPH as diesel (EPA Method 3510/8015).

Field Results

A strong hydrocarbon odor was detected during the sampling of monitoring well MW-3. No sheen or free product was encountered during monitoring activities of the remaining wells. Groundwater levels for the current monitoring episode ranged from 33.87 to 37.08 feet above Mean Sea Level (MSL). These groundwater elevations were an average of 2.05 feet higher than the previous monitoring episode. The direction of the groundwater flow at the time of measurement was towards the west. The latest estimated groundwater gradient is approximately 0.06 foot per foot.

Groundwater elevation data is summarized in Table 1. The groundwater elevation contours and the groundwater flow direction are shown in Figure 2. Refer to Appendix B for the Groundwater Monitoring Well Field Sampling Forms.

Groundwater Quality

Concentrations of petroleum hydrocarbons have increased significantly in all the wells since the last sampling episode. The increase in concentrations may be due to the shift in direction of groundwater flow and varying depths of groundwater. Monitoring well MW-3 continues to yield the highest levels of petroleum hydrocarbons in the groundwater. TPH as gasoline (TPH-g) and as diesel (TPH-d) were detected up to 69,000 µg/L and 21,000 µg/L, respectively. Concentrations of BTEX were detected up to 8,600 µg/L, 980 µg/L, 2,600 µg/L and 11,000 µg/L, respectively. MTBE was detected up to 2,000 µg/L in well MW-2.

A summary of groundwater quality data is presented in Table 2. Laboratory results and chain of custody documents are included in Appendix B.

Recommendations

Based on the continuing presence of elevated levels of petroleum hydrocarbons in the groundwater, quarterly groundwater monitoring and sampling of the wells will continue at the site. The next monitoring and sampling episode is scheduled for April 2001, as per the requirements of the ACHCSA.

References


1. Phase II Soil and Groundwater Investigation Report, October 7, 1996, prepared by AEI.
2. Excavation and Disposal of Contaminated Soil Report, January 7, 1997, prepared by AEI.
3. Groundwater Monitoring Well Installation Report, dated May 30, 1997, prepared by AEI.
4. Phase II Subsurface Investigation Report, December 9, 1998, prepared by AEI.
5. Groundwater Monitoring Well and Sampling report, September 3, 1999, prepared by AEI.
6. Quarterly Groundwater Monitoring and Sampling Report, March 21, 2000, prepared by AEI.
7. Quarterly Groundwater Monitoring and Sampling Report, July 28, 2000, prepared by AEI.
8. Quarterly Groundwater Monitoring and Sampling Report, November 6, 2000, prepared by AEI.

Report Limitations and Signatures


This report presents a summary of work completed by AEI Consultants including observations and descriptions of site conditions. Where appropriate, it includes analytical results for samples taken during the course of the work. The number and location of samples are chosen to provide required information, but it cannot be assumed that they are entirely representative of all areas not sampled. All conclusions and recommendations are based on these analyses, observations, and the governing regulations. Conclusions beyond those stated and reported herein should not be inferred from this document.

These services were performed in accordance with generally accepted practices in the environmental engineering and construction field which existed at the time and location of the work.


Sincerely,
AEI Consultants



Orion Alcalay
Environmental Scientist



J. P. Derhake, PE, CAC
Senior Author



Figures

- Figure 1 Site Location Map
- Figure 2 Well Location Map/Groundwater Gradient Map

Tables

- Table 1 Groundwater Levels
- Table 2 Groundwater Sample Analytical Data

Appendices

- Appendix A Groundwater Monitoring Well Field Sampling Forms
- Appendix B Current Laboratory Analyses With Chain of Custody Documentation

cc: Mr. Scott Seery, Alameda County Health Care Services Agency, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577



101500




SOURCE:
 THOMAS GUIDE
 1997
 SCALE: 1" = 2,400'

AEI CONSULTANTS
 3210 OLD TUNNEL ROAD, SUITE B, LAFAYETTE, CA

SITE LOCATION MAP

1075 40th STREET
 OAKLAND, CALIFORNIA

FIGURE 1
 PROJECT NO. 3119




TPHg 470
 TPHd 70
 MTBE 2,000
 Benz 8.7

TPHg 69,000
 TPHd 21,000
 MTBE <300
 Benz 8,600

TPHg 360
 TPHd 70
 MTBE ND
 Benz .16

TPHg ND
 TPHd 81
 MTBE 25
 Benz ND



MONITORING WELL LOCATIONS AND IDENTIFICATION

Groundwater results are expressed in $\mu\text{g/L}$.

TPHg = Total petroleum hydrocarbons as gasoline

TPHd = Total petroleum hydrocarbons as diesel

MTBE = Methyl tertiary butyl ether

Benz = Benzene

AEI CONSULTANTS
 3210 OLD TUNNEL ROAD, SUITE B, LAFAYETTE, CA

WELL LOCATION MAP

1075 40TH STREET
 OAKLAND, CALIFORNIA

FIGURE 2

PARKING AND SUPPLY YARD AREA

40TH ST.

Former 500 gallon gasoline UST and 1,000 gallon UST Excavation (Removed 10/19/95)

Soil at 4/5/69 S TOC, Bulk density, Porosity, water content

MW-2 4x

OFFICES

GROUNDWATER FLOW DIRECTION WITH A GRADIENT OF 0.059 FT/FT January 12, 2001

MW-3 4x

SHOP

CONCRETE PAD

MW-1

Former Pump Island

Semi ann.

WALL


DRIVEWAY



SIDEWALK

PARKING LANE

MW-4 *Semi ann.*

YERBA BUENA AVENUE



 MONITORING WELL
 GROUNDWATER CONTOUR IN FEET ABOVE MSL

AEI CONSULTANTS
3210 OLD TUNNEL ROAD, SUITE B, LAFAYETTE, CA

GROUNDWATER GRADIENT MAP

1075 40TH STREET
OAKLAND, CALIFORNIA

FIGURE 3

**Table 1
Groundwater Levels**

Well ID	Date	Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)
MW-1	3/19/97	45.41	8.25	37.16
	6/20/97	45.41	9.10	36.31
	10/8/97	45.41	9.95	35.46
	1/16/98	45.41	7.57	37.84
	8/5/99	45.49	10.16	35.33
	11/18/99	45.49	8.52	36.97
	2/24/00	45.49	7.65	37.84
	5/24/00	45.49	8.47	37.02
	8/29/00	45.49	10.28	35.21
	1/12/01	45.49	8.50	36.99
	MW-2	3/19/97	44.94	8.40
6/20/97		44.94	8.85	36.09
10/8/97		44.94	9.80	35.14
1/16/98		44.94	5.28	39.66
8/5/99		44.98	9.32	35.66
11/18/99		44.98	10.20	34.78
2/24/00		44.98	7.03	37.95
5/24/00		44.98	8.01	36.97
8/29/00		44.98	11.07	33.91
1/12/01		44.98	8.60	36.38
MW-3		3/19/97	44.32	7.59
	10/8/97	44.32	9.98	34.34
	6/20/97	44.32	8.36	35.96
	1/16/98	44.32	9.18	35.14
	8/5/99	44.37	10.56	33.81
	11/18/99	44.37	10.92	33.45
	2/24/00	44.37	8.49	35.88
	5/24/00	44.37	8.42	35.95
	8/29/00	44.37	12.00	32.37
	1/12/01	44.37	10.50	33.87
MW-4	8/5/99	43.48	8.79	34.69
	11/18/99	43.48	8.11	35.37
	2/24/00	43.48	5.19	38.29
	5/24/00	43.48	7.23	36.25
	8/29/00	43.48	9.04	34.44
	1/12/01	43.48	6.40	37.08

Notes:

All well elevations are measured from the top of the casing and not from the ground surface
ft msl = feet above mean sea level

Table 2
Groundwater Sample Analytical Data

Well ID	Date	Consultant/ Lab	TPHg (mg/l)	MTBE (mg/l)	Benzene (mg/l)	Toluene (mg/l)	Ethyl- Benzene (mg/l)	Xylenes (mg/l)	TPHd (mg/l)
MW - 1	3/19/97	AEI/MAI	<50	23	<0.5	<0.5	<0.5	<0.5	<50
	6/23/97	AEI/MAI	1,300	14	150	2.1	12	19	420
	10/8/97	AEI/MAI	56	5.8	2.8	<0.5	<0.5	<0.5	66
	1/16/98	AEI/MAI	1,500	<33	95	0.72	69	8.4	910
	8/5/99	AEI/MAI	160	<15	1.6	<0.5	0.56	1.1	63
	11/18/99	AEI/MAI	79	<5.0	<0.5	<0.5	<0.5	<0.5	<50
	2/24/00	AEI/MAI	300	<5.0	14	0.82	3.5	1.6	160
	5/24/00	AEI/MAI	1,300	ND<10	93	<0.5	17	1.6	480
	8/29/00	AEI/MAI	120	<5.0	0.93	<0.5	<0.5	<0.5	<0.5
	1/12/01	AEI/MAI	360	<5.0	16	<0.5	9.3	0.69	170
MW - 2	3/19/97	AEI/MAI	<50	65	<0.5	<0.5	<0.5	<0.5	<50
	6/23/97	AEI/MAI	<50	70	3.4	<0.5	<0.5	<0.5	<50
	10/8/97	AEI/MAI	<50	90	<0.5	<0.5	<0.5	<0.5	<50
	1/16/98	AEI/MAI	<50	65	<0.5	<0.5	<0.5	<0.5	<50
	8/5/99	AEI/MAI	<50	600	<0.5	<0.5	<0.5	<0.5	<50
	11/18/99	AEI/MAI	<50	370	<0.5	<0.5	<0.5	<0.5	<50
	2/24/00	AEI/MAI	<50	880	<0.5	<0.5	<0.5	<0.5	<50
	5/24/00	AEI/MAI	ND<250	2,200	<0.5	<0.5	<0.5	<0.5	62
	8/29/00	AEI/MAI	ND<200	1,900	<0.5	<0.5	<0.5	<0.5	<0.5
	1/12/01	AEI/MAI	470	2,000	8.7	3.1	16	73	70
MW -3	3/19/97	AEI/MAI	26,000	230	3,000	530	340	2,300	5,000
	6/23/97	AEI/MAI	25,000	270	4,400	120	540	1,500	7,000
	10/8/97	AEI/MAI	17,000	ND<280	4,400	47	280	410	5,100
	1/16/98	AEI/MAI	29,000	ND<360	5,600	740	950	3,500	7,300
	8/5/99	AEI/MAI	31,000	ND<200	5,400	150	1100	2,300	5,100
	11/18/99	AEI/MAI	74,000	ND<1,000	8,100	5,000	2,100	8,100	490,000
	2/24/00	AEI/MAI	110,000	ND<200	12,000	1,400	2,900	14,000	6,300
	5/24/00	AEI/MAI	87,000	ND<200	13,000	1,900	2,900	14,000	26,000
	8/29/00	AEI/MAI	49,000	ND<200	7,400	800	1,800	7,400	9,400
	1/12/01	AEI/MAI	69,000	ND<300	8,600	980	2,600	11,000	21,000
MW-4	8/5/99	AEI/MAI	<50	37	<0.5	<0.5	<0.5	<0.5	<50
	11/18/99	AEI/MAI	<50	20	<0.5	<0.5	<0.5	<0.5	<50
	2/24/00	AEI/MAI	<50	20	<0.5	<0.5	<0.5	<0.5	<50
	5/24/00	AEI/MAI	120	31	1.3	<0.5	<0.5	<0.5	140
	8/29/00	AEI/MAI	<50	22	<0.5	<0.5	<0.5	<0.5	<0.5
	1/12/01	AEI/MAI	<50	25	<0.5	<0.5	<0.5	<0.5	81

Notes:

ug/L= micrograms per liter

ND= Not detected

MTBE= Methyl Tertiary Butyl Ether

TPHg= Total Petroleum Hydrocarbons as gasoline

TPHd= Total Petroleum Hydrocarbons as diesel

AEI All Environmental, Inc.

MAI McCampbell Analytical Inc., Pacheco, California

**AEI CONSULTANTS - GROUNDWATER MONITORING WELL FIELD
SAMPLING FORM**

Monitoring Well Number: MW-1

Project Name: Fidelity Roof, Co	Date of Sampling: 1/12/01
Job Number: 3119	Name of Sampler: OA
Project Address: 1075 40 th Street, Oakland	

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2
Seal at Grade -- Type and Condition	Cement / Good
Well Cap & Lock -- OK/Replace	OK
Elevation of Top of Casing	45.49
Depth of Well	21.0
Depth to Water	8.5
Water Elevation	36.99
Three Well Volumes (gallons)*	
2" casing: (TD - DTW)(0.16)(3)	6.0
4" casing: (TD - DTW)(0.65)(3)	
6" casing: (TD - DTW)(1.44)(3)	
Actual Volume Purged (gallons)	6.0
Appearance of Purge Water	Clear, No odor or sheen

GROUNDWATER SAMPLES

Number of Samples/Container Size	(2) 40 ml VOAS, 1-liter amber bottle
----------------------------------	--------------------------------------

Time	Vol Remvd (gal)	Temp (deg C)	pH	Cond (mS)	Comments
11:15	2	19.0	7.10	992	
11:17	4	19.0	6.9	973	
11:19	6	19.4	6.9	918	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

No hydrocarbon sheen or odor

TD - Total Depth of Well
DTW - Depth To Water

AEI CONSULTANTS - GROUNDWATER MONITORING WELL FIELD SAMPLING FORM					
Monitoring Well Number: MW-2					
Project Name: Fidelity Roof, Co			Date of Sampling: 1/12/01		
Job Number: 3119			Name of Sampler: OA		
Project Address: 1075 40 th Street, Oakland					
MONITORING WELL DATA					
Well Casing Diameter (2"/4"/6")			2"		
Seal at Grade -- Type and Condition			Cement / Good		
Well Cap & Lock -- OK/Replace			OK		
Elevation of Top of Casing			44.98		
Depth of Well			21.0		
Depth to Water			8.60		
Water Elevation			36.38		
Three Well Volumes (gallons)*					
2" casing: (TD - DTW)(0.16)(3)			5.9		
4" casing: (TD - DTW)(0.65)(3)					
6" casing: (TD - DTW)(1.44)(3)					
Actual Volume Purged (gallons)			6		
Appearance of Purge Water			Cloudy to clear, No odor or sheen		
GROUNDWATER SAMPLES					
Number of Samples/Container Size			(2) 40 ml VOAS, 1-liter amber bottle		
Time	Vol Remvd (gal)	Temp (deg C)	pH	Cond (mS)	Comments
11:31	2	19.5	6.91	1,311	Clear, No Odor
11:33	4	20.2	6.90	1,319	Clear, No Odor
11:35	6	20.3	6.90	1,415	
COMMENTS (i.e., sample odor, well recharge time & percent, etc.)					

TD - Total Depth of Well
DTW - Depth To Water

AEI CONSULTANTS - GROUNDWATER MONITORING WELL FIELD SAMPLING FORM					
Monitoring Well Number: MW-3					
Project Name: Fidelity Roof, Co			Date of Sampling: 1/12/01		
Job Number: 3119			Name of Sampler: OA		
Project Address: 1075 40 th Street, Oakland					
MONITORING WELL DATA					
Well Casing Diameter (2"/4"/6")			2"		
Seal at Grade -- Type and Condition			Cement / Good		
Well Cap & Lock -- OK/Replace			OK		
Elevation of Top of Casing			44.37		
Depth of Well			21.0		
Depth to Water			10.5		
Water Elevation			33.87		
Three Well Volumes (gallons)*					
2" casing: (TD - DTW)(0.16)(3)			5.04		
4" casing: (TD - DTW)(0.65)(3)					
6" casing: (TD - DTW)(1.44)(3)					
Actual Volume Purged (gallons)			5		
Appearance of Purge Water			Clear; odor		
GROUNDWATER SAMPLES					
Number of Samples/Container Size			(2) 40 ml VOAS, 1-liter amber bottle		
Time	Vol Remvd (gal)	Temp (deg C)	pH	Cond (mS)	Comments
11:45	1	18.3	6.66	1,610	Clear, strong odor detected
11:47	3	19.5	6.64	1,730	
11:49	5	19.7	6.65	1,844	
COMMENTS (i.e., sample odor, well recharge time & percent, etc.)					

TD - Total Depth of Well
DTW - Depth To Water

**AEI CONSULTANTS- GROUNDWATER MONITORING WELL FIELD
SAMPLING FORM**

Monitoring Well Number: MW-4

Project Name: Fidelity Roof, Co	Date of Sampling: 1/12/01
Job Number: 3119	Name of Sampler: OA
Project Address: 1075 40 th Street, Oakland	

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2"
Seal at Grade -- Type and Condition	Cement / Good
Well Cap & Lock -- OK/Replace	OK
Elevation of Top of Casing	43.48
Depth of Well	20.0
Depth to Water	6.40
Water Elevation	37.08
Three Well Volumes (gallons)*	
2" casing: (TD - DTW)(0.16)(3)	6.5
4" casing: (TD - DTW)(0.65)(3)	
6" casing: (TD - DTW)(1.44)(3)	
Actual Volume Purged (gallons)	6.5
Appearance of Purge Water	Cloudy to clear, No odor

GROUNDWATER SAMPLES

Number of Samples/Container Size	(2) 40 ml VOAS, 1-liter amber bottle
----------------------------------	--------------------------------------

Time	Vol Remvd (gal)	Temp (deg C)	pH	Cond (mS)	Comments
12:05	2	20.4	6.80	1,095	
12:07	4	20.1	6.90	1,083	
12:09	6	20.4	6.91	1,108	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

No hydrocarbon odor or sheen

TD - Total Depth of Well
DTW - Depth To Water



McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
<http://www.mccampbell.com> E-mail: main@mccampbell.com

All Environmental, Inc. 3210 Old Tunnel Road, Suite B Lafayette, CA 94549-4157	Client Project ID: #3119; Fidelity Roofing	Date Sampled: 01/12/2001
	Client Contact: Orion Alcalay	Date Received: 01/12/2001
	Client P.O:	Date Extracted: 01/12/2001
		Date Analyzed: 01/12/2001

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*, with Methyl tert-Butyl Ether* & BTEX*
 EPA methods 5030, modified 8015, and 8020 or 602; California RWQCB (SF Bay Region) method GCFID(5030)

Lab ID	Client ID	Matrix	TPH(g) ⁺	MTBE	Benzene	Toluene	Ethyl-benzene	Xylenes	% Recovery Surrogate
57708	MW-1	W	360,a	ND	16	ND	9.3	0.69	98
57709	MW-2	W	470,a	2000	8.7	3.1	16	73	99
57710	MW-3	W	69,000,a	ND<300	8600	980	2600	11,000	93
57711	MW-4	W	ND	25	ND	ND	ND	ND	104
Reporting Limit unless otherwise stated; ND means not detected above the reporting limit	W		50 ug/L	5.0	0.5	0.5	0.5	0.5	
	S		1.0 mg/kg	0.05	0.005	0.005	0.005	0.005	

* water and vapor samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP and SPLP extracts in ug/L

cluttered chromatogram; sample peak coelutes with surrogate peak

*The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment; j) no recognizable pattern.

 Edward Hamilton, Lab Director



McCAMPBELL ANALYTICAL INC.

110 2nd Ave. South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
<http://www.mccampbell.com> E-mail: main@mccampbell.com

QC REPORT

Date: 01/12/01-01/13/01 Matrix: Water

Extraction: TTLC

Compound	Concentration: ug/L			%Recovery		RPD	
	Sample	MS	MSD	Amount Spiked	MS		MSD
SampleID: 121800		Instrument: GC-3					
Surrogate1	0.000	102.0	102.0	100.00	102	102	0.0
Xylenes	0.000	28.1	28.4	30.00	94	95	1.1
Ethyl Benzene	0.000	9.5	9.6	10.00	95	96	1.0
Toluene	0.000	9.7	9.8	10.00	97	98	1.0
Benzene	0.000	9.8	9.9	10.00	98	99	1.0
MTBE	0.000	9.5	9.6	10.00	95	96	1.0
GAS	0.000	84.5	83.0	100.00	84	83	1.8
SampleID: 121800		Instrument: GC-6 A					
Surrogate1	0.000	94.0	94.0	100.00	94	94	0.0
TPH (diesel)	0.000	7350.0	7400.0	7500.00	98	99	0.7

$$\% \text{ Recovery} = \frac{(MS - \text{Sample})}{\text{Amount Spiked}} \cdot 100$$

$$RPD = \frac{(MS - MSD)}{(MS + MSD)} \cdot 2 \cdot 100$$

RPD means Relative Percent Deviation

23986 rate 313, loc

McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HOUR 48 HOUR 5 DAY

Report To: Orion Alcalay Bill To:
Company: All Environmental
3210 Old Tunnel Road, Suite B
Lafayette, CA 94549-4157
Tele: (925) 283-6000 Fax: (925) 283-6121
Project #: 3119 Project Name:
Project Location: Fidelity Pooling
Sampler Signature: *[Signature]*

Analysis Request Other Comments

SAMPLE ID	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX								METHOD PRESERVED	BTEX & TPH as Gas (602/8020 + 8015) / MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (5520 E&F/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI	57708	57709	57710	57711			
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other																						
+ MW-1		1-12-01		3		X							X	X																						
+ MW-2		↓		↓		↓							↓	↓																						
+ MW-3		↓		↓		↓							↓	↓																						
+ MW-4		↓		↓		↓							↓	↓																						

Relinquished By: *[Signature]* Date: 1-12-01 Time: 2:40 PM Received By: *[Signature]*
Relinquished By: *[Signature]* Date: Time: Received By:
Relinquished By: *[Signature]* Date: Time: Received By:

Remarks:
ICE/ ✓
GOOD CONDITION ✓
HEAD SPACE ABSENT ✓
PRESERVATION APPROPRIATE ✓
CONTAINERS ✓
VOLATILES ✓ METALS ✓ OTHER ✓

L:SV

[Handwritten mark]