



ALISTO ENGINEERING GROUP

November 3, 2006

Ms. Donna Drogos
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

20191
Alameda County
NOV 07 2006
Environmental Health

10-210-22

Subject: Third Quarter 2006 Groundwater Monitoring and Sampling Report
Xtra Oil Company Service Station (dba Shell)
1701 Park Street
Alameda, California

Dear Ms. Drogos:

On behalf of Xtra Oil Company, Alisto Engineering Group is pleased to submit this Third Quarter 2006 Groundwater Monitoring and Sampling Report for Xtra Oil Company service station (dba Shell) at 1701 Park Street, Alameda, California.

Please call if you have questions or comments.

Sincerely,

ALISTO ENGINEERING GROUP

J. Rhea Farley
Project Geologist

Enclosure

cc: Mr. Keith Simas, Xtra Oil Company (with enclosure)
Ms. Ade Fagorala, California Regional Water Quality Control Board, San Francisco Bay
Region (with enclosure)

**THIRD QUARTER 2006
GROUNDWATER MONITORING AND SAMPLING REPORT**

**Xtra Oil Company Service Station (dba Shell)
1701 Park Street
Alameda, California**

Project No. 10-210-22

Prepared for:

**Xtra Oil Company
2307 Pacific Avenue
Alameda, California**

**Alameda County
NOV 07 2006
Environmental Health**


Prepared by:

**Alisto Engineering Group
2737 North Main Street, Suite 100
Walnut Creek, California**

November 3, 2006



**Chris Reinheimer
Project Manager**



**Al Sevilla, P.E.
Principal**



**THIRD QUARTER 2006
GROUNDWATER MONITORING AND SAMPLING REPORT**

**Xtra Oil Company Service Station (dba Shell)
1701 Park Street
Alameda, California**

Project No. 10-210-22

November 3, 2006

INTRODUCTION

This report presents the results and findings of the Third Quarter 2006 groundwater monitoring and sampling conducted by Alisto Engineering Group at the Xtra Oil Company service station (dba Shell), 1701 Park Street, Alameda, California. The sampling event took place on September 8, 2006, in conjunction with the responsible party for the adjacent petroleum release site at 1725 Park Street. A site vicinity map is shown on Figure 1.

FIELD PROCEDURES

Field activities were performed in accordance with the procedures and guidelines of the Alameda County Health Care Services Agency (ACHCSA) and the California Regional Water Quality Control Board, San Francisco Bay Region.

Before purging and sampling, the groundwater level in each well was measured from a permanent mark on top of the casing to the nearest 0.01 foot using an electronic sounder. The depth to groundwater and top of casing elevation data were used to calculate the groundwater elevation in each well in reference to mean sea level. The survey data and groundwater elevation measurements collected to date are presented in Table 1.

Before sample collection, each well was purged of three casing volumes while recording field readings of pH, temperature and electrical conductivity. Groundwater samples were collected for laboratory analysis by lowering a bottom-fill, disposable bailer to just below the water level in each well. The samples were transferred from the bailer into laboratory-supplied containers. The water sampling field survey forms are presented in Appendix A.

SAMPLING AND ANALYTICAL RESULTS

The results of monitoring and laboratory analysis of the groundwater samples for this and previous events are summarized in Table 1. The potentiometric groundwater elevations as interpreted from the results of this monitoring event are shown on Figure 2. The results of laboratory analysis are shown on Figure 3 and the laboratory report and chain of custody record are presented in Appendix B.



SUMMARY OF FINDINGS

The findings of the September 8, 2006 groundwater monitoring and sampling event are as follows:

- Groundwater gradient as interpreted from the monitoring data was 0.004 in an easterly direction across the Xtra Oil site.
- Liquid-phase petroleum hydrocarbons were observed in three of the monitoring wells at the Xtra Oil site.
- The highest onsite concentration of total petroleum hydrocarbons as gasoline was detected in the sample from MW-1 at 34,000 micrograms per liter ($\mu\text{g}/\text{L}$).
- The highest onsite concentrations of benzene, toluene, ethylbenzene, and total xylenes (BTEX) and methyl tert butyl ether (MTBE) were also detected in the sample from MW-1 at concentrations of 7900, 1800, 760, 2300 and 6200 $\mu\text{g}/\text{L}$, respectively.
- Total petroleum hydrocarbons as diesel was detected onsite in groundwater samples from Wells MW-1, MW-2 and MW-4 at concentrations of 3000, 74000, and 3100 $\mu\text{g}/\text{L}$, respectively.



TABLE 1 - SUMMARY OF GROUNDWATER SAMPLING
XTRA OIL COMPANY SERVICE STATION
1701 PARK STREET, ALAMEDA, CALIFORNIA

ALISTO PROJECT NO. 10-210

WELL ID	DATE OF MONITORING/SAMPLING	CASING ELEVATION (Feet)	DEPTH TO WATER (ft)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (ft)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	OTHER SVOCs (ug/l)	NAPHTHALENE (ug/l)	BENZOPYRENE (ug/l)	DO (ppm)	LAB
MW-1	11/04/94	19.60	8.8	---	10.96	80000	8400	13000	4900	1300	5500	---	---	---	---	---	MCC
QC-1 (e)	11/04/94	---	---	---	---	54000	---	12000	4500	1200	5200	---	---	---	---	---	MCC
MW-1	01/11/95	19.60	8.10	---	13.50	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	02/24/95	19.60	8.57	---	13.03	56000	4400	13000	7000	1400	5100	---	---	---	---	---	MCC
QC-1 (e)	02/24/95	---	---	---	---	43000	---	8000	4900	870	3300	---	---	---	---	---	MCC
MW-1	05/25/95	19.60	8.54	---	13.06	53000	4700	11000	6700	1200	4000	---	---	---	---	4.3	MCC
QC-1 (e)	05/25/95	---	---	---	---	49000	---	11000	5300	1200	3900	---	---	---	---	---	MCC
MW-1	08/30/95	19.60	8.15	---	11.45	14000	3700	6000	1100	3900	103	---	---	---	---	2.8	MCC
QC-1 (e)	08/30/95	---	---	---	---	57000	---	17000	7000	1500	6200	---	---	---	---	---	MCC
MW-1	11/16/95	19.60	8.79	---	10.81	100000	5900	22000	17000	2100	8500	---	---	---	---	---	MCC
QC-1 (e)	11/16/95	---	---	---	---	85000	---	20000	15000	1800	7900	---	---	---	---	---	MCC
MW-1	03/20/96	19.60	6.45	---	13.15	48000	3300	10000	6200	1100	3200	---	---	---	---	---	MCC
QC-1 (e)	03/20/96	---	---	---	---	42000	---	8900	5900	870	3000	---	---	---	---	---	MCC
MW-1	06/13/96	19.60	7.14	---	12.48	41000	5400	8500	6600	1100	4000	---	---	---	---	---	MCC
QC-1 (e)	06/13/96	---	---	---	---	48000	---	9300	5900	1000	3600	---	---	---	---	---	MCC
MW-1	09/23/96	19.60	7.56	---	12.04	76000	14000	14000	11000	1600	7100	---	---	---	---	6.1	MCC
MW-1	12/19/96	19.60	7.03	---	12.52	46000	---	12000	5500	1200	4100	---	---	---	---	---	MCC
MW-1	05/09/97	12.60	7.39	---	12.21	80000	7500	14000	12000	1700	7800	14000	ND	280	ND-2	2.7	MCC/HR
MW-1	09/11/97	18.00	7.90	---	12.10	100000	7700	19000	19000	2400	11000	ND<2100	---	---	---	7.2	MCC
MW-1	12/15/97	19.60	7.81	---	11.98	45000	3500	11000	5300	1500	5200	---	---	---	---	6.8	MCC
QC-1 (e)	12/15/97	---	---	---	---	53000	---	11000	6400	1400	5100	---	---	---	---	---	MCC
MW-1	03/11/98	19.60	5.35	---	14.25	40000	3600	5900	3900	1300	4900	8700	---	---	---	6	MCC
QC-1 (e)	03/11/98	---	---	---	---	43000	---	7200	5000	1400	5300	14000	---	---	---	---	MCC
MW-1	06/23/98	19.60	6.63	---	12.97	44000	3700	5900	6200	1800	6200	870	---	---	---	6.2	MCC
QC-1 (e)	06/23/98	---	---	---	---	47000	---	8000	6400	1900	6300	1000	---	---	---	---	MCC
MW-1	12/01/98	19.60	6.48	---	13.12	57000	---	7400	12000	2100	8200	7200	---	---	---	2.4	MCC
QC-1 (e)	12/01/98	---	---	---	---	57000	---	8900	11000	1900	7500	---	---	---	---	---	MCC
MW-1	03/30/99	19.60	5.74	---	13.86	67000	6500	67000	5700	2500	9400	3200	---	---	---	2.1	MCC
QC-1 (e)	03/30/99	---	---	---	---	64000	6400	5500	9000	2400	9100	3100	---	---	---	---	MCC
MW-1	08/18/99	19.60	7.02	---	12.56	63000	---	3800	9100	2800	11000	ND<1700	---	---	---	1.3	MCC
QC-1 (e)	08/18/99	---	---	---	---	64000	---	3700	8800	2900	11000	ND<1400	---	---	---	---	MCC
MW-1	12/31/99	19.60	7.45	---	12.15	62000	5100	2900	9400	2700	11000	ND<1100	---	---	---	8.3	MCC
QC-1 (e)	12/31/99	---	---	---	---	67500	4900	2900	9700	2800	12000	ND<1100	---	---	---	---	MCC
MW-1	02/31/00	19.60	5.65	---	13.75	49000	490	3200	5500	2000	8700	820	---	---	---	7.8	MCC
QC-1 (e)	02/31/00	---	---	---	---	54000	3300	3500	6000	2300	7300	730	---	---	---	---	MCC
MW-1	07/14/00	19.60	7.00	---	12.80	78000	5700	5600	14000	2300	9500	ND<200	---	---	---	3.2	MCC
QC-1 (e)	07/14/00	---	---	---	---	72000	---	4900	14000	2100	9200	ND<200	---	---	---	---	MCC
MW-1	10/04/00	19.60	7.80	---	12.00	65000	2900	3800	11000	2400	8200	ND<100	---	---	---	1.4	MCC
QC-1 (e)	10/04/00	---	---	---	---	68000	---	3900	13000	2400	9300	ND<100	---	---	---	---	MCC
MW-1	12/21/00	19.60	6.91	---	12.69	74000	2500	3800	17000	3400	15000	ND<200	---	---	---	1.3	MCC
QC-1 (e)	12/21/00	---	---	---	---	69000	---	2700	12000	2400	11000	ND<550	---	---	---	---	MCC
MW-1	04/13/01	19.60	6.09	---	13.54	55000	2400	2900	7800	2400	9400	ND<900	---	---	---	0.8	MCC
QC-1 (e)	04/13/01	---	---	---	---	51000	---	2300	6100	2000	7900	ND<350	---	---	---	---	MCC
MW-1	08/27/01	19.60	6.54	---	13.06	80000	3900	2800	13000	2300	10000	ND<250	---	---	---	1.1	MCC
QC-1 (e)	08/27/01	---	---	---	---	79000	---	3100	19000	2300	10000	ND<250	---	---	---	---	MCC
MW-1	09/20/01	19.60	7.08	---	12.52	74000	6900	1800	7700	2500	10000	ND<200	---	---	---	0.8	MCC
QC-1 (e)	09/20/01	---	---	---	---	87000	---	1600	7800	2900	10000	ND<200	---	---	---	---	MCC
MW-1	12/21/01	19.60	5.71	---	13.89	58000	---	2100	11000	2400	10000	ND<720	---	---	---	1.4	MCC
QC-1 (e)	12/21/01	---	---	---	---	66000	---	2100	11000	2300	10000	ND<920	---	---	---	---	MCC
MW-1	02/04/02	19.60	5.01	---	14.59	8500	1800	74	100	230	1500	140	---	---	---	4.1	MCC
QC-1 (e)	02/04/02	---	---	---	---	8000	---	80	130	270	1800	ND<900	---	---	---	---	MCC
MW-1	05/07/02	19.60	6.10	---	13.50	41000	7900	1300	5200	1700	6300	ND<1000	---	---	---	4.3	MCC
QC-1 (e)	05/07/02	---	---	---	---	40000	---	1300	5200	1700	6400	ND<500	---	---	---	---	MCC
MW-1	08/22/02	19.60	6.91	---	12.69	42000	4800	1100	6300	1900	7900	ND<500	---	---	---	4.9	MCC
QC-1 (e)	08/22/02	---	---	---	---	47000	---	1000	6100	1600	7500	ND<900	---	---	---	---	MCC
MW-1	11/08/02	19.60	6.48	---	13.14	38000	6800	770	4600	1800	6600	ND<1000	---	---	---	---	MCC
QC-1 (e)	11/08/02	---	---	---	---	49000	---	880	4800	1800	6700	ND<1700	---	---	---	---	MCC
MW-1	02/07/03	19.60	5.80	---	13.80	43000	3700	1800	6100	2100	8700	ND<500	---	---	---	1.1	MCC
MW-1	05/02/03	19.60	5.60	---	14.00	48000	4600	1100	5900	1800	7300	ND<1000	---	---	---	---	MCC
QC-1 (e)	05/02/03	---	---	---	---	42000	---	1200	5900	1900	7100	ND<500	---	---	---	---	MCC
MW-1	08/14/03	19.60	6.81	---	12.79	42000	3800	1000	4700	2000	8100	ND<500	---	---	---	1.3	MCC
QC-1 (e)	08/14/03	---	---	---	---	43000	---	1000	4800	2000	7900	ND<500	---	---	---	---	MCC
MW-1	11/14/03	19.60	6.71	---	12.89	40000	3000	610	4900	1900	7600	ND<500	---	---	---	0.8	MCC
MW-1	03/01/04	19.60	5.22	---	14.38	20000	3000	540	2900	720	2900	ND<90	---	---	---	0.01	MCC
MW-1	06/30/04	19.60	6.38	---	13.22	39000	3000	670	2900	2100	9200	ND<900	---	---	---	---	MCC
QC-1 (e)	06/30/04	---	---	---	---	6800	550	3200	2100	8100	ND<600	---	---	---	---	---	MCC
MW-1	10/28/04	19.60	6.00	---	13.60	35000	4400	510	2900	1600	5700	ND<150	---	---	---	2.7	MCC
QC-1 (e)	10/28/04	---	---	---	---	450	---	2700	1600	5500	ND<150	---	---	---	---	---	MCC
MW-1	03/24/05	19.60	5.04	---	14.56	29000	3300	1300	5900	1200	4900	ND<600	---	---	---	2.7	MCC
QC-1 (e)	03/24/05	---	---	---	---	31000	---	630	3990	1020	4500	ND<210	---	---	---	---	MCC
MW-1	06/14/05	19.60	5.45	---	14.15	23000	4300	1300	2700	810	2700	ND<500	---	---	---	2.9	MCC
QC-1 (e)	06/14/05	---	---	---	---	1400	---	3100	810	2900	ND<250	---	---	---	---	---	MCC
MW-1	09/12/05	19.60	7.89	---	11.71	60000	4800	4900	6200	1900	7300	2300	---	---	---	2.8	MCC
QC-1 (e)	09/12/05	---	---	---	---	59000	---	5000	6500	1900	7300	---	---	---	---	---	MCC
MW-1	01/04/06	19.60	6.09	---	13.51	54000	2900	6900	5500	870	3700	5400	---	---	---	---	MCC
QC-1 (e)	01/04/06	---	---	---	---	40000	---	6900	5900	870	3700	5200	---	---	---	---	MCC
MW-1	04/04/06	19.60	5.71	<0.01	13.89	31000	2500	8700	2900	690	2900	5400	---	---	---	---	MCC
QC-1 (e)	04/04/06	---	---	---	---	31000	---	8000	2900	1000	2800	5800	---	---	---	---	MCC
MW-1	06/12/06	19.60	6.66	shewn	12.94	31000	3100	4900	2200	910	3900	3900	---	---	---	---	MCC
QC-1 (e)	06/12/06	---	---	---	---	31000	---	5700	2300	850	2400	4900	---	---	---	---	MCC
MW-1	09/08/06	19.60	7.78	shewn	11.82	38000	3000	7900	1800	780	2300	8200	---	---	---	---	MCC
QC-1 (e)	09/08/06	---	---	---	---	39000	---	6300	1600	690	2000	6200	---	---	---	---	MCC

TABLE 1 - SUMMARY OF GROUNDWATER SAMPLING
 XTRA OIL COMPANY SERVICE STATION
 1701 PARK STREET, ALAMEDA, CALIFORNIA

ALISTO PROJECT NO. 10-210

WELL ID	DATE OF MONITORING/SAMPLING	CASING ELEVATION (Feet)	DEPTH TO WATER (a) (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	OTHER SVOCs (ug/l)	NAPHTHALENE (ug/l)	BENZO-PYRENE (ug/l)	DO (ppm)	LAB		
MW-2	11/04/84	20.31	8.12	0.18	11.31	---	---	---	---	---	---	---	---	---	---	---	---		
MW-2	01/11/85	20.31	8.75	---	13.96	---	---	---	---	---	---	---	---	---	---	---	---		
MW-2	02/24/85	20.31	7.11	0.18	13.34	---	---	---	---	---	---	---	---	---	---	---	---		
MW-2	06/25/85	20.31	7.01	0.01	13.31	---	---	---	---	---	---	---	---	---	---	---	---		
MW-2	08/30/85	20.31	8.58	0.12	11.82	---	---	---	---	---	---	---	---	---	---	---	---		
MW-2	11/16/85	20.31	9.07	0.01	11.25	---	---	---	---	---	---	---	---	---	---	---	---		
MW-2	03/20/86	20.31	6.79	0.01	13.63	---	---	---	---	---	---	---	---	---	---	---	---		
MW-2	06/13/86	20.31	7.41	0.01	12.91	---	---	---	---	---	---	---	---	---	---	---	---		
MW-2	09/23/86	20.31	7.83	0.01	12.49	30000	19000	4800	1800	1500	4100	2800	---	---	---	5.8	MCC		
QC-1 (c)	09/23/86	---	---	---	---	32000	---	4700	170	1600	3900	2400	---	---	---	---	MCC		
MW-2	12/19/86	20.31	7.37	0.01	12.95	28000	---	1800	240	1400	5400	---	(d)	420	ND<10	---	MCC		
QC-1 (c)	12/19/86	---	---	---	---	28000	---	580	210	1300	5100	---	---	---	---	---	MCC		
MW-2	05/09/87	20.31	6.11	0.21	14.38	34000	6700000	4600	280	1500	4300	1800	---	---	---	---	3.7	MCC	
MW-2	09/11/87	20.31	7.70	0.03	12.63	44000	1200000	3900	250	2400	7400	ND<810	---	---	---	---	6.5	MCC	
QC-1 (c)	09/11/87	---	---	---	---	47000	1100000	4000	420	2700	8300	620	---	---	---	---	---	MCC	
MW-2	12/19/87	20.31	7.87	0.03	12.48	30000	60000	4000	600	1300	5400	ND<470	---	---	---	---	6	MCC	
MW-2	03/11/88	20.31	5.81	0.18	14.84	44000	3800	5200	220	2500	5000	1100	---	---	---	---	6.2	MCC	
MW-2	09/23/88	20.31	6.74	0.02	13.69	73000	670000	5900	390	3100	8300	8400	---	---	---	---	6.3	MCC	
MW-2	12/01/88	20.31	7.30	---	13.01	36000	---	3800	73	1500	3800	2000	---	---	---	---	1.9	MCC	
MW-2	03/30/89	20.31	6.51	0.13	13.90	23000	23000	5000	100	610	870	21000	---	---	---	---	1.7	MCC	
MW-2	08/16/89	20.31	8.04	0.21	12.43	30000	---	5200	87	1100	1800	9000	---	---	---	---	2.6	MCC	
MW-2	12/31/89	20.31	8.20	0.01	12.12	43000	340000	7800	97	1400	2500	4300	---	---	---	---	9.8	MCC	
MW-2	03/31/90	20.31	6.29	0.01	14.63	28000	200000	4000	68	1100	1500	13000	---	---	---	---	8.1	MCC	
MW-2	07/11/90	20.31	8.02	---	12.28	35000	170000	5000	76	1100	2500	4900	---	---	---	---	3.9	MCC	
MW-2	10/04/90	20.31	8.62	---	11.69	22000	67000	4700	97	1300	1000	1900	---	---	---	---	1.8	MCC	
MW-2	12/11/90	20.31	7.70	---	12.81	23000	18000	7500	86	770	490	8000	---	220	ND<10	0.0	MCC		
MW-2	04/13/01	20.31	7.05	---	13.28	25000	21000	6400	79	790	670	6300	---	---	---	---	1.1	MCC	
MW-2	06/27/01	20.31	7.50	---	12.81	34000	10000	5400	100	520	370	6800	---	---	---	---	0.7	MCC	
MW-2	09/20/01	20.31	8.10	---	12.21	28000	64000	4900	78	670	500	2000	---	---	---	---	0.8	MCC	
MW-2	12/21/01	20.31	6.66	---	13.85	30000	18000	3000	62	1700	870	ND<100	---	---	---	---	1.3	MCC	
MW-2	02/04/02	20.31	6.75	---	13.58	17000	35000	3400	ND<50	950	500	1200	---	---	---	---	1.0	MCC	
MW-2	05/07/02	20.31	7.20	---	13.11	16000	59000	3500	43	620	220	3100	---	---	---	---	4.2	MCC	
MW-2	08/22/02	20.31	7.98	---	12.35	15000	60000	2700	30	490	220	700	---	---	---	---	---	MCC	
MW-2	11/08/02	20.31	7.69	---	12.82	16000	100000	2100	60	1100	150	ND<250	---	---	---	---	---	MCC	
MW-2	02/07/03	20.31	6.52	---	13.79	11000	---	4400	24	ND<12	77	1800	---	---	---	---	0.7	MCC	
MW-2	06/02/03	20.31	6.40	---	13.91	16000	79000	1900	23	980	210	ND<350	---	---	---	---	---	MCC	
MW-2	08/14/03	20.31	7.77	---	12.54	13000	4300	1600	61	450	80	ND<400	---	---	---	---	0.9	MCC	
MW-2	11/14/03	20.31	7.85	---	12.48	12000	13000	1700	29	600	100	ND<800	---	---	---	---	0.7	MCC	
MW-2	03/01/04	20.31	6.10	---	14.21	17000	43000	3900	100	670	430	1800	---	---	---	---	0.42	MCC	
MW-2	06/30/04	(e)	7.01	---	12.70	14000	12000	3900	33	390	72	1900	---	---	---	---	0.42	MCC	
MW-2	10/28/04	20.31	7.12	---	13.19	14000	7800	3700	47	300	100	1700	---	---	---	---	---	MCC	
MW-2	03/24/05	20.31	6.78	---	14.53	15000	57000	3000	ND<25	400	58	ND<900	---	---	---	---	---	MCC	
MW-2	06/14/05	20.31	6.92	---	13.39	15000	63000	2100	31	310	49	530	---	---	---	---	0.8	MCC	
MW-2	09/12/05	20.31	8.25	0.01	12.88	10000	11000	2900	30	200	ND<10	890	---	---	---	---	2.6	MCC	
MW-2	01/04/06	(a)	6.45	<0.01	13.86	7300	14000	1600	18	180	47	ND<250	---	---	---	---	---	MCC	
MW-2	04/04/06	(b)	6.14	---	14.17	9500	130000	2200	35	170	52	ND<250	---	---	---	---	---	MCC	
MW-2	06/12/06	20.31	7.15	0.01	13.16	10000	20000	2200	48	74	59	460	---	---	---	---	---	MCC	
MW-2	09/09/06	20.31	8.22	shear	12.89	12000	7400	1800	25	130	38	ND<300	---	---	---	---	---	MCC	
MW-3	11/04/84	20.57	8.92	---	11.85	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	---	MCC	
MW-3	01/11/85	20.57	5.67	---	14.90	---	---	---	---	---	---	---	---	---	---	---	---	---	MCC
MW-3	02/24/85	20.57	6.11	---	14.46	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	---	MCC	
MW-3	05/25/85	20.57	6.24	---	14.33	91	ND<50	28.0	12.0	2.1	6.5	---	---	---	---	---	---	MCC	
MW-3	08/30/85	20.57	8.27	---	12.30	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	---	4.6	MCC
MW-3	11/16/85	20.57	8.82	---	11.76	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	---	MCC	
MW-3	03/20/86	20.57	5.44	---	15.13	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	---	MCC	
MW-3	06/13/86	20.57	6.17	---	14.40	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	---	MCC	
MW-3	09/23/86	20.57	6.57	---	14.00	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	4.9	MCC
MW-3	12/19/86	20.57	8.59	---	13.98	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	---	MCC	
MW-3	05/09/87	20.57	7.00	---	13.57	ND<50	58	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	3.3	MCC
MW-3	09/11/87	20.57	6.92	---	13.85	ND<50	82	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	7	MCC
MW-3	12/19/87	20.57	7.03	---	13.54	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	6.5	MCC
MW-3	03/11/88	20.67	4.71	---	15.88	ND<50	ND<50	ND<0.5	1.8	0.6	3.1	ND<5.0	---	---	---	---	---	6.1	MCC
MW-3	09/23/88	20.67	6.03	---	14.24	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	6.7	MCC
MW-3	12/01/88	20.57	6.74	---	13.83	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	4	MCC
MW-3	03/30/89	20.57	5.68	---	14.89	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	4.6	MCC
MW-3	08/16/89	20.57	7.87	---	12.90	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	2.7	MCC
MW-3	12/01/89	20.57	8.07	---	12.90	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	9.0	MCC
MW-3	03/01/90	20.57	5.59	---	14.98	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	2.8	MCC
MW-3	07/14/90	20.67	7.84	---	12.93	ND<50	ND<50	0.89	1.7	2.1	9.5	ND<5.0	---	---	---	---	---	2.1	MCC
MW-3	10/04/90	20.57	6.34	---	12.23	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	2.0	MCC
MW-3	12/21/90	20.57	7.00	---	13.57	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	1.4	MCC
MW-3	04/13/01	20.57	6.38	---	14.19	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	1.3	MCC
MW-3	06/27/01	20.57	7.37	---	13.20	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	1.9	MCC
MW-3	09/20/01	20.57	8.25	---	12.32	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	2.1	MCC
MW-3	12/21/01	20.57	6.72	---	14.85	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	2.9	MCC
MW-3	02/04/02	20.57	5.86	---	14.72	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---	---	---	---	---	4.0	MCC
MW-3	05/07/02	20.57	4.08	---	14.08	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	---						

TABLE 1 - SUMMARY OF GROUNDWATER SAMPLING
XTRA OIL COMPANY SERVICE STATION
1701 PARK STREET, ALAMEDA, CALIFORNIA

ALISTO PROJECT NO. 10-210

WELL ID	DATE OF MONITORING/ SAMPLING	CASING ELEVATION (Feet)	DEPTH TO WATER (ft)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	OTHER SVOCs (ug/l)	NAPHTHALENE (ug/l)	BENZO-PYRENE (ug/l)	DO (ppm)	LAB
MW-3	02/07/03	20.67	5.95	---	14.92	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	2.8	MCC
MW-3	05/02/03	20.57	5.75	---	14.82	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	08/14/03	20.57	7.74	---	12.83	ND<50	ND<50	1.8	ND<0.5	0.82	3.2	ND<0.5	---	---	---	---	MCC
MW-3	11/14/03	20.57	7.75	---	12.92	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	03/01/04	20.67	5.17	---	15.40	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	05/30/04	(e)	20.57	7.48	---	13.09	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	10/28/04	20.57	6.47	---	14.10	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	03/24/05	20.57	4.70	---	15.87	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	09/14/05	20.57	5.99	---	14.58	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	09/12/05	20.57	7.89	---	12.88	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	01/04/06	(g)	20.57	5.10	---	15.47	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	04/04/06	(h)	20.57	4.03	---	15.64	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	08/12/06	20.57	6.20	---	14.37	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-3	09/08/06	20.57	7.81	---	12.76	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	MCC
MW-4	05/09/97	19.69	7.17	---	12.52	31000	15000	540	1300	1000	4500	1900	ND	2.1	ND<2	3.1	MCC/CHR
MW-4	08/11/97	19.69	7.71	---	11.98	40000	6500	2000	3100	1700	7700	3400	---	---	---	---	MCC
MW-4	12/15/97	19.69	7.07	---	11.82	14000	2100	810	690	390	2700	1700	---	---	---	---	MCC
MW-4	03/11/98	19.69	3.51	---	16.18	2800	780	68	94	72	430	140	---	---	---	---	MCC
MW-4	06/23/98	19.69	5.21	---	14.48	15000	2800	240	630	720	2700	370	---	---	---	---	MCC
MW-4	12/01/98	19.69	6.45	---	13.24	21000	---	880	1000	530	3600	1700	---	---	---	---	MCC
MW-4	03/30/99	19.69	5.41	---	14.28	41000	3800	3100	3400	1700	8700	5700	---	---	---	---	MCC
MW-4	08/16/99	19.69	7.35	---	12.34	24000	4900	640	1200	2700	8700	---	---	---	---	---	MCC
MW-4	12/01/99	19.69	7.71	---	11.98	14000	2000	510	600	3100	3500	---	---	---	---	---	MCC
MW-4	03/31/00	19.69	5.22	---	14.47	14000	1400	470	480	580	2200	2000	---	---	---	---	MCC
MW-4	07/14/00	19.69	7.31	---	12.38	37000	4300	770	1900	1800	7200	1700	---	---	---	---	MCC
MW-4	10/04/00	19.69	7.11	---	12.58	47000	3200	870	2000	2600	8600	ND<1500	---	---	---	---	MCC
MW-4	12/21/00	19.69	6.86	---	12.83	13000	1800	370	410	480	2300	1500	---	89	ND<10	0.8	MCC
MW-4	04/13/01	19.69	6.02	---	13.67	20000	2800	710	640	620	2600	2300	---	---	---	---	MCC
MW-4	06/27/01	19.69	6.72	---	12.97	23000	2100	510	1400	1160	4300	1400	---	---	---	---	MCC
MW-4	09/20/01	19.69	7.30	---	12.99	38000	4400	480	1300	1700	8700	1000	---	---	---	---	MCC
MW-4	12/21/01	19.69	4.55	---	15.14	11000	5600	130	250	460	2400	ND<320	---	---	---	---	MCC
MW-4	02/04/02	19.69	5.82	---	13.67	50000	12000	3000	8100	1900	7600	ND<500	---	---	---	---	MCC
MW-4	05/07/02	19.69	6.08	---	13.61	17000	3200	270	820	870	3700	ND<500	---	---	---	---	MCC
MW-4	08/22/02	19.69	7.45	---	12.24	28000	3800	720	920	1500	6500	2100	---	---	---	---	MCC
MW-4	11/08/02	19.69	6.74	---	12.95	20000	3900	290	630	1200	5100	870	---	---	---	---	MCC
MW-4	02/07/03	19.69	4.86	---	14.83	13000	---	520	1300	ND<26	3600	420	---	---	---	---	MCC
QC-1 (c)	02/07/03	---	---	---	---	13000	---	510	1200	80	3100	420	---	---	---	---	MCC
MW-4	05/02/03	19.69	6.45	---	14.24	18000	3800	280	550	810	3600	470	---	---	---	---	MCC
MW-4	08/14/03	19.69	7.20	---	12.49	31000	4100	720	810	1300	6400	1100	---	---	---	---	MCC
MW-4	11/14/03	19.69	6.92	---	12.77	18000	3300	400	320	1000	4500	ND<1000	---	---	---	---	MCC
QC-1 (c)	11/14/03	---	---	---	---	---	---	440	310	1100	4500	ND<1000	---	---	---	---	MCC
MW-4	03/01/04	19.69	5.10	---	14.59	15000	2900	110	210	580	2700	240	---	---	---	---	MCC
QC-1 (c)	03/01/04	---	---	---	---	15000	---	110	220	610	2800	250	---	---	---	---	MCC
MW-4	09/30/04	(e)	19.69	6.70	---	12.99	5800	330	590	1300	5200	ND<300	---	---	---	---	MCC
MW-4	10/25/04	19.69	8.95	---	13.64	19000	3800	150	380	950	3600	ND<300	---	---	---	---	MCC
MW-4	03/24/05	19.69	4.23	---	15.48	6600	1900	62	29	190	660	ND<120	---	---	---	---	MCC
MW-4	06/14/05	19.69	5.58	---	14.11	23000	6600	180	510	1200	4000	ND<500	---	---	---	---	MCC
MW-4	09/12/05	19.69	7.84	---	11.85	24000	4000	1400	840	1400	3900	1400	---	---	---	---	MCC
MW-4	01/04/06	(g)	19.69	4.65	---	15.04	20000	2800	740	350	950	2800	1100	---	---	---	MCC
MW-4	04/04/06	(h)	19.69	4.62	---	15.07	8100	2000	300	64	490	1200	330	---	---	---	MCC
MW-4	08/12/06	19.69	8.07	sheen	13.62	24000	4500	270	390	1300	3800	340	---	---	---	---	MCC
MW-4	09/06/06	(i)	19.69	7.42	sheen	12.27	28880	3100	1700	240	638	2090	1800	---	---	---	MCC
QC-2 (f)	11/04/04	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	MCC
QC-2 (f)	02/24/05	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	MCC
QC-2 (f)	08/25/05	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	MCC
QC-2 (f)	04/06/05	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	MCC
QC-2 (f)	11/16/05	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	MCC
QC-2 (f)	03/20/06	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	MCC
QC-2 (f)	06/13/06	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	MCC

ABBREVIATIONS:

TPH-G Total petroleum hydrocarbons as gasoline using EPA Methods 5030/8015
 TPH-D Total petroleum hydrocarbons as diesel using EPA Methods 3510/8015
 B Benzene using EPA Methods 5030/8020
 T Toluene using EPA Methods 5030/8020
 E Ethylbenzene using EPA Methods 5030/8020
 X Total xylenes using EPA Methods 5030/8020
 MTBE Methyl tert butyl ether using EPA Methods 5030/8020
 SVOCs Semivolatile organic compounds using EPA Method 8270
 DO Dissolved oxygen
 ug/l Micrograms per liter
 ppm Parts per million
 --- Not analyzed/applicable/measurable
 ND Not detected above reported detection limit
 MCC McCampbell Analytical, Inc.
 CHR Chromalab, Inc.

NOTES:

(a) Top of casing surveyed relative to mean sea level.
 (b) Groundwater elevations expressed in feet above mean sea level, and adjusted assuming a specific gravity of 0.75 for free product.
 (c) Blind duplicate.
 (d) Other SVOCs detected at concentrations of 200 ug/l
 2-methylnaphthalene and 14 ug/l phenanthrene.
 (e) Wells monitored 0/15/04.
 (f) Travel blank.
 (g) 4th Quarter 2005 sampling
 (h) 1st Quarter 2006 sampling
 (i) Well recharge was exceeding/ slow; not to be used in preparing contours

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 1 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	09/12/94	17.35	7.11	10.24	NLPH	---	1,600a	---	---	200	1.9	210	6.6
MW1	10/01/94	17.35	7.44	9.91	NLPH	---	1,400a	---	---	200	<0.5	160	6.6
MW1	01/13/95	17.35	5.13	12.22	NLPH	---	2,100a	---	---	410b	17	280b	89
MW1	04/27/95	17.35	6.57	10.78	NLPH	---	4,700	---	---	460	41	340	270
MW1	08/03/95	17.35	7.46	9.89	NLPH	---	1,900	30	---	140	<5.0	160	9.9
MW1	10/17/95	17.35	7.67	9.88	NLPH	---	280	5.5	---	6.2	<0.5	13	0.75
MW1	01/24/96	17.35	6.52	10.83	NLPH	---	740	440	---	21	1.4	38	3.1
MW1	04/24/96	17.35	5.95	11.40	NLPH	---	7,800	250	---	200	110	1,000	740
MW1	07/26/96	17.35	7.60	9.75	NLPH	---	620	23	---	8.0	0.99	26	1.0
MW1	10/30/96	17.35	8.06	9.29	NLPH	---	700	33	---	14	2.9	85	3.5
MW1	01/31/97	17.35	5.12	12.23	NLPH	---	7,800	<200	---	420	33	1,400	480
MW1	04/10/97	17.35	---	---	---	---	---	---	---	---	---	---	---
MW1	07/10/97	17.35	7.54	9.81	NLPH	---	580	12	---	10	<0.5	<0.5	<0.5
MW1	10/08/97	17.35	---	---	---	---	---	---	---	---	---	---	---
MW1	01/28/98	17.35	4.48	12.87	NLPH	---	820	---	<2.5	110	2.8	170	14
MW1	04/14/98	17.35	4.69	12.66	---	---	---	---	---	---	---	---	---
MW1	07/30/98	17.35	6.19	11.16	NLPH	---	2,700	41	---	210	<5.0	550	<5.0
MW1	10/19/98	17.35	6.72	10.63	NLPH	---	---	---	---	---	---	---	---
MW1	01/13/99	17.35	6.52	10.83	NLPH	---	491	9.78	---	8.0	<0.5	<0.5	<0.5
MW1	04/28/99	17.35	5.37	11.98	---	---	---	---	---	---	---	---	---
MW1	07/09/99	17.35	6.39	10.96	NLPH	---	1,030	10.6	---	114	8.07	184	0.644
MW1	10/25/99	17.35	6.68	10.67	NLPH	---	---	---	---	---	---	---	---
MW1	01/21/00	17.35	6.20	11.15	NLPH	---	<50	5.1	---	<1.0	<1.0	<1.0	<1.0
MW1	04/14/00	17.35	5.18	12.17	NLPH	---	---	---	---	---	---	---	---
MW1	06/16/00	17.35	Properly transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW1	07/05/00	17.35	5.93	11.42	NLPH	---	88	200	---	4.3	<0.5	0.61	<0.5
MW1	10/03/00	17.35	6.51	10.84	NLPH	---	<50	240	---	0.72	<0.5	<0.5	<0.5
MW1	01/02/01	17.35	6.17	11.18	NLPH	---	<50	68	---	0.75	<0.5	<0.5	<0.5
MW1	04/02/01	17.35	7.42	9.93	NLPH	---	140	4.3	---	<0.5	<0.5	4.1	1.1
MW1	07/02/01	17.35	6.27	11.08	NLPH	---	74	14	---	<0.5	<0.5	<0.5	<0.5
MW1	10/15/01	17.35	6.64	10.71	NLPH	---	110	83	---	2.6	<0.5	<0.5	<0.5
MW1	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---
MW1	02/04/02	17.29	5.08	12.21	NLPH	52.0	75.0	67.1	---	0.70	<0.50	0.50	<0.50
MW1	05/06/02	17.29	5.48	11.81	NLPH	129	793	702.0	1004.0	8.6	<0.5	0.5	1.1
MW1	08/22/02	17.29	7.14	10.15	NLPH	602	1,150	181	---	120	0.8	9.0	3.6
MW1	11/08/02	17.29	6.19	11.10	NLPH	504	947	182	---	95.6	4.0	3.7	2.7
MW1	02/07/03	17.29	6.00	11.29	NLPH	610	1,190	284	---	89.7	3.8	45.3	13.2
MW1	05/02/03	17.29	5.76	11.53	NLPH	797	1,020	296	---	75.8	9.0	5.7	11.9
MW1	08/14/03	17.29	7.04	10.25	NLPH	531c	822	201	---	33.9	2.8	1.5	1.9
MW1	11/14/03	17.29	6.41	10.88	NLPH	560d	574	276	---	19.8	1.8	2.0	2.2
MW1	03/01/04	17.29	4.63	12.66	NLPH	785d	1,430	---	895	46.2	3.1	14.2	9.2
MW1	06/15/04	17.29	6.05	11.24	NLPH	204d	621	668	---	11.1	<0.5	<0.5	<0.5

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 5 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	01/28/98	17.34	3.70	13.64	NLPH	---	1,700	---	4,900	450	6.8	220	73
MW4	04/14/98	17.34	3.81	13.53	---	---	---	---	---	---	---	---	---
MW4	07/30/98	17.34	5.96	11.38	NLPH	---	2,900	2,800	---	680	<10	220	56
MW4	10/19/98	17.34	6.51	10.83	NLPH	---	---	---	---	---	---	---	---
MW4	01/13/99	17.34	6.24	11.10	NLPH	---	2,140	1,800	---	146	<10	60.9	16.2
MW4	04/28/99	17.34	4.80	12.54	---	---	---	---	---	---	---	---	---
MW4	07/09/99	17.34	6.04	11.30	NLPH	---	1,300	1,310	---	322	<2.5	76.1	<2.5
MW4	10/25/99	17.34	6.51	10.83	NLPH	---	---	---	---	---	---	---	---
MW4	01/21/00	17.34	5.75	11.59	NLPH	---	2,200	1,000	---	410	3.70	40	14.4
MW4	04/14/00	17.34	4.39	12.95	NLPH	---	---	---	---	---	---	---	---
MW4	06/16/00	17.34	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW4	07/05/00	17.34	5.48	11.86	NLPH	---	1,600	260	---	400	3.9	100	84
MW4	10/03/00	17.34	6.22	11.12	NLPH	---	1,600	190	---	280	2	64	34.10
MW4	01/02/01	17.34	5.93	11.41	NLPH	---	840	1,000	---	210	2.5	45	28.10
MW4	04/02/01	17.34	4.89	12.45	NLPH	---	1,900	320	---	340	8.5	110	116
MW4	07/02/01	17.34	5.83	11.51	NLPH	---	100	<2	---	3.9	<0.5	0.65	<0.5
MW4	10/15/01	17.34	6.36	10.98	NLPH	---	930	360	---	140	7	24	10
MW4	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---
MW4	02/04/02	17.29	4.35	12.94	NLPH	774	1,250	46.1	---	124	4.40	46.7	43.5
MW4	05/06/02	17.29	4.95	12.34	NLPH	776	2,040	1,410	2,120	165	5.0	42.0	39.0
MW4	08/22/02	17.29	6.65	10.64	NLPH	445	1,570	1,070	---	73.3	<0.5	9.9	8.8
MW4	11/08/02	17.29	5.60	11.69	NLPH	680	2,340	1,200	---	169	4.3	34.9	23.3
MW4	02/07/03	17.29	4.97	12.32	NLPH	429	2,250	672	---	125	24.9	60.0	109
MW4	05/02/03	17.29	4.92	12.37	NLPH	631	2,450	1,230	---	82.9	2.8	26.4	24.7
MW4	08/14/03	17.29	6.35	10.94	NLPH	444	1,160	286	---	97.0	2.8	14.6	7.4
MW4	11/14/03 e	17.29	---	---	---	---	---	---	---	---	---	---	---
MW4	03/01/04	17.29	3.65	13.64	NLPH	571d	1,860	---	66.7	104	4.4	38.3	25.4
MW4	06/15/04	17.29	5.60	11.69	NLPH	453d	632	35.0	---	63.8	1.6	7.3	5.9
MW4	09/13/04	17.29	6.23	11.06	NLPH	444d	1,120	93.4	---	126	3.9	17.8	9.7
MW4	12/22/04	17.29	5.01	12.28	NLPH	561d,f	1,600	31.2	---	105	3.9	24.8	13.3
MW4	03/24/05	17.29	3.64	13.65	NLPH	756d	2,120	---	255	94.9	4.9	44.6	32.3
MW4	06/14/05	17.29	4.84	12.45	NLPH	992d	1,760	---	20.3	105	5.2	25.2	15.1
MW4	09/12/05	17.29	7.41	9.88	NLPH	351d	922	---	524	48.2	<0.50	1.63	1.70
MW4	12/13/05	17.29	6.18	11.11	NLPH	728d	1,970	---	836h	144	4.63	15.9	8.64
MW4	03/13/06	17.29	4.71	12.58	NLPH	590d	1,400	---	16	84	2.7	22	15
MW4	06/12/06	17.29	5.88	11.41	NLPH	330d,f	840	---	11	83	3.0	9.8	11
MW4	09/08/06	17.29	6.48	10.81	NLPH	320d	1,000	---	65	88	3.4	6.1	3.6
MW5	09/12/94	16.71	7.12	9.59	NLPH	---	10,000a	---	---	2,300	17	320	230
MW5	10/01/94	16.71	7.06	9.65	Sheen	---	11,000a	---	---	2,300	19	220	200
MW5	01/13/95	16.71	4.85	11.86	Sheen	---	---	---	---	---	---	---	---
MW5	04/27/95	16.71	6.51	10.20	NLPH	---	14,000	---	---	2,200	72	540	350
MW5	08/03/95	16.71	7.24	9.47	NLPH	---	<10,000	39,000	---	2,100	<100	210	<100

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 6 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW5	10/17/95	16.71	7.80	8.91	NLPH	---	13,000	38,000	---	1,800	14	240	170
MW5	01/24/96	16.71	6.66	10.05	NLPH	---	10,000	20,000	---	2,400	79	340	190
MW5	04/24/96	16.71	5.80	10.91	NLPH	---	13,000	33,000	---	3,700	120	520	170
MW5	07/26/96	16.71	7.67	9.04	NLPH	---	15,000	140,000	---	3,400	53	280	76
MW5	10/30/96	16.71	7.77	8.94	NLPH	---	10,000	110,000a	---	2,600	76	260	150
MW5	01/31/97	16.71	4.90	11.81	NLPH	---	10,000	---	34,000	2,400	66	430	140
MW5	04/10/97	16.71	---	---	---	---	---	---	---	---	---	---	---
MW5	07/10/97	16.71	7.65	9.06	NLPH	---	9,800	36,000	52,000	1,400	120	190	120
MW5	10/08/97	16.71	---	---	---	---	---	---	---	---	---	---	---
MW5	01/28/98	16.71	3.95	12.76	NLPH	---	6,500	---	15,000	1,500	34	73	57
MW5	04/14/98	16.71	4.30	12.41	---	---	---	---	---	---	---	---	---
MW5	07/30/98	16.71	5.86	10.85	NLPH	---	8,300	4,300	---	1,700	26	110	66
MW5	10/19/98	16.71	6.20	10.51	NLPH	---	---	---	---	---	---	---	---
MW5	01/13/99	16.71	6.37	10.34	NLPH	---	4,780	3,650	---	1,240	11.1	<10	<10
MW5	04/28/99	16.71	5.25	11.46	---	---	---	---	---	---	---	---	---
MW5	07/09/99	16.71	6.08	10.63	NLPH	---	4,360	2,360	---	1,780	18.6	45	<5.0
MW5	10/25/99	16.71	6.46	10.25	NLPH	---	---	---	---	---	---	---	---
MW5	01/21/00	16.71	5.79	10.92	NLPH	---	2,600	3,100	---	720	4.7	25	11.3
MW5	04/14/00	16.71	4.57	12.14	NLPH	---	---	---	---	---	---	---	---
MW5	06/16/00	16.71	Property transferred to Valero Refining Company.										
MW5	07/05/00	16.71	5.37	11.34	NLPH	---	5,100	380	---	1,800	14	52	34
MW5	10/03/00	16.71	5.93	10.78	NLPH	---	5,800	630	---	2,000	8.9	59	21
MW5	01/02/01	16.71	5.68	11.03	NLPH	---	4,800	1,100	---	1,600	9.6	38	15
MW5	04/02/01	16.71	4.87	11.84	NLPH	---	6,800	1,500	---	2,000	40	150	49
MW5	07/02/01	16.71	5.77	10.94	NLPH	---	4,100	960	---	1,600	20	35	21
MW5	10/15/01	16.71	6.15	10.56	NLPH	---	3,900	1,000	---	1,400	8.7	17	15.7
MW5	Nov-01	16.64	Well surveyed in compliance with AB 2886 requirements.										
MW5	02/04/02	16.64	4.69	11.95	NLPH	976	4,380	620	---	1,440	38.0	84.0	50.0
MW5	05/06/02	16.64	5.00	11.64	NLPH	1,360	3,810	764	1,220	1,110	20.0	26.0	26.0
MW5	08/22/02	16.64	6.98	9.66	NLPH	695	3,190	545	---	823	9.0	11.0	31.0
MW5	11/08/02	16.64	5.31	11.33	NLPH	645	3,360	746	---	1,050	9.4	11.1	17.8
MW5	02/07/03	16.64	5.75	10.89	NLPH	689	3,550	400	---	1,100	25.0	65.0	29.0
MW5	05/02/03	16.64	5.34	11.30	NLPH	934	4,070	439	---	818	16.9	31.9	28.6
MW5	08/14/03	16.64	6.37	10.27	NLPH	988d	3,860	286	---	912	15.6	16.2	24.0
MW5	11/14/03	16.64	6.01	10.63	NLPH	1,000d	3,450	198	---	841	15.0	14.8	17.4
MW5	03/01/04	16.64	4.04	12.60	NLPH	711d	3,160	---	52.7	767	21.5	32.5	26.5
MW5	06/15/04	16.64	5.47	11.17	NLPH	600d	4,520	52.0	---	930	14.5	17.5	24.5
MW5	08/13/04	16.64	5.99	10.65	NLPH	686d	3,960	70.0	---	998	12.0	14.0	20.0
MW5	12/22/04	16.64	5.08	11.56	NLPH	1,200d, f	3,110	52.6	---	1,000	58.5	91.9	90.3
MW5	03/24/05	16.64	3.85	12.79	NLPH	1,240d	3,370	---	30.7	962	24.3	80.5	80.0
MW5	06/14/05	16.64	4.92	11.72	NLPH	1,640d	4,210	---	28.1	976	25.0	51.0	64.0
MW5	09/12/05	16.64	7.86	8.78	NLPH	780d	1,130	---	23.4	481	6.44	4.94	10.1

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 7 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW5	12/13/05	16.64	6.22	10.42	NLPH	1,090d	2,210	---	18.7	698	8.07	9.59	8.15	
MW5	03/13/06	16.64	5.52	11.12	NLPH	770d	3,000	---	10	510	17	63	37	
MW5	06/12/06	16.64	6.42	10.22	NLPH	490d,f	2,200	---	6.8	290	14	22	40	
MW5	09/08/06	16.64	6.07	10.57	NLPH	600d	2,300	---	7.9	360	<10	<10	<10	
MW6	09/12/94	17.56	6.88	10.68	NLPH	---	1,500a	---	---	150	4.4	170	85	
MW6	10/01/94	17.56	7.15	10.41	NLPH	---	87a	---	---	120	<0.5	99	38	
MW6	01/13/95	17.56	4.80	12.76	NLPH	---	9,900a	---	---	710	220	780	1,100	
MW6	04/27/95	17.56	6.14	11.42	NLPH	---	3,900	---	---	340	40	460	320	
MW6	08/03/95	17.56	6.83	10.73	NLPH	---	1,100	65	---	89	<2.5	110	63	
MW6	10/17/95	17.56	7.66	9.90	NLPH	---	8,500	<5.0	---	410	74	850	110	
MW6	01/24/96	17.56	5.86	11.70	NLPH	---	31,000	<5.0	---	560	1,500	2,200	7,500	
MW6	04/24/96	17.56	5.39	12.17	NLPH	---	15,000	280	---	480	570	1,400	3,300	
MW6	07/26/96	17.56	6.97	10.59	NLPH	---	27,000	1,300	---	270	660	1,600	5,500	
MW6	10/30/96	17.56	7.45	10.11	NLPH	---	28,000	900	---	490	440	1,800	6,200	
MW6	01/31/97	17.56	4.30	13.26	NLPH	---	7,000	770	---	190	1,000	380	1,400	
MW6	04/10/97	17.56	---	---	---	---	---	---	---	---	---	---	---	
MW6	07/10/97	17.56	7.57	9.99	NLPH	---	6,800	1,100	---	200	<50	300	860	
MW6	10/08/97	17.56	7.48	10.08	NLPH	---	51,000	580	---	870	7,300	2,600	12,000	
MW6	01/28/98	17.56	3.74	13.82	NLPH	---	15,000	---	2,400	650	2,300	900	2,700	
MW6	04/14/98	17.56	3.92	13.64	NLPH	---	25,000	---	2,100	850	3,300	1,200	4,300	
MW6	07/30/98	17.56	6.09	11.47	NLPH	---	5,900	910	---	270	65	500	630	
MW6	10/19/98	17.56	6.56	11.00	NLPH	---	---	---	---	---	---	---	---	
MW6	01/13/99	17.56	6.35	11.21	NLPH	---	3,150	422	---	204	107	297	304	
MW6	04/28/99	17.56	4.89	12.67	NLPH	---	15,300	---	436	1,270	980	1,100	3,320	
MW6	07/09/99	17.56	6.07	11.49	NLPH	---	1,140	439	---	121	9.95	160	4.69	
MW6	10/25/99	17.56	6.11	11.45	NLPH	---	2,200	3,400	---	590	<10	22	12.1	
MW6	01/21/00	17.56	5.86	11.70	NLPH	---	1,300	1,000	---	95	15	94	74	
MW6	04/14/00	17.56	4.29	13.27	NLPH	---	13,000	420	---	440	630	840	3,000	
MW6	06/16/00	17.56	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---	---
MW6	07/05/00	17.56	5.39	12.17	NLPH	---	5,800	830	---	1,000	13	550	798	
MW6	10/03/00	17.56	6.14	11.42	NLPH	---	490	3,800	---	61	<0.5	74	12	
MW6	01/02/01	17.56	---	---	---	---	---	---	---	---	---	---	---	
MW6	04/02/01	17.56	4.70	12.86	NLPH	400	16,000	450	---	370	690	870	3,200	
MW6	07/02/01	17.56	8.73	8.83	NLPH	520	3,700	2,000	---	330	<5	160	32	
MW6	10/15/01	17.56	6.24	11.32	NLPH	1,100d	27,000	790	---	<12	<12	<12	<12	
MW6	Nov-01	17.31	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---	---
MW6	02/04/02	17.31	4.24	13.07	NLPH	168	14,800	545	---	425	120	1,480	4,030	
MW6	05/06/02	17.31	4.83	12.48	NLPH	1,540	8,580	360	522.0	988	24.0	866	1,080	
MW6	08/22/02	17.31	6.49	10.82	NLPH	10,400	4,050	716	---	44.5	11.5	460	270	
MW6	11/08/02	17.31	5.49	11.82	NLPH	822	5,640	1,150	---	49.3	42.7	586	858	
MW6	02/07/03	17.31	4.89	12.42	NLPH	1,590	14,300	572	---	134	393	1,000	3,720	
MW6	05/02/03	17.31	4.68	12.63	NLPH	1,550	8,880	1,560	---	92.0	167	672	1,530	

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 8 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6	08/14/03	17.31	6.15	11.16	NLPH	666d	6,560	3,780	—	28.2	5.3	133	184
MW6	11/14/03	17.31	6.03	11.28	NLPH	338d	5,370	4,520	—	26.4	3.1	44.9	45.0
MW6	03/01/04	17.31	3.60	13.71	NLPH	1,630d	9,020	—	134	223	265	546	1,700
MW6	06/15/04	17.31	5.41	11.90	NLPH	521d	6,920	3,470	—	300	10.0	97.0	173
MW6	09/13/04	17.31	6.06	11.25	NLPH	122d	1,010	733	—	23.0	<5.0	11.0	<5.0
MW6	12/22/04	17.31	4.98	12.33	NLPH	884d,f	4,050	75.4	—	101	169	208	980
MW6	03/24/05	17.31	3.59	13.72	NLPH	1,310d	7,650	—	129	460	46.0	365	1,240
MW6	06/14/05	17.31	4.67	12.64	NLPH	895d	1,940	—	153	195	7.6	26.3	18.3
MW6	09/12/05	17.31	7.12	10.19	NLPH	182d	560	—	286	10.2	<0.50	<0.50	<0.50
MW6	12/13/05	17.31	5.98	11.33	NLPH	212d	397	—	88.1	12.6	2.64	3.31	4.58
MW6	03/13/06	17.31	4.28	13.03	NLPH	850d	4,300	—	110	440	40	130	900
MW6	06/12/06	17.31	5.40	11.91	NLPH	350d,f	1,600	—	<5.0	120	<10	<10	31
MW6	09/08/06	17.31	6.34	10.97	NLPH	66d	290	—	16	4.0	<0.50	<0.50	<0.50
MW7	09/12/94	17.12	6.43	10.69	NLPH	—	6,000a	—	—	490	50	280	70
MW7	10/01/94	17.12	6.71	10.41	NLPH	—	8,900a	—	—	940	670	310	160
MW7	01/13/95	17.12	4.29	12.83	NLPH	—	20,000a	—	—	590	780	970	4,200
MW7	04/27/95	17.12	5.00	12.12	NLPH	—	8,800	—	—	410	32	410	230
MW7	08/03/95	17.12	6.53	10.59	NLPH	—	4,900	17,000	—	390	<50	290	<50
MW7	10/17/95	17.12	7.23	9.89	NLPH	—	6,700	17,000	—	530	26	240	25
MW7	01/24/96	17.12	5.26	11.86	NLPH	—	9,300	60,000	—	2,000	390	350	230
MW7	04/24/96	17.12	5.06	12.06	NLPH	—	9,000	360,000	—	2,400	850	150	130
MW7	07/26/96	17.12	6.62	10.50	NLPH	—	4,800	86,000	—	530	25	60	46
MW7	10/30/96	17.12	7.09	10.03	NLPH	—	3,400	28,000	—	180	9.8	58	38
MW7	01/31/97	17.12	3.65	13.47	NLPH	—	3,800	45,000	—	300	18	48	37
MW7	04/10/97	17.12	—	—	—	—	—	—	—	—	—	—	—
MW7	07/10/97	17.12	7.44	9.68	NLPH	—	3,500	18,000	—	70	<25	<25	<25
MW7	10/08/97	17.12	—	—	—	—	—	—	—	—	—	—	—
MW7	01/28/98	17.12	3.06	14.06	NLPH	—	100	—	250	1.0	<0.5	<0.5	0.67
MW7	04/14/98	17.12	3.10	14.02	—	—	—	—	—	—	—	—	—
MW7	07/30/98	17.12	5.78	11.34	NLPH	—	100	670	—	1.4	<0.5	<0.5	<0.5
MW7	10/19/98	17.12	6.25	10.87	NLPH	—	—	—	—	—	—	—	—
MW7	01/13/99	17.12	5.98	11.14	NLPH	—	273	530	—	<2.5	<2.5	<2.5	<2.5
MW7	04/28/99	17.12	4.32	12.80	—	—	—	—	—	—	—	—	—
MW7	07/09/99	17.12	5.67	11.45	NLPH	—	139	860	—	3.79	7.10	1.19	8.65
MW7	10/25/99	17.12	6.23	10.89	NLPH	—	<50	<1.0	—	<1.0	<1.0	<1.0	<1.0
MW7	01/21/00	17.12	5.41	11.71	NLPH	—	410	500	—	10	2.5	<1.0	2.5
MW7	04/14/00	17.12	3.84	13.28	NLPH	—	—	—	—	—	—	—	—
MW7	06/16/00	17.12	Property transferred to Valero Refining Company.				—	—	—	—	—	—	—
MW7	07/05/00	17.12	5.05	12.07	NLPH	—	140	480	—	<0.5	<0.5	<0.5	0.56
MW7	10/03/00	17.12	5.88	11.24	NLPH	—	370	1,900	—	<0.5	0.62	<0.5	3.20
MW7	01/02/01	17.12	5.52	11.60	NLPH	—	120	1,500	—	2.2	<0.5	<0.5	<0.5
MW7	04/02/01	17.12	4.26	12.86	NLPH	—	120	1,500	—	0.91	<0.5	<0.5	<0.5

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 9 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPH Id (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW7	07/02/01	17.12	5.42	11.70	NLPH	---	110	740	---	4.1	<0.5	0.75	0.84
MW7	10/15/01	17.12	7.50	9.62	NLPH	---	170	740	---	<0.5	<0.5	<0.5	0.69
MW7	Nov-01	17.06	Well surveyed in compliance with AB 2886 requirements.										
MW7	02/04/02	17.06	3.81	13.25	NLPH	88.0	928	610	---	<0.50	<0.50	<0.50	<0.50
MW7	05/06/02	17.06	4.51	12.55	NLPH	72	591	565	712.0	2.4	<0.5	2.5	4.1
MW7	08/22/02	17.06	6.25	10.81	NLPH	<50	586	482	---	2.5	<2.5	<2.5	3.0
MW7	11/08/02	17.06	5.03	12.03	NLPH	<50	463	319	---	1.7	<0.5	<0.5	0.6
MW7	02/07/03	17.06	4.57	12.49	NLPH	<50	344	440	---	0.9	0.9	0.8	3.5
MW7	05/02/03	17.06	4.39	12.67	NLPH	<50	323	307	---	0.80	<0.5	<0.5	<0.5
MW7	08/14/03	17.06	5.96	11.10	NLPH	<50	197	45.5	---	2.00	<0.5	<0.5	1.0
MW7	11/14/03	17.06	6.04	11.02	NLPH	<50	146	48.0	---	1.50	<0.5	0.6	1.7
MW7	03/01/04	17.06	2.91	14.15	NLPH	138d	<50.0	---	8.10	<0.50	<0.5	<0.5	<0.5
MW7	06/10/04	17.06	5.18	11.88	NLPH	293d	9,830	26.0	---	501	2,280	205	1,920
MW7	09/13/04	17.06	5.85	11.21	NLPH	292d	1,350	82.5	---	64.5	<2.5	6.5	225
MW7	12/22/04	17.06	4.51	12.55	NLPH	173d,f	<50.0	12.2	---	0.50	<0.5	0.8	<0.5
MW7	03/24/05	17.06	2.92	14.14	NLPH	124d	<50.0	---	2.10	<0.50	<0.5	<0.5	<0.5
MW7	06/14/05	17.06	4.31	12.75	NLPH	89d	<50.0	---	4.50	<0.50	<0.5	<0.5	<0.5
MW7	09/12/05	17.06	6.92	10.14	NLPH	68.0d	<50.0	---	10.8	<0.50	<0.50	<0.50	<0.50
MW7	12/13/05	17.06	5.71	11.35	NLPH	249d	<50.0	---	5.93	<0.50	<0.50	<0.50	<0.50
MW7	03/13/06	17.06	3.66	13.40	NLPH	<47	<50	---	3.0	<0.50	<0.50	<0.50	<0.50
MW7	06/12/06	17.06	5.22	11.84	NLPH	<47	<50	---	2.3	<0.50	<0.50	<0.50	<0.50
MW7	09/08/06	17.06	6.27	10.79	NLPH	<47	<50	---	6.1	<0.50	<0.50	<0.50	<0.50
MW8	09/12/94	16.33	6.42	9.91	NLPH	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	10/01/94	16.33	6.62	9.71	NLPH	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	01/13/95	16.33	5.25	11.08	NLPH	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	04/27/95	16.33	6.00	10.33	NLPH	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW8	08/03/95	16.33	6.28	10.05	NLPH	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	10/17/95	16.33	6.93	9.40	NLPH	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/24/96	16.33	5.71	10.62	NLPH	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/24/96	16.33	5.52	10.81	NLPH	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	07/26/96	16.33	6.27	10.06	NLPH	---	<50	230	---	<0.5	<0.5	<0.5	<0.5
MW8	10/30/96	16.33	6.69	9.64	NLPH	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/31/97	16.33	5.18	11.15	NLPH	---	---	---	---	---	---	---	---
MW8	04/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	07/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	10/08/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	01/28/98	16.33	5.11	11.22	NLPH	---	---	---	---	---	---	---	---
MW8	04/14/98	16.33	5.02	11.31	NLPH	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	07/30/98	16.33	5.84	10.49	NLPH	---	<50	6.6	---	<0.5	<0.5	<0.5	<0.5
MW8	10/19/98	16.33	6.07	10.28	NLPH	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	01/13/99	16.33	5.59	10.74	NLPH	---	<50	<2.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/28/99	16.33	5.38	10.95	NLPH	---	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 11 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	P (µg/L)	X (µg/L)
MW9	04/10/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	07/10/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	10/08/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	01/28/98	15.62	5.66	9.96	NLPH	---	---	---	---	---	---	---	---
MW9	04/14/98	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	07/30/98	15.62	6.17	9.45	NLPH	---	---	---	---	---	---	---	---
MW9	10/19/98	15.62	6.40	9.22	NLPH	---	---	---	---	---	---	---	---
MW9	01/13/99	15.62	6.28	9.34	NLPH	---	---	---	---	---	---	---	---
MW9	04/28/99	15.62	5.87	9.75	NLPH	---	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW9	07/09/99	15.62	6.24	9.38	NLPH	---	<50	<2.0	---	<0.5	<0.5	<0.5	<0.5
MW9	10/25/99	15.62	6.67	8.95	NLPH	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW9	01/21/00	15.62	6.93	8.69	NLPH	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW9	04/14/00	15.62	6.05	9.57	Turbid	---	<50	<1	---	<1	<1	<1	<1
MW9	06/16/00	15.62	Property transferred to Valero Refining Company.										
MW9	07/05/00	15.62	6.34	9.28	NLPH	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	10/03/00	15.62	6.52	9.10	NLPH	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	01/02/01	15.62	6.53	9.09	NLPH	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	04/02/01	15.62	6.21	9.41	NLPH	---	<50	<2	---	<0.5	<0.5	0.57	0.73
MW9	07/02/01	15.62	6.40	9.22	NLPH	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	10/15/01	15.62	6.65	8.97	NLPH	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	Nov-01	15.56	Well surveyed in compliance with AB 2886 requirements.										
MW9	02/04/02	15.56	4.77	10.79	NLPH	<50.0	<50.0	0.50	---	<0.50	<0.50	<0.50	<0.50
MW9	05/08/02	15.56	6.29	9.27	NLPH	<50	<50.0	<0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW9	08/22/02	15.56	6.70	8.86	NLPH	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW9	11/08/02	15.56	6.55	9.01	NLPH	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW9	02/07/03	15.56	6.35	9.21	NLPH	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW9	05/02/03	15.56	6.16	9.40	NLPH	91	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW9	08/14/03	15.56	6.54	9.02	NLPH	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW9	11/14/03	15.56	6.60	8.96	NLPH	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW9	03/01/04	15.56	5.89	9.67	NLPH	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/15/04	15.56	6.43	9.13	NLPH	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW9	09/13/04	15.56	6.58	8.98	NLPH	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW9	12/22/04	15.56	6.28	9.28	NLPH	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW9	03/24/05	15.56	5.61	9.95	NLPH	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/14/05	15.56	6.06	9.50	NLPH	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	09/12/05	15.56	6.65	8.91	NLPH	<50.0	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	12/13/05	15.56	6.32	9.24	NLPH	<50.0	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	03/13/06	15.56	5.90	9.66	NLPH	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	06/12/06	15.56	5.96	9.60	NLPH	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	09/08/06	15.56	6.43	9.13	NLPH	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW10	09/12/94	16.79	7.04	9.75	NLPH	---	71a	---	---	<0.5	<0.5	1.6	<0.5
MW10	10/01/94	16.79	7.30	9.49	NLPH	---	330a	---	---	1.1	<0.5	2.8	0.73

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 12 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW10	01/13/95	16.79	6.04	10.75	NLPH	---	90a	---	---	<0.5	<0.5	<0.5	<0.5
MW10	04/27/95	16.79	6.66	10.13	NLPH	---	140	---	---	<0.5	<0.5	5.4	1.3
MW10	08/03/95	16.79	7.23	9.66	NLPH	---	150	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW10	10/17/95	16.79	7.93	8.66	NLPH	---	<50	95	---	<0.5	<0.5	<0.5	<0.5
MW10	01/24/96	16.79	6.43	10.36	NLPH	---	760	24	---	1.6	0.52	62	28
MW10	04/24/96	16.79	6.42	10.37	NLPH	---	110	6.8	---	<0.5	<0.5	7.1	<0.5
MW10	07/26/96	16.79	7.47	9.32	NLPH	---	140	<5.0	---	<0.5	<0.5	12	0.86
MW10	10/30/96	16.79	7.88	8.91	NLPH	---	<50	5.6	---	<0.5	<0.5	<0.5	<0.5
MW10	01/31/97	16.79	5.88	10.91	NLPH	---	<50	10	---	<0.5	<0.5	<0.5	<0.5
MW10	04/10/97	16.79	---	---	---	---	---	---	---	---	---	---	---
MW10	07/10/97	16.79	7.32	9.47	NLPH	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW10	10/08/97	16.79	---	---	---	---	---	---	---	---	---	---	---
MW10	12/12/97	Well destroyed.											
MW11	10/17/95	18.04	7.72	10.32	NLPH	---	34,000	890	---	3,800	150	950	4,500
MW11	01/24/96	18.04	5.97	12.07	NLPH	---	44,000	<500	---	3,800	1,200	2,100	9,800
MW11	04/24/96	18.04	5.84	12.20	NLPH	---	34,000	720	---	2,900	1,400	1,700	8,300
MW11	07/25/96	18.04	6.98	11.06	NLPH	---	39,000	800	---	4,600	4,200	950	9,500
MW11	10/30/96	18.04	7.54	10.50	NLPH	---	53,000	990	---	4,200	3,600	2,100	9,600
MW11	01/31/97	18.04	5.00	13.04	NLPH	---	23,000	---	310	170	2,500	940	4,300
MW11	04/10/97	18.04	---	---	NLPH	---	29,000	200	---	1,200	440	970	6,400
MW11	07/10/97	18.04	7.30	10.74	NLPH	---	42,000	690	---	1,700	870	1,900	12,000
MW11	10/08/97	18.04	7.62	10.42	NLPH	---	42,000	1,100	---	1,700	2,500	1,400	9,900
MW11	01/28/98	18.04	4.77	13.27	NLPH	---	35,000	---	6,800	2,400	3,500	1,700	7,900
MW11	04/14/98	18.04	4.68	13.36	NLPH	---	15,000	---	1,200	1,700	250	500	2,000
MW11	07/30/98	18.04	6.33	11.71	NLPH	---	24,000	1,700	---	1,600	560	1,000	4,300
MW11	10/19/98	18.04	6.85	11.39	NLPH	---	29,000	1,700	---	1,200	2,500	920	4,800
MW11	01/13/99	18.04	6.42	11.62	NLPH	---	50,900	1,920	---	2,210	6,440	2,030	10,600
MW11	04/28/99	18.04	5.30	12.74	NLPH	---	59,400	---	2,390	3,790	4,280	1,790	2,970
MW11	07/09/99	18.04	6.22	11.82	NLPH	---	51,500	4,630	---	5,890	5,340	2,370	12,700
MW11	10/25/99	18.04	6.77	11.27	NLPH	---	51,000	1,700	---	3,900	5,800	2,300	12,300
MW11	01/21/00	18.04	6.47	11.57	NLPH	---	56,000	1,100	---	2,300	4,600	2,100	11,600
MW11	04/14/00	18.04	5.09	12.95	NLPH	---	42,000	2,100	---	3,000	2,600	1,600	8,000
MW11	06/16/00	18.04	Property transferred to Valero Refining Company.										
MW11	07/05/00	18.04	5.93	12.11	NLPH	---	32,000	3,900	---	3,000	2,700	1,300	6,200
MW11	10/03/00	18.04	6.57	11.47	NLPH	---	46,000	4,300	---	2,900	3,600	1,600	7,900
MW11	01/02/01	18.04	6.46	11.58	NLPH	1,600c	44,000	4,200	---	3,900	3,600	1,300	6,500
MW11	04/02/01	18.04	5.44	12.60	NLPH	2,000	39,000	3,100	---	2,800	3,600	1,500	7,500
MW11	07/02/01	18.04	9.10	8.94	NLPH	2,300	45,000	3,000	---	2,000	2,000	1,400	7,200
MW11	10/15/01	18.04	8.10	9.94	NLPH	1,400d	55,000	2,600	---	5,100	5,700	1,900	9,100
MW11	Nov-01	17.98	Well surveyed in compliance with AB 2886 requirements.										
MW11	02/04/02	17.98	5.14	12.84	NLPH	2,430	37,800	1,910	---	3,340	3,550	1,450	6,480

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 13 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW11	05/06/02	17.98	5.51	12.47	NLPH	3,000	27,200	1,350	1,984	1,420	1,580	1,110	4,960
MW11	08/22/02	17.98	6.63	11.35	NLPH	5,660	28,100	2,240	---	2,020	1,520	1,120	5,360
MW11	11/08/02	17.98	5.34	12.64	NLPH	3,680	26,000	246	---	1,170	2,130	1,020	5,390
MW11	02/07/03	17.98	5.42	12.56	NLPH	4,360	50,000	1,400	---	3,660	4,500	1,920	8,600
MW11	05/02/03	17.98	5.17	12.81	NLPH	2,330	41,200	1,080	---	1,980	1,860	1,450	7,100
MW11	08/14/03	17.98	6.42	11.56	NLPH	5,480d	46,700	1,140	---	3,360	2,150	1,870	7,640
MW11	11/14/03	17.98	6.39	11.59	NLPH	3,530d	45,800	240	---	2,070	3,300	2,010	8,680
MW11	03/01/04	17.98	4.58	13.40	NLPH	2,030d	5,540	---	61.7	246	350	205	904
MW11	06/15/04	17.98	5.83	12.15	NLPH	2,090d	48,100	580	---	2,040	2,160	2,430	10,100
MW11	09/13/04	17.98	6.41	11.57	NLPH	3,220d	40,300	250	---	2,210	1,290	1,930	8,350
MW11	12/22/04	17.98	5.49	12.49	NLPH	1,770d,f	20,800	105	---	1,060	1,540	750	3,220
MW11	03/24/05	17.98	4.22	13.76	NLPH	643d	4,030	---	800	64.0	52.1	114	532
MW11	06/14/05	17.98	5.42	12.56	NLPH	3,830d	36,900	---	351	1,330	2,760	1,520	6,870
MW11	09/12/05	17.98	7.18	10.80	NLPH	4,020d	16,600	---	245	1,050	795	1,090	4,190
MW11	12/13/05	17.98	6.52	11.46	NLPH	2,670d	28,700	---	97.0	942	527	1,320	6,070
MW11	03/13/06	17.98	4.95	13.03	NLPH	1,100d	5,000	---	<0.50	17	<10	130	730
MW11	06/12/06	17.98	5.77	12.21	NLPH	1,300d,f	28,000	---	21	920	1,500	1,400	5,100
MW11	09/08/06	17.98	6.70	11.28	NLPH	2,300d	21,000	---	25	990	790	1,000	3,700
MW12	10/17/95	16.30	6.38	9.92	NLPH	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/24/96	16.30	4.86	11.44	NLPH	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/24/96	16.30	4.46	11.84	NLPH	---	<50	<5.0	---	<0.5	0.68	<0.5	0.72
MW12	07/26/96	16.30	5.90	10.40	NLPH	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	10/30/96	16.30	6.56	9.74	NLPH	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/31/97	16.30	4.57	11.73	NLPH	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	07/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	10/08/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	01/28/98	16.30	3.90	12.40	NLPH	---	---	---	---	---	---	---	---
MW12	04/14/98	16.30	3.67	12.83	NLPH	---	---	---	---	---	---	---	---
MW12	07/30/98	16.30	5.00	11.30	NLPH	---	---	---	---	---	---	---	---
MW12	10/19/98	16.30	---	---	NLPH	---	---	---	---	---	---	---	---
MW12	01/13/99	16.30	5.19	11.11	NLPH	---	---	---	---	---	---	---	---
MW12	04/28/99	16.30	4.53	11.77	---	---	---	---	---	---	---	---	---
MW12	07/09/99 - 04/14/00		Not monitored or sampled.										
MW12	06/16/00	16.30	Property transferred to Valero Refining Company.										
MW12	07/05/00 - 04/02/01		Not monitored or sampled.										
MW12	07/02/01	16.30	8.34	7.96	NLPH	---	---	---	---	---	---	---	---
MW12	10/15/01	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	Nov-01	16.15	Well surveyed in compliance with AB 2886 requirements.										
MW12	02/04/02 - Present		Not monitored or sampled.										

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0104
1725 Park Street
Alameda, California
(Page 18 of 18)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW5	08/14/03	16.67	6.28	10.39	NLPH	---	---	---	---	---	---	---	---
EW5	11/14/03	16.67	6.19	10.48	NLPH	---	---	---	---	---	---	---	---
EW5	03/01/04	16.67	4.02	12.65	NLPH	---	---	---	---	---	---	---	---
EW5	06/15/04	16.67	4.97	11.70	NLPH	---	---	---	---	---	---	---	---
EW5	09/13/04	16.67	5.47	11.20	NLPH	---	---	---	---	---	---	---	---
EW5	12/22/04	16.67	4.71	11.96	NLPH	---	---	---	---	---	---	---	---
EW5	03/24/05	16.67	3.15	13.52	NLPH	---	---	---	---	---	---	---	---
EW5	06/14/05	16.67	4.28	12.39	NLPH	---	---	---	---	---	---	---	---
EW5	09/12/05	16.67	7.46	9.21	NLPH	---	---	---	---	---	---	---	---
EW5	12/13/05	16.67	5.47	11.20	NLPH	---	---	---	---	---	---	---	---
EW5	03/13/06	16.67	3.71	12.96	NLPH	---	---	---	---	---	---	---	---
EW5	06/12/06	16.67	4.36	12.31	NLPH	---	---	---	---	---	---	---	---
EW5	09/08/06	16.67	5.70	10.97	NLPH	---	---	---	---	---	---	---	---

- Notes: Data prior to Second Quarter 2000 provided by Delta Environmental Consultants, Inc.
- SUBJ = Results of subjective evaluation, liquid-phase hydrocarbon thickness in feet.
 - NLPH = No liquid-phase hydrocarbons.
 - SPL = Separate-phase liquids present.
 - TOC = Top of well casing elevation; datum is mean sea level.
 - DTW = Depth to water.
 - GW Elev. = Groundwater elevation; datum is mean sea level.
 - TPHg = Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified).
 - TPHd = Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
 - MTBE 8021B = Methyl tertiary butyl ether analyzed using EPA Method 8021B.
 - MTBE 8260B = Methyl tertiary butyl ether analyzed using EPA Method 8260B.
 - BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
 - EDB = 1,2-Dibromoethane analyzed using EPA Method 8260B.
 - 1,2-DCA = 1,2-Dichloroethane analyzed using EPA Method 8260B.
 - TAME = Tertiary amyl methyl ether analyzed using EPA Method 8260B.
 - TBA = Tertiary butyl alcohol analyzed using EPA Method 8260B.
 - ETBE = Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
 - DIPE = Di-isopropyl ether analyzed using EPA Method 8260B.
 - µg/L = Micrograms per liter.
 - = Not measured/Not sampled/Not analyzed.
 - < = Less than the stated laboratory method reporting limit.
 - a = Total volatile hydrocarbons by DHS /LUFT Manual Method.
 - b = Results obtained from a 1:10 dilution analyzed on January 17, 1995.
 - c = Diesel-range hydrocarbons reportedly detected in bailer blank; result is suspect.
 - d = TPHd was detected in the sample; however, the detections do not resemble the typical diesel pattern.
 - e = Well inaccessible.
 - f = Analyte detected in laboratory method blank; result is suspect.
 - g = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
 - h = Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
 - i = Elevated result due to single analyte peak(s) in the quantitation range.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0104
1725 Park Street
Alameda, California
(Page 1 of 6)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW1	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW1	06/16/00	Property transferred to Valero Refining Company.						
MW1	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW1	05/06/02	<0.50	<0.50	297	<0.50	<0.50	<0.50	--
MW1	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW1	03/01/04	<0.50	<0.50	42.3	<0.50	<0.50	<0.50	--
MW1	06/15/04	--	--	--	--	--	--	<100
MW1	09/13/04	--	--	--	--	--	--	--
MW1	12/22/04	--	--	--	--	--	--	--
MW1	03/24/05	<0.50	<0.50	3,020	<0.50	<0.50	<0.50	<50.0
MW1	06/14/05	<0.50	<0.50	6,590	<0.50	<0.50	<0.50	<50.0
MW1	09/12/05	<0.500	<0.500	10,900	<0.500	<0.500	<0.500	<50.0
MW1	12/13/05	<0.500	<0.500	6,590h	<0.500	<0.500	<0.500	<50.0
MW1	03/13/06	<50	<50	15,000	<50	<50	<50	--
MW1	06/12/06	<50	<50	26,000	<50	<50	<50	--
MW1	09/08/06	<25	<25	22,000	<25	<25	<25	--
MW2	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW2	06/16/00	Property transferred to Valero Refining Company.						
MW2	07/05/00 - 10/15/01	Not analyzed for these analytes.						
MW2	02/04/02	89	--	--	--	--	--	--
MW2	05/06/02	252	<0.50	44.8	<0.50	<0.50	<0.50	--
MW2	08/22/02	178	--	--	--	--	--	--
MW2	11/08/02	83	--	--	--	--	--	--
MW2	02/07/03	<50	--	--	--	--	--	--
MW2	05/02/03	56	--	--	--	--	--	--
MW2	08/14/03	62	--	--	--	--	--	--
MW2	11/14/03	132	--	--	--	--	--	--
MW2	03/01/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
MW2	06/15/04	--	--	--	--	--	--	<100
MW2	09/13/04	--	--	--	--	--	--	--
MW2	12/22/04	--	--	--	--	--	--	--
MW2	03/24/05	<0.50	<0.50	37	<0.50	<0.50	<0.50	<50.0
MW2	06/14/05	<0.50	<0.50	41.1	1.90	<0.50	<0.50	<50.0
MW2	09/12/05	<0.500	<0.500	181	<0.500	<0.500	<0.500	<50.0
MW2	12/13/05	<0.500	<0.500	159	<0.500	<0.500	0.680	<50.0
MW2	03/13/06	<0.50	<0.50	28	<0.50	<0.50	<0.50	<100
MW2	06/12/06	<0.50	<0.50	40	<0.50	<0.50	<0.50	<100
MW2	09/08/06	<0.50	<0.50	440	<0.50	<0.50	<0.50	<100
MW3	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW3	06/16/00	Property transferred to Valero Refining Company.						

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0104
1725 Park Street
Alameda, California
(Page 2 of 8)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	1,2-DCA (µg/L)	EOB (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW3	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW3	05/06/02	<0.50	<0.50	194.0	<0.50	<0.50	<0.50	--
MW3	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW3	03/01/04	<0.50	<0.50	3550.0	<0.50	<0.50	<0.50	--
MW3	06/15/04	--	--	--	--	--	--	<100
MW3	09/13/04	--	--	--	--	--	--	--
MW3	12/22/04	--	--	--	--	--	--	--
MW3	03/24/05	<0.50	<0.50	12,600	<0.50	<0.50	<0.50	<50.0
MW3	06/14/05	<0.50	<0.50	10,500	<0.50	<0.50	<0.50	<50.0
MW3	09/12/05	<0.500	<0.500	16,100	10.4	<0.500	<0.500	<50.0
MW3	12/13/05	<0.500	<0.500	3530h	5.04	<0.500	<0.500	<50.0
MW3	03/13/06	<0.50	<0.50	12,000h	<0.50	<0.50	<0.50	<100
MW3	06/12/06	<5.0	<5.0	8,000	<5.0	<5.0	<5.0	<1,000
MW3	09/08/06	<2.5	<2.5	6,700	<2.5	<2.5	<2.5	<500
MW4	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW4	06/16/00	Property transferred to Valero Refining Company.						
MW4	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW4	05/06/02	0.8	<0.50	499.0	<0.50	<0.50	<0.50	--
MW4	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW4	03/01/04	<0.50	<0.50	1,780	<0.50	<0.50	<0.50	--
MW4	06/15/04	--	--	--	--	--	--	<100
MW4	09/13/04	--	--	--	--	--	--	--
MW4	12/22/04	--	--	--	--	--	--	--
MW4	03/24/05	<0.50	<0.50	8,860	<0.50	<0.50	<0.50	<50.0
MW4	06/14/05	<0.50	<0.50	5,890	2.20	<0.50	<0.50	<50.0
MW4	09/12/05	<0.500	<0.500	7,230	<0.500	<0.500	<0.500	<50.0
MW4	12/13/05	<0.500	<0.500	3,750g	3.49	<0.500	<0.500	<50.0
MW4	03/13/06	<0.50	<0.50	2,000	<0.50	<0.50	<0.50	<100
MW4	06/12/06	<0.50	<0.50	740	<0.50	<0.50	<0.50	<100
MW4	09/08/06	<0.50	<0.50	2,800	<0.50	<0.50	<0.50	<100
MW5	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW5	06/16/00	Property transferred to Valero Refining Company.						
MW5	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW5	05/06/02	<0.50	<0.50	306	<0.50	<0.50	3	--
MW5	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW5	03/01/04	<0.50	<0.50	528	<0.50	<0.50	1	--
MW5	06/15/04	--	--	--	--	--	--	<100
MW5	09/13/04	--	--	--	--	--	--	--
MW5	12/22/04	--	--	--	--	--	--	--
MW5	03/24/05	<0.50	<0.50	1,560	<0.50	<0.50	1.30	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 3 of 6)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW5	06/14/05	<0.50	<0.50	908	<0.50	<0.50	1.70	<50.0
MW5	09/12/05	<0.500	<0.500	1,130	13.6	<0.500	<0.500	<50.0
MW5	12/13/05	<0.500	<0.500	878	16.5	<0.500	1.01	<50.0
MW5	03/13/06	<0.50	<0.50	1,800h	<0.50	<0.50	<0.50	<100
MW5	06/12/06	<2.5	<2.5	800	<2.5	<2.5	<2.5	<500
MW5	09/08/06	<2.5	<2.5	79	<2.5	<2.5	<2.5	<500
MW6	09/12/94 - 04/14/00 Not analyzed for these analytes.							
MW6	06/16/00 - Property transferred to Valero Refining Company.							
MW6	07/05/00 - 02/04/02 Not analyzed for these analytes.							
MW6	05/06/02	<0.50	<0.50	32	<0.50	<0.50	<0.50	--
MW6	08/22/02 - 11/14/03 Not analyzed for these analytes.							
MW6	03/01/04	<0.50	<0.50	2,000	<0.50	<0.50	<0.50	--
MW6	06/15/04	--	--	--	--	--	--	<100
MW6	09/13/04	--	--	--	--	--	--	--
MW6	12/22/04	--	--	--	--	--	--	--
MW6	03/24/05	<0.50	<0.50	14,700	<0.50	<0.50	<0.50	<50.0
MW6	06/14/05	<0.50	<0.50	22,800	<0.50	<0.50	<0.50	<50.0
MW6	09/12/05	<0.500	<0.500	15,400	<0.500	<0.500	<0.500	<50.0
MW6	12/13/05	<0.500	<0.500	5,640g	<0.500	<0.500	<0.500	<50.0
MW6	03/13/06	<5.0	<5.0	11,000	<5.0	<5.0	<5.0	<1,000
MW6	06/12/06	<5.0	<5.0	7,700	<5.0	<5.0	<5.0	<1,000
MW6	09/08/06	<5.0	<5.0	6,000	<5.0	<5.0	<5.0	<1,000
MW7	09/12/94 - 04/14/00 Not analyzed for these analytes.							
MW7	06/16/00 - Property transferred to Valero Refining Company.							
MW7	07/05/00 - 02/04/02 Not analyzed for these analytes.							
MW7	05/06/02	<0.50	<0.50	144	<0.50	<0.50	<0.50	--
MW7	08/22/02 - 11/14/03 Not analyzed for these analytes.							
MW7	03/01/04	<0.50	<0.50	295	<0.50	<0.50	<0.50	--
MW7	06/15/04	--	--	--	--	--	--	<100
MW7	09/13/04	--	--	--	--	--	--	--
MW7	12/22/04	--	--	--	--	--	--	--
MW7	03/24/05	<0.50	<0.50	163	<0.50	<0.50	<0.50	<50.0
MW7	06/14/05	<0.50	<0.50	878	<0.50	<0.50	<0.50	<50.0
MW7	09/12/05	<0.500	<0.500	6,910	<0.500	<0.500	<0.500	<50.0
MW7	12/13/05	<0.500	<0.500	683	<0.500	<0.500	<0.500	<50.0
MW7	03/13/06	<0.50	<0.50	120	<0.50	<0.50	<0.50	<100
MW7	06/12/06	<0.50	<0.50	31	<0.50	<0.50	<0.50	<100
MW7	09/08/06	<0.50	<0.50	550	<0.50	<0.50	<0.50	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-0104
 1725 Park Street
 Alameda, California
 (Page 4 of 6)



Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW8	09/12/94 - 01/13/99	Not analyzed for these analytes.						
MW8	04/28/99	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
MW8	07/09/99 - 04/14/00	Not analyzed for these analytes.						
MW8	06/16/00	Property transferred to Valero Refining Company.						
MW8	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW8	05/06/02	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
MW8	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW8	03/01/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
MW8	06/15/04	--	--	--	--	--	--	<100
MW8	09/13/04	--	--	--	--	--	--	--
MW8	12/22/04	--	--	--	--	--	--	--
MW8	03/24/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW8	06/14/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW8	09/12/05	<0.500	<0.500	46.2	<0.500	<0.500	<0.500	<50.0
MW8	12/13/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW8	03/13/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	--
MW8	06/12/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	--
MW8	09/08/06	<0.50	<0.50	6.9	<0.50	<0.50	<0.50	--
MW9	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW9	06/16/00	Property transferred to Valero Refining Company.						
MW9	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW9	05/06/02	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
MW9	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW9	03/01/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
MW9	06/15/04	--	--	--	--	--	--	<100
MW9	09/13/04	--	--	--	--	--	--	--
MW9	12/22/04	--	--	--	--	--	--	--
MW9	03/24/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW9	06/14/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW9	09/12/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW9	12/13/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW9	03/13/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	--
MW9	06/12/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	--
MW9	09/08/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	--
MW10	09/12/94 - 10/08/97	Not analyzed for these analytes.						
MW10	12/12/97	Well destroyed.						
MW11	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW11	06/16/00	Property transferred to Valero Refining Company.						
MW11	07/05/00 - 02/04/02	Not analyzed for these analytes.						

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-D104
1725 Park Street
Alameda, California
(Page 5 of 6)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW11	05/06/02	1.00	<0.50	311	<0.50	<0.50	<0.50	--
MW11	08/22/02 - 11/14/03 Not analyzed for these analytes.							
MW11	03/01/04	<0.50	<0.50	21	<0.50	<0.50	<0.50	--
MW11	06/15/04	--	--	--	--	--	--	<100
MW11	09/13/04	--	--	--	--	--	--	--
MW11	12/22/04	--	--	--	--	--	--	--
MW11	03/24/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW11	06/14/05	<0.50	<0.50	49.0	<0.50	<0.50	<0.50	<50.0
MW11	09/12/05	<0.500	<0.500	24.2	<0.500	<0.500	<0.500	<50.0
MW11	12/13/05	<0.500	<0.500	70.8	<0.500	<0.500	<0.500	<50.0
MW11	03/13/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	--
MW11	06/12/06	<0.50	<0.50	56	<0.50	<0.50	<0.50	--
MW11	09/08/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	--
MW12	10/17/95 - 04/14/00 Not analyzed for these analytes.							
MW12	06/16/00 - Property transferred to Valero Refining Company.							
MW12	07/05/00 - Present Not analyzed for these analytes.							
EW1	09/12/94 - 04/14/00 Not analyzed for these analytes.							
EW1	06/16/00 - Property transferred to Valero Refining Company.							
EW1	07/05/00 - Present Not analyzed for these analytes.							
EW2	09/12/94 - 04/14/00 Not analyzed for these analytes.							
EW2	06/16/00 - Property transferred to Valero Refining Company.							
EW2	07/05/00 - Present Not analyzed for these analytes.							
EW3	09/12/94 - 04/14/00 Not analyzed for these analytes.							
EW3	06/16/00 - Property transferred to Valero Refining Company.							
EW3	07/05/00 - Present Not analyzed for these analytes.							
EW4	09/12/94 - 04/14/00 Not analyzed for these analytes.							
EW4	06/16/00 - Property transferred to Valero Refining Company.							
EW4	07/05/00 - Present Not analyzed for these analytes.							
EW5	09/12/94 - 04/14/00 Not analyzed for these analytes.							
EW5	06/16/00 - Property transferred to Valero Refining Company.							
EW5	07/05/00 - Present Not analyzed for these analytes.							

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0104
1725 Park Street
Alameda, California
(Page 6 of 6)

Notes:	=	Data prior to Second Quarter 2000 provided by Delta Environmental Consultants, Inc.
SUBJ	=	Results of subjective evaluation, liquid-phase hydrocarbon thickness in feet.
NLPH	=	No liquid-phase hydrocarbons.
SPL	=	Separate-phase liquids present.
TOC	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified).
TPHd	=	Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	=	1,2-Dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-Dichloroethane analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
---	=	Not measured/Not sampled/Not analyzed.
<	=	Less than the stated laboratory method reporting limit.
a	=	Total volatile hydrocarbons by DHS /LUFT Manual Method.
b	=	Results obtained from a 1:10 dilution analyzed on January 17, 1995.
c	=	Diesel-range hydrocarbons reportedly detected in bailer blank; result is suspect.
d	=	TPHd was detected in the sample; however, the detections do not resemble the typical diesel pattern.
e	=	Well inaccessible.
f	=	Analyte detected in laboratory method blank; result is suspect.
g	=	Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
h	=	Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
i	=	Elevated result due to single analyte peak(s) in the quantitation range.



- LEGEND**
- ◆ GROUNDWATER MONITORING WELL
 - ⊗ DESTROYED WELL
 - PROPERTY LINE
 - (12.76) GROUNDWATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL
 - 10.00 GROUNDWATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL (CONTOUR INTERVAL-0.50 FOOT)
 - ←0.004→ CALCULATED GROUNDWATER GRADIENT DIRECTION AND MAGNITUDE IN FOOT PER FOOT
 - * NOT MONITORED
 - ** GROUNDWATER ELEVATION NOT USED IN PREPARING CONTOURS

FIGURE 2
POTENTIOMETRIC GROUNDWATER ELEVATION CONTOUR MAP
 SEPTEMBER 8, 2006
 XTRA OIL COMPANY SERVICE STATION
 1701 PARK STREET
 ALAMEDA, CALIFORNIA
 PROJECT NO. 10-210



APPENDIX A

WATER SAMPLING FIELD SURVEY FORMS

ALISTO

Field Report / Sampling Data Sheet

ENGINEERING GROUP

2737 N. Main Street, Suite 100

Walnut Creek, CA 94597

(925) 279-5000 PHONE FAX (925) 279-5001

19.2

Project No.

10-210-

Date:

Address

701 Park

Day:

M T W T F S

Contract No.

City:

Site

Well ID	Depth to Water	Diam	Field Filtered	Cap / Lock	Gal.	Time	Temp °C	pH	E.C. (ms/cm)	Turb (NTU)	D.O. (mg/l)	Eh (millivolts)
MW-3	7.81				2	1610	21.0	8.02	263	67	10	
Total Depth - Water Level= x Well Vol. Factor= x#vol to Purge= PurgeVol												
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-3	8.02				3	1610	21.4	8.01	222	532	10	
MW-3	8.00				4	1610	20.7	7.97	221	224	10	
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
1620 TIME SAMPLED												
MW-2	8.02				2	1710	22.7	7.97	691	441	10	
Total Depth - Water Level= x Well Vol. Factor= x#vol to Purge= PurgeVol												
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-2	8.02				3	1710	22.0	7.94	782	298	10	
MW-2	8.02				4	1710	22.6	7.94	791	326	10	
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
1730 TIME SAMPLED												
MW-1	7.96				2	1810	22.5	7.91	608	183		
Total Depth - Water Level= x Well Vol. Factor= x#vol to Purge= PurgeVol												
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-1	7.96				3	1810	22.7	7.96	605	83		
MW-1	7.96				4	1810	22.9	7.90	795	76		
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
1830 TIME SAMPLED												
MW-4	7.92				1		19.6	7.67	420	152	C	
Total Depth - Water Level= x Well Vol. Factor= x#vol to Purge= PurgeVol												
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
Very Slow Re-fill												
MW-4	7.92				2		17.8	7.82	563	73		
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
1910 TIME SAMPLED												

ALISTO

Field Report / Sampling Data Sheet

ENGINEERING GROUP

2737 N. Main Street, Suite 100

Walnut Creek, CA 94597

(925) 279-5000 PHONE FAX (925) 279-5001

19.2

Project No.

10-310-

Date:

Address

701 Park

Day:

M T W T F

Contract No.

City:

Site

Well ID	Depth to Water	Diam	Field Filtered	Cap/Lock	Gal.	Time	Temp °C	pH	E.C. (ms/cm)	Turb (NTU)	D.O. (mg/l)	Eh (millivolts)
MW-3	7.81				2	1610	21.4	8.02	263	67	10	
Total Depth - Water Level= x Well Vol. Factor= x#vol. to Purge= PurgeVol												
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-3	7.81				3	1620	21.4	8.01	227	552	10	
MW-3	7.81				4	1620	20.4	8.00	217	226	10	
MW-3	7.81				7	1620	20.7	7.97	221	224	10	
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-2	8.12				2	1710	22.7	7.97	691	441	10	
Total Depth - Water Level= x Well Vol. Factor= x#vol. to Purge= PurgeVol												
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-2	8.12				3	1710	22.0	7.94	787	398	10	
MW-2	8.12				4	1710	22.6	7.94	791	326	10	
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-1	7.96				2	1810	22.5	7.91	608	183	—	
Total Depth - Water Level= x Well Vol. Factor= x#vol. to Purge= PurgeVol												
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-1	7.96				3	1810	22.9	7.90	665	83	—	
MW-1	7.96				4	1810	22.4	7.90	795	76	✓	
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-11	7.92				1	1910	19.6	7.67	420	157	0	
Total Depth - Water Level= x Well Vol. Factor= x#vol. to Purge= PurgeVol												
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												
MW-11	7.92				2.5	1910	17.8	7.82	563	75	—	
Purge Method: <input type="checkbox"/> Dedicated Pump <input type="checkbox"/> Disp. Tube <input type="checkbox"/> Disp. Bailer(s) <input type="checkbox"/> OSys Port												
Comments:												

1620
TIME SAMPLED

1730
TIME SAMPLED

1830
TIME SAMPLED

1910
TIME SAMPLED

APPENDIX B

LABORATORY REPORT AND CHAIN OF CUSTODY RECORD



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Alisto Engineering Grp. 2737 North Main Street, Ste 100 Walnut Creek, CA 94597	Client Project ID: #10-210-22-002; Xtra Oil	Date Sampled: 09/08/06
		Date Received: 09/11/06
	Client Contact: Rhea Farley	Date Reported: 09/19/06
	Client P.O.:	Date Completed: 09/19/06

WorkOrder: 0609203

September 19, 2006

Dear Rhea:

Enclosed are:

- 1). the results of 5 analyzed samples from your #10-210-22-002; Xtra Oil project,
- 2). a QC report for the above samples
- 3). a copy of the chain of custody, and
- 4). a bill for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions please contact me. McC Campbell Analytical Laboratories strives for excellence in quality, service and cost. Thank you for your business and I look forward to working with you again.

Best regards,

Angela Rydelius, Lab Manager



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0609203

EPA Method: SW8021B/8015Cm		Extraction: SW5030B			BatchID: 23647			Spiked Sample ID: 0609203-003A				
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) ^E	ND	60	99.1	98.4	0.729	103	99.3	3.63	70 - 130	30	70 - 130	30
MTBE	ND	10	111	119	6.47	102	117	13.8	70 - 130	30	70 - 130	30
Benzene	ND	10	92.1	93.2	1.19	101	101	0	70 - 130	30	70 - 130	30
Toluene	ND	10	87.5	86.2	1.47	93.2	93.1	0.105	70 - 130	30	70 - 130	30
Ethylbenzene	ND	10	92.6	91.6	1.00	102	102	0	70 - 130	30	70 - 130	30
Nylenes	ND	30	86.3	86.7	0.385	96.7	100	3.39	70 - 130	30	70 - 130	30
%SS:	103	10	92	93	0.878	94	92	1.44	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 23647 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0609203-001A	9/08/06 6:30 PM	9/16/06	9/16/06 6:36 AM	0609203-002A	9/08/06 5:30 PM	9/16/06	9/16/06 5:20 PM
0609203-003A	9/08/06 4:20 PM	9/15/06	9/15/06 10:47 PM	0609203-004A	9/08/06 4:20 PM	9/16/06	9/16/06 8:12 PM
0609203-005A	9/08/06 7:10 PM	9/15/06	9/15/06 11:46 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

E TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

*NA = not applicable or not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



QC SUMMARY REPORT FOR SW8015C

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0609203

EPA Method: SW8015C		Extraction: SW3510C				BatchID: 23644			Spiked Sample ID: N/A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(d)	N/A	1000	N/A	N/A	N/A	115	115	0	N/A	N/A	70 - 130	30
%SS:	N/A	2500	N/A	N/A	N/A	105	104	0.783	N/A	N/A	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 23644 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0609203-001B	9/08/06 6:30 PM	9/11/06	9/14/06 1:28 AM	0609203-002B	9/08/06 5:30 PM	9/11/06	9/14/06 2:36 AM
0609203-003B	9/08/06 4:20 PM	9/11/06	9/14/06 3:44 AM	0609203-004B	9/08/06 4:20 PM	9/11/06	9/14/06 4:53 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.


% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

McCampbell Analytical, Inc.


 1534 Willow Pass Rd
 Pittsburg, CA 94565-1701
 (925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0609203

ClientID: AEGL

EDF: NO

Report to:

Rhea Farley
 Alisto Engineering Grp.
 2737 North Main Street, Ste 100
 Walnut Creek, CA 94597

Email:

TEL: (925) 279-5000 FAX: (925) 279-5001
 ProjectNo: #10-210-22-002; Xtra Oil
 PO:

Bill to:

Accounts Payable
 Xtra Oil
 2307 Pacific Ave.
 Alameda, CA 94501

Requested TAT:

5 days

Date Received:

09/11/2006

Date Printed:

09/11/2006

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)													
					1	2	3	4	5	6	7	8	9	10	11	12		
0609203-001	MW-1	Water	09/08/2006	<input type="checkbox"/>	A	B												
0609203-002	MW-2	Water	09/08/2006	<input type="checkbox"/>	A	B												
0609203-003	MW-3	Water	09/08/2006	<input type="checkbox"/>	A	B												
0609203-004	MW-4	Water	09/08/2006	<input type="checkbox"/>	A	B												
0609203-005	QC-1	Water	09/08/2006	<input type="checkbox"/>	A													

Test Legend:

1	G-MBTX_W	2	TPH(D)_W	3	4	5
6		7		8	9	10
11		12				

Prepared by: Nickole White

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

AELG

ALISTO ENGINEERING GROUP
CHAIN OF CUSTODY

0609208

Project Information:		Report To:		Samples Submitted To:	
Project No: 10-210-22-002	Project Title: Xtra Oil	Location: 1701 Park St., Alameda, CA	Consultant: Allisto Engineering Group	Address: 2737 North Main Street #100 Walnut Creek, CA 94597	Laboratory: McCampbell Analytical, Inc.
Sampler's Name: (print) Larry Buerger R Farley	Sampler's Signature: <i>R Farley</i>		Contact: Rhea Farley	Phone: (925) 279-5000	Fax: (925) 279-5001
BIN To: Xtra Oil			Address: 2307 Pacific Ave. Alameda CA 94501		
SHIPMENT METHOD: Lab Courier			AIR BILL NUMBER:		

TURN AROUND TIME					ANALYSIS												COMMENTS							
RUSH	24 Hour	48 Hour	5 Day	Standard (10-14 days)	TPH-G/ BTXE/ MTBE (8021B/8015Cm)	TPH-D (8015C)																		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>																				

7/8/06

+

+

+

+

+

Sample ID.	Date	Time	# Containers	Matrix	TPH-G/ BTXE/ MTBE (8021B/8015Cm)	TPH-D (8015C)																		
MW-1	7/11/06	1830	2	H ₂ O	X	X																		VOA (HCl preserved)/1 L amber (unpreserved)
MW-2	7/11/06	1730	3/1	H ₂ O	X	X																		VOA (HCl preserved)/1 L amber (unpreserved)
MW-3	7/11/06	1620	3/1	H ₂ O	X	X																		VOA (HCl preserved)/1 L amber (unpreserved)
MW-4	7/11/06	1910	3/1	H ₂ O	X	X																		VOA (HCl preserved)/1 L amber (unpreserved)
QC-1	7/11/06	1850	2	H ₂ O	X																			VOA (HCl preserved)

9/8/06

ICP/C
GOOD CONDITION
HEAD SPACE ABSENT
DECHLORINATED IN LAB
PRESERVATION

APPROPRIATE CONTAINERS PRESERVED IN LAB

VOAS | O&G | METALS | OTHER

Relinquished By: <i>R Farley</i>	Date: 9/11/06	Time: 15:55	Received By: ENVR-TECH AA	Date: 09/11/06	Time: 15:55	SPECIAL INSTRUCTIONS: 1) 2) 3)
Relinquished By: <i>ENVR-TECH AA</i>	Date: 9/11/06	Time: 8:03	Received By: <i>[Signature]</i>	Date: 9/11/06	Time: 9:32	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	