

TOXICHEM Management Systems, Inc.

Environmental & Occupational Health Services

11 Kenton Avenue
San Carlos, California 94070
(650) 551-0112 / Fax (650) 551-0116

Industrial Hygiene - Exposure Assessment
Quantitative Risk Assessment
Compliance Audits
Real Property Environmental Assessments
Remedial Investigations
Air, Soil, and Groundwater Sampling
Remedial Engineering and Construction
Regulatory Compliance and Negotiation
Litigation Support Services

December 16, 2004
Project EQ-77.1A

REPORTS

Mr. Paul M. Smith
Livermore-Pleasanton Fire Department
3560 Nevada Street
Pleasanton, California 94566

Re: Dispenser and Piping Replacement Sampling Report
Shell-Branded Service Station
5251 Hopyard Road, Pleasanton, California
Incident #98995843, SAP Number 135785

Dear Mr. Smith:

On behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell), this report prepared by Toxichem Management Systems, Inc. (TOXICHEM) transmits the results of sampling conducted during station upgrade activities at the site referenced above. Included in this report is a brief discussion of the site description, scope of work, findings, and conclusions.

SITE DESCRIPTION

The operating Shell branded service station site is located at 5251 Hopyard Road in a mixed commercial and residential area of Pleasanton, California (Figure 1). TOXICHEM recently performed a ½ mile radius well survey through the Department of Water Resources and the Zone 7 Water Agency (Figure 1). A total of five existing water wells were reported within a ½ mile radius, all located at least 1,550 feet north of the site (north of Interstate I580). However, upon field inspection, no wells could be observed in the mapped locations. Two wells were listed as being abandoned or destroyed. One of these wells (3S/1E6Q2), an irrigation well was located near the Shell site (approximately 100 to 300 feet southeast) but is listed as being destroyed. Known well details are presented on Tables 1 and 2.

A total of eight groundwater monitoring wells have been installed at the site (five on-site, and three off-site). Groundwater monitoring and sampling of the wells was initiated in January 1991 and has been performed annually during the second quarter since 1995. During the most recent groundwater monitoring event (May 3, 2004), static groundwater occurred within the on-site wells between 5.4 and 11.2 feet below ground surface (bgs) with radial flow from Well S-2 to the southeast. The maximum concentration of petroleum hydrocarbons was present in Well S-1 at 3,700 micrograms per liter ($\mu\text{g}/\text{L}$) total purgeable petroleum hydrocarbons (TPPH), 32 $\mu\text{g}/\text{L}$ benzene, 21 $\mu\text{g}/\text{L}$ toluene, 170 $\mu\text{g}/\text{L}$ ethylbenzene and 34 $\mu\text{g}/\text{L}$ total xylenes (BTEX compounds). The maximum concentration of methyl tertiary butyl ether (MtBE) was present in Well S-2 at 510 $\mu\text{g}/\text{L}$ during the May 2004 sampling event.

SCOPE OF WORK

The scope of this investigation included the following activities:

- Collect soil samples from beneath the product dispensers, product and vapor piping at the direction of the Livermore-Pleasanton Fire Department (LPFD).
- Collect groundwater and free product samples from beneath the product piping at the direction of the LPFD.
- Collect samples of residual materials generated during excavation activities and profile the pea gravel for re-use and the soil for disposal.
- Direct limited overexcavation of hydrocarbon impacted soil.

FINDINGS

Product Dispenser Sampling

Prior to TOXICHEM's arrival on September 20, 2004, Wayne Perry Inc. of Sacramento, California had removed the eight product dispensers and exposed the adjacent product lines to facilitate environmental sampling (Figure 2). At the direction of the LPFD, TOXICHEM collected soil samples beneath (or adjacent to) each of the eight former product dispensers at between 1.7 and 2.7 feet bgs. Sample locations are shown on Figure 3. Soil analytical data is presented in Table 3 and the certified laboratory analytical report is included in Attachment A. Field procedures are presented as Attachment B.

Due to the presence of a darker stained lense of soil in the vicinity of dispenser DS-2, additional sampling and limited overexcavation was performed at the direction of the LPFD. At the maximum depth of excavation (3 feet bgs), Sample DS-2E reported 0.012 mg/kg MtBE. The stockpile of soil generated from the limited overexcavation was also sampled at the direction of the LPFD. This sample (DS-2C) did not contain detected concentrations of petroleum hydrocarbons or oxygenates.

Product and Vapor Line Soil and Liquid Sampling

Prior to TOXICHEM's arrival on September 28, 2004, Wayne Perry Inc. had exposed all product and vapor piping to facilitate environmental sampling. Due to the unavailability of the vacuum truck typically utilized to remove the pea gravel from around the piping, Wayne Perry utilized a backhoe and hand shovels to remove the pea gravel. They had previously purged all the lines, however Wayne Perry pointed out a location where they had ruptured the product line causing a release of gasoline. The gasoline may have been trapped in a low spot in the line and therefore wasn't completely purged. Upon inspection, free product (gasoline) was observed locally within the pea gravel remaining adjacent to the product lines at approximately 3.5 feet bgs. The volume of gasoline released is unknown. Free product was observed in the area of DSV-9 and staining of pea gravel was observed in the area of DSV-14. It appeared that the release was contained within the bottom and sides of the product line trench (Figure 3). The LPFD directed TOXICHEM to obtain a sample of the gasoline for laboratory analysis (DSW-9d3.5) and collect a soil immediately beneath the product (DSV-9d4.0). Due to unknown electrical conduits running the length of the trench beneath the product lines, immediate overexcavation could not be performed.

Soil sampling was then performed beneath the exposed product and vapor lines under the direction of the LPFD (Table 1, Figure 3). Additionally, shallow groundwater present on either

end of the east-west trending product line trench was sampled at the request of the LPFD (DSW-11d3.5 and DSW-13d4.5).

Overexcavation and Confirmation Sampling

Prior to TOXICHEM's arrival on September 30, 2004, Wayne Perry Inc. had removed all product piping from the trenches and removed the electrical conduits from beneath the east-west trench (the area of overexcavation). During overexcavation, TOXICHEM screened the immediate vicinity with a lower explosive meter (LEL) and photoionization detector PID to ensure a safe working environment. Overexcavation was performed along the trench screening soils through visual and olfactory observation and with the PID. During overexcavation minor liquid was encountered near the west end of the trench, but upon excavation, saturated into removed soils that were stockpiled on visqueen. The resultant overexcavation measured approximately 50 feet in length and 5 feet in width. Depth varied from 4 feet to 10 feet with details presented on Figure 3. It is estimated that at minimum, 75 cubic yards of soil was overexcavated. Soil samples were then obtained at the maximum extent of excavation, in general within stiff gray clay. Although allowed to remain open, groundwater did not enter the trench even at the maximum depth of 10 feet bgs. Groundwater was measured in Well S-1 at 8.72 feet below the top of casing and no free product was measured utilizing a groundwater interface probe.

Soil Analytical Data

Soil analytical data are summarized below and are presented on Table 3. At the request of the LPFD, all soil samples (including soil stockpile and pea gravel samples) were analyzed for TPPH, BTEX compounds, MtBE, di-isopropyl ether (DIPE), ethyl tert-butyl ether (ETBE), tert-amyl methyl ether (TAME), tert-Butyl alcohol (TBA), 1,2-DCA and EDB by EPA Method 8260B and for total lead by EPA Method 6010B. Samples were also selected for TEPH analysis (including the soil stockpile and pea gravel composite samples). The certified analytical reports and chain-of-custody documentation for the soil samples are presented as Attachment A.

- During the dispenser sampling performed on September 20, 2004 eight of the sixteen soil samples collected between 1.7 and 2.7 feet bgs contained detectable concentrations of petroleum hydrocarbons. The maximum concentrations detected are as follows; 360 mg/kg TEPH in DS-3; 470 mg/kg TPPH in DS-6A; 0.012 mg/kg MtBE in DS-2E; 0.017 mg/kg TBA in DS-1A and 5.4 total lead in DS-1B. Neither benzene, nor other additional oxygenate was detected in the dispenser samples collected (Table 3).
- Prior to overexcavation, the maximum concentration of petroleum hydrocarbons in soil reported in a sample collected beneath a product or vapor line was reported in Sample DSV-9 at 4.0 feet bgs. This is the sample collected beneath the observed product and contained 640 mg/kg TEPH, 24,000 mg/kg TPPH, 65 mg/kg benzene and no detectable MtBE (at an elevated detection limit of 13 mg/kg). The maximum concentrations of MtBE and TBA prior to overexcavation were reported in Sample DSV-4 at 3.5 feet bgs at 0.12 mg/kg and 0.065 mg/kg, respectively.
- After overexcavation, confirmation soil samples were collected. The maximum concentrations of TPPH and benzene were reported in Sample DSV-15 at 7 feet bgs at 5.6 mg/kg and 0.088 mg/kg, respectively. The maximum concentrations of MtBE and TBA after overexcavation was

December 16, 2004

Page 4

reported in Sample DSV-4 at 5 feet bgs at 0.20 mg/kg and 0.22 mg/kg, respectively.

- Lead was detected in every soil sample analyzed at concentrations ranging from 2.0 mg/kg (DS-5B at 1.7 feet bgs) to 11 mg/kg (DSV-4 at 5 feet bgs).

Groundwater and Product Analytical Data

Groundwater and product analytical data are summarized below and are presented on Table 4. At the request of the LPFD, all liquid samples were analyzed for TPPH, BTEX compounds, MtBE, DIPE, ETBE, TAME, TBA, 1,2-DCA and EDB by EPA Method 8260B. Additionally, the product sample was analyzed for TEPH. The certified analytical reports and chain-of-custody documentation for the soil samples are presented as Attachment A.

- The product observed within the pea gravel was collected and analyzed by the laboratory as directed by the LPFD. The laboratory reported this sample (DSW-9d at 3.5 feet bgs) to contain 84% of its constituents in the gasoline range [840,000,000 (micrograms per kilogram) µg/kg], and 16% (160,000,000 µg/kg) in the early diesel range.
- Groundwater sampled at the eastern end of the trench (DSW-11d3.5) contained 1,200 µg/L TPPH, 120 µg/L benzene, 5.9 µg/L MtBE and 35 µg/L TBA.
- Groundwater sampled at the western end of the trench (DSW-13d4.5) contained 1,300,000 µg/L TPPH that didn't match the laboratory gasoline standard.

Residual Sampling and Disposal Documentation

During uncovering of the tank tops and product lines, approximately 140 cubic yards of pea gravel were generated and stockpiled on-site. Stockpile samples were collected and analyzed as directed by the LPFD. The analytical results are presented in Table 1 and were submitted via email to the LPFD on October 7, 2004. Wayne Perry Inc. subsequently received approval from the LPFD to reuse the pea gravel to infill the tank pit and excavated trenches.

Native soil excavated during trenching and overexcavation activities was stockpiled on visqueen, sampled and profiled for disposal. New trenches were dug for vent lines and electrical lines. Between October 9 and November 16, 2004, approximately 377 tons of soil was hauled by Manley and Sons Trucking to Forward Landfill in Manteca, California for disposal. Disposal documentation is included in Attachment C.

To facilitate tank top upgrade activities, periodic dewatering was performed by pumping groundwater out of the 12-inch diameter tank backfill well into a temporary storage tank utilizing a trash pump. The tank was emptied periodically by a vacuum truck operated by PSC Industrial Outsourcing, Inc. Approximately 33,749 gallons of groundwater were hauled by PSC to the Shell Oil Products US Martinez Refinery between October 1 and October 27, 2004. Bill of Lading documentation is presented in Attachment C.

All removed piping, sumps and miscellaneous equipment was contained within two bins and transported to ECI under hazardous waste manifest for disposal. Hazardous waste manifests are included in Attachment C.

December 16, 2004

Page 5

CONCLUSIONS AND RECOMMENDATIONS


Based on the results of this investigation, TOXICHEM concludes that:

- The free product observed beneath the east-west product line trench as sampled by DSW-9d3.5 was minimal in extent and was removed (approximately 2 days after occurrence) by overexcavating soils to the maximum extent laterally feasible.
- Overexcavation was performed which removed a minimum of 75 cubic yards of hydrocarbon affected material. Upon completion, the excavated trench remained dry, even to the maximum extent excavated of 10 feet bgs due to the stiff clay nature of the soils.
- A total of approximately 33,749 gallons of groundwater was removed from the UST area.
- Minor concentrations of petroleum hydrocarbons, BTEX compounds, MtBE and TBA remain in soil at the site. The maximum residual concentrations remaining in site soils after overexcavation are 5.6 mg/kg TPPH, 0.088 mg/kg benzene, 0.20 mg/kg MtBE and 0.22 mg/kg TBA.
- An Unauthorized Release Report (URR) was submitted by Shell to the LPFD via email on October 4, 2004. A follow-up multi-copy carbon paper ink-signed original was then submitted on October 12 2004 at the request of the LPFD (a copy is included as Attachment D).
- No known operating water supply wells are located within a ½ mile radius of the site.
- To determine if groundwater has been impacted by the free product release, it is proposed that all wells be sampled for TEPH, TPPH, BTEX compounds, MtBE and TBA in January 2005. Then, based on these results and the scheduled second quarter annual sampling event, a modified sampling schedule will be proposed.


If you have any questions regarding this report, please contact me at (650) 551-0112.

Sincerely,

Toxicem Management Systems, Inc.



Ross Tinline, RG.
Senior Geologist



Attachments: Table 1 - Well Location Details
Table 2 - Well Construction Details
Table 3 - Soil Analytical Data
Table 4 - Groundwater and Product Analytical Data
Figure 1 - Site Vicinity and Well Survey Map
Figure 2 - Site Map

December 16, 2004

Page 6

Figure 3 - Soil Concentration Map

**Attachment A - Certified Analytical Reports and Chain-of-Custody
Documentation**

Attachment B Field Procedures

Attachment C Soil, Groundwater and Piping Disposal Documentation

Attachment D Unauthorized Release Report

**cc: Bill Merchant, Shell Oil Products US, 9141 E. Stockton Blvd. Ste 250-321,
Elk Grove, California 95624**

**Karen Petryna, Shell Oil Products US, 20945 S. Wilmington, Carson, California 90810
Robert, Schultz, Alameda County Environmental Health, 1131 Harbor Bay Parkway,
Alameda, California 94502**

Table 1
Well Location Details
 Shell-branded Service Station
 5251 Hopyard Road, Pleasanton

Map Number	Well Number	Source of Information	Well Location	Approximate Distance and Direction from Site		Total Depth ft.	Date Installed	Use
				(Feet)				
6F1	3S/1E - 6F1	Zone 7	See Map	2,400'NNW	NA	NA		Water Well
6F2	3S/1E - 6F2	Zone 7	See Map	2,400'NNW	NA	NA		Water Well
G1	3S/1E - 6G1	Zone 7	See Map	1,550'N	NA	NA		Abandoned Water Well
G4	3S/1E - 6G4	DWR/Zone 7	See Map	2,500'N	192	NA		Water Well
G5	3S/1E - 6G5	DWR/Zone 7	See Map	2,000'NE	200	1969		Water Well
G6	3S/1E - 6G6	Zone 7	See Map	2,200'NNE	NA	NA		Water Well
Q2	3S/1E - 6Q2	Zone 7	See Map	100-300'W	NA	Recorded 1959		Destroyed Irrigation Well

NA = Information Not Available

Table 2
Well Construction Details
 Shell-branded Service Station
 5251 Hopyard Road, Pleasanton

Map Number	Total Depth	Depth to Water (ft. bgs)	Casing Type	Casing Diameter (in.)	Screen Interval (ft. bgs)	Gravel Pack Interval (ft. bgs)	Annular Seal Depth (ft. bgs)	Annular Seal Material	Well Construction Method	Driller's log Number	Pumping Test Rate (gpm)	Test Duration (hours)
F1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
F2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
G1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
G4	192	33-72	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
G5	200	85	NA	NA	103-106 and 173-178	NA	NA	NA	NA	13095	70	NA
G6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

NA = Information Not Available

ft. bgs = Feet below ground surface

gpm = Gallons per minute

Table 3
Soil Analytical Data
Total Petroleum Hydrocarbons, BTEX Compounds, Oxygenates and Total Lead
by EPA Method 8260B and 6010B

Shell Branded Service Station
 5251 Hopyard Road, Pleasanton

Boring Number	Depth (feet bgs)	Date Sampled	TEPH (mg/kg)	TPPH (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	MtBE (mg/kg)	TBA (mg/kg)	DIPE (mg/kg)	ETBE (mg/kg)	TAME (mg/kg)	1,2-DCA (mg/kg)	EDB (mg/kg)	Ethanol (mg/kg)	Lead (mg/kg)
DISPENSER SAMPLE SOIL RESULTS																	
DS-1A	2.7	09/20/04	NA	<1.0	<0.005	0.043	0.0071	0.18	0.009	0.017	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	4.3
DS-1B	2.2	09/20/04	NA	<1.0	<0.005	0.011	<0.005	0.064	0.0051	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	5.4
DS-2A	2.7	09/20/04	NA	80	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<1.0	<0.50	<0.50	<0.50	<0.50	<25	4.2
DS-2B	2.5	09/20/04	NA	3.2	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	3.4
DS-2D	N/A	09/20/04	NA	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<1.0	<0.50	<0.50	<0.50	<0.50	<25	4.8
DS-2E	3.0	09/20/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	0.012	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	4.3
DS-3	2.0	09/20/04	360	NA	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	NA
DS-4A	2.0	09/20/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	4.1
DS-4B	2.0	09/20/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	3.3
DS-5A	2.5	09/20/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	3.0
DS-5B	1.7	09/20/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	2.0
DS-6A	2.3	09/20/04	NA	470	<0.50	<0.50	<0.50	1.4	<0.50	<2.5	<1.0	<0.50	<0.50	<0.50	<0.50	<25	3.1
DS-6B	2.3	09/20/04	NA	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<1.0	<0.50	<0.50	<0.50	<0.50	<25	3.3
DS-7	1.8	09/20/04	11	NA	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	NA
DS-8A	2.2	09/20/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	4.1
DS-8B	2.3	09/20/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	4.6
PRODUCT PIPING AND VAPOR RECOVERY PIPING SOIL RESULTS																	
DSV2	2.5	09/28/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	0.027	0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	4.0
DSV-4	3.5	09/28/04	NA	<1.0	0.0057	<0.005	<0.005	<0.005	0.12	0.065	<0.010	<0.005	<0.005	<0.005	<0.005	NA	3.4
	5.0	10/06/04	NA	<1.0	0.016	<0.005	<0.005	<0.005	0.20	0.22	<0.010	<0.005	<0.005	<0.005	<0.005	NA	11
DSV-5	2.0	09/28/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	5.2
DSV-6	2.0	09/28/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	0.0087	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	4.3
DSV-8	3.0	09/28/04	NA	1.5	<0.005	<0.005	<0.005	<0.005	0.043	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	2.6
DSV-9	4.0	09/28/04	640	24,000	65	1,300	350	2,300	<13	<63	<25	<13	<13	<13	<13	<630	5.4
	10	09/30/04	NA	<2.0	<0.010	<0.010	<0.010	<0.010	0.053	0.063	<0.020	<0.010	<0.010	<0.010	<0.010	NA	4.3
DSV-10	3.7	09/28/04	NA	<1.0	0.034	<0.005	<0.005	<0.005	0.064	0.013	<0.010	<0.005	<0.005	<0.005	<0.005	NA	5.5
DSV-11	3.5	09/28/04	NA	<1.0	<0.005	0.018	0.0051	0.028	0.035	0.020	<0.010	<0.005	<0.005	<0.005	<0.005	NA	5.0
DSV-12	4.3	09/28/04	NA	<4.8	0.026	0.26	0.037	0.16	<0.024	<0.048	<0.048	<0.024	<0.024	<0.024	<0.024	NA	5.7

Table 3
Soil Analytical Data
Total Petroleum Hydrocarbons, BTEX Compounds, Oxygenates and Total Lead
by EPA Method 8260B and 6010B

Shell Branded Service Station 5251 Hopyard Road, Pleasanton																	
Boring Number	Depth (feet bgs)	Date Sampled	TPEH (mg/kg)	TPPH (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Xylenes (mg/kg)	MtBE (mg/kg)	TBA (mg/kg)	DIPE (mg/kg)	ETBE (mg/kg)	TAME (mg/kg)	1,2-DCA (mg/kg)	EDB (mg/kg)	Ethanol (mg/kg)	Lead (mg/kg)
DSV-13	4.0	09/28/04	NA	<1.0	0.025	<0.005	<0.005	0.085	0.047	<0.010	<0.005	<0.005	<0.005	<0.005	NA	8.8	
	5.5	09/30/04	NA	<2.0	0.030	0.012	<0.010	0.020	0.054	0.030	<0.020	<0.010	<0.010	<0.010	<0.010	NA	7.3
DSV-14	4.5	09/30/04	NA	<2.0	<0.010	<0.010	<0.010	0.092	0.12	<0.020	<0.010	<0.010	<0.010	<0.010	NA	5.9	
DSV-15	5.0	09/30/04	NA	<2.0	0.087	<0.010	<0.010	0.17	0.086	<0.020	<0.010	<0.010	<0.010	<0.010	NA	6.2	
	7.0	10/06/04	NA	5.6	0.088	0.0065	0.20	0.023	0.024	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	5.8
SOIL STOCKPILE RESULTS																	
DS-2C	09/20/04	NA	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	<1.0	<0.50	<0.50	<0.50	<0.50	<25	3.8	
SP-1 (A-D)	09/30/04	23	7.4	0.043	0.89	0.20	1.4	0.030	<0.035	<0.035	<0.018	<0.018	<0.018	<0.018	NA	6.1	
PEA GRAVEL STOCKPILE RESULTS																	
EX-1	09/20/04	NA	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01	<0.01	<0.005	<0.005	<0.005	<0.005	<0.1	6.8	
PG-1 (A-D)	09/30/04	25	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	3.8	
PG-2 (A-D)	09/30/04	8.1	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	2.5	
PG-1.1 (A-D)	09/30/04	6.1	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	3.6	
PG-2.1 (A-D)	09/30/04	14	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	1.8	
PG-2.2 (A-D)	09/30/04	7.7	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	3.1	
PG-2.3 (A-D)	09/30/04	12	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	1.5	
PG-2.4 (A-D)	09/30/04	26	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010	<0.010	<0.005	<0.005	<0.005	<0.005	NA	2.7	

TPEH = Total purgeable extractable hydrocarbons

TPPH = Total purgeable petroleum hydrocarbons

MtBE = Methyl tert-butyl ether

TBA = Tertiary butyl alcohol, or t-butanol

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary-butyl ether

TAME = Tertiary amyl methyl ether

1,2-DCA = 1,2-Dichloroethane, or ethylene dichloride (EDC)

EDB = Ethylene dibromide

mg/kg = Milligrams per kilogram

bgs = Below ground surface

NA = Not analyzed

Table 4
Groundwater and Product Analytical Data
Total Petroleum Hydrocarbons, BTEX Compounds and Oxygenates
by EPA Method 8260B

Shell Branded Service Station
5251 Hopyard Road, Pleasanton

Boring Number	Depth (feet bgs)	Date Sampled	TEPH (µg/L)	TPPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	MtBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
Groundwater															
DSW-11	3.5	09/28/04	NA	1,200	120	290	11	84	5.9	35	<10	<10	<10	<2.5	<2.5
DSW-13	4.5	09/28/04	NA	1,300,000	<250	<250	<250	<500	<250	<2,500	<1,000	<1,000	<1,000	<250	<250
Product															
DSW-9*	3.5	09/28/04	160,000	840,000,000	NA	NA	NA	NA	<380,000	<3,800,000	<770,000	<380,000	<380,000	<5,000	<5,000

TEPH = Total purgeable extractable hydrocarbons

TPPH = Total purgeable petroleum hydrocarbons

MtBE = Methyl tert-butyl ether

TBA = Tertiary butyl alcohol, or t-butanol

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary-butyl ether

TAME = Tertiary amyl methyl ether

1,2-DCA = 1,2-Dichloroethane, or ethylene dichloride (EDC)


EDB = Ethylene dibromide

µg/L = Micrograms per liter

bgs = Below ground surface

NA = Not analyzed

* = Product sample in micrograms per kilogram



Ref. EQ-77.2a/WELL SURVEY.DWG
Basemap from Yahoo Maps, July 2004


PREPARED BY

TOXICHEM
Management
Systems, Inc.
Environmental & Occupational Health Services

Shell-Branded Service Station
5251 Hopyard Road
Pleasanton, California

SITE VICINITY AND WELL SURVEY MAP

FIGURE:
1
PROJECT:
EQ-77



Ref. EQ-77.2A/SITEPLAN.DWG
Basemap from Cambria




**TOXICHEM
Management
Systems, Inc.**

Environmental & Occupational Health Services

Shell-Branded Service Station
5251 Hopyard Road
Pleasanton, California

SITE MAP

**FIGURE:
2
PROJECT:
EQ-77.1A**



ATTACHMENT A

**CERTIFIED ANALYTICAL REPORT AND
CHAIN-OF-CUSTODY DOCUMENTATION**

Toxichem Management Systems, Inc-San Jose

September 29, 2004

11 Kenton Drive
San Carlos, CA 94070
Attn.: Ross Tinline
Project#: EQ-77.1A
Project: 98995843
Site: 5251 Hopyard Road, Pleasanton

Dear Mr. Tinline

Attached is our report for your samples received on 09/28/2004 17:39
This report has been reviewed and approved for release. Reproduction of this report
is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after
11/12/2004 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,
please call me at (925) 484-1919.

You can also contact me via email. My email address is: ssidhu@stl-inc.com

Sincerely,



Surinder Sidhu
Project Manager

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSV2 d 2.5	09/28/2004 16:10	Soil	4
DSV-4 d 3.5	09/28/2004 16:15	Soil	5
DSV-5 d 2.0	09/28/2004 13:55	Soil	6
DSV-6 d 2.0	09/28/2004 14:10	Soil	7
DSV-8 d 3.0	09/28/2004 14:30	Soil	8
DSV-9 d 4.0	09/28/2004 15:10	Soil	9
DSV-10 d 3.7	09/28/2004 15:25	Soil	10
DSV-11 d 3.5	09/28/2004 15:40	Soil	11
DSV-12 d 4.3	09/28/2004 16:30	Soil	12
DSV-13 d 4.0	09/28/2004 16:00	Soil	13

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV2 d 2.5

Lab ID: 2004-09-0828 - 4

Sampled: 09/28/2004 16:10

Extracted: 9/29/2004 05:57

Matrix: Soil

QC Batch#: 2004/09/29-02.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.0	1.0	mg/Kg	1.00	09/29/2004 09:42	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B
Sample ID: DSV-4 d 3.5

Test(s): 6010B
Lab ID: 2004-09-0828 - 5

Sampled: 09/28/2004 16:15
Matrix: Soil

Extracted: 9/29/2004 05:57
QC Batch#: 2004/09/29-02-15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	3.4	1.0	mg/Kg	1.00	09/29/2004 09:50	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-5 d 2.0

Lab ID: 2004-09-0828 - 6

Sampled: 09/28/2004 13:55

Extracted: 9/29/2004 05:57

Matrix: Soil

QC Batch#: 2004/09/29-02:15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	5.2	1.0	mg/Kg	1.00	09/29/2004 10:05	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-6 d 2.0

Lab ID: 2004-09-0828-7

Sampled: 09/28/2004 14:10

Extracted: 9/29/2004 05:57

Matrix: Soil

QC Batch#: 2004/09/29-02.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.3	1.0	mg/Kg	1.00	09/29/2004 10:07	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-8 d 3.0

Lab ID: 2004-09-0828 - 8

Sampled: 09/28/2004 14:30

Extracted: 9/29/2004 05:57

Matrix: Soil

QC Batch#: 2004/09/29-02-15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	2.6	1.0	mg/Kg	1.00	09/29/2004 10:10	

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV9d

Lab ID: 2004-09-0828-9

Sampled: 09/28/2004 15:10

Extracted: 9/29/2004 05:57

Matrix: Soil

QC Batch#: 2004/09/29-02.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	5.4	1.0	mg/Kg	1.00	09/29/2004 10:12	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116
Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-10 d 3.7

Lab ID: 2004-09-0828-10

Sampled: 09/28/2004 15:25

Extracted: 9/29/2004 05:57

Matrix: Soil

QC Batch#: 2004/09/29-02:15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	5.5	1.0	mg/Kg	1.00	09/29/2004 10:15	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSW-11 d 3.5

Lab ID: 2004-09-0828 - 11

Sampled: 09/28/2004 15:40

Extracted: 9/29/2004 05:57

Matrix: Soil

QC Batch#: 2004/09/29-02.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	5.0	1.0	mg/Kg	1.00	09/29/2004 10:18	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-12 d 4.3

Lab ID: 2004-09-0828 - 12

Sampled: 09/28/2004 16:30

Extracted: 9/29/2004 06:57

Matrix: Soil

QC Batch#: 2004/09/29-02-15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	5.7	1.0	mg/Kg	1.00	09/29/2004 10:20	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B Test(s): 6010B
Sample ID: DSV-13 d 4.0 Lab ID: 2004-09-0828 - 13
Sampled: 09/28/2004 16:00 Extracted: 9/28/2004 17:28
Matrix: Soil QC Batch#: 2004/09/29-02.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	8.8	1.0	mg/Kg	1.00	09/29/2004 10:28	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Method Blank

QC Batch #: 2004/09/29-02-15

MB: 2004/09/29-02-15-049

Date Extracted: 09/29/2004 05:57

Compound	Conc.	RL	Unit	Analyzed	Flag
Lead	ND	1.0	mg/Kg	09/29/2004 09:28	

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Laboratory Control Spike**Soil**

QC Batch #: 2004/09/29-02.15

LCS 2004/09/29-02.15-050

Extracted: 09/29/2004

Analyzed: 09/29/2004 09:32

LCSD 2004/09/29-02.15-051

Extracted: 09/29/2004

Analyzed: 09/29/2004 09:35

Compound	Conc. mg/Kg		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Lead	96.2	95.5	100.0	96.2	95.5	0.7	80-120	20		

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSV-9 d 4.0	09/28/2004 15:10	Soil	9

Diesel (C9-C24)

Toxicem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3550/8015M

Test(s): 8015M

Sample ID: DSV-9 d 4.0

Lab ID: 2004-09-0828-9

Sampled: 09/28/2004 15:10

Extracted: 9/28/2004 10:28

Matrix: Soil

QC Batch#: 2004/09/28-3B-10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	640	5.0	mg/Kg	5.00	09/29/2004 12:01	edr
Surrogate(s) o-Terphenyl	NA	60-130	%	5.00	09/29/2004 12:01	sd

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3950/8015M

Test(s): 8015M

Method Blank

Soil

QC Batch # 2004/09/28-3B-10

MB: 2004/09/28-3B-10-001

Date Extracted: 09/28/2004 10:28

Compound	Conc.	RL	Unit	Analyzed	Flag
Diesel	ND	1	mg/Kg	09/28/2004 16:19	
Surrogates(s) o-Terphenyl	79.5	60-130	%	09/28/2004 16:19	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3550/8015M

Test(s): 8015M

Laboratory Control Spike**Soln**

QC Batch # 2004/09/28-3B.10

LCS 2004/09/28-3B.10-002

Extracted: 09/28/2004

Analyzed: 09/28/2004 15:24

LCSD 2004/09/28-3B.10-003

Extracted: 09/28/2004

Analyzed: 09/28/2004 15:51

Compound	Conc. mg/Kg		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCs	LCSD
Diesel	29.4	27.6	41.6	70.7	66.3	6.4	60-130	25		
Surrogates(s) o-Terphenyl	16.8	17.0	20.0	83.9	85.0		60-130			

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Legend and Notes

Result Flag

edr

Hydrocarbon reported is in the early Diesel range, and does not
match our Diesel standard

sd

Surrogate recovery not reportable due to required dilution.

Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSW-9 d 3.5	09/28/2004 14:40	Product	3

Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3550/8015M

Test(s): 8015M

Sample ID: DSW-9 d 3.5

Lab ID: 2004-09-0828 - 3

Sampled: 09/28/2004 14:40

Extracted: 9/29/2004 05:27

Matrix: Product

QC Batch#: 2004/09/29-1A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	160000	3000	mg/Kg	10.00	09/29/2004 11:32	edr
Surrogate(s)						
o-Terphenyl	NA	60-130	%	10.00	09/29/2004 11:32	sd

Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3550/8015M

Test(s): 8015M

Method Blank

Oil

QC Batch #: 2004/09/29-1A-10

MB: 2004/09/29-1A-10-001

Date Extracted: 09/29/2004 05:27

Compound	Conc.	RL	Unit	Analyzed	Flag
Diesel	ND	300	mg/Kg	09/29/2004 10:40	
Surrogates(s) o-Terphenyl	107.5	60-130	%	09/29/2004 10:40	

Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3550/8015M

Test(s): 8015M

Laboratory Control Spike**Oil****QC Batch # 2004/09/29-1A.10**

LCS 2004/09/29-1A.10-002

Extracted: 09/29/2004

Analyzed: 09/29/2004 11:07

LCSD 2004/09/29-1A.10-003

Extracted: 09/29/2004

Analyzed: 09/29/2004 11:34

Compound	Conc. mg/Kg		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Diesel	12900	13200	12500	103.2	105.6	2.3	60-130	25		
Surrogates(s)										
o-Terphenyl	21.2	21.0	20.0	105.9	105.1		60-130			

Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Legend and Notes

Result Flag

edr

Hydrocarbon reported is in the early Diesel range, and does not
match our Diesel standard

sd

Surrogate recovery not reportable due to required dilution.

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSV2 d 2.5	09/28/2004 16:10	Soil	4
DSV-4 d 3.5	09/28/2004 16:15	Soil	5
DSV-5 d 2.0	09/28/2004 13:55	Soil	6
DSV-6 d 2.0	09/28/2004 14:10	Soil	7
DSV-8 d 3.0	09/28/2004 14:30	Soil	8
DSV-10 d 3.7	09/28/2004 15:25	Soil	10
DSV-11 d 3.5	09/28/2004 15:40	Soil	11
DSV-12 d 4.3	09/28/2004 16:30	Soil	12
DSV-13 d 4.0	09/28/2004 16:00	Soil	13

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DSV2 d 2.5

Lab ID: 2004-09-0828 - 4

Sampled: 09/28/2004 16:10

Extracted: 9/29/2004 08:43

Matrix: Soil

QC Batch#: 2004/09/29-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/29/2004 08:43	
Benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 08:43	
Toluene	ND	0.0050	mg/Kg	1.00	09/29/2004 08:43	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 08:43	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/29/2004 08:43	
tert-Butyl alcohol (TBA)	0.010	0.010	mg/Kg	1.00	09/29/2004 08:43	
Methyl tert-butyl ether (MTBE)	0.027	0.0050	mg/Kg	1.00	09/29/2004 08:43	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/29/2004 08:43	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/29/2004 08:43	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/29/2004 08:43	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/29/2004 08:43	
EDB	ND	0.0050	mg/Kg	1.00	09/29/2004 08:43	
Surrogate(s)						
1,2-Dichloroethane-d4	98.6	76-124	%	1.00	09/29/2004 08:43	
Toluene-d8	98.2	75-116	%	1.00	09/29/2004 08:43	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DSV-4 d 3.5	Lab ID:	2004-09-0828 - 5
Sampled:	09/28/2004 16:15	Extracted:	9/29/2004 09:28
Matrix:	Soil	QC Batch#:	2004/09/29-1A 66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/29/2004 09:28	
Benzene	0.0057	0.0050	mg/Kg	1.00	09/29/2004 09:28	
Toluene	ND	0.0050	mg/Kg	1.00	09/29/2004 09:28	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 09:28	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/29/2004 09:28	
tert-Butyl alcohol (TBA)	0.065	0.010	mg/Kg	1.00	09/29/2004 09:28	
Methyl tert-butyl ether (MTBE)	0.12	0.0050	mg/Kg	1.00	09/29/2004 09:28	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/29/2004 09:28	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/29/2004 09:28	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/29/2004 09:28	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/29/2004 09:28	
EDB	ND	0.0050	mg/Kg	1.00	09/29/2004 09:28	
Surrogate(s)						
1,2-Dichloroethane-d4	100.6	76-124	%	1.00	09/29/2004 09:28	
Toluene-d8	95.5	75-116	%	1.00	09/29/2004 09:28	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DSV-5 d 2.0	Lab ID:	2004-09-0828 - 6
Sampled:	09/28/2004 13:55	Extracted:	9/29/2004 09:51
Matrix:	Soil	QC Batch#:	2004/09/29-1A-66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/29/2004 09:51	
Benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 09:51	
Toluene	ND	0.0050	mg/Kg	1.00	09/29/2004 09:51	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 09:51	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/29/2004 09:51	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/29/2004 09:51	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/29/2004 09:51	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/29/2004 09:51	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/29/2004 09:51	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/29/2004 09:51	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/29/2004 09:51	
EDB	ND	0.0050	mg/Kg	1.00	09/29/2004 09:51	
Surrogate(s)						
1,2-Dichloroethane-d4	95.5	76-124	%	1.00	09/29/2004 09:51	
Toluene-d8	91.3	75-116	%	1.00	09/29/2004 09:51	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B Test(s): 8260B
Sample ID: DSV-6 d 2.0 Lab ID: 2004-09-0828-7
Sampled: 09/28/2004 14:10 Extracted: 9/29/2004 10:36
Matrix: Soil QC Batch#: 2004/09/29-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/29/2004 10:36	
Benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 10:36	
Toluene	ND	0.0050	mg/Kg	1.00	09/29/2004 10:36	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 10:36	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/29/2004 10:36	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/29/2004 10:36	
Methyl tert-butyl ether (MTBE)	0.0087	0.0050	mg/Kg	1.00	09/29/2004 10:36	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/29/2004 10:36	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/29/2004 10:36	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/29/2004 10:36	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/29/2004 10:36	
EDB	ND	0.0050	mg/Kg	1.00	09/29/2004 10:36	
Surrogate(s)						
1,2-Dichloroethane-d4	103.0	76-124	%	1.00	09/29/2004 10:36	
Toluene-d8	99.4	75-116	%	1.00	09/29/2004 10:36	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B
Sample ID: DSV-8 d 3.0
Sampled: 09/28/2004 14:30
Matrix: Soil

Test(s): 8260B
Lab ID: 2004-09-0828 - 8
Extracted: 9/29/2004 10:58
QC Batch#: 2004/09/29-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	1.5	1.0	mg/Kg	1.00	09/29/2004 10:58	g
Benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 10:58	
Toluene	ND	0.0050	mg/Kg	1.00	09/29/2004 10:58	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 10:58	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/29/2004 10:58	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/29/2004 10:58	
Methyl tert-butyl ether (MTBE)	0.043	0.0050	mg/Kg	1.00	09/29/2004 10:58	
Di-isopropyl Ether (DiPE)	ND	0.010	mg/Kg	1.00	09/29/2004 10:58	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/29/2004 10:58	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/29/2004 10:58	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/29/2004 10:58	
EDB	ND	0.0050	mg/Kg	1.00	09/29/2004 10:58	
Surrogate(s)						
1,2-Dichloroethane-d4	105.7	76-124	%	1.00	09/29/2004 10:58	
Toluene-d8	91.7	75-116	%	1.00	09/29/2004 10:58	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DSV-10 d 3.7

Lab ID: 2004-09-0828 - 10

Sampled: 09/28/2004 15:25

Extracted: 9/29/2004 12:50

Matrix: Soil

QC Batch#: 2004/09/29-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/29/2004 12:50	
Benzene	0.034	0.0050	mg/Kg	1.00	09/29/2004 12:50	
Toluene	ND	0.0050	mg/Kg	1.00	09/29/2004 12:50	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 12:50	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/29/2004 12:50	
tert-Butyl alcohol (TBA)	0.013	0.010	mg/Kg	1.00	09/29/2004 12:50	
Methyl tert-butyl ether (MTBE)	0.064	0.0050	mg/Kg	1.00	09/29/2004 12:50	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/29/2004 12:50	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/29/2004 12:50	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/29/2004 12:50	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/29/2004 12:50	
EDB	ND	0.0050	mg/Kg	1.00	09/29/2004 12:50	
Surrogate(s)						
1,2-Dichloroethane-d4	100.4	76-124	%	1.00	09/29/2004 12:50	
Toluene-d8	98.3	75-116	%	1.00	09/29/2004 12:50	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DSV-11 d 3.5

Lab ID: 2004-09-0828-11

Sampled: 09/28/2004 15:40

Extracted: 9/29/2004 11:43

Matrix: Soil

QC Batch#: 2004/09/29-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/29/2004 11:43	
Benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 11:43	
Toluene	0.018	0.0050	mg/Kg	1.00	09/29/2004 11:43	
Ethyl benzene	0.0051	0.0050	mg/Kg	1.00	09/29/2004 11:43	
Total xylenes	0.029	0.0050	mg/Kg	1.00	09/29/2004 11:43	
tert-Butyl alcohol (TBA)	0.020	0.010	mg/Kg	1.00	09/29/2004 11:43	
Methyl tert-butyl ether (MTBE)	0.035	0.0050	mg/Kg	1.00	09/29/2004 11:43	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/29/2004 11:43	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/29/2004 11:43	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/29/2004 11:43	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/29/2004 11:43	
EDB	ND	0.0050	mg/Kg	1.00	09/29/2004 11:43	
Surrogate(s)						
1,2-Dichloroethane-d4	99.1	76-124	%	1.00	09/29/2004 11:43	
Toluene-d8	99.3	75-116	%	1.00	09/29/2004 11:43	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DSV-12 d 4.3

Lab ID: 2004-09-0828 - 12

Sampled: 09/28/2004 16:30

Extracted: 9/29/2004 13:58

Matrix: Soil

QC Batch#: 2004/09/29-1A.66

Analysis Flag: o (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	4.8	mg/Kg	4.76	09/29/2004 13:58	
Benzene	0.026	0.024	mg/Kg	4.76	09/29/2004 13:58	
Toluene	0.26	0.024	mg/Kg	4.76	09/29/2004 13:58	
Ethyl benzene	0.037	0.024	mg/Kg	4.76	09/29/2004 13:58	
Total xylenes	0.16	0.024	mg/Kg	4.76	09/29/2004 13:58	
tert-Butyl alcohol (TBA)	ND	0.048	mg/Kg	4.76	09/29/2004 13:58	
Methyl tert-butyl ether (MTBE)	ND	0.024	mg/Kg	4.76	09/29/2004 13:58	
Di-isopropyl Ether (DIPE)	ND	0.048	mg/Kg	4.76	09/29/2004 13:58	
Ethyl tert-butyl ether (ETBE)	ND	0.024	mg/Kg	4.76	09/29/2004 13:58	
tert-Amyl methyl ether (TAME)	ND	0.024	mg/Kg	4.76	09/29/2004 13:58	
1,2-DCA	ND	0.024	mg/Kg	4.76	09/29/2004 13:58	
EDB	ND	0.024	mg/Kg	4.76	09/29/2004 13:58	
Surrogate(s)						
1,2-Dichloroethane-d4	91.6	76-124	%	4.76	09/29/2004 13:58	
Toluene-d8	98.7	75-116	%	4.76	09/29/2004 13:58	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DSV-13 d 4.0	Lab ID:	2004-09-0828 - 13
Sampled:	09/28/2004 16:00	Extracted:	9/29/2004 14:20
Matrix:	Soil	QC Batch#:	2004/09/29-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/29/2004 14:20	
Benzene	0.025	0.0050	mg/Kg	1.00	09/29/2004 14:20	
Toluene	ND	0.0050	mg/Kg	1.00	09/29/2004 14:20	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/29/2004 14:20	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/29/2004 14:20	
tert-Butyl alcohol (TBA)	0.047	0.010	mg/Kg	1.00	09/29/2004 14:20	
Methyl tert-butyl ether (MTBE)	0.085	0.0050	mg/Kg	1.00	09/29/2004 14:20	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/29/2004 14:20	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/29/2004 14:20	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/29/2004 14:20	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/29/2004 14:20	
EDB	ND	0.0050	mg/Kg	1.00	09/29/2004 14:20	
Surrogate(s)						
1,2-Dichloroethane-d4	98.1	76-124	%	1.00	09/29/2004 14:20	
Toluene-d8	96.1	75-116	%	1.00	09/29/2004 14:20	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Soil

QC Batch # 2004/09/29-1A.66

MB: 2004/09/29-1A.66-007

Date Extracted: 09/29/2004 07:07

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	09/29/2004 07:07	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	09/29/2004 07:07	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	09/29/2004 07:07	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	09/29/2004 07:07	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	09/29/2004 07:07	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	09/29/2004 07:07	
1,2-DCA	ND	0.0050	mg/Kg	09/29/2004 07:07	
EDB	ND	0.0050	mg/Kg	09/29/2004 07:07	
Benzene	ND	0.0050	mg/Kg	09/29/2004 07:07	
Toluene	ND	0.0050	mg/Kg	09/29/2004 07:07	
Ethyl benzene	ND	0.0050	mg/Kg	09/29/2004 07:07	
Total xylenes	ND	0.0050	mg/Kg	09/29/2004 07:07	
Surrogates(s)					
1,2-Dichloroethane-d4	100.2	76-124	%	09/29/2004 07:07	
Toluene-d8	102.4	75-116	%	09/29/2004 07:07	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike**Soil****QC Batch # 2004/09/29-1A.66**

LCS 2004/09/29-1A.66-021

Extracted: 09/29/2004

Analyzed: 09/29/2004 06:21

LCSD 2004/09/29-1A.66-044

Extracted: 09/29/2004

Analyzed: 09/29/2004 06:44

Compound	Conc.	mg/Kg	Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD	%	Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	0.0572	0.0618	0.05	114.4	123.6	7.7	65-165	20		
Benzene	0.0573	0.0592	0.05	114.6	118.4	3.3	69-129	20		
Toluene	0.0529	0.0545	0.05	105.8	109.0	3.0	70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	444	448	500	88.8	89.6		76-124			
Toluene-d8	480	489	500	96.0	97.8		75-116			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Legend and Notes

Analysis Flag

o

Reporting limits were raised due to high level of analyte present in the sample.

Result Flag

g

Hydrocarbon reported in the gasoline range does not match
our gasoline standard.

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSW-13 d 4.5	09/28/2004 14:40	Water	1
DSW-11 d 3.5	09/28/2004 15:35	Water	2

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DSW-13 d 4.5

Lab ID: 2004-09-0828 - 1

Sampled: 09/28/2004 14:40

Extracted: 9/29/2004 02:32

Matrix: Water

QC Batch#: 2004/09/28-3B.66

Analysis Flag: o (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	1300000	25000	ug/L	500.00	09/29/2004 02:32	g
Benzene	ND	250	ug/L	500.00	09/29/2004 02:32	
Toluene	ND	250	ug/L	500.00	09/29/2004 02:32	
Ethylbenzene	ND	250	ug/L	500.00	09/29/2004 02:32	
Total xylenes	ND	500	ug/L	500.00	09/29/2004 02:32	
tert-Butyl alcohol (TBA)	ND	2500	ug/L	500.00	09/29/2004 02:32	
Methyl tert-butyl ether (MTBE)	ND	250	ug/L	500.00	09/29/2004 02:32	
Di-isopropyl Ether (DIPE)	ND	1000	ug/L	500.00	09/29/2004 02:32	
Ethyl tert-butyl ether (ETBE)	ND	1000	ug/L	500.00	09/29/2004 02:32	
tert-Amyl methyl ether (TAME)	ND	1000	ug/L	500.00	09/29/2004 02:32	
1,2-DCA	ND	250	ug/L	500.00	09/29/2004 02:32	
EDB	ND	250	ug/L	500.00	09/29/2004 02:32	
Surrogate(s)						
1,2-Dichloroethane-d4	114.2	76-130	%	500.00	09/29/2004 02:32	
Toluene-d8	100.1	78-115	%	500.00	09/29/2004 02:32	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: 3W-11 d 3.5

Lab ID: 2004-09-0828 - 2

Sampled: 09/28/2004 15:35

Extracted: 9/29/2004 13:55

Matrix: Water

QC Batch#: 2004/09/29-1A 64

Analysis Flag: o (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	1200	250	ug/L	5.00	09/29/2004 13:55	
Benzene	120	2.5	ug/L	5.00	09/29/2004 13:55	
Toluene	290	2.5	ug/L	5.00	09/29/2004 13:55	
Ethylbenzene	11	2.5	ug/L	5.00	09/29/2004 13:55	
Total xylenes	84	5.0	ug/L	5.00	09/29/2004 13:55	
tert-Butyl alcohol (TBA)	35	25	ug/L	5.00	09/29/2004 13:55	
Methyl tert-butyl ether (MTBE)	5.9	2.5	ug/L	5.00	09/29/2004 13:55	
Di-isopropyl Ether (DIPE)	ND	10	ug/L	5.00	09/29/2004 13:55	
Ethyl tert-butyl ether (ETBE)	ND	10	ug/L	5.00	09/29/2004 13:55	
tert-Amyl methyl ether (TAME)	ND	10	ug/L	5.00	09/29/2004 13:55	
1,2-DCA	ND	2.5	ug/L	5.00	09/29/2004 13:55	
EDB	ND	2.5	ug/L	5.00	09/29/2004 13:55	
Surrogate(s)						
1,2-Dichloroethane-d4	96.9	76-130	%	5.00	09/29/2004 13:55	
Toluene-d8	106.7	78-115	%	5.00	09/29/2004 13:55	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Water

QC Batch # 2004/09/28-3B.66

MB: 2004/09/28-3B.66-029

Date Extracted: 09/28/2004 18:29

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	09/28/2004 18:29	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	09/28/2004 18:29	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	09/28/2004 18:29	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	09/28/2004 18:29	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	09/28/2004 18:29	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	09/28/2004 18:29	
1,2-DCA	ND	0.5	ug/L	09/28/2004 18:29	
EDB	ND	0.5	ug/L	09/28/2004 18:29	
Benzene	ND	0.5	ug/L	09/28/2004 18:29	
Toluene	ND	0.5	ug/L	09/28/2004 18:29	
Ethylbenzene	ND	0.5	ug/L	09/28/2004 18:29	
Total xylenes	ND	1.0	ug/L	09/28/2004 18:29	
Surrogates(s)					
1,2-Dichloroethane-d4	96.6	76-130	%	09/28/2004 18:29	
Toluene-d8	96.6	78-115	%	09/28/2004 18:29	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

F. sp.(c): 5030B

Test(s): 8260B

Method Blank**QC Batch # 2004/09/29-1A.64**

MB: 2004/09/29-1A.64-057

Date Extracted: 09/29/2004 08:57

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	09/29/2004 08:57	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	09/29/2004 08:57	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	09/29/2004 08:57	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	09/29/2004 08:57	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	09/29/2004 08:57	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	09/29/2004 08:57	
1,2-DCA	ND	0.5	ug/L	09/29/2004 08:57	
EDB	ND	0.5	ug/L	09/29/2004 08:57	
Benzene	ND	0.5	ug/L	09/29/2004 08:57	
Toluene	ND	0.5	ug/L	09/29/2004 08:57	
Ethylbenzene	ND	0.5	ug/L	09/29/2004 08:57	
Total xylenes	ND	1.0	ug/L	09/29/2004 08:57	
Surrogates(s)					
1,2-Dichloroethane-d4	95.6	76-130	%	09/29/2004 08:57	
Toluene-d8	108.4	78-115	%	09/29/2004 08:57	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike**Water****QC Batch # 2004/09/28-3B.66**

LCS 2004/09/28-3B.66-043

Extracted: 09/28/2004

Analyzed: 09/28/2004 17:43

LCSD 2004/09/28-3B.66-006

Extracted: 09/28/2004

Analyzed: 09/28/2004 18:00

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD %	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	27.9	27.5	25	111.6	110.0	1.4	65-165	20		
Benzene	25.9	26.9	25	103.6	107.6	3.8	69-129	20		
Toluene	24.4	24.9	25	97.6	99.6	2.0	70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	453	440	500	90.6	88.0		76-130			
Toluene-d8	488	508	500	97.6	101.6		78-115			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): C260B

Laboratory Control Spike**Water****QC Batch # 2004/09/29-1A.64**

LCS 2004/09/29-1A.64-013

Extracted: 09/29/2004

Analyzed: 09/29/2004 08:13

LCSD 2004/09/29-1A.64-035

Extracted: 09/29/2004

Analyzed: 09/29/2004 08:35

Compound	Conc.		Exp.Conc.	Recovery %		RPD %	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	25.4	26.9	25	101.6	107.6	5.7	65-165	20		
Benzene	22.6	23.3	25	90.4	93.2	3.1	69-129	20		
Toluene	27.1	28.3	25	108.4	113.2	4.3	70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	481	487	500	96.2	97.4		76-130			
Toluene-d8	532	523	500	106.4	104.6		78-115			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Legend and Notes

Analysis Flag

o

Reporting limits were raised due to high level of analyte present in the sample.

Result Flag

9

Hydrocarbon reported in the gasoline range does not match
our gasoline standard.

Fuel Oxygenates by 8260B (High Level)

Toxicem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSW-9 d 3.5	09/28/2004 14:40	Product	3

Fuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B Test(s): 8260B
Sample ID: DSW-9 d 3.5 Lab ID: 2004-09-0828 - 3
Sampled: 09/28/2004 14:40 Extracted: 10/4/2004 12:09
Matrix: Product QC Batch#: 2004/09/29-3B-66
Analysis Flag: o,et (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	840000000	15000000	ug/Kg	76.92	10/04/2004 12:09	
tert-Butyl alcohol (TBA)	ND	3800000	ug/Kg	76.92	10/04/2004 12:09	
Methyl tert-butyl ether (MTBE)	ND	380000	ug/Kg	76.92	10/04/2004 12:09	
Di-isopropyl Ether (DIPE)	ND	770000	ug/Kg	76.92	10/04/2004 12:09	
Ethyl tert-butyl ether (ETBE)	ND	380000	ug/Kg	76.92	10/04/2004 12:09	
tert-Amyl methyl ether (TAME)	ND	380000	ug/Kg	76.92	10/04/2004 12:09	
1,2-DCA	ND	5000	ug/Kg	76.92	10/04/2004 12:09	
EDB	ND	5000	ug/Kg	76.92	10/04/2004 12:09	
Surrogate(s)						
1,2-Dichloroethane-d4	NA	53-127	%	76.92	10/04/2004 12:09	sd
Toluene-d8	NA	47-136	%	76.92	10/04/2004 12:09	sd

Fuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Soil

QC Batch # 2004/09/29-3B-66

MB: 2004/09/29-3B-66-028

Date Extracted: 09/29/2004 15:28

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	20000	ug/Kg	09/29/2004 15:28	
tert-Butyl alcohol (TBA)	ND	2500	ug/Kg	09/29/2004 15:28	
Methyl tert-butyl ether (MTBE)	ND	500	ug/Kg	09/29/2004 15:28	
Di-isopropyl Ether (DIPE)	ND	1000	ug/Kg	09/29/2004 15:28	
Ethyl tert-butyl ether (ETBE)	ND	500	ug/Kg	09/29/2004 15:28	
tert-Amyl methyl ether (TAME)	ND	500	ug/Kg	09/29/2004 15:28	
1,2-DCA	ND	500	ug/Kg	09/29/2004 15:28	
EDB	ND	500	ug/Kg	09/29/2004 15:28	
Surrogates(s)					
1,2-Dichloroethane-d4	105.6	53-129	%	09/29/2004 15:28	
Toluene-d8	106.0	47-136	ug/Kg	09/29/2004 15:28	

Fuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike**Soil**

QC Batch #: 2004/09/29-3B.66

LCS 2004/09/29-3B.66-040

Extracted: 09/29/2004

Analyzed: 09/29/2004 14:43

LCSD 2004/09/29-3B.66-005

Extracted: 09/30/2004

Analyzed: 09/30/2004 16:05

Compound	Conc. ug/Kg		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	12900	12100	10000	129.0	121.0	6.4	65-165	20		
Surrogates(s)										
1,2-Dichloroethane-d4	295	247	250	118.0	98.8		53-129			
Toluene-d8	306	270	250	122.4	108.0		47-136			

Fuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Legend and Notes

Sample Comment

Lab ID: 2004-09-0828 -3

et-Sample was analyzed for Ethanol and the result was ND at the reporting limit of 10000000 ug/Kg.

Analysis Flag

o

Reporting limits were raised due to high level of analyte present in the sample.

Result Flag

sd

Surrogate recovery not reportable due to required dilution.

Gas/BTEX/Fuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSV-9 d 4.0	09/28/2004 15:10	Soil	9

Gas/BTEX/Fuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DSV-9 d 4.0

Lab ID: 2004-09-0828 - 9

Sampled: 09/28/2004 16:10

Extracted: 10/1/2004 02:50

Matrix: Soil

QC Batch#: 2004/09/29-3A.66

Analysis Flag: o (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	24000	1300	mg/Kg	25.00	10/01/2004 02:50	
Benzene	65	13	mg/Kg	25.00	10/01/2004 02:50	
Toluene	1300	13	mg/Kg	25.00	10/01/2004 02:50	
Ethyl benzene	350	13	mg/Kg	25.00	10/01/2004 02:50	
Total xylenes	2300	13	mg/Kg	25.00	10/01/2004 02:50	
tert-Butyl alcohol (TBA)	ND	63	mg/Kg	25.00	10/01/2004 02:50	
Methyl tert-butyl ether (MTBE)	ND	13	mg/Kg	25.00	10/01/2004 02:50	
Di-isopropyl Ether (DIPE)	ND	25	mg/Kg	25.00	10/01/2004 02:50	
Ethyl tert-butyl ether (ETBE)	ND	13	mg/Kg	25.00	10/01/2004 02:50	
tert-Amyl methyl ether (TAME)	ND	13	mg/Kg	25.00	10/01/2004 02:50	
1,2-DCA	ND	13	mg/Kg	25.00	10/01/2004 02:50	
EDB	ND	13	mg/Kg	25.00	10/01/2004 02:50	
Ethanol	ND	630	mg/Kg	25.00	10/01/2004 02:50	
Surrogate(s)						
1,2-Dichloroethane-d4	NA	53-129	%	25.00	10/01/2004 02:50	sd
Toluene-d8	NA	47-136	%	25.00	10/01/2004 02:50	sd

Gas/BTEX/Fuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Soil

QC Batch # 2004/09/29-3A.66

MB: 2004/09/29-3A.66-028

Date Extracted: 09/29/2004 15:28

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	mg/Kg	09/29/2004 15:28	
Benzene	ND	0.50	mg/Kg	09/29/2004 15:28	
Toluene	ND	0.50	mg/Kg	09/29/2004 15:28	
Ethyl benzene	ND	0.50	mg/Kg	09/29/2004 15:28	
Total xylenes	ND	0.50	mg/Kg	09/29/2004 15:28	
tert-Butyl alcohol (TBA)	ND	2.5	mg/Kg	09/29/2004 15:28	
Methyl tert-butyl ether (MTBE)	ND	0.50	mg/Kg	09/29/2004 15:28	
Di-isopropyl Ether (DIPE)	ND	1.0	mg/Kg	09/29/2004 15:28	
Ethyl tert-butyl ether (ETBE)	ND	0.50	mg/Kg	09/29/2004 15:28	
tert-Amyl methyl ether (TAME)	ND	0.50	mg/Kg	09/29/2004 15:28	
1,2-DCA	ND	0.50	mg/Kg	09/29/2004 15:28	
EDB	ND	0.50	mg/Kg	09/29/2004 15:28	
Ethanol	ND	25	mg/Kg	09/29/2004 15:28	
Surrogates(s)					
1,2-Dichloroethane-d4	105.6	53-129	%	09/29/2004 15:28	
Toluene-d8	106.0	47-136	%	09/29/2004 15:28	

Gas/BTEXFuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 6030B

Test(s): 8260B

Laboratory Control Spike**Soil****QC Batch # 2004/09/29-3A.66**

LCS 2004/09/29-3A.66-040

Extracted: 09/29/2004

Analyzed: 09/29/2004 14:43

LCSD 2004/09/29-3A.66-005

Extracted: 09/30/2004

Analyzed: 09/30/2004 16:05

Compound	Conc.	mg/Kg	Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD	%	Rec.	RPD	LCS	LCSD
Benzene	12.8	12.3	10	128.0	123.0	4.0	69-129	20		
Toluene	12.2	10.5	10	122.0	105.0	15.0	70-130	20		
Methyl tert-butyl ether (MTBE)	12.9	12.1	10	129.0	121.0	6.4	65-165	20		
<i>Surrogates(s)</i>										
1,2-Dichloroethane-d4	295	247	250	118.0	98.8		53-129			
Toluene-d8	306	270	250	122.4	108.0		47-136			

Gas/BTEXFuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/28/2004 17:39

Site: 5251 Hopyard Road, Pleasanton

Legend and Notes

Analysis Flag

o

Reporting limits were raised due to high level of analyte present in the sample.

Result Flag

sd

Surrogate recovery not reportable due to required dilution.

STL-San Francisco

1220 Quarry Lane
Pleasanton, CA 94566

(925) 484-1919 (925) 484-1096 fax

Shell Project Manager to be Invoiced:

<input type="checkbox"/> SCIENCE & ENGINEERING
<input checked="" type="checkbox"/> TECHNICAL SERVICES
<input type="checkbox"/> CRMT-HOUSTON

SHELL Chain Of Custody Record

89246

2004-09-0828

Bill Merchant, Shell Oil Products US

INCIDENT NUMBER (SSE ONLY)

9 8 9 9 5 8 4 3

SAP/OCGRT NUMBER (TS/CRNU)

[REDACTED] 2 5 7 8 5

DATE 9-28-04

PAGE 1 of 2

PROJECT COMPANY		CODE	SITE ADDRESS (Street and City)		PHONE NO.		EMAIL		CONTACT INFO (PROJECT NO.)										
Toxichem Management Systems, Inc.			5251 Hopyard Road, Pleasanton				T0600101267												
11 Kenton Avenue, San Carlos, California, 94070			EOU: ORIGINATOR TO RECORDER (Type or Initial)		PHONE NO.		EMAIL		CONTACT INFO (PROJECT NO.)										
PROJECT CONTINUED (Checkmark or PDF Report)			Ross Pipeline		650-551-0112		ross@toxichem.com		EO-77-1A										
ROSS TLINE			ROSS TLINE						CABINETS ONLY										
TELEPHONE: 650-551-0112 FAX: 650-551-0116 EMAIL: ross@toxichem.com																			
TURNAROUND TIME (BUSINESS DAYS)			<input type="checkbox"/> 10 DAYS <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 24 HOURS <input type="checkbox"/> 48 HOURS <input checked="" type="checkbox"/> LESS THAN 24 HOURS																
<input type="checkbox"/> LA - RIVCE REPORT FORMAT <input checked="" type="checkbox"/> UST AGENCY																			
COMS MTBC CONFIRMATION: HIGHEST _____ HIGHEST PDIREADING: _____ ALL: _____																			
SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF ECO IS NOT NEEDED <input type="checkbox"/>																			
RUSH																			
ITEM # ONLY	Field Sample Identification		SAMPLING DATE	MATRIX	NO. OF CONT.	TPH - Flammable	TPH - Explosive (deton)	STEX	MTBE	TBA	5' Originates	Ethanol	Methanol	VOCs by GC/MS	Semi-Volatiles by GC/MS	LUTPS	Oil Crude Chem	Water Crude Chem	Test for Disposal
	DSW-13d 4.5		9/28/04	2:20	W	3	X	X	X	X	X	X	X	X	X	X	X	X	X
	DSW-11d 3.5		9/28/04	3:35	W	2	X	X	X	X	X	X	X	X	X	X	X	X	X
	DSW-9d 3.5		9/28/04	2:40	PROXY	1	X	X	X	X	X	X	X	X	X	X	X	X	X
	DSV-2d 2.5		9/28/04	4:10	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X
	DSV-4d 3.5		9/28	4:15	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X
	DSV-5d 2.0		9/28	1:55	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X
	DSV-6d 2.0		9/28	2:10	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X
	DSV-8d 3.0		9/28	2:30	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X
	DSV-9d 4.0		9/28	3:10	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X
DSV-10d 3.7		9/28	3:20	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X	
Received by (Signature): <i>Tom J D</i>		Received by (Signature): <i>Tom J D</i>																	
Released by (Signature): <i>Tom J D</i>		Released by (Signature): <i>Tom J D</i>																	
Repackaged by (Signature): <i>Tom J D</i>		Repackaged by (Signature): <i>Tom J D</i>																	

STL-San Francisco

SHELL Chain Of Custody Record

89246

1220 Quarry Lane

Pleasanton, CA 94566

(925) 484-1919 (925) 484-1096 fax

Shell Project Manager to be Invoiced:

<input type="checkbox"/> SCIENCE & ENGINEERING
<input checked="" type="checkbox"/> TECHNICAL SERVICES
<input type="checkbox"/> CINT HOUSTON

2004-09-0828

Bill Merchant, Shell Oil Products US

INCIDENT NUMBER (SHELL ONLY)

9 8 9 9 5 8 4 3

DATE: 9-28-04

SAP or CRMT NUMBER (TSICMTO)

1 2 5 7 8 5

PAGE: 2 of 2

SHIPPING COMPANY: ToxicChem Management Systems, Inc.		LOG CODE:		SITE ADDRESS (Street and City): 5251 Hopyard Road, Pleasanton		CALL #:		CUSTODIAN PROJECT ID#:														
ADDRESS: 11 Kenton Avenue, San Carlos, California, 94070				BY DELIVERABLE TO RESPONSIBLE PERSON:		PHONE NO:		E-MAIL:														
PROJECT CONTACT: Ross Tinline				Ross Tinline		650.551.0112		ross@toxchem.com														
TELEPHONE: 650.551.0112	FAX: 650.551.0116	EMAIL: ross@toxchem.com						EO-77-1A														
TURNDOWN TIME (BUSINESS DAYS): <input type="checkbox"/> 10 DAYS <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 72 HOURS <input type="checkbox"/> 48 HOURS <input checked="" type="checkbox"/> 24 HOURS OR LESS THAN 24 HOURS																						
□ LA - PWCS REPORT FORMAT <input checked="" type="checkbox"/> UST AGENCY																						
GOMS MTBE CONFIRMATION: HIGHEST <input type="checkbox"/> HIGHEST per BORING <input type="checkbox"/> ALL																						
SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF BODDING IS NEEDED <input type="checkbox"/>																						
RUSH																						
Field Sample Identification		SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TEH - Preservative	TEH - Solvent	STEX	MTBE	IBP	5-Oxygenates	12-DCA and BDEs	Ethanol	Methanol	VOCs by PGC	Stimulants by 2070C	Lead	UFTS G-1000 & SPC-2 Tests	INFO G-1000	CAMI?	Test or Disposal	
DSV-110	35	9/28/04	3:40	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	Test	
DSV-120	4.3	9/28/04	4:30	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	Test	
DSV-130	4.0	9/28/04	4:00	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	Test	
Received by (Signature): Tom Tline		Received by (Signature): Sandy B. Miller																		9/28/04		11:37
Repackaged by (Signature):		Repackaged by (Signature):																		Date:		Time:
Reinforced by (Signature):		Reinforced by (Signature):																		Date:		Time:

Toxichem Management Systems, Inc -S.F.

October 04, 2004

1562 44th Avenue
San Francisco, CA 94122-2931

Attn.: Ross Tinline

Project#: EQ-77.1A

Site: 5251 Hopyard Road, Pleasanton

Dear Ross

Attached is our report for your samples received on 09/20/2004 18:45.

This report has been reviewed and approved for release. Reproduction of this report is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after 11/04/2004 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions, please call me at (925) 484-1919.

You can also contact me via email. My email address is: ssidhu@stl-inc.com

Sincerely,



Surinder Sidhu
Project Manager

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DS-1A	09/20/2004 15:10	Soil	1
DS-1B	09/20/2004 15:10	Soil	2
DS-2A	09/20/2004 15:15	Soil	3
DS-2B	09/20/2004 15:15	Soil	4
DS-4A	09/20/2004 15:10	Soil	6
DS-4B	09/20/2004 15:10	Soil	7
DS-5A	09/20/2004 14:55	Soil	8
DS-5B	09/20/2004 14:55	Soil	9
DS-6A	09/20/2004 14:51	Soil	10
DS-6B	09/20/2004 14:51	Soil	11
DS-8A	09/20/2004 14:45	Soil	13
DS-8B	09/20/2004 14:45	Soil	14
DS-2C	09/20/2004 16:30	Soil	15
DS-2D	09/20/2004 16:45	Soil	16
EX-1	09/20/2004 17:30	Soil	17
DS-2E	09/20/2004 17:15	Soil	18

Total Lead

Toxichem Management Systems, Inc -S.F.
Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-1A

Lab ID: 2004-09-0597 -1

Sampled: 09/20/2004 15:10

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.3	1.0	mg/Kg	1.00	09/23/2004 07:21	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-1B

Lab ID: 2004-09-0597 - 2

Sampled: 09/20/2004 15:10

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	5.4	1.0	mg/Kg	1.00	09/23/2004 07:46	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-2A

Lab ID: 2004-09-0597 - 3

Sampled: 09/20/2004 15:15

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03-15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.2	1.0	mg/Kg	1.00	09/23/2004 07:50	

Total Lead

Toxicem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B Test(s): 6010B
Sample ID: DS-2B Lab ID: 2004-09-0597-4
Sampled: 09/20/2004 15:15 Extracted: 9/21/2004 11:06
Matrix: Soil QC Batch#: 2004/09/21-03-15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	3.4	1.0	mg/Kg	1.00	09/23/2004 07:53	

Total Lead

Toxichem Management Systems, Inc -S.F.
Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-4A

Lab ID: 2004-09-0597 - 6

Sampled: 09/20/2004 15:10

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.1	1.0	mg/Kg	1.00	09/23/2004 07:57	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-4B

Lab ID: 2004-09-0597-7

Sampled: 09/20/2004 15:10

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	3.3	1.0	mg/Kg	1.00	09/23/2004 08:06	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue

San Francisco, CA 94122-2931

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-5A

Lab ID: 2004-09-0597 - 8

Sampled: 09/20/2004 14:55

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03:15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	3.0	1.0	mg/Kg	1.00	09/23/2004 08:10	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-5B

Lab ID: 2004-09-0597-9

Sampled: 09/20/2004 14:55

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	2.0	1.0	mg/Kg	1.00	09/23/2004 08:14	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B Test(s): 6010B
Sample ID: DS-6A Lab ID: 2004-09-0597 - 10
Sampled: 09/20/2004 14:51 Extracted: 9/21/2004 11:06
Matrix: Soil QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	3.1	1.0	mg/Kg	1.00	09/23/2004 08:17	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-63

Lab ID: 2004-09-0597-11

Sampled: 09/20/2004 14:51

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	3.3	1.0	mg/Kg	1.00	09/23/2004 08:21	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-8A

Lab ID: 2004-09-0597 - 13

Sampled: 09/20/2004 14:45

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.1	1.0	mg/Kg	1.00	09/23/2004 08:38	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-8B

Lab ID: 2004-09-0597 - 14

Sampled: 09/20/2004 14:45

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03-15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.6	1.0	mg/Kg	1.00	09/23/2004 08:42	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B Test(s): 6010B
Sample ID: DS-2C Lab ID: 2004-09-0597 - 15
Sampled: 09/20/2004 16:30 Extracted: 9/21/2004 11:06
Matrix: Soil QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	3.8	1.0	mg/Kg	1.00	09/23/2004 08:46	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-2D

Lab ID: 2004-09-0597-16

Sampled: 09/20/2004 16:45

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03:15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.8	1.0	mg/Kg	1.00	09/23/2004 08:50	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: EX-1

Lab ID: 2004-09-0597 - 17

Sampled: 09/20/2004 17:30

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03-15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	6.8	1.0	mg/Kg	1.00	09/23/2004 08:53	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DS-2E

Lab ID: 2004-09-0597-18

Sampled: 09/20/2004 17:15

Extracted: 9/21/2004 11:06

Matrix: Soil

QC Batch#: 2004/09/21-03.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.3	1.0	mg/Kg	1.00	09/23/2004 08:57	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Method Blank**QC Batch # 2004/09/21-03.15**

MB: 2004/09/21-03.15-014

Soil

Date Extracted: 09/21/2004 11:06

Compound	Conc.	RL	Unit	Analyzed	Flag
Lead	ND	1.0	mg/Kg	09/23/2004 07:01	

Total Lead

Toxicem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Laboratory Control Spike**Soil**

QC Batch # 2004/09/21-03.15

LCS 2004/09/21-03.15-015

Extracted: 09/21/2004

Analyzed: 09/23/2004 07:06

LCSD 2004/09/21-03.15-016

Extracted: 09/21/2004

Analyzed: 09/23/2004 07:10

Compound	Conc. mg/Kg		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Lead	95.1	93.6	100.0	95.1	93.6	1.6	80-120	20		

Diesel (C9-C24)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DS-3	09/20/2004 15:20	Soil	5
DS-7	09/20/2004 14:48	Soil	12

Diesel (C9-C24)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3550/8015M

Test(s): 8015M

Sample ID: DS-3

Lab ID: 2004-09-0597-5

Sampled: 09/20/2004 15:20

Extracted: 9/23/2004 19:09

Matrix: Soil

QC Batch#: 2004/09/23-5B.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	360	1.0	mg/Kg	1.00	09/24/2004 15:52	ndp
Surrogate(s)						
o-Terphenyl	86.1	60-130	%	1.00	09/24/2004 15:52	

Diesel (C9-C24)

Toxichem Management Systems, Inc -S.F.
Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3550/8015M

Test(s): 8015M

Sample ID: DS-7

Lab ID: 2004-09-0597 - 12

Sampled: 09/20/2004 14:48

Extracted: 9/23/2004 19:09

Matrix: Soil

QC Batch#: 2004/09/23-5B.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	11	1.0	mg/Kg	1.00	09/24/2004 16:20	ndp
Surrogate(s)						
o-Terphenyl	72.4	60-130	%	1.00	09/24/2004 16:20	

Diesel (C9-C24)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3550/8015M

Test(s): 8015M

Method Blank**Soil****QC Batch # 2004/09/23-5B.10**

MB: 2004/09/23-5B.10-001

Date Extracted: 09/23/2004 19:09

Compound	Conc.	RL	Unit	Analyzed	Flag
Diesel	ND	1	mg/Kg	09/24/2004 11:45	
Surrogates(s) o-Terphenyl	89.6	60-130	%	09/24/2004 11:45	

Diesel (C9-C24)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116
Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3550/8015M

Test(s): 8015M

Laboratory Control Spike

LCS 2004/09/23-5B.10-002
LCSD 2004/09/23-5B.10-003

Soil

Extracted: 09/23/2004
Extracted: 09/23/2004

QC Batch # 2004/09/23-5B.10

Analyzed: 09/24/2004 12:13
Analyzed: 09/24/2004 12:41

Compound	Conc. mg/Kg		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Diesel	37.7	37.9	41.6	90.6	91.3	0.8	60-130	25		
Surrogates(s) o-Terphenyl	20.0	19.6	20.0	100.0	98.2		60-130			

Diesel (C9-C24)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Legend and Notes

Result Flag

ndp

Hydrocarbon reported does not match the pattern of our Diesel standard

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DS-1A	09/20/2004 15:10	Soil	1
DS-1B	09/20/2004 15:10	Soil	2
DS-2B	09/20/2004 15:15	Soil	4
DS-3	09/20/2004 15:20	Soil	5
DS-4A	09/20/2004 15:10	Soil	6
DS-4B	09/20/2004 15:10	Soil	7
DS-5A	09/20/2004 14:55	Soil	8
DS-5B	09/20/2004 14:55	Soil	9
DS-7	09/20/2004 14:48	Soil	12
DS-8A	09/20/2004 14:45	Soil	13
DS-8B	09/20/2004 14:45	Soil	14
EX-1	09/20/2004 17:30	Soil	17
DS-2E	09/20/2004 17:15	Soil	18

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DS-1A

Lab ID: 2004-09-0597 - 1

Sampled: 09/20/2004 15:10

Extracted: 9/27/2004 23:46

Matrix: Soil

QC Batch#: 2004/09/27-3A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/27/2004 23:46	
Benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 23:46	
Toluene	0.043	0.0050	mg/Kg	1.00	09/27/2004 23:46	
Ethyl benzene	0.0071	0.0050	mg/Kg	1.00	09/27/2004 23:46	
Total xylenes	0.18	0.0050	mg/Kg	1.00	09/27/2004 23:46	
tert-Butyl alcohol (TBA)	0.017	0.010	mg/Kg	1.00	09/27/2004 23:46	
Methyl tert-butyl ether (MTBE)	0.0090	0.0050	mg/Kg	1.00	09/27/2004 23:46	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/27/2004 23:46	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 23:46	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/27/2004 23:46	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/27/2004 23:46	
EDB	ND	0.0050	mg/Kg	1.00	09/27/2004 23:46	
Ethanol	ND	0.1	mg/Kg	1.00	09/27/2004 23:46	
Surrogate(s)						
1,2-Dichloroethane-d4	107.0	76-124	%	1.00	09/27/2004 23:46	
Toluene-d8	89.8	75-116	%	1.00	09/27/2004 23:46	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.
Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-1B	Lab ID:	2004-09-0597 - 2
Sampled:	09/20/2004 15:10	Extracted:	9/30/2004 09:21
Matrix:	Soil	QC Batch#:	2004/09/30-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/30/2004 09:21	
Benzene	ND	0.0050	mg/Kg	1.00	09/30/2004 09:21	
Toluene	0.011	0.0050	mg/Kg	1.00	09/30/2004 09:21	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/30/2004 09:21	
Total xylenes	0.064	0.0050	mg/Kg	1.00	09/30/2004 09:21	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/30/2004 09:21	
Methyl tert-butyl ether (MTBE)	0.0051	0.0050	mg/Kg	1.00	09/30/2004 09:21	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/30/2004 09:21	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/30/2004 09:21	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/30/2004 09:21	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/30/2004 09:21	
EDB	ND	0.0050	mg/Kg	1.00	09/30/2004 09:21	
Ethanol	ND	0.1	mg/Kg	1.00	09/30/2004 09:21	
Surrogate(s)						
1,2-Dichloroethane-d4	98.7	76-124	%	1.00	09/30/2004 09:21	
Toluene-d8	97.0	75-116	%	1.00	09/30/2004 09:21	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-2B	Lab ID:	2004-09-0597 - 4
Sampled:	09/20/2004 15:15	Extracted:	9/27/2004 23:01
Matrix:	Soil	QC Batch#:	2004/09/27-3A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	3.2	1.0	mg/Kg	1.00	09/27/2004 23:01	g
Benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 23:01	
Toluene	ND	0.0050	mg/Kg	1.00	09/27/2004 23:01	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 23:01	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/27/2004 23:01	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/27/2004 23:01	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 23:01	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/27/2004 23:01	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 23:01	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/27/2004 23:01	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/27/2004 23:01	
EDB	ND	0.0050	mg/Kg	1.00	09/27/2004 23:01	
Ethanol	ND	0.1	mg/Kg	1.00	09/27/2004 23:01	
Surrogate(s)						
1,2-Dichloroethane-d4	113.1	76-124	%	1.00	09/27/2004 23:01	
Toluene-d8	85.3	75-116	%	1.00	09/27/2004 23:01	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-3	Lab ID:	2004-09-0597-5
Sampled:	09/20/2004 15:20	Extracted:	9/27/2004 22:38
Matrix:	Soil	QC Batch#:	2004/09/27-3A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 22:38	
Toluene	ND	0.0050	mg/Kg	1.00	09/27/2004 22:38	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 22:38	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/27/2004 22:38	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/27/2004 22:38	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 22:38	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/27/2004 22:38	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 22:38	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/27/2004 22:38	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/27/2004 22:38	
EDB	ND	0.0050	mg/Kg	1.00	09/27/2004 22:38	
Ethanol	ND	0.1	mg/Kg	1.00	09/27/2004 22:38	
Surrogate(s)						
1,2-Dichloroethane-d4	96.9	76-124	%	1.00	09/27/2004 22:38	
Toluene-d8	93.0	75-116	%	1.00	09/27/2004 22:38	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxicem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-4A	Lab ID:	2004-09-0597-6
Sampled:	09/20/2004 15:10	Extracted:	9/30/2004 09:43
Matrix:	Soil	QC Batch#:	2004/09/30-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/30/2004 09:43	
Benzene	ND	0.0050	mg/Kg	1.00	09/30/2004 09:43	
Toluene	ND	0.0050	mg/Kg	1.00	09/30/2004 09:43	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/30/2004 09:43	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/30/2004 09:43	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/30/2004 09:43	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/30/2004 09:43	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/30/2004 09:43	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/30/2004 09:43	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/30/2004 09:43	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/30/2004 09:43	
EDB	ND	0.0050	mg/Kg	1.00	09/30/2004 09:43	
Ethanol	ND	0.1	mg/Kg	1.00	09/30/2004 09:43	
Surrogate(s)						
1,2-Dichloroethane-d4	101.4	76-124	%	1.00	09/30/2004 09:43	
Toluene-d8	72.5	75-116	%	1.00	09/30/2004 09:43	sl

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-4B	Lab ID:	2004-09-0597-7
Sampled:	09/20/2004 15:10	Extracted:	9/27/2004 21:54
Matrix:	Soil	QC Batch#:	2004/09/27-3A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/27/2004 21:54	
Benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 21:54	
Toluene	ND	0.0050	mg/Kg	1.00	09/27/2004 21:54	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 21:54	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/27/2004 21:54	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/27/2004 21:54	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 21:54	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/27/2004 21:54	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 21:54	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/27/2004 21:54	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/27/2004 21:54	
EDB	ND	0.0050	mg/Kg	1.00	09/27/2004 21:54	
Ethanol	ND	0.1	mg/Kg	1.00	09/27/2004 21:54	
Surrogate(s)						
1,2-Dichloroethane-d4	103.8	76-124	%	1.00	09/27/2004 21:54	
Toluene-d8	75.8	75-116	%	1.00	09/27/2004 21:54	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DS-5A

Lab ID: 2004-09-0597-8

Sampled: 09/20/2004 14:55

Extracted: 9/30/2004 10:06

Matrix: Soil

QC Batch#: 2004/09/30-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/30/2004 10:06	
Benzene	ND	0.0050	mg/Kg	1.00	09/30/2004 10:06	
Toluene	ND	0.0050	mg/Kg	1.00	09/30/2004 10:06	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/30/2004 10:06	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/30/2004 10:06	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/30/2004 10:06	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/30/2004 10:06	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/30/2004 10:06	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/30/2004 10:06	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/30/2004 10:06	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/30/2004 10:06	
EDB	ND	0.0050	mg/Kg	1.00	09/30/2004 10:06	
Ethanol	ND	0.1	mg/Kg	1.00	09/30/2004 10:06	
<i>Surrogate(s)</i>						
1,2-Dichloroethane-d4	98.4	76-124	%	1.00	09/30/2004 10:06	
Toluene-d8	80.1	75-116	%	1.00	09/30/2004 10:06	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-5B	Lab ID:	2004-09-0597-9
Sampled:	09/20/2004 14:55	Extracted:	9/27/2004 21:09
Matrix:	Soil	QC Batch#:	2004/09/27-3A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/27/2004 21:09	
Benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 21:09	
Toluene	ND	0.0050	mg/Kg	1.00	09/27/2004 21:09	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 21:09	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/27/2004 21:09	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/27/2004 21:09	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 21:09	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/27/2004 21:09	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 21:09	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/27/2004 21:09	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/27/2004 21:09	
EDB	ND	0.0050	mg/Kg	1.00	09/27/2004 21:09	
Ethanol	ND	0.1	mg/Kg	1.00	09/27/2004 21:09	
<i>Surrogate(s)</i>						
1,2-Dichloroethane-d4	100.7	76-124	%	1.00	09/27/2004 21:09	
Toluene-d8	75.4	75-116	%	1.00	09/27/2004 21:09	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-7	Lab ID:	2004-09-0597-12
Sampled:	09/20/2004 14:48	Extracted:	9/27/2004 18:53
Matrix:	Soil	QC Batch#:	2004/09/27-3A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 18:53	
Toluene	ND	0.0050	mg/Kg	1.00	09/27/2004 18:53	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 18:53	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/27/2004 18:53	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/27/2004 18:53	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 18:53	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/27/2004 18:53	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 18:53	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/27/2004 18:53	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/27/2004 18:53	
EDB	ND	0.0050	mg/Kg	1.00	09/27/2004 18:53	
Ethanol	ND	0.1	mg/Kg	1.00	09/27/2004 18:53	
Surrogate(s)						
1,2-Dichloroethane-d4	99.6	76-124	%	1.00	09/27/2004 18:53	
Toluene-d8	95.8	75-116	%	1.00	09/27/2004 18:53	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Thline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-8A	Lab ID:	2004-09-0597 - 13
Sampled:	09/20/2004 14:45	Extracted:	9/27/2004 20:46
Matrix:	Soil	QC Batch#:	2004/09/27-3A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/27/2004 20:46	
Benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 20:46	
Toluene	ND	0.0050	mg/Kg	1.00	09/27/2004 20:46	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 20:46	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/27/2004 20:46	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/27/2004 20:46	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 20:46	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/27/2004 20:46	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 20:46	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/27/2004 20:46	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/27/2004 20:46	
EDB	ND	0.0050	mg/Kg	1.00	09/27/2004 20:46	
Ethanol	ND	0.1	mg/Kg	1.00	09/27/2004 20:46	
<i>Surrogate(s)</i>						
1,2-Dichloroethane-d4	102.2	76-124	%	1.00	09/27/2004 20:46	
Toluene-d8	97.0	75-116	%	1.00	09/27/2004 20:46	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxicchem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-8B	Lab ID:	2004-09-0597 - 14
Sampled:	09/20/2004 14:45	Extracted:	9/27/2004 20:24
Matrix:	Soil	QC Batch#:	2004/09/27-3A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/27/2004 20:24	
Benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 20:24	
Toluene	ND	0.0050	mg/Kg	1.00	09/27/2004 20:24	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 20:24	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/27/2004 20:24	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/27/2004 20:24	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 20:24	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/27/2004 20:24	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 20:24	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/27/2004 20:24	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/27/2004 20:24	
EDB	ND	0.0050	mg/Kg	1.00	09/27/2004 20:24	
Ethanol	ND	0.1	mg/Kg	1.00	09/27/2004 20:24	
Surrogate(s)						
1,2-Dichloroethane-d4	100.1	76-124	%	1.00	09/27/2004 20:24	
Toluene-d8	79.4	75-116	%	1.00	09/27/2004 20:24	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.
Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B Test(s): 8260B
Sample ID: EX-1 Lab ID: 2004-09-0597 - 17
Sampled: 09/20/2004 17:30 Extracted: 9/27/2004 20:01
Matrix: Soil QC Batch#: 2004/09/27-3A-66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/27/2004 20:01	
Benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 20:01	
Toluene	ND	0.0050	mg/Kg	1.00	09/27/2004 20:01	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/27/2004 20:01	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/27/2004 20:01	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/27/2004 20:01	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 20:01	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/27/2004 20:01	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/27/2004 20:01	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/27/2004 20:01	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/27/2004 20:01	
EDB	ND	0.0050	mg/Kg	1.00	09/27/2004 20:01	
Ethanol	ND	0.1	mg/Kg	1.00	09/27/2004 20:01	
Surrogate(s)						
1,2-Dichloroethane-d4	102.9	76-124	%	1.00	09/27/2004 20:01	
Toluene-d8	95.1	75-116	%	1.00	09/27/2004 20:01	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-2E	Lab ID:	2004-09-0597-18
Sampled:	09/20/2004 17:15	Extracted:	9/28/2004 00:09
Matrix:	Soil	QC Batch#:	2004/09/27-3A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	09/28/2004 00:09	
Benzene	ND	0.0050	mg/Kg	1.00	09/28/2004 00:09	
Toluene	ND	0.0050	mg/Kg	1.00	09/28/2004 00:09	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	09/28/2004 00:09	
Total xylenes	ND	0.0050	mg/Kg	1.00	09/28/2004 00:09	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	09/28/2004 00:09	
Methyl tert-butyl ether (MTBE)	0.012	0.0050	mg/Kg	1.00	09/28/2004 00:09	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	09/28/2004 00:09	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	09/28/2004 00:09	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	09/28/2004 00:09	
1,2-DCA	ND	0.0050	mg/Kg	1.00	09/28/2004 00:09	
EDB	ND	0.0050	mg/Kg	1.00	09/28/2004 00:09	
Ethanol	ND	0.1	mg/Kg	1.00	09/28/2004 00:09	
Surrogate(s)						
1,2-Dichloroethane-d4	98.1	76-124	%	1.00	09/28/2004 00:09	
Toluene-d8	97.3	75-116	%	1.00	09/28/2004 00:09	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.
Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030

Test(s): 8260B

Method Blank**Soil****QC Batch # 2004/09/27-3A.66**

MB: 2004/09/27-3A.66-025

Date Extracted: 09/27/2004 18:25

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	09/27/2004 18:25	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	09/27/2004 18:25	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	09/27/2004 18:25	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	09/27/2004 18:25	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	09/27/2004 18:25	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	09/27/2004 18:25	
1,2-DCA	ND	0.0050	mg/Kg	09/27/2004 18:25	
EDB	ND	0.0050	mg/Kg	09/27/2004 18:25	
Benzene	ND	0.0050	mg/Kg	09/27/2004 18:25	
Toluene	ND	0.0050	mg/Kg	09/27/2004 18:25	
Ethyl benzene	ND	0.0050	mg/Kg	09/27/2004 18:25	
Total xylenes	ND	0.0050	mg/Kg	09/27/2004 18:25	
Ethanol	ND	0.10	mg/Kg	09/27/2004 18:25	
Surrogates(s)					
1,2-Dichloroethane-d4	98.4	76-124	%	09/27/2004 18:25	
Toluene-d8	98.0	75-116	%	09/27/2004 18:25	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 3260B

Method Blank

QC Batch # 2004/09/30-1A.66

MB: 2004/09/30-1A.66-045

Date Extracted: 09/30/2004 07:45

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	09/30/2004 07:45	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	09/30/2004 07:45	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	09/30/2004 07:45	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	09/30/2004 07:45	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	09/30/2004 07:45	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	09/30/2004 07:45	
1,2-DCA	ND	0.0050	mg/Kg	09/30/2004 07:45	
EDB	ND	0.0050	mg/Kg	09/30/2004 07:45	
Benzene	ND	0.0050	mg/Kg	09/30/2004 07:45	
Toluene	ND	0.0050	mg/Kg	09/30/2004 07:45	
Ethyl benzene	ND	0.0050	mg/Kg	09/30/2004 07:45	
Total xylenes	ND	0.0050	mg/Kg	09/30/2004 07:45	
Ethanol	ND	0.10	mg/Kg	09/30/2004 07:45	
Surrogates(s)					
1,2-Dichloroethane-d4	100.4	76-124	%	09/30/2004 07:45	
Toluene-d8	100.0	75-116	%	09/30/2004 07:45	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike**Soil****QC Batch # 2004/09/27-3A-66**

LCS 2004/09/27-3A-66-040

Extracted: 09/27/2004

Analyzed: 09/27/2004 17:40

LCSD 2004/09/27-3A-66-002

Extracted: 09/27/2004

Analyzed: 09/27/2004 18:02

Compound	Conc. mg/Kg		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	0.0597	0.0567	0.05	119.4	113.4	5.2	65-165	20		
Benzene	0.0553	0.0541	0.05	110.6	108.2	2.2	69-129	20		
Toluene	0.0497	0.0494	0.05	99.4	98.8	0.6	70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	464	458	500	92.8	91.6		76-124			
Toluene-d8	484	494	500	96.8	98.8		75-116			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike**Soil****QC Batch # 2004/09/30-1A.66**

LCS 2004/09/30-1A.66-000

Extracted: 09/30/2004

Analyzed: 09/30/2004 07:00

LCSD 2004/09/30-1A.66-022

Extracted: 09/30/2004

Analyzed: 09/30/2004 07:22

Compound	Conc. mg/Kg		Exp.Conc.	Recovery %		RPD %	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	0.0560	0.0578	0.05	112.0	115.6	3.2	65-165	20		
Benzene	0.0583	0.0563	0.05	116.6	112.6	3.5	69-129	20		
Toluene	0.0538	0.0520	0.05	107.6	104.0	3.4	70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	449	452	500	89.8	90.4		76-124			
Toluene-d8	488	484	500	97.6	96.8		75-116			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.
Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116
Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)**Soil****QC Batch # 2004/09/27-3A.66**

DS-7 >> MS

Lab ID: 2004-09-0597 - 012

MS: 2004/09/27-3A.66-016

Extracted: 09/27/2004

Analyzed: 09/27/2004 19:16

MSD: 2004/09/27-3A.66-038

Extracted: 09/27/2004

Analyzed: 09/27/2004 19:38

Dilution: 1.00

Dilution: 1.00

Compound	Conc.			mg/Kg			Spk.Level	Recovery %			Limits %		Flags	
	MS	MSD	Sample	mg/Kg	MS	MSD		Rec.	RPD	MS	MSD			
Methyl tert-butyl ether	0.0603	0.0661	ND	0.048355	124.6	133.5	6.9	65-165	20					
Benzene	0.0567	0.0645	ND	0.048355	117.1	130.3	10.7	69-129	20					
Toluene	0.0504	0.0543	ND	0.048355	104.1	109.7	5.2	70-130	20					
<i>Surrogate(s)</i>														
1,2-Dichloroethane-d4	470	484		500	94.0	96.8		76-124						
Toluene-d8	498	496		500	99.6	99.2		75-116						

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Legend and Notes

Result Flag

g

Hydrocarbon reported in the gasoline range does not match
our gasoline standard.

sl

Surrogate recoveries were lower than QC limit due to matrix interference,
confirmed by reanalysis.

Gas/BTEX/Fuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DS-2A	09/20/2004 15:15	Soil	3
DS-6A	09/20/2004 14:51	Soil	10
DS-6B	09/20/2004 14:51	Soil	11
DS-2C	09/20/2004 16:30	Soil	15
DS-2D	09/20/2004 16:45	Soil	16

Gas/BTEXFuel Oxygenates by 8260B (High Level)

Toxchem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-2A	Lab ID:	2004-09-0597-3
Sampled:	09/20/2004 15:15	Extracted:	9/28/2004 10:28
Matrix:	Soil	QC Batch#:	2004/09/27-4A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	80	50	mg/Kg	1.00	09/28/2004 10:28	
Benzene	ND	0.50	mg/Kg	1.00	09/28/2004 10:28	
Toluene	ND	0.50	mg/Kg	1.00	09/28/2004 10:28	
Ethyl benzene	ND	0.50	mg/Kg	1.00	09/28/2004 10:28	
Total xylenes	ND	0.50	mg/Kg	1.00	09/28/2004 10:28	
tert-Butyl alcohol (TBA)	ND	2.5	mg/Kg	1.00	09/28/2004 10:28	
Methyl tert-butyl ether (MTBE)	ND	0.50	mg/Kg	1.00	09/28/2004 10:28	
Di-isopropyl Ether (DIPE)	ND	1.0	mg/Kg	1.00	09/28/2004 10:28	
Ethyl tert-butyl ether (ETBE)	ND	0.50	mg/Kg	1.00	09/28/2004 10:28	
tert-Amyl methyl ether (TAME)	ND	0.50	mg/Kg	1.00	09/28/2004 10:28	
1,2-DCA	ND	0.50	mg/Kg	1.00	09/28/2004 10:28	
EDB	ND	0.50	mg/Kg	1.00	09/28/2004 10:28	
Ethanol	ND	25	mg/Kg	1.00	09/28/2004 10:28	
Surrogate(s)						
1,2-Dichloroethane-d4	77.4	53-129	%	1.00	09/28/2004 10:28	
Toluene-d8	83.7	47-136	%	1.00	09/28/2004 10:28	

Gas/BTEXFuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-6A	Lab ID:	2004-09-0597 - 10
Sampled:	09/20/2004 14:51	Extracted:	9/28/2004 10:50
Matrix:	Soil	QC Batch#:	2004/09/27-4A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	470	50	mg/Kg	1.00	09/28/2004 10:50	
Benzene	ND	0.50	mg/Kg	1.00	09/28/2004 10:50	
Toluene	ND	0.50	mg/Kg	1.00	09/28/2004 10:50	
Ethyl benzene	ND	0.50	mg/Kg	1.00	09/28/2004 10:50	
Total xylenes	1.4	0.50	mg/Kg	1.00	09/28/2004 10:50	
tert-Butyl alcohol (TBA)	ND	2.5	mg/Kg	1.00	09/28/2004 10:50	
Methyl tert-butyl ether (MTBE)	ND	0.50	mg/Kg	1.00	09/28/2004 10:50	
Di-isopropyl Ether (DIPE)	ND	1.0	mg/Kg	1.00	09/28/2004 10:50	
Ethyl tert-butyl ether (ETBE)	ND	0.50	mg/Kg	1.00	09/28/2004 10:50	
tert-Amyl methyl ether (TAME)	ND	0.50	mg/Kg	1.00	09/28/2004 10:50	
1,2-DCA	ND	0.50	mg/Kg	1.00	09/28/2004 10:50	
EDB	ND	0.50	mg/Kg	1.00	09/28/2004 10:50	
Ethanol	ND	25	mg/Kg	1.00	09/28/2004 10:50	
Surrogate(s)						
1,2-Dichloroethane-d4	88.4	53-129	%	1.00	09/28/2004 10:50	
Toluene-d8	97.7	47-136	%	1.00	09/28/2004 10:50	

Gas/BTEXFuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-6B	Loc ID:	2004-09-0597-11
Sampled:	09/20/2004 14:51	Extracted:	9/28/2004 11:13
Matrix:	Soil	QC Batch#:	2004/09/27-4A.66

Analysis Flag: Irm (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	50	mg/Kg	1.00	09/28/2004 11:13	
Benzene	ND	0.50	mg/Kg	1.00	09/28/2004 11:13	
Toluene	ND	0.50	mg/Kg	1.00	09/28/2004 11:13	
Ethyl benzene	ND	0.50	mg/Kg	1.00	09/28/2004 11:13	
Total xylenes	ND	0.50	mg/Kg	1.00	09/28/2004 11:13	
tert-Butyl alcohol (TBA)	ND	2.5	mg/Kg	1.00	09/28/2004 11:13	
Methyl tert-butyl ether (MTBE)	ND	0.50	mg/Kg	1.00	09/28/2004 11:13	
Di-isopropyl Ether (DIPE)	ND	1.0	mg/Kg	1.00	09/28/2004 11:13	
Ethyl tert-butyl ether (ETBE)	ND	0.50	mg/Kg	1.00	09/28/2004 11:13	
tert-Amyl methyl ether (TAME)	ND	0.50	mg/Kg	1.00	09/28/2004 11:13	
1,2-DCA	ND	0.50	mg/Kg	1.00	09/28/2004 11:13	
EDB	ND	0.50	mg/Kg	1.00	09/28/2004 11:13	
Ethanol	ND	25	mg/Kg	1.00	09/28/2004 11:13	
Surrogate(s)						
1,2-Dichloroethane-d4	82.4	53-129	%	1.00	09/28/2004 11:13	
Toluene-d8	88.3	47-136	%	1.00	09/28/2004 11:13	

Gas/BTEX/Fuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DS-2C	Lab ID:	2004-09-0597-15
Sampled:	09/20/2004 16:30	Extracted:	9/28/2004 11:58
Matrix:	Soil	QC Batch#:	2004/09/27-4A.66

Analysis Flag: Inr (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	50	mg/Kg	1.00	09/28/2004 11:58	
Benzene	ND	0.50	mg/Kg	1.00	09/28/2004 11:58	
Toluene	ND	0.50	mg/Kg	1.00	09/28/2004 11:58	
Ethyl benzene	ND	0.50	mg/Kg	1.00	09/28/2004 11:58	
Total xylenes	ND	0.50	mg/Kg	1.00	09/28/2004 11:58	
tert-Butyl alcohol (TBA)	ND	2.5	mg/Kg	1.00	09/28/2004 11:58	
Methyl tert-butyl ether (MTBE)	ND	0.50	mg/Kg	1.00	09/28/2004 11:58	
Di-isopropyl Ether (DIPE)	ND	1.0	mg/Kg	1.00	09/28/2004 11:58	
Ethyl tert-butyl ether (ETBE)	ND	0.50	mg/Kg	1.00	09/28/2004 11:58	
tert-Amyl methyl ether (TAME)	ND	0.50	mg/Kg	1.00	09/28/2004 11:58	
1,2-DCA	ND	0.50	mg/Kg	1.00	09/28/2004 11:58	
EDB	ND	0.50	mg/Kg	1.00	09/28/2004 11:58	
Ethanol	ND	25	mg/Kg	1.00	09/28/2004 11:58	
Surrogate(s)						
1,2-Dichloroethane-d4	86.0	53-129	%	1.00	09/28/2004 11:58	
Toluene-d8	82.3	47-136	%	1.00	09/28/2004 11:58	

Gas/BTEXFuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DS-2D

Lab ID: 2004-09-0597 - 16

Sampled: 09/20/2004 16:45

Extracted: 9/28/2004 11:35

Matrix: Soil

QC Batch#: 2004/09/27-4A.66

Analysis Flag: Irr (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	50	mg/Kg	1.00	09/28/2004 11:35	
Benzene	ND	0.50	mg/Kg	1.00	09/28/2004 11:35	
Toluene	ND	0.50	mg/Kg	1.00	09/28/2004 11:35	
Ethyl benzene	ND	0.50	mg/Kg	1.00	09/28/2004 11:35	
Total xylenes	ND	0.50	mg/Kg	1.00	09/28/2004 11:35	
tert-Butyl alcohol (TBA)	ND	2.5	mg/Kg	1.00	09/28/2004 11:35	
Methyl tert-butyl ether (MTBE)	ND	0.50	mg/Kg	1.00	09/28/2004 11:35	
Di-isopropyl Ether (DIPE)	ND	1.0	mg/Kg	1.00	09/28/2004 11:35	
Ethyl tert-butyl ether (ETBE)	ND	0.50	mg/Kg	1.00	09/28/2004 11:35	
tert-Amyl methyl ether (TAME)	ND	0.50	mg/Kg	1.00	09/28/2004 11:35	
1,2-DCA	ND	0.50	mg/Kg	1.00	09/28/2004 11:35	
EDB	ND	0.50	mg/Kg	1.00	09/28/2004 11:35	
Ethanol	ND	25	mg/Kg	1.00	09/28/2004 11:35	
Surrogate(s)						
1,2-Dichloroethane-d4	81.3	53-129	%	1.00	09/28/2004 11:35	
Toluene-d8	86.0	47-136	%	1.00	09/28/2004 11:35	

Gas/BTEX/Fuel Oxygenates by 8260B (High Level)

Toxicem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Soil

QC Batch # 2004/09/27-4A.66

MB: 2004/09/27-4A.66-016

Date Extracted: 09/28/2004 01:16

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	mg/Kg	09/28/2004 01:16	
Benzene	ND	0.50	mg/Kg	09/28/2004 01:16	
Toluene	ND	0.50	mg/Kg	09/28/2004 01:16	
Ethyl benzene	ND	0.50	mg/Kg	09/28/2004 01:16	
Total xylenes	ND	0.50	mg/Kg	09/28/2004 01:16	
tert-Butyl alcohol (TBA)	ND	2.5	mg/Kg	09/28/2004 01:16	
Methyl tert-butyl ether (MTBE)	ND	0.50	mg/Kg	09/28/2004 01:16	
Di-isopropyl Ether (DIPE)	ND	1.0	mg/Kg	09/28/2004 01:16	
Ethyl tert-butyl ether (ETBE)	ND	0.50	mg/Kg	09/28/2004 01:16	
tert-Amyl methyl ether (TAME)	ND	0.50	mg/Kg	09/28/2004 01:16	
1,2-DCA	ND	0.50	mg/Kg	09/28/2004 01:16	
EDB	ND	0.50	mg/Kg	09/28/2004 01:16	
Ethanol	ND	25	mg/Kg	09/28/2004 01:16	
Surrogates(s)					
1,2-Dichloroethane-d4	86.4	53-129	%	09/28/2004 01:16	
Toluene-d8	89.2	47-136	%	09/28/2004 01:16	

Gas/BTEXFuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike**Soln****QC Batch # 2004/09/27-4A.66**

LCS 2004/09/27-4A.66-011

Extracted: 09/28/2004

Analyzed: 09/28/2004 10:05

LCSD 2004/09/27-4A.66-012

Extracted: 09/28/2004

Analyzed: 09/28/2004 00:53

Compound	Conc.		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Benzene	10.8	9.56	10	108.0	95.6	12.2	69-129	20		
Toluene	9.09	8.09	10	90.9	80.9	11.6	70-130	20		
Methyl tert-butyl ether (MTBE)	11.0	9.59	10	110.0	95.9	13.7	65-165	20		
<i>Surrogates(s)</i>										
1,2-Dichloroethane-d4	218	235	250	87.2	94.0		53-129			
Toluene-d8	237	236	250	94.8	94.4		47-136			

Gas/BTEXFuel Oxygenates by 8260B (High Level)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A

Received: 09/20/2004 18:45

Site: 5251 Hopyard Road, Pleasanton

Legend and Notes

Analysis Flag

Irn

Reporting limits raised due to high level of non-target analyte materials.

STL-San Francisco

SHELL Chain Of Custody Record

89018

1220 Quarry Lane
Pleasanton, CA 94566
(925) 484-1919 (925) 484-1096 fax

<input type="checkbox"/> SCIENTIFIC INVESTIGATING
<input checked="" type="checkbox"/> TECHNICAL SERVICES
<input type="checkbox"/> DATA PROCESSING

Bill Merchant, Shell Oil Products US

INCIDENT NUMBER (S&E ONLY)

SAFETY DATA NUMBER (S&C/RM#)

1 2 5 7 8 5

DATE: 9-20-04

PAGE: 1 of 2

COMPANY		LOC CODE:	SITE ADDRESS (STREET AND CITY)		GLOBAL ID#:																
Toxicem Management Systems, Inc.			5251 Hopyard Road, Pleasanton		T0000101267																
11 Kenton Avenue, San Carlos, California, 94070			PROJECT CONTACT (Handyman or PDI Agent)		CONSULTANT PROJECT NO:																
Ross Tintine			Ross Tintine		EQ-77.1A																
650.551.0112		650.551.0116	E-mail: rosst@toxicem.com		PHONE ONLY																
TOUR AROUND TIME (BUSINESS DAYS):		REQUESTED ANALYSIS																			
<input checked="" type="checkbox"/> 10 DAYS <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 72 HOURS <input type="checkbox"/> 48 HOURS <input type="checkbox"/> 24 HOURS <input type="checkbox"/> LESS THAN 24 HOURS																					
<input type="checkbox"/> LA - TWO'S REPORT FORMAT <input checked="" type="checkbox"/> LST AGENCY:																					
GCMS MTBE CONFIRMATION: HIGHEST _____ HIGHEST BY BORING _____ ALL _____																					
SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EOD IS NOT NEEDED <input type="checkbox"/>																					
Field Sample Identification		SAMPLING DATE	MATRIX	NO. OF CONT.	TPH - Purgeable TPH - Extractable (60/150)	BTX	MTBE	USA	15 Oxygentates	12 DCA and BOS	Ethanol + EDS + EDC	Methanol	VOC by GC/MS	Sam/Volatiles by GC/MS	Lead	LOD5 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TOLP	LOD5 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TOLP	CAN17 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TOLP	Test for Drifts	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes	TEMPERATURE ON RECEIPT °C
AS REC'D ONLY	DS-1A	9-20-04 15:10	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	11	
	DS-1B	15:10																			
	DS-2A	15:15																			
	DS-2B	15:20																			
	DS-3	15:45 20																			
	DS-4A	15:40																			
	DS-4B	15:40																			
	DS-5A	14:55																			
	DS-5B	14:55																			
	DS-6A	14:51																			
Reinstituted by (Signature):					Recovered by (Signature):					Date: 9/20/04					Time: 1845						
Reinstituted by (Signature):					Recovered by (Signature):					Date: 9/20/04					Time: 1845						
Reinstituted by (Signature):					Recovered by (Signature):					Date: 9/20/04					Time: 1845						

STRICKLER: Write with final report. Green to Fila, Yellow and Pink to Client.

10/16/00 Revision

STL-San Francisco

1220 Quarry Lane
Pleasanton, CA 94566
(925) 484-1919 (925) 484-1096 fax

SHELL Chain Of Custody Record

89018

Shell Project Manager to be Invoiced:				INCIDENT NUMBER (S&E ONLY)				DATE: 9-20-04															
<input checked="" type="checkbox"/> SCIENCE & ENGINEERING <input checked="" type="checkbox"/> TECHNICAL SERVICES <input checked="" type="checkbox"/> CMG-HOUSED																							
Bill Merchant, Shell Oil Products US <i>2004-09-0597</i>				SAP or CRM NUMBER (TS/CRM)				PAGE: 2 of 2															
				1 2 5 7 8 5																			
COMPANY		CODE		SITE ADDRESS (Street and City)				ITEM ID NO.															
Toxichem Management Systems, Inc.				5251 Hopyard Road, Pleasanton				TQ600101267															
ADDRESS				PO# DELEGATED TO (Individual Party or Designee)				PHONE NO.															
11 Kenton Avenue, San Carlos, California, 94070																							
PROJECT CONTACT Person(s) or PO#				EMAIL				CONSULTANT PROJECT NO.															
Ross Tinline				650.551.0112				ross@toxichem.com															
TELEPHONE		FAX		EQ-77.1A																			
650.551.0112		650.551.0116		FAX																			
EPA#		FAX#		ROSS TINLINE				LAB USE ONLY															
ROSS@TOXICHEM.COM		650.551.0116		FAX																			
TURNAROUND TIME (BUSINESS DAYS)																							
<input checked="" type="checkbox"/> 18 DAYS <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 24 HOURS <input type="checkbox"/> 48 HOURS <input type="checkbox"/> 24 HOURS <input type="checkbox"/> LESS THAN 24 HOURS																							
REQUESTED ANALYSIS																							
<input type="checkbox"/> IA - RWQCB REPORT FORMAT <input checked="" type="checkbox"/> UST AGENCY GOING MTBE CONFIRMATION HIGHEST _____ HIGHEST per BORING _____ ALL SPECIAL INSTRUCTIONS OR NOTES: <input type="checkbox"/> CHECK BOX IF EDD IS NOT NEEDED <input type="checkbox"/> <i>EX-1 will add to card</i>																							
FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes																							
TEMPERATURE ON RECEIPT °C <i>11</i>																							
SAMPLE ONLY	Field Sample Identification		SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Purgeable	TPH - Extractable (800ml)	BTEX	MTBE	IBA	5 Oxygens	1,2-DCA and EOB	Ethanol + EDG + EDC	Methanol	VOCs by GC/MS	Semi-Volatiles by GC/MS	Lead	<input checked="" type="checkbox"/> Toluene <input type="checkbox"/> Styrene <input type="checkbox"/> TCP	LUF15 <input type="checkbox"/> Total Petroleum <input type="checkbox"/> TOLP	CAM17 <input type="checkbox"/> Total Organics <input type="checkbox"/> TOC	Test for Deposits	
	DS-6B		9-20-04	14:51	S	1	X		X	X		X				X							
DS-7			14:48						X	X	X	X											
DS-8A			14:49						X	X	X	X											
DS-8B			14:49						X	X	X	X											
DS-2C																							
DS-2D			16:30																				
EX-1			16:45																				
DS-2E			17:30																				
			18:15																				
Received by: <i>John P. Bulkley</i>																		Date: 9-20-04	Time: 18:45				
Re-handled by: <i>John P. Bulkley</i>																		Date: 9-20-04	Time: 18:45				
Handed over by: <i>John P. Bulkley</i>																		Date: 9-20-04	Time: 18:45				
Comments: <i>John P. Bulkley</i>																							

Toxichem Management Systems, Inc -S.F.

October 11, 2004

1562 44th Avenue
San Francisco, CA 94122-2931

Attn.: Ross Tinline

Project#: EQ-77.1A
Project: 98995843
Site: 5251 Hopyard Road, Pleasanton

Dear Ross


Attached is our report for your samples received on 10/06/2004 12:50
This report has been reviewed and approved for release. Reproduction of this report
is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after
11/20/2004 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,
please call me at (925) 484-1919.

You can also contact me via email. My email address is: ssidhu@stl-inc.com

Sincerely,



Surinder Sidhu
Project Manager

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSV-4d5.0	10/06/2004 12:00	Soil	1
DSV-15d7.0	10/06/2004 12:25	Soil	2

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue

San Francisco, CA 94122-2931

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B Test(s): 6010B
Sample ID: DSV-4d5.0 Lab ID: 2004-10-0170-1
Sampled: 10/06/2004 12:00 Extracted: 10/6/2004 15:10
Matrix: Soil QC Batch#: 2004/10/06-05.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	11	1.0	mg/Kg	1.00	10/07/2004 13:48	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-15d7.0

Lab ID: 2004-10-0170 - 2

Sampled: 10/06/2004 12:26

Extracted: 10/6/2004 15:10

Matrix: Soil

QC Batch#: 2004/10/06-05.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	5.8	1.0	mg/Kg	1.00	10/07/2004 13:51	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Method Blank

Soil

QC Batch # 2004/10/06-05.15

MB: 2004/10/06-05.15-016

Date Extracted: 10/06/2004 15:10

Compound	Conc.	RL	Unit	Analyzed	Flag
Lead	ND	1.0	mg/Kg	10/07/2004 13:33	

Total Lead

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Laboratory Control Spike**Soil****QC Batch # 2004/10/06-05.15**

LCS 2004/10/06-05.15-017

Extracted: 10/06/2004

Analyzed: 10/07/2004 13:38

LCSD 2004/10/06-05.15-018

Extracted: 10/06/2004

Analyzed: 10/07/2004 13:43

Compound	Conc. mg/Kg		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Lead	94.7	96.0	100.0	94.7	96.0	1.4	80-120	20		

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSV-4d5.0	10/06/2004 12:00	Soil	1
DSV-15d7.0	10/06/2004 12:25	Soil	2

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DSV-4d5.0

Lab ID: 2004-10-0170 - 1

Sampled: 10/06/2004 12:00

Extracted: 10/9/2004 19:18

Matrix: Soil

QC Batch#: 2004/10/09-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	10/09/2004 19:18	
Benzene	0.016	0.0050	mg/Kg	1.00	10/09/2004 19:18	
Toluene	ND	0.0050	mg/Kg	1.00	10/09/2004 19:18	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	10/09/2004 19:18	
Total xylenes	ND	0.0050	mg/Kg	1.00	10/09/2004 19:18	
tert-Butyl alcohol (TBA)	0.22	0.010	mg/Kg	1.00	10/09/2004 19:18	
Methyl tert-butyl ether (MTBE)	0.20	0.0050	mg/Kg	1.00	10/09/2004 19:18	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	10/09/2004 19:18	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	10/09/2004 19:18	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	10/09/2004 19:18	
1,2-DCA	ND	0.0050	mg/Kg	1.00	10/09/2004 19:18	
EDB	ND	0.0050	mg/Kg	1.00	10/09/2004 19:18	
Surrogate(s)						
1,2-Dichloroethane-d4	109.3	76-124	%	1.00	10/09/2004 19:18	
Toluene-d8	97.4	75-116	%	1.00	10/09/2004 19:18	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DSV-15d7.0

Lab ID: 2004-10-0170-2

Sampled: 10/06/2004 12:25

Extracted: 10/09/2004 19:40

Matrix: Soil

QC Batch#: 2004/10/09-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	5.6	1.0	mg/Kg	1.00	10/09/2004 19:40	
Benzene	0.088	0.0050	mg/Kg	1.00	10/09/2004 19:40	
Toluene	0.0065	0.0050	mg/Kg	1.00	10/09/2004 19:40	
Ethyl benzene	0.20	0.0050	mg/Kg	1.00	10/09/2004 19:40	
Total xylenes	0.023	0.0050	mg/Kg	1.00	10/09/2004 19:40	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	10/09/2004 19:40	
Methyl tert-butyl ether (MTBE)	0.024	0.0050	mg/Kg	1.00	10/09/2004 19:40	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	10/09/2004 19:40	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	10/09/2004 19:40	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	10/09/2004 19:40	
1,2-DCA	ND	0.0050	mg/Kg	1.00	10/09/2004 19:40	
EDB	ND	0.0050	mg/Kg	1.00	10/09/2004 19:40	
Surrogate(s)						
1,2-Dichloroethane-d4	95.2	76-124	%	1.00	10/09/2004 19:40	
Toluene-d8	92.0	75-116	%	1.00	10/09/2004 19:40	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.

Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

QC Batch # 2004/10/09-2A.66

MB: 2004/10/09-2A.66-046

Date Extracted: 10/09/2004 18:46

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	10/09/2004 18:46	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	10/09/2004 18:46	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	10/09/2004 18:46	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	10/09/2004 18:46	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	10/09/2004 18:46	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	10/09/2004 18:46	
1,2-DCA	ND	0.0050	mg/Kg	10/09/2004 18:46	
EDB	ND	0.0050	mg/Kg	10/09/2004 18:46	
Benzene	ND	0.0050	mg/Kg	10/09/2004 18:46	
Toluene	ND	0.0050	mg/Kg	10/09/2004 18:46	
Ethyl benzene	ND	0.0050	mg/Kg	10/09/2004 18:46	
Total xylenes	ND	0.0050	mg/Kg	10/09/2004 18:46	
Surrogates(s)					
1,2-Dichloroethane-d4	94.6	76-124	%	10/09/2004 18:46	
Toluene-d8	97.6	75-116	%	10/09/2004 18:46	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc -S.F.
Attn.: Ross Tinline

1562 44th Avenue
San Francisco, CA 94122-2931
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 10/06/2004 12:50

Site: 5251 Hopyard Road, Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike**Soil**

QC Batch #: 2004/10/09-2A.66

LCS 2004/10/09-2A.66-001
LCSD 2004/10/09-2A.66-023

Extracted: 10/09/2004

Analyzed: 10/09/2004 18:01

Extracted: 10/09/2004

Analyzed: 10/09/2004 18:23

Compound	Conc.		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	0.0551	0.0558	0.05	110.2	111.6	1.3	65-165	20		
Benzene	0.0469	0.0442	0.05	93.8	88.4	5.9	69-129	20		
Toluene	0.0447	0.0453	0.05	89.4	90.6	1.3	70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	448	445	500	89.6	89.0		76-124			
Toluene-d8	482	468	500	96.4	93.6		75-116			

STL-San Francisco

1220 Quarry Lane
Pleasanton, CA 94566
(925) 484-1919 (925) 484-1986 fax

SHELL Chain Of Custody Record

89533

Shell Project Manager to be Invoiced: <input type="checkbox"/> SCIENCE & ENGINEERING <input checked="" type="checkbox"/> TECHNICAL SERVICES <input type="checkbox"/> CRMT HOUSTON Bill Merchant, Shell Oil Products US 2004-10-0170										INCIDENT NUMBER (S&E ONLY)		9 8 9 9 5 8 4 3		DATE 10-6-04																									
										SAP or CRMT NUMBER (TSICRMT)		1 2 5 7 8 5		PAGE 1 of 1																									
TOUCHEN Management Systems, Inc. ADDRESS: 11 Kenton Avenue, San Carlos, California 94070 PROJECT CONTACT NAME AND PHONE: Ross Tolino										SHIP ADDRESS (CITY STATE ZIP CODE)		PHONE NO.		EMAIL		CONSULTANT/PROJECT																							
11 Kenton Avenue, San Carlos, California 94070 ROSS TOLINO 650.551.0112										650.551.0112		ross@tolserv.com		EC-77.1A		SAMPLE ONLY																							
TURNAROUND TIME (BUSINESS DAYS) <input type="checkbox"/> 10 DAYS <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 72 HOURS <input checked="" type="checkbox"/> 48 HOURS <input type="checkbox"/> 24 HOURS <input type="checkbox"/> LESS THAN 24 HOURS <input type="checkbox"/> LA - RIVCO'S REPORT FORMAT <input checked="" type="checkbox"/> JUST AGENCY										REQUESTED ANALYSIS																													
SIGNS MORE CONFIRMATION HIGHEST <input type="checkbox"/> HIGHEST BY BORING <input type="checkbox"/> ALL										FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes																													
SPECIAL INSTRUCTIONS OR NOTES: <input type="checkbox"/> CHECK BOX IF EDO IS NOT NEEDED																																							
Field Sample Identification DSV-4d 5.0 DSV-15d 7.0	SAMPLING DATE 10/6/04 TIME 12:50		MATRIX S		NO. OF GEMS 1		TSP - Purgeable		BTEX		ARSENIC		LEAD		VOCs by GC/MS		Semi-Volatiles by GC/MS		LEAD		LUFTS		TOXIC		CAN17		TOXIC		Test for Disposal		TEMPERATURE ON RECEIPT (C)								
							<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
REVIEWED BY (Signature): <i>John J. Tolino</i>										REVIEWED BY (Signature): <i>John J. Tolino</i>										Date 10-6-04		Time 12:50																	
REVIEWED BY (Signature): <i>John J. Tolino</i>										REVIEWED BY (Signature): <i>John J. Tolino</i>										Date 10-6-04		Time 12:50																	

Toxicem Management Systems, Inc-San Jose

October 04, 2004

11 Kenton Drive
San Carlos, CA 94070
Attn.: Ross Tinline
Project#: EQ-77.1A
Project: 98995843
Site: 5251 Hopyard Rd., Pleasanton

Dear Mr. Tinline

Attached is our report for your samples received on 09/30/2004 19:25


This report has been reviewed and approved for release. Reproduction of this report is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after 11/14/2004 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions, please call me at (925) 484-1919.

You can also contact me via email. My email address is: ssidhu@stl-inc.com

Sincerely,



Surinder Sidhu
Project Manager

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSV-9D 10.0	09/30/2004 14:15	Soil	1
DSV-13D 5.5	09/30/2004 15:45	Soil	2
DSV-14D 4.5	09/30/2004 15:30	Soil	3
DSV-15D 5.0	09/30/2004 16:05	Soil	4

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-9D 10.0

Lab ID: 2004-09-0918 - 1

Sampled: 09/30/2004 14:15

Extracted: 10/1/2004 05:45

Matrix: Soil

QC Batch#: 2004/10/01-01.15

Analysis Flag: . (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	4.3	1.0	mg/Kg	1.00	10/01/2004 12:08	

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-13D 5.5

Lab ID: 2004-09-0918 - 2

Sampled: 09/30/2004 15:45

Extracted: 10/1/2004 05:45

Matrix: Soil

QC Batch#: 2004/10/01-01.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	7.3	1.0	mg/Kg	1.00	10/01/2004 12:34	

Total Lead

Toxicem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-14D 4.5

Lab ID: 2004-09-0918 - 3

Sampled: 09/30/2004 15:30

Extracted: 10/1/2004 05:45

Matrix: Soil

QC Batch#: 2004/10/01-01.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	5.9	1.0	mg/Kg	1.00	10/01/2004 12:37	

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: DSV-1SD-5.0

Lab ID: 2004-09-0918 -4

Sampled: 09/30/2004 16:05

Extracted: 10/1/2004 05:45

Matrix: Soil

QC Batch#: 2004/10/01-01.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	6.2	1.0	mg/Kg	1.00	10/01/2004 12:41	

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Method Blank

QC Batch #: 2004/10/01-01-15

MB: 2004/10/01-01-15-043

Date Extracted: 10/01/2004 05:45

Compound	Conc.	RL	Unit	Analyzed	Flag
Lead	ND	1.0	mg/Kg	10/01/2004 11:01	

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Laboratory Control Spike**Soil****QC Batch # 2004/10/01-01.15**

LCS 2004/10/01-01.15-044

Extracted: 10/01/2004

Analyzed: 10/01/2004 11:06

LCSD 2004/10/01-01.15-045

Extracted: 10/01/2004

Analyzed: 10/01/2004 11:10

Compound	Conc.		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %	Flags	
	LCS	LCSD		LCS	LCSD			Rec.	RPD
Lead	95.6	96.8	100.0	95.6	96.8	1.2	80-120	20	

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Matrix Spike (MS / MSD)**Soil****QC Batch # 2004/10/01-01-15**

DSV-15D 5.0 >> MS

Lab ID: 2004-09-0918 - 004

MS: 2004/10/01-01-15-064

Extracted: 10/01/2004

Analyzed: 10/01/2004 12:45

MSD: 2004/10/01-01-15-065

Extracted: 10/01/2004

Dilution: 1.00

Analyzed: 10/01/2004 12:49

Dilution: 1.00

Compound	Conc. mg/Kg			Spk.Level	Recovery %			Limits %		Flags	
	MS	MSD	Sample		mg/Kg	MS	MSD	RPD	Rec.	RPD	MS
Lead	71.9	70.4	6.18	100.0	65.7	66.1	0.6	75-125	20	mso	mso

Total Lead

Toxicem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Legend and Notes

Analysis Flag

Result Flag

mso

MS/MSD spike recoveries were out of QC limits due to matrix interference.
Precision and Accuracy were verified by LCS/LCSD.

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
DSV-9D 10.0	09/30/2004 14:15	Soil	1
DSV-13D 5.5	09/30/2004 15:45	Soil	2
DSV-14D 4.5	09/30/2004 15:30	Soil	3
DSV-15D 5.0	09/30/2004 16:05	Soil	4

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DSV-9D 10.0	Lab ID:	2004-09-0918-1
Sampled:	09/30/2004 14:15	Extracted:	10/1/2004 10:09
Matrix:	Soil	QC Batch#:	2004/10/01-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	2.0	mg/Kg	2.00	10/01/2004 10:09	
Benzene	ND	0.010	mg/Kg	2.00	10/01/2004 10:09	
Toluene	ND	0.010	mg/Kg	2.00	10/01/2004 10:09	
Ethyl benzene	ND	0.010	mg/Kg	2.00	10/01/2004 10:09	
Total xylenes	ND	0.010	mg/Kg	2.00	10/01/2004 10:09	
tert-Butyl alcohol (TBA)	0.083	0.020	mg/Kg	2.00	10/01/2004 10:09	
Methyl tert-butyl ether (MTBE)	0.053	0.010	mg/Kg	2.00	10/01/2004 10:09	
Di-isopropyl Ether (DIPE)	ND	0.020	mg/Kg	2.00	10/01/2004 10:09	
Ethyl tert-butyl ether (ETBE)	ND	0.010	mg/Kg	2.00	10/01/2004 10:09	
tert-Amyl methyl ether (TAME)	ND	0.010	mg/Kg	2.00	10/01/2004 10:09	
1,2-DCA	ND	0.010	mg/Kg	2.00	10/01/2004 10:09	
EDB	ND	0.010	mg/Kg	2.00	10/01/2004 10:09	
Surrogate(s)						
1,2-Dichloroethane-d4	102.6	76-124	%	2.00	10/01/2004 10:09	
Toluene-d8	102.2	75-116	%	2.00	10/01/2004 10:09	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 5030B Test(s): 8260B
Sample ID: DSV-13D 5.5 Lab ID: 2004-09-0918 - 2
Sampled: 09/30/2004 15:45 Extracted: 10/1/2004 10:32
Matrix: Soil QC Batch#: 2004/10/01-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	2.0	mg/Kg	2.00	10/01/2004 10:32	
Benzene	0.030	0.010	mg/Kg	2.00	10/01/2004 10:32	
Toluene	0.012	0.010	mg/Kg	2.00	10/01/2004 10:32	
Ethyl benzene	ND	0.010	mg/Kg	2.00	10/01/2004 10:32	
Total xylenes	0.020	0.010	mg/Kg	2.00	10/01/2004 10:32	
tert-Butyl alcohol (TBA)	0.030	0.020	mg/Kg	2.00	10/01/2004 10:32	
Methyl tert-butyl ether (MTBE)	0.054	0.010	mg/Kg	2.00	10/01/2004 10:32	
Di-isopropyl Ether (DIPE)	ND	0.020	mg/Kg	2.00	10/01/2004 10:32	
Ethyl tert-butyl ether (ETBE)	ND	0.010	mg/Kg	2.00	10/01/2004 10:32	
tert-Amyl methyl ether (TAME)	ND	0.010	mg/Kg	2.00	10/01/2004 10:32	
1,2-DCA	ND	0.010	mg/Kg	2.00	10/01/2004 10:32	
EDB	ND	0.010	mg/Kg	2.00	10/01/2004 10:32	
Surrogate(s)						
1,2-Dichloroethane-d4	100.4	76-124	%	2.00	10/01/2004 10:32	
Toluene-d8	98.3	75-116	%	2.00	10/01/2004 10:32	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	DSV-14D 4.5	Lab ID:	2004-09-0918 - 3
Sampled:	09/30/2004 15:30	Extracted:	10/1/2004 10:54
Matrix:	Soil	QC Batch#:	2004/10/01-2A/66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	2.0	mg/Kg	2.00	10/01/2004 10:54	
Benzene	ND	0.010	mg/Kg	2.00	10/01/2004 10:54	
Toluene	ND	0.010	mg/Kg	2.00	10/01/2004 10:54	
Ethyl benzene	ND	0.010	mg/Kg	2.00	10/01/2004 10:54	
Total xylenes	ND	0.010	mg/Kg	2.00	10/01/2004 10:54	
tert-Butyl alcohol (TBA)	0.12	0.020	mg/Kg	2.00	10/01/2004 10:54	
Methyl tert-butyl ether (MTBE)	0.092	0.010	mg/Kg	2.00	10/01/2004 10:54	
Di-isopropyl Ether (DIPE)	ND	0.020	mg/Kg	2.00	10/01/2004 10:54	
Ethyl tert-butyl ether (ETBE)	ND	0.010	mg/Kg	2.00	10/01/2004 10:54	
tert-Amyl methyl ether (TAME)	ND	0.010	mg/Kg	2.00	10/01/2004 10:54	
1,2-DCA	ND	0.010	mg/Kg	2.00	10/01/2004 10:54	
EDB	ND	0.010	mg/Kg	2.00	10/01/2004 10:54	
Surrogate(s)						
1,2-Dichloroethane-d4	102.3	76-124	%	2.00	10/01/2004 10:54	
Toluene-d8	98.6	75-116	%	2.00	10/01/2004 10:54	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 5030B

Test(s): 8260B

Sample ID: DSV-15D 5.0

Lab ID: 2004-09-0918-4

Sampled: 09/30/2004 16:05

Extracted: 10/1/2004 11:17

Matrix: Soil

QC Batch#: 2004/10/01-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	2.0	mg/Kg	2.00	10/01/2004 11:17	
Benzene	0.087	0.010	mg/Kg	2.00	10/01/2004 11:17	
Toluene	ND	0.010	mg/Kg	2.00	10/01/2004 11:17	
Ethyl benzene	ND	0.010	mg/Kg	2.00	10/01/2004 11:17	
Total xylenes	ND	0.010	mg/Kg	2.00	10/01/2004 11:17	
tert-Butyl alcohol (TBA)	0.086	0.020	mg/Kg	2.00	10/01/2004 11:17	
Methyl tert-butyl ether (MTBE)	0.17	0.010	mg/Kg	2.00	10/01/2004 11:17	
Di-isopropyl Ether (DIPE)	ND	0.020	mg/Kg	2.00	10/01/2004 11:17	
Ethyl tert-butyl ether (ETBE)	ND	0.010	mg/Kg	2.00	10/01/2004 11:17	
tert-Amyl methyl ether (TAME)	ND	0.010	mg/Kg	2.00	10/01/2004 11:17	
1,2-DCA	ND	0.010	mg/Kg	2.00	10/01/2004 11:17	
EDB	ND	0.010	mg/Kg	2.00	10/01/2004 11:17	
Surrogate(s)						
1,2-Dichloroethane-d4	107.1	76-124	%	2.00	10/01/2004 11:17	
Toluene-d8	97.3	75-116	%	2.00	10/01/2004 11:17	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch GC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Soil

QC Batch #: 2004/10/01-2A.66

MB: 2004/10/01-2A.66-038

Date Extracted: 10/01/2004 09:38

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	10/01/2004 09:38	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	10/01/2004 09:38	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	10/01/2004 09:38	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	10/01/2004 09:38	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	10/01/2004 09:38	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	10/01/2004 09:38	
1,2-DCA	ND	0.0050	mg/Kg	10/01/2004 09:38	
EDB	ND	0.0050	mg/Kg	10/01/2004 09:38	
Benzene	ND	0.0050	mg/Kg	10/01/2004 09:38	
Toluene	ND	0.0050	mg/Kg	10/01/2004 09:38	
Ethyl benzene	ND	0.0050	mg/Kg	10/01/2004 09:38	
Total xylenes	ND	0.0050	mg/Kg	10/01/2004 09:38	
Surrogates(s)					
1,2-Dichloroethane-d4	103.4	76-124	%	10/01/2004 09:38	
Toluene-d8	100.0	75-116	%	10/01/2004 09:38	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike**Soil**

QC Batch # 2004/10/01-2A.66

LCS 2004/10/01-2A.66-053
LCSD 2004/10/01-2A.66-016

Extracted: 10/01/2004
Extracted: 10/01/2004

Analyzed: 10/01/2004 08:53
Analyzed: 10/01/2004 09:16

Compound	Conc.	mg/Kg	Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD	%	Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	0.0616	0.0628	0.05	123.2	125.6	1.9	65-165	20		
Benzene	0.0621	0.0595	0.05	124.2	119.0	4.3	69-129	20		
Toluene	0.0580	0.0594	0.05	116.0	118.8	2.4	70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	485	485	500	97.0	97.0		76-124			
Toluene-d8	487	523	500	97.4	104.6		75-116			

STL-San Francisco

2004-09-09/8

SHELL Chain Of Custody Record

89346

1220 Quarry Lane

Pleasanton, CA 94566

(925) 484-1019 (925) 484-1096 fax

Shell Project Manager to be invoiced:

<input type="checkbox"/> SCIENCE & ENGINEERING
<input checked="" type="checkbox"/> TECHNICAL SERVICES
<input type="checkbox"/> DRNT HOUSTON

Bill Merchant, Shell Oil Products US

INCIDENT NUMBER (S&E ONLY)

9 8 9 9 5 8 4 3

S&E or CRMT NUMBER (TS/CRMT)

1 2 5 7 8 5

DATE: 9-30-04

PAGE: 1 of 1

TOXICITY MANAGEMENT SYSTEMS, INC.		DISPOSEE	SHIP ADDRESS (Street and City)		GLOBAL ID#		CONTACT PERSON																											
11 Kenton Avenue, San Carlos, California, 94070			5251 Hopyard Road, Pleasanton		T0600101267																													
PROJECT CONTACT (Name/Title or PDP Type ID): Ross Tinline		TELEPHONE	ROSS TINLINE		EMAIL		CONTRACT PROJECT NO.: EC-77-1A																											
TELEPHONE 650 551 0112		FAX 650 551 0116	E-MAIL ross.tinline@chemcon.com				LAB USE ONLY																											
TURNAROUND TIME (BUSINESS DAYS): <input type="checkbox"/> 10 DAYS <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 72 HOURS <input type="checkbox"/> 48 HOURS <input checked="" type="checkbox"/> 24 HOURS <input type="checkbox"/> LESS THAN 24 HOURS		REQUESTED ANALYSIS																																
<input type="checkbox"/> LA - PRIVATE REPORT FORMAT <input checked="" type="checkbox"/> LIA AGENCY																																		
SCAMS MODE CONFIRMATION: HIGHEST HIGHEST per BORING ALL																																		
SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED																																		
RUSH																																		
Lab No.	Field Sample Identification		SAMPLING DATE	MATRIX	NO. OF CONT.	TPH + Purgeable	TPH - Extractable (30:15m)	BTEX	MTBE	IBA	Organics	Lead + EDD + EDC	Alcohol	Methane	VOCS by 3200C	Lead	Toluene	Styrene	TCPE	LUF75	CIA17	Toluene	Test for Disposal	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes										
	DSV-9	10.0	9/30/04	2:15	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	TEMPERATURE ON RECEIPT °C 4		
DSV-13	5.5	9/30/04	3:45	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DSV-14	4.5	9/30/04	3:30	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DSV-15	5.0	9/30/04	4:05	S	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Received by (Signature)		Received by (Signature)							Date: 9-30-04		Time: 19:25																							
Released by (Signature)		Released by (Signature)							Date		Time																							
Reproduced by (Signature)		Received by (Signature)							Date		Time																							

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
PG-1 (A-D)	09/30/2004 16:15	Solid	1
PG-2 (A-D)	09/30/2004 16:25	Solid	2
SP-1 (A-D)	09/30/2004 16:30	Soil	3
PG-1.1 (A-D)	09/30/2004 18:30	Solid	4
PG-2.1 (A-D)	09/30/2004 18:40	Solid	5
PG-2.2 (A-D)	09/30/2004 18:45	Solid	6
PG-2.3 (A-D)	09/30/2004 18:50	Solid	7
PG-2.4 (A-D)	09/30/2004 18:51	Solid	8

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 5030B
Sample ID: PG-1 (A-D)

Test(s): 8260B
Lab ID: 2004-09-0917 - 1

Sampled: 09/30/2004 16:15
Matrix: Solid

Extracted: 10/1/2004 14:17
GC Batch#: 2004/10/01-2A-66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	10/01/2004 14:17	
Benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 14:17	
Toluene	ND	0.0050	mg/Kg	1.00	10/01/2004 14:17	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 14:17	
Total xylenes	ND	0.0050	mg/Kg	1.00	10/01/2004 14:17	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	10/01/2004 14:17	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 14:17	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	10/01/2004 14:17	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 14:17	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	10/01/2004 14:17	
1,2-DCA	ND	0.0050	mg/Kg	1.00	10/01/2004 14:17	
EDB	ND	0.0050	mg/Kg	1.00	10/01/2004 14:17	
Surrogate(s)						
1,2-Dichloroethane-d4	101.6	76-124	%	1.00	10/01/2004 14:17	
Toluene-d8	89.9	75-116	%	1.00	10/01/2004 14:17	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	PG-2 (A-D)	Lab ID:	2004-09-0917-2
Sampled:	09/30/2004 16:25	Extracted:	10/1/2004 14:39
Matrix:	Solid	QC Batch#:	2004/10/01-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	10/01/2004 14:39	
Benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 14:39	
Toluene	ND	0.0050	mg/Kg	1.00	10/01/2004 14:39	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 14:39	
Total xylenes	ND	0.0050	mg/Kg	1.00	10/01/2004 14:39	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	10/01/2004 14:39	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 14:39	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	10/01/2004 14:39	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 14:39	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	10/01/2004 14:39	
1,2-DCA	ND	0.0050	mg/Kg	1.00	10/01/2004 14:39	
EDB	ND	0.0050	mg/Kg	1.00	10/01/2004 14:39	
Surrogate(s)						
1,2-Dichloroethane-d4	99.3	76-124	%	1.00	10/01/2004 14:39	
Toluene-d8	90.0	75-116	%	1.00	10/01/2004 14:39	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 5030B Test(s): 8260B
Sample ID: SP-1 (A-D) Lab ID: 2004-09-0917 - 3
Sampled: 09/30/2004 16:30 Extracted: 10/2/2004 12:30
Matrix: Soil QC Batch#: 2004/10/02-1A.66
Analysis Flag: o (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	7.4	3.5	mg/Kg	3.52	10/02/2004 12:30	
Benzene	0.043	0.018	mg/Kg	3.52	10/02/2004 12:30	
Toluene	0.89	0.018	mg/Kg	3.52	10/02/2004 12:30	
Ethyl benzene	0.20	0.018	mg/Kg	3.52	10/02/2004 12:30	
Total xylenes	1.4	0.018	mg/Kg	3.52	10/02/2004 12:30	
tert-Butyl alcohol (TBA)	ND	0.035	mg/Kg	3.52	10/02/2004 12:30	
Methyl tert-butyl ether (MTBE)	0.030	0.018	mg/Kg	3.52	10/02/2004 12:30	
Di-isopropyl Ether (DIPE)	ND	0.035	mg/Kg	3.52	10/02/2004 12:30	
Ethyl tert-butyl ether (ETBE)	ND	0.018	mg/Kg	3.52	10/02/2004 12:30	
tert-Amyl methyl ether (TAME)	ND	0.018	mg/Kg	3.52	10/02/2004 12:30	
1,2-DCA	ND	0.018	mg/Kg	3.52	10/02/2004 12:30	
EDB	ND	0.018	mg/Kg	3.52	10/02/2004 12:30	
Surrogate(s)						
1,2-Dichloroethane-d4	90.7	76-124	%	3.52	10/02/2004 12:30	
Toluene-d8	94.2	75-116	%	3.52	10/02/2004 12:30	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 5030B Test(s): 8260B
Sample ID: PG-1.1 (A-D) Lab ID: 2004-09-0917 - 4
Sampled: 09/30/2004 18:30 Extracted: 10/1/2004 15:02
Matrix: Solid QC Batch#: 2004/10/01-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	10/01/2004 15:02	
Benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 15:02	
Toluene	ND	0.0050	mg/Kg	1.00	10/01/2004 15:02	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 15:02	
Total xylenes	ND	0.0050	mg/Kg	1.00	10/01/2004 15:02	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	10/01/2004 15:02	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 15:02	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	10/01/2004 15:02	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 15:02	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	10/01/2004 15:02	
1,2-DCA	ND	0.0050	mg/Kg	1.00	10/01/2004 15:02	
EDB	ND	0.0050	mg/Kg	1.00	10/01/2004 15:02	
Surrogate(s)						
1,2-Dichloroethane-d4	99.9	76-124	%	1.00	10/01/2004 15:02	
Toluene-d8	92.4	75-116	%	1.00	10/01/2004 15:02	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 5030B

Sample ID: PG-2.1 (A-D)

Sampled: 09/30/2004 18:40

Matrix: Solid

Test(s): 8260B

Lab ID: 2004-09-0917 - 5

Extracted: 10/1/2004 15:24

QC Batch#: 2004/10/01-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	10/01/2004 15:24	
Benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 15:24	
Toluene	ND	0.0050	mg/Kg	1.00	10/01/2004 15:24	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 15:24	
Total xylenes	ND	0.0050	mg/Kg	1.00	10/01/2004 15:24	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	10/01/2004 15:24	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 15:24	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	10/01/2004 15:24	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 15:24	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	10/01/2004 15:24	
1,2-DCA	ND	0.0050	mg/Kg	1.00	10/01/2004 15:24	
EDB	ND	0.0050	mg/Kg	1.00	10/01/2004 15:24	
Surrogate(s)						
1,2-Dichloroethane-d4	97.6	76-124	%	1.00	10/01/2004 15:24	
Toluene-d8	86.6	75-116	%	1.00	10/01/2004 15:24	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 5030B Test(s): 8260B
Sample ID: PG-2.2 (A-D) Lab ID: 2004-09-0917-5
Sampled: 09/30/2004 18:45 Extracted: 10/1/2004 12:24
Matrix: Solid QC Batch#: 2004/10/01-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	10/01/2004 12:24	
Benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 12:24	
Toluene	ND	0.0050	mg/Kg	1.00	10/01/2004 12:24	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 12:24	
Total xylenes	ND	0.0050	mg/Kg	1.00	10/01/2004 12:24	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	10/01/2004 12:24	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 12:24	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	10/01/2004 12:24	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 12:24	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	10/01/2004 12:24	
1,2-DCA	ND	0.0050	mg/Kg	1.00	10/01/2004 12:24	
EDB	ND	0.0050	mg/Kg	1.00	10/01/2004 12:24	
Surrogate(s)						
1,2-Dichloroethane-d4	89.0	76-124	%	1.00	10/01/2004 12:24	
Toluene-d8	91.5	75-116	%	1.00	10/01/2004 12:24	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	PG-2.3 (A-D)	Lab ID:	2004-09-0917 - 7
Sampled:	09/30/2004 18:50	Extracted:	10/1/2004 12:47
Matrix:	Solid	QC Batch#:	2004/10/01-2A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	10/01/2004 12:47	
Benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 12:47	
Toluene	ND	0.0050	mg/Kg	1.00	10/01/2004 12:47	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	10/01/2004 12:47	
Total xylenes	ND	0.0050	mg/Kg	1.00	10/01/2004 12:47	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	10/01/2004 12:47	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 12:47	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	10/01/2004 12:47	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	10/01/2004 12:47	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	10/01/2004 12:47	
1,2-DCA	ND	0.0050	mg/Kg	1.00	10/01/2004 12:47	
EDB	ND	0.0050	mg/Kg	1.00	10/01/2004 12:47	
Surrogate(s)						
1,2-Dichloroethane-d4	89.7	76-124	%	1.00	10/01/2004 12:47	
Toluene-d8	90.8	75-116	%	1.00	10/01/2004 12:47	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s):	5030B	Test(s):	8260B
Sample ID:	PG-2.4 (A-D)	Lab ID:	2004-09-0917 - 8
Sampled:	09/30/2004 18:51	Extracted:	10/2/2004 12:08
Matrix:	Solid	QC Batch#:	2004/10/02-1A.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	1.00	10/02/2004 12:08	
Benzene	ND	0.0050	mg/Kg	1.00	10/02/2004 12:08	
Toluene	ND	0.0050	mg/Kg	1.00	10/02/2004 12:08	
Ethyl benzene	ND	0.0050	mg/Kg	1.00	10/02/2004 12:08	
Total xylenes	ND	0.0050	mg/Kg	1.00	10/02/2004 12:08	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	1.00	10/02/2004 12:08	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	1.00	10/02/2004 12:08	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	1.00	10/02/2004 12:08	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	1.00	10/02/2004 12:08	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	1.00	10/02/2004 12:08	
1,2-DCA	ND	0.0050	mg/Kg	1.00	10/02/2004 12:08	
EDB	ND	0.0050	mg/Kg	1.00	10/02/2004 12:08	
<i>Surrogate(s)</i>						
1,2-Dichloroethane-d4	89.4	76-124	%	1.00	10/02/2004 12:08	
Toluene-d8	88.2	75-116	%	1.00	10/02/2004 12:08	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report:

Prep(s): 5030B

Test(s): 8260B

Method Blank

Soil

QC Batch # 2004/10/01-2A.66

MB: 2004/10/01-2A.66-038

Date Extracted: 10/01/2004 09:38

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	10/01/2004 09:38	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	10/01/2004 09:38	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	10/01/2004 09:38	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	10/01/2004 09:38	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	10/01/2004 09:38	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	10/01/2004 09:38	
1,2-DCA	ND	0.0050	mg/Kg	10/01/2004 09:38	
EDB	ND	0.0050	mg/Kg	10/01/2004 09:38	
Benzene	ND	0.0050	mg/Kg	10/01/2004 09:38	
Toluene	ND	0.0050	mg/Kg	10/01/2004 09:38	
Ethyl benzene	ND	0.0050	mg/Kg	10/01/2004 09:38	
Total xylenes	ND	0.0050	mg/Kg	10/01/2004 09:38	
Surrogates(s)					
1,2-Dichloroethane-d4	103.4	76-124	%	10/01/2004 09:38	
Toluene-d8	100.0	75-116	%	10/01/2004 09:38	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
 San Carlos, CA 94070
 Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
 98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank**QC Batch # 2004/10/02-1A.66**

MB: 2004/10/02-1A.66-014

Date Extracted: 10/02/2004 08:14

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	1.0	mg/Kg	10/02/2004 08:14	
tert-Butyl alcohol (TBA)	ND	0.010	mg/Kg	10/02/2004 08:14	
Methyl tert-butyl ether (MTBE)	ND	0.0050	mg/Kg	10/02/2004 08:14	
Di-isopropyl Ether (DIPE)	ND	0.010	mg/Kg	10/02/2004 08:14	
Ethyl tert-butyl ether (ETBE)	ND	0.0050	mg/Kg	10/02/2004 08:14	
tert-Amyl methyl ether (TAME)	ND	0.0050	mg/Kg	10/02/2004 08:14	
1,2-DCA	ND	0.0050	mg/Kg	10/02/2004 08:14	
EDB	ND	0.0050	mg/Kg	10/02/2004 08:14	
Benzene	ND	0.0050	mg/Kg	10/02/2004 08:14	
Toluene	ND	0.0050	mg/Kg	10/02/2004 08:14	
Ethyl benzene	ND	0.0050	mg/Kg	10/02/2004 08:14	
Total xylenes	ND	0.0050	mg/Kg	10/02/2004 08:14	
Surrogates(s)					
1,2-Dichloroethane-d4	90.8	76-124	%	10/02/2004 08:14	
Toluene-d8	94.2	75-116	%	10/02/2004 08:14	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report**Prep(s): 5030B****Test(s): 8260B****Laboratory Control Spike****Soil****QC Batch # 2004/10/01-2A:66**

LCS 2004/10/01-2A:66-053

Extracted: 10/01/2004

Analyzed: 10/01/2004 08:53

LCSD 2004/10/01-2A:66-016

Extracted: 10/01/2004

Analyzed: 10/01/2004 09:16

Compound	Conc.	mg/Kg	Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	0.0616	0.0628	0.05	123.2	125.6	1.9	65-165	20		
Benzene	0.0621	0.0595	0.05	124.2	119.0	4.3	69-129	20		
Toluene	0.0580	0.0594	0.05	116.0	118.8	2.4	70-130	20		
<i>Surrogates(s)</i>										
1,2-Dichloroethane-d4	485	485	500	97.0	97.0		76-124			
Toluene-d8	487	523	500	97.4	104.6		75-116			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike**Soil**

QC Batch # 2004/10/02-1A.66

LCS 2004/10/02-1A.66-029

Extracted: 10/02/2004

Analyzed: 10/02/2004 07:29

LCSD 2004/10/02-1A.66-052

Extracted: 10/02/2004

Analyzed: 10/02/2004 07:52

Compound	Conc.		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Methyl tert-butyl ether (MTBE)	0.0556	0.0568	0.05	111.2	113.6	2.1	65-165	20		
Benzene	0.0514	0.0550	0.05	102.8	110.0	6.8	69-129	20		
Toluene	0.0457	0.0480	0.05	91.4	96.0	4.9	70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	426	453	500	85.2	90.6		76-124			
Toluene-d8	446	461	500	89.2	92.2		75-116			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive

San Carlos, CA 94070

Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Legend and Notes

Analysis Flag

o

Reporting limits were raised due to high level of analyte present in the sample.

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
PG-1 (A-D)	09/30/2004 16:15	Solid	1
PG-2 (A-D)	09/30/2004 16:25	Solid	2
SP-1 (A-D)	09/30/2004 16:30	Soil	3
PG-1.1 (A-D)	09/30/2004 18:30	Solid	4
PG-2.1 (A-D)	09/30/2004 18:40	Solid	5
PG-2.2 (A-D)	09/30/2004 18:45	Solid	6
PG-2.3 (A-D)	09/30/2004 18:50	Solid	7
PG-2.4 (A-D)	09/30/2004 18:51	Solid	8

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3550/8015M Test(s): 8015M
Sample ID: PG-1 (A-D) Lab ID: 2004-09-0917 - 1
Sampled: 09/30/2004 16:15 Extracted: 10/4/2004 13:39
Matrix: Solid QC Batch#: 2004/10/04-5A-10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	25	1.0	mg/Kg	1.00	10/05/2004 09:59	ndp
Surrogate(s)						
o-Terphenyl	84.5	60-130	%	1.00	10/05/2004 09:59	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3550/8015M

Test(s): 8015M

Sample ID: PG-2 (A-D)

Lab ID: 2004-09-0917 - 2

Sampled: 09/30/2004 16:25

Extracted: 10/4/2004 13:39

Matrix: Solid

QC Batch#: 2004/10/04-5A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	8.1	1.0	mg/Kg	1.00	10/05/2004 10:26	ndp
Surrogate(s)						
o-Terphenyl	84.4	60-130	%	1.00	10/05/2004 10:26	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3550/8015M

Test(s): 8015M

Sample ID: SP-1 (A.D)

Lab ID: 2004-09-0917 - 3

Sampled: 09/30/2004 16:30

Extracted: 10/4/2004 13:39

Matrix: Soil

QC Batch#: 2004/10/04-5A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	23	1.0	mg/Kg	1.00	10/05/2004 10:52	ndp
Surrogate(s)						
α -Terphenyl	63.4	60-130	%	1.00	10/05/2004 10:52	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3550/8015M Test(s): 8015M
Sample ID: PG-1.1 (A-D) Lab ID: 2004-09-0917 - 4
Sampled: 09/30/2004 18:30 Extracted: 10/4/2004 13:39
Matrix: Solid QC Batch#: 2004/10/04-5A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	6.1	1.0	mg/Kg	1.00	10/05/2004 11:19	ndp
Surrogate(s) o-Terphenyl	78.0	60-130	%	1.00	10/05/2004 11:19	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3550/8015M

Test(s): 8015M

Sample ID: C 2.1 (A-D)

Lab ID: 2004-09-0917 - 6

Sampled: 09/30/2004 18:40

Extracted: 10/4/2004 13:39

Matrix: Solid

QC Batch#: 2004/10/04-5A-10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	14	1.0	mg/Kg	1.00	10/05/2004 11:46	ndp
Surrogate(s) o-Terphenyl	73.3	60-130	%	1.00	10/05/2004 11:46	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3550/8015M

Test(s): 8015M

Sample ID: PG-2.2 (A-D)

Lab ID: 2004-09-0917-6

Sampled: 09/30/2004 18:45

Extracted: 10/4/2004 13:39

Matrix: Solid

QC Batch#: 2004/10/04-5A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	7.7	1.0	mg/Kg	1.00	10/05/2004 12:43	ndp
Surrogate(s)						
o-Terphenyl	78.6	60-130	%	1.00	10/05/2004 12:43	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3550/8015M

Test(s): 8015M

Sample ID: PG-2.3 (A-D)

Lab ID: 2004-09-0917 - 7

Sampled: 09/30/2004 18:50

Extracted: 10/4/2004 13:39

Matrix: Solid

QC Batch#: 2004/10/04-5A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	12	1.0	mg/Kg	1.00	10/05/2004 10:26	ndp
Surrogate(s)						
o-Terphenyl	88.7	60-130	%	1.00	10/05/2004 10:26	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3550/8015M Test(s): 8015M
Sample ID: PG-2-4 (A-D) Lab ID: 2004-09-0917 - 8
Sampled: 09/30/2004 18:51 Extracted: 10/4/2004 13:39
Matrix: Solid QC Batch#: 2004/10/04-5A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	26	1.0	mg/Kg	1.00	10/05/2004 12:12	ndp
<i>Surrogate(s)</i>						
o-Terphenyl	83.4	60-130	%	1.00	10/05/2004 12:12	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 3550/8015M

Test(s): 8015M

Method Blank

Soil

QC Batch #: 2004/10/04-5A.10

MB: 2004/10/04-5A.10-001

Date Extracted: 10/04/2004 13:39

Compound	Conc.	RL	Unit	Analyzed	Flag
Diesel	ND	1	mg/Kg	10/04/2004 16:14	
Surrogates(s) o-Terphenyl	77.2	60-130	%	10/04/2004 16:14	

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 3500/8015M

Test(s): 8015M

Laboratory Control Spike**Soil**

QC Batch # 2004/10/04-5A.10

LCS 2004/10/04-5A.10-002

Extracted: 10/04/2004

Analyzed: 10/04/2004 15:42

LCSD 2004/10/04-5A.10-003

Extracted: 10/04/2004

Analyzed: 10/04/2004 15:42

Compound	Conc.	mg/Kg	Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Diesel	34.2	31.0	41.6	82.2	74.5	9.8	60-130	25		
Surrogates(s) o-Terphenyl	17.9	17.1	20.0	89.6	85.4		60-130			

Diesel (C9-C24)

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tintline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Legend and Notes

Result Flag

ndp

Hydrocarbon reported does not match the pattern of our Diesel standard

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
PG-1 (A-D)	09/30/2004 16:15	Solid	1
PG-2 (A-D)	09/30/2004 16:25	Solid	2
SP-1 (A-D)	09/30/2004 16:30	Soil	3
PG-1.1 (A-D)	09/30/2004 18:30	Solid	4
PG-2.1 (A-D)	09/30/2004 18:40	Solid	5
PG-2.2 (A-D)	09/30/2004 18:45	Solid	6
PG-2.3 (A-D)	09/30/2004 18:50	Solid	7
PG-2.4 (A-D)	09/30/2004 18:51	Solid	8

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: PG-1 (A-D)

Lab ID: 2004-09-0917-1

Sampled: 09/30/2004 16:15

Extracted: 10/1/2004 05:45

Matrix: Solid

QC Batch#: 2004/10/01-01:15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	3.8	1.0	mg/Kg	1.00	10/01/2004 11:37	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s):	3050B	Test(s):	6010B
Sample ID:	PG-2 (A-D)	Lab ID:	2004-09-0917-2
Sampled:	09/30/2004 16:25	Extracted:	10/1/2004 05:45
Matrix:	Solid	QC Batch#:	2004/10/01-01 15
Compound		Conc.	RL
Lead		2.5	1.0
		mg/Kg	1.00
		10/01/2004 11:41	
		Flag	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: SP-1 (A-D)

Lab ID: 2004-09-0917 - 3

Sampled: 09/30/2004 16:30

Extracted: 10/1/2004 06:45

Matrix: Soil

QC Batch#: 2004/10/01-01.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	6.1	1.0	mg/Kg	1.00	10/01/2004 11:44	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: PG-1.1 (A-D)

Lab ID: 2004-09-0917 - 4

Sampled: 09/30/2004 18:30

Extracted: 10/1/2004 05:45

Matrix: Solid

QC Batch#: 2004/10/01-01:15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	3.6	1.0	mg/Kg	1.00	10/01/2004 11:48	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s): 3050B

Test(s): 6010B

Sample ID: PG-2.1 (A-D)

Lab ID: 2004-09-0917 - 5

Sampled: 09/30/2004 18:40

Extracted: 10/1/2004 05:46

Matrix: Solid

QC Batch#: 2004/10/01-01.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	1.8	1.0	mg/Kg	1.00	10/01/2004 11:52	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tintine

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s):	3050B	Test(s):	6010B
Sample ID:	PG-2.2 (A-D)	Lab ID:	2004-09-0917 - 6
Sampled:	09/30/2004 18:45	Extracted:	10/1/2004 05:45
Matrix:	Solid	QC Batch#:	2004/10/01-01.16
Compound		Conc.	RL
Lead		3.1	1.0
		Unit	Dilution
		mg/Kg	1.00
		Analyzed	Flag
		10/01/2004 11:56	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s):	3050B	Test(s):	6010B
Sample ID:	PG-2.3 (A-D)	Lab ID:	2004-09-0917-7
Sampled:	09/30/2004 18:50	Extracted:	10/1/2004 05:45
Matrix:	Solid	QC Batch#:	2004/10/01-01.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	1.5	1.0	mg/Kg	1.00	10/01/2004 11:59	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Prep(s):	3050B	Test(s):	6010B
Sample ID:	PG-2.4 (A-D)	Lab ID:	2004-09-0917 - 8
Sampled:	09/30/2004 18:51	Extracted:	10/1/2004 05:45
Matrix:	Solid	QC Batch#:	2004/10/01-01.15

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Lead	2.7	1.0	mg/Kg	1.00	10/01/2004 12:04	

Total Lead

Toxichem Management Systems, Inc-San Jose

Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Method Blank

Soil

QC Batch #: 2004/10/01-01.15

MB: 2004/10/01-01.15-043

Date Extracted: 10/01/2004 05:45

Compound	Conc.	RL	Unit	Analyzed	Flag
Lead	ND	1.0	mg/Kg	10/01/2004 11:01	

Total Lead

Toxichem Management Systems, Inc-San Jose
Attn.: Ross Tinline

11 Kenton Drive
San Carlos, CA 94070
Phone: (650) 551-0112 Fax: (650) 551-0116

Project: EQ-77.1A
98995843

Received: 09/30/2004 19:25

Site: 5251 Hopyard Rd., Pleasanton

Batch QC Report

Prep(s): 3050B

Test(s): 6010B

Laboratory Control Spike**Soil**

QC Batch # 2004/10/01-01:15

LCS 2004/10/01-01:15-044

Extracted: 10/01/2004

Analyzed: 10/01/2004 11:06

LCSD 2004/10/01-01:15-045

Extracted: 10/01/2004

Analyzed: 10/01/2004 11:10

Compound	Conc. mg/Kg		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Lead	95.6	96.8	100.0	95.6	96.8	1.2	80-120	20		

ATTACHMENT B

FIELD PROCEDURES

FIELD PROCEDURES

Soil Excavation Procedures

Soil excavation was performed by utilizing a rubber-tired backhoe. A photo ionization detector was used to screen the soil and guide the excavation limits for total petroleum hydrocarbons. An LEL meter was utilized when deemed necessary to ensure site safety. Excavated soil was stockpiled onsite on visqueen.

Soil Sampling Procedures

Soil samples were collected by advancing a hand driven stainless-steel sampling sleeve and brass ring into undisturbed soil, or alternatively by driving a brass sleeve into native soil excavated by the backhoe. Soil samples were retained in brass rings, capped with Teflon squares and plastic end caps, labeled, and immediately stored in an iced chest. The soil samples, along with a completed chain of custody were submitted to a certified laboratory.

Groundwater and Product Sampling Procedures

Groundwater and product samples were collected utilizing appropriate precleaned laboratory glassware. Due to the shallow nature of sampling within the trenches, a precleaned cap was utilized to bail water directly into the sample containers. The containers were then capped, labeled and immediately stored in an iced chest (the product sample was kept separate from the groundwater samples). The samples, along with a completed chain of custody were submitted to a certified laboratory.

Stockpile Sampling Procedures

The soil and pea gravel stockpiles were sampled by driving brass sleeves into freshly exposed material and composited either in the field or laboratory to represent the material in the stockpile. The brass sleeves were then capped with Teflon squares, affixed with plastic end caps, labeled, placed in an iced cooler and transported to the laboratory.

ATTACHMENT C

**SOIL GROUNDWATER AND EQUIPMENT DISPOSAL
DOCUMENTATION**



FAXED

Hazardous Waste Hauler (Registration #2843)

(916) 381-6864

8896 Elder Creek Rd. • Sacramento, CA 95828 • FAX (916) 381-1573

Disposal Confirmation

Request for Transportation Received: 10/07/04

Consultant Information

Company:	Toxichem Management
Contact:	Ross Tinline
Phone:	650-551-0112
Fax:	650-551-0116

Site Information

Station #:	N/A
Street Address:	5251 Hopyard Rd.
City, State, ZIP:	Pleasanton, CA

Customer:	Shell Oil Company	RESA-0023-LDC
RIPR #:	38680	
SAP # / Location:	135785	
Incident #:	98995843	
Location / WIC #:	N/A	
Environmental Engineer:	Bill Merchant	

Material Description:	Contaminated Soil
Estimated Quantity:	60 yards
Service Requested Date:	

Disposal Facility:	Forward Landfill
Contact:	Joe Griffith
Phone:	800 204-4242
Approval #:	4860
Date of Disposal:	10/9/04
Actual Tonnage	49.54 ton

Transporter:	Manley & Sons Trucking, Inc.
Contact:	Janice Cox
Phone:	916 381-6864
Fax:	916 381-1573
Invoice:	
Date of Invoice:	

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112		RECEIVING FACILITY	
CONTACT PERSON Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE <i>* Wesley</i>		DATE <i>10/15/04</i>	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #	
TRANSPORTER Manley & Sons Trucking, Inc. ADDRESS 8896 Elder Creek Rd.		NOTES: VEHICLE LICENSE NUMBER <i>9A17966</i>	TRUCK NUMBER <i>S-32</i>
CITY, STATE, ZIP Sacramento, CA 95828 PHONE (916) 381-6864		END DUMP BOTTOM DUMP TRANSFER <input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <i>* Jan H. Hiltner</i>		CUBIC YARDS 18 Cubic Yards	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL) <input type="checkbox"/> DISPOSE <input type="checkbox"/> OTHER	
REMARKS		<input type="checkbox"/> SOIL	
FACILITY TICKET NUMBER		<input type="checkbox"/> CONSTRUCTION DEBRIS	
SIGNATURE OF AUTHORIZED AGENT		<input type="checkbox"/> NON-FRIABLE ASBESTOS	
		<input type="checkbox"/> WOOD	
		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Equilon Enterprises, LLC		# 4860	
MAILING ADDRESS			
P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT	
Burbank, CA 91510		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
PHONE			
650-551-0112			
CONTACT PERSON		SPECIAL HANDLING PROCEDURES:	
Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE	
* <i>S. Masley</i>		10/09/04	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
5251 Hopyard Rd., Pleasanton, CA		RIDR # 38680	SAP# 135785
ADDRESS		Incident # 08005843	
8806 Elder Creek Rd.		WIC #	
CITY, STATE, ZIP			
Sacramento, CA 95828			
PHONE			
(916) 381-6864			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	
* <i>[Signature]</i>		10/09/04	
TRANSPORTER			
Manley & Sons Trucking, Inc.		NOTES:	VEHICLE LICENSE NUMBER
ADDRESS		<i>9367989</i>	
8806 Elder Creek Rd.		002	
CITY, STATE, ZIP			
Sacramento, CA 95828			
PHONE			
(916) 381-6864			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	
* <i>[Signature]</i>		10/09/04	
RECEIVING FACILITY			
RIDR # 38680		SAP# 135785	
Incident # 08005843		WIC #	
NOTES:		VEHICLE LICENSE NUMBER	TRUCK NUMBER
Manley & Sons Trucking, Inc.		<i>9367989</i>	
ADDRESS		002	
8806 Elder Creek Rd.			
CITY, STATE, ZIP			
Sacramento, CA 95828			
PHONE			
(916) 381-6864			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	
* <i>[Signature]</i>		10/09/04	
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
END DUMP		BOTTOM DUMP	TRANSFER
<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
ROLL-OFF(S)		FLAT-BED	VAN
<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
FLAT-BED		VAN	DRUMS
<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
CUBIC YARDS			
18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
<input type="checkbox"/> SOIL		DISPOSE	
<input type="checkbox"/> CONSTRUCTION DEBRIS		OTHER	
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
* <i>[Signature]</i>			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # 214512

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR
Equilon Enterprises, LLC

MAILING ADDRESS

P.O. Box 7869

CITY, STATE, ZIP

Burbank, CA 91510


PHONE

650-551-0112

CONTACT PERSON

Ross Tinline

SIGNATURE OF AUTHORIZED AGENT / TITLE

*  10/7/04

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

WASTE TYPE:

DISPOSAL SLUDGE
 CONSTRUCTION WOOD
 DEBRIS OTHER
 SPECIAL WASTE

GENERATING FACILITY

5251 Hopyard Rd., Pleasanton, CA

WASTE ACCEPTANCE NO.

4860

REQUIRED PERSONAL PROTECTIVE EQUIPMENT

GLOVES GOGGLES RESPIRATOR HARD HAT
 TY-VEK OTHER

SPECIAL HANDLING PROCEDURES:

RECEIVING FACILITY

RIPR # 38680 SAP# 135785

Incident # 98995843

WIC #

NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER

Manley & Sons Trucking, Inc 9B26754 A-29

END DUMP BOTTOM DUMP TRANSFER

ROLL-OFF(S) FLAT-BED VAN DRUMS

CUBIC YARDS

18 Cubic Yards

DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)

DISPOSE OTHER

SOIL

CONSTRUCTION
DEBRIS

NON-FRIABLE
ASBESTOS

WOOD

ASH

SPECIAL OTHER

REMARKS

FACILITY TICKET NUMBER

SIGNATURE OF AUTHORIZED AGENT

DATE

*

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # 214509





Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.			
Equilon Enterprises, LLC		# 4860			
MAILING ADDRESS		REQUIRED PERSONAL PROTECTIVE EQUIPMENT			
P.O. Box 7869		<input type="checkbox"/> GLOVES	<input type="checkbox"/> GOGGLES	<input type="checkbox"/> RESPIRATOR	<input type="checkbox"/> HARD HAT
CITY, STATE, ZIP		<input type="checkbox"/> TY-VEK	<input type="checkbox"/> OTHER		
Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:			
PHONE					
650-551-0112					
CONTACT PERSON					
Ross Tintine					
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE			
* 		10/19/04			
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.					
WASTE TYPE:					
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE			
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD			
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER			
<input type="checkbox"/> SPECIAL WASTE					
GENERATING FACILITY					
5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680	SAP# 135785		
ADDRESS		Incident # 98995843			
8896 Elder Creek Rd.		WIC #			
CITY, STATE, ZIP					
Sacramento, CA 95828					
PHONE		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER			
(916) 281-6864		 			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE			
* 		10/19/04			
TRANSPORTER					
Manley & Sons Trucking, Inc.		END DUMP BOTTOM DUMP TRANSFER			
ADDRESS		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
8896 Elder Creek Rd.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CITY, STATE, ZIP		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Sacramento, CA 95828		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PHONE		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
(916) 281-6864		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		ROLL-OFF(S) FLAT-BED VAN DRUMS			
* 		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			
CUBIC YARDS					
18 Cubic Yards					
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)					
		DISPOSE	OTHER		
<input type="checkbox"/> SOIL					
<input type="checkbox"/> CONSTRUCTION DEBRIS					
<input type="checkbox"/> NON-FRIABLE ASBESTOS					
<input type="checkbox"/> WOOD					
<input type="checkbox"/> ASH					
<input type="checkbox"/> SPECIAL OTHER					
REMARKS					
FACILITY TICKET NUMBER					
SIGNATURE OF AUTHORIZED AGENT		DATE			
* 					

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL. ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # 214511



(916) 381-6864

FAXED

Hazardous Waste Hauler (Registration #2843)

8896 Elder Creek Rd. • Sacramento, CA 95828 • FAX (916) 381-1573

Disposal Confirmation

Request for Transportation Received: 10/07/04

Consultant Information

Company: Toxicem Management
Contact: Ross Tinline
Phone: 650-551-0112
Fax: 650-551-0116

Site Information

Station #: N/A
Street Address: 5251 Hopyard Rd.
City, State, ZIP: Pleasanton, CA

Customer: Shell Oil Company RESA-0023-LDC
RIPR #: 38680
SAP # / Location: 135785
Incident #: 98995843
Location / WIC #: N/A
Environmental Engineer: Bill Merchant

Material Description: Contaminated Soil
Estimated Quantity: 60 yards
Service Requested Date: _____

Disposal Facility: Forward Landfill
Contact: Joe Griffith
Phone: 800 204-4242
Approval #: 4860
Date of Disposal: 10/18/04
Actual Tonnage: 97.80 ton

Transporter: Manley & Sons Trucking, Inc.
Contact: Janice Cox
Phone: 916 381-6864
Fax: 916 381-1573
Invoice: _____
Date of Invoice: _____



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860

SHELL OIL PRODUCTS
BILL MERCHANT - RIPL #38680
9141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
CONTRACT: 4860#

00 GROSS WEIGHT 79,000.00 LB
STORED TARE WEIGHT 33,920.00 LB
NET WEIGHT 45,080.00 LB 22.54 TN

SITE	TICKET	GRID
01	411836	
WEIGHMASTER		
VICTORIA		
DATE IN		TIME IN
18 OCTOBER 2004		2:10 PM
DATE OUT		TIME OUT
18 OCTOBER 2004		2:10 PM
VEHICLE		ROLL OFF
ROBERT R29		
REFERENCE		ORIGIN
		PLEASANTON

INBOUND - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
1.00	L	CLASS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MANIFEST#261526

DRIVER'S SIGNATURE

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE * <i>Ross Tinline</i>		DATE 10/18/04	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RECEIVING FACILITY RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #	
TRANSPORTER Mapley & Sons Trucking, Inc		NOTES: 9B2675Y	VEHICLE LICENSE NUMBER L-29
ADDRESS 8896 Elder Creek Rd.			
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6864		END DUMP BOTTOM DUMP TRANSFER <input type="checkbox"/> ROLL-OFF(S) FLAT-BED VAN DRUMS <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER * <i>Clark Roberts</i>		DATE 10-18-04	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE	OTHER
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
* <i>Clark Roberts</i>			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860
SHELL OIL PRODUCTS
BILL MERCHANT - AIPR #38680
9141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
CONTRACT #: 48600#

GROSS WEIGHT 72,200.00 LB
STORED TARE WEIGHT 32,660.00 LB
NET WEIGHT 39,520.00 LB 19.76 TN

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
19.76	TON	11 CLASS II SOLID				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

GRID

MANIFEST#A4525

DRIVER'S SIGNATURE

SITE	TICKET	GRID
01	411824	
		WEIGHMASTER
NANCY		
	DATE IN	TIME IN
13 OCTOBER 2004	2:01 PM	
	DATE OUT	TIME OUT
13 OCTOBER 2004	2:01 PM	
	VEHICLE	ROLL OFF
MAN 647		
	REFERENCE	ORIGIN
		PLEASANTON

INBOUND - SCALE TICKET

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.			
Equilon Enterprises, LLC		# 4860			
MAILING ADDRESS		REQUIRED PERSONAL PROTECTIVE EQUIPMENT			
P.O. Box 7869		<input type="checkbox"/> GLOVES	<input type="checkbox"/> GOGGLES	<input type="checkbox"/> RESPIRATOR	<input type="checkbox"/> HARD HAT
CITY, STATE, ZIP		<input type="checkbox"/> TY-VEK	<input type="checkbox"/> OTHER		
Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:			
PHONE					
650-551-0112					
CONTACT PERSON					
Ross Tinline					
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE			
*		10/18/04			
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.					
WASTE TYPE:					
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE			
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD			
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER			
<input type="checkbox"/> SPECIAL WASTE					
GENERATING FACILITY					
5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680	SAP# 135785		
		Incident # 98995843	WIC #:		
TRANSPORTER		NOTES: VEHICLE LICENSE NUMBER	TRUCK NUMBER		
Manley & Sons Trucking, Inc.		9A63809			
ADDRESS		547			
8896 Elder Creek Rd					
CITY, STATE, ZIP					
Sacramento, CA 95828					
PHONE		END DUMP BOTTOM DUMP TRANSFER			
(916) 381-6864		<input checked="" type="checkbox"/>	<input type="checkbox"/>		
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		ROLL-OFF(S)	FLAT-BED		
*		<input type="checkbox"/>	<input type="checkbox"/>		
		VAN	DRUMS		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
CUBIC YARDS					
18 Cubic Yards					
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)					
DISPOSE		OTHER			
<input type="checkbox"/> SOIL					
<input type="checkbox"/> CONSTRUCTION DEBRIS					
<input type="checkbox"/> NON-FRIABLE ASBESTOS					
<input type="checkbox"/> WOOD					
<input type="checkbox"/> ASH					
<input type="checkbox"/> SPECIAL OTHER					
REMARKS					
FACILITY TICKET NUMBER					
SIGNATURE OF AUTHORIZED AGENT		DATE			
*					

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # 214525



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

SELL OIL PRODUCTS
FUEL MERCHANT - FUEL MARKET
FACILITY OPERATOR OF THE SITE
L.A. GROUP, INC. OWNED
CITY OF MANTOCA, CALIFORNIA

SITE	TICKET	GRID
DA	4116200	
WEIGHMASTER		
VICTORIA		
DATE IN		TIME IN
13 October 2004		1:55 PM
DATE OUT		TIME OUT
13 October 2004		3:55 PM
VEHICLE		
ROLL OFF		
REFERENCE		ORIGIN
		PLEASANTON

Shipped Weight: 81.00000 LBS
Shipped Tare Weight: 13.00000 LBS
Net Weight: 68.00000 LBS
Shipper: L.A. GROUP, INC.

Tracked - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

DRIVER'S SIGNATURE




**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.			
Equilon Enterprises, LLC		# 4860			
MAILING ADDRESS		REQUIRED PERSONAL PROTECTIVE EQUIPMENT			
P.O. Box 7869		<input type="checkbox"/> GLOVES	<input type="checkbox"/> GOGGLES	<input type="checkbox"/> RESPIRATOR	<input type="checkbox"/> HARD HAT
CITY, STATE, ZIP		<input type="checkbox"/> TY-VEK	<input type="checkbox"/> OTHER		
Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:			
PHONE					
650-551-0112					
CONTACT PERSON					
Ross Tinline					
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE			
		10/18/04			
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.					
WASTE TYPE:					
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE			
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD			
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER			
<input type="checkbox"/> SPECIAL WASTE					
GENERATING FACILITY					
5251 Hopyard Rd., Pleasanton, CA					
TRANSPORTER		NOTES:	VEHICLE LICENSE NUMBER	TRUCK NUMBER	
Manley & Sons Trucking, Inc		9A79968		5-30	
ADDRESS					
8896 Elder Creek Rd.					
CITY, STATE, ZIP					
Sacramento, CA 95828					
PHONE					
(916) 381-8864					
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE			
		10/18/04			
CUBIC YARDS					
18 Cubic Yards					
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)					
		DISPOSE	OTHER		
<input type="checkbox"/> SOIL					
<input type="checkbox"/> CONSTRUCTION DEBRIS					
<input type="checkbox"/> NON-FRIABLE ASBESTOS					
<input type="checkbox"/> WOOD					
<input type="checkbox"/> ASH					
<input type="checkbox"/> SPECIAL OTHER					
REMARKS					
FACILITY TICKET NUMBER					
SIGNATURE OF AUTHORIZED AGENT		DATE			
		10/18/04			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # 214527



FORWARD
INCORPORATED

1999 South Austin Road/WEIGHING LOCATION
Anteca, CA 95336
andfill: (209) 982-4298 /WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004680
BELL OIL PRODUCTS
BELL REFINERY - SITE #2000
2341 E. STOCKTON BLVD., STE. 100-A
ELK TRAIL, CA 95336
Grant Davis 494604

SITE	TICKET	GRID
01	4116783	
WEIGHMASTER		
VICTORIA		
	DATE IN	TIME IN
18 October 2004	11:07 am	
	DATE OUT	TIME OUT
18 October 2004	11:07 am	
VEHICLE		
ROLL-OFF		
REFERENCE		
ORIGIN		
FLEASITTER		

Gross Weight 65,240.00 Lb
Tare Weight 35,680.00 Lb
Net Weight 29,560.00 Lb 27.16 TN

Entered - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
27.16	TN	CHARGE PER ACFT.				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

DATE:

WEIGHMASTER SIGNATURE

DRIVER'S SIGNATURE

<input type="checkbox"/> Keller Canyon Sanitary Landfill 901 Bailey Road Pittsburg, CA 94565 Phone (925) 458-9800 Fax (925) 458-9891	<input type="checkbox"/> Ox Mountain Sanitary Landfill 12310 San Mateo Road Half Moon Bay, CA 94019 Phone (650) 726-1819 Fax (650) 726-9183	<input type="checkbox"/> Newby Island Sanitary Landfill 1601 Dixon Landing Road Milpitas, CA 95035 Phone (408) 945-2800 Fax (408) 262-2871	<input type="checkbox"/> Forward Landfill 9999 S. Austin Road Manteca, CA 95336 Phone (209) 982-4298 Fax (209) 982-1009
NON-HAZARDOUS WASTE MANIFEST			
GENERATOR Equilon Enterprises, LLC MAILING ADDRESS P.O. Box 7869 CITY, STATE, ZIP Burbank, CA 91510 PHONE 650-551-0112 CONTACT PERSON Ross Tinline		WASTE ACCEPTANCE NO. # 4860	
SIGNATURE OF AUTHORIZED AGENT / TITLE  / DATE * <i>Ross Tinline</i> / 10/18/04		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
SPECIAL HANDLING PROCEDURES:			
RECEIVING FACILITY			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE		RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #	
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		NOTES:	VEHICLE LICENSE NUMBER <i>5269594</i>
TRANSPORTER Marley & Sons Trucking, Inc. ADDRESS 8896 Elder Creek Rd. CITY, STATE, ZIP Sacramento, CA 95828 PHONE (916) 281-6864		TRUCK NUMBER <i>H-15</i>	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER  / DATE * <i>Tim Elder</i> / 10-18-04		END DUMP <input type="checkbox"/> BOTTOM DUMP <input type="checkbox"/> TRANSFER <input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS <input type="checkbox"/>	
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE	OTHER
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT  / DATE *			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # 214524



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860

HELL OIL PRODUCTS
BILL MERCHANT - RPPR #38680
3141 E. STOCKTON BLVD. STE 4200-321
ELK GROVE, CA 95624
CONTRACT #: 42606

GROSS WEIGHT: 27,545.00 LB
STORED TARE WEIGHT: 20,300.00 LB
NET WEIGHT: 7,245.00 LB 3.62 TN

SITE	TICKET	GRID
01	411879	
WEIGHMASTER		
VICTORIA		
DATE IN	TIME IN	
18 OCTOBER 2004	2:05 PM	
DATE OUT	TIME OUT	
18 OCTOBER 2004	2:05 PM	
VEHICLE	ROLL OFF	
MAN H2		
REFERENCE	ORIGIN	
	PLEASANT HILL	

INBOUND - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MAN H2 411879

DRIVER'S SIGNATURE

NET AMOUNT
TENDERED
CHANGE
CHECK NO.





**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox-Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009


NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Equilon Enterprises, LLC		# 4860	
MAILING ADDRESS			
P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT	
Burbank, CA 91510		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
PHONE			
650-551-0112			
CONTACT PERSON		SPECIAL HANDLING PROCEDURES:	
Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE	
		10/18/04	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or Title 22 of the California Code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680	SAP# 135785
		Incident # 98995843	WIC #
TRANSPORTER		NOTES: VEHICLE LICENSE NUMBER	TRUCK NUMBER
Manley & Sons Trucking, Inc.			112
ADDRESS			
8806 Elder Creek Rd.			
CITY, STATE, ZIP			
Sacramento, CA 95828		END DUMP BOTTOM DUMP TRANSFER	
PHONE		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
(916) 391-6864		ROLL-OFF(S)	FLAT-BED
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		10/18/04	VAN
		<input type="checkbox"/>	DRUMS
CUBIC YARDS			
18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE	OTHER
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
		10/18/04	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # 214528



(916) 381-6864

Hazardous Waste Hauler (Registration #2843)

8896 Elder Creek Rd. • Sacramento, CA 95828 • FAX (916) 381-1573

Disposal Confirmation

Request for Transportation Received: 10/07/04

Consultant Information

Company: Toxichem Management
Contact: Ross Tinline
Phone: 650-551-0112
Fax: 650-551-0116

Site Information

Station #: N/A
Street Address: 5251 Hopyard Rd.
City, State, ZIP: Pleasanton, CA

Customer: Shell Oil Company RESA-0023-LDC
RIPR #: 38680
SAP # / Location: 135785
Incident #: 98995843
Location / WIC #: N/A
Environmental Engineer: Bill Merchant

Material Description: Contaminated Soil
Estimated Quantity: 60 yards
Service Requested Date:

Disposal Facility: Forward Landfill
Contact: Joe Griffith
Phone: 800 204-4242
Approval #: 4860
Date of Disposal: 11/08/04
Actual Tonnage 63.96 ton

Transporter: Manley & Sons Trucking, Inc.
Contact: Janice Cox
Phone: 916 381-6864
Fax: 916 381-1573
Invoice:
Date of Invoice:



(916) 381-6864

Hazardous Waste Hauler (Registration #2843)

8896 Elder Creek Rd. • Sacramento, CA 95828 • FAX (916) 381-1573

Disposal Confirmation

Request for Transportation Received: 10/07/04

Consultant Information

Company: Toxicem Management
Contact: Ross Tinline
Phone: 650-551-0112
Fax: 650-551-0116

Site Information

Station #: N/A
Street Address: 5251 Hopyard Rd.
City, State, ZIP: Pleasanton, CA

Customer: Shell Oil Company RESA-0023-LDC
RIPR #: 38680
SAP # / Location: 135785
Incident #: 98995843
Location / WIC #: N/A
Environmental Engineer: Bill Merchant

Material Description: Contaminated Soil
Estimated Quantity: 60 yards
Service Requested Date:

Disposal Facility: Forward Landfill
Contact: Joe Griffith
Phone: 800 204-4242
Approval #: 4860
Date of Disposal: 11/08/04
Actual Tonnage: 63.96 ton

Transporter: Manley & Sons Trucking, Inc.
Contact: Janice Cox
Phone: 916 381-6864
Fax: 916 381-1573
Invoice: _____
Date of Invoice: _____



FORWARD
INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860

SHELL OIL PRODUCTS
BILL MERCHANT - RPR #38680
9141 E. STOCKTON BLVD., STE #250-321
ELK GROVE, CA 95624
CONTRACT: 4860#

GROSS WEIGHT 78,000.00 LB
STORED TARE WEIGHT 29,580.00 LB
NET WEIGHT 48,420.00 LB 24.21 TN

SITE	TICKET	GRID
01	419907	
VICTORIA	WEIGHMASTER	
DATE IN	TIME IN	
8 NOVEMBER 2004	11:29 AM 9.75	
DATE OUT	TIME OUT	
8 NOVEMBER 2004	11:29 AM	
VEHICLE	ROLL OFF	
MAN H2		
REFERENCE	ORIGIN	
	PLEASANTON	

INBOUND - SCALE TICKET

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
1	CU YD	12 CLASS 1 OIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

GRID

MANIFEST 251616

DRIVER'S SIGNATURE

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7369		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE * <i>[Signature]</i>	DATE <i>11/18/04</i>		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RECEIVING FACILITY RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #:	
TRANSPORTER Manley & Sons Trucking, Inc.	NOTES:	VEHICLE LICENSE NUMBER <i>6766002</i>	TRUCK NUMBER <i>H-2</i>
ADDRESS 8896 Elder Creek Rd.			
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6864		END DUMP BOTTOM DUMP TRANSFER <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> ROLL-OFF(S) FLAT-BED VAN DRUMS <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER * <i>[Signature]</i>	DATE <i>11/18/04</i>	CUBIC YARDS 18 Cubic Yards	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL) <input type="checkbox"/> DISPOSE <input type="checkbox"/> OTHER	
REMARKS <i>[Signature]</i>		<input type="checkbox"/> SOIL	
FACILITY TICKET NUMBER <i>[Signature]</i>		<input type="checkbox"/> CONSTRUCTION DEBRIS	
SIGNATURE OF AUTHORIZED AGENT * <i>[Signature]</i>	DATE <i>[Signature]</i>	<input type="checkbox"/> NON-FRIABLE ASBESTOS	
		<input type="checkbox"/> WOOD	
		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936
004646

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

SHELL OIL PRODUCTS
BILL MCKEEHAN - SITE MANAGER
TOMMY STICKTON TRUCK SITE READER
ELK DRIVE, CA 95336
CONTACT #: 465-0631

SITE	TICKET	GRID
		WEIGHMASTER
	DATE IN	TIME IN
	NOVEMBER 07/04	10:00 AM
	DATE OUT	TIME OUT
	NOVEMBER 07, 2004	10:23 AM
	VEHICLE	ROLL OFF
REFERENCE	ORIGIN	
	PLEASANTON	

Gross Weight 70,490.00 LB

Inbound - SCALE TICKET

Loaded Tare Weight 30,330.00 LB

Net Weight 39,160.00 LB 14.76 TON

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

SP10

CHARTERED BY SP10

DRIVER'S SIGNATURE 

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE <i>* John Manley</i>	DATE		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA			
TRANSPORTER Manley & Sons Trucking, Inc.	NOTES: VEHICLE LICENSE NUMBER 5269594	TRUCK NUMBER HHS	
ADDRESS 8896 Elder Creek Rd.			
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6664	END DUMP	BOTTOM DUMP	TRANSFER
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <i>* Sean Gable</i>	ROLL-OFF(S)	FLAT-BED	VAN DRUMS
11-8-04	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE	OTHER
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT <i>* John Manley 11-8-04</i>	DATE		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD
INCORPORATED

999 South Austin Road/WEIGHING LOCATION
Anteca, CA 95336
andfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860

SHELL OIL PRODUCTS
BILL MERCHANT - RIPS #38680
9141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
CONTRACT: 4860#

SITE	TICKET	GRID
01	419905	
WEIGHMASTER		
VICTORIA		
DATE IN		TIME IN
8 NOVEMBER 2004		11:27 AM
DATE OUT		TIME OUT
8 NOVEMBER 2004		11:27 AM
VEHICLE		ROLL OFF
MAN F48		
REFERENCE		ORIGIN
		PLEASANTON

GROSS WEIGHT 70,240.00 LB
STORED TARE WEIGHT 30,300.00 LB
NET WEIGHT 39,940.00 LB 19.97 TN

INBOUND - SCALE TICKET

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
19.97	LBS	MAN F48 19.97 TN				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

MANIFEST#81618

DRIVER'S SIGNATURE




**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE 		DATE	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA			
TRANSPORTER Manley & Sons Trucking, Inc.		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER	
ADDRESS 8890 Elder Creek Rd.			
CITY, STATE, ZIP Sacramento, CA 95826			
PHONE (916) 381-6864		END DUMP BOTTOM DUMP TRANSFER <input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER 		DATE 10-08-04	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
REMARKS 		CUBIC YARDS 18 Cubic Yards	
FACILITY TICKET NUMBER 		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
SIGNATURE OF AUTHORIZED AGENT 		DISPOSE OTHER	
		<input type="checkbox"/> SOIL	
		<input type="checkbox"/> CONSTRUCTION DEBRIS	
		<input type="checkbox"/> NON-FRIABLE ASBESTOS	
		<input type="checkbox"/> WOOD	
		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



(916) 381-6864

Hazardous Waste Hauler (Registration #2843)

8896 Elder Creek Rd. • Sacramento, CA 95828 • FAX (916) 381-1573

Disposal Confirmation

Request for Transportation Received: 10/07/04

Consultant Information

Company: Toxichem Management
Contact: Ross Tinline
Phone: 650-551-0112
Fax: 650-551-0116

Site Information

Station #: N/A
Street Address: 5251 Hopyard Rd.
City, State, ZIP: Pleasanton, CA

Customer: Shell Oil Company RESA-0023-LDC
RIPR #: 38680
SAP # / Location: 135785
Incident #: 98995843
Location / WIC #: N/A
Environmental Engineer: Bill Merchant

Material Description: Contaminated Soil
Estimated Quantity: 60 yards
Service Requested Date:

Disposal Facility: Forward Landfill
Contact: Joe Griffith
Phone: 800 204-4242
Approval #: 4860
Date of Disposal: 11/16/04
Actual Tonnage: 116.70

Transporter: Manley & Sons Trucking, Inc.
Contact: Janice Cox
Phone: 916 381-6864
Fax: 916 381-1573
Invoice: _____
Date of Invoice: _____



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936
0042850

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

SHELL OIL PRODUCTS
RTYI, MERCHANT - RTR #38680
9141 S. STOCKTON BLVD. STE #250-321
EIK GROVE, CA 95624
Contract: 48608

Gross Weight 46,100.00 LB
Stowed Tare Weight 33,920.00 LB
Net Weight 12,180.00 LB 6.08 TN

SITE	TICKET	GRID
81	422700	
WEIGHMASTER		
NANCY		
DATE IN	TIME IN	
16 November 2004	12:50 pm	
DATE OUT	TIME OUT	
16 November 2004	12:50 pm	
VEHICLE	ROLL OFF	
ROBERT R29		
REFERENCE	ORIGIN	
	PLEASANTON	

Inbound - SCALE TICKET

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
6.08	TN	CLASS II SOYL		23		

Clean up load
PMS 23 TONS

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

CR70

MANTPEST 2#1650

DRIVER'S SIGNATURE

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650 551 0112		RECEIVING FACILITY	
CONTACT PERSON Peter Mire		RIPR # 33680 SAP# T35780 Incident # 98995643 WIC #	
SIGNATURE OF AUTHORIZED AGENT / TITLE <i>* John Doe & Peter Mire</i>		DATE 11-16	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER 9B2675Y R-24	
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		END DUMP BOTTOM DUMP TRANSFER <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> ROLL-OFF(S) FLAT-BED VAN DRUMS <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
TRANSPORTER Manley & Sons Trucking, Inc.		CUBIC YARDS 16 Cubic Yards	
ADDRESS 8890 Elder Creek Rd.		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
CITY, STATE, ZIP Sacramento, CA 95825		DISPOSE OTHER	
PHONE (916) 361-6864		<input type="checkbox"/> SOIL	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <i>* John Doe</i>		<input type="checkbox"/> CONSTRUCTION DEBRIS	
REMARKS		<input type="checkbox"/> NON-FRIABLE ASBESTOS	
FACILITY TICKET NUMBER		<input type="checkbox"/> WOOD	
SIGNATURE OF AUTHORIZED AGENT <i>* John Doe</i>		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL. ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

1999 South Austin Road/WEIGHING LOCATION
manteca, CA 95336
landfill: (209) 982-4298 / WEIGHING LOCATION
resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

SITE	TICKET	GRID
11	A 27574	
WEIGHMASTER		
DATE IN		
TIME IN		
DATE OUT		
TIME OUT		
VEHICLE	ROLL OFF	
DRIVER'S NAME		
REFERENCE	ORIGIN	
PINE PLANTATION		

TRANSPORT - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

DRIVER'S SIGNATURE

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7609		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON Ross Timine			
SIGNATURE OF AUTHORIZED AGENT / TITLE <i>* Ross Timine</i>	DATE 11-16-04	RECEIVING FACILITY	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE		RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #	
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		NOTES: VEHICLE LICENSE NUMBER 9826754	TRUCK NUMBER R-29
TRANSPORTER Manley & Sons Trucking, Inc.		END DUMP BOTTOM DUMP TRANSFER <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> ROLL-OFF(S) FLAT-BED VAN DRUMS <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
ADDRESS 8896 Elder Creek Rd.		CUBIC YARDS 18 Cubic Yards	
CITY, STATE, ZIP Sacramento, CA 95828		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
PHONE (916) 381-6864		DISPOSE	OTHER
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <i>* Clark Rader</i>	DATE 11-16-04	<input type="checkbox"/> SOIL	
REMARKS		<input type="checkbox"/> CONSTRUCTION DEBRIS	
FACILITY TICKET NUMBER		<input type="checkbox"/> NON-FRIABLE ASBESTOS	
SIGNATURE OF AUTHORIZED AGENT <i>*</i>	DATE	<input type="checkbox"/> WOOD	
		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD
INCORPORATED

9999 South Austin Road/WEIGHING LOCATION

Manteca, CA 95336

Landfill: (209) 982-4298 / WEIGHING LOCATION

Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860

SHELL OIL PRODUCTS

REED MERCHANT - RTPR #38680

9141 E STOCKTON BLVD. STE #250-321

BEL GROUP, CA 95624

Contract: 4860#

SITE	TICKET	GRID
01	422665	
WEIGHMASTER		
NANCY		
DATE IN	TIME IN	
16 November 2004	11:31 am	
DATE OUT	TIME OUT	
16 November 2004	11:53 am	
VEHICLE	ROLL OFF	
PANG 359		
REFERENCE	ORIGIN	
	PIRASANON	

Gross Weight: 73,800.00 LB
Tare Weight: 30,800.00 LB
Net Weight: 43,000.00 LB 21.75 TN

Inbound - SCALE TICKET

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
0.000	0.00	0.0000000000000000				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRTP

MANTPRT261653

DRIVER'S SIGNATURE

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP Burbank, CA 91510		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT	
PHONE 650-551-0112		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CONTACT PERSON Ross Tinline		SPECIAL HANDLING PROCEDURES:	
SIGNATURE OF AUTHORIZED AGENT / TITLE * <i>as agent for Tim Manley</i>	DATE	RECEIVING FACILITY	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE		RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #	
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER 9CB6051 359	
TRANSPORTER Manley & Sons Trucking, Inc.		END DUMP BOTTOM DUMP TRANSFER <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
ADDRESS 8896 Elder Creek Rd.		ROLL-OFF(S) FLAT-BED VAN DRUMS <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
CITY, STATE, ZIP Sacramento, CA 95828		CUBIC YARDS 18 Cubic Yards	
PHONE (916) 381-6864		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER * <i>M. D.</i>		DISPOSE OTHER <input type="checkbox"/> SOIL <input type="checkbox"/> CONSTRUCTION DEBRIS <input type="checkbox"/> NON-FRIABLE ASBESTOS <input type="checkbox"/> WOOD <input type="checkbox"/> ASH <input type="checkbox"/> SPECIAL OTHER	
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT * <i>11/16/04</i>			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631


SITE	TICKET	GRID
81	872933	
WEIGHMASTER		
MANUFACTURER		
DATE IN		TIME IN
10/20/2004 07:03A		10:06 AM
DATE OUT		TIME OUT
10/20/2004 10:04A		10:04 AM
VEHICLE		ROLL-OFF
8133		
REFERENCE	ORIGIN	
	SOUTHERN CALIFORNIA	

TRANSPORT STATE CERT

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

DRIVER'S SIGNATURE 

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equion Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7669		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON Ross Timine			
SIGNATURE OF AUTHORIZED AGENT / TITLE <i>* Ross Timine</i>	DATE		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RECEIVING FACILITY RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #	
TRANSPORTER Manley & Sons Trucking, Inc.	NOTES: VEHICLE LICENSE NUMBER <i>9005026</i>	TRUCK NUMBER <i>375</i>	
ADDRESS 8896 Elder Creek Rd.			
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6864	END DUMP <input type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>	TRANSFER <input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <i>* Timine</i>	ROLL-OFF(S) <input type="checkbox"/>	FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>
	DRUMS <input type="checkbox"/>		
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE <input type="checkbox"/>	OTHER <input type="checkbox"/>
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT <i>*</i>	DATE		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD
INCORPORATED

999 South Austin Road/WEIGHING LOCATION
Ante, CA 95336
andfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

043860
SHELL OIL PRODUCTS
BILLY MERCHANT - RIBPR #38680
3131 E. STOCKTON BLVD. STE #250-321
MILK GROVE, CA 95624
Container: 48604

SITE	TICKET	GRID
01	422670	
WEIGHMASTER		
NANCY		
DATE IN		TIME IN
16 November 2004		12:03 pm
DATE OUT		TIME OUT
16 November 2004		12:03 pm
VEHICLE		ROLL OFF
SPIRIT 00		
REFERENCE		ORIGIN
		PLAISANTON

ON Gross Weight 75,680.00 LB
Shorted Tare Weight 33,180.00 LB
NET Weight 43,500.00 LB 21 75 74

Inbound - SCALE TICKET

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
1.00	LB	43500.00 LB				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO

CARTO

MANIFEST 261654

DRIVER'S SIGNATURE

Keller Canyon
Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain
Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island
Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward
Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE <i>* Ross Tinline</i>	DATE		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE		RECEIVING FACILITY	
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #	
TRANSPORTER Manley & Sons Trucking, Inc.		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER <i>9A44660 00</i> <i>IVN4525</i>	
ADDRESS 8896 Elder Creek Rd.			
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6864		END DUMP BOTTOM DUMP TRANSFER <input checked="" type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <i>* JET</i>	DATE <i>11-16-04</i>	CUBIC YARDS 18 Cubic Yards	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL) <input type="checkbox"/> SOIL <input type="checkbox"/> DISPOSE <input type="checkbox"/> OTHER <input type="checkbox"/> CONSTRUCTION DEBRIS <input type="checkbox"/> <input type="checkbox"/> NON-FRIABLE ASBESTOS <input type="checkbox"/> <input type="checkbox"/> WOOD <input type="checkbox"/> <input type="checkbox"/> ASH <input type="checkbox"/> <input type="checkbox"/> SPECIAL OTHER <input type="checkbox"/>	
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT <i>* JET</i>		DATE	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD
INCORPORATED

1999 South Austin Road/WEIGHING LOCATION
Anteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

DOA850

SHIELA OIL PRODUCTS

PHILL MERCHANT - RPP#28680
5341 E. STOCKTON BLVD. STE #850-381
ELK GROVE, CA 95624
Contract #: 460604

SITE	TICKET	GRID
01	482651	
WEIGHMASTER		
NANCY		
DATE IN	TIME IN	
16 November 2004	11:26 am	
DATE OUT	TIME OUT	
16 November 2004	11:26 am	
VEHICLE	ROLL OFF	
MCKEAG DM1		
REFERENCE	ORIGIN	
	PLEASANTON	

Inbound - SCALE TICKET

Gross Weight 72,300.00 LB
Stared Tare Weight 30,480.00 LB
Net Weight 41,820.00 LB 20.94 TN

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
2000	BTU	ELK GROVE, CA 95624				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

GETE

MANIFESTO L&A

DRIVER'S SIGNATURE

Dale W. McKey

<input type="checkbox"/> Keller Canyon Sanitary Landfill 901 Bailey Road Pittsburg, CA 94565 Phone (925) 458-9800 Fax (925) 458-9891	<input type="checkbox"/> Ox Mountain Sanitary Landfill 12310 San Mateo Road Half Moon Bay, CA 94019 Phone (650) 726-1819 Fax (650) 726-9183	<input type="checkbox"/> Newby Island Sanitary Landfill 1601 Dixon Landing Road Milpitas, CA 95035 Phone (408) 945-2800 Fax (408) 262-2871	<input type="checkbox"/> Forward Landfill 9999 S. Austin Road Manteca, CA 95336 Phone (209) 982-4298 Fax (209) 982-1009
---	--	---	--

NON-HAZARDOUS WASTE MANIFEST

<p>GENERATOR Equilon Enterprises, LLC</p> <p>MAILING ADDRESS P.O. Box 7809</p> <p>CITY, STATE, ZIP Burbank, CA 91510</p> <p>PHONE 650-551-0112</p> <p>CONTACT PERSON Ross Timine</p> <p>SIGNATURE OF AUTHORIZED AGENT / TITLE</p> <p>* Ross Timine</p>		<p>WASTE ACCEPTANCE NO. # 4860</p> <p>REQUIRED PERSONAL PROTECTIVE EQUIPMENT</p> <p><input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER</p> <p>SPECIAL HANDLING PROCEDURES:</p> <p>RECEIVING FACILITY</p> <p>RIPR # 38680 SAP# 135785 Incident # 98995643 VVIC #</p> <p>NOTES: VEHICLE LICENSE NUMBER</p> <p>ABCBK 011-1</p> <p>TRANSPORTER Manley & Sons Trucking, Inc.</p> <p>ADDRESS 8896 Elder Creek Rd.</p> <p>CITY, STATE, ZIP Sacramento, CA 95823</p> <p>PHONE (916) 381-6864</p> <p>SIGNATURE OF AUTHORIZED AGENT OR DRIVER</p> <p>* Dave W. Whalen, WHALEY</p>																			
		<p>END DUMP BOTTOM DUMP TRANSFER</p> <p><input checked="" type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS</p> <p>CUBIC YARDS</p> <p>18 Cubic Yards</p> <p>DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 33%;"><input type="checkbox"/> SOIL</td> <td style="width: 33%;"><input type="checkbox"/> DISPOSE</td> <td style="width: 33%;"><input type="checkbox"/> OTHER</td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION DEBRIS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> NON-FRIABLE ASBESTOS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> ASH</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> SPECIAL OTHER</td> <td></td> <td></td> </tr> </table>		<input type="checkbox"/> SOIL	<input type="checkbox"/> DISPOSE	<input type="checkbox"/> OTHER	<input type="checkbox"/> CONSTRUCTION DEBRIS			<input type="checkbox"/> NON-FRIABLE ASBESTOS			<input type="checkbox"/> WOOD			<input type="checkbox"/> ASH			<input type="checkbox"/> SPECIAL OTHER		
<input type="checkbox"/> SOIL	<input type="checkbox"/> DISPOSE	<input type="checkbox"/> OTHER																			
<input type="checkbox"/> CONSTRUCTION DEBRIS																					
<input type="checkbox"/> NON-FRIABLE ASBESTOS																					
<input type="checkbox"/> WOOD																					
<input type="checkbox"/> ASH																					
<input type="checkbox"/> SPECIAL OTHER																					
<p>REMARKS</p> <p>FACILITY TICKET NUMBER</p> <p>SIGNATURE OF AUTHORIZED AGENT</p> <p>* Jim Miller</p>																					

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL. ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936
004860

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

SHELL OIL PRODUCTS
BILL MERCHANT - RIFR #38680
9141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
Contract #: 4860#

SITE	TICKET	GRID
01	419906	
WEIGHMASTER		
NANCY		
DATE IN		TIME IN
8 November 2004		11:21 AM
DATE OUT		TIME OUT
8 November 2004		11:21 am
VEHICLE		
MAN M15 ROLL OFF		
REFERENCE	ORIGIN	
	PLEASANTON	

Inbound - SCALE TICKET

Gross Weight 70,440.00 LB
Stated Tare Weight 30,880.00 LB
Net Weight 39,560.00 LB 19.78 TN

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
10.716	CU YD	CLASS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRND

MANIFEST#1617

DRIVER'S SIGNATURE

NET AMOUNT
TENDERED
CHANGE
CHECK NO.




Keller Canyon Sanitary Landfill
961 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. — # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP Burbank, CA 91510		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT	
PHONE 650-551-0112		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CONTACT PERSON Ross Tinline		SPECIAL HANDLING PROCEDURES:	
SIGNATURE OF AUTHORIZED AGENT / TITLE 	DATE		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:		RECEIVING FACILITY	
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #:	
TRANSPORTER Manley & Sons Trucking, Inc.	NOTES: 	TRUCK NUMBER	
ADDRESS 8896 Elder Creek Rd.			
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6864	END DUMP <input type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>	TRANSFER <input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT OR DRIVER 	ROLL-OFF(S) <input type="checkbox"/>	FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>
			DRUMS <input type="checkbox"/>
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
REMARKS	DISPOSE <input type="checkbox"/>	OTHER	
FACILITY TICKET NUMBER	<input type="checkbox"/> SOIL		
SIGNATURE OF AUTHORIZED AGENT 	<input type="checkbox"/> CONSTRUCTION DEBRIS		
	<input type="checkbox"/> NON-FRIABLE ASBESTOS		
	<input type="checkbox"/> WOOD		
	<input type="checkbox"/> ASH		
	<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL. ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936
004860

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

SHELL OIL PRODUCTS
BILL MERCHANT - RIPR #38680
9141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
CONTRACT: 4860#

GROSS WEIGHT	70,240.00 LB
STORED TARE WEIGHT	30,300.00 LB
NET WEIGHT	39,940.00 LB 19.97 TN

SITE	TICKET	GRID
01	419905	
WEIGHMASTER		
VICTORIA		
DATE IN	8 NOVEMBER 2004	TIME IN
DATE OUT	8 NOVEMBER 2004	TIME OUT
VEHICLE	MAN M48	ROLL OFF
REFERENCE		ORIGIN
		PLEASANTON

INBOUND - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
19.97	TN	33 CLASS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MANIFEST#1618

DRIVER'S SIGNATURE

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.		
Equilon Enterprises, LLC P.O. Box 7609 Burbank, CA 91510 650-551-0112 Ross Timline		— # 4860		
CONTACT PERSON		REQUIRED PERSONAL PROTECTIVE EQUIPMENT		
SIGNATURE OF AUTHORIZED AGENT / TITLE		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER		
WASTE TYPE:		SPECIAL HANDLING PROCEDURES:		
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> DEBRIS <input type="checkbox"/> SPECIAL WASTE		<input type="checkbox"/> SLUDGE <input type="checkbox"/> WOOD <input type="checkbox"/> OTHER		
GENERATING FACILITY		RECEIVING FACILITY		
5251 Hopyard Rd., Pleasanton, CA		RIFR # 38680 SAP# 135785 Incident # 98995843 WIC #:		
TRANSPORTER		NOTES:	VEHICLE LICENSE NUMBER	TRUCK NUMBER
Manley & Sons Trucking, Inc 8896 Elder Creek Rd. Sacramento, CA 95826				
ADDRESS				
CITY, STATE, ZIP				
PHONE		END DUMP BOTTOM DUMP TRANSFER		
(916) 381-5864		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS <input type="checkbox"/>		
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		CUBIC YARDS		
*		18 Cubic Yards		
REMARKS		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)		
FACILITY TICKET NUMBER		<input type="checkbox"/> DISPOSE <input type="checkbox"/> OTHER		
SIGNATURE OF AUTHORIZED AGENT		<input type="checkbox"/> SOIL		
*		<input type="checkbox"/> CONSTRUCTION DEBRIS		
		<input type="checkbox"/> NON-FRIABLE ASBESTOS		
		<input type="checkbox"/> WOOD		
		<input type="checkbox"/> ASH		
		<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road / WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860#

SHELL OIL PRODUCTS
BILL MERCHANT - RIPR #38680
9141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
CONTRACT: 4860#

GROSS WEIGHT 78,000.00 LB
STORED TARE WEIGHT 29,580.00 LB
NET WEIGHT 48,420.00 LB 24.21 TN

SITE	TICKET	GRID
01	419907	
WEIGHMASTER		
VICTORIA		
DATE IN		TIME IN
8 NOVEMBER 2004		11:29 AM
DATE OUT		TIME OUT
8 NOVEMBER 2004		11:29 AM
VEHICLE		ROLL OFF
MAN H2		
REFERENCE		ORIGIN
		PLEASANTON

INBOUND - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
24.21	TN	11 CLASS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MANIFEST#1616

DRIVER'S SIGNATURE

NET AMOUNT
TENDERED
CHANGE
CHECK NO.


Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. — # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE 		DATE 10/10/01	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RECEIVING FACILITY RIPR # 38680 SAP# 135785 incident # 98995843 WIC #	
TRANSPORTER Manley & Sons Trucking, Inc.		NOTES:	VEHICLE LICENSE NUMBER 171162
ADDRESS 8896 Elde Creek Rd.		TRUCK NUMBER A5-2	
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 361-6864		END DUMP <input type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT OR DRIVER 		TRANSFER <input checked="" type="checkbox"/>	ROLL-OFF(S) <input type="checkbox"/>
		FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>
		DRUMS <input type="checkbox"/>	<input type="checkbox"/>
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
REMARKS		DISPOSE <input type="checkbox"/>	OTHER <input type="checkbox"/>
FACILITY TICKET NUMBER		<input type="checkbox"/> SOIL	<input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT 		<input type="checkbox"/> CONSTRUCTION DEBRIS	<input type="checkbox"/>
		<input type="checkbox"/> NON-FRIABLE ASBESTOS	<input type="checkbox"/>
		<input type="checkbox"/> WOOD	<input type="checkbox"/>
		<input type="checkbox"/> ASH	<input type="checkbox"/>
		<input type="checkbox"/> SPECIAL OTHER	<input type="checkbox"/>

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road / WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860

SHRED OIL PRODUCTS
STILL MERCHANT - RTPR #38680
9143 E. STOCKTON BLVD. STE #250-321
BK GROVE, CA 95634
Contract: 4660#

Gross Weight 73,160.00 LB
Shipped Tare Weight 32,660.00 LB
Net Weight 40,500.00 LB 20.25 TN

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.25	LB	CLASS IV SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GR7D

MANIFEST#4655

DRIVER'S SIGNATURE

SITE	TICKET	GRID
01	422583	
		WEIGHMASTER
NANCY		
	DATE IN	TIME IN
	16 November 2004	10:06 am
	DATE OUT	TIME OUT
	16 November 2004	10:06 am
	VEHICLE	ROLL OFF
HAT 375		
	REFERENCE	ORIGIN
		PIREASANTON

Inbound - SCALE TICKET

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

**Keller Canyon
Sanitary Landfill**
1901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equion Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7009		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP Burbank, CA 91510		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT	
PHONE 650-551-0112		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CONTACT PERSON Ross Tintine		SPECIAL HANDLING PROCEDURES:	
SIGNATURE OF AUTHORIZED AGENT / TITLE * Ross Tintine		DATE	
<p>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</p>			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> DEBRIS <input type="checkbox"/> SPECIAL WASTE		<input type="checkbox"/> SLUDGE <input type="checkbox"/> WOOD <input type="checkbox"/> OTHER	
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RECEIVING FACILITY	
		RIPR # 38680 Incident # 98995543	SAP# 135785 WIC #
TRANSPORTER Manley & Sons Trucking, Inc.		NOTES: VEHICLE LICENSE NUMBER 9D05026	TRUCK NUMBER 375
ADDRESS 8890 Elder Creek Rd.			
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6864		END DUMP <input checked="" type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT OR DRIVER * Mr. Tintine		TRANSFER <input type="checkbox"/>	ROLL-OFF(S) <input type="checkbox"/>
		FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>
		DRUMS <input type="checkbox"/>	
<p>I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.</p>			
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE <input type="checkbox"/>	OTHER <input type="checkbox"/>
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT *		DATE	

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

CUBIC YARDS		
18 Cubic Yards		
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)		
	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004607

SHELL OIL PRODUCTS
BILL MERCHANT - TYPE #38680
9141 E STOCKTON BLVD. STE #250-321
FALK GROVE, CA 95624
Contract: 88602

Gross Weight 85,760.00 LB
Shipped Tare Weight 33,920.00 LB
Net Weight 51,840.00 LB 23.92 TN

SITE	TICKET	GRID
01	422579	
	WEIGHMASTER	
NANCY		
DATE IN	TIME IN	
16 November 2004	10:02 am	
DATE OUT	TIME OUT	
16 November 2004	10:02 am	
VEHICLE	ROLL OFF	
ROBERT R29		
REFERENCE	ORIGIN	
	PLRASANTON	

Inbound - SCALE TICKET

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
0.00	0.00	0.00				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

GRID

MANTECAS#1652

DRIVER'S SIGNATURE

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equipment Enterprises, LLC		WASTE ACCEPTANCE NO. — # 4860	
MAILING ADDRESS P.O. Box 7809		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP Burbank, CA 91510		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT	
PHONE 650-551-0112		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CONTACT PERSON Ross Timline		SPECIAL HANDLING PROCEDURES:	
SIGNATURE OF AUTHORIZED AGENT / TITLE * [Signature]		DATE 11-16-04	
<p>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</p>			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA			
RECEIVING FACILITY			
RIPR # 38680 SAP# 135785			
Incident # 98995843 WIC #:			
TRANSPORTER Manley & Sons Trucking, Inc.		NOTES:	VEHICLE LICENSE NUMBER 9826754
ADDRESS 8896 Elder Creek Rd			TRUCK NUMBER R-29
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6864		END DUMP <input type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT OR DRIVER * [Signature]		TRANSFER <input type="checkbox"/>	ROLL-OFF(S) <input type="checkbox"/>
		FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>
		DRUMS <input type="checkbox"/>	<input type="checkbox"/>
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE <input type="checkbox"/>	OTHER <input type="checkbox"/>
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT * [Signature]		DATE	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION

Manteca, CA 95336

Landfill: (209) 982-4298 / WEIGHING LOCATION

Resource Recovery: (209) 982-4936

C04860

SHELL OIL PRODUCTS

BILL MERCHANT - RPPR #38690

9141 E. STOCKTON BLVD. STE #250-321

ELK GROVE, CA 95624

Contract: 4860#

P.O. Box 6336

Stockton, CA 95206

Main Office: (209) 466-4482

Fax: (209) 465-0631

SITE	TICKET	GRID
01	482651	
NANCY	WEIGHMASTER	
DATE IN	TIME IN	
6 November 2004	11:26 am	
DATE OUT	TIME OUT	
16 November 2004	11:26 am	
VEHICLE	ROLL OFF	
MCKEAG DM1		
REFERENCE	ORIGIN	
	PLEASANTON	

00 Gross Weight 72,300.00 LB

Stored Tare Weight 30,420.00 LB

Net Weight 41,880.00 LB 20.94 TN

Inbound - SCALE TICKET

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.94	TN	ELKFIELD 41 3011				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MANIFEST#1656

DRIVER'S SIGNATURE

Dale W. McKeeag

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON ROSS LINTINE			
SIGNATURE OF AUTHORIZED AGENT / TITLE * <i>[Signature]</i>	DATE T T 10/10/01		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RECEIVING FACILITY RIPR # 38680 SAP# 135785 Incident # 98995843 WIC #	
TRANSPORTER Manley & Sons Trucking, Inc	NOTES: VEHICLE LICENSE NUMBER <i>9B98304</i>	TRUCK NUMBER <i>DH-1</i>	
ADDRESS 8896 Elder Creek Rd			
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6864	END DUMP <input type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>	TRANSFER <input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT OR DRIVER * <i>Done on 10/10/01 by [Signature]</i>	ROLL-OFF(S) <input type="checkbox"/>	FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
REMARKS	DISPOSE <input type="checkbox"/>	OTHER <input type="checkbox"/>	
FACILITY TICKET NUMBER	<input type="checkbox"/> SOIL		
SIGNATURE OF AUTHORIZED AGENT * <i>[Signature]</i>	<input type="checkbox"/> CONSTRUCTION DEBRIS		
	<input type="checkbox"/> NON-FRIABLE ASBESTOS		
	<input type="checkbox"/> WOOD		
	<input type="checkbox"/> ASH		
	<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL. ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860

SHELL OIL PRODUCTS
BILL MERCHANT - RIPR #38680
9141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
Contract: 4860#

00	Gross Weight	73,800.00	LB
	Tare Weight	30,300.00	LB
	Net Weight	43,500.00	LB 21.75 TN

SITE	TICKET	GRID
01	422665	
WEIGHMASTER		
NANCY		
DATE IN	TIME IN	
16 November 2004	11:31 am	
DATE OUT	TIME OUT	
16 November 2004	11:53 am	
VEHICLE	ROLL OFF	
PANG 359		
REFERENCE	ORIGIN	
	PLEASANTON	

Inbound - SCALE TICKET

QTY	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
21.75	TON	11 CLASS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MANIFEST#1653

DRIVER'S SIGNATURE

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO.			
MAILING ADDRESS P.O. Box 7869		— # 4860			
CITY, STATE, ZIP Burbank, CA 91510		REQUIRED PERSONAL PROTECTIVE EQUIPMENT			
PHONE 650-551-0112		<input type="checkbox"/> GLOVES	<input type="checkbox"/> GOGGLES	<input type="checkbox"/> RESPIRATOR	<input type="checkbox"/> HARD HAT
CONTACT PERSON ROSS TIRANTE		<input type="checkbox"/> TY-VEK	<input type="checkbox"/> OTHER		
SIGNATURE OF AUTHORIZED AGENT / TITLE <i>ROSS TIRANTE</i>		SPECIAL HANDLING PROCEDURES:			
<p>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</p>					
WASTE TYPE:		RECEIVING FACILITY			
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE		RPPR # 38680 SAP# 135785 Incident # 98995843 VVIC #			
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER			
TRANSPORTER Manley & Sons Trucking, Inc		986051 259			
ADDRESS 8896 Elder Creek Rd.					
CITY, STATE, ZIP Sacramento, CA 95828					
PHONE (916) 381-6864		END DUMP BOTTOM DUMP TRANSFER <input checked="" type="checkbox"/> ROLL-OFF(S) FLAT-BED VAN DRUMS			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <i>M. D.</i>					
<p>I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.</p>					
CUBIC YARDS 18 Cubic Yards					
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)					
		DISPOSE	OTHER		
<input type="checkbox"/> SOIL					
<input type="checkbox"/> CONSTRUCTION DEBRIS					
<input type="checkbox"/> NON-FRIABLE ASBESTOS					
<input type="checkbox"/> WOOD					
<input type="checkbox"/> ASH					
<input type="checkbox"/> SPECIAL OTHER					
REMARKS					
FACILITY TICKET NUMBER					
SIGNATURE OF AUTHORIZED AGENT		DATE			
<i>M. D.</i>		<i>11/11/04</i>			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION

Manteca, CA 95336

Landfill: (209) 982-4298 / WEIGHING LOCATION

Resource Recovery: (209) 982-4936

004860

SHELL OIL PRODUCTS

BILL MERCHANT - RPPR #38690

9141 E. STOCKTON BLVD. STE #250-321

ELK GROVE, CA 95624

Contract: 4860#

P.O. Box 6336

Stockton, CA 95206

Main Office: (209) 466-4482

Fax: (209) 465-0631

SITE	TICKET	GRID
01	422670	
WEIGHMASTER		
NANCY		
DATE IN	TIME IN	
16 November 2004	12:03 pm	
DATE OUT	TIME OUT	
16 November 2004	12:03 pm	
VEHICLE	ROLL OFF	
SPIRIT 00		
REFERENCE	ORIGIN	
	PLEASANTON	

00 Gross Weight 75,680.00 LB
 Stored Tare Weight 32,180.00 LB
 Net Weight 43,500.00 LB 21.75 TN

Inbound - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
21.75	TN	CLAS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MANIFEST#1654

DRIVER'S SIGNATURE

NET AMOUNT

TENDERED

CHANGE

CHECK NO.







**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Equilon Enterprises, LLC		WASTE ACCEPTANCE NO. # 4860	
MAILING ADDRESS P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE 650-551-0112			
CONTACT PERSON Ross Thilline			
SIGNATURE OF AUTHORIZED AGENT / TITLE 	DATE		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE		RECEIVING FACILITY	
GENERATING FACILITY 5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680 Incident # 98995843	SAP# 135785 WIC #
TRANSPORTER Manley & Sons Trucking, Inc	NOTES: VEHICLE LICENSE NUMBER  	TRUCK NUMBER 	
ADDRESS 8896 Elder Creek Rd.			
CITY, STATE, ZIP Sacramento, CA 95828			
PHONE (916) 381-6864	END DUMP <input type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>	TRANSFER <input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT OR DRIVER 	ROLL-OFF(S) <input type="checkbox"/>	FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>
			DRUMS <input type="checkbox"/>
REMARKS	CUBIC YARDS 18 Cubic Yards		
FACILITY TICKET NUMBER	DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)		
SIGNATURE OF AUTHORIZED AGENT 	DATE	DISPOSE <input type="checkbox"/>	OTHER <input type="checkbox"/>
*			
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT 			
*			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

999 South Austin Road/WEIGHING LOCATION
Anteca, CA 95336
andfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936
004860

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

SHELL OIL PRODUCTS
BILL MERCHANT - RPPR #38680
9141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
Contract: 4860#

Gross Weight 46,100.00 LB
Stored Tare Weight 33,920.00 LB
Net Weight 12,180.00 LB 6.09 TN

SITE	TICKET	GRID
01	422700	
WEIGHMASTER		
NANCY		
	DATE IN	TIME IN
	16 November 2004	12:50 pm
	DATE OUT	TIME OUT
	16 November 2004	12:50 pm
	VEHICLE	ROLL OFF
	ROBERT R29	
	REFERENCE	ORIGIN
		PLEASANTON

Inbound - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
6.09	TN	11 CLASS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MANIFEST#1650

DRIVER'S SIGNATURE

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Edelen Enterprises, LLC		WASTE ACCEPTANCE NO.		
MAILING ADDRESS P.O. Box 7860		# 4860		
CITY, STATE, ZIP Turlock, CA 95310		REQUIRED PERSONAL PROTECTIVE EQUIPMENT		
PHONE 650-551-0112		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT		
CONTACT PERSON Ross Edelen		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER		
SIGNATURE OF AUTHORIZED AGENT / TITLE *		DATE 11-16		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.				
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE				
GENERATING FACILITY 5201 Hopyard Rd., Pleasanton, CA		RIFR # 381680 SAP# 135785 Incident # 98095643 WIC #		
TRANSPORTER Manley & Sons Trucking, Inc.		NOTES:	VEHICLE LICENSE NUMBER	
ADDRESS 6090 Elder Creek Rd		9B2675Y R-29		
CITY, STATE, ZIP Sacramento, CA 95825				
PHONE (916) 381-6664		END DUMP	BOTTOM DUMP	TRANSFER
SIGNATURE OF AUTHORIZED AGENT OR DRIVER *		ROLL-OFF(S)	FLAT-BED	VAN
		DRUMS		
CUBIC YARDS 18 Cubic Yards				
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)				
		DISPOSE	OTHER	
<input type="checkbox"/> SOIL				
<input type="checkbox"/> CONSTRUCTION DEBRIS				
<input type="checkbox"/> NON-FRIABLE ASBESTOS				
<input type="checkbox"/> WOOD				
<input type="checkbox"/> ASH				
<input type="checkbox"/> SPECIAL OTHER				
REMARKS				
FACILITY TICKET NUMBER				
SIGNATURE OF AUTHORIZED AGENT *		DATE 11-16		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION

Manteca, CA 95336

Landfill: (209) 982-4298 / WEIGHING LOCATION

Resource Recovery: (209) 982-4936

004860

SHELL OIL PRODUCTS

BILL MERCHANT - RIPR #38680

9141 E. STOCKTON BLVD. STE #250-321

ELK GROVE, CA 95624

CONTRACT: 4860#

P.O. Box 6336

Stockton, CA 95206

Main Office: (209) 466-4482

Fax: (209) 465-0631

SITE	TICKET	GRID
01	411836	
WEIGHMASTER		
VICTORIA		
DATE IN		TIME IN
18 OCTOBER 2004		2:10 PM
DATE OUT		TIME OUT
18 OCTOBER 2004		2:10 PM
VEHICLE		ROLL OFF
ROBERT R29		
REFERENCE		ORIGIN
		PLEASANTON

00 GROSS WEIGHT 79,000.00 LB
 STORED TARE WEIGHT 33,920.00 LB
 NET WEIGHT 45,080.00 LB 22.54 TN

INBOUND - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
22.54	TN	11 CLASS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MANIFEST#4526

NET AMOUNT
 TENDERED
 CHANGE
 CHECK NO.

DRIVER'S SIGNATURE

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Eauilon Enterprises, LLC		# 4860	
MAILING ADDRESS		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
P.O. Box 7869		<input type="checkbox"/> GLOVES	<input type="checkbox"/> GOGGLES
CITY, STATE, ZIP		<input type="checkbox"/> RESPIRATOR	<input type="checkbox"/> HARD HAT
Burbank, CA 91510		<input type="checkbox"/> TY-VEK	<input type="checkbox"/> OTHER
PHONE		SPECIAL HANDLING PROCEDURES:	
650-551-0112			
CONTACT PERSON			
Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE	
* <i>James Wessley</i>		10/18/09	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680	SAP# 135785
ADDRESS		Incident # 02005842	
5890 Elkhorn Creek Rd.		IAC #	
CITY, STATE, ZIP			
PHONE		510-231-5884	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	
* <i>Clark Rabalais</i>		10-18-09	
TRANSPORTER			
Mantec & Sons Trucking, Inc.		NOTES:	VEHICLE LICENSE NUMBER
ADDRESS		9B2675Y	
5890 Elkhorn Creek Rd.		IAC # 29	
CITY, STATE, ZIP			
PHONE		510-231-5884	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	
* <i>Clark Rabalais</i>		10-18-09	
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
* <i>Johnne 10-09</i>			
CUBIC YARDS			
18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE	OTHER
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004660

SHELL OIL PRODUCTS

BILL MERCHANT - RPPR #36660
7141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
Contract #: 4860W

SITE	TICKET	GRID
01	411693	
VICTORIA	WEIGHMASTER	
	DATE IN	TIME IN
13 October 2004	11:07 am	
	DATE OUT	TIME OUT
16 October 2004	11:07 am	
	VEHICLE	ROLL OFF
MAN MFG		
REFERENCE		ORIGIN
		PLEASANTON

Gross Weight 35,240.00 LB

Stowed Tare Weight 30,930.00 LB

Net Weight 56,360.00 LB 27.18 TN

Inbound - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
1	TN	CL-460 1.2 cu.yd.				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID:

MANIFEST#46660

NET AMOUNT

TENDERED

CHANGE

CHECK NO.

DRIVER'S SIGNATURE

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Equilon Enterprises, LLC		# 4860	
MAILING ADDRESS		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
P.O. Box 7869		<input type="checkbox"/> GLOVES	<input type="checkbox"/> GOGGLES
CITY, STATE, ZIP		<input type="checkbox"/> RESPIRATOR	<input type="checkbox"/> HARD HAT
Burbank, CA 91510		<input type="checkbox"/> TY-VEK	<input type="checkbox"/> OTHER
PHONE		SPECIAL HANDLING PROCEDURES:	
650-551-0112			
CONTACT PERSON			
Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE	
 Ross Tinline		10/18/00	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
5251 Hopyard Rd., Pleasanton, CA		RIPPL # 39880	SAP# 135785
ADDRESS		Incident # 08005843	
8808 Elder Creek Rd.		WIC #	
CITY, STATE, ZIP			
Sacramento, CA 95828			
PHONE		END DUMP BOTTOM DUMP TRANSFER	
(916) 251-6864		<input type="checkbox"/>	<input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		ROLL-OFF(S)	FLAT-BED
 Ross Tinline		<input type="checkbox"/>	<input type="checkbox"/>
DATE		VAN	DRUMS
10-18-00		<input type="checkbox"/>	<input type="checkbox"/>
CUBIC YARDS			
18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE	OTHER
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
 Ross Tinline		10-18-00	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004640

SHELL OIL PRODUCTS
STILL MERCHANT - RIFR #3868C
9141 E. STOCKTON BLVD., STE 100-321
ELK GROVE, CA 95624
Contract #: 483608

Gross Weight	81,060.00 LB
Stowed Tare Weight	23,665.00 LB
Net Weight	47,395.00 LB 21,70 TN

SITE	TICKET	GRID
01	411820	
	WEIGHMASTER	
1101016		
DATE IN	TIME IN	
18 October 2004	1:52 pm	
DATE OUT	TIME OUT	
18 October 2004	1:52 pm	
VEHICLE	ROLL OFF	
MAN 620		
REFERENCE	ORIGIN	
	PLEASANTON	

Inbound - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
1	PC	SHEDS & FRUIT				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

DRIVER'S SIGNATURE


<input type="checkbox"/>	Keller Canyon Sanitary Landfill
901 Bailey Road Pittsburg, CA 94565	
* Phone (925) 458-9800 Fax (925) 458-9891	

<input type="checkbox"/>	Ox Mountain Sanitary Landfill
12310 San Mateo Road Half Moon Bay, CA 94019	
Phone (650) 726-1819 Fax (650) 726-9183	

<input type="checkbox"/>	Newby Island Sanitary Landfill
1601 Dixon Landing Road Milpitas, CA 95035	
Phone (408) 945-2800 Fax (408) 262-2871	

<input type="checkbox"/>	Forward Landfill
9999 S. Austin Road Manteca, CA 95336	
Phone (209) 982-4298 Fax (209) 982-1009	

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Eouilon Enterprises, LLC		# 4860	
MAILING ADDRESS			
P.O. Box 7869		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
Burbank, CA 91510			
PHONE			
650-551-0112			
CONTACT PERSON			
Ross Tinajas		SPECIAL HANDLING PROCEDURES:	
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE	
 *			
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 266 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680 SAP# 135785 Incident # 08005842 WIC #	
TRANSPORTER		NOTES: VEHICLE LICENSE NUMBER	
Mark's Sons Trucking, Inc.		9A79968 J-30	
ADDRESS			
8800 Elder Creek Rd.			
CITY, STATE, ZIP			
Pleasanton, CA 945826		END DUMP BOTTOM DUMP TRANSFER	
		<input checked="" type="checkbox"/> END DUMP <input type="checkbox"/> BOTTOM DUMP <input type="checkbox"/> TRANSFER <input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	
 *		10/18/04	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
CUBIC YARDS			
18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE	OTHER
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
 *			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL. ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD
INCORPORATED

9999 South Austin Road/WEIGHING LOCATION
Manteca, CA 95336
Landfill: (209) 982-4298 / WEIGHING LOCATION
Resource Recovery: (209) 982-4936

P.O. Box 6336
Stockton, CA 95206
Main Office: (209) 466-4482
Fax: (209) 465-0631

004860

SHELL OIL PRODUCTS
BILL MERCHANT - RIPR #38680
9141 E. STOCKTON BLVD. STE #250-321
ELK GROVE, CA 95624
CONTRACT: 4860#

GROSS WEIGHT 72,200.00 LB
STORED TARE WEIGHT 32,680.00 LB
NET WEIGHT 39,520.00 LB 19.76 TN

SITE	TICKET	GRID
01	411824	WEIGHMASTER
NANCY	DATE IN	TIME IN
18 OCTOBER 2004	2:01 PM	DATE OUT
18 OCTOBER 2004	2:01 PM	TIME OUT
MAN S47	VEHICLE	ROLL OFF
	REFERENCE	ORIGIN
		PLEASANTON

INBOUND - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
19.76	TN	11 CLASS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY That the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

GRID

MANIFEST#4525

DRIVER'S SIGNATURE

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Equilon Enterprises, LLC		# 4860	
MAILING ADDRESS		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
P.O. Box 7869		<input type="checkbox"/> GLOVES	<input type="checkbox"/> GOGGLES
CITY, STATE, ZIP		<input type="checkbox"/> RESPIRATOR	<input type="checkbox"/> HARD HAT
Burbank, CA 91510		<input type="checkbox"/> TY-VEK	<input type="checkbox"/> OTHER
PHONE		SPECIAL HANDLING PROCEDURES:	
650-551-0112			
CONTACT PERSON			
Ross Tinline			
SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE		
* [Signature] 10/18/04			
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680	SAP# 135785
ADDRESS		Incident # 98095843	
8306 Elder Creek Rd.		WIC #	
CITY, STATE, ZIP			
Sacramento, CA 95828			
PHONE		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER	
(916) 381-6264		[Signature] 9A63809 547	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	END DUMP BOTTOM DUMP TRANSFER
* [Signature] 10-18-04			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
18 Cubic Yards		DISPOSE	OTHER
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS		[Signature]	
FACILITY TICKET NUMBER		[Signature]	
SIGNATURE OF AUTHORIZED AGENT	DATE	[Signature]	
* [Signature]			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL. ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



FORWARD

INCORPORATED

9999 South Austin Road / WEIGHING LOCATION
 Manteca, CA 95336
 Landfill: (209) 982-4298 / WEIGHING LOCATION
 Resource Recovery: (209) 982-4936

004860

SHELL OIL PRODUCTS
 BILL MERCHANT - RIPC #38680
 9141 E. STOCKTON BLVD. STE #250-321
 ELK GROVE, CA 95624
 CONTRACT: 4860#

P.O. Box 6336
 Stockton, CA 95206
 Main Office: (209) 466-4482
 Fax: (209) 465-0631

SITE	TICKET	GRID
01	411829	
WEIGHMASTER		
VICTORIA		
DATE IN	18 OCTOBER 2004	TIME IN 2:05 PM
DATE OUT	18 OCTOBER 2004	TIME OUT 2:05 PM
VEHICLE	MAN H2	ROLL OFF
REFERENCE		ORIGIN PLEASANT HILL

00 GROSS WEIGHT 27,540.00 LB
 STORED TARE WEIGHT 20,300.00 LB
 NET WEIGHT 7,240.00 LB 3.62 TN

INBOUND - SCALE TICKET

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
3.62	TN	11 CLASS II SOIL				

WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

GRID

MANIFEST#4528

NET AMOUNT
TENDERED
CHANGE
CHECK NO.

DRIVER'S SIGNATURE

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Epsilon Enterprises, LLC		#4860	
MAILING ADDRESS			
P.O. Box 7860		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT	
Pleasanton, CA 94565		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
PHONE			
650-551-0112			
CONTACT PERSON		SPECIAL HANDLING PROCEDURES:	
Ross Tipton			
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE	
<i>* [Signature]</i>		<i>10/16/08</i>	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
5251 Hopyard Rd., Pleasanton, CA			
TRANSPORTER		NOTES: VEHICLE LICENSE NUMBER	
Markless & Sons Trucking, Inc.		6766002	
ADDRESS		TRUCK NUMBER	
5251 Hopyard Rd.		112	
CITY, STATE, ZIP			
PHONE			
925-462-1554			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	
<i>* [Signature]</i>		<i>10/16/08</i>	
END DUMP BOTTOM DUMP TRANSFER <input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS			
CUBIC YARDS 18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
DISPOSE		OTHER	
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
<i>* [Signature]</i>		<i>10/16/08</i>	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL. ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

01 910408

VK00020

9 October 2004 1:00 pm

004860

SHELL OIL PRODUCTS

BILL MERCHANT - RIPR #38680

9141 E. STOCKTON BLVD. STE #250-321

ELK GROVE, CA 95624

9 October 2004 1:00 pm

MAN S29

Contract: 4860#

218089 PLEASANTON

00 Gross Weight	84,100.00	LB	Inbound - SCALE TICKET
Stored Tare Weight	33,920.00	LB	
Net Weight	50,180.00	LB	25.09 TN

25.09 TN 11 CLASS II SOIL

GRID

MANIFEST # 214509

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Equilon Enterprises, LLC		# 4860	
MAILING ADDRESS			
P.O. Box 7869			
CITY, STATE, ZIP		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
Burbank, CA 91510		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT	
PHONE		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
650-551-0112			
CONTACT PERSON		SPECIAL HANDLING PROCEDURES:	
Ross Tintine			
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE	
*		10/1/04	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
5251 Hopyard Rd., Pleasanton, CA		RIDR # 38680	SAP# 135785
ADDRESS		Incident # 08905243	
8906 Elder Creek Rd.		WIC #	
CITY, STATE, ZIP			
Sacramento, CA 95828			
PHONE			
(916) 281-6864			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	
*		10-9-04	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
*			
CUBIC YARDS			
18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE	OTHER
<input type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

01 910409

VK00020

9 October 2004 1:00 pm

004860

SHELL OIL PRODUCTS

BILL MERCHANT - RIPR #38680

9141 E. STOCKTON BLVD. STE #250-321

ELK GROVE, CA 95624

9 October 2004 1:00 pm

NSG 002

Contract: 4860#

218090 PLEASANTON

00 Gross Weight	84,820.00	LB	Inbound - SCALE TICKET
Stored Tare Weight	29,940.00	LB	
Net Weight	54,880.00	LB	27.44 TN

27.44 TN 11 CLASS II SOIL

GRID

MANIFEST # 214512

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Eaton Enterprises, LLC		# 4860	
MAILING ADDRESS			
P.O. Box 7000 CITY, STATE, ZIP		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
Folsom, CA 951510		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT	
650-551-0112 CONTACT PERSON		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
SIGNATURE/TITLE	DATE	SPECIAL HANDLING PROCEDURES:	
* [Signature]	10/09/02		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or Title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:		RECEIVING FACILITY	
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY		RIPR # 38680 SAP# 135785	
5251 Horwad Rd Pleasanton, CA		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER	
TRANSPORTER		9367989 002	
Address: Sons Trucking, Inc.			
City, State, Zip			
PHONE: Folsom, CA 95328		END DUMP BOTTOM DUMP TRANSFER	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		<input checked="" type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS	
* [Signature]		10/09/02	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
CUBIC YARDS			
18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
		DISPOSE	OTHER
<input checked="" type="checkbox"/> SOIL			
<input type="checkbox"/> CONSTRUCTION DEBRIS			
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
* [Signature]		10/09/02	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

01 910410

VK00020

9 October 2004 1:00 pm

004860

SHELL OIL PRODUCTS

BILL MERCHANT - RPR #38680

9141 E. STOCKTON BLVD. STE #250-321

ELK GROVE, CA 95624

9 October 2004 1:00 pm

DW 26

Contract: 4860#

218945 PLEASANTON

00 Gross Weight	76,340.00	LB	Inbound - SCALE TICKET
Stored Tare Weight	32,520.00	LB	
Net Weight	43,820.00	LB	21.91 TN

21.91 TN 11 CLASS II SOIL

GRID

MANIFEST # 214511

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Ecuilon Enterprises, LLC		# 4860	
MAILING ADDRESS			
P.O. Box 7860		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
Burbank, CA 91510		SPECIAL HANDLING PROCEDURES:	
PHONE			
650-561-0112			
CONTACT PERSON			
Rece. Tintle			
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE	
* [Signature]		10/19/01	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 266 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680 SAP# 135785 Incident # 09005242	
TRANSPORTER		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER	
Muller & Sons Trucking, Inc.		60788641 YE2703	
ADDRESS			
8000 State Street Rd.			
CITY, STATE, ZIP			
PHONE		END DUMP BOTTOM DUMP TRANSFER	
		<input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		DATE	
* [Signature]		10/19/01	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DATE	
* [Signature]		10/19/01	
CUBIC YARDS			
18 Cubic Yards			
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			
<input type="checkbox"/> SOIL		DISPOSE	
<input type="checkbox"/> CONSTRUCTION DEBRIS		OTHER	
<input type="checkbox"/> NON-FRIABLE ASBESTOS			
<input type="checkbox"/> WOOD			
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

01 910411

VK00020

9 October 2004 1:00 pm

004860

SHELL OIL PRODUCTS

BILL MERCHANT - RIPR #38680

9141 E. STOCKTON BLVD. STE #250-321

ELK GROVE, CA 95624

Contract: 4860#

9 October 2004 1:00 pm

MAN S32

218948 PLEASANTON

00 Gross Weight	80,460.00	LB	Inbound - SCALE TICKET
Stored Tare Weight	31,560.00	LB	
Net Weight	48,900.00	LB	24.45 TN

24.45 TN 11 CLASS II SOIL

GRID

MANIFEST # 214510

**Keller Canyon
Sanitary Landfill**
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

**Ox Mountain
Sanitary Landfill**
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

**Newby Island
Sanitary Landfill**
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

**Forward
Landfill**
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.			
Equilon Enterprises, LLC		# 4860			
MAILING ADDRESS		REQUIRED PERSONAL PROTECTIVE EQUIPMENT			
P.O. Box 7669		<input type="checkbox"/> GLOVES	<input type="checkbox"/> GOGGLES	<input type="checkbox"/> RESPIRATOR	<input type="checkbox"/> HARD HAT
CITY, STATE, ZIP		<input type="checkbox"/> TY-VEK	<input type="checkbox"/> OTHER	SPECIAL HANDLING PROCEDURES:	
Burbank, CA 91510					
PHONE					
650-551-0112					
CONTACT PERSON					
Ross Tinline					
SIGNATURE OF AUTHORIZED AGENT / TITLE		DATE			
* [Signature]		10/1/04			
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, If the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.					
WASTE TYPE:					
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE			
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD			
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER			
<input type="checkbox"/> SPECIAL WASTE					
GENERATING FACILITY					
5251 Hopyard Rd., Pleasanton, CA		RIPR # 38680		SAP# 135785	
ADDRESS		Incident # 08C05843		IACIC #	
8826 Elder Creek Rd.					
CITY, STATE, ZIP					
Sacramento, CA 95826					
PHONE		END DUMP		BOTTOM DUMP	
(916) 281-0864		<input type="checkbox"/>		<input type="checkbox"/>	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		ROLL-OFF(S)		TRANSFER	
* [Signature]		<input type="checkbox"/>		<input type="checkbox"/>	
		<input type="checkbox"/>		<input type="checkbox"/>	
TRANSPORTER					
Marley & Sons Trucking, Inc.		NOTES: VEHICLE LICENSE NUMBER		TRUCK NUMBER	
ADDRESS		[Signature]		3-302	
8826 Elder Creek Rd.					
CITY, STATE, ZIP					
Sacramento, CA 95826					
PHONE		END DUMP		BOTTOM DUMP	
(916) 281-0864		<input type="checkbox"/>		<input type="checkbox"/>	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		ROLL-OFF(S)		TRANSFER	
* [Signature]		<input type="checkbox"/>		<input type="checkbox"/>	
		<input type="checkbox"/>		<input type="checkbox"/>	
REMARKS					
FACILITY TICKET NUMBER					
SIGNATURE OF AUTHORIZED AGENT		DATE		DISPOSE	
* [Signature]		10/1/04		<input type="checkbox"/>	
				<input type="checkbox"/>	
CUBIC YARDS					
18 Cubic Yards					
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)					
<input type="checkbox"/> SOIL					
<input type="checkbox"/> CONSTRUCTION DEBRIS					
<input type="checkbox"/> NON-FRIABLE ASBESTOS					
<input type="checkbox"/> WOOD					
<input type="checkbox"/> ASH					
<input type="checkbox"/> SPECIAL OTHER					

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Please print or type. Form designed for use on site (e.g., truck, ship).

24086888
CALIFORNIA, CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address SHELL OIL PRODUCTS US 12700 NORTHBOROUGH RD		HOUSTON	TX77067-2508	A. State Manifest Document Number	24086838
4. Generator's Phone 281 1874-2238		MFT 240E JMARTIN		B. State Generator ID	H Y H Q E S O J U 1 7 7
5. Transporter 1 Company Name Ecology Control Industries		6. US EPA ID Number	C A D 9 8 2 0 3 0 1 7 3	D. State Transporter ID (Required)	
7. Transporter 2 Company Name		8. US EPA ID Number		E. Facility Transporter ID (Optional)	510 235-1393
9. Designated Facility Name and Site Address Ecology Control Industries 255 PARR BLVD RICHMOND , CA 94801		10. US EPA ID Number	C A D C 0 9 4 6 6 3 9 2	F. Transporter 3 Name	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number) Non-RCSA hazardous waste, solid (EMPTY STORAGE TANK PIPING)		12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	G. Waste Number
		b.		O O I I C M O G O O O O P	1
		c.			2
		d.			3
15. Special Handling Instructions and Additional Information Wear proper protective equipment while handling. Weights or volumes are approximate. 24 Hour emergency number (800) 321-5479 24 HOUR CONTACT(ECI Dispatcher). SITE ADDRESS: Pleasanton, Ca 94566		16. Handing Codes for Waste Listed Above 101-09 TANKS AND PIPING			
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name: CHRIS WISE		Signature: ON BEHALF OF US SOP Month Day Year 10 07 04			
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name: Kevin E Clark		Signature: Kevin E. Clark Month Day Year 10 07 04			
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19. Printed/Typed Name: James Wilcox		Signature: James Wilcox Month Day Year 10 08 04			

38089

DO NOT WRITE BELOW THIS LINE.

Tank Processing JOB #: 521423
TANK CERTIFICATION

***** PART 1 - To be completed by the Customer *****

CUSTOMER: Exxon

GENERATOR: Shell Oil Prod. US

State Waste Codes: _____

LOCATION: Pleasanton

EPA I.D.#: CA R 000130393

EPA Waste Codes: _____

TRANSPORTER: ECT

MANIFEST #: 2408 6938

	TANK 1 <u>31968</u>	TANK 2	TANK 3	TANK 4	TANK 5	TANK 6
TANK #:	<u>120-142</u>	_____	_____	_____	_____	_____
CAPACITY:	<u>20 yd</u>	_____	_____	_____	_____	_____
DIAMETER:	<u>2"93"</u>	_____	_____	_____	_____	_____
LENGTH:	_____	_____	_____	_____	_____	_____
STEEL/GLASS:	<u>ST/GI</u>	_____	_____	_____	_____	_____
LAST CONTAINED:	<u>UG</u>	_____	_____	_____	_____	_____

LG = Leaded Gas, UG = Unleaded Gas, D = Diesel, UO = Used Oil, FO = Fuel Oil.
 Specify the material Last Contained if other than above.

LAND DISPOSAL RESTRICTION NOTIFICATION FORM

The waste represented on this manifest is not generated by a chemical manufacturing plant, coke-by-product recovery plant or petroleum refinery. As such, it is not regulated under 40 CFR Part 61, Subpart FF (NESHAPS for Benzene Operations).

Pursuant to 40 CFR 268.7 I am notifying Ecology Control Industries that the material described by the above manifest is a nonwastewater, Non-RCRA solid hazardous waste and not currently subject to EPA Land Disposal Restrictions.

Pursuant to CCR 22 66268.7 I am notifying Ecology Control Industries that the material described by the manifest is a metal containing Non-RCRA solid hazardous waste (662683.29(g)), and an organics containing Non-RCRA solid hazardous waste (66268.29(k)). The treatment standards for these wastes have been repealed. This waste is no longer subject to land disposal restrictions.

I am an authorized agent/representative of the generator. I certify that all information submitted in this and associated documents is complete and accurate to the best of my knowledge. The tanks on the transport equipment have been numbered to correspond with the information provided above. In the event that the tanks do not correspond to the form, I will pay any and all costs incurred in rectifying the discrepancies between the tank(s) and the form. In the event that the tank(s) contain excessive solids or liquids, I agree to pay the cost of preparation, transportation and disposal/recycling of the excess material according to the schedule of charges in effect at the time of receipt of the tank(s). Further, I will not hold Ecology Control Industries responsible for any damage to tanks which occurs after the tanks are removed from the ground.

AUTHORIZED REPRESENTATIVE

SIGNATURE: Chris Wilson

DATE: 10-7-04

PRINT NAME: CHRIS WILSON

TITLE: _____

GENERATOR

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CAR000130393373514	Manifest Document No. 1 of 1	2. Page 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address SHELL OIL PRODUCTS US 12700 NORTHBOROUGH RD		HOUSTON TX 77067-2508	A. State Manifest Document Number 24086967		
4. Generator's Phone (281) 874-2238		MFT 240E JMARTIN	B. State Generator's ID H Y H G 3 6 0 1 0 1 7 7		
5. Transporter 1 Company Name Ecology Control Industries		6. US EPA ID Number CAD982030173	C. State Transporter's ID (Reserved)		
7. Transporter 2 Company Name		8. US EPA ID Number	D. Transporter's Phone 510 235-1393		
9. Designated Facility Name and Site Address Ecology Control Industries 285 FARR BLVD RICHMOND CA 94801		10. US EPA ID Number CAD009466392	E. State Transporter's ID (Reserved)		
11. US DOT Description [including Proper Shipping Name, Hazard Class, and ID Number] Non-RCRA hazardous waste, solid (EMPTY STORAGE TANK PIPING)		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	15. Waste Number
		b. 001 CM	04000	P	State EPA/Other
		c. 1 1 1	1 1 1		State EPA/Other
		d. 1 1 1	1 1 1		State EPA/Other
16. Additional Descriptions for Materials Listed Above		17. Discrepancy Indication Space			
18. Site Address 5251 Hopland Rd Pleasanton Ca 94566		19. Discrepancy Indication Space			
20. Generator's Certification: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.		If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health available to me and that I can afford.			
Printed/Typed Name CHRIS WISE		Signature <i>Chris Wise</i>		ON BEHALF OF HIS SOP	Month Day Year 10 22 04
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name GINA JOHNSON		Signature <i>Gina Johnson</i>		Month Day Year 10 22 04	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name James Wilcox 38089		Signature <i>James Wilcox</i>		Month Day Year 10 22 04	

DO NOT WRITE BELOW THIS LINE.

Tank Processing JOB #: S2T1423
TANK CERTIFICATION

***** PART 1 -- To be completed by the Customer*****

CUSTOMER: Shell

GENERATOR: Shell

State Waste Codes: 512

LOCATION: Pleasanton

EPA ID #: CAR000130393

EPA Waste Codes: _____

TRANSPORTER: ECT

MANIFEST #: 24086967

	TANK 1	TANK 2	TANK 3	TANK 4	TANK 5	TANK 6
TANK #:	<u>32019</u>	_____	_____	_____	_____	_____
CAPACITY:	<u>20 5d bbl</u>	_____	_____	_____	_____	_____
DIAMETER:	<u>273"</u>	_____	_____	_____	_____	_____
LENGTH:	<u>misc.</u>	_____	_____	_____	_____	_____
STEEL/GLASS:	<u>stgl</u>	_____	_____	_____	_____	_____
LAST CONTAINED:	<u>UG</u>	_____	_____	_____	_____	_____

LG = Leaded Gas, UG = Unleaded Gas, D = Diesel, UO = Used Oil, FO = Fuel Oil
Specify the material last contained if other than above.

LAND DISPOSAL RESTRICTION NOTIFICATION FORM

The waste represented on this manifest is not generated by a chemical manufacturing plant, coke-by product recovery plant or petroleum refinery. As such, it is not regulated under 40 CFR Part 61, Subpart FT (NESHAPS for Benzene Operations).

Pursuant to 40 CFR 268.7 I am notifying Ecology Control Industries that the material described by the above manifest is a nonwastewater, Non-RCRA solid hazardous waste and not currently subject to EPA Land Disposal Restrictions.

Pursuant to CCR 22 66268.7 I am notifying Ecology Control Industries that the material described by the manifest is a metal containing Non-RCRA solid hazardous waste (662683.29(g)), and an organics containing Non-RCRA solid hazardous waste (66268.29(k)). The treatment standards for these wastes have been repealed. This waste is no longer subject to land disposal restrictions.

I am an authorized agent/representative of the generator. I certify that all information submitted in this and associated documents is complete and accurate to the best of my knowledge. The tanks on the transport equipment have been numbered to correspond with the information provided above. In the event that the tanks do not correspond to the form, I will pay any and all costs incurred in rectifying the discrepancies between the tank(s) and the form. In the event that the tank(s) contain excessive solids or liquids, I agree to pay the cost of preparation, transportation and disposal/recycling of the excess material according to the schedule of charges in effect at the time of receipt of the tank(s). Further, I will not hold Ecology Control Industries responsible for any damage to tanks which occurs after the tanks are removed from the ground.

AUTHORIZED REPRESENTATIVE

SIGNATURE: Chris Wise

DATE: 10-15-04

PRINT NAME: _____

TITLE: _____

ATTACHMENT D

UNAUTHORIZED RELEASE REPORT

UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION SITE REPORT

EMERGENCY <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED ? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		FOR LOCAL AGENCY USE ONLY I HEREBY CERTIFY THAT I HAVE DISTRIBUTED THIS INFORMATION ACCORDING TO THE DISTRIBUTION SHOWN ON THE INSTRUCTION SHEET ON THE BACK PAGE OF THIS FORM.						
REPORT DATE 10/04/04		CASE #		NONE		DATE				
REPORTED BY	NAME OF INDIVIDUAL FILING REPORT TIM WOODSON		PHONE (925) 766-3494		SIGNATURE Tim Woodson 10/12/04					
	REPRESENTING <input type="checkbox"/> LOCAL AGENCY <input checked="" type="checkbox"/> OWNER/OPERATOR <input type="checkbox"/> REGIONAL BOARD <input type="checkbox"/> OTHER	COMPANY OR AGENCY NAME SHELL OIL PRODUCTS US								
ADDRESS	STREET 20945 S. WILMINGTON AVENUE		CITY CARSON	STATE CA	ZIP 90810					
RESPONSIBLE PARTY	NAME SHELL OIL PRODUCTS US	UNKNOWN	CONTACT PERSON TIM WOODSON	PHONE (925) 766-3494						
ADDRESS	STREET 5251 HOYARD ROAD		CITY PLEASANTON	STATE CA	ZIP 94566		COUNTY			
SITE LOCATION	FACILITY NAME (IF APPLICABLE) HOPYARD SHELL AND CAR WASH		OPERATOR CARL COX	PHONE (925) 463-0980						
IMPLEMENTING AGENCIES	STREET OWENS DRIVE									
SUBSTANCES INVOLVED	LOCAL AGENCY LIVERMORE-PLEASANTON FIRE DEPT.	AGENCY NAME SAN FRANCISCO RWQCB	CONTACT PERSON PAUL M. SMITH	PHONE (925) 454-2339						
	REGIONAL BOARD		CHUCK HEADLEE	PHONE (510) 622-2433						
	(1) NAME GASOLINE		QUANTITY LOST (GALLONS) <input checked="" type="checkbox"/> UNKNOWN							
	(2)		<input type="checkbox"/> UNKNOWN							
DISCOVERY/ABATEMENT	DATE DISCOVERED 10/9/2004	HOW DISCOVERED <input type="checkbox"/> TANK TEST <input type="checkbox"/> TANK REMOVAL	INVENTORY CONTROL <input type="checkbox"/> SUBSURFACE MONITORING <input checked="" type="checkbox"/> OTHER PRODUCT PIPING REPLACEMENT	NUISANCE CONDITIONS						
	DATE DISCHARGE BEGAN 10/9/2004	<input type="checkbox"/> UNKNOWN	METHOD USED TO STOP DISCHARGE (CHECK ALL THAT APPLY) <input type="checkbox"/> REMOVE CONTENTS <input type="checkbox"/> CLOSE TANK & REMOVE <input type="checkbox"/> REPAIR PIPING <input type="checkbox"/> REPAIR TANK <input type="checkbox"/> CLOSE TANK & FILL IN PLACE <input type="checkbox"/> CHANGE PROCEDURE <input type="checkbox"/> REPLACE TANK <input checked="" type="checkbox"/> OTHER REPLACE PIPING							
	HAS DISCHARGE BEEN STOPPED ? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO IF YES, DATE 10/9/2004									
SOURCE/CAUSE	SOURCE OF DISCHARGE <input type="checkbox"/> TANK LEAK <input checked="" type="checkbox"/> PIPING LEAK	CAUSE(S) <input type="checkbox"/> UNKNOWN <input type="checkbox"/> OTHER	<input type="checkbox"/> OVERFILL <input type="checkbox"/> CORROSION	<input checked="" type="checkbox"/> RUPTURE/FAILURE <input type="checkbox"/> UNKNOWN	<input type="checkbox"/> SPILL <input type="checkbox"/> OTHER					
CASE TYPE	CHECK ONE ONLY <input type="checkbox"/> UNDETERMINED <input type="checkbox"/> SOIL ONLY <input checked="" type="checkbox"/> GROUNDWATER <input type="checkbox"/> DRINKING WATER - (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)									
CURRENT STATUS	CHECK ONE ONLY <input type="checkbox"/> NO ACTION TAKEN <input type="checkbox"/> PRELIMINARY SITE ASSESSMENT WORKPLAN SUBMITTED <input checked="" type="checkbox"/> POLLUTION CHARACTERIZATION GROUNDWATER MONITORING ONGOING <input type="checkbox"/> LEAK BEING CONFIRMED <input type="checkbox"/> PRELIMINARY SITE ASSESSMENT UNDERWAY <input type="checkbox"/> POST CLEANUP MONITORING IN PROGRESS <input type="checkbox"/> REMEDIATION PLAN <input type="checkbox"/> CASE CLOSED (CLEANUP COMPLETED OR UNNECESSARY) <input type="checkbox"/> CLEANUP UNDERWAY									
REMEDIATION ACTION	CHECK APPROPRIATE ACTION(S) <small>SEE BACK FOR DETAILS</small> <input type="checkbox"/> CAP SITE (CD) <input checked="" type="checkbox"/> EXCAVATE & DISPOSE (ED) <input type="checkbox"/> REMOVE FREE PRODUCT (FP) <input type="checkbox"/> ENHANCED BIO DEGRADATION (BT) <input type="checkbox"/> CONTAINMENT BARRIER (CB) <input type="checkbox"/> EXCAVATE & TREAT (ET) <input type="checkbox"/> PUMP & TREAT GROUNDWATER (PT) <input type="checkbox"/> REPLACE SUPPLY (RS) <input type="checkbox"/> VACUUM EXTRACT (VE) <input type="checkbox"/> NO ACTION REQUIRED (NA) <input type="checkbox"/> TREATMENT AT HOOKUP (HU) <input type="checkbox"/> VENT SOIL (VS) <input type="checkbox"/> OTHER (OT)									
COMMENTS	DURING PRODUCT PIPING REPLACEMENT ACTIVITIES, THE FIBERGLASS LINE WAS RUPTURED DURING EXPOSURE FOR SAMPLING. FRESH GASOLINE WAS OBSERVED ON SOIL AND WATER CONTAINED 1,300,000 µg/L TPH. OVEREXCAVATION WAS PERFORMED ON 9-30-04 AFTER UNDERLYING ELECTRICAL CONDUITS REMOVED.									