

# C A M B R I A

February 15, 2002

Mr. Scott Seery  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502

MAR 26 2002

Re: **Fourth Quarter 2001 Monitoring Report**  
Connell Automobile Dealership  
3093 Broadway  
Oakland, California  
StID #469



Dear Mr. Seery:

On behalf of Messrs. George Hill and Gordon Linden, and as required by the Alameda County Health Care Services Agency (ACHCSA), Cambria Environmental Technology, Inc. (Cambria) has prepared this quarterly monitoring report for the above-referenced site. This report satisfies the quarterly reporting requirements prescribed by Title 23 of the California Code of Regulations Article 3 Section 2652(d). The site background, fourth quarter 2001 activities and results, and anticipated first quarter 2002 activities are presented below.

## SITE BACKGROUND

Three underground storage tanks (USTs) which previously contained gasoline, diesel, and waste oil were removed from the subject site in December 1989. Soil and groundwater investigation has been ongoing since 1990. Between October 1996 and March 1998, operation of a soil vapor extraction (SVE) remediation system removed approximately 1,421 lbs of hydrocarbons. Manual removal of separate phase hydrocarbons (SPH) from site monitoring wells has been conducted periodically since 1991.

## FOURTH QUARTER 2001 ACTIVITIES AND RESULTS

**Groundwater Monitoring:** Cambria monitored site groundwater following the sampling protocol described in Cambria's May 8, 2000 *Workplan Addendum* (Attachment A). On November 5, 2001 Cambria gauged monitoring wells MW-1, MW-4, MW-7, MW-8, MW-9, MW-13, MW-14, and MW-15, and inspected the wells for SPH. Groundwater samples were collected from wells MW-4, MW-7, MW-8, MW-9, and MW-13. An obstruction in well MW-6 prevented both gauging and sampling during this event. The samples were analyzed by a California Department of Health Services (DHS) certified analytical laboratory for total petroleum hydrocarbons as gasoline (TPHg), benzene, toluene, ethylbenzene, xylenes (BTEX), methyl tertiary butyl ether (MTBE), TPH as diesel (TPHd), TPH as motor oil (TPHmo), and EPA List 8010 halogenated

Oakland, CA  
San Ramon, CA  
Sonoma, CA

Cambria  
Environmental  
Technology, Inc.

1144 65th Street  
Suite B  
Oakland, CA 94608  
Tel (510) 420-0700  
Fax (510) 420-9170

# C A M B R I A

February 15, 2002

volatile organic compounds (HVOCs). The groundwater elevations, groundwater flow direction, and gradient are shown on Figure 1. The groundwater elevation, petroleum hydrocarbon, and HVOOC data are presented in Tables 1 and 2. Dissolved metals data is presented in Table 3, and SPH thicknesses and quantities removed are presented in Table 4. The analytical laboratory report is included as Attachment B. Field data sheets are included as Attachment C.

**Groundwater Flow Direction:** Based on the November 5, 2001 depth-to-water measurements, groundwater flowed northeastward with a gradient of approximately 0.040 ft/ft during the fourth quarter of 2001 (Figure 1). The groundwater flow direction is consistent with the historical local groundwater flow direction.



**Contaminant Distribution in Groundwater:** In general, monitoring results were consistent with past results for this site. SPH were detected in wells MW-1, MW-14, and MW-15 (Figure 1). The primary contaminants of concern (COCs) in site groundwater are benzene, 1,2 dichlorethane (1,2-DCA), naphthalene, lead and nickel; these COCs are typically associated with releases from USTs containing gasoline, diesel, and/or motor oil. The maximum benzene concentration detected in groundwater was 15,000 micrograms per liter (ug/l) in MW-4, the maximum 1,2-DCA concentration was 260 ug/l in MW-9, the maximum TPHd concentration was 49,000 ug/l in MW-4, and the maximum TPHmo concentration was 14,000 ug/l, also in MW-4 (Tables 1 and 2). The contaminant plumes are adequately defined crossgradient (south) and downgradient (east) of the former UST complex location by wells MW-7 and MW-13, respectively.

**Separate-Phase Hydrocarbon Removal:** During the site visit on November 5, 2001, Cambria inspected the passive SPH recovery device in well MW-6. An obstruction in well MW-6 prevented both the measurement and recovery of any SPH from this well during the November 5 event. Cambria did not recover any SPH from the site monitoring wells during fourth quarter of 2001. As of November 5, 2001, a total of approximately 924.95 lbs of SPH had been recovered since liquid-phase hydrocarbon removal began in December 1991. Table 4 presents the SPH thickness measurements, the amount of SPH removed from the wells during each site visit, and the cumulative mass of SPH removed from each well.

## ANTICIPATED FIRST QUARTER 2002 ACTIVITIES

**Groundwater Monitoring and Reporting:** As required by the ACHCSA, during first quarter 2002, Cambria will gauge site wells MW-1, MW-4, MW-7, MW-8, MW-9, MW-13, MW-14, and MW-15, collecting groundwater samples from each. Cambria will attempt to clear the obstruction in well MW-6. Cambria will analyze groundwater samples for TPHd, TPHmo, TPHg, BTEX, MTBE, EPA List 8010 HVOCS, semi-volatile organic compounds (SVOCs), lead, cadmium, chromium, zinc, and nickel (LUFT metals). Cambria will prepare a quarterly monitoring report that will include tabulated groundwater elevation and analytical data and a potentiometric surface map.

# C A M B R I A

February 15, 2002

**Separate-Phase Hydrocarbon Removal:** Cambria will conduct monthly SPH recovery events. Proper functioning of the recovery devices in MW-1 and MW-14 will be verified. Cambria will attempt to clear the obstruction in well MW-6. Collected SPH will be transferred to labeled, DOT-approved steel drums pending disposal or recycling.

**Feasibility Testing and Corrective Action Plan (CAP) Preparation:** The *Feasibility Test Report* dated March 16, 2001 concluded that remediation would be feasible at the site and that the dissolved plume may not be stable. Although CAP preparation has been approved by the ACHCSA and the Fund, Cambria has requested that the ACHCSA confirm that CAP preparation is appropriate. Cambria has also requested an opportunity to meet with the ACHCSA to discuss required elements of a CAP for moving this site towards closure by the ACHCSA and the Regional Water Quality Control Board.

# C A M B R I A


February 15, 2002

## CLOSING

We trust that this report meets your requirements. If you have any questions or comments concerning this report, please call Bob Clark-Riddell at (510) 420-3303.

Sincerely,

**Cambria Environmental Technology, Inc.**



Ian Young  
Senior Staff Geologist

A circular logo containing a stylized letter 'C' and 'E' intertwined, likely representing Cambria Environmental Technology, Inc.

Bob Clark-Riddell  
Principal Engineer



Figures:      1 - Groundwater Elevation Contour Map

Tables:      1 - Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCS  
                2 - Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs  
                3 - LUFT Metals in Groundwater  
                4 - Liquid Phase Hydrocarbon Removal

Attachments:    A - Well Sampling Protocol  
                  B - Analytical Laboratory Report  
                  C - Field Data Sheets

cc:      Mr. George Hill, 305 Sheridan Avenue, Piedmont, CA 94611  
            Mr. Gordon Linden, 150 La Salle Avenue, Piedmont, CA 94611  
            Mr. Paul Kibel, Fitzgerald, Abbott & Beardsley, LLP, 1221 Broadway, 21<sup>st</sup> Floor,  
            Oakland, CA 94612  
            Mr. Leroy Griffin, Hazardous Materials Manager, Fire Department - OES, 1605 MLK Jr.  
            Way, Oakland, CA 94612


## Groundwater Elevation Contours

Connell Automobile Dealership  
3093 Broadway  
Oakland, California



CAMBRIA

**FIGURE 1**



# CAMBRIA

**Table 1. Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)	TVH ↔	TPHg	Benzene	Toluene	Ethyl- benzene µg/l	Xylenes	MTBE	1,2-DCA	Other HVOCs
MW-1 94.48	10/5/90	26.40	68.08	620,000	--	33,000	50,000	7,900	41,000	--	2,900	ND
	3/1/91	27.46	67.02	SPH	--	--	--	--	--	**	--	--
	10/12/92	26.44	68.04	490,000	--	51,000	59,000	5,000	27,000	--	1,300	--
	11/24/92	26.63	67.85	320,000	--	35,000	43,000	4,200	22,000	--	1,600	ND
	4/5/93	23.77	70.71	270,000	--	50,000	58,000	4,600	25,000	--	1,800	ND
	7/21/93	24.51	69.97	SPH	--	--	--	--	--	--	--	--
	11/9/93	26.06	68.42	SPH	--	--	--	--	--	--	--	--
	8/30/95	21.73	72.75	SPH	--	--	--	--	--	--	--	--
	12/4/95	21.94	72.54	SPH	--	--	--	--	--	<200	--	--
	5/2/96	20.65	73.83	340,000	--	57,000	73,000	7,200	38,000	--	1,200	--
	11/5/96	24.29	70.19	270,000	--	43,000	56,000	4,500	34,000	--	--	--
	5/9/97	22.79	71.69	240,000	--	36,000	45,000	3,300	17,900	--	930	--
	11/5/97	25.06	69.42	240,000	--	42,000	48,000	3,600	18,800	<1,000	1,200	--
	2/9/98	22.64	71.84	220,000	--	47,000	60,000	5,200	29,800	<1,000	1,500	ND
	5/1/98	19.95	74.53	160,000	--	35,000	42,000	2,800	16,000	<1,000	1,100	ND
	11/3/98	23.29	71.19	200,000	--	39,000	49,000	4,400	26,000	<500	1,200	ND
	3/24/99	22.30	72.18	SPH	--	--	--	--	--	--	--	--
	7/1/99	22.70	71.78	SPH	--	--	--	--	--	--	--	--
	9/21/99	23.81	70.67	SPH	--	--	--	--	--	--	--	--
	2/9/00	23.95	70.59	SPH	--	--	--	--	--	--	--	--
	5/31/00	22.05	72.43	--	SPH	--	--	--	--	--	--	--
	8/8/00	22.49	71.99	--	SPH	--	--	--	--	--	--	--
	11/14/00	24.65	69.83	--	SPH	--	--	--	--	--	--	--
	3/1/01	24.22	70.28	--	SPH	--	--	--	--	--	--	--
	5/7/01	23.85	70.67	--	SPH (0.05)	--	--	--	--	--	--	--
	8/1/01	23.91	70.64	--	SPH (0.09)	--	--	--	--	--	--	--
	11/5/01	23.95	70.67	--	SPH (0.18)	--	--	--	--	--	--	--
MW-2 94.81	3/1/91	27.86	66.95	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	11/24/92	27.91	66.90	<50	--	<0.5	1.1	<0.5	1.5	--	<1.0	ND
	4/5/93	25.95	68.86	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	7/21/93	25.59	69.22	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	11/10/93	26.72	68.09	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND

# CAMBRIA

**Table 1. Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)	TVH	TPHg	Benzene	Toluene	Ethyl- benzene	Xylenes	MTBE	1,2-DCA	Other HVOCs
μg/l												
MW-2	8/30/95	25.75	69.06	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	--
94.8J	5/3/96	23.28	71.53	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
(cont'd)	5/8/97	24.58	70.23	<50	--	<0.5	0.7	<0.5	<0.5	--	<1.0	--
	4/29/98	22.18	72.63	<50	--	<0.5	<0.5	<0.5	<0.5	<2	<1.0	ND
MW-3	3/1/91	23.17	66.91	<50	--	<50	0.6	<0.5	<0.5	--	<1.0	ND
90.08	11/25/92	23.01	67.07	50	--	<0.5	0.9	<0.5	2	--	<1.0	ND
	4/5/93	22.11	67.97	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	7/21/93	23.93	66.15	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	11/10/93	23.14	66.94	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	8/30/95	20.61	69.47	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	--
	5/3/96	18.43	71.65	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	5/8/97	19.77	70.31	<50	--	<0.5	0.7	<0.5	<0.5	--	<1.0	--
	4/29/98	17.92	72.16	<50	--	<0.5	<0.5	<0.5	<0.5	<2	<1.0	ND
MW-4	3/1/91	23.79	65.05	150,000	--	20,000	38,000	2,800	14,000	**	610	ND
88.84	10/12/92	22.48	66.36	230,000	--	15,000	32,000	2,500	14,000	--	430	--
	11/24/92	22.60	66.24	210,000	--	14,000	31,000	2,500	14,000	--	500	ND
	4/2/93	20.11	68.73	SPH	--	--	--	--	--	--	--	--
	7/21/93	20.48	68.36	SPH	--	--	--	--	--	--	--	--
	11/9/93	21.71	67.13	SPH	--	--	--	--	--	--	--	--
	8/30/95	19.90	68.94	SPH	--	--	--	--	--	--	--	--
	12/1/95	19.40	69.44	SPH	--	--	--	--	--	--	--	--
	5/2/96	17.50	71.34	140,000	--	24,000	50,000	3,000	15,100	--	420	ND
	11/4/96	20.13	68.71	160,000	--	16,000	38,000	2,700	14,000	--	380	ND
	5/8/97	18.63	70.21	170,000	--	16,000	37,000	2,400	15,900	--	290	--
	11/5/97	20.19	68.65	190,000	--	15,000	31,000	2,200	14,600	<400	290	--
	2/9/98	18.28	70.56	110,000	--	19,000	42,000	2,500	18,300	<500	300	--
	5/1/98	16.11	72.73	130,000	--	15,000	31,000	2,000	13,400	<1,000	260	ND
	8/4/98	17.54	71.30	130,000	--	16,000	34,000	2,400	15,700	<400	240	ND

# CAMBRIA

**Table 1. Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)	TVH	TPHg	Benzene	Toluene	Ethyl- benzene	Xylenes	MTBE	1,2-DCA	Other HVOCs
μg/l												
MW-4	11/2/98	19.21	69.63	140,000	--	16,000	32,000	2,300	15,500	<400	230	ND
88.84	3/26/99	17.51	71.33	110,000	--	15,000	30,000	1,600	15,000	450 <sup>4</sup>	210	5
(cont'd)	7/1/99	18.80	70.04	110,000	--	13,000	23,000	1,600	12,000	<83	170	5
	9/21/99	19.85	68.99	140,000	--	16,000	31,000	2,400	14,800	ND	<1000	5
	2/9/00	19.76	69.08	—	140,000	16,000	28,000	2,100	14,000	<400	100	DCB: 5.9, MCB: 5.9
	5/31/00	17.90	70.94	--	15,000	17,000	28,000	2,400	14,000	<0.5 <sup>6</sup>	<0.5	ND
	8/8/00	18.62	70.22	—	140,000	15,000	25,000	2,100	13,000	<300	110	ND
	11/14/00	19.63	69.21	--	150,000	19,000	36,000	2,900	17,000	<200	120	ND
	3/1/01	19.68	69.16	--	120,000	10,000	15,000	1,300	10,000	<2000	110	ND
	5/7/01	18.60	70.24	--	210,000	12,000	19,000	1,900	12,000	<200	100	ND
	8/1/01	18.73	70.11	--	160,000	13,000	21,000	2,200	13,000	<200	84	ND
	<b>11/5/01</b>	<b>18.97</b>	<b>69.87</b>	--	<b>220,000</b>	<b>15,000</b>	<b>26,000</b>	<b>3,100</b>	<b>16,000</b>	<b>&lt;200</b>	<b>72</b>	<b>ND</b>
MW-5	3/15/91	26.31	58.53	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
84.84	11/10/92	26.83	58.01	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	4/2/93	26.62	58.22	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	7/21/93	26.60	58.24	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	11/9/93	27.24	57.60	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	8/30/95	27.46	57.38	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	--
	5/3/96	26.02	58.82	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	5/8/97	26.76	58.08	<50	--	<0.5	0.5	<0.5	<0.5	--	<1.0	--
	4/29/98	26.55	58.29	<50	--	<0.5	0.5	<0.5	<0.5	<2	<1.0	ND
MW-6	3/15/91	25.82	59.80	80,000	--	12,000	13,000	1,100	5,400	--	1,400	DBCM: 160
85.62	10/12/92	25.02	60.60	19,000	--	3,200	1,400	200	560	--	840	--
	12/1/92	28.87	56.75	SPH	--	—	—	—	—	--	--	--
	4/2/93	26.96	58.66	SPH	--	--	--	--	--	--	--	--
	7/21/93	26.17	59.45	SPH	--	--	--	--	--	--	--	--
	11/9/93	27.51	58.11	SPH	--	--	--	--	--	--	--	--
	8/30/95	28.00	57.62	SPH	--	--	--	--	--	--	--	--
	12/1/95	27.58	58.04	SPH	--	--	--	--	--	<8,000,000	71	--
86.94	5/3/96	28.15	58.79	130,000	--	37,000	50,000	3,200	14,200	--	2,400	ND
	5/9/97	26.54	60.40	1,700,000	--	14,000	27,000	4,000	28,200	--	1,200	--

# CAMBRIA

**Table 1. Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)	TVH ←	TPHg	Benzene	Toluene	Ethyl- benzene μg/l	Xylenes	MTBE	1,2-DCA	Other HVOCs →
85.82	11/5/97	26.16	60.78	160,000	--	13,000	19,000	1,900	14,300	<200	790	--
	5/1/98	22.96	62.86	130,000	--	15,000	23,000	1,700	13,200	<500	1,100	ND
MW-6 (cont'd)	11/3/98	24.35	61.47	110,000	--	17,000	21,000	1,800	10,700	<200	990	ND
	3/26/99	23.82	62.00	SPH	--	--	--	--	--	--	--	--
	7/1/99	24.45	61.37	SPH	--	--	--	--	--	--	--	--
	9/21/99	24.58	61.24	SPH	--	--	--	--	--	--	--	--
	2/9/00	24.93	61.24	SPH	--	--	--	--	--	--	--	--
	5/31/00	23.47	62.41	--	SPH	--	--	--	--	--	--	--
	8/8/00	23.85	61.97	--	SPH	--	--	--	--	--	--	--
	11/14/00	24.61	61.21	--	SPH	--	--	--	--	--	--	--
	3/1/01	23.97	61.85	--	SPH	--	--	--	--	--	--	--
	5/7/01	23.17	62.71	--	SPH	--	--	--	--	--	--	--
	8/1/01	obstruction in well		--	--	--	--	--	--	--	--	--
	11/5/01	obstruction in well		--	--	--	--	--	--	--	--	--
MW-7	3/15/91	21.63	63.78	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
85.41	11/24/92	21.52	63.89	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	4/2/93	20.08	65.33	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	7/21/93	19.59	65.82	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	11/9/93	20.65	64.76	<50	--	<0.5	1	<0.5	1.7	--	<1.0	ND
	8/30/95	18.78	66.63	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	--
	12/1/95	19.47	65.94	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	5/2/96	17.15	68.26	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	8/8/96	18.48	66.93	<50	--	<0.5	<0.5	<0.5	<0.5	<2	<1.0	ND
	11/4/96	18.69	66.72	<50	--	<1	<1	<1	<1	--	<1.0	ND
	2/6/97	17.44	67.97	<50	--	<0.5	<0.5	<0.5	<0.5	<2	<1.0	ND
	5/8/97	17.72	67.69	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	--
	8/7/97	18.49	66.92	<50	--	<0.5	<0.5	<0.5	<0.5	<2	<1.0	ND
	11/5/97	18.86	66.55	<50	--	<0.5	<0.5	<0.5	<0.5	<2	1	--
	2/9/98	17.56	67.85	<50	--	<0.5	<0.5	<0.5	<0.5	<2	<1.0	--
	4/29/98	16.23	69.18	<50	--	<0.5	<0.5	<0.5	<0.5	<2	<1.0	ND
	8/4/98	17.24	68.17	<50	--	<0.5	<0.5	<0.5	<0.5	<2	1.1	ND
	11/2/98	17.91	67.50	<50	--	<0.5	<0.5	<0.5	<0.5	<2	1.2	ND

# CAMBRIA

**Table 1. Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)	TVH ←	TPHg	Benzene	Toluene	Ethyl- benzene μg/l	Xylenes	MTBE	1,2-DCA	Other HVOCs	→
MW-7	3/26/99	16.42	68.99	<50	--	<0.5	<0.5	<0.5	<0.5	<2	ND	ND	
85.41	7/1/99	17.90	67.51	85	--	<0.5	1.1	0.55	2.5	<0.5	1.0	5	
(cont'd)	9/21/99	18.91	66.50	<50	--	0.7	1.8	<0.5	1.5	<5.0	<5.0	ND	
	2/9/00	16.74	68.67	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	
	5/31/00	16.21	69.20	--	<50	3	6	1	9	<0.5	<0.5	ND	
	8/8/00	16.92	68.49	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.52	ND	
	11/14/00	17.00	68.41	--	<50	<0.5	0.63	<0.5	<0.5	<5.0	<0.5	ND	
	3/1/01	17.09	68.32	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	ND	
	5/7/01	17.19	68.22	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	ND	
	8/1/01	17.25	68.16	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	ND	
	<b>11/5/01</b>	<b>17.35</b>	<b>68.06</b>	--	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>&lt;0.5</b>	ND	
MW-8	10/12/92	27.70	57.80	70	--	20	1	1	3	--	210	--	
85.50	11/25/92	27.62	57.88	<50	--	<0.5	<0.5	<0.5	<0.5	--	200	ND	
	4/8/93	26.64	58.86	490	--	15	45	5.1	73	--	210	ND	
	7/21/93	26.60	58.90	180	--	2.5	3	<0.5	1.9	--	350	ND	
	11/11/93	27.18	58.32	310	--	23	<0.5	<0.5	<0.5	--	240	ND	
	8/30/95	26.35	59.15	660	--	360	6.8	13	2.8	--	130	--	
	12/4/95	26.72	58.78	250	--	46	0.9	4.9	<0.5	--	94	ND	
	5/3/96	25.47	60.03	69	--	110	<0.5	<0.5	1.5	--	100	ND	
	8/8/96	26.41	59.09	120	--	11	<0.5	<0.5	<0.5	<2	93	ND	
	11/5/96	26.77	58.73	110	--	20	<1	1	<1	--	98	ND	
	2/6/97	25.84	59.66	67 <sup>1,2</sup>	--	51	<0.5	0.56	<0.5	<2	81	ND	
	5/9/97	26.39	59.11	110 <sup>1,2</sup>	--	59	<0.5	<0.5	<0.5	--	76	--	
	8/7/97	26.72	58.78	<50	--	12 <sup>3</sup>	<0.5	<0.5	<0.5	<2	79	ND	
	11/5/97	26.82	58.68	<50	--	9.4	<0.5	<0.5	<0.5	<2	84	--	
	2/9/98	25.57	59.93	<50	--	6	<0.5	<0.5	<0.5	<2	85	--	
	5/1/98	25.64	59.86	430	--	490	7.1	27	26	<10	85	ND	
	8/5/98	25.96	59.54	140	--	19	<0.5	5.2	5.3	<2	69	ND	
	11/3/98	26.27	59.23	150	--	110	1.1	4.3	4.5	<2	67	ND	
	3/31/99	20.93	64.57	54	--	170	1.5	4.1	1.9	4.4 <sup>4</sup>	5.9	1,1 DCA: 0.7	
	7/1/99	26.59	58.91	140	--	58	0.9	3	2.3	<0.5	55	5	
	9/21/99	26.89	58.61	670	--	170	2.6	11	7.9	<5	41	ND	

# CAMBRIA

**Table 1. Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)	TVH	TPHg	Benzene	Toluene	Ethyl- benzene		Xylenes	MTBE	1,2-DCA	Other HVOCs
								μg/l	μg/l				
MW-8	2/9/00	26.60	58.90	--	300	60	1.2	4.8	1.2	<5.0	40	<0.5	
85.50	8/8/00	26.43	59.07	--	270	56	1.2	4.1	1.0	<5.0	39	ND	
(cont'd)	11/14/00	26.60	58.90	--	330	64	1.3	3.5	0.60	<5.0	47	ND	
	3/1/01	26.41	59.09	--	400	140	<0.5	<0.5	0.55	<5.0	16	ND	
	5/7/01	26.55	58.95	--	240	37	0.71	2.5	0.77	<5.0	48	ND	
	8/1/01	26.71	58.79	--	130	5.2	<0.5	<0.5	<0.5	<5.0	39	ND	
	<b>11/5/01</b>	<b>26.67</b>	<b>58.83</b>	--	<b>140</b>	<b>3.3</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>44</b>	<b>ND</b>	
MW-9	11/24/92	23.51	66.86	19,000	--	180	590	23	2000	--	340	TCM: 15	
90.37	4/5/93	21.14	69.23	2,300	--	48	4	0.6	13	--	600	TCM: 2	
	7/21/93	21.54	68.83	2,300	--	170	8.1	15	<0.5	--	1100	ND	
	11/10/93	27.53	62.84	4,400	--	69	7.3	21	9.7	--	900	ND	
	8/30/95	19.59	70.78	3,200	--	3,900	49	80	22.8	--	960	--	
	12/4/95	20.65	69.72	--	--	--	--	--	<2	--	--	--	
	5/2/96	18.63	71.74	<1300	--	2,600	<13	200	<13	--	550	ND	
	11/5/96	20.69	69.68	1,800	--	280	<5	65	<5	--	770	ND	
	5/9/97	19.96	70.41	1,100	--	160	<0.5	42	<0.5	--	690	--	
	8/8/97	20.84	69.53	570 <sup>1,2</sup>	--	<0.5	<0.5	<0.5	0.78 <sup>3</sup>	<2	680	ND	
	11/5/97	21.55	68.82	490 <sup>1</sup>	--	<0.5	<0.5	6	<0.5	<2	500	--	
	2/9/98	20.21	70.16	270 <sup>1</sup>	--	48	17	5.8	<0.5	<2	520	--	
	5/1/98	19.27	71.10	550	--	70	<0.5	22	2.2	<2	390	ND	
	8/5/98	19.35	71.02	550 <sup>1</sup>	--	88	<0.5	13	1.9 <sup>3</sup>	<2	420	ND	
	11/2/98	20.43	69.94	580	--	<0.5	<0.5	7.5 <sup>3</sup>	1.6 <sup>3</sup>	<2	430	ND	
	3/25/99	18.46	71.91	1,100	--	160	<0.5	21	2.1 <sup>3</sup>	5.7 <sup>4</sup>	550	ND	
	7/1/99	19.95	70.42	540	--	100	7.4	26	16.9	<1.3	400	<sup>5</sup>	
	9/21/99	21.15	69.22	2,700	--	320	98	88	47	<20	540	ND	
	2/9/00	21.08	69.29	--	1,600	81	3.6	19	18	<5.0	360	<0.5	
	5/31/00	19.11	71.26	--	1,500	170	13	25	<1.0	<0.5	300	ND	
	8/8/00	19.86	70.51	--	1,300	140	2.1	19	<0.5	<5.0	330	ND	
	11/14/00	20.90	69.47	--	1,700	250	2.6	44	2.1	<5.0	610	ND	

# CAMBRIA

**Table 1. Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)	TVH	TPHg	Benzene	Toluene	Ethyl- benzene	Xylenes	MTBE	1,2-DCA	Other HVOCs
μg/l												
MW-9 90.37	3/1/01	20.45	69.92	--	1,800	170	5.6	30	2.5	<20	620	ND
(cont'd)	5/7/01	19.83	70.54	--	1,500	120	2.6	24	<0.5	<5.0	400	ND
	8/1/01	20.02	70.35	--	2,600	280	4.8	50	<0.5	<5.0	450	ND
	11/5/01	<b>19.85</b>	<b>70.52</b>	--	<b>2,200</b>	<b>170</b>	<b>4.5</b>	<b>100</b>	<b>0.54</b>	<b>&lt;5.0</b>	<b>260</b>	<b>ND</b>
MW-10 88.60	10/12/92	21.55	67.05	28,000	--	2,700	3,800	210	1,300	--	150	--
	11/24/92	21.86	66.74	130,000	--	9,700	19,000	1,400	8,400	--	370	ND
	4/5/93	19.14	69.46	63,000	--	6,300	14,000	1,100	7,500	--	70	ND
	7/21/93	19.79	68.81	140,000	--	16,000	31,000	2,200	13,000	--	700	ND
	8/30/95	17.99	70.61	92,000	--	13,000	24,000	1,800	9,100	--	300	--
	5/3/96	17.04	71.56	81,000	--	17,000	29,000	2,100	8,500	--	320	ND
	5/9/97	18.36	70.24	63,000	--	7,400	13,000	940	4,100	--	150	--
	5/1/98	15.84	72.76	60,000	--	7,100	14,000	1100	5,300	<250	120	ND
MW-11 102.06	11/24/92	33.65	68.41	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	12/8/92***	33.37	68.69	<50	--	<0.1	<0.1	<0.1	<0.1	--	--	--
	12/8/92	33.37	68.69	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--
	4/5/93	31.03	71.03	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	7/21/93	31.90	70.16	160	--	<0.5	1.8	<0.5	<0.5	--	<1.0	ND
	11/9/93	32.60	69.46	80	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	8/30/95	28.92	73.14	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	--
	5/3/96	28.00	74.06	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	5/8/97	29.93	72.13	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	--
	4/29/98	27.22	74.84	<50	--	<0.5	<0.5	<0.5	<0.5	<2	<1.0	ND
MW-13 84.06	11/24/92	26.05	58.01	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	12/8/92***	25.08	58.98	<50	--	<0.1	<0.1	<0.1	<0.1	--	--	--
	12/8/92	25.08	58.98	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--
	4/5/93	24.64	59.42	<50	--	<0.5	0.9	<0.5	<0.5	--	<1.0	ND
	7/21/93	24.29	59.77	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	11/9/93	24.23	59.83	<50	--	<0.5	<0.5	<0.5	<0.5	--	<1.0	ND
	8/30/95	23.30	60.76	<50	--	49	<0.5	<0.5	<0.5	--	3.6	--
	12/1/95	23.80	60.26	<50	--	<0.5	<0.5	<0.5	<0.5	--	4.1	ND

# CAMBRIA

**Table 1. Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)	TVII ↔	TPIg	Benzene	Toluene	Ethyl- benzene μg/l	Xylenes	MTBE	1,2-DCA	Other HVOCs
MW-13	5/3/96	23.19	60.87	<50	--	<0.5	<0.5	<0.5	<0.5	--	4	ND
84.06	8/8/96	23.44	60.62	<50	--	32	<0.5	<0.5	<0.5	<2	6.4	ND
(cont'd)	11/5/96	24.04	60.02	<50	--	<1	<1	<1	<1	--	5.7	ND
	2/6/97	23.24	60.82	<50	--	<0.5	<0.5	<0.5	<0.5	<2	3.5	ND
	5/8/97	23.46	60.60	<50	--	81	<0.5	<0.5	<0.5	--	5.5	--
	8/8/97	23.92	60.14	<50	--	<0.5	<0.5	<0.5	<0.5	<2	6.8	ND
	11/5/97	24.27	59.79	<50	--	<0.5	<0.5	<0.5	<0.5	<2	5.5	--
	2/9/98	22.89	61.17	<50	--	<0.5	<0.5	<0.5	<0.5	<2	2.9	--
	4/29/98	22.27	61.79	<50	--	24	<0.5	<0.5	<0.5	<2	5.7	ND
	8/4/98	22.75	61.31	120	--	200	<1	<1	<1	<4	6.2	ND
	11/3/98	23.90	60.16	59 <sup>1</sup>	--	33	<0.5	<0.5	<0.5	<2	6.1	ND
	3/31/99	23.11	60.95	130	--	0.56	<0.5	<0.5	<0.5	<2	1.4	ND
	7/1/99	23.40	60.66	160	--	370	19	1.2	3.5	<1	4.2	<sup>5</sup>
	9/21/99	21.91	62.15	370	--	150	1.0	0.8	0.8	<5.0	<5.0	ND
	2/9/00	23.84	60.22	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.1	<0.5
	8/8/00	23.31	60.75	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	3.6	ND
	11/14/00	24.00	60.06	--	<50	<0.5	0.52	<0.5	<0.5	<5.0	3.3	ND
	3/1/01	23.93	60.13	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	ND
	5/7/01	23.93	60.13	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.3	ND
	8/1/01	24.10	59.96	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	ND
	11/5/01	24.02	60.04	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	ND
MW-14	5/26/98	21.67	72.99	41,000	--	7,100	11,000	720	3,900	<1000	440	ND
94.66	7/1/99	22.95	71.71	SPH	--	--	--	--	--	--	--	--
	9/21/99	24.26	70.40	SPH	--	--	--	--	--	--	--	--
	2/9/00	24.13	70.53	--	92,000	12,000	17,000	1,300	8,700	<140	450	<0.5
	5/31/00	22.09	72.57	--	SPH	--	--	--	--	--	--	--
	8/8/00	22.88	71.78	--	SPH	--	--	--	--	--	--	--
	11/14/00	23.90	70.76	--	SPH	--	--	--	--	--	--	--
	3/1/01	23.97	70.69	--	SPH	--	--	--	--	--	--	--
	5/7/01	23.45	71.23	--	SPH (sheen)	--	--	--	--	--	--	--
	8/1/01	23.57	71.12	--	SPH (0.06)	--	--	--	--	--	--	--
	11/5/01	23.50	71.18	--	SPH (0.03)	--	--	--	--	--	--	--

# CAMBRIA

**Table 1. Groundwater Elevation and Analytical Data: Volatile Hydrocarbons and HVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)	TVH	TPHg	Benzene	Toluene	Ethyl- benzene	Xylenes	MTBE	1,2-DCA	Other HVOCs
μg/l												
MW-15 94.76	5/26/98	21.87	72.89	130,000	--	30,000	38,000	2,500	12,600	<1000	1,200	ND
	7/1/99	22.25	72.51	SPH	--	--	--	--	--	--	--	--
	9/21/99	24.12	70.64	SPH	--	--	--	--	--	--	--	--
	2/9/00	24.42	70.34	--	180,000	32,000	37,000	2,800	14,000	<200	1,100	<0.5
	5/31/00	22.40	72.36	--	SPH	--	--	--	--	--	--	--
	8/8/00	23.17	71.59	--	SPH	--	--	--	--	--	--	--
	11/14/00	24.15	70.61	--	SPH	--	--	--	--	--	--	--
	3/1/01	23.99	70.77	--	SPH	--	--	--	--	--	--	--
	5/7/01	23.50	71.26	--	SPH (sheen)	--	--	--	--	--	--	--
	8/1/01	23.62	71.14	--	SPH (sheen)	--	--	--	--	--	--	--
Trip Blank	8/1/01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
	11/5/01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--

**Abbreviations and Notes:**

TOC Elev. (ft) = Top of casing elevation in feet above mean sea level

μg/l = micrograms per liter = parts per billion = ppb

TVH = Total Volatile Hydrocarbons

TPHg = Total petroleum hydrocarbons as gasoline

MTBE = Methyl tert-butyl ether

1,2-DCA = 1,2 Dichloroethane

HVOCs = Halogenated volatile organic compounds by EPA Method 8010

DCB = 1, 3 Dichlorobenzene

MCB = Chlorobenzene

DBCM = Dibromo-chloromethane

TCM = Chloroform = trichloromethane

ND = None detected above laboratory reporting limit, see laboratory report for individual reporting limits.

-- = Sample not analyzed

SPH = Free product encountered in well

<n = Chemical not present at a concentration in excess of detection limit shown

MW-1 was initially referred to as Sample 5.

\* = Suspect laboratory contamination contributing to test result.

\*\* = Fuel fingerprint analysis indicates MTBE is not present in the free product sample collected from this well.

\*\*\* = Duplicate sample sent to a different chemical laboratory.

1 = Sample exhibits fuel pattern which does not resemble standard

2 = Lighter hydrocarbons than indicated standard

3 = Presence of this compound confirmed by second column, however, the confirmation concentration differed from the reported result by more than a factor of two

4 = Detection may potentially be a false positive, to be checked during the next event.

5 = One or more of the following substances found: Acetone, 1,2-Dibromoethane, 1,3,5-Trimethylbenzene, 2-Chlorotoluene, 1,2,4-Trimethylbenzene, n-Butylbenzene, and Naphthalene. See laboratory results for details.

6 = Confirmed by GC/MS.

# CAMBRIA

**Table 2. Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to water (ft)	Groundwater Elevation (ft)	TEH	TPHd	TPHmo	2-Methyl naphthalene µg/l	Naphthalene	Other SVOCs
MW-1 94.48	10/5/1990	26.40	68.08	<500	--	--	--	--	--
	3/1/1991	27.46	67.02	SPH	--	--	--	--	--
	10/12/1992	26.44	68.04	--	--	--	--	--	--
	11/24/1992	26.63	67.85	4,600	--	--	--	--	--
	4/5/1993	23.77	70.71	25,000	--	--	--	--	--
	7/21/1993	24.51	69.97	SPH	--	--	--	--	--
	11/9/1993	26.06	68.42	SPH	--	--	--	--	--
	8/30/1995	21.73	72.75	SPH	--	--	630	1,200	ND
	12/4/1995	21.94	72.54	SPH	--	--	--	--	--
	5/2/1996	20.65	73.83	32,000	--	--	250	640	ND
	11/5/1996	24.29	70.19	--	--	--	--	--	--
	5/9/1997	22.79	71.69	28,000	--	--	280	650	ND
	11/5/1997	25.06	69.42	28,000	--	--	720	1,500	ND
	2/9/1998	22.64	71.84	27,000	--	--	160	570	ND
	5/1/1998	19.95	74.53	29,000	--	--	--	--	--
	5/27/1998	--	--	--	--	--	120	630	ND
	11/3/1998	23.29	71.19	37,000	--	--	500	1,100	ND
	3/24/1999	22.30	72.18	SPH	--	--	--	--	--
	7/1/1999	22.70	71.78	SPH	--	--	--	--	--
	9/21/1999	23.81	70.67	SPH	--	--	--	--	--
	2/9/2000	23.95	70.59	--	SPH	--	--	--	--
	5/31/2000	22.05	72.43	--	SPH	--	--	--	--
	11/14/2000	24.65	69.83	--	SPH	--	--	--	--
	3/1/2001	24.22	70.28	--	SPH	--	--	--	--
	5/7/2001	23.85	70.67	--	SPH	--	--	--	--
	8/1/2001	23.91	70.64	--	SPH	--	--	--	--
	11/5/2001	23.95	70.67	--	SPH	--	--	--	--
MW-2 94.81	3/1/1991	27.86	66.95	<50	--	--	--	--	--
	11/24/1992	27.91	66.90	<50	--	--	--	--	--
	4/5/1993	25.95	68.86	870	--	--	--	--	--
	7/21/1993	25.59	69.22	<50	--	--	--	--	--

# CAMBRIA

**Table 2. Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to water (ft)	Groundwater Elevation (ft)	TEH	TPHd	TPHmo	2-Methyl naphthalene µg/l	Naphthalene	Other SVOCs
MW-2	11/10/1993	26.72	68.09	240	--	--	--	--	--
94.8I	8/30/1995	25.75	69.06	150	--	--	--	--	--
(cont'd)	5/3/1996	23.28	71.53	<50	--	--	--	--	--
	5/8/1997	24.58	70.23	<50	--	--	--	--	--
	4/29/1998	22.18	72.63	<47	--	--	--	--	--
MW-3	3/1/1991	23.17	66.91	<50	--	--	--	--	--
90.08	11/25/1992	23.01	67.07	160	--	--	--	--	--
	4/5/1993	22.11	67.97	<50	--	--	--	--	--
	7/21/1993	23.93	66.15	<50	--	--	--	--	--
	11/10/1993	23.14	66.94	<50	--	--	--	--	--
	8/30/1995	20.61	69.47	<50	--	--	--	--	--
	5/3/1996	18.43	71.65	<50	--	--	--	--	--
	5/8/1997	19.77	70.31	<50	--	--	--	--	--
	4/29/1998	17.92	72.16	<47	--	--	--	--	--
MW-4	3/1/1991	23.79	65.05	<500	--	--	--	--	--
88.84	10/12/1992	22.48	66.36	--	--	--	--	--	--
	11/24/1992	22.60	66.24	1,600	--	--	--	--	--
	4/2/1993	20.11	68.73	SPH	--	--	--	--	--
	7/21/1993	20.48	68.36	SPH	--	--	--	--	--
	11/9/1993	21.71	67.13	SPH	--	--	--	--	--
	8/30/1995	19.90	68.94	SPH	--	--	--	--	--
	12/1/1995	19.40	69.44	SPH	--	--	--	--	--
	5/2/1996	17.50	71.34	9,200	--	--	--	--	--
	11/4/1996	20.13	68.71	4,700	--	--	--	--	--
	5/8/1997	18.63	70.21	5,100	--	--	--	--	--
	11/5/1997	20.19	68.65	3,700	--	--	--	--	--
	2/9/1998	18.28	70.56	4,800	--	--	--	--	--
	5/1/1998	16.11	72.73	5,000	--	--	--	--	--
	8/4/1998	17.54	71.30	3,500	--	--	--	--	--
	11/2/1998	19.21	69.63	7,200	--	--	--	--	--
	3/26/1999	17.51	71.33	14,000	--	--	--	--	--

# CAMBRIA

**Table 2. Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to water (ft)	Groundwater Elevation (ft)	TEH	TPHd	TPHmo	2-Methyl naphthalene µg/l	Naphthalene	Other SVOCs
MW-4	7/1/1999	18.80	70.04	17,000	--	--	370	860	ND
88.84	9/21/1999	19.85	68.99	14,000	--	--	360	820	ND
<i>(cont'd)</i>	2/9/2000	19.76	69.08	--	12,000	1,000	290	700	ND
	5/31/2000	17.90	70.94	--	14,000 **	<500	--	--	--
	11/14/2000	19.63	69.21	--	8,000	290	--	--	--
	3/1/2001	19.68	69.16	--	57,000	2,800	210	510	ND
	5/7/2001	18.60	70.24	--	56,000	3,600	--	--	--
	8/1/2001	18.73	70.11	--	42,000	6,700	--	--	--
	<b>11/5/2001</b>	<b>18.97</b>	<b>69.87</b>	--	<b>49,000</b>	<b>14,000</b>	--	--	--
MW-5	3/15/1991	26.31	58.53	<50	--	--	--	--	--
84.84	11/10/1992	26.83	58.01	50	--	--	--	--	--
	4/2/1993	26.62	58.22	<50	--	--	--	--	--
	7/21/1993	26.60	58.24	190	--	--	--	--	--
	11/9/1993	27.24	57.60	170	--	--	--	--	--
	8/30/1995	27.46	57.38	180	--	--	--	--	--
	5/3/1996	26.02	58.82	<50	--	--	--	--	--
	5/8/1997	26.76	58.08	<50	--	--	--	--	--
	4/29/1998	26.55	58.29	<47	--	--	--	--	--
MW-6	3/15/1991	25.82	59.80	<50	--	--	--	--	--
85.62	10/12/1992	25.02	60.60	--	--	--	--	--	--
	12/1/1992	28.87	56.75	SPH	--	--	--	--	--
	4/2/1993	26.96	58.66	SPH	--	--	--	--	--
	7/21/1993	26.17	59.45	SPH	--	--	--	--	--
	11/9/1993	27.51	58.11	SPH	--	--	--	--	--
	8/30/1995	28.00	57.62	SPH	--	--	--	--	--
	12/1/1995	27.58	58.04	SPH	--	--	--	--	--
	5/3/1996	26.83	58.79	9,000	--	--	--	--	--
86.94	5/9/1997	26.54	60.40	53,000	--	--	--	--	--
	11/5/1997	26.16	60.78	65,000	--	--	--	--	--
85.82	5/1/1998	22.96	62.86	25,000	--	--	--	--	--
	11/3/1998	24.35	61.47	30,000	--	--	--	--	--
	3/26/1999	23.82	62.00	SPH	--	--	--	--	--

# CAMBRIA

**Table 2. Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID <i>TOC Elev.</i> <i>(ft)</i>	Sampling Date	Depth to water (ft)	Groundwater Elevation (ft)	TEH	TPHd	TPHmo	2-Methyl naphthalene µg/l	Naphthalene	Other SVOCs
MW-6	7/1/1999	24.45	61.37	SPH	--	--	--	--	--
85.82	9/21/1999	24.58	61.24	SPH	--	--	--	--	--
<i>(cont'd)</i>	2/9/2000	24.93	61.24	--	SPH	--	--	--	--
	5/31/2000	23.47	62.41	--	SPH	--	--	--	--
	11/14/2000	24.61	61.21	--	SPH	--	--	--	--
	3/1/2001	23.97	61.85	--	SPH	--	--	--	--
	5/7/2001	23.17	62.71	--	SPH	--	--	--	--
	8/1/2001	--	--	--	--	--	--	--	--
	<b>11/5/2001</b>	--	--	--	--	--	--	--	--
MW-7	3/15/1991	21.63	63.78	<50	--	--	--	--	--
85.41	11/24/1992	21.52	63.89	<50	--	--	--	--	--
	4/2/1993	20.08	65.33	<50	--	--	--	--	--
	7/21/1993	19.59	65.82	150	--	--	--	--	--
	11/9/1993	20.65	64.76	200	--	--	--	--	--
	8/30/1995	18.78	66.63	170	--	--	--	--	--
	12/1/1995	19.47	65.94	<50	--	--	--	--	--
	5/2/1996	17.15	68.26	<50	--	--	--	--	--
	8/8/1996	18.48	66.93	<50	--	--	--	--	--
	11/4/1996	18.69	66.72	<50	--	--	--	--	--
	2/6/1997	17.44	67.97	<50	--	--	--	--	--
	5/8/1997	17.72	67.69	<50	--	--	--	--	--
	8/7/1997	18.49	66.92	<50	--	--	--	--	--
	11/5/1997	18.86	66.55	<50	--	--	--	--	--
	2/9/1998	17.56	67.85	<50	--	--	--	--	--
	4/29/1998	16.23	69.18	<47	--	--	--	--	--
	8/4/1998	17.24	68.17	<50	--	--	--	--	--
	11/2/1998	17.91	67.50	<50	--	--	--	--	--
	3/26/1999	16.42	68.99	<50	--	--	--	--	--
	7/1/1999	17.90	67.51	<50	--	--	<10	<10	ND
	9/21/1999	18.91	66.50	<48	--	--	<9.5	<9.5	ND

# CAMBRIA

**Table 2. Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to water (ft)	Groundwater Elevation (ft)	TEH	TPHd	TPHmo	2-Methyl naphthalene µg/l	Naphthalene	Other SVOCs
MW-7	2/9/2000	16.74	68.67	--	<50	<250	<10	<10	ND
85.41	5/31/2000	16.21	69.20	--	<50	<500	--	--	--
(cont'd)	11/14/2000	17.00	68.41	--	<50	<250	--	--	--
	3/1/2001	17.09	68.32	--	<50	<250	<10	<10	ND
	5/7/2001	17.19	68.22	--	<50	<250	--	--	--
	8/1/2001	17.25	68.16	--	<50	<250	--	--	--
	<b>11/5/2001</b>	<b>17.35</b>	<b>68.06</b>	--	<b>&lt;50</b>	<b>&lt;250</b>	--	--	--
MW-8	10/12/1992	27.70	57.80	--	--	--	--	--	--
85.50	11/25/1992	27.62	57.88	170	--	--	--	--	--
	4/8/1993	26.64	58.86	100	--	--	--	--	--
	7/21/1993	26.60	58.90	90	--	--	--	--	--
	11/11/1993	27.18	58.32	170	--	--	--	--	--
	8/30/1995	26.35	59.15	240	--	--	--	--	--
	12/4/1995	26.72	58.78	<50	--	--	--	--	--
	5/3/1996	25.47	60.03	94	--	--	--	--	--
	8/8/1996	26.41	59.09	250	--	--	--	--	--
	11/5/1996	26.77	58.73	<50	--	--	--	--	--
	2/6/1997	25.84	59.66	130	--	--	--	--	--
	5/9/1997	26.39	59.11	120	--	--	--	--	--
	8/7/1997	26.72	58.78	150	--	--	--	--	--
	11/5/1997	26.82	58.68	110	--	--	--	--	--
	2/9/1998	25.57	59.93	75	--	--	--	--	--
	5/1/1998	25.64	59.86	210	--	--	--	--	--
	8/5/1998	25.96	59.54	260	--	--	--	--	--
	11/3/1998	26.27	59.23	190	--	--	--	--	--
	3/31/1999	20.93	64.57	200	--	--	--	--	--
	7/1/1999	26.59	58.91	170	--	--	<9.6	<9.6	ND
	9/21/1999	26.89	58.61	420	--	--	<9.4	<9.4	ND
	2/9/2000	26.60	58.90	--	120	280	<10	<10	ND
	5/31/2000	26.16	59.34	--	160 **	<500	--	--	--
	11/14/2000	26.60	58.90	--	150	<250	--	--	--

# CAMBRIA

**Table 2. Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to water (ft)	Groundwater Elevation (ft)	TEH	TPHd	TPHmo	2-Methyl naphthalene µg/l	Naphthalene	Other SVOCs
MW-8	3/1/2001	26.41	59.09	--	54	<250	<10	<10	Phenol: 25
85.50	5/7/2001	26.55	58.95	--	<50	<250	--	--	--
(cont'd)	8/1/2001	26.71	58.79	--	58	<250	--	--	--
	<b>11/5/2001</b>	<b>26.67</b>	<b>58.83</b>	--	<b>84</b>	<b>&lt;250</b>	--	--	--
MW-9	11/24/1992	23.51	66.86	320	--	--	--	--	--
90.37	4/5/1993	21.14	69.23	920	--	--	--	--	--
	7/21/1993	21.54	68.83	450	--	--	--	--	--
	11/10/1993	27.53	62.84	450	--	--	--	--	--
	8/30/1995	19.59	70.78	680	--	--	--	--	--
	12/4/1995	20.65	69.72	--	--	--	--	--	--
	5/2/1996	18.63	71.74	710	--	--	--	--	--
	11/5/1996	20.69	69.68	420	--	--	--	--	--
	5/9/1997	19.96	70.41	490	--	--	--	--	--
	8/8/1997	20.84	69.53	480	--	--	--	--	--
	11/5/1997	21.55	68.82	370	--	--	--	--	--
	2/9/1998	20.21	70.16	410	--	--	--	--	--
	5/1/1998	19.27	71.10	450	--	--	--	--	--
	8/5/1998	19.35	71.02	630	--	--	--	--	--
	11/2/1998	20.43	69.94	500	--	--	--	--	--
	3/25/1999	18.46	71.91	630	--	--	--	--	--
	7/1/1999	19.95	70.42	570	--	--	<9.5	<9.5	ND
	9/21/1999	21.15	69.22	770	--	--	<9.4	<9.4	ND
	2/9/2000	21.08	69.29	--	320	<250	<10	<10	ND
	5/31/2000	19.11	71.26	--	390 **	<500	--	--	--
	11/14/2000	20.90	69.47	--	160	<250	--	--	--
	3/1/2001	20.45	69.92	--	220	<250	<10	<10	ND
	5/7/2001	19.83	-19.83	--	290	<250	--	--	--
	8/1/2001	20.02	70.35	--	460	<250	--	--	--
	<b>11/5/2001</b>	<b>19.85</b>	<b>70.52</b>	--	<b>230</b>	<b>&lt;250</b>	--	--	--
MW-10	10/12/1992	21.55	67.05	--	--	--	--	--	--
88.60	11/24/1992	21.86	66.74	1,300	--	--	--	--	--
	4/5/1993	19.14	69.46	5,000	--	--	--	--	--

# CAMBRIA

**Table 2. Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to water (ft)	Groundwater Elevation (ft)	TEH	TPHd	TPHmo	2-Methyl naphthalene µg/l	Naphthalene	Other SVOCs
MW-10 88.60	7/21/1993 8/30/1995	19.79 17.99	68.81 70.61	20,000 5,900	-- --	-- --	-- --	-- --	-- --
(cont'd)	5/3/1996	17.04	71.56	5,600	--	--	--	--	--
	5/9/1997	18.36	70.24	2,500	--	--	--	--	--
	5/1/1998	15.84	72.76	2,000	--	--	--	--	--
	MW-11 102.06	11/24/1992 12/8/92*	33.65 33.37	68.41 68.69	220 140	-- --	-- --	-- --	-- --
	12/8/1992 4/5/1993 7/21/1993 11/9/1993 8/30/1995 5/3/1996 5/8/1997 4/29/1998	33.37 31.03 31.90 32.60 28.92 28.00 29.93 27.22	68.69 71.03 70.16 69.46 73.14 <50 <50 74.84	120 <50 150 60 240 -- -- <47	-- -- -- -- -- -- -- --	-- -- -- -- -- -- -- --	-- -- -- -- -- -- -- --	-- -- -- -- -- -- -- --	-- -- -- -- -- -- -- --
MW-13 84.06	11/24/1992 12/8/92*	26.05 25.08	58.01 58.98	3,600 210	-- --	-- --	-- --	-- --	-- --
	12/8/1992 4/5/1993 7/21/1993 11/9/1993 8/30/1995 12/1/1995 5/3/1996 8/8/1996 11/5/1996 2/6/1997 5/8/1997 8/8/1997 11/5/1997 2/9/1998 4/29/1998	25.08 24.64 24.29 24.23 23.30 23.80 23.19 23.44 24.04 23.24 23.46 23.92 24.27 22.89 22.27	58.98 59.42 59.77 59.83 60.76 60.26 <50 60.62 <50 60.82 60.60 <50 59.79 61.17 61.79	100 <50 <50 160 <50 <50 <50 <50 <50 <50 <50 <50 <50 -- -- --	-- -- -- -- -- -- -- -- -- -- -- -- -- -- -- -- --	-- -- -- -- -- -- -- -- -- -- -- -- -- -- -- -- --	-- -- -- -- -- -- -- -- -- -- -- -- -- -- -- -- --	-- -- -- -- -- -- -- -- -- -- -- -- -- -- -- -- --	-- -- -- -- -- -- -- -- -- -- -- -- -- -- -- -- --

# CAMBRIA

**Table 2. Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to water (ft)	Groundwater Elevation (ft)	TEH	TPHd	TPHmo	2-Methyl naphthalene µg/l	Naphthalene	Other SVOCs
MW-13 84.06	8/4/1998 11/3/1998	22.75 23.90	61.31 60.16	78 <50	-- --	-- --	-- --	-- --	-- --
<i>(cont'd)</i>	3/31/1999	23.11	60.95	<48	--	--	--	--	--
	7/1/1999	23.40	60.66	100	--	--	<9.6	<9.6	ND
	9/21/1999	21.91	62.15	<48	--	--	<9.4	<9.4	ND
	2/9/2000	23.84	60.22	--	<50	<250	<10	<10	ND
	5/31/2000	22.97	61.09	--	<50	<500	--	--	--
	11/14/2000	24.00	60.06	--	65	< 250	--	--	--
	3/1/2001	23.93	60.13	--	<50	<250	<10	<10	ND
	5/7/2001	23.93	60.13	--	<50	<250	--	--	--
	8/1/2001	24.10	59.96	--	<50	<250	--	--	--
	<b>11/5/2001</b>	<b>24.02</b>	<b>60.04</b>	--	<b>350</b>	<b>610</b>	--	--	--
MW-14 94.66	5/26/1998 7/1/1999	21.67 22.95	72.99 71.71	7,700 SPH	-- --	-- --	-- --	-- --	-- --
<i>(cont'd)</i>	9/21/1999	24.26	70.40	SPH	--	--	--	--	--
	2/9/2000	24.13	70.53	--	14,000	1,500	290	600	ND
	5/31/2000	22.09	72.57	--	SPH	--	--	--	--
	11/14/2000	23.90	70.76	--	SPH	--	--	--	--
	3/1/2001	23.97	70.69	--	SPH	--	--	--	--
	5/7/2001	23.45	71.23	--	SPH	--	--	--	--
	8/1/2001	23.57	71.12	--	SPH	--	--	--	--
	<b>11/5/2001</b>	<b>23.50</b>	<b>71.18</b>	--	<b>SPH</b>	--	--	--	--
MW-15 94.76	5/26/1998 7/1/1999	21.87 22.25	72.89 72.51	1,700 SPH	-- --	-- --	-- --	-- --	-- --
<i>(cont'd)</i>	9/21/1999	24.12	70.64	SPH	--	--	--	--	--
	2/9/2000	24.42	70.34	--	4,000	1,200	50	270	ND
	5/31/2000	22.40	72.36	--	SPH	--	--	--	--
	11/14/2000	24.15	70.61	--	SPH	--	--	--	--
	3/1/2001	23.99	70.77	--	SPH	--	--	--	--
	5/7/2001	23.50	71.26	--	SPH	--	--	--	--
	8/1/2001	23.62	71.14	--	SPH	--	--	--	--
	<b>11/5/2001</b>	<b>23.65</b>	<b>71.11</b>	--	<b>SPH (sheen)</b>	--	--	--	--

# CAMBRIA

**Table 2. Groundwater Elevation and Analytical Data: Extractable Hydrocarbons and SVOCs**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID <i>TOC Elev. (ft)</i>	Sampling Date	Depth to water (ft)	Groundwater Elevation (ft)	TEH	TPHd	TPHmo	2-Methyl naphthalene µg/l	Naphthalene	Other SVOCs
--------------------------------------	------------------	---------------------------	----------------------------------	-----	------	-------	---------------------------------	-------------	-------------

**Abbreviations and Notes:**

*TOC Elev. (ft)* = Top of casing elevation, surveyed to an arbitrary datum

TEH = Total extractable hydrocarbons

TPHd = Total petroleum hydrocarbons as diesel

TPHmo = Total petroleum hydrocarbons as motor oil

SVOCs = Semi-volatile organic compounds

Other SVOC's = All other compounds analyzed by EPA Method 8270

µg/l = micrograms per liter = parts per billion = ppb

ND = None detected above laboratory reporting limit, see laboratory report for individual reporting limits

< n = Not detected above n µg/l

-- = Not analyzed/not available

\* = Duplicate sample sent to a different chemical laboratory

\*\* = Does not match diesel pattern

# CAMBRIA

---

**Table 3. LUFT Metals in Groundwater**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID	Sampling Date	Cadmium	Chromium	Lead ug/l	Nickel	Zinc
MW-4	7/1/1999	<5	<10	59	<20	<20
	9/21/1999	<5	<10	66	<20	33
	2/9/2000	<5	17	68	<50	<50
MW-7	7/1/1999	<5	<10	<3	<20	<20
	9/21/1999	<5	<10	<3	<20	<20
	2/9/2000	<5	14	8.6	59	<50
MW-8	7/1/1999	<5	<10	<3	<20	<20
	9/21/1999	<5	<10	<3	<20	<20
	2/9/2000	<5	<5	<5	<50	<50
MW-9	7/1/1999	<5	<10	<3	34	<20
	9/21/1999	<5	<10	<3	25	37
	2/9/2000	<5	82	29	160	130
	3/1/2001	<5	47	<5	72	<50
	5/7/2001	<5	49	<5	<50	<50
	8/1/2001	<5	<20	<5	<50	<50
MW-13	7/1/1999	<5	<10	<3	<20	<20
	9/21/1999	<5	<10	<3	<20	<20
	2/9/2000	<5	12	15	<50	<50
MW-14	2/9/2000	<5	210	24	2,500	280
MW-15	2/9/2000	<5	140	1,800	220	150

**Abbreviations and Notes:**

LUFT metals analyzed by EPA Method 6010

ug/l = micrograms per liter

# CAMBRIA

---

**Table 4. Liquid-Phase Hydrocarbon Removal**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID <i>TOC Elev.</i> (ft)	Sampling Date	Depth to Water (ft)	LPH Thickness (ft)	Hydrocarbons Removed (gallons)	Hydrocarbons Removed (lbs)	Cumulative Hydrocarbons Removed (lbs)	Notes
MW-1	12/23/1991	26.86	1.15	2.00	12.20	12.20	1
94.48	12/26/1991	26.08	0.22	0.50	3.05	15.25	1
	1/13/1992	26.53	0.66	1.00	6.10	21.35	1
	2/28/1992	27.75	0.42	2.00	12.20	33.55	1
	11/9/1993	26.06	1.17	0.50	3.05	36.60	1
	11/3/1995	23.10	0.76	0.75	4.58	41.18	1
	11/30/1995	23.38	0.70	0.25	1.53	42.70	1
	1/3/1996	23.30	0.78	0.53	3.23	45.93	1
	2/2/1996	22.96	0.84	0.75	4.58	50.51	1
	3/1/1996	21.69	0.14	0.10	0.61	51.12	1
	4/4/1996	21.11	0.00	0.00	0.00	51.12	1
	5/2/1996	20.96	0.00	0.00	0.00	51.12	1
	6/5/1996	20.98	0.04	0.10	0.61	51.73	1
	7/9/1996	21.64	0.20	0.10	0.61	52.34	1
	8/8/1996	22.43	0.33	0.05	0.31	52.64	1
	9/10/1996	23.25	0.60	0.10	0.61	53.25	1
	10/1/1996	23.58	0.60	0.25	1.53	54.78	1
	11/4/1996	24.29	0.78	0.13	0.79	55.57	1
	12/2/1996	24.63	0.88	0.26	1.59	57.16	1
	1/3/1997	24.08	0.81	0.39	2.38	59.54	1
	2/6/1997	22.46	0.30	0.01	0.06	59.60	1
	3/5/1997	23.00	0.00	0.00	0.00	59.60	1
	4/1/1997	22.29	0.20	0.01	0.06	59.66	1
	5/8/1997	22.79	0.33	0.02	0.12	59.78	1
	6/6/1997	24.33	1.69	0.26	1.59	61.37	1
	7/8/1997	24.00	0.96	0.20	1.22	62.59	1
	8/7/1997	24.58	1.29	1.00	6.10	68.69	1
	9/10/1997	24.93	1.21	1.50	9.15	77.84	1
	10/1/1997	24.89	0.86	0.26	1.59	79.42	1
	11/4/1997	25.06	0.77	0.26	1.59	81.01	1
	12/4/1997	24.76	0.54	0.19	1.16	82.17	1
	1/8/1998	23.66	0.00	0.00	0.00	82.17	1
	2/5/1998	22.64	0.00	0.00	0.00	82.17	1
	3/6/1998	20.80	0.00	0.00	0.00	82.17	1
	4/2/1998	20.31	0.00	0.00	0.00	82.17	1
	4/29/1998	19.95	0.00	0.00	0.00	82.17	1
	6/3/1998	20.41	0.00	0.00	0.00	82.17	1
	7/9/1998	20.97	0.07	0.00	0.00	82.17	1
	8/4/1998	21.40	trace	trace	0.00	82.17	1

# CAMBRIA

---

**Table 4. Liquid-Phase Hydrocarbon Removal**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Water (ft)	LPH Thickness (ft)	Hydrocarbons Removed (gallons)	Hydrocarbons Removed (lbs)	Cumulative Hydrocarbons Removed (lbs)	Notes
MW-1	8/26/1998	21.85	0.10	trace	0.00	82.17	1
(cont'd)	11/2/1998	22.92	0.39	trace	0.00	82.17	1
	12/4/1998	23.29	0.29	0.01	0.06	82.23	1
	1/5/1999	23.51	0.42	0.03	0.18	82.41	1
	2/8/1999	23.08	0.05	0.25	1.53	83.94	1
	3/24/1999	21.90	0.01	0.01	0.06	84.00	1
	4/30/1999	21.52	0.00	0.00	0.00	84.00	1
	7/1/1999	22.70	0.03	0.01	0.06	84.06	1
	9/21/1999	23.81	0.08	0.20	1.22	85.28	1
	10/20/1999	23.90	0.10	0.01	0.06	85.34	1
	12/13/1999	24.24	trace	0.00	0.00	85.34	1
	2/9/2000	23.95	0.07	0.05	0.31	85.64	1
	2/15/2000	--	0.00	0.00	0.00	85.64	2
	2/25/2000	23.69	0.00	0.06	0.38	86.03	2
	3/3/2000	23.27	0.00	0.05	0.31	86.33	2
	3/28/2000	22.39	0.00	0.13	0.79	87.13	2
	5/2/2000	22.29	0.00	0.05	0.29	87.42	2
	5/31/2000	22.05	0.00	0.00	0.00	87.42	2
	7/3/2000	22.10	trace	0.02	0.12	87.54	2
	8/4/2000	22.40	0.00	0.01	0.06	87.60	2
	10/6/2000	23.47	0.46	0.01	0.06	87.66	1
	11/3/2000	24.14	0.78	0.00	0.00	87.66	
	12/1/2000	25.40	0.83	1.75	10.50	98.16	1,2
	1/4/2001	25.13	0.09	0.25	1.53	99.69	2
	2/2/2001	25.12	0.03	0.13	0.79	100.48	2
	4/3/2001	23.19	0.24	0.10	0.61	101.09	
	5/4/2001	23.31	0.47	0.00	0.00	101.09	
	6/11/2001	23.77	0.67	0.00	0.00	101.09	
MW-4 88.84	12/23/1991	22.63	0.98	2.50	15.25	15.25	1
	12/26/1991	22.52	0.96	6.00	36.60	51.85	1
	1/10/1992	22.74	0.99	5.00	30.50	82.35	1
	2/28/1992	22.00	0.67	4.00	24.40	106.75	1
	3/11/1992	21.71	0.55	3.50	21.35	128.10	1
	3/13/1992	21.56	0.49	3.50	21.35	149.45	1
	3/17/1992	25.46	0.44	2.25	13.73	163.18	1
	3/18/1992	21.38	0.44	2.50	15.25	178.43	1
	3/19/1992	21.33	0.48	1.50	9.15	187.58	1
	3/23/1992	21.29	0.42	4.00	24.40	211.98	1
	3/24/1992	21.31	0.38	1.50	9.15	221.13	1

# CAMBRIA

---

**Table 4. Liquid-Phase Hydrocarbon Removal**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID <i>TOC Elev.</i> <i>(ft)</i>	Sampling Date	Depth to Water (ft)	LPH Thickness (ft)	Hydrocarbons Removed (gallons)	Hydrocarbons Removed (lbs)	Cumulative Hydrocarbons Removed (lbs)	Notes
MW-4	3/25/1992	21.17	0.36	1.00	6.10	227.23	1
<i>(cont'd)</i>	3/26/1992	21.08	0.35	1.00	6.10	233.33	1
	3/27/1992	20.92	0.26	0.50	3.05	236.38	1
	3/31/1992	21.15	0.44	0.50	3.05	239.43	1
	4/1/1992	20.90	0.24	0.25	1.53	240.95	1
	4/2/1992	20.90	0.17	0.13	0.79	241.74	1
	4/6/1992	--	--	0.13	0.79	242.54	1
	4/10/1992	20.91	0.33	0.25	1.53	244.06	1
	4/13/1992	21.04	0.42	0.25	1.53	245.59	1
	4/20/1992	20.74	0.19	0.13	0.79	246.38	1
	5/4/1992	20.83	0.33	0.13	0.79	247.17	1
	5/18/1992	21.33	0.23	0.13	0.79	247.97	1
	5/26/1992	20.83	0.17	0.13	0.79	248.76	1
	6/1/1992	20.85	0.19	0.06	0.37	249.12	1
	6/29/1992	21.38	0.53	0.25	1.53	250.65	1
	7/29/1992	21.69	0.56	1.11	6.77	257.42	1
	8/28/1992	21.35	0.63	1.68	10.25	267.67	1
	4/3/1993	20.11	0.51	0.13	0.79	268.46	1
	11/9/1993	20.48	0.52	0.03	0.18	268.64	1
	8/30/1995	21.71	0.63	1.75	10.68	279.32	1
	10/2/1995	19.90	2.20	0.50	3.05	282.37	1
	11/3/1995	18.76	0.57	0.25	1.53	283.89	1
	11/30/1995	19.17	0.65	0.25	1.53	285.42	1
	1/3/1996	19.45	0.44	0.05	0.31	285.72	1
	2/2/1996	19.50	0.32	0.10	0.61	286.33	1
	3/1/1996	19.31	0.20	0.20	1.22	287.55	1
	4/4/1996	17.53	0.18	0.20	1.22	288.77	1
	5/2/1996	17.50	0.25	0.20	1.22	289.99	1
	6/5/1996	17.67	0.39	0.15	0.92	290.91	1
	7/9/1996	18.29	0.50	0.16	0.98	291.89	1
	8/8/1996	18.84	0.00	0.00	0.00	291.89	1
	9/10/1996	19.31	0.34	0.05	0.31	292.19	1
	10/1/1996	19.51	0.29	0.05	0.31	292.50	1
	11/4/1996	20.13	0.35	0.02	0.12	292.62	1
	12/2/1996	20.23	0.33	0.02	0.12	292.74	1
	1/3/1997	19.33	0.10	0.02	0.12	292.86	1
	2/6/1997	18.13	0.01	0.01	0.06	292.92	1
	4/30/1999	17.28	trace	0.00	0.00	292.92	1

# CAMBRIA

---

**Table 4. Liquid-Phase Hydrocarbon Removal**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Water (ft)	LPH Thickness (ft)	Hydrocarbons Removed (gallons)	Hydrocarbons Removed (lbs)	Cumulative Hydrocarbons Removed (lbs)	Notes
MW-4	2/9/2000	19.76	0.00	0.00	0.00	292.92	1
(cont'd)	2/15/2000	--	0.00	0.00	0.00	292.92	2
	2/25/2000	19.30	0.00	0.00	0.00	292.92	2
MW-6 85.62	12/23/1991	28.40	3.21	7.50	45.75	45.75	1
	12/26/1991	27.25	1.67	2.00	12.20	57.95	1
	1/10/1992	27.23	0.90	1.00	6.10	64.05	1
	2/4/1992	27.71	2.04	2.00	12.20	76.25	1
	2/28/1992	27.92	3.00	3.00	18.30	94.55	1
	3/10/1992	27.16	2.06	2.75	16.78	111.33	1
	3/12/1992	25.96	0.52	2.00	12.20	123.53	1
	3/23/1992	26.34	1.09	1.00	6.10	129.63	1
	3/30/1992	25.73	0.35	0.50	3.05	132.68	1
	4/10/1992	25.29	0.05	0.25	1.53	134.20	1
	4/13/1992	25.52	0.21	0.13	0.79	134.99	1
	4/20/1992	25.38	0.10	0.13	0.79	135.79	1
	5/4/1992	25.40	--	0.13	0.79	136.58	1
	5/8/1992	25.50	0.17	0.06	0.37	136.95	1
	5/26/1992	25.46	0.13	0.13	0.79	137.74	1
	6/1/1992	25.46	0.09	0.06	0.37	138.10	1
	6/29/1992	25.59	0.14	0.19	1.16	139.26	1
	7/29/1992	26.90	1.71	0.60	3.66	142.92	1
	8/28/1992	25.09	2.62	2.40	14.64	157.56	1
	12/2/1992	--	--	0.00	0.00	157.56	1
	4/3/1993	26.96	2.86	1.75	10.68	168.24	1
	11/9/1993	27.51	3.06	0.83	5.06	173.30	1
	8/30/1995	28.00	7.96	4.50	27.45	200.75	1
	10/2/1995	28.24	6.14	4.00	24.40	225.15	1
	11/3/1995	28.39	6.13	3.00	18.30	243.45	1
	11/30/1995	26.91	3.44	2.50	15.25	258.70	1
	1/3/1996	27.58	4.41	2.50	15.25	273.95	1
	2/2/1995	27.58	4.37	5.00	30.50	304.45	1
	3/1/1996	27.96	5.15	4.00	24.40	328.85	1
	4/4/1996	27.96	5.41	5.00	30.50	359.35	1
	5/2/1996	26.83	4.66	4.50	27.45	386.80	1
	6/5/1996	27.15	5.17	4.00	24.40	411.20	1
	7/9/1996	27.08	4.86	4.50	27.45	438.65	1
	8/8/1996	26.71	4.05	4.00	24.40	463.05	1
	9/10/1996	26.83	3.82	3.50	21.35	484.40	1

# CAMBRIA

---

**Table 4. Liquid-Phase Hydrocarbon Removal**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID TOC Elev. (ft)	Sampling Date	Depth to Water (ft)	LPH Thickness (ft)	Hydrocarbons Removed (gallons)	Hydrocarbons Removed (lbs)	Cumulative Hydrocarbons Removed (lbs)	Notes
MW-6	10/1/1996	26.96	3.77	4.00	24.40	508.80	1
(cont'd)	11/4/1996	--	--	NM	NM	NM	4
86.94	12/2/1996	--	--	NM	NM	NM	4
	1/3/1997	--	--	NM	NM	NM	4
	2/6/1997	25.08	0.20	NM	NM	NM	4
	3/5/1997	24.20	0.00	NM	NM	NM	4
	4/1/1997	24.04	0.00	NM	NM	NM	4
85.82	5/8/1997	26.54	1.88	0.40	2.44	511.24	1
	6/6/1997	25.33	0.21	0.03	0.18	511.42	1
	7/8/1997	25.30	0.07	0.00	0.00	511.42	1
	8/7/1997	25.52	0.00	0.00	0.00	511.42	1
	9/10/1997	25.76	0.00	0.00	0.00	511.42	1
	10/1/1997	25.12	0.00	0.00	0.00	511.42	1
	11/4/1997	26.16	0.18	0.02	0.12	511.55	1
	12/4/1997	26.08	0.16	0.05	0.31	511.85	1
	1/8/1998	25.79	0.10	0.66	4.03	515.88	1
	2/5/1998	25.31	0.89	NM	NM	NM	4
	3/6/1998	24.63	0.46	0.04	0.24	516.12	1
	4/2/1998	24.45	0.59	0.10	0.61	516.73	1
	4/29/1998	22.96	0.55	0.09	0.55	517.28	1
	6/3/1998	22.81	0.41	0.03	0.18	517.46	1
	7/9/1998	23.04	0.35	0.05	0.31	517.77	1
	8/4/1998	23.29	0.35	0.04	0.24	518.01	1
	8/26/1998	23.50	0.31	0.01	0.06	518.07	1
	11/2/1998	24.24	0.43	0.02	0.12	518.20	1
	12/4/1998	24.35	0.32	0.01	0.06	518.26	1
	1/5/1999	24.51	0.40	0.03	0.18	518.44	1
	2/8/1999	24.00	0.03	0.13	0.76	519.20	1
	3/24/1999	23.82	0.19	0.03	0.18	519.38	1
	4/30/1999	23.60	1.13	0.10	0.61	519.99	1
	7/1/1999	24.45	0.42	0.06	0.38	520.38	1
	7/27/1999	25.35	0.24	0.06	0.38	520.76	1
	8/19/1999	24.87	0.24	0.06	0.37	521.12	1
	9/21/1999	24.58	0.10	0.20	1.22	522.34	1
	10/20/1999	25.05	0.17	0.20	1.22	523.56	1
	12/13/1999	25.08	0.10	0.06	0.37	523.93	1
	2/9/2000	24.93	0.44	0.25	1.53	525.45	1
	2/15/2000	--	0.00	0.07	0.43	525.88	3
	2/25/2000	24.23	0.00	0.01	0.06	525.94	3
	3/3/2000	24.00	0.00	0.00	0.01	525.95	3

# CAMBRIA

---

**Table 4. Liquid-Phase Hydrocarbon Removal**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID <i>TOC Elev.</i> <i>(ft)</i>	Sampling Date	Depth to Water (ft)	LPH Thickness (ft)	Hydrocarbons Removed (gallons)	Hydrocarbons Removed (lbs)	Cumulative Hydrocarbons Removed (lbs)	Notes
MW-6	3/28/2000	23.54	0.00	0.05	0.31	526.26	3
<i>(cont'd)</i>	5/2/2000	23.52	0.06	0.03	0.15	526.41	3
85.82	5/31/2000	23.39	0.08	0.00	0.00	526.41	3
	7/3/2000	23.61	trace	0.02	0.12	526.53	3
	8/4/2000	23.80	0.10	0.01	0.06	526.59	3
	10/6/2000	24.22	0.04	0.01	0.06	526.65	
	11/3/2000	24.30	0.09	0.00	0.00	526.65	
	12/1/2000	24.38	0.07	0.03	0.18	526.83	2, 3
	1/4/2001	24.65	0.17	0.00	0.00	526.83	5
	2/2/2001	24.72	0.22	0.25	1.53	528.36	3
	4/3/2001	23.90	0.06	0.05	0.31	528.67	
	5/4/2001	23.95	0.07	0.05	0.31	528.97	
	6/11/2001	24.25	0.10	0.00	0.00	528.97	
MW-9 <i>90.37</i>	8/8/1996	19.89	0.35	0.10	0.61	0.61	1
MW-14 <i>94.66</i>	12/4/1998	23.42	0.23	0.01	0.06	0.06	1
	1/5/1999	23.36	0.12	0.01	0.06	0.12	1
	2/8/1999	23.17	trace	0.01	0.06	0.18	1
	3/24/1999	22.08	trace	trace	0.00	0.18	1
	4/30/1999	21.17	0.01	trace	0.00	0.18	1
	7/1/1999	22.95	0.04	trace	0.00	0.18	1
	9/21/1999	24.26	trace	trace	0.00	0.18	1
	10/20/1999	24.10	0.00	0.00	0.00	0.18	1
	2/9/2000	24.13	0.00	0.00	0.00	0.18	1
	2/15/2000	--	0.00	0.00	0.00	0.18	1
	2/25/2000	--	0.00	0.00	0.00	0.18	2
	3/3/2000	23.27	0.00	0.05	0.31	0.49	2
	3/28/2000	22.40	0.00	0.13	0.76	1.25	2
	5/2/2000	22.22	0.00	0.04	0.24	1.49	2
	5/31/2000	22.09	0.00	0.00	0.00	1.49	2
	7/3/2000	22.35	trace	0.01	0.06	1.55	2
	8/4/2000	22.78	0.00	0.03	0.18	1.73	2
	10/6/2000	23.48	0.00	0.00	0.00	1.73	
	11/3/2000	23.60	0.00	0.00	0.00	1.73	
	12/1/2000	23.90	0.04	0.04	0.24	1.97	1, 2

# CAMBRIA

---

**Table 4. Liquid-Phase Hydrocarbon Removal**

Connell Automobile Dealership, 3093 Broadway, Oakland, California

Well ID <i>TOC Elev. (ft)</i>	Sampling Date	Depth to Water (ft)	LPH Thickness (ft)	Hydrocarbons Removed (gallons)	Hydrocarbons Removed (lbs)	Cumulative Hydrocarbons Removed (lbs)	Notes
MW-14	1/4/2001	24.10	0.00	0.00	0.00	1.97	
<i>(cont'd)</i>	2/2/2001	24.27	0.00	0.10	0.61	2.58	2
94.66	4/3/2001	23.06	0.00	0.05	0.31	2.89	
	5/4/2001	23.05	0.00	0.00	0.00	2.89	
	6/11/2001	23.40	0.00	0.00	0.00	2.89	
MW-15	9/20/1999	24.12	trace	trace	0.00	0.00	1
94.76	10/20/1999	24.40	0.00	0.00	0.00	0.00	1
	12/13/1999	24.61	0.00	0.00	0.00	0.00	1

---

**Abbreviations and Notes:**

*TOC Elev. (ft)* = Top of casing elevation, surveyed to an arbitrary datum

-- = Not measured or not applicable

NM = product was being removed by vapor extraction at time of measurement.

1 = LPH removed by manual bailing

2 = LPH removed from well by absorbent sock

3 = LPH removed from well by passive skimmer

4 = vapor extraction system operating in well

5 = No product removed; skimmer adjusted incorrectly and filled with water.

Liquid-phase hydrocarbons (LPH) converted from volume to weight using the relation 1 gallon LPH= 6.1 pounds.

**ATTACHMENT A**

Well Sampling Protocol

## ATTACHMENT A

### Well Sampling Protocol - May 8, 2000 Workplan Addendum

Well Sampling Protocol - May 8, 2000 Workplan Addendum					
Well	Sampling Frequency	Analytes	Additions from Prior Protocol	Reductions/Removals from Prior Protocol	
<b>Source Area Wells</b>					
MW-1					
MW-6	<b>Annually (1st Qtr)</b>				
MW-14					
MW-15	<i>(Gauge Quarterly)</i>	TPHd, TPHmo, TPHg, BTEX, MTBE, HVOCs, SVOCs, LUFT Metals, DO	DO	Reduced Well Sampling Frequency	
<b>Down-Gradient/Cross-Gradient Wells</b>					
MW-4					
MW-7	<b>Quarterly</b>				
MW-13	<i>(Annually for SVOCs - 1st Qtr)</i>	TPHd, TPHmo, TPHg, BTEX, MTBE, HVOCs, DO (SVOCs - 1st qtr only)	DO	LUFT Metals, Annual SVOCs	
MW-8					
MW-9	<b>Quarterly</b> <i>(Annually for SVOCs and LUFT Metals - 1st Qtr)</i>	TPHd, TPHmo, TPHg, BTEX, MTBE, HVOCs, DO (SVOCs, LUFT Metals - 1st qtr only)	DO	Annual LUFT Metals, Annual SVOC	
Per the May 3, 1999, ACHCSA letter to Messrs. Hill and Linden, monitoring wells MW-2, MW-3, MW-5, MW-10, and MW-11 were dropped from the monitoring program.					

**ATTACHMENT B**

Analytical Laboratory Report



McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: main@mccampbell.com

Cambria Environmental Technology 1144 65 <sup>th</sup> Street, Suite C Oakland, CA 94608	Client Project ID: #425-1580; Connell	Date Sampled: 11/05/01
		Date Received: 11/09/01
	Client Contact: Bob Clark Riddell	Date Extracted: 11/14-11/15/01
	Client P.O:	Date Analyzed: 11/14-11/15/01

**Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline\*, with Methyl tert-Butyl Ether\* & BTEX\***

EPA methods 5030, modified 8015, and 8020 or 602; California RWQCB (SF Bay Region) method GCFID(5030)

Lab ID	Client ID	Matrix	TPH(g) <sup>+</sup>	MTBE	Benzene	Toluene	Ethyl-benzene	Xylenes	% Recovery Surrogate
83309	MW-4	W	220,000,a,h	ND<200	15,000	26,000	3100	16,000	107
83310	MW-7	W	ND	ND	ND	ND	ND	ND	109
83311	MW-8	W	140,a	ND	3.3	ND	ND	ND	115
83312	MW-9	W	2200,a	ND	170	4.5	100	0.54	94
83313	MW-13	W	ND	ND	ND	ND	ND	ND	113
83314	TB	W	ND	ND	ND	ND	ND	ND	103
Reporting Limit unless otherwise stated; ND means not detected above the reporting limit	W	50 ug/L	5.0	0.5	0.5	0.5	0.5		
	S	1.0 mg/kg	0.05	0.005	0.005	0.005	0.005		

\* water and vapor samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP and SPLP extracts in ug/L

\* cluttered chromatogram; sample peak coelutes with surrogate peak

The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment; j) no recognizable pattern.

DHS Certification No. 1644

Edward Hamilton, Lab Director



McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: main@mccampbell.com

Cambria Environmental Technology 1144 65 <sup>th</sup> Street, Suite C Oakland, CA 94608	Client Project ID: #425-1580; Connell	Date Sampled: 11/05/01
		Date Received: 11/09/01
	Client Contact: Bob Clark Riddell	Date Extracted: 11/09/01
	Client P.O:	Date Analyzed: 11/09-11/12/01

**Diesel Range (C10-C23) and Oil-Range (C18+) Extractable Hydrocarbons as Diesel and Motor Oil\***

EPA methods modified 8015, and 3550 or 3510; California RWQCB (SF Bay Region) method GCFID(3550) or GCFID(3510)

Lab ID	Client ID	Matrix	TPH(d) <sup>†</sup>	TPH(mo) <sup>†</sup>	% Recovery Surrogate
83309	MW-4	W	49,000,d,h	14,000	113
83310	MW-7	W	ND	ND	95
83311	MW-8	W	84,b	ND	103
83312	MW-9	W	230,d	ND	104
83313	MW-13	W	350,g,b	610	96
Reporting Limit unless otherwise stated; ND means not detected above the reporting limit	W		50 ug/L	250 ug/L	
	S		1.0 mg/kg	5.0 mg/kg	

\*water samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP / STLC / SPLP extracts in ug/L

<sup>†</sup> cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant); d) gasoline range compounds are significant; e) medium boiling point pattern that does not match diesel (?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment.

DHS Certification No. 1644

Edward Hamilton, Lab Director



McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: main@mccampbell.com

Cambria Environmental Technology 1144 65 <sup>th</sup> Street, Suite C Oakland, CA 94608	Client Project ID: #425-1580; Connell	Date Sampled: 11/05/01
		Date Received: 11/09/01
	Client Contact: Bob Clark Riddell	Date Extracted: 11/09-11/13/01
	Client P.O:	Date Analyzed: 11/09-11/13/01

**Volatile Halocarbons**

EPA method 601 or 8010

Lab ID	83309	83310	83311	83312
Client ID	MW-4	MW-7	MW-8	MW-9
Matrix	W	W	W	W
Compound	Concentration			
Bromodichloromethane	ND<5.0	ND	ND	ND<10
Bromoform <sup>(b)</sup>	ND<5.0	ND	ND	ND<10
Bromomethane	ND<5.0	ND	ND	ND<10
Carbon Tetrachloride <sup>(c)</sup>	ND<5.0	ND	ND	ND<10
Chlorobenzene	ND<5.0	ND	ND	ND<10
Chloroethane	ND<5.0	ND	ND	ND<10
2-Chloroethyl Vinyl Ether <sup>(d)</sup>	ND<5.0	ND	ND	ND<10
Chloroform <sup>(e)</sup>	ND<5.0	ND	ND	ND<10
Chloromethane	ND<5.0	ND	ND	ND<10
Dibromochloromethane	ND<5.0	ND	ND	ND<10
1,2-Dichlorobenzene	ND<5.0	ND	ND	ND<10
1,3-Dichlorobenzene	ND<5.0	ND	ND	ND<10
1,4-Dichlorobenzene	ND<5.0	ND	ND	ND<10
Dichlorodifluoromethane	ND<5.0	ND	ND	ND<10
1,1-Dichloroethane	ND<5.0	ND	ND	ND<10
1,2-Dichloroethane	72	ND	44	260
1,1-Dichloroethene	ND<5.0	ND	ND	ND<10
cis 1,2-Dichloroethene	ND<5.0	ND	ND	ND<10
trans 1,2-Dichloroethene	ND<5.0	ND	ND	ND<10
1,2-Dichloropropane	ND<5.0	ND	ND	ND<10
cis 1,3-Dichloropropene	ND<5.0	ND	ND	ND<10
trans 1,3-Dichloropropene	ND<5.0	ND	ND	ND<10
Methylene Chloride <sup>(f)</sup>	ND<5.0	ND	ND	ND<10
1,1,2,2-Tetrachloroethane	ND<5.0	ND	ND	ND<10
Tetrachloroethene	ND<5.0	ND	ND	ND<10
1,1,1-Trichloroethane	ND<5.0	ND	ND	ND<10
1,1,2-Trichloroethane	ND<5.0	ND	ND	ND<10
Trichloroethene	ND<5.0	ND	ND	ND<10
Trichlorofluoromethane	ND<5.0	ND	ND	ND<10
Vinyl Chloride <sup>(g)</sup>	ND<5.0	ND	ND	ND<10
% Recovery Surrogate	112	94	101	98
Comments	h			

\* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil and sludge samples in ug/kg, wipe samples in ug/wipe  
 Reporting limit unless otherwise stated: water/TCLP/SPLP extracts, ND<0.5ug/L; soils and sludges, ND<5ug/kg; wipes, ND<0.2ug/wipe

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis

(b) tribromomethane; (c) tetrachloromethane; (d) (2-chloroethoxy) ethene; (e) trichloromethane; (f) dichloromethane; (g) chloroethene; (h) a lighter than water immiscible sheen is present; (i) liquid sample that contains greater than ~5 vol. % sediment; (j) sample diluted due to high organic content.



McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560  
 Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: main@mccampbell.com

Cambria Environmental Technology  1144 65 <sup>th</sup> Street, Suite C  Oakland, CA 94608	Client Project ID: #425-1580; Connell	Date Sampled: 11/05/01
		Date Received: 11/09/01
	Client Contact: Bob Clark Riddell	Date Extracted: 11/09-11/12/01
	Client P.O:	Date Analyzed: 11/09-11/12/01

**Volatile Halocarbons**

EPA method 601 or 8010

Compound	Concentration		
Bromodichloromethane	ND	ND	
Bromoform <sup>(b)</sup>	ND	ND	
Bromomethane	ND	ND	
Carbon Tetrachloride <sup>(c)</sup>	ND	ND	
Chlorobenzene	ND	ND	
Chloroethane	ND	ND	
2-Chloroethyl Vinyl Ether <sup>(d)</sup>	ND	ND	
Chloroform <sup>(e)</sup>	ND	ND	
Chloromethane	ND	ND	
Dibromochloromethane	ND	ND	
1,2-Dichlorobenzene	ND	ND	
1,3-Dichlorobenzene	ND	ND	
1,4-Dichlorobenzene	ND	ND	
Dichlorodifluoromethane	ND	ND	
1,1-Dichloroethane	ND	ND	
1,2-Dichloroethane	ND	ND	
1,1-Dichloroethene	ND	ND	
cis 1,2-Dichloroethene	ND	ND	
trans 1,2-Dichloroethene	ND	ND	
1,2-Dichloropropane	ND	ND	
cis 1,3-Dichloropropene	ND	ND	
trans 1,3-Dichloropropene	ND	ND	
Methylene Chloride <sup>(f)</sup>	ND	ND	
1,1,2,2-Tetrachloroethane	ND	ND	
Tetrachloroethene	ND	ND	
1,1,1-Trichloroethane	ND	ND	
1,1,2-Trichloroethane	ND	ND	
Trichloroethene	ND	ND	
Trichlorofluoromethane	ND	ND	
Vinyl Chloride <sup>(g)</sup>	ND	ND	
% Recovery Surrogate	93	96	
Comments			

\* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil and sludge samples in ug/kg, wipe samples in ug/wipe  
 Reporting limit unless otherwise stated: water/TCLP/SPLP extracts, ND<0.5ug/L; soils and sludges, ND<5ug/kg; wipes, ND<0.2ug/wipe

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis

(b) tribromomethane; (c) tetrachloromethane; (d) (2-chloroethoxy) ethene; (e) trichloromethane; (f) dichloromethane; (g) chloroethene; (h) a lighter than water immiscible sheen is present; (i) liquid sample that contains greater than ~5 vol. % sediment; (j) sample diluted due to high organic content.



McCAMPBELL ANALYTICAL INC.

110 2nd Ave. South, #D7, Pacheco, CA 94553-5560  
Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: main@mccampbell.com

## QC REPORT

### EPA 8015m + 8020

Date: 11/14/01

Extraction: EPA 5030

Matrix: Water

Compound	Concentration: ug/L				%Recovery		RPD
	Sample	MS	MSD	Amount Spiked	MS	MSD	

SampleID: 111401

Instrument: GC-3

Surrogate1	ND	103.0	104.0	100.00	103	104	1.0
Xylenes	ND	33.5	34.0	30.00	112	113	1.5
Ethylbenzene	ND	11.1	11.2	10.00	111	112	0.9
Toluene	ND	10.9	11.3	10.00	109	113	3.6
Benzene	ND	10.4	10.7	10.00	104	107	2.8
MTBE	ND	10.2	10.6	10.00	102	106	3.8
TPH (gas)	ND	86.4	84.8	100.00	86	85	1.9

$$\% \text{ Recovery} = \frac{(MS - Sample)}{AmountSpiked} \cdot 100$$

$$RPD = \frac{(MS - MSD)}{(MS + MSD)} \cdot 2 \cdot 100$$

RPD means Relative Percent Deviation



McCAMPBELL ANALYTICAL INC.

110 2nd Ave. South, #D7, Pacheco, CA 94553-5560  
Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: main@mccampbell.com

## QC REPORT

### EPA 8015m + 8020

Date: 11/09/01

Extraction: EPA 5030

Matrix: Water

Compound	Concentration: ug/L				%Recovery		RPD
	Sample	MS	MSD	Amount Spiked	MS	MSD	

SampleID: 110901

Instrument: GC-11 B

Surrogate1	ND	109.0	106.0	100.00	109	106	2.8
TPH (diesel)	ND	7925.0	7800.0	7500.00	106	104	1.6

$$\% \text{ Recovery} = \frac{(MS - Sample)}{AmountSpiked} \cdot 100$$

$$RPD = \frac{(MS - MSD)}{(MS + MSD)} \cdot 2 \cdot 100$$

RPD means Relative Percent Deviation



McCAMPBELL ANALYTICAL INC.

110 2nd Ave. South, #D7, Pacheco, CA 94553-5560  
Telephone : 925-798-1620 Fax : 925-798-1622  
<http://www.mccampbell.com> E-mail: main@mccampbell.com

## QC REPORT

### EPA 8010/8020

Date: 11/09/01

Extraction: EPA 5030

Matrix: Water

Compound	Concentration: ug/L				%Recovery		RPD
	Sample	MS	MSD	Amount Spiked	MS	MSD	

SampleID: 110901

Instrument: GC-1

Surrogate1	ND	93.0	93.0	100.00	93	93	0.0
Chlorobenzene	ND	10.4	10.3	10.00	104	103	1.0
Trichloroethene	ND	11.4	11.2	10.00	114	112	1.8
1,1-DCE	ND	11.2	11.6	10.00	112	116	3.5

$$\% \text{ Recovery} = \frac{(MS - Sample)}{AmountSpiked} \cdot 100$$

$$RPD = \frac{(MS - MSD)}{(MS + MSD)} \cdot 2.100$$

RPD means Relative Percent Deviation

20744 ZC528

## McCAMPBELL ANALYTICAL INC.

110 2<sup>nd</sup> AVENUE SOUTH, #D7  
PACIFICO, CA 94551

Telephone: (925) 798-1620

Fax: (925) 798-1622

Report To: Bob Cask Riddle Bill To: Cambria Env  
Company: Cambria Environmental Technology1144 65<sup>th</sup> Street, Suite C

Oakland, CA 94608

Tele: (510) 420-0700

Fax: (510) 420-9170

Project #: 425-1580

Project Name: Connell

Project Location: 309 3 Broadway Oakland, Ca

Sampler Signature:

## CHAIN OF CUSTODY RECORD

TURN AROUND TIME

 RUSH  24 HOUR  48 HOUR  5 DAY

Analysis Request

Other

Comments

SAMPLE ID	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX			METHOD PRESERVED			
		Date	Time			Water	Soil	Air		Sludge	Other	Ice
MW-4		11-5-01		7	VOC	X			X	X		
MW-7		11-5-01		7	VOC	X			X	X		
MW-8		11-5-01		7	VOC	X			X	X		
MW-9		11-5-01		7	VOC	X			X	X		
MW-13		11-5-01		7	VOC	X			X	X		
TB		11-5-01		2	VOC	X			X	X		

BTEx &amp; TPH as Gas (602/3020 - 3015Y WTD)

TPH as Diesel (3015) / TPH mg

Total Petroleum Oil &amp; Grease (5520 E&amp;F&amp;B&amp;G)

Total Petroleum Hydrocarbons (418.1)

EPA 601 / 8010

BTEx ONLY (EPA 602 / 8020)

EPA 603 / 8080

EPA 603 / 8080 PCB's ONLY

EPA 624 / 8240 / 8260

EPA 625 / 8270

PAH's / PNA's by EPA 625 / 8270 / 8310

CAM-17 Metals

LEUFT 5 Metals

Lead (724974211239.2/6010)

RCI

X X X X VOC'S

83309  
83310  
83311  
83312  
83313  
83314VOC®  
GOOD CONDITION  
HEAD SPACE ABSENTPRESERVATION  
APPROPRIATE  
CONTAINERS

VOAS | O&amp;G | METALS | OTHER

Remarks: Report results in EDF format

Relinquished By: Date: Time: Received By:

Relinquished By: Date: Time: Received By:

Relinquished By: Date: Time: Received By:

\* NO Diesel for TB

KJ Ultra 234 11-9-01 1610 Maga Vnay

**ATTACHMENT C**

Field Data Sheets

CAMBRIA

## WELL DEPTH MEASUREMENTS

Project Name: Connell

Project Number: 425-1580

Measured By:

Date: 11-5-01

# CAMBRIA

## WELL SAMPLING FORM

Project Name: <u>Connell</u>	Cambria Mgr: <u>B.S.R</u>	Well ID: MW- <u>4</u>
Project Number: <u>425-1580</u>	Date: <u>11-5-01</u>	Well Yield: <u>---</u>
Site Address: <u>3093 Broadway Oakland, Ca</u>	Sampling Method: <u>Disposable bailer</u>	Well Diameter: <u>2" pvc</u>
Initial Depth to Water: <u>18.97</u>	Total Well Depth: <u>24.06</u>	Water Column Height: <u>5.09</u>
Volume/ft: <u>0.16</u>	Casing Volume: <u>6.81</u>	3 Casing Volumes: <u>24.3</u>
Purging Device: <u>disposable bailer</u>	Did Well Dewater? <u>ND</u>	Total Gallons Purged: <u>2.5</u>
Start Purge Time: <u>12:25</u>	Stop Purge Time: <u>12:39</u>	Total Time: <u>14 mins</u>

**Casting Volume = Water column height x Volume/8**

<u>Well Diam.</u>	<u>Volume/ft (gallons)</u>
2"	0.16
3"	0.33
5"	1.25

Time	Casing Volume	Temp. C	pH	Cond. μS	Comments
12:30	1.5	18.4	7.95	824	
12:35	2	18.7	7.17	851	
12:40	2.5	18.1	7.29	892	

$$DO = 0.31 \text{ ms}/\text{J}$$

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-4	11-5-01	12:45	6 vials 1 amber 1 poly	HCl	TPHs, BTEX, MTBE, TPHQ/mo	
MW-						

# CAMBRIA

## WELL SAMPLING FORM

Project Name: <u>Connell</u>	Cambria Mgr: <u>BSE</u>	Well ID: MW- <u>7</u>
Project Number: <u>425-1580</u>	Date: <u>11-5-01</u>	Well Yield: <u>—</u>
Site Address: <u>3093 Broadway Oakland, Ca</u>	Sampling Method:  <u>Disposable bailer</u>	Well Diameter: <u>2" pvc</u>  Technician(s): <u>SG</u>
Initial Depth to Water: <u>17.35</u>	Total Well Depth: <u>30.00</u>	Water Column Height: <u>12.65</u>
Volume/ft: <u>0.16</u>	Casing Volume: <u>2.02</u>	3 Casing Volumes: <u>6.06</u>
Purging Device: <u>disposable bails.</u>	Did Well Dewater?: <u>no</u>	Total Gallons Purged: <u>6</u>
Start Purge Time: <u>11:45</u>	Stop Purge Time: <u>11:59</u>	Total Time: <u>14 min</u>

Casing Volume = Water column height x Volume/ft

<u>Well Diam.</u>	<u>Volume/ft (gallons)</u>
2"	0.16
4"	0.63
6"	1.27

Time	Casing Volume	Temp. C	pH	Cond. μS	Comments
11:50	1	7	7.20	724	
11:55	2	13.4	7.35	929	
12:00	3	13.3	7.37	951	

$\Delta \text{D} = 0.7 \text{ mS/m}$

$$DO = 0.7 \text{ ms}$$

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW- 7	11-5-01	12:05	6 vials 1 amber 1 poly	HCl	TPhs, STEx, MTBE TPHs/mo	
MW- 8						

## CAMBRIA

## WELL SAMPLING FORM

Project Name:	Connell	Cambria Mgr:	BGR	Well ID: MW-	8
Project Number:	425-1580	Date:	11-5-01	Well Yield:	----
Site Address:	3093 Broadway Oakland, Ca	Sampling Method:	Disposable bailer	Well Diameter:	6" pvc
Initial Depth to Water:	26.67	Total Well Depth:	39.40	Water Column Height:	12.73
Volume/ft:	1.47	1 Casing Volume:	18.71	3 Casing Volumes:	56.13
Purging Device:	disposable bailed	Did Well Dewater?:	no	Total Gallons Purged:	56
Start Purge Time:	11:10	Stop Purge Time:	11:24	Total Time:	14 min

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (casing)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
11:15	18	18.1	7.09	851	
11:20	26	17.4	7.17	871	
11:25	56	17.9	7.25	852	
					DO = 44 mg/l

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-8	11-5-01	11:30	6 vca 1 amber 1 poly	HCl	TPHs BTEX MTBE TPHs/mo	
MW-14						

# CAMBRIA

## WELL SAMPLING FORM

Project Name: Connell	Cambria Mgr: BSR	Well ID: MW-9
Project Number: 425-1580	Date: 11-5-01	Well Yield: ---
Site Address: 3093 Broadway Oakland, Ca	Sampling Method: Disposable bailer	Well Diameter: 2" pvc Technician(s): SG
Initial Depth to Water: 19.85	Total Well Depth: 30.50	Water Column Height: 10.65
Volume/ft: 0.16	1 Casing Volume: 1.70	3 Casing Volumes: 5.11
Purging Device: disposable biler	Did Well Dewater?: No	Total Gallons Purged: 5
Start Purge Time: 12:55	Stop Purge Time: 13:09	Total Time: 14 mins

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
13:00	1.5	18.1	7.24	1024	
13:05	3	17.9	7.57	1071	
13:10	5	17.9	7.61	1054	
					DO = 0.37 mg/l

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-9	11-5-01	13:15	6 vca 1 amber 1 poly	HCl	TPHs, BTEX, MTBE TPHs/mo	
MW-10						
MW-11						
MW-12						

## CAMBRIA

## WELL SAMPLING FORM

Project Name: Connell	Cambria Mgr: BCR	Well ID: MW-13
Project Number: 425-1580	Date: 11-5-01	Well Yield: -----
Site Address: 3093 Broadway Oakland, Ca	Sampling Method: Disposable bailer	Well Diameter: 2" pvc Technician(s): SG
Initial Depth to Water: 24.02	Total Well Depth: 39.45	Water Column Height: 15.43
Volume/ft: 0.16	1 Casing Volume: 2.46	3 Casing Volumes: 7.40
Purging Device: disposable bails	Did Well Dewater?: NO	Total Gallons Purged: 7.5
Start Purge Time: 21:15	Stop Purge Time: 21:29	Total Time: 14 mins

1 Casing Volume = Water column height x Volume/ ft.

	Well Diam.	Volume/ft (gallons)
2"	0.16	
4"	0.65	
6"	1.47	

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
21:20	2.5	18.1	7.50	1070	
21:25	4.5	17.9	7.21	924	
21:30	7.5	17.5	7.27	951	
					DO = 0.53 mg/l

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-13	11-5-01	21:35	6 vca amber 1 poly	HCl	TPHs, BTEX, MTBE TPHs/MD	
MW-						