



**EMCON**

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

Date December 31, 1997  
Project 20805-122.004

To:

Ms. Susan Hugo  
Alameda County Health Care Services Agency  
Department of Environmental Health  
1131 Harborbay Parkway, Suite 250  
Alameda, California 94502-6577


We are enclosing:

Copies	Description
<u>1</u>	<u>Third quarter 1997 groundwater monitoring results and</u>
	<u>remediation system performance evaluation report for</u>
	<u>ARCO service station 771, Livermore, California</u>

For your:	<u> X </u>	Use	Sent by:	<u> X </u>	Regular Mail
		Approval			Standard Air
		Review			Courier
		Information			Other:

Comments:

The enclosed groundwater monitoring report is being sent to you per the request of ARCO Products Company. Please call if you have questions or comments.

  
 Gary P. Messerotes  
 Project Manager

cc: Danielle Stefani, LFD  
Paul Supple, ARCO Products Company  
File

98 JAN -2 PM 4: 03  
 ENVIRONMENTAL  
 PROTECTION





Date: December 31, 1997

Re: ARCO Station #

771 • 899 Rincon Avenue • Livermore, CA  
Third Quarter 1997 Groundwater Monitoring Results and  
Remediation System Performance Evaluation Report

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached proposal or report are true and correct."

Submitted by:

A handwritten signature in black ink that reads "Paul Supple". The signature is written in a cursive, flowing style.

Paul Supple  
Environmental Engineer



**EMCON**

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

December 30, 1997  
Project 20805-122.004

Mr. Paul Supple  
ARCO Products Company  
P.O. Box 6549  
Moraga, California 94570

Re: Third quarter 1997 groundwater monitoring results and remediation system performance evaluation report, ARCO service station 771, Livermore, California

Dear Mr. Supple:

This letter presents the results of the third quarter 1997 groundwater monitoring program at ARCO Products Company (ARCO) service station 771, 899 Rincon Avenue, Livermore, California (Figure 1). Operation and performance data for the site's interim soil-vapor extraction (SVE) and air-bubbling systems are also presented. The quarterly monitoring program complies with Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

### LIMITATIONS

No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope and limitations of work performed during the monitoring event.


Please call if you have questions.

Sincerely,

EMCON

Valli Voruganti, P.E.  
Project Engineer

Gary P. Messerotes, R.G. 5650  
Project Manager



**ARCO QUARTERLY REPORT**

Station No.: 771 Address: 899 Rincon Avenue, Livermore, California  
 EMCON Project No.: 20805-122.004  
 ARCO Environmental Engineer/Phone No.: Paul Supple /(510) 299-8891  
 EMCON Project Manager/Phone No.: Gary P. Messerotes /(408) 453-7300  
 Primary Agency/Regulatory ID No.: ACHCSA /Susan Hugo  
 Reporting Period: July 1, 1997 to October 1, 1997

**WORK PERFORMED THIS QUARTER (Third- 1997):**

1. Prepared and submitted quarterly groundwater monitoring report for second quarter 1997.
2. Conducted quarterly groundwater monitoring and sampling for third quarter 1997.
3. Operated air-bubbling system.

**WORK PROPOSED FOR NEXT QUARTER (Fourth- 1997):**

1. Prepare and submit quarterly report for third quarter 1997.
2. Perform quarterly groundwater monitoring and sampling for fourth quarter 1997.
3. Continue operating air-bubbling system.

**QUARTERLY MONITORING:**

Current Phase of Project: Quarterly Groundwater Monitoring and Operation and Maintenance of Remediation Systems.  
Soil Vapor Extraction (SVE) system was shut down on 10-10-95 due to low hydrocarbon concentrations in extracted vapor.  
Air bubbling system pulses hourly at 1 scfm per well in wells MW-7, VW-1, MW-1, MW-2, MW-4, MW-5, MW-7, and Rw-1.

Frequency of Sampling: Quarterly (groundwater), Monthly (SVE)

Frequency of Monitoring: Quarterly (groundwater), Monthly (SVE and air-bubbling systems)

Is Floating Product (FP) Present On-site:  Yes  No

Cumulative FP Recovered to Date : 3.06 gallons, Wells MW-1, MW-2, and MW-5

FP Recovered This Quarter : None (FP was last recovered in 1992.)

Bulk Soil Removed to Date : 1,700 cubic yards of TPH-impacted soil

Bulk Soil Removed This Quarter : None

Water Wells or Surface Waters  
 within 2000 ft., impacted by site: None

Current Remediation Techniques: Air-Bubbling System

Average Depth to Groundwater: 30.21 feet

Groundwater Gradient (Average): 0.042 ft/ft toward north-northwest (consistent with past events)

**SVE QUARTERLY OPERATION AND PERFORMANCE:**

Equipment Inventory: King Buck, 200 cfm, Model MMC-6A/E, Catalytic Oxidizer  
SVE system was shut down on 10-10-95.

Operating Mode: Catalytic Oxidation

BAAQMD Permit #: 9051

TPH Conc. End of Period (lab):	NA (Not Available)
Benzene Conc. End of Period (lab):	NA
Flowrate End of Period:	NA
HC Destroyed This Period:	0.0 pounds
HC Destroyed to Date:	56.9 pounds
Utility Usage This Period	
Electric (KWH):	2224 KWH
Gas (Therms):	NA
Operating Hours This Period:	0.0 hours
Percent Operational:	0.0%
Operating Hours to Date:	1737.5 hours
Unit Maintenance:	Routine maintenance of air-bubbling system.
Number of Auto Shut Downs:	0
Destruction Efficiency Permit Requirement:	90%
Percent TPH Conversion:	NA
Average Stack Temperature:	NA
Average Source Flow:	0.0 scfm
Average Process Flow:	0.0 scfm
Average Source Vacuum:	0.0 inches of water

**ATTACHED:**

- Table 1 - Groundwater Monitoring Data, Third Quarter 1997
- Table 2 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 3 - Approximate Cumulative Floating Product Recovered (Wells MW-1, MW-2, and MW-5)
- Table 4 - Soil-Vapor Extraction System Operation and Performance Data
- Table 5 - Soil-Vapor Extraction Well Data
- Table 6 - Air-Bubbling System Operation and Performance Data
- Figure 1 - Site Location
- Figure 2 - Groundwater Data, Third Quarter 1997
- Appendix A - Analytical Results and Chain of Custody Documentation, Third Quarter 1997 Groundwater Monitoring Event
- Appendix B - SVE System Monitoring Data Log Sheets

cc: Susan Hugo, ACHCSA  
Danielle Stefani, LFD

Table 1  
Groundwater Monitoring Data  
Third Quarter 1997

ARCO Service Station 771  
899 Rincon Avenue, Livermore, California

Date: 11-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TOG SM 5520F	TOG SM 5520C	TOG EPA 413.2	TRPH EPA 418.1
		ft-MSL	feet	ft-MSL	feet	MWN	ft/ft		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L
MW-1	08-26-97	451.73	31.53	420.20	ND	NNW	0.042	08-26-97	190	6.7	3	6.3	25	<3	--	--	--	--	--	--
MW-2	08-26-97	449.49	28.38	421.11	ND	NNW	0.042	08-26-97	5300	210	26	140	270	<120 <sup>^</sup>	--	--	--	--	--	--
MW-3	08-26-97	450.28	30.07	420.21	ND	NNW	0.042	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-4	08-26-97	451.09	29.30	421.79	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
MW-5	08-26-97	451.40	29.89	421.51	ND	NNW	0.042	08-26-97	76	4.9	<0.5	1.5	2	9	--	--	--	--	--	--
MW-6	08-26-97	451.37	32.67	418.70	ND	NNW	0.042	08-26-97	1400	61	6	33	10	<12 <sup>^</sup>	--	--	--	--	--	--
MW-7	08-26-97	450.33	30.21	420.12	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
MW-8	08-26-97	449.43	34.00	415.43	ND	NNW	0.042	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-9	08-26-97	449.21	28.28	420.93	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
MW-10	08-26-97	449.22	27.62	421.60	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
MW-11	08-26-97	448.02	33.47	414.55	ND	NNW	0.042	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
RW-1	08-26-97	451.67	31.21	420.46	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl tert-butyl ether

TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

TOG: total oil and grease

SM: standard method

mg/L: milligrams per liter

TRPH: total recoverable petroleum hydrocarbons

ND: none detected

NNW: north-northwest

<sup>^</sup>: method reporting limit was raised due to: (1) high analyte concentration requiring sample dilution, or (2) matrix interference

--: not analyzed or not applicable

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1995 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 11-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-1	03-20-95	451.73	24.50	427.23	ND	NW	0.03	03-20-95	90000	1800	1100	1000	5600	--	--	--	--	--	--	--
MW-1	06-02-95	451.73	25.60	426.13	ND	NNW	0.014	06-03-95	81000	2000	1400	990	4600	--	--	--	--	--	--	--
MW-1	08-23-95	451.73	29.04	422.69	ND	NNW	0.03	08-23-95	44000	2400	1900	670	3800	<300	--	--	--	--	--	--
MW-1	12-04-95	451.73	31.31	420.42	ND	NNW	0.03	12-04-95	22000	870	660	390	2200	--	100	--	--	--	--	--
MW-1	02-20-96	451.73	22.26	429.47	ND	NW	0.016	02-20-96	21000	1500	1200	650	3500	<300	--	--	--	--	--	--
MW-1	05-15-96	451.73	23.42	428.31	ND	NW	0.024	05-15-96	36000	3000	2500	960	5700	<250	--	--	--	--	--	--
MW-1	08-13-96	451.73	26.83	424.90	ND	NNW	0.03	08-13-96	19000	730	580	450	2500	<200^	--	--	--	--	--	--
MW-1	11-13-96	451.73	31.05	420.68	ND	NNW	0.031	11-13-96	6600	47	16	74	160	<30^	--	--	--	--	--	--
MW-1	03-26-97	451.73	26.29	425.44	ND	NNW	0.044	03-27-97	1900	100	55	37	200	<30^	--	--	--	--	--	--
MW-1	05-15-97	451.73	28.65	423.08	ND	NNW	0.031	05-15-97	16000	490	250	250	1100	<120^	--	--	--	--	--	--
MW-1	08-26-97	451.73	31.53	420.20	ND	NNW	0.042	08-26-97	190	6.7	3	6.3	25	<3	--	--	--	--	--	--
MW-2	03-20-95	449.49	20.27	429.22	ND	NW	0.03	03-20-95	54000	2600	1600	1200	7600	--	--	--	--	--	--	--
MW-2	06-02-95	449.49	22.32	427.17	ND	NNW	0.014	06-03-95	37000	2200	800	980	4800	--	--	--	--	--	--	--
MW-2	08-23-95	449.49	25.69	423.80	ND	NNW	0.03	08-23-95	65000	1100	310	840	3000	<500	--	--	--	--	--	--
MW-2	12-04-95	449.49	28.52	420.97	ND	NNW	0.03	12-04-95	19000	680	150	410	1600	--	--	--	--	--	--	--
MW-2	02-20-96	449.49	19.00	430.49	ND	NW	0.016	02-20-96	22000	1200	240	590	2200	<300	--	--	--	--	--	--
MW-2	05-15-96	449.49	20.03	429.46	ND	NW	0.024	05-15-96	25000	1200	240	610	2100	<300	--	--	--	--	--	--
MW-2	08-13-96	449.49	24.44	425.05	ND	NNW	0.03	08-13-96	19000	640	110	420	1200	<300^	--	--	--	--	--	--
MW-2	11-13-96	449.49	28.42	421.07	ND	NNW	0.031	11-13-96	15000	260	52	220	640	<200^	--	--	--	--	--	--
MW-2	03-26-97	449.49	22.98	426.51	ND	NNW	0.044	03-27-97	17000	580	120	360	980	<120^	--	--	--	--	--	--
MW-2	05-15-97	449.49	25.40	424.09	ND	NNW	0.031	05-15-97	18000	420	63	340	730	<120^	--	--	--	--	--	--
MW-2	08-26-97	449.49	28.38	421.11	ND	NNW	0.042	08-26-97	5300	210	26	140	270	<120^	--	--	--	--	--	--

**Table 2**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\***

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 11-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TOG SM 5520F	TOG SM 5520C	TOG EPA 413.2	TRPH EPA 418.1
		ft-MSL	feet	ft-MSL	feet	MWN	ft/ft		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L
MW-3	03-20-95	450.28	22.19	428.09	ND	NW	0.03	03-20-95	94	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	06-02-95	450.28	23.28	427.00	ND	NNW	0.014	06-02-95	72	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	08-23-95	450.28	26.55	423.73	ND	NNW	0.03	08-23-95	98	<0.5	<0.5	<0.6	0.5	<3	--	--	--	--	--	--
MW-3	12-04-95	450.28	29.52	420.76	ND	NNW	0.03	12-04-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	02-20-96	450.28	19.83	430.45	ND	NW	0.016	02-20-96	130	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-3	05-15-96	450.28	21.03	429.25	ND	NW	0.024	05-15-96	120	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-3	08-13-96	450.28	25.67	424.61	ND	NNW	0.03	08-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-3	11-13-96	450.28	21.57	428.71	ND	NNW	0.031	11-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-3	03-26-97	450.28	24.15	426.13	ND	NNW	0.044	03-26-97	<50	1.1	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-3	05-15-97	450.28	26.85	423.43	ND	NNW	0.031	05-15-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-3	08-26-97	450.28	30.07	420.21	ND	NNW	0.042	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-4	03-20-95	451.09	22.68	428.41	ND	NW	0.03	03-20-95	12000	1000	100	450	700	--	--	--	--	--	--	--
MW-4	06-02-95	451.09	24.41	426.68	ND	NNW	0.014	06-02-95	9000	850	56	380	430	--	--	--	--	--	--	--
MW-4	08-23-95	451.09	27.72	423.37	ND	NNW	0.03	08-23-95	5300	400	25	240	170	<100	--	--	--	--	--	--
MW-4	12-04-95	451.09	29.85	421.24	ND	NNW	0.03	12-04-95	6700	100	<10	90	38	--	--	--	--	--	--	--
MW-4	02-20-96	451.09	21.16	429.93	ND	NW	0.016	02-20-96	7000	360	22	180	160	<70	--	--	--	--	--	--
MW-4	05-15-96	451.09	22.18	428.91	ND	NW	0.024	05-15-96	Not sampled: well sampled annually, during the first quarter											
MW-4	08-13-96	451.09	26.20	424.89	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter											
MW-4	11-13-96	451.09	29.72	421.37	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter											
MW-4	03-26-97	451.09	21.86	429.23	ND	NNW	0.044	03-27-97	8900	390	33	200	250	<70*	--	--	--	--	--	--
MW-4	05-15-97	451.09	26.92	424.17	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter											
MW-4	08-26-97	451.09	29.30	421.79	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1995 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 11-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-5	03-20-95	451.40	23.20	428.20	ND	NW	0.03	03-20-95	26000	1300	180	890	2900	--	--	--	--	--	--	--
MW-5	06-02-95	451.40	24.80	426.60	ND	NNW	0.014	06-02-95	39000	940	160	740	1900	--	--	--	--	--	--	--
MW-5	08-23-95	451.40	28.10	423.30	ND	NNW	0.03	08-23-95	14000	490	74	250	890	<300	--	--	--	--	--	--
MW-5	12-04-95	451.40	29.83	421.57	ND	NNW	0.03	12-04-95	7600	230	13	61	80	--	--	--	--	--	--	--
MW-5	02-20-96	451.40	21.63	429.77	ND	NW	0.016	02-20-96	4300	220	12	45	130	<50	--	--	--	--	--	--
MW-5	05-15-96	451.40	22.87	428.53	ND	NW	0.024	05-15-96	2200	380	17	58	84	<40	--	--	--	--	--	--
MW-5	08-13-96	451.40	26.48	424.92	ND	NNW	0.03	08-13-96	1700	150	16	24	35	47	--	--	--	--	--	--
MW-5	11-13-96	451.40	29.68	421.72	ND	NNW	0.031	11-13-96	850	150	11	19	37	66	--	--	--	--	--	--
MW-5	03-26-97	451.40	25.14	426.26	ND	NNW	0.044	03-26-97	2400	440	21	79	210	68	--	--	--	--	--	--
MW-5	05-15-97	451.40	27.38	424.02	ND	NNW	0.031	05-15-97	3900	510	19	140	240	48	--	--	--	--	--	--
MW-5	08-26-97	451.40	29.89	421.51	ND	NNW	0.042	08-26-97	76	4.9	<0.5	1.5	2	9	--	--	--	--	--	--
MW-6	03-20-95	451.37	25.19	426.18	ND	NW	0.03	03-20-95	2600	210	87	82	140	--	--	2000^	--	--	--	1.7
MW-6	06-02-95	451.37	25.75	425.62	ND	NNW	0.014	06-02-95	1600	55	7.9	40	26	--	--	1200^	--	--	--	1
MW-6	08-23-95	451.37	29.53	421.84	ND	NNW	0.03	08-23-95	1400	42	2.5	36	13	<20	--	530^	--	--	--	1.6
MW-6	12-04-95	451.37	32.28	419.09	ND	NNW	0.03	12-04-95	2500	52	5.8	59	13	--	--	1100^	--	--	--	1.5
MW-6	02-20-96	451.37	22.27	429.10	ND	NW	0.016	02-20-96	2500	120	16	73	12	<30	--	--	--	--	--	1.8
MW-6	05-15-96	451.37	23.86	427.51	ND	NW	0.024	05-15-96	2000	71	6.4	47	25	<15	--	--	--	--	--	--
MW-6	08-13-96	451.37	28.55	422.82	ND	NNW	0.03	08-13-96	3800	91	8.2	69	25	<20^	--	--	--	--	--	--
MW-6	11-13-96	451.37	32.04	419.33	ND	NNW	0.031	11-13-96	1900	55	3.3	55	8.5	16	--	--	--	--	--	--
MW-6	03-26-97	451.37	26.84	424.53	ND	NNW	0.044	03-26-97	1800	51	5	32	15	<30^	--	--	--	--	--	--
MW-6	05-15-97	451.37	29.58	421.79	ND	NNW	0.031	05-15-97	2400	46	3	29	9	<12^	--	--	--	--	--	--
MW-6	08-26-97	451.37	32.67	418.70	ND	NNW	0.042	08-26-97	1400	61	6	33	10	<12^	--	--	--	--	--	--

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1995 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 11-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-7	03-20-95	450.33	22.07	428.26	ND	NW	0.03	03-20-95	31000	2300	400	620	2900	--	--	--	--	--	--	--
MW-7	06-02-95	450.33	23.42	426.91	ND	NNW	0.014	06-03-95	40000	1400	280	610	2400	--	--	--	--	--	--	--
MW-7	08-23-95	450.33	27.13	423.20	ND	NNW	0.03	08-23-95	25000	1400	200	600	1600	350	--	--	--	--	--	--
MW-7	12-04-95	450.33	29.45	420.88	ND	NNW	0.03	12-04-95	23000	1100	74	490	720	--	--	--	--	--	--	--
MW-7	02-20-96	450.33	20.25	430.08	ND	NW	0.016	02-20-96	39000	1200	140	640	1800	<400	--	--	--	--	--	--
MW-7	05-15-96	450.33	21.38	428.95	ND	NW	0.024	05-15-96	Not sampled: well sampled annually, during the first quarter											
MW-7	08-13-96	450.33	25.52	424.81	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter											
MW-7	11-13-96	450.33	29.38	420.95	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter											
MW-7	03-26-97	450.33	24.36	425.97	ND	NNW	0.044	03-27-97	35000	1100	180	460	1700	<300^	--	--	--	--	--	--
MW-7	05-15-97	450.33	26.90	423.43	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter											
MW-7	08-26-97	450.33	30.21	420.12	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
MW-8	03-20-95	449.43	24.75	424.68	ND	NW	0.03	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-8	06-02-95	449.43	24.95	424.48	ND	NNW	0.014	06-02-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-8	08-23-95	449.43	30.94	418.49	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-8	12-04-95	449.43	31.99	417.44	ND	NNW	0.03	12-04-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-8	02-20-96	449.43	21.13	428.30	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-8	05-15-96	449.43	21.96	427.47	ND	NW	0.024	05-15-96	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-8	08-13-96	449.43	30.20	419.23	ND	NNW	0.03	08-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-8	11-13-96	449.43	33.24	416.19	ND	NNW	0.031	11-13-96	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-8	03-26-97	449.43	26.85	422.58	ND	NNW	0.044	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-8	05-15-97	449.43	29.69	419.74	ND	NNW	0.031	05-15-97	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-8	08-26-97	449.43	34.00	415.43	ND	NNW	0.042	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1995 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 11-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-9	03-20-95	449.21	19.11	430.10	ND	NW	0.03	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-9	06-02-95	449.21	21.23	427.98	ND	NNW	0.014	06-02-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-9	08-23-95	449.21	24.33	424.88	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-9	12-04-95	449.21	27.90	421.31	ND	NNW	0.03	12-04-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-9	02-20-96	449.21	17.86	431.35	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-9	05-15-96	449.21	18.69	430.52	ND	NW	0.024	05-15-96	Not sampled: well sampled annually, during the first quarter											
MW-9	08-13-96	449.21	24.17	425.04	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter											
MW-9	11-13-96	449.21	28.01	421.20	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter											
MW-9	03-26-97	449.21	22.58	426.63	ND	NNW	0.044	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-9	05-15-97	449.21	25.12	424.09	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter											
MW-9	08-26-97	449.21	28.28	420.93	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
MW-10	03-20-95	449.22	20.96	428.26	ND	NW	0.03	03-20-95	Not sampled: well sampled annually, during the third quarter											
MW-10	06-02-95	449.22	22.15	427.07	ND	NNW	0.014	06-02-95	Not sampled: well sampled annually, during the third quarter											
MW-10	08-23-95	449.22	24.47	424.75	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-10	12-04-95	449.22	26.97	422.25	ND	NNW	0.03	12-04-95	Not sampled: well sampled annually, during the third quarter											
MW-10	02-20-96	449.22	18.40	430.82	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-10	05-15-96	449.22	Not surveyed: vehicle was parked on well						05-15-96	Not sampled: well sampled annually, during the first quarter										
MW-10	08-13-96	449.22	23.70	425.52	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter											
MW-10	11-13-96	449.22	27.15	422.07	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter											
MW-10	03-26-97	449.22	22.23	426.99	ND	NNW	0.044	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-10	05-15-97	449.22	24.57	424.65	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter											
MW-10	08-26-97	449.22	27.62	421.60	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											

**Table 2**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\***

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 11-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-11	03-20-95	448.02	25.02	423.00	ND	NW	0.03	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-11	06-02-95	448.02	23.82	424.20	ND	NNW	0.014	06-02-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	08-23-95	448.02	30.15	417.87	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	12-04-95	448.02	31.63	416.39	ND	NNW	0.03	12-04-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	02-20-96	448.02	20.94	427.08	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	05-15-96	448.02	23.03	424.99	ND	NW	0.024	05-15-96	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	08-13-96	448.02	29.19	418.83	ND	NNW	0.03	08-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	11-13-96	448.02	31.96	416.06	ND	NNW	0.031	11-13-96	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	03-26-97	448.02	26.61	421.41	ND	NNW	0.044	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	05-15-97	448.02	29.39	418.63	ND	NNW	0.031	05-15-97	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	08-26-97	448.02	33.47	414.55	ND	NNW	0.042	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
RW-1	03-20-95	451.67	23.76	427.91	ND	NW	0.03	03-20-95	15000	1000	140	310	950	--	--	--	--	--	--	--
RW-1	06-02-95	451.67	25.12	426.55	ND	NNW	0.014	06-02-95	12000	1300	280	420	1100	--	--	--	--	--	--	--
RW-1	08-23-95	451.67	28.80	422.87	ND	NNW	0.03	08-23-95	8200	520	190	240	610	<50	--	--	--	--	--	--
RW-1	12-04-95	451.67	31.15	420.52	ND	NNW	0.03	12-04-95	2600	140	59	83	210	--	--	--	--	--	--	--
RW-1	02-20-96	451.67	21.45	430.22	ND	NW	0.016	02-20-96	6300	410	160.0	180	650	<40	--	--	--	--	--	--
RW-1	05-15-96	451.67	22.97	428.70	ND	NW	0.024	05-15-96	Not sampled: well sampled annually, during the first quarter											
RW-1	08-13-96	451.67	24.74	426.93	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter											
RW-1	11-13-96	451.67	30.69	420.98	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter											
RW-1	03-26-97	451.67	25.69	425.98	ND	NNW	0.044	03-26-97	500	57	3	6.4	18	54	--	--	--	--	--	--
RW-1	05-15-97	451.67	28.19	423.48	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter											
RW-1	08-26-97	451.67	31.21	420.46	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1995 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 11-12-97

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TOG SM 5520F	TOG SM 5520C	TOG EPA 413.2	TRPH EPA 418.1
		ft-MSL	feet	ft-MSL	feet	MWN	ft/ft		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl tert-butyl ether

TOG: total oil and grease

SM: standard method

mg/L: milligrams per liter

TRPH: total recoverable petroleum hydrocarbons

ND: none detected

NW: northwest

NNW: north-northwest

^: method reporting limit was raised due to: (1) high analyte concentration requiring sample dilution, or (2) matrix interference

--: not analyzed or not applicable

\*: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 771, Livermore, California*, (EMCON, March 1, 1996).

Table 3  
Approximate Cumulative Floating Product Recovered

ARCO Service Station 771  
899 Rincon Avenue, Livermore, California

Date: 11-20-97

Well Designations	Date	Floating Product Recovered gallons
MW-1, MW-2, and MW-5	1991	2.77
MW-1, MW-2, and MW-5	1992	0.29
MW-1, MW-2, and MW-5	1993	0.00
MW-1, MW-2, and MW-5	1994	0.00
MW-1, MW-2, and MW-5	1995	0.00
MW-1, MW-2, and MW-5	1996	0.00
MW-1, MW-2, and MW-5	1997	0.00
1991 to 1997 Total:		3.06

Table 4  
Soil-Vapor Extraction System  
Operation and Performance Data

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California  Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Vapor Treatment Unit: King Buck / 200 cfm Model MMC-6A/E catalytic oxidizer  Start-Up Date: 12-20-94 Operation and Performance Data From: 12-20-94 To: 10-01-97 System was shut down on 10-10-95.
---	--

Date Begin:	12-20-94	01-01-95	02-01-95	07-01-95	08-01-95
Date End:	01-01-95	02-01-95	07-01-95	08-01-95	09-01-95
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	Catalytic	Catalytic
Days of Operation:	11	11	0	8	14
Days of Downtime:	1	20	150	23	17
<b><u>Average Vapor Concentrations (1)</u></b>					
Well Field Influent: ppmv (2) as gasoline	100	<15	NA	54	33
mg/m3 (3) as gasoline	300	<60	NA	218	120
ppmv as benzene	<0.1	<0.1	NA	1.2	0.4
mg/m3 as benzene	<0.5	<0.5	NA	3.6	1.2
System Influent: ppmv as gasoline	<15	NA	NA	48	24
mg/m3 as gasoline	<60	NA	NA	200	87
ppmv as benzene	<0.1	NA	NA	1.2	0.3
mg/m3 as benzene	<0.5	NA	NA	3.8	0.8
System Effluent: ppmv as gasoline	<15	NA	NA	<15	<15
mg/m3 as gasoline	<60	NA	NA	<60	<60
ppmv as benzene	<0.1	NA	NA	<0.1	<0.1
mg/m3 as benzene	<0.5	NA	NA	<0.5	<0.5
Average Well Field Flow Rate (4), scfm (5):	27.3	13.0	0.0	83.3	104.3
Average System Influent Flow Rate (4), scfm:	201.7	180.7	0.0	163.4	170.9
Average Destruction Efficiency (6), percent (7):	NA (13)	NA	NA	70.0 (14)	31.0 (14)
<b><u>Average Emission Rates (8), pounds per day (9)</u></b>					
Gasoline:	1.09	0.97	0.00	0.88	0.92
Benzene:	0.01	0.01	0.00	0.01	0.01
Operating Hours This Period:	<u>275.50</u>	<u>269.23</u>	<u>0.00</u>	<u>195.40</u>	<u>342.12</u>
Operating Hours To Date:	275.5	544.7	544.7	740.1	1082.3
Pounds/ Hour Removal Rate, as gasoline (10):	0.03	0.00	0.00	0.07	0.05
Pounds Removed This Period, as gasoline (11):	<u>8.4</u>	<u>0.8</u>	<u>0.0</u>	<u>13.3</u>	<u>16.0</u>
Pounds Removed To Date, as gasoline:	8.4	9.2	9.2	22.5	38.5
Gallons Removed This Period, as gasoline (12):	<u>1.4</u>	<u>0.1</u>	<u>0.0</u>	<u>2.1</u>	<u>2.6</u>
Gallons Removed To Date, as gasoline:	1.4	1.5	1.5	3.6	6.2

Table 4  
Soil-Vapor Extraction System  
Operation and Performance Data

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California  Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Vapor Treatment Unit: King Buck / 200 cfm Model MMC-6A/E catalytic oxidizer  Start-Up Date: 12-20-94 Operation and Performance Data From: 12-20-94 To: 10-01-97 System was shut down on 10-10-95.
---	--

	09-01-95	10-01-95	01-01-96	04-01-96	07-01-96
Date Begin:	09-01-95	10-01-95	01-01-96	04-01-96	07-01-96
Date End:	10-01-95	01-01-96	04-01-96	07-01-96	10-01-96
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	Catalytic	Catalytic
Days of Operation:	27	0	0	0	0
Days of Downtime:	3	92	91	91	92
<b><u>Average Vapor Concentrations (1)</u></b>					
Well Field Influent: ppmv (2) as gasoline	20	NA	NA	NA	NA
mg/m3 (3) as gasoline	89	NA	NA	NA	NA
ppmv as benzene	<0.1	NA	NA	NA	NA
mg/m3 as benzene	<0.5	NA	NA	NA	NA
System Influent: ppmv as gasoline	18	NA	NA	NA	NA
mg/m3 as gasoline	79	NA	NA	NA	NA
ppmv as benzene	<0.1	NA	NA	NA	NA
mg/m3 as benzene	<0.5	NA	NA	NA	NA
System Effluent: ppmv as gasoline	<15	NA	NA	NA	NA
mg/m3 as gasoline	<60	NA	NA	NA	NA
ppmv as benzene	<0.1	NA	NA	NA	NA
mg/m3 as benzene	<0.5	NA	NA	NA	NA
Average Well Field Flow Rate (4), scfm (5):	84.0	0.0	0.0	0.0	0.0
Average System Influent Flow Rate (4), scfm:	84.0	0.0	0.0	0.0	0.0
Average Destruction Efficiency (6), percent (7):	24.1 (14)	NA	NA	NA	NA
<b><u>Average Emission Rates (8), pounds per day (9)</u></b>					
Gasoline:	0.45	NA	NA	NA	NA
Benzene:	0.00	NA	NA	NA	NA
Operating Hours This Period:	<u>654.88</u>	<u>0.00</u>	<u>0.40</u>	<u>0.00</u>	<u>0.00</u>
Operating Hours To Date:	1737.1	1737.1	1737.5	1737.5	1737.5
Pounds/ Hour Removal Rate, as gasoline (10):	0.03	0.00	0.00	0.00	0.00
Pounds Removed This Period, as gasoline (11):	<u>18.3</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>
Pounds Removed To Date, as gasoline:	56.9	56.9	56.9	56.9	56.9
Gallons Removed This Period, as gasoline (12):	<u>3.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>
Gallons Removed To Date, as gasoline:	9.2	9.2	9.2	9.2	9.2

Table 4  
Soil-Vapor Extraction System  
Operation and Performance Data

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California  Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Vapor Treatment Unit: King Buck / 200 cfm Model MMC-6A/E catalytic oxidizer  Start-Up Date: 12-20-94 Operation and Performance Data From: 12-20-94 To: 10-01-97 System was shut down on 10-10-95.
---	--

	10-01-96	01-01-97	04-01-97	07-01-97
Date Begin:	10-01-96	01-01-97	04-01-97	07-01-97
Date End:	01-01-97	04-01-97	07-01-97	10-01-97
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	Catalytic
Days of Operation:	0	0	0	0
Days of Downtime:	92	90	91	92
<b><u>Average Vapor Concentrations (1)</u></b>				
Well Field Influent: ppmv (2) as gasoline	NA	NA	NA	NA
mg/m3 (3) as gasoline	NA	NA	NA	NA
ppmv as benzene	NA	NA	NA	NA
mg/m3 as benzene	NA	NA	NA	NA
System Influent: ppmv as gasoline	NA	NA	NA	NA
mg/m3 as gasoline	NA	NA	NA	NA
ppmv as benzene	NA	NA	NA	NA
mg/m3 as benzene	NA	NA	NA	NA
System Effluent: ppmv as gasoline	NA	NA	NA	NA
mg/m3 as gasoline	NA	NA	NA	NA
ppmv as benzene	NA	NA	NA	NA
mg/m3 as benzene	NA	NA	NA	NA
Average Well Field Flow Rate (4), scfm (5):	0.0	0.0	0.0	0.0
Average System Influent Flow Rate (4), scfm:	0.0	0.0	0.0	0.0
Average Destruction Efficiency (6), percent (7):	NA	NA	NA	NA
<b><u>Average Emission Rates (8), pounds per day (9)</u></b>				
Gasoline:	NA	NA	NA	NA
Benzene:	NA	NA	NA	NA
Operating Hours This Period:	0.00	0.00	0.00	0.00
Operating Hours To Date:	1737.5	1737.5	1737.5	1737.5
Pounds/ Hour Removal Rate, as gasoline (10):	0.00	0.00	0.00	0.00
Pounds Removed This Period, as gasoline (11):	0.0	0.0	0.0	0.0
Pounds Removed To Date, as gasoline:	56.9	56.9	56.9	56.9
Gallons Removed This Period, as gasoline (12):	0.0	0.0	0.0	0.0
Gallons Removed To Date, as gasoline:	9.2	9.2	9.2	9.2

Table 4  
Soil-Vapor Extraction System  
Operation and Performance Data

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California  Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Vapor Treatment Unit: King Buck / 200 cfm Model MMC-6A/E catalytic oxidizer  Start-Up Date: 12-20-94 Operation and Performance Data From: 12-20-94 To: 10-01-97 System was shut down on 10-10-95.
---	--

CURRENT REPORTING PERIOD:	07-01-97	to	10-01-97
DAYS / HOURS IN PERIOD:	92		2208.0
DAYS / HOURS OF OPERATION:	0		0.0
DAYS / HOURS OF DOWN TIME:	92		2208.0
PERCENT OPERATIONAL:			0.0 %
PERIOD POUNDS REMOVED:	0.0		
PERIOD GALLONS REMOVED:	0.0		
AVERAGE WELL FIELD FLOW RATE (scfm):			0.0
AVERAGE SYSTEM INFLUENT FLOW RATE (scfm):			0.0

1. Average concentrations are based on discrete sample results reported during the month; refer to Appendix B for discrete sample results.
2. ppmv: parts per million by volume
3. mg/m3: milligrams per cubic meter
4. Average flow rates (time weighted average) are based on instantaneous flow rates recorded during the month; refer to Appendix B for instantaneous flow data.
5. scfm: flow in standard cubic feet per minute at one atmosphere and 70 degrees Fahrenheit
6. Average destruction efficiencies are calculated using monthly average concentrations; refer to Appendix B for instantaneous destruction efficiency data.
7. destruction efficiency, percent =  $\frac{(\text{system influent concentration (as gasoline in mg/m}^3) - \text{system effluent concentration (as gasoline in mg/m}^3))}{\text{system influent concentration (as gasoline in mg/m}^3)} \times 100$  percent
8. Average emission rates are calculated using monthly average concentrations and flow rates; refer to Appendix B for instantaneous emission rate data.
9. emission rates (pounds per day) = system effluent concentration (as gasoline or benzene in mg/m<sup>3</sup>) x system influent flow rate (scfm) x 0.02832 m<sup>3</sup>/ft<sup>3</sup> x 1440 minutes/day x 1 pound/454,000 mg
10. pounds/ hour removal rate (as gasoline) = well field influent concentration (as gasoline in mg/m<sup>3</sup>) x well field influent flow rate (scfm) x 0.02832 m<sup>3</sup>/ft<sup>3</sup> x 60 minutes/hour x 1 pound/454,000 mg
11. pounds removed this period (as gasoline) = pounds/ hour removal rate x hours of operation
12. gallons removed this period (as gasoline) = pounds removed this period (as gasoline) x 0.1613 gallons/pound of gasoline
13. NA: not analyzed, not available, or not applicable
14. Although the destruction efficiency appeared to be less than 90 percent, laboratory analytical results collected during this period indicate the effluent TVHG and benzene concentrations in off-gas discharged to the atmosphere were below laboratory detection limits, indicating compliance with BAAQMD discharge requirements.

Table 5  
Soil-Vapor Extraction Well Data

ARCO Service Station 771  
899 Rincon Avenue, Livermore, California

Date: 11-18-97

Date	Well Identification											
	VW-1			MW-1			MW-2			MW-4		
	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response	Valve Position	TVHG	Vacuum Response
		ppmv	in-H2O		ppmv	in-H2O		ppmv	in-H2O		ppmv	in-H2O
For SVE well monitoring data prior to January 1, 1996, please refer to the fourth quarter 1995 groundwater monitoring report for this site.												
02-08-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
02-14-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
03-22-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
04-09-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
05-17-96	closed	NA	NA	closed	NA	NA	closed	NA	NA	closed	NA	NA
06-07-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
06-25-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
07-10-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
08-05-96	closed	NA	NA	closed	NA	NA	closed	NA	NA	closed	NA	NA
11-14-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
01-17-97	closed	NA	NA	closed	NA	NA	closed	NA	NA	closed	NA	NA
05-19-97	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
06-23-97	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
07-14-97	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
08-18-97	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
08-27-97	closed	NA	NA	closed	NA	NA	closed	NA	NA	closed	NA	NA
09-16-97	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
TVHG: concentration of total volatile hydrocarbons as gasoline ppmv: parts per million by volume in-H2O: inches of water open: open to the system open (b): open to the system and bubbling air at 1 scfm per well passive: open to the atmosphere closed: closed to the system and atmosphere closed (b): closed to the system and atmosphere, but bubbling air at 1 scfm per well NA: not analyzed or not measured FID: TVHG concentration was measured with a portable flame ionization detector LAB: TVHG concentration was analyzed in the laboratory												

Table 5  
Soil-Vapor Extraction Well Data

ARCO Service Station 771  
899 Rincon Avenue, Livermore, California

Date: 11-18-97

Date	Well Identification						
	MW-5			MW-7			Bubbler-Only Well
	Valve Position	TVHG ppmv	Vacuum Response in-H2O	Valve Position	TVHG ppmv	Vacuum Response in-H2O	RW-1
For SVE well monitoring data prior to January 1, 1996, please refer to the fourth quarter 1995 groundwater monitoring report for this site.							
02-08-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
02-14-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
03-22-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
04-09-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
05-17-96	closed	NA	NA	closed	NA	NA	
06-07-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
06-25-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
07-10-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
08-05-96	closed	NA	NA	closed	NA	NA	
11-14-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
01-17-97	closed	NA	NA	closed	NA	NA	
05-19-97	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
06-23-97	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
07-14-97	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
08-18-97	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
08-27-97	closed	NA	NA	closed	NA	NA	
09-16-97	closed (b)	NA	NA	closed (b)	NA	NA	bubbling

TVHG: concentration of total volatile hydrocarbons as gasoline  
 ppmv: parts per million by volume  
 in-H2O: inches of water  
 open: open to the system  
 open (b): open to the system and bubbling air at 1 scfm per well  
 passive: open to the atmosphere  
 closed: closed to the system and atmosphere  
 closed (b): closed to the system and atmosphere, but bubbling air at 1 scfm per well  
 NA: not analyzed or not measured  
 FID: TVHG concentration was measured with a portable flame ionization detector  
 LAB: TVHG concentration was analyzed in the laboratory

Table 6  
Air-Bubbling System  
Operation and Performance Data

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California	Air-Bubbling Unit: 3-horsepower Conde blower
Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Start-Up Date: 07-12-96 Operation and Performance Data From: 07-12-96 To: 10-01-97

Date:	Before start-up	07-12-95	08-29-95	09-18-95	09-18-95	10-10-95
Air-Bubbling Well Status:	See Table 5 for the status of the 7 air-bubbling wells.					
Air-Bubbling Pressure (psig) (1):	0.0	10.0	8.0	8.0	0.0	0.0
Air-Bubbling Flow Rate (scfm) (2):	-- (4)	--	--	--	--	--
Dissolved Oxygen (ppm) (3):						
Air-Bubbling Wells: VW-1	1.0	--	--	--	--	7.8
MW-1	1.0	--	--	--	--	8.4
MW-2	0.9	--	--	--	--	7.9
MW-4	0.9	--	--	--	--	5.3
MW-5	1.1	--	--	--	--	8.9
MW-7	1.0	--	--	--	--	7.9
RW-1	0.8	--	--	--	--	6.4

Table 6  
Air-Bubbling System  
Operation and Performance Data

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California	Air-Bubbling Unit: 3-horsepower Conde blower
Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Start-Up Date: 07-12-96 Operation and Performance Data From: 07-12-96 To: 10-01-97

Date:	12-19-95	01-19-96	02-08-96 (5)	02-14-96	02-26-96	03-22-96
Air-Bubbling Well Status:	See Table 5 for the status of the 7 air-bubbling wells.					
Air-Bubbling Pressure (psig):	--	--	11.0	10.0	9.0	--
Air-Bubbling Flow Rate (scfm) (3):	--	--	--	--	--	--
Dissolved Oxygen (ppm) (4):						
Air-Bubbling Wells: VW-1	0.2	0.8	--	8.9	--	9.2
MW-1	0.4	0.9	--	8.8	--	9.0
MW-2	0.4	0.9	--	9.3	--	8.8
MW-4	0.4	0.9	--	8.9	--	8.6
MW-5	0.9	1.8	--	9.1	--	8.4
MW-7	0.3	1.0	--	9.0	--	8.2
RW-1	--	--	--	--	--	--

Table 6  
Air-Bubbling System  
Operation and Performance Data

Facility Number: 771	Air-Bubbling Unit:					
Location: 899 Rincon Avenue Livermore, California	3-horsepower Conde blower					
Consultant: EMCON	Start-Up Date: 07-12-96					
1921 Ringwood Avenue	Operation and Performance Data From: 07-12-96					
San Jose, California	To: 10-01-97					

Date:	04-09-96	05-15-96	05-17-96	06-07-96	07-10-96	08-05-96
Air-Bubbling Well Status:	See Table 5 for the status of the 7 air-bubbling wells.					
Air-Bubbling Pressure (psig):	--	--	8.0	8.0	8.0	8.0
Air-Bubbling Flow Rate (scfm) (3):	--	--	10.9	10.9	10.9	10.9
Dissolved Oxygen (ppm) (4):						
Air-Bubbling Wells: VW-1	8.7	1.5	--	--	2.5	1.0
MW-1	8.7	1.0	--	--	2.2	2.0
MW-2	8.9	1.5	--	--	2.1	1.5
MW-4	9.0	<1.0	--	--	2.0	1.5
MW-5	9.2	<1.0	--	--	4.9	1.5
MW-7	9.0	1.0	--	--	5.2	1.0
RW-1	--	<1.0	--	--	4.8	1.0

Table 6  
Air-Bubbling System  
Operation and Performance Data

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California	Air-Bubbling Unit: 3-horsepower Conde blower
Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Start-Up Date: 07-12-96 Operation and Performance Data From: 07-12-96 To: 10-01-97

Date:	11-14-96	01-17-97	02-26-97	03-26-97	04-25-97	05-19-97
-------	----------	----------	----------	----------	----------	----------

Air-Bubbling Well Status: See Table 5 for the status of the 7 air-bubbling wells.

Air-Bubbling Pressure (psig):	--	8.0	8.0	8.0	8.0	8.0
-------------------------------	----	-----	-----	-----	-----	-----

Air-Bubbling Flow Rate (scfm) (3):	--	10.9	10.9	10.9	10.9	10.9
------------------------------------	----	------	------	------	------	------

Dissolved Oxygen (ppm) (4):						
Air-Bubbling Wells: VW-1	--	--	--	--	--	--
MW-1	1.5	--	--	3.7	--	0.5
MW-2	1.5	--	--	1.2	--	0.6
MW-4	--	--	--	1.0	--	2.0
MW-5	0.5	--	--	1.3	--	0.4
MW-7	--	--	--	0.9	--	--
RW-1	--	--	--	1.7	--	--

Table 6  
Air-Bubbling System  
Operation and Performance Data

Facility Number: 771	Air-Bubbling Unit:
Location: 899 Rincon Avenue Livermore, California	3-horsepower Conde blower
Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Start-Up Date: 07-12-96 Operation and Performance Data From: 07-12-96 To: 10-01-97

Date:	06-23-97	07-14-97	08-18-97	08-27-97	09-16-97
Air-Bubbling Well Status:	See Table 5 for the status of the 7 air-bubbling wells.				
Air-Bubbling Pressure (psig):	8.0	8.0	8.0	8.0	8.0
Air-Bubbling Flow Rate (scfm) (3):	10.9	10.9	10.9	10.9	10.9
Dissolved Oxygen (ppm) (4):					
Air-Bubbling Wells: VW-1	--	--	--	--	--
MW-1	--	--	--	--	--
MW-2	--	--	--	--	--
MW-4	--	--	--	--	--
MW-5	--	--	--	--	--
MW-7	--	--	--	--	--
RW-1	--	--	--	--	--

Table 6  
Air-Bubbling System  
Operation and Performance Data

---



---

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California  Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Air-Bubbling Unit: 3-horsepower Conde blower  Start-Up Date: 07-12-96 Operation and Performance Data From: 07-12-96 To: 10-01-97
---	---


---



---

CURRENT REPORTING PERIOD:	07-01-97	to	10-01-97
DAYS / HOURS IN PERIOD:	92		2208
DAYS / HOURS OF OPERATION:	92		2208.0
DAYS / HOURS OF DOWN TIME:	0		0
PERCENT OPERATIONAL:			100.0 %


- 
1. psig: pounds per square inch gauge
  2. scfm: standard cubic feet per minute at 14.7 psi and 70° F
  3. ppm: parts per million
  4. - - : not analyzed, not applicable, or not available
  5. On February 8, 1996 a timer was installed on the air-bubbling system.  
 Since February 8, 1996, the air bubbling system has been pulsed hourly.
-



EA-SANJOSE-CAD/DRAWINGS: I:\02002\SITELOC.dwg Xrefs: <NONE>  
 Scale: 1 = 1.00 DimScale: 1 = 1.00 Date: 3/12/97 Time: 5:19 PM Operator: KAJ




Base map from USGS 7.5' Quad. Map:  
Livermore, California. Photorevised 1980.




DATE NOV. 1997  
 DWN KAJ  
 APP \_\_\_\_\_  
 REV \_\_\_\_\_  
 PROJECT NO.  
 805-122.004

**FIGURE 1**  
 ARCO PRODUCTS COMPANY  
 SERVICE STATION 771, 899 RINCON AVENUE  
 LIVERMORE, CALIFORNIA  
**QUARTERLY GROUNDWATER MONITORING  
 SITE LOCATION**

EA-SANJOSE-CAD/DRAWINGS: G:\805-122\SJGWELEY.dwg Xrefs: <NONE>  
 Scale: 1 = 40.00 DimScale: 1 = 40.00 Date: 11/14/97 Time: 4:57 PM Operator: KAJ



EXPLANATION	
⊙	Groundwater monitoring well
●	Vapor extraction well
○	Former underground gasoline storage tank
⋯	Existing underground gasoline storage tank
(420.93)	Groundwater elevation (Ft.-MSL) measured 8/26/97
---	Groundwater elevation contour (Ft.-MSL)
5,300 / 210	TPHG concentration in groundwater (ug/L); sampled 8/26/97
76 / 4.9	Benzene concentration in groundwater (ug/L); sampled 8/26/97
ND	Not detected at or above the method reporting limit for TPHG (50 ug/L) and benzene (0.5 ug/L)
NS	Not sampled; not scheduled for chemical analysis



DATE NOV. 1997  
 DWN KAJ  
 APP \_\_\_\_\_  
 REV \_\_\_\_\_  
 PROJECT NO. 805-122.004

**FIGURE 2**  
 ARCO PRODUCTS COMPANY  
 SERVICE STATION 771, 899 RINCON AVE.  
 LIVERMORE, CALIFORNIA  
**QUARTERLY GROUNDWATER MONITORING  
 GROUNDWATER DATA - 3RD QUARTER 1997**

**APPENDIX A**

**ANALYTICAL RESULTS AND CHAIN OF CUSTODY  
DOCUMENTATION, THIRD QUARTER 1997  
GROUNDWATER MONITORING EVENT**



September 10, 1997

Service Request No.: S9701640

Gary Messerotes  
EMCON  
1921 Ringwood Avenue  
San Jose, CA 95131

**RE: 20805-129.004/TO#21133.00/771 LIVERMORE**

Dear Mr. Messerotes:

The following pages contain analytical results for sample(s) received by the laboratory on August 26, 1997. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 15, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

A handwritten signature in black ink, appearing to read "Steven L. Green". The signature is fluid and cursive, with the first name being the most prominent.

Steven L. Green  
Project Chemist

A handwritten signature in black ink, appearing to read "Bernadette L. Cox for". The signature is cursive and includes the word "for" at the end.

Greg Anderson  
Regional QA Coordinator

**COLUMBIA ANALYTICAL SERVICES, Inc.**

**Acronyms**

<b>A2LA</b>	American Association for Laboratory Accreditation
<b>ASTM</b>	American Society for Testing and Materials
<b>BOD</b>	Biochemical Oxygen Demand
<b>BTEX</b>	Benzene, Toluene, Ethylbenzene, Xylenes
<b>CAM</b>	California Assessment Metals
<b>CARB</b>	California Air Resources Board
<b>CAS Number</b>	Chemical Abstract Service registry Number
<b>CFC</b>	Chlorofluorocarbon
<b>CFU</b>	Colony-Forming Unit
<b>COD</b>	Chemical Oxygen Demand
<b>DEC</b>	Department of Environmental Conservation
<b>DEQ</b>	Department of Environmental Quality
<b>DHS</b>	Department of Health Services
<b>DLCS</b>	Duplicate Laboratory Control Sample
<b>DMS</b>	Duplicate Matrix Spike
<b>DOE</b>	Department of Ecology
<b>DOH</b>	Department of Health
<b>EPA</b>	U. S. Environmental Protection Agency
<b>ELAP</b>	Environmental Laboratory Accreditation Program
<b>GC</b>	Gas Chromatography
<b>GC/MS</b>	Gas Chromatography/Mass Spectrometry
<b>IC</b>	Ion Chromatography
<b>ICB</b>	Initial Calibration Blank sample
<b>ICP</b>	Inductively Coupled Plasma atomic emission spectrometry
<b>ICV</b>	Initial Calibration Verification sample
<b>J</b>	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
<b>LCS</b>	Laboratory Control Sample
<b>LUFT</b>	Leaking Underground Fuel Tank
<b>M</b>	Modified
<b>MBAS</b>	Methylene Blue Active Substances
<b>MCL</b>	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
<b>MDL</b>	Method Detection Limit
<b>MPN</b>	Most Probable Number
<b>MRL</b>	Method Reporting Limit
<b>MS</b>	Matrix Spike
<b>MTBE</b>	Methyl tert-Butyl Ether
<b>NA</b>	Not Applicable
<b>NAN</b>	Not Analyzed
<b>NC</b>	Not Calculated
<b>NCASI</b>	National Council of the paper industry for Air and Stream Improvement
<b>ND</b>	Not Detected at or above the method reporting/detection limit (MRL/MDL)
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTU</b>	Nephelometric Turbidity Units
<b>ppb</b>	Parts Per Billion
<b>ppm</b>	Parts Per Million
<b>PQL</b>	Practical Quantitation Limit
<b>QA/QC</b>	Quality Assurance/Quality Control
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>RPD</b>	Relative Percent Difference
<b>SIM</b>	Selected Ion Monitoring
<b>SM</b>	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
<b>STLC</b>	Solubility Threshold Limit Concentration
<b>SW</b>	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TDS</b>	Total Dissolved Solids
<b>TPH</b>	Total Petroleum Hydrocarbons
<b>tr</b>	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
<b>TRPH</b>	Total Recoverable Petroleum Hydrocarbons
<b>TSS</b>	Total Suspended Solids
<b>TTLC</b>	Total Threshold Limit Concentration
<b>VOA</b>	Volatile Organic Analyte(s)

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** 8/26/97  
**Date Received:** 8/26/97

BTEX, MTBE and TPH as Gasoline

**Sample Name:** MW-5(40)  
**Lab Code:** S9701640-001  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/29/97	76	
Benzene	EPA 5030	8020	0.5	1	NA	8/29/97	4.9	
Toluene	EPA 5030	8020	0.5	1	NA	8/29/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/29/97	1.5	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/29/97	2.0	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/29/97	9	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** 8/26/97  
**Date Received:** 8/26/97

BTEX, MTBE and TPH as Gasoline

**Sample Name:** MW-11(38)  
**Lab Code:** S9701640-002  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/28/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/28/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** 8/26/97  
**Date Received:** 8/26/97

BTEX, MTBE and TPH as Gasoline

**Sample Name:** MW-8(35)  
**Lab Code:** S9701640-003  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/28/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/28/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** 8/26/97  
**Date Received:** 8/26/97

BTEX, MTBE and TPH as Gasoline

**Sample Name:** MW-3(38)  
**Lab Code:** S9701640-004  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/28/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/28/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** 8/26/97  
**Date Received:** 8/26/97

BTEX, MTBE and TPH as Gasoline

**Sample Name:** MW-1(36)  
**Lab Code:** S9701640-005  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/29/97	190	
Benzene	EPA 5030	8020	0.5	1	NA	8/29/97	6.7	
Toluene	EPA 5030	8020	0.5	1	NA	8/29/97	3.0	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/29/97	6.3	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/29/97	25	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/29/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** 8/26/97  
**Date Received:** 8/26/97

BTEX, MTBE and TPH as Gasoline

**Sample Name:** MW-2(37)  
**Lab Code:** S9701640-006  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	40	NA	8/29/97	5300	
Benzene	EPA 5030	8020	0.5	40	NA	8/29/97	210	
Toluene	EPA 5030	8020	0.5	40	NA	8/29/97	26	
Ethylbenzene	EPA 5030	8020	0.5	40	NA	8/29/97	140	
Xylenes, Total	EPA 5030	8020	0.5	40	NA	8/29/97	270	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	40	NA	8/29/97	<120	C1

C1                      The MRL was elevated due to high analyte concentration requiring sample dilution.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** 8/26/97  
**Date Received:** 8/26/97

BTEX, MTBE and TPH as Gasoline

**Sample Name:** MW-6(43)  
**Lab Code:** S9701640-007  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	4	NA	8/29/97	1400	
Benzene	EPA 5030	8020	0.5	4	NA	8/29/97	61	
Toluene	EPA 5030	8020	0.5	4	NA	8/29/97	6	
Ethylbenzene	EPA 5030	8020	0.5	4	NA	8/29/97	33	
Xylenes, Total	EPA 5030	8020	0.5	4	NA	8/29/97	10	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	4	NA	8/29/97	<12	C1

C1                      The MRL was elevated due to high analyte concentration requiring sample dilution.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** NA  
**Date Received:** NA

BTEX, MTBE and TPH as Gasoline

**Sample Name:** Method Blank  
**Lab Code:** S970828-WB1  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/28/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/28/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/28/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** NA  
**Date Received:** NA

BTEX, MTBE and TPH as Gasoline

**Sample Name:** Method Blank  
**Lab Code:** S970829-WB1  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/29/97	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/29/97	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/29/97	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/29/97	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/29/97	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/29/97	ND	

**COLUMBIA ANALYTICAL SERVICES, INC.**

**QA/QC Report**

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** NA  
**Date Received:** NA  
**Date Extracted:** NA  
**Date Analyzed:** NA

**Surrogate Recovery Summary  
 BTEX, MTBE and TPH as Gasoline**

**Prep Method:** EPA 5030  
**Analysis Method:** 8020 CA/LUFT

**Units:** PERCENT  
**Basis:** NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-5(40)	S9701640-001		104	86
MW-11(38)	S9701640-002		104	86
MW-8(35)	S9701640-003		104	88
MW-3(38)	S9701640-004		102	89
MW-1(36)	S9701640-005		103	81
MW-2(37)	S9701640-006		100	93
MW-6(43)	S9701640-007		93	105
BATCH QC	S9701615-006MS		110	83
BATCH QC	S9701615-006DMS		108	87
Method Blank	S970828-WB1		99	84
Method Blank	S970829-WB1		107	80

**CAS Acceptance Limits:**                      69-116                      69-116

**COLUMBIA ANALYTICAL SERVICES, INC.**

QA/QC Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE  
**Sample Matrix:** Water

**Service Request:** S9701640  
**Date Collected:** NA  
**Date Received:** NA  
**Date Extracted:** NA  
**Date Analyzed:** 8/28/97

Matrix Spike/Duplicate Matrix Spike Summary  
 BTE

**Sample Name:** BATCH QC Units: ug/L (ppb)  
**Lab Code:** S9701615-006MS, S9701615-006DMS Basis: NA  
**Test Notes:**

Analyte	Prep Method	Analysis Method	Percent Recovery									
			Spike Level		Sample Result	Spike Result		CAS Acceptance		Relative Percent Difference		
			MRL	MS		DMS	MS	DMS	MS		DMS	Limits
Benzene	EPA 5030	8020	0.5	25	25	ND	29	27	116	108	75-135	7
Toluene	EPA 5030	8020	0.5	25	25	ND	30	28	120	112	73-136	7
Ethylbenzene	EPA 5030	8020	0.5	25	25	ND	31	29	124	116	69-142	7

**COLUMBIA ANALYTICAL SERVICES, INC.**

QA/QC Report

**Client:** ARCO Products Company  
**Project:** 20805-129.004/TO#21133.00/771 LIVERMORE

**Service Request:** S9701640  
**Date Analyzed:** 8/28/97

Initial Calibration Verification (ICV) Summary  
 BTEX, MTBE and TPH as Gasoline

**Sample Name:** ICV **Units:** ug/L (ppb)  
**Lab Code:** ICV1 **Basis:** NA  
**Test Notes:**

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS	Percent Recovery	Result Notes
					Percent Recovery Acceptance Limits		
TPH as Gasoline	EPA 5030	CA/LUFT	250	260	90-110	104	
Benzene	EPA 5030	8020	25	26	85-115	104	
Toluene	EPA 5030	8020	25	27	85-115	108	
Ethylbenzene	EPA 5030	8020	25	28	85-115	112	
Xylenes, Total	EPA 5030	8020	75	84	85-115	112	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	24	85-115	96	

ARCO Facility no. <b>771</b>	City (Facility) <b>Livermore</b>	Project manager (Consultant) <b>Gary Messerotes</b>	Laboratory name <b>CAS</b>
ARCO engineer <b>Paul Supple</b>	Telephone no. (ARCO) <b>—</b>	Telephone no. (Consultant) <b>(408) 453-7300</b>	Contract number <b>—</b>
Consultant name <b>EMCON</b>	Address (Consultant) <b>1921 RINGWOOD AVE, SAN JOSE, CA 95131</b>		
		Fax no. (Consultant) <b>(408) 453-0452</b>	

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX EPA 8020	BTEX/TPH/VOCs/MHCs EPA 8021/8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM509E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCCLP Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	Semi Metals EPA 601/7000 TTLC <input type="checkbox"/> STLC <input type="checkbox"/>	Lead Org./DHS <input type="checkbox"/> Lead EPA 7420/7421 <input type="checkbox"/>	
			Soil	Water	Other	Ice	Acid														
MW-5(40)	1	2		X		X	HCL	8/26/97	1145		X										
MW-11(38)	2	2		X		X	HCL	8/26/97	1045		X										
MW-8(35)	3	2		X		X	HCL	8/26/97	1015		X										
MW-3(38)	4	2		X		X	HCL	8/26/97	0955		X										
MW-1(36)	5	2		X		X	HCL	8/26/97	1215		X										
MW-2(37)	6	2		X		X	HCL	8/26/97	1250		X										
MW-6(43)	7	2		X		X	HCL	8/26/97	1115		X										

Method of shipment  
**Sampler will deliver**

Special detection Limit/reporting  
**Lowest possible**

Special QA/QC  
**As Normal**

Remarks  
**2-40 ml VOA's**  
**#20805-129.004**

Lab number  
**S9701640**

Turnaround time  
Priority Rush 1 Business Day   
Rush 2 Business Days   
Expedited 5 Business Days   
Standard 10 Business Days

Condition of sample:				Temperature received:			
Relinquished by sampler <b>M. K. [Signature]</b>	Date <b>8/26/97</b>	Time <b>1440</b>	Received by <b>Kristina Soulen</b>	Date <b>CAS 8/26/97</b>	Time <b>1440</b>		
Relinquished by	Date	Time	Received by				
Relinquished by	Date	Time	Received by laboratory	Date	Time		

**APPENDIX B**  
**SVE SYSTEM MONITORING DATA LOG SHEETS**





