

Jakub, Barbara, Env. Health

From: Peter Cusack [pjcusack@treadwellrollo.com]
Sent: Thursday, April 28, 2011 10:01 AM
To: Jakub, Barbara, Env. Health
Subject: RE: 5812 Hollis Street

Thanks Barbara....I know about the closure process...our client just wants a verbal/email saying that we performed the work for closure of the tanks..

Thanks again
Peter

From: Jakub, Barbara, Env. Health [<mailto:barbara.jakub@acgov.org>]
Sent: Thursday, April 28, 2011 9:31 AM
To: Peter Cusack
Subject: RE: 5812 Hollis Street

I'm waiting for the results. Once we speak hopefully I can give you the approval to do the work but closure is a process. It takes some time to put together the closure documents and review (as I'm sure we discussed before).

From: Peter Cusack [<mailto:pjcusack@treadwellrollo.com>]
Sent: Thursday, April 28, 2011 9:02 AM
To: Jakub, Barbara, Env. Health
Subject: 5812 Hollis Street

Hi Barbara,

I just wanted to let you know that are finishing up with our verification sampling and that early next week (Monday or Tuesday I expect) I will be sending you memorandum including summary tables, a sampling location plan, and the certified analytical results for your review. After your review, if we could have a conference call to discuss and hopefully we can close the UST case at the site.

Thanks and please contact me if you have any questions/comments.
Peter

Peter J. Cusack, REA
Treadwell & Rollo | A Langan Company
Environmental & Geotechnical Consultants
555 Montgomery, Suite 1300
San Francisco, CA 94111
office (415) 955-9040
fax (415) 955-9041
<http://www.treadwellrollo.com/>

This information is intended solely for use by the individual or entity named as the recipient hereof and may be an attorney work product that is privileged and confidential or it may contain confidential company information. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of the contents of this transmission is prohibited. If you have received this communication in error, please notify us immediately by return e-

mail or by e-mail to info@treadwellrollo.com, and destroy this communication and all copies thereof, including attachments.

This electronic transmission may contain confidential, proprietary or privileged information. No confidentiality or privilege is intended to be waived or lost by erroneous transmission of this message. If you receive this message in error, please notify the sender immediately by return email and delete this message from your system. Disclosure, use, distribution or copying of this message, any attachments thereto or their contents is strictly prohibited.

This electronic transmission may contain confidential, proprietary or privileged information. No confidentiality or privilege is intended to be waived or lost by erroneous transmission of this message. If you receive this message in error, please notify the sender immediately by return email and delete this message from your system. Disclosure, use, distribution or copying of this message, any attachments thereto or their contents is strictly prohibited.