



December 14, 2005

RECEIVED

By loprojectop at 4:30 pm, Feb 28, 2006

Mr. Barney Chan
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

**Subject: Quarterly Groundwater Monitoring Report
3rd and 4th Quarters, 2005**
245 8th Street
Oakland, California 94607
AEI Project No. 9482
ACHCSA Case No. RO0000202 / State ID 263

Dear Mr. Chan:

Enclosed is one electronic copy of the 3rd and 4th Quarters, 2005 Quarterly Groundwater Monitoring Report for the subject facility.

If you have any questions or comments, please don't hesitate to contact me or Peter McIntyre at (925) 283-6000.

Sincerely,
AEI Consultants

A handwritten signature in blue ink, appearing to read 'Ricky Bradford'.

Ricky Bradford
Senior Staff Engineer

RECEIVED

By loprojectop at 4:31 pm, Feb 28, 2006

December 14, 2005

GROUNDWATER MONITORING REPORT
3rd and 4th Quarters, 2005

245 8th Street
Oakland, California 94607

AEI Project No. 9482
ACHCSA Case No. RO0000202 / State ID 263

Prepared For

Mr. Vic Lum
Vic's Automotive
245 8th Street
Oakland, CA 94607

Prepared By

AEI Consultants
2500 Camino Diablo Blvd., Suite 200
Walnut Creek, California 94597
(925) 283-6000



December 14, 2005

Mr. Vic Lum
Vic's Automotive
245 8th Street
Oakland, CA 94607

**Subject: Quarterly Groundwater Monitoring Report
3rd and 4th Quarters, 2005**
245 8th Street
Oakland, California 94607
AEI Project No. 9482
ACHCSA Case No. RO0000202 / State ID 263

Dear Mr. Lum:

AEI Consultants (AEI) has prepared this report to document the continued groundwater investigation at the above referenced site (Figure 1: Site Location Map). This work is being performed in accordance with the requirements of the Alameda County Health Care Services Agency (ACHCSA) to document the groundwater quality associated with the release of fuel hydrocarbons from the former underground storage tank system. This report presents the findings of the 3rd and 4th quarter 2005 events of groundwater monitoring and sampling for the twelve on-site wells conducted on August 5 and November 9, 2005, respectively. This report also includes the monitoring well survey data (Appendix C) with tables and figures updated to reflect the new top of well casing elevations

Site Description and Background

The subject property (hereafter referred to as the "site" or "property") is located in a mixed commercial and residential area of Oakland. The site is a lot on the south corner of Alice Street and 8th Street, and is currently developed with a gasoline station and auto repair facility. Refer to Figure 2 for a depiction of the site.

Between June 1993 and August 1994, AEI removed a total of seven (7) underground storage tanks (USTs) from the property. The tanks consisted of four (4) 1,000-gallon and two (2) 6,000-gallon gasoline tanks and one (1) 250-gallon waste oil tank. The former locations of the tanks are shown on Figure 2. Impacted soil was removed from beneath the former tank area. Groundwater was encountered beneath the former 6,000-gallon tanks. Light non-aqueous phase liquid (LNAPL) was observed on the water table beneath the southern tank. The excavated soil was transported to an appropriate disposal facility and the excavation was backfilled with clean fill material. A new tank system was installed just west of the dispenser island.

Two groundwater monitoring wells (MW-1 and MW-2) were installed in July 1995. The first two episodes of monitoring revealed total petroleum hydrocarbons as gasoline (TPH-g) and Benzene up to 210,000 µg/L and 720 µg/L, respectively, in MW-2. Free phase gasoline product (LNAPL), was discovered in MW-1, which ranged from 1.20 to 4.39 feet thick between December 1995 and March 1996.

Three soil borings (SB-1 through SB-3) were advanced in August 1996. Groundwater samples collected from each of the borings contained TPH-g and Benzene ranging from 120,000 to 140,000 µg/L, and from 12,000 to 19,000 µg/L, respectively. Methyl tertiary-butyl ether (MTBE) was also present in all three samples, up to 27,000 µg/L. Although free phase product was not observed in the field, qualitative laboratory observations indicated immiscible sheen. Manual bailing and pumping of NAPL from MW-1, and monitoring of MW-2 occurred intermittently through 1997.

Two additional groundwater monitoring wells (MW-3 and MW-4) were installed in May 2001. Refer to Tables 1 and 2 for data collected from these wells. A free phase product recovery pump was installed in MW-1 in June 2001. Fourteen (14) additional soil borings were performed on and offsite in 2003, from which soil, groundwater, and soil vapor samples were collected to further characterize the extent of the release.

On January 11, 19, and 20, 2005, AEI installed a total of six (6) additional wells, three (3) extraction/monitoring wells on the subject site and three (3) extraction/monitoring wells at 708 Alice Street. The locations of the six (6) additional wells (labeled MW-5 through MW-7 and MW-10 through MW-12) are shown on Figure 2.

On July 11, 2004, a 5-day high vacuum dual phase extraction event was performed at the site using wells MW-1 through MW-3 and MW-10 through MW-12. The results are presented in AEI's *High Vacuum Dual Phase Extraction Event Report* (February 2006).

Summary of Monitoring Activities

Monitoring and sampling activities for the two quarters were performed on August 5 and November 9, 2005. The well locations are shown on Figure 2. After opening the well caps and allowing water levels to equilibrate with atmospheric pressure, the depth to static groundwater from the top of the well casings was measured prior to sampling with an electric water level indicator. An oil-water interface meter was used to measure thickness of free phase product observed in MW-1, MW-6 and MW-7 for the two monitoring events. The seven (7) wells with no measurable thickness of free product (MW-2 through MW-5 and MW-10 through MW-12) were purged of at least three well volumes of water with a submersible purge pump. During well purging, the following water quality parameters were measured: temperature, pH, specific conductivity, dissolved oxygen (DO), and oxidation-reduction potential (ORP); turbidity was

visually noted. Once water levels recovered to at least 90% of their original levels, groundwater samples were collected.

Groundwater samples were collected with new, unused disposable bailers into 40-milliliter (mL) volatile organic analysis (VOA) vials. The vials were capped so that neither visible head space nor air bubbles were present within the sample containers. The samples were preserved on ice and transported under chain of custody to McCampbell Analytical, Inc. of Pacheco, California (Department of Health Services Certification #1644).

For each monitoring event, seven (7) groundwater samples collected were analyzed for TPH-g (EPA method 8015C), Benzene, Toluene, Ethylbenzene, and total Xylenes (BTEX) (EPA method 8021B), and MTBE (EPA method 8021B).

Field Results

For the 3rd quarter monitoring event, free product was encountered in wells MW-1, MW-6 and MW-7 at thicknesses of 0.01 feet, 0.37 feet and 0.05 feet, respectively. Free product was also encountered in the same wells for the 4th quarter monitoring event at thicknesses of 0.01 feet, 0.37 feet, and 0.12 feet, respectively. No measurable thickness of free product was present in the remaining wells for the two monitoring events. However, sheen of free product was encountered in MW-2 during both events.

Groundwater elevations for the 3rd and 4th quarter monitoring events ranged from 16.31 to 17.66 feet above mean sea level (amsl) and 16.05 to 17.43 feet amsl, respectively. Please note that groundwater elevations were calculated using the new survey data (see Appendix C). The 3rd quarter groundwater elevations were an average of 1.59 feet lower than the previous monitoring event (May 9, 2005), while the 4th quarter groundwater elevations were an average of 0.28 feet lower than the 3rd monitoring event (August 5, 2005). The 3rd and 4th quarter groundwater flow directions at the time of measurements were both to the south with a calculated hydraulic gradient of 0.01 ft/ft.

Groundwater elevation data are summarized in Table 1. A summary of the average groundwater elevations and flow directions are presented in Table 2. Water table contours, groundwater flow direction, and the hydraulic gradient for the two monitoring events are depicted on Figures 4 and 6. Refer to Appendix A for the Groundwater Monitoring Well Field Sampling Forms.

Groundwater Quality

For both monitoring events (3rd and 4th quarter 2005), the highest concentrations of petroleum hydrocarbons were detected in MW-2, MW-11, and MW-12. TPH-g, MTBE, Benzene, Toluene, and Xylenes in these wells were detected during the 3rd quarter event at concentrations up to 210,000 µg/L, 52,000 µg/L, 38,000 µg/L, 42,000 µg/L, and 16,000 µg/L, respectively. TPH-g,

MTBE, Benzene, Toluene, and Xylenes in the same wells were detected during the 4th quarter event at concentrations up to 180,000 µg/L, 52,000 µg/L, 39,000 µg/L, 47,000 µg/L, and 18,000 µg/L, respectively. Lower but elevated concentrations of TPH-g were detected in MW-5 and MW-10. Low to non-detectable concentrations of petroleum hydrocarbons were detected in MW-3 and MW-4. A summary of groundwater sample analytical data is presented in Table 3 and on Figures 3 and 5. Laboratory analytical reports and chain of custody documents are included in Appendix B.

Summary

This report presents the findings of the 3rd and 4th Quarter 2005 groundwater monitoring events performed at the site. Apparent free phase product thickness in well MW-1 decreased by over 90% since dual phase extraction began and petroleum hydrocarbon concentrations increased in wells MW-2, MW-6 and MW-7; which indicates that the extraction event has likely induced migration of petroleum hydrocarbons towards the extraction wells. This may also indicate that a significant phase shift from the adsorbed to the free and/or dissolved phases has occurred. The results of the two quarter monitoring events indicate that significant free phase fuel and dissolved phase hydrocarbons exist on and offsite. The following tasks are planned for the next quarter.

- Due to the strict insurance requirements of the City of Oakland for the installation of monitoring wells in the public right-of way (owner's insurance carrier will not insure wells in accordance with City requirements), previously proposed wells MW-8 and MW-9 will not be installed at this time. Other well locations / insurance arrangements will have to be negotiated.
- Continue quarterly groundwater monitoring, with the next event scheduled for early February 2006.


The ACHCSA will be notified of any delays in completing the tasks outlined above.

Report Limitations and Signatures

This report presents a summary of work completed by AEI Consultants, including observations and descriptions of site conditions. Where appropriate, it includes analytical results for samples taken during the course of the work. The number and location of samples are chosen to provide required information, but it cannot be assumed that they are entirely representative of all areas not sampled. All conclusions and recommendations are based on these analyses, observations, and the governing regulations. Conclusions beyond those stated and reported herein should not be inferred from this document.

These services were performed in accordance with generally accepted practices in the environmental engineering and construction field that existed at the time and location of the work. If you have any questions or need any additional information, please contact either of the undersigned at (925) 283-6000.

Sincerely,
AEI Consultants


Ricky Bradford
Senior Staff Engineer


Peter McIntyre, PG
Project Manager



Figures

- Figure 1 Site Location Map
- Figure 2 Site Plan
- Figure 3 Hydrocarbon Concentrations (8/5/05)
- Figure 4 Groundwater Elevation Contours (8/5/05)
- Figure 5 Hydrocarbon Concentrations (11/9/05)
- Figure 6 Groundwater Elevation Contours (11/9/05)

Tables


- Table 1 Groundwater Elevation Data
- Table 2 Groundwater Flow Summary
- Table 3 Groundwater Sample Analytical Data

- Appendix A** Monitoring Well Field Sampling Forms
- Appendix B** Laboratory Reports With Chain of Custody Documentation
- Appendix C** Monitoring Well Exhibit

Report Distribution

Mr. Victor Lum, 245 8th Street, Oakland, CA 94607
Mr. Barney Chan, ACHCSA, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502

FIGURES



TN \star MN
15 $\frac{1}{2}$ $^{\circ}$

0 5 1 MILE
0 1000 FEET 0 500 1000 METERS


Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

AEI CONSULTANTS
2500 CAMINO DIABLO BLVD, STE 100, WALNUT CREEK

SITE LOCATION MAP

245 8th STREET
OAKLAND, CALIFORNIA


FIGURE 1
PROJECT No. 9482




0' 10' 20' 30'
SCALE: 1 in = 30 ft

LEGEND

- SOIL BORING (8/9/96)
- SOIL BORING (4/02 & 3/03)
- MONITORING WELL
- FORMER UST LOCATION
- BUILDING FOOTPRINT



AEI CONSULTANTS 2500 CAMINO DIABLO, STE 100, WALNUT CREEK, CA	
SITE PLAN	
245 8th STREET OAKLAND, CALIFORNIA	FIGURE 2 PROJECT NO. 9482



0' 10' 20' 30'
SCALE: 1 in = 30 ft


LEGEND

- MONITORING WELL
- FORMER UST LOCATION
- BUILDING FOOTPRINT

MW-10	
TPH-g	88,000
MTBE	<1,500
Benzene	6,900
Toluene	20,000
Ethylbenzene	2,300
Xylenes	9,900

Analytical
results
(ug/L)

TPH-g = Total Petroleum Hydrocarbons as gasoline
MTBE = Methyl tertiary-Butyl Ether
FP - 0.17' = Free Product - thickness (feet)



MW-3	
TPH-g	<50
MTBE	<5.0
Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5

MW-4	
TPH-g	310
MTBE	<5.0
Benzene	7.5
Toluene	57
Ethylbenzene	10
Xylenes	53

MW-2	
TPH-g	74,000
MTBE	4,000
Benzene	8,800
Toluene	11,000
Ethylbenzene	1,300
Xylenes	7,600

MW-12	
TPH-g	170,000
MTBE	52,000
Benzene	38,000
Toluene	28,000
Ethylbenzene	3,000
Xylenes	12,000

MW-11	
TPH-g	210,000
MTBE	<2,500
Benzene	35,000
Toluene	42,000
Ethylbenzene	3,300
Xylenes	16,000

MW-5	
TPH-g	59,000
MTBE	<500
Benzene	4,100
Toluene	10,000
Ethylbenzene	1,200
Xylenes	6,600

MW-10	
TPH-g	88,000
MTBE	<1,100
Benzene	10,000
Toluene	21,000
Ethylbenzene	1,900
Xylenes	9,800

MW-1	
FP	0.01'


MW-6	
FP	0.37'

MW-7	
FP	0.05'

AEI CONSULTANTS
2500 CAMINO DIABLO, STE 100, WALNUT CREEK, CA






HYDROCARBON CONCENTRATIONS (8/5/05)


245 8th STREET OAKLAND, CALIFORNIA	FIGURE 3 PROJECT NO. 9482
---------------------------------------	-------------------------------------




0' 10' 20' 30'
SCALE: 1 in = 30 ft

LEGEND

-  MONITORING WELL
-  FORMER UST LOCATION
-  BUILDING FOOTPRINT
-  MONITORING WELLS WITH WATER TABLE ELEVATIONS EXPRESSED IN FEET ABOVE MEAN SEA LEVEL (FP = Free Product)
- DEPTH TO WATER MEASUREMENTS COLLECTED ON 8/5/05
-  WATER TABLE CONTOURS WITH ELEVATIONS ABOVE MEAN SEA LEVEL. CONTOUR INTERVAL IS 0.10 FEET
- GROUNDWATER ELEVATION CONTOURS CREATED USING SURFER V.7.0
- MW-1, MW-6, MW-7 NOT USED FOR CONTOURING DUE TO THE PRESENCE OF FREE PRODUCT



AEI CONSULTANTS 2500 CAMINO DIABLO, STE 100, WALNUT CREEK, CA	
GROUNDWATER ELEVATION CONTOURS (8/5/05)	
245 8th STREET OAKLAND, CALIFORNIA	FIGURE 4 PROJECT NO. 9482



0' 10' 20' 30'
SCALE: 1 in = 30 ft


LEGEND

- MONITORING WELL
- FORMER UST LOCATION
- BUILDING FOOTPRINT

MW-10	
TPH-g	88,000
MTBE	<1,500
Benzene	6,900
Toluene	20,000
Ethylbenzene	2,300
Xylenes	9,900

Analytical
results
(ug/L)

TPH-g = Total Petroleum Hydrocarbons as gasoline
MTBE = Methyl tertiary-Butyl Ether
FP - 0.17' = Free Product - thickness (feet)



MW-3	
TPH-g	130
MTBE	<5.0
Benzene	<0.5
Toluene	2.3
Ethylbenzene	<0.5
Xylenes	<0.5

MW-2	
TPH-g	120,000
MTBE	16,000
Benzene	21,000
Toluene	14,000
Ethylbenzene	2,300
Xylenes	13,000

MW-4	
TPH-g	290
MTBE	<5.0
Benzene	12
Toluene	61
Ethylbenzene	8.8
Xylenes	49

MW-12	
TPH-g	180,000
MTBE	52,000
Benzene	39,000
Toluene	25,000
Ethylbenzene	2,900
Xylenes	12,000

MW-11	
TPH-g	180,000
MTBE	9,100
Benzene	32,000
Toluene	47,000
Ethylbenzene	3,600
Xylenes	18,000

MW-10	
TPH-g	63,000
MTBE	<1,100
Benzene	5,400
Toluene	13,000
Ethylbenzene	1,900
Xylenes	7,900

MW-5	
TPH-g	59,000
MTBE	<500
Benzene	4,100
Toluene	10,000
Ethylbenzene	1,200
Xylenes	6,600

MW-1	
FP	0.01'


MW-6	
FP	0.37'

MW-7	
FP	0.12'

AEI CONSULTANTS
2500 CAMINO DIABLO, STE 100, WALNUT CREEK, CA

HYDROCARBON CONCENTRATIONS (11/9/05)


245 8th STREET OAKLAND, CALIFORNIA	FIGURE 5 PROJECT NO. 9482
---------------------------------------	-------------------------------------



0' 10' 20' 30'
SCALE: 1 in = 30 ft

LEGEND

- MONITORING WELL
- FORMER UST LOCATION
- BUILDING FOOTPRINT
- MONITORING WELLS WITH WATER TABLE ELEVATIONS EXPRESSED IN FEET ABOVE MEAN SEA LEVEL (FP = Free Product)
- DEPTH TO WATER MEASUREMENTS COLLECTED ON 8/5/05
- WATER TABLE CONTOURS WITH ELEVATIONS ABOVE MEAN SEA LEVEL. CONTOUR INTERVAL IS 0.10 FEET
- GROUNDWATER ELEVATION CONTOURS CREATED USING SURFER V.7.0
- MW-1, MW-6, MW-7 NOT USED FOR CONTOURING DUE TO THE PRESENCE OF FREE PRODUCT



AEI CONSULTANTS
2500 CAMINO DIABLO, STE 100, WALNUT CREEK, CA

GROUNDWATER ELEVATION CONTOURS (11/9/05)

245 8th STREET OAKLAND, CALIFORNIA	FIGURE 6 PROJECT NO. 9482
---------------------------------------	-------------------------------------

TABLES

Table 1: Groundwater Elevation Data
Vic's Automotive, 245 8th Ave, Oakland, CA

Well ID (screen interval)	Date Collected	TOC Well ^{1,2} Elevation (ft amsl)	Depth to Water (ft)	Groundwater ³ Elevation (ft amsl)	Depth to LNAPL (ft)	Apparent LNAPL Thickness (ft)
MW-1 (8-28)	6/29/2001	27.73	16.52	11.21	14.89	1.63
	10/10/2001	27.73	15.45	12.28	15.37	0.08
	1/9/2002	27.73	12.61	15.12	-	<0.01
	4/24/2002	27.73	13.35	14.38	-	<0.01
	7/24/2002	27.73	14.19	13.54	-	<0.01
	11/5/2002	27.73	14.85	12.88	-	<0.01
	2/4/2003	27.73	14.91	12.82	-	<0.01
	5/2/2003	27.73	14.43	13.30	-	0.08
	8/4/2003	27.73	15.24	12.49	15.01	0.23
	11/3/2003	27.73	16.94	10.79	15.67	1.27
	2/9/2004	27.73	14.61	13.12	14.43	0.18
	5/10/2004	27.73	Inaccessible	-	-	-
	8/9/2004	27.73	15.24	12.49	15.03	0.21
	11/9/2004	27.73	15.95	11.78	15.71	0.24
	2/3/2005	32.55	13.75	18.80	13.58	0.17
	5/9/2005	32.55	13.93	18.62	13.81	0.12
	8/5/2005	32.55	15.40	17.15	15.39	0.01
11/9/2005	32.55	15.76	16.79	15.75	0.01	
MW-2 (8-28)	6/29/2001	28.16	16.14	12.02	-	-
	10/10/2001	28.16	16.43	11.73	-	-
	1/9/2002	28.16	13.50	14.66	-	-
	4/24/2002	28.16	14.40	13.76	-	-
	7/24/2002	28.16	14.91	13.25	-	-
	11/5/2002	28.16	16.96	11.20	-	-
	2/4/2003	28.16	15.42	12.74	-	-
	5/2/2003	28.16	15.24	12.92	-	-
	8/4/2003	28.16	15.98	12.18	-	-
	11/3/2003	28.16	16.60	11.56	-	Sheen
	2/9/2004	28.16	15.22	12.94	-	Sheen
	5/10/2004	28.16	15.34	12.82	-	Sheen
	8/9/2004	28.16	15.92	12.24	-	Sheen
	11/9/2004	28.16	16.51	11.65	-	Sheen
	2/3/2005	33.24	14.44	18.80	-	Sheen
	5/9/2005	33.24	14.67	18.57	-	Sheen
	8/5/2005	33.24	16.27	16.97	-	Sheen
11/9/2005	33.24	16.53	16.71	-	Sheen	
MW-3 (10-25)	6/29/2001	29.21	16.60	12.61	-	-
	10/10/2001	29.21	16.92	12.29	-	-
	1/9/2002	29.21	14.20	15.01	-	-
	4/24/2002	29.21	15.07	14.14	-	-
	7/24/2002	29.21	16.40	12.81	-	-
	11/5/2002	29.21	16.47	12.74	-	-
	2/4/2003	29.21	16.92	12.29	-	-
	5/2/2003	29.21	15.45	13.76	-	-
	8/4/2003	29.21	16.46	12.75	-	-
	11/3/2003	29.21	17.15	12.06	-	-
	2/9/2004	29.21	15.78	13.43	-	-
	5/10/2004	29.21	15.77	13.44	-	-
	8/9/2004	29.21	16.45	12.76	-	-
	11/9/2004	29.21	17.26	11.95	-	-
	2/3/2005	34.25	15.92	18.33	-	-
	5/9/2005	34.25	15.03	19.22	-	-
	8/5/2005	34.25	16.59	17.66	-	-
11/9/2005	34.25	16.82	17.43	-	-	

Table 1: Groundwater Elevation Data
Vic's Automotive, 245 8th Ave, Oakland, CA

Well ID (screen interval)	Date Collected	TOC Well ^{1,2} Elevation (ft amsl)	Depth to Water (ft)	Groundwater ³ Elevation (ft amsl)	Depth to LNAPL (ft)	Apparent LNAPL Thickness (ft)
MW-4 (10-25)	6/29/2001	29.38	17.71	11.67	-	-
	10/10/2001	29.38	18.00	11.38	-	-
	1/9/2002	29.38	15.02	14.36	-	-
	4/24/2002	29.38	15.74	13.64	-	-
	7/24/2002	29.38	16.69	12.69	-	-
	11/5/2002	29.38	17.64	11.74	-	-
	2/4/2003	29.38	16.02	13.36	-	-
	5/2/2003	29.38	16.72	12.66	-	-
	8/4/2003	29.38	17.51	11.87	-	-
	11/3/2003	29.38	18.09	11.29	-	-
	2/9/2004	29.38	16.67	12.71	-	-
	5/10/2004	29.38	16.89	12.49	-	-
	8/9/2004	29.38	17.44	11.94	-	-
	11/9/2004	29.38	17.89	11.49	-	-
	2/3/2005	34.42	14.98	19.44	-	-
5/9/2005	34.42	16.20	18.22	-	-	
8/5/2005	34.42	17.73	16.69	-	-	
11/9/2005	34.42	17.91	16.51	-	-	
MW-5 (12-22)	2/3/2005	33.33	14.23	19.10	-	-
	5/9/2005	33.33	14.33	19.00	-	-
	8/5/2005	33.33	15.89	17.44	-	-
	11/9/2005	33.33	16.18	17.15	-	-
MW-6 (12-22)	2/3/2005	32.82	13.99	18.83	-	-
	5/9/2005	32.82	13.61	19.21	-	-
	8/5/2005	32.82	15.50	17.32	15.13	0.37
	11/9/2005	32.82	15.87	16.95	15.50	0.37
MW-7 (12-22)	2/3/2005	33.07	14.17	18.90	-	-
	5/9/2005	33.07	14.47	18.60	14.44	0.03
	8/5/2005	33.07	16.07	17.00	16.02	0.05
	11/9/2005	33.07	16.47	16.60	16.35	0.12
MW-10 (12-22)	2/3/2005	31.17	12.65	18.52	-	-
	5/9/2005	31.17	13.09	18.08	-	-
	8/5/2005	31.17	14.68	16.49	-	-
	11/9/2005	31.17	14.94	16.23	-	-
MW-11 (12-22)	2/3/2005	31.78	13.39	18.39	-	-
	5/9/2005	31.78	13.89	17.89	-	-
	8/5/2005	31.78	15.47	16.31	-	-
	11/9/2005	31.78	15.73	16.05	-	-
MW-12 (12-22)	2/3/2005	32.05	13.70	18.35	-	-
	5/9/2005	32.05	14.17	17.88	-	-
	8/5/2005	32.05	15.69	16.36	-	-
	11/9/2005	32.05	15.93	16.12	-	-

1) Monitoring well top of casing (TOC) elevations were resurveyed by Morrow Surveying on January 10, 2006 and February 7, 2006

2) Groudwater elevations for the February 3, 2005 and subsequent monitoring episodes use the new well survey data

3) When LNAPL is present at >0.10 ft, the groundwater elevations are assumed to be affected by the LNAPL

All well elevations are measured from the top of the casing (TOC)

- = not applicable

LNAPL = light non-aqueous phase liquid (floating free product)

ft amsl = feet above mean sea level

**Table 2: Groundwater Flow Summary
Vic's Automotive, 245 8th Ave, Oakland, CA**

Episode #	Date	Average Groundwater Elevation¹ (ft amsl)	Change from Previous Episode (ft)	Flow direction (gradient)
1	6/29/2001	12.10	-	SSE (0.0074)
2	10/10/2001	11.80	-0.30	SSE (0.0071)
3	1/9/2002	14.68	2.88	SE (0.0054)
4	4/24/2002	13.85	-0.83	SSW (0.005)
5	7/24/2002	12.92	-0.93	NE (0.021)
6	11/5/2002	11.89	-1.02	SW (0.019)
7	2/4/2003	12.80	0.90	NNW (0.01)
8	5/2/2003	13.11	0.32	SSE (0.01)
9	8/4/2003	12.27	-0.85	SSE(0.007)
10	11/3/2003	11.64	-0.63	SSE (0.006)
11	2/9/2004	13.03	1.39	SSE (0.006)
12	5/10/2004	12.92	-0.11	SSE (0.008)
13	8/9/2004	12.31	-0.60	SSE (0.006)
14	11/9/2004	11.70	-0.62	SSE (0.004)
15	2/3/2005	18.75	-	W (0.007)
16	5/9/2005	18.53	-0.22	S (0.010)
17	8/5/2005	16.94	-1.59	S (0.010)
18	11/9/2005	16.65	-0.28	S (0.010)

1) MW-2 to MW-4 only used for episodes 1 thru 14; all wells used for episodes 15 and on

- = not applicable

ft amsl = feet above mean sea level

Table 3: Groundwater Sample Analytical Data
Vic's Automotive, 245 8th Ave, Oakland, CA

Well/Sample ID	Date Collected	Apparent LNAPL thickness (ft)	TPH-g	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes
			$\mu\text{g/L}$ <i>EPA Method 8015Cm</i>	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$
MW-1	6/29/2001	1.63	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	10/10/2001	0.08	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	1/9/2002	<0.01	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	4/24/2002	<0.01	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	7/24/2002	~0.01	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	11/5/2002	~0.01	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	2/4/2003	~0.01	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	5/2/2003	0.08	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	8/4/2003	0.23	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	11/3/2003	1.27	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	2/9/2004	0.18	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	5/10/2004	Inaccessible	-	-	-	-	-	-
	8/9/2004	0.21	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	11/9/2004	0.24	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	2/3/2005	0.17	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	5/9/2005	0.12	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	8/5/2005	0.01	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
11/9/2005	0.01	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	
MW-2	6/29/2001	0.0	69,000	4100/4400*	7,200	6,100	1,500	7,000
	10/10/2001	0.0	87,000	14,000	22,000	12,000	2,700	9,100
	1/9/2002	0.0	130,000	11,000	30,000	19,000	3,800	14,000
	4/24/2002	Sheen	210,000	32,000	38,000	23,000	4,600	19,000
	7/24/2002	Sheen	170,000	36,000	48,000	12,000	3,700	8,600
	11/5/2002	Sheen	190,000	36,000	45,000	25,000	4,600	16,000
	2/4/2003	Sheen	150,000	27,000	51,000	24,000	4,200	14,000
	5/2/2003	Sheen	150,000	35,000	39,000	11,000	3,800	9,900
	8/4/2003	Sheen	120,000	29,000	32,000	5,000	3,200	7,200
	11/3/2003	Sheen	120,000	24,000	33,000	4,300	3,200	5,400
	2/9/2004	Sheen	130,000	19,000	27,000	7,700	3,100	7,600
	5/10/2004	Sheen	67,000	13,000	20,000	3,000	2,300	4,100
	8/9/2004	Sheen	100,000	22,000	27,000	7,100	2,800	6,600
	11/9/2004	Sheen	100,000	23,000	27,000	6,100	3,000	5,600
	2/3/2005	Sheen	84,000	11,000	23,000	5,000	3,000	5,500
	5/9/2005	Sheen	74,000	14,000	21,000	4,200	2,300	3,300
	7/27/2005	Sheen	9,500	910	1,400	1,000	180	960
8/5/2005	Sheen	74,000	4,000	8,800	11,000	1,300	7,600	
11/9/2005	Sheen	120,000	16,000	21,000	14,000	2,300	13,000	
MW-3	6/29/2001	0.0	550	<5.0	<0.5	3.1	3.2	1.2
	10/10/2001	0.0	470	<5.0	0.77	5.3	3.3	5.9
	1/9/2002	0.0	1,000	<5.0	0.90	7.6	7.8	25
	4/24/2002	0.0	1,500	<5.0	0.64	7.2	12	14
	7/24/2002	0.0	1,200	<5.0	10	17.0	11	25
	11/5/2002	0.0	1,800	<25	33	43.0	18	31
	2/4/2003	0.0	450	<5.0	<0.5	5.0	<0.5	0.77
	5/2/2003	0.0	340	<5.0	7.3	10.0	2.5	7.3
	8/4/2003	0.0	170	<5.0	5.8	5.9	1.5	4.9
	11/3/2003	0.0	54	<5.0	<0.5	<0.5	<0.5	<0.5
	2/9/2004	0.0	190	<5.0	<0.5	3.6	<0.5	<0.5
	5/10/2004	0.0	280	<5.0	<0.5	3.4	<0.5	<0.5
	8/9/2004	0.0	290	<5.0	<0.5	3.8	<0.5	<0.5
	11/9/2004	0.0	220	<5.0	<0.5	4.0	<0.5	<0.5
	2/3/2005	0.0	160	<5.0	13	30	3.0	21
	5/9/2005	0.0	200	<5.0	<0.5	3.9	<0.5	<0.5
	8/5/2005	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
11/9/2005	0.0	130	<5.0	<0.5	2.3	<0.5	<0.5	

Table 3: Groundwater Sample Analytical Data
Vic's Automotive, 245 8th Ave, Oakland, CA

Well/Sample ID	Date Collected	Apparent LNAPL thickness (ft)	TPH-g	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes
			<i>EPA Method 8015Cm</i> µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	6/29/2001	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	10/10/2001	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	1/9/2002	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	4/24/2002	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	7/24/2002	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	11/5/2002	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	2/4/2003	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	5/2/2003	0.0	500	10	68	71	18	65
	8/4/2003	0.0	270	<5.0	30	29	9.2	32
	11/3/2003	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	2/9/2004	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	5/10/2004	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	8/9/2004	0.0	130	<5.0	14	13	5.3	17
	11/9/2004	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
	2/3/2005	0.0	370	<5.0	<0.5	4.1	<0.5	0.64
	5/9/2005	0.0	840	<5.0	50	180	21	110
	7/27/2005	0.0	<50	<5.0	<0.5	<0.5	<0.5	<0.5
8/5/2005	0.0	310	<5.0	7.5	57	10	53	
11/9/2005	0.0	290	<5.0	12	61	8.8	49	
MW-5	2/3/2005	0.0	78,000	<1,000	7,600	13,000	2,200	9,600
	5/9/2005	0.0	60,000	<900	6,100	9,900	1,600	6,600
	7/27/2005	nm	120,000	1,100	10,000	19,000	2,100	13,000
	8/5/2005	0.0	59,000	<500	4,100	10,000	1,200	6,600
	11/9/2005	0.0	44,000	<500	3,300	7,400	1,100	4,900
MW-6	2/3/2005	Sheen	130,000	<1,000	2,400	33,000	2,400	15,000
	5/9/2005	Sheen	170,000	<4,000	11,000	43,000	3,100	16,000
	8/5/2005	0.37	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	11/9/2005	0.37	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
MW-7	2/3/2005	Sheen	220,000	18,000	45,000	44,000	3,500	18,000
	5/9/2005	0.03	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	8/5/2005	0.05	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
	11/9/2005	0.12	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp	ns/fp
MW-10	2/3/2005	0.0	36,000	<500	4,700	7,200	660	3,400
	5/9/2005	0.0	88,000	<1,500	6,900	20,000	2,300	9,900
	8/5/2005	0.0	88,000	<1,100	10,000	21,000	1,900	9,800
	11/9/2005	0.0	63,000	<1,100	5,400	13,000	1,900	7,900
MW-11	2/3/2005	Sheen	170,000	<3,000	23,000	35,000	3,100	16,000
	5/9/2005	Sheen	210,000	3,500	29,000	40,000	3,400	16,000
	7/27/2005	Sheen	220,000	2,500	26,000	37,000	3,200	18,000
	8/5/2005	Sheen	210,000	<2,500	35,000	42,000	3,300	16,000
	11/9/2005	Sheen	180,000	9,100	32,000	47,000	3,600	18,000
MW-12	2/3/2005	Sheen	250,000	100,000	52,000	41,000	3,400	15,000
	5/9/2005	Sheen	210,000	91,000	44,000	28,000	3,300	13,000
	8/5/2005	Sheen	170,000	52,000	38,000	28,000	3,000	12,000
	11/9/2005	Sheen	180,000	52,000	39,000	25,000	2,900	12,000

µg/L = micrograms per liter (ppb)

TPH-g = total petroleum hydrocarbons as gasoline

MTBE = methyl tertiary-butyl ether

ns/fp = not sampled / free product

LNAPL = Light Non-Aqueous Phase Liquid

* samples re-analyzed by EPA Method 8260 (expressed as EPA 8020 / EPA 8260)

Please refer to Appendix B: Lab Results for further detailed lab information including dilution factors

APPENDIX A

MONITORING WELL FIELD SAMPLING FORMS

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-1

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	32.55		
Depth of Well	28.00		
Depth to Water (from top of casing)	15.40		
Depth to Free Product (from top of casing)	15.39		
Water Elevation (feet above msl)	17.15		
Well Volumes Purged	N/A		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	N/A		
Actual Volume Purged (gallons)	N/A		
Appearance of Purge Water	N/A		
Free Product Present?	Yes	Thickness (ft):	0.01

GROUNDWATER SAMPLES

Number of Samples/Container Size				Not sampled due to presence of free product.			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µS/cm)	DO (mg/L)	ORP (meV)	Comments

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well was neither purged nor sampled due to the presence of free product.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-2

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	33.24		
Depth of Well	28.00		
Depth to Water (from top of casing)	16.27		
Water Elevation (feet above msl)	16.97		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	4.2		
Actual Volume Purged (gallons)	5.0		
Appearance of Purge Water	Initially dark brown, clears at 2 gallons		
Free Product Present?	No	Thickness (ft):	Sheen

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µS/cm)	DO (mg/L)	ORP (meV)	Comments
	1	18.14	6.87	228	0.08	-61.2	
	3	18.15	6.86	227	0.06	-57.1	
	5	18.17	6.85	218	0.05	-57.3	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Sheen and strong petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-3

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	34.25		
Depth of Well	25.00		
Depth to Water (from top of casing)	16.59		
Water Elevation (feet above msl)	17.66		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	16.3		
Actual Volume Purged (gallons)	18		
Appearance of Purge Water	Brown, clears after 1 gallon purged.		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	3	19.39	6.42	141	0.12	97.2	
	6	19.49	6.46	138	0.09	80.7	
	9	19.55	6.45	130	0.24	71.9	
	12	19.55	6.49	133	0.18	40.5	
	15	19.50	6.58	135	0.08	16.7	
	18	19.48	6.65	136	0.05	4.9	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

No petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-4

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	34.42		
Depth of Well	25.00		
Depth to Water (from top of casing)	17.73		
Water Elevation (feet above msl)	16.69		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	14.1		
Actual Volume Purged (gallons)	15.0		
Appearance of Purge Water	Initially light brown, clears quickly		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	3	17.48	6.56	173	0.54	76.2	
	6	18.06	6.51	165	0.64	93.8	
	9	18.13	6.48	168	0.77	111.7	
	12	18.10	6.49	171	0.53	117.1	
	15	18.07	6.49	188	0.47	123.9	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

No petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-5

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	33.33		
Depth of Well	22.00		
Depth to Water (from top of casing)	15.89		
Water Elevation (feet above msl)	17.44		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	11.9		
Actual Volume Purged (gallons)	13.0		
Appearance of Purge Water	Initially grey, light brown at 1.5 gallons		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µS/cm)	DO (mg/L)	ORP (meV)	Comments
	1	18.95	6.64	200	0.09	-8.0	
	3	19.08	6.56	193	0.07	-1.1	
	5	19.05	6.71	199	0.05	-6.5	
	7	19.01	6.78	186	0.04	-15.9	
	9	18.96	6.84	165	0.03	-34.8	
	11	18.93	6.78	128	0.03	-45.1	
	13	19.00	6.70	131	0.03	-42.1	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Strong petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-6

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	32.82		
Depth of Well	22.00		
Depth to Water (from top of casing)	15.50		
Depth to Free Product (from top of casing)	15.13		
Water Elevation (feet above msl)	17.32		
Well Volumes Purged	N/A		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	N/A		
Actual Volume Purged (gallons)	N/A		
Appearance of Purge Water	N/A		
Free Product Present?	Yes	Thickness (ft):	0.37

GROUNDWATER SAMPLES

Number of Samples/Container Size				Not sampled due to presence of free product.			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well was neither purged nor sampled due to the presence of free product.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-7

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	33.07		
Depth of Well	22.00		
Depth to Water (from top of casing)	16.07		
Depth to Free Product (from top of casing)	16.02		
Water Elevation (feet above msl)	17.00		
Well Volumes Purged	N/A		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	N/A		
Actual Volume Purged (gallons)	N/A		
Appearance of Purge Water	N/A		
Free Product Present?	Yes	Thickness (ft):	0.05

GROUNDWATER SAMPLES

Number of Samples/Container Size				Not sampled due to presence of free product.			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well was neither purged nor sampled due to the presence of free product.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-10

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	31.17		
Depth of Well	22.00		
Depth to Water (from top of casing)	14.68		
Water Elevation (feet above msl)	16.49		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	14.2		
Actual Volume Purged (gallons)	15.0		
Appearance of Purge Water	Initially grey, clears at 2 gallons		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	3	18.79	6.79	191	0.13	-50.9	
	6	18.92	6.65	193	0.07	-37.1	
	9	18.98	6.47	194	0.05	-34.8	
	12	18.99	6.41	195	0.04	-33.9	
	15	18.98	6.39	197	0.03	-35.3	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Strong petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-11

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	31.78		
Depth of Well	22.00		
Depth to Water (from top of casing)	15.47		
Water Elevation (feet above msl)	16.31		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	12.7		
Actual Volume Purged (gallons)	13.0		
Appearance of Purge Water	Initially dark green, clears at 2.5 gallons		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µS/cm)	DO (mg/L)	ORP (meV)	Comments
	1	18.43	6.44	180	0.11	-51.0	
	3	18.29	6.31	164	0.05	-33.3	
	5	18.41	6.29	167	0.06	-27.5	
	7	18.44	6.28	172	0.06	-26.3	
	9	18.41	6.31	169	0.04	-33.9	
	11	18.55	6.33	170	0.04	-38.9	
	13	18.37	6.4	188	0.06	-50.6	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Strong petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-12

Project Name:	Vic's Automotive	Date of Sampling:	8/5/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	32.05		
Depth of Well	22.00		
Depth to Water (from top of casing)	15.69		
Water Elevation (feet above msl)	16.36		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	12.3		
Actual Volume Purged (gallons)	13.0		
Appearance of Purge Water	Initially grey, clears quickly		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µS/cm)	DO (mg/L)	ORP (meV)	Comments
	2	18.18	6.5	210	0.10	-48.8	
	4	18.20	6.47	201	0.04	-42.0	
	6	18.26	6.45	210	0.05	-40.8	
	8	18.23	6.4	229	0.08	-35.6	
	10	18.22	6.4	231	0.07	-36.1	
	12	18.20	6.4	237	0.06	-36.9	
	13	18.16	6.41	250	0.03	-38.9	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Strong petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-1

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	32.55		
Depth of Well	28.00		
Depth to Water (from top of casing)	15.76		
Depth to Free Product (from top of casing)	15.75		
Water Elevation (feet above msl)	16.79		
Well Volumes Purged	N/A		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	N/A		
Actual Volume Purged (gallons)	N/A		
Appearance of Purge Water	N/A		
Free Product Present?	Yes	Thickness (ft):	0.01

GROUNDWATER SAMPLES

Number of Samples/Container Size				Not sampled due to presence of free product.			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well was neither purged nor sampled due to the presence of free product.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-2

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	33.24		
Depth of Well	28.00		
Depth to Water (from top of casing)	16.53		
Water Elevation (feet above msl)	16.71		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	4.1		
Actual Volume Purged (gallons)	5.0		
Appearance of Purge Water	Initially dark brown, clears at 0.5 gallons		
Free Product Present?	No	Thickness (ft):	---

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	2	18.42	6.7	434	0.19	-105.4	
	4	18.47	6.70	374	0.09	-107.1	
	6	18.5	6.68	352	0.06	-109.5	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Strong petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-3

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	34.25		
Depth of Well	25.00		
Depth to Water (from top of casing)	16.82		
Water Elevation (feet above msl)	17.43		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	15.9		
Actual Volume Purged (gallons)	18		
Appearance of Purge Water	Initially light brown, clears after 2.5 gallons		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	4	20.30	6.51	145	0.06	-33.6	
	8	20.37	6.54	145	0.06	-61.2	
	12	20.36	6.52	147	0.06	-72.9	
	16	20.35	6.53	148	0.04	-75.7	
	18	20.31	6.55	149	0.03	-83.6	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Slight petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-4

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	34.42		
Depth of Well	25.00		
Depth to Water (from top of casing)	17.91		
Water Elevation (feet above msl)	16.51		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	13.8		
Actual Volume Purged (gallons)	15.0		
Appearance of Purge Water	Initially brown, clears at 1.5 gallons		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	3	18.74	6.49	160	0.33	3.9	
	6	18.83	6.45	159	0.35	6.6	
	9	18.83	6.40	160	0.32	11.1	
	12	18.81	6.40	161	0.32	11	
	15	18.74	6.41	164	0.32	11.6	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

No petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-5

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	33.33		
Depth of Well	22.00		
Depth to Water (from top of casing)	16.18		
Water Elevation (feet above msl)	17.15		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	11.4		
Actual Volume Purged (gallons)	13.0		
Appearance of Purge Water	Initially grey, clears at 1.5 gallons		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	3	19.98	6.58	243	0.07	-109.5	
	6	21.05	6.56	254	0.05	-110.4	
	9	20.01	6.58	241	0.04	-108.1	
	12	19.87	6.63	207	0.03	-113.8	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Strong petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-6

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	32.82		
Depth of Well	22.00		
Depth to Water (from top of casing)	15.87		
Depth to Free Product (from top of casing)	15.50		
Water Elevation (feet above msl)	16.95		
Well Volumes Purged	N/A		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	N/A		
Actual Volume Purged (gallons)	N/A		
Appearance of Purge Water	N/A		
Free Product Present?	Yes	Thickness (ft):	0.37

GROUNDWATER SAMPLES

Number of Samples/Container Size				Not sampled due to presence of free product.			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well was neither purged nor sampled due to the presence of free product.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-7

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	33.07		
Depth of Well	22.00		
Depth to Water (from top of casing)	16.47		
Depth to Free Product (from top of casing)	16.35		
Water Elevation (feet above msl)	16.60		
Well Volumes Purged	N/A		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	N/A		
Actual Volume Purged (gallons)	N/A		
Appearance of Purge Water	N/A		
Free Product Present?	Yes	Thickness (ft):	0.12

GROUNDWATER SAMPLES

Number of Samples/Container Size				Not sampled due to presence of free product.			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well was neither purged nor sampled due to the presence of free product.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-10

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	31.17		
Depth of Well	22.00		
Depth to Water (from top of casing)	14.94		
Water Elevation (feet above msl)	16.23		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	13.7		
Actual Volume Purged (gallons)	15.0		
Appearance of Purge Water	Initially grey, clears at 1.5 gallons		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	3	19.81	6.58	191	0.08	-42.7	
	6	19.91	6.52	191	0.05	-37.5	
	9	19.96	6.50	185	0.04	-38.3	
	12	19.95	6.50	184	0.03	-41.2	
	15	19.86	6.50	183	0.03	-43.9	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Strong petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-11

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	31.78		
Depth of Well	22.00		
Depth to Water (from top of casing)	15.73		
Water Elevation (feet above msl)	16.05		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	12.2		
Actual Volume Purged (gallons)	13.0		
Appearance of Purge Water	Initially light brown, clears at 3 gallons		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	1	19.01	6.55	153	0.09	-50.6	
	3	19.16	6.43	153	0.05	-39.1	
	5	19.18	6.41	155	0.04	-40.8	
	7	19.17	6.41	159	0.03	-49.3	
	9	19.14	6.44	165	0.02	-56.1	
	11	19.11	6.45	174	0.02	-61.1	
	14	19.09	6.47	180	0.02	-65.3	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Strong petroleum hydrocarbon odors noted.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-12

Project Name:	Vic's Automotive	Date of Sampling:	11/9/2005
Job Number:	9482	Name of Sampler:	Adrian Nieto
Project Address:	245 8th Street, Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	32.05		
Depth of Well	22.00		
Depth to Water (from top of casing)	15.93		
Water Elevation (feet above msl)	16.12		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	11.8		
Actual Volume Purged (gallons)	13.0		
Appearance of Purge Water	Initially light brown, clears quickly		
Free Product Present?	No	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μS/cm)	DO (mg/L)	ORP (meV)	Comments
	2	18.74	6.66	176	0.12	-54.3	
	4	18.85	6.61	175	0.05	-54.1	
	6	18.95	6.55	206	0.04	-24.3	
	8	18.92	6.53	233	0.03	-55.3	
	10	18.87	6.54	253	0.03	-57.5	
	12	18.85	6.55	260	0.02	-58.2	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Strong petroleum hydrocarbon odors noted.

APPENDIX B

LABORATORY ANALYTICAL AND CHAIN OF CUSTODY DOCUMENTATION



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

AEI Consultants 2500 Camino Diablo, Ste. #200 Walnut Creek, CA 94597	Client Project ID: #9482; Vic's Automotive	Date Sampled: 11/09/05
		Date Received: 11/09/05
	Client Contact: Robert Flory	Date Extracted: 11/10/05
	Client P.O.:	Date Analyzed: 11/10/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0511195

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	MW-2	W	120,000,a,h,i	16,000	21,000	14,000	2300	13,000	100	118
002A	MW-3	W	130,m	ND	ND	2.3	ND	ND	1	98
003A	MW-4	W	290,a	ND	12	61	8.8	49	1	101
004A	MW-5	W	44,000,a	ND<500	3300	7400	1100	4900	100	97
005A	MW-10	W	63,000,a	ND<1100	5400	13,000	1900	7900	100	115
006A	MW-11	W	180,000,a	9100	32,000	47,000	3600	18,000	100	117
007A	MW-12	W	180,000,a	52,000	39,000	25,000	2900	12,000	100	98

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Water

QC Matrix: Water

WorkOrder: 0511195

EPA Method: SW8021B/8015Cm		Extraction: SW5030B			BatchID: 18949			Spiked Sample ID: 0511182-002A		
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)	
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	LCS / LCSD
TPH(btex) £	ND	60	110	98	11.8	107	103	3.25	70 - 130	70 - 130
MTBE	ND	10	96.5	105	8.47	94	93	1.02	70 - 130	70 - 130
Benzene	ND	10	101	110	8.31	86.8	88	1.30	70 - 130	70 - 130
Toluene	ND	10	101	109	7.67	90.4	91.3	1.00	70 - 130	70 - 130
Ethylbenzene	ND	10	107	113	5.32	92.5	93.1	0.615	70 - 130	70 - 130
Xylenes	ND	30	96.7	100	3.39	95	94.7	0.351	70 - 130	70 - 130
%SS:	109	10	102	109	6.67	96	97	1.18	70 - 130	70 - 130

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 18949 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0511195-001A	11/09/05	11/10/05	1/10/05 12:06 AM	0511195-002A	11/09/05 8:31 AM	11/10/05	11/10/05 7:16 AM
0511195-003A	11/09/05 8:22 AM	11/10/05	11/10/05 9:15 AM	0511195-004A	11/09/05 8:10 AM	11/10/05	1/10/05 12:40 AM
0511195-005A	1/09/05 11:20 AM	11/10/05	11/10/05 1:13 AM	0511195-006A	1/09/05 11:35 AM	11/10/05	11/10/05 2:54 AM
0511195-007A	1/09/05 11:48 AM	11/10/05	11/10/05 3:28 AM	0511195-007A	1/09/05 11:48 AM	11/10/05	11/10/05 6:49 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not applicable or not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

McC Campbell Analytical, Inc.

CHAIN-OF-CUSTODY RECORD



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

WorkOrder: 0511195

ClientID: AEL

EDF: YES

Report to:

Robert Flory
 AEI Consultants
 2500 Camino Diablo, Ste. #200
 Walnut Creek, CA 94597

TEL: (925) 283-6000
 FAX: (925) 283-6121
 ProjectNo: #9482; Vic's Automotive
 PO:

Bill to:

Diane
 All Environmental, Inc.
 2500 Camino Diablo, Ste. #200
 Walnut Creek, CA 94597

Requested TAT: 5 days

Date Received: 11/09/2005

Date Printed: 11/09/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)													
					1	2	3	4	5	6	7	8	9	10	11	12		
0511195-001	MW-2	Water	11/09/2005	<input type="checkbox"/>	A	A												
0511195-002	MW-3	Water	11/09/2005	<input type="checkbox"/>	A													
0511195-003	MW-4	Water	11/09/2005	<input type="checkbox"/>	A													
0511195-004	MW-5	Water	11/09/2005	<input type="checkbox"/>	A													
0511195-005	MW-10	Water	11/09/2005	<input type="checkbox"/>	A													
0511195-006	MW-11	Water	11/09/2005	<input type="checkbox"/>	A													
0511195-007	MW-12	Water	11/09/2005	<input type="checkbox"/>	A													

Test Legend:

1	G-MBTX_W	2	PREF REPORT	3		4		5	
6		7		8		9		10	
11		12							

Prepared by: Juanita Venegas

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

APPENDIX C

MONITORING WELL EXHIBIT

Monitoring Well Exhibit

Prepared For:

AEI Consultants



DESCRIPTION	NORTHING	EASTING	ELEV (PVC)	ELEV (BOX)
MW-1	2117872.1	6050571.5	32.55	33.06
MW-2	2117844.7	6050605.0	33.24	33.75
MW-3	2117923.6	6050601.0	34.25	34.60
MW-4	2117805.2	6050646.9	34.42	34.75
MW-5	2117893.4	6050585.2	33.33	33.77
MW-6	2117867.2	6050562.6	32.82	32.40
MW-7	2117854.5	6050585.4	33.07	33.42
MW-10	2117811.3	6050534.3	31.17	31.59
MW-11	2117789.0	6050546.8	31.78	32.11
MW-12	2117790.4	6050575.7	32.05	32.40

DESCRIPTION	LATITUDE	LONGITUDE
MW-1	37.7980266	-122.2690181
MW-2	37.7979530	-122.2689004
MW-3	37.7981694	-122.2689192
MW-4	37.7978467	-122.2687526
MW-5	37.7980858	-122.2689721
MW-6	37.7980127	-122.2690485
MW-7	37.7979789	-122.2689689
MW-10	37.7978577	-122.2691427
MW-11	37.7977972	-122.2690980
MW-12	37.7978023	-122.2689982

BASIS OF COORDINATES AND ELEVATIONS:

COORDINATES ARE CALIFORNIA STATE PLANE ZONE 2 COORDINATES FROM GPS OBSERVATIONS USING UNIVERSITY OF CALIFORNIA BAY AREA DEFORMATION CORS STATION OBSERVATION FILES AND BASED ON THE CALIFORNIA SPATIAL REFERENCE CENTER DATUM, REFERENCE EPOCH 2000.35.

COORDINATE DATUM IS NAD 83(1986).

DATUM ELLIPSOID IS GRS80.

REFERENCE GEOID IS NGS99.

CORS STATIONS USED WERE TIBB AND DIAB.

VERTICAL DATUM IS NAVD 88 FROM GPS OBSERVATIONS.



Service Station
245 8th Street/708 Alice Street
Oakland
Alameda County
California



1450 Harbor Blvd. Ste. D
West Sacramento
California 95691
(916) 372-8124
curt@morrrowsurveying.com

Date: 1-10-06
Scale: 1" = 30'
Sheet 1 of 1
Revised: 2-14-06
Field Book: MW-22
Dwg. No. 0116-022 CT