



Nicole Arceneaux
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel 925.790.6912
Nicole.arceneaux@chevron.com

September 2, 2014

Mr. Keith Nowell
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

RE: First Semi-Annual 2014 Groundwater Monitoring Report
3943 Broadway, Oakland, California 94611
Fuel Leak Case No.: RO0000203

RECEIVED

By Alameda County Environmental Health at 3:14 pm, Sep 08, 2014

Dear Mr. Nowell,

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at (925) 790-6912.

Sincerely,

A handwritten signature in blue ink, appearing to read "Nicole Arceneaux".

Nicole Arceneaux
Union Oil of California – Project Manager

Attachment:
First Semi-Annual 2014 Groundwater Monitoring Report

Mr. Keith Nowell
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, California 94502-6577

Subject:
First Semi-Annual 2014 Monitoring Report Submittal

ENVIRONMENT

Dear Mr. Nowell:

On behalf of Chevron Environmental Management Company, for itself and as Attorney-in-Fact for Union Oil Company of California (hereinafter "EMC"), ARCADIS is submitting the enclosed Semi-Annual Groundwater Monitoring Report for the following facility:

Date:
September 2, 2014

Contact:
Katherine Brandt

Phone:
510.596.9675

Email:
katherine.brandt@arcadis-us.com

<u>Facility No.</u>	<u>Case No.</u>	<u>Location</u>
0746	RO0000203	3943 Broadway Oakland, California 94611



If you have any questions, please contact Katherine Brandt at 510.596.9675.
Sincerely,

Our ref:
B0047338.2013

ARCADIS



Katherine Brandt
Certified Project Manager


Jacob Henry, P.G.
Project Geologist


Copies:
Mr. Nicole Arceneaux, EMC
Ms. Cherie McCaulou, CRWQCB – San Francisco Bay Region, 1515 Clay Street, Suite
1400, Oakland, California 94612 (Geotracker)

**UNION OIL OF CALIFORNIA
SEMI-ANNUALLY MONITORING REPORT
FIRST SEMI-ANNUAL 2014
September 2, 2014**

Facility No.: 0746 Address: 3943 Broadway, Oakland, California 94611
 Consulting Company/Contact Person/Phone No.: ARCADIS / Katherine Brandt / 510.596.9675
 Primary Agency/Contact Person/Regulatory ID No.: Alameda County Department of Environmental Health / Mr. Keith Nowell / Case No. RO0000203

WORK PERFORMED DURING THIS REPORTING PERIOD (First Semi-Annual – 2014) :

1. Gettler-Ryan (G-R) conducted groundwater monitoring and sampling on June 23, 2014. Field data sheets and general procedures are included as **Attachment A**. Ten (10) groundwater monitoring wells were gauged this monitoring event (MW-1 through MW-7, MW-10, MW-12, and RW-1). Nine (9) of those wells were sampled during this monitoring event (MW-1 through MW-4, MW-6, MW-7, MW-10, MW-12, and RW-1). Well MW-5 was not sampled due to the presence of liquid-phase hydrocarbons (LPH) in the well. MW-11 was not gauged or sampled due to a vehicle located above the well.

All groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-g; C₆-C₁₂) by United States Environmental Protection Agency (EPA) Method 8015B; and benzene, toluene, ethylbenzene, and total xylenes (BTEX, collectively), methyl tertiary butyl ether (MTBE), 1,2-dibromoethane (EDB), 1,2-dichloroethane (EDC), and ethanol by EPA Method 8260B.

The site location map, the site plan, and the groundwater contour map are presented on **Figures 1** through **3**. Concentration maps for TPH-g, benzene, and MTBE are on **Figures 4** through **6**. Current Groundwater Gauging and Analytical Results are summarized in **Table 1**, Historic Groundwater Gauging and Analytical Results are summarized in **Table 2**, LPH Recovery Data are summarized in **Table 3**, and Historical Groundwater Results from TRC are included as **Attachment B**. A copy of the laboratory analytical report and chain-of-custody documentation is included as **Attachment C**.


WORK PROPOSED FOR THE NEXT REPORTING PERIOD (Second Semi-Annual – 2014):

1. Perform groundwater monitoring and related reporting during the second half 2014.

Current Phase of Project:	<u>Groundwater Monitoring</u>
Site Use:	<u>Active gasoline retail station</u>
Frequency of Sampling:	<u>Groundwater – Semi-Annually</u>
Frequency of Monitoring:	<u>Groundwater – Semi-Annually</u>
LPH Present On-Site:	<u>0.21 feet (MW-5)</u>
Cumulative LPH Recovered to Date:	<u>3.919 gallons</u>
LPH Recovered This Quarter:	<u>0.000 gallons</u>
Bulk Soil Removed to Date:	<u>350 cubic yards during UST removal activities (1989)</u>
Bulk Soil Removed this Quarter:	<u>None</u>
Water Wells or Surface Waters within a 2,000' Radius and Their Respective Directions:	<u>Two irrigation wells located 1,330 feet east and 1,450 feet north of the site; the only surface water body (Glen Echo Creek) was located 1,630 feet southeast of the site</u>
Groundwater Use Designation:	<u>Irrigation</u>
Current Remediation Techniques:	<u>None</u>
Permits for Discharge (No.):	<u>None</u>
Approximate Depth to Groundwater:	<u>7.87 (MW-6) – 14.10 (MW-10) feet below top of casing (ft BTOC)</u> <u>Measured <input checked="" type="checkbox"/> Estimated</u>
Approximate Groundwater Elevation:	<u>67.51 (MW-10) – 72.27 (MW-1) feet relative to mean sea level</u>

ARCADIS

Figures



REFERENCE: BASE MAP USGS 7.5 MIN. TOPO. QUAD., OAKLAND WEST, CALIFORNIA, 1993, AND OAKLAND EAST, CALIFORNIA, 1997.



Approximate Scale: 1 in. = 2000 ft.




UNION OIL
 STATION NO. 0746
 3943 BROADWAY
 OAKLAND, CALIFORNIA

SITE LOCATION MAP




FIGURE
1




- LEGEND**
- PROPERTY BOUNDARY
 - MW-1 MONITORING WELL
 - RW-1 RECOVERY WELL
 - B-1 CPT BORING

- NOTES:**
1. BASE MAP DIGITIZED FROM A FIGURE PDF PROVIDED BY DELTA, DATED 09/14/09, AT A SCALE OF 1"=50'.
 2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.




UNION OIL STATION NO. 0746 3943 BROADWAY OAKLAND, CALIFORNIA	
SITE MAP	
	FIGURE 2

CITY: SAN RAFAEL, CA (Petaluma) DIV/GROUP: ENV/CAD DB: J. HARRIS
 C:\Users\jharris\Desktop\ENV\CAD\B004738\2014\GWR\01\ISA_2014\DWG\4738W01.dwg LAYOUT: 3 SAVED: 8/6/2014 11:21 AM ACADVER: 18.15 (LMS TECH) PAGESETUP: SETUP1 PLOTSTYLETABLE: ARCADIS.CTB PLOTTED: 8/6/2014 11:21 AM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: 4738W01



- LEGEND**
- PROPERTY BOUNDARY
 - MW-1 ◉ MONITORING WELL
 - RW-1 ◈ RECOVERY WELL
 - B-1 ◉ CPT BORING
 - (71.92) GROUNDWATER ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL (FT MSL)
 - 68.00 - - - GROUNDWATER ELEVATION CONTOUR (FT MSL; DASHED WHERE INFERRED)
 - ← 0.01 FT/FT GROUNDWATER FLOW DIRECTION AND GRADIENT (FOOT PER FOOT)
 - (NA) NOT ACCESSIBLE
 - (NS) NOT SURVEYED
 - * NOT USED IN CONTOURING

- NOTES:**
1. BASE MAP DIGITIZED FROM A FIGURE PDF PROVIDED BY DELTA, DATED 09/14/09, AT A SCALE OF 1"=50'.
 2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
 3. GROUNDWATER MONITORING WELLS WERE GAUGED AND SAMPLED ON JUNE 23, 2014.




UNION OIL
 STATION NO. 0746
 3943 BROADWAY
 OAKLAND, CALIFORNIA

**GROUNDWATER ELEVATION
 CONTOUR MAP**

ARCADIS

FIGURE
3



CITY: SAN RAFAEL, CA (PETALUMA) DIV/GROUP: ENV/CAD DB: J. HARRIS
 C:\Users\jharris\Desktop\ENV\CAD\B0047338\2014\GWR01\ISA 2014\DWG\47338C01.dwg LAYOUT: 4 SAVED: 8/6/2014 11:28 AM ACADVER: 18.1S (LMS TECH) PAGES: 18 PLOTSTYLETABLE: ARCADIS.CTB PLOTTED: 8/6/2014 11:48 AM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: ... 47338X01




LEGEND

- PROPERTY BOUNDARY
- MW-1 MONITORING WELL
- RW-1 RECOVERY WELL
- B-1 CPT BORING
- [TPH-g] TOTAL PETROLEUM HYDROCARBONS AS GASOLINE (C6-C12) CONCENTRATION IN MICROGRAMS PER LITER ($\mu\text{g/L}$)
- 1,000 TPH-g ISOCONCENTRATION CONTOUR ($\mu\text{g/L}$; DASHED WHERE INFERRED)
- < DENOTES LESS THAN LABORATORY REPORTING LIMIT
- [NA] NOT ACCESSIBLE
- [LPH] LIQUID PHASE HYDROCARBON

NOTES:

1. BASE MAP DIGITIZED FROM A FIGURE PDF PROVIDED BY DELTA, DATED 09/14/09, AT A SCALE OF 1"=50'.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
3. GROUNDWATER MONITORING WELLS WERE GAUGED AND SAMPLED ON JUNE 23, 2014.



UNION OIL
 STATION NO. 0746
 3943 BROADWAY
 OAKLAND, CALIFORNIA

TPH-g CONCENTRATION MAP




CITY: SAN RAFAEL, CA (PETALUMA) DIV/GROUP: ENV/CAD DB: J. HARRIS
 C:\Users\jharris\Desktop\ENV\CAD\B0047338\2014\GWR01\ISA 2014\DWG\47338C02.dwg LAYOUT: 5 SAVED: 8/6/2014 11:32 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: SETUP1 PLOTSTYLETABLE: ARCADIS.CTB PLOTTED: 8/6/2014 11:33 AM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: ... 47338X01



- LEGEND**
- PROPERTY BOUNDARY
 - MW-1 MONITORING WELL
 - RW-1 RECOVERY WELL
 - B-1 CPT BORING
 - [BENZ] BENZENE CONCENTRATION IN MICROGRAMS PER LITER ($\mu\text{g/L}$)
 - 1.0 BENZENE ISOCONCENTRATION CONTOUR ($\mu\text{g/L}$; DASHED WHERE INFERRED)
 - < DENOTES LESS THAN LABORATORY REPORTING LIMIT
 - [NA] NOT ACCESSIBLE
 - [LPH] LIQUID PHASE HYDROCARBON

- NOTES:**
1. BASE MAP DIGITIZED FROM A FIGURE PDF PROVIDED BY DELTA, DATED 09/14/09, AT A SCALE OF 1"=50'.
 2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
 3. GROUNDWATER MONITORING WELLS WERE GAUGED AND SAMPLED ON JUNE 23, 2014.




UNION OIL
 STATION NO. 0746
 3943 BROADWAY
 OAKLAND, CALIFORNIA

BENZENE CONCENTRATION MAP

ARCADIS


FIGURE
5

CITY: SAN RAFAEL, CA (PETALUMA) DIV/GROUP: ENV/CAD DB: J. HARRIS
 C:\Users\jharris\Desktop\ENVCAD\B0047338\2014\GWR01\ISA 2014\DWG\47338C03.dwg LAYOUT: 6 SAVED: 3/25/2014 11:10 AM ACADVER: 18.15 (LMS TECH) PAGESETUP: SETUP1 PLOTSTYLETABLE: ARCADIS.CTB PLOTTED: 8/6/2014 11:35 AM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: ... 47338X01



- LEGEND
- PROPERTY BOUNDARY
 - MW-1 MONITORING WELL
 - RW-1 RECOVERY WELL
 - B-1 CPT BORING
 - [MTBE] METHYL TERTIARY BUTYL ETHER CONCENTRATION IN MICROGRAMS PER LITER (µg/L)
 - 5 - - - - MTBE ISOCONCENTRATION CONTOUR (µg/L; DASHED WHERE INFERRED)
 - < DENOTES LESS THAN LABORATORY REPORTING LIMIT
 - [NA] NOT ACCESSIBLE
 - [LPH] LIQUID PHASE HYDROCARBON

- NOTES:
1. BASE MAP DIGITIZED FROM A FIGURE PDF PROVIDED BY DELTA, DATED 09/14/09, AT A SCALE OF 1"=50'.
 2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
 3. GROUNDWATER MONITORING WELLS WERE GAUGED AND SAMPLED ON JUNE 23, 2014.



UNION OIL STATION NO. 0746 3943 BROADWAY OAKLAND, CALIFORNIA	
MTBE CONCENTRATION MAP	
	FIGURE 6

ARCADIS

Tables

Table 1
Current Groundwater Gauging and Analytical Results
76 Station 0746
3943 Broadway Avenue, Oakland California

Well ID	Date Sampled	TOC (feet MSL)	DTW (feet BTOC)	LPH Thickness (feet)	GW Elevation (feet MSL)	Previous Quarter GWE (feet MSL)	Change in Elevation (feet)	TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	EDB	EDC	Ethanol	Comments
MW-1	6/23/2014	80.54	8.27	0.00	72.27	72.20	0.07	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-2	6/23/2014	81.32	9.69	0.00	71.63	71.64	-0.01	<50	<0.50	<0.50	<0.50	<1.0	0.82	<0.50	<0.50	<250	
MW-3	6/23/2014	81.41	10.28	0.00	71.13	71.02	0.11	4,200	87	<0.50	76	13	7.6	<0.50	<0.50	<250	
MW-4	6/23/2014	--	10.28	0.00	--	--	--	2600	2.5	<0.50	9.1	<1.0	<0.50	<0.50	<0.50	<250	
MW-5	6/23/2014	81.38	10.26	0.21	71.12	71.08	0.04	--	--	--	--	--	--	--	--	--	
MW-6	6/23/2014	79.94	7.87	0.00	72.07	71.92	0.15	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-7	6/23/2014	--	9.01	0.00	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-8	6/23/2014	81.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	6/23/2014	80.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-10	6/23/2014	81.61	14.10	0.00	67.51	67.13	0.38	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-11	6/23/2014	78.18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	Unable to access
MW-12	6/23/2014	79.61	11.11	0.00	68.50	68.65	-0.15	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
RW-1	6/23/2014	80.63	9.20	0.00	71.43	71.43	0.00	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	

Table 1
Current Groundwater Gauging and Analytical Results
76 Station 0746
3943 Broadway Avenue, Oakland California

Note

Analytical results given in micrograms per liter ($\mu\text{g/l}$) unless otherwise stated

Standard Abbreviations

--	not analyzed, measured, or collected
<	not detected at or above laboratory detection limit
TOC	top of casing (surveyed reference elevation)
feet MSL	feet relative to mean sea level
DTW	depth to water
BTOC	below top of casing
LPH	liquid-phase hydrocarbons
GW	groundwater
GWE	groundwater elevation

Analytes

TPH-g	total petroleum hydrocarbons with gasoline (C6-C12)
MTBE	methyl tertiary butyl ether
EDB	1,2-dibromoethane (same as ethylene dibromide)
EDC	1,2-dichloroethane (same as ethylene dichloride)
8015B	EPA Method 8015B for TPH-g
8260B	EPA Method 8260B for Volatile Organic Compounds

Table 2
Historic Groundwater Gauging and Analytical Results
76 Station 0746
3943 Broadway Avenue, Oakland California

Well ID	Date Sampled	TOC (feet MSL)	DTW (feet BTOC)	LPH Thickness (feet)	GW Elevation (feet MSL)	Previous Quarter GWE (feet MSL)	Change in Elevation (feet)	TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	EDB	EDC	Ethanol	Comments
MW-1	12/9/2011	80.54	7.97	0.00	72.57	74.29	-1.72	<50	<0.50	<0.50	<0.50	<1.0	4.2	<0.50	<0.50	<250	
MW-1	6/1/2012	80.54	7.63	0.00	72.91	72.57	0.34	<50	<0.50	<0.50	<0.50	<1.0	0.87	<0.50	<0.50	<250	
MW-1	6/6/2013	80.54	7.88	0.00	72.66	72.91	-0.25	<50	<0.50	<0.50	<0.50	<1.0	0.51	<0.50	<0.50	<250	
MW-1	12/13/2013	80.54	8.34	0.00	72.20	72.66	-0.46	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-1	6/23/2014	80.54	8.27	0.00	72.27	72.20	0.07	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-2	12/9/2011	81.32	8.95	0.00	72.37	73.57	-1.20	<50	<0.50	<0.50	<0.50	<1.0	7.9	<0.50	<0.50	<250	
MW-2	6/1/2012	81.32	9.18	0.00	72.14	72.37	-0.23	<50	<0.50	<0.50	<0.50	<1.0	2.9	<0.50	<0.50	<250	
MW-2	6/6/2013	81.32	9.40	0.00	71.92	72.14	-0.22	<50	<0.50	<0.50	<0.50	<1.0	0.95	<0.50	<0.50	<250	
MW-2	12/13/2013	81.32	9.68	0.00	71.64	71.92	-0.28	<50	<0.50	<0.50	<0.50	3.1	1.1	<0.50	<0.50	<250	
MW-2	6/23/2014	81.32	9.69	0.00	71.63	71.64	-0.01	<50	<0.50	<0.50	<0.50	<1.0	0.82	<0.50	<0.50	<250	
MW-3	12/9/2011	81.41	10.08	0.00	71.33	75.31	-3.98	9,900	11	<2.5	98	47	9.3	<2.5	<2.5	<1,200	A01
MW-3	6/1/2012	81.41	9.92	0.00	71.49	71.33	0.16	4,300	4.6	<0.50	17	3.4	19	<0.50	<0.50	<250	A01
MW-3	11/23/2012	81.41	9.78	0.00	71.63	71.49	0.14	2,000	1.3	<0.50	12	<1.0	11	<0.50	<0.50	<250	A01
MW-3	12/13/2013	81.41	10.39	0.00	71.02	71.63	-0.61	1,100	<0.50	<0.50	23	4.2	6	<0.50	<0.50	<250	
MW-3	6/23/2014	81.41	10.28	0.00	71.13	71.02	0.11	4,200	87	<0.50	76	13	7.6	<0.50	<0.50	<250	
MW-4	12/9/2011	--	9.04	0.00	--	--	--	1,900	<0.50	<0.50	1.4	<1.0	<0.50	<0.50	<0.50	<250	
MW-4	6/1/2012	--	9.92	0.00	--	--	--	680	<2.5	<2.5	<2.5	<5.0	<2.5	<2.5	<2.5	<1,200	A01
MW-4	6/6/2013	--	9.17	0.00	--	--	--	410	0.52	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-4	12/13/2013	--	10.05	0.00	--	--	--	3,200	2.1	<0.50	3.2	<1.0	<0.50	<0.50	<0.50	<250	
MW-4	6/23/2014	--	10.28	0.00	--	--	--	2,600	2.5	<0.50	9.1	<1.0	<0.50	<0.50	<0.50	<250	
MW-5	9/13/2011	81.38	6.70	0.00	74.68	75.95	-1.27	--	--	--	--	--	--	--	--	--	
MW-5	10/21/2011	81.38	6.72	0.00	74.66	75.95	-1.29	--	--	--	--	--	--	--	--	--	
MW-5	11/4/2011	81.38	6.64	0.00	74.74	75.95	-1.21	--	--	--	--	--	--	--	--	--	
MW-5	12/9/2011	81.38	10.02	0.21	71.36	74.66	-3.30	--	--	--	--	--	--	--	--	--	
MW-5	1/12/2012	81.38	10.12	0.02	71.26	71.36	-0.10	--	--	--	--	--	--	--	--	--	
MW-5	6/1/2012	81.38	8.22	0.02	73.16	71.26	1.90	--	--	--	--	--	--	--	--	--	
MW-5	6/6/2013	81.38	9.75	0.00	71.63	73.16	-1.53	30000.00	410.00	6.60	970.00	1300.00	2.50	<0.50	<0.50	<250	
MW-5	12/13/2013	81.38	10.30	0.21	71.08	71.63	-0.55	--	--	--	--	--	--	--	--	--	
MW-5	6/23/2014	81.38	10.26	0.21	71.12	71.08	0.04	--	--	--	--	--	--	--	--	--	
MW-6	12/9/2011	79.94	6.75	0.00	73.19	73.70	-0.51	<50	<0.50	<0.50	<0.50	<1.0	2.0	<0.50	<0.50	<250	
MW-6	6/1/2012	79.94	7.32	0.00	72.62	73.19	-0.57	<50	<0.50	<0.50	<0.50	<1.0	0.64	<0.50	<0.50	<250	
MW-6	6/6/2013	79.94	7.50	0.00	72.44	72.62	-0.18	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-6	12/13/2013	79.94	8.02	0.00	71.92	72.44	-0.52	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-6	6/23/2014	79.94	7.87	0.00	72.07	71.92	0.15	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-7	12/9/2011	--	8.54	0.00	--	--	--	120	<0.50	<0.50	<0.50	<1.0	4.5	<0.50	<0.50	<250	

Table 2
Historic Groundwater Gauging and Analytical Results
76 Station 0746
3943 Broadway Avenue, Oakland California

Well ID	Date Sampled	TOC (feet MSL)	DTW (feet BTOC)	LPH	GW	Previous	Change in	TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	EDB	EDC	Ethanol	Comments
				Thickness (feet)	Elevation (feet MSL)	Quarter GWE (feet MSL)	Elevation (feet)										
MW-7	6/1/2012	--	8.22	0.00	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	0.71	<0.50	<0.50	<250	
MW-7	6/6/2013	--	8.56	0.00	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-7	12/13/2013	--	9.09	0.00	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-7	6/23/2014	--	9.01	0.00	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-8	12/9/2011	81.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	6/1/2012	81.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	6/6/2013	81.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	12/13/2013	81.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	6/23/2014	81.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	12/9/2011	80.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	6/1/2012	80.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	6/6/2013	80.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	12/13/2013	80.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	6/23/2014	80.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-10	12/9/2011	81.61	14.41	0.00	67.20	69.25	-2.05	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-10	6/1/2012	81.61	12.65	0.00	68.96	67.20	1.76	<50	<0.50	<0.50	<0.50	<1.0	1.1	<0.50	<0.50	<250	
MW-10	6/6/2013	81.61	13.28	0.00	68.33	68.96	-0.63	<50	<0.50	<0.50	<0.50	<1.0	0.92	<0.50	<0.50	<250	
MW-10	12/13/2013	81.61	14.48	0.00	67.13	68.33	-1.20	<50	<0.50	<0.50	<0.50	<1.0	0.92	<0.50	<0.50	<250	
MW-10	6/23/2014	81.61	14.10	0.00	67.51	67.13	0.38	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-11	12/9/2011	78.18	13.27	0.00	64.91	62.39	2.52	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-11	6/1/2012	78.18	14.50	0.00	63.68	64.91	-1.23	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-11	6/6/2013	78.18	15.32	0.00	62.86	63.68	-0.82	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-11	12/13/2013	78.18	15.04	0.00	63.14	62.86	0.28	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-11	6/23/2014	78.18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	Unable to access
MW-12	12/9/2011	79.61	9.42	0.00	70.19	72.28	-2.09	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-12	6/1/2012	79.61	10.13	0.00	69.48	70.19	-0.71	<50	<0.50	<0.50	<0.50	<1.0	1.2	<0.50	<0.50	<250	
MW-12	6/6/2013	79.61	9.52	0.00	70.09	69.48	0.61	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-12	12/13/2013	79.61	10.96	0.00	68.65	70.09	-1.44	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
MW-12	6/23/2014	79.61	11.11	0.00	68.50	68.65	-0.15	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	

Table 2
Historic Groundwater Gauging and Analytical Results
76 Station 0746
3943 Broadway Avenue, Oakland California

Well ID	Date Sampled	TOC (feet MSL)	DTW (feet BTOC)	LPH Thickness (feet)	GW Elevation (feet MSL)	Previous Quarter GWE (feet MSL)	Change in Elevation (feet)	TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	EDB	EDC	Ethanol	Comments
RW-1	10/21/2011	80.63	5.45	0.00	75.18	77.02	-1.84	--	--	--	--	--	--	--	--	--	
RW-1	12/9/2011	80.63	9.28	0.00	71.35	75.18	-3.83	2,900	240	1.2	180	30	<0.50	<0.50	<0.50	<250	A01
RW-1	1/12/2012	80.63	9.53	0.00	71.10	71.35	-0.25	--	--	--	--	--	--	--	--	--	
RW-1	6/1/2012	80.63	8.48	0.00	72.15	71.10	1.05	3,600	140	<2.5	56	<5.0	<2.5	<2.5	<2.5	<1,200	A01
RW-1	6/6/2013	80.63	8.73	0.00	71.90	72.15	-0.25	1,300	1.2	1.4	5.8	<1.0	<0.50	<0.50	<0.50	<250	
RW-1	12/13/2013	80.63	9.20	0.00	71.43	71.90	-0.47	150	0.81	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	
RW-1	6/23/2014	80.63	9.20	0.00	71.43	71.43	0.00	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<0.50	<250	

Note

Analytical results given in micrograms per liter (µg/l) unless otherwise stated

Standard Abbreviations

- not analyzed, measured, or collected
- < not detected at or above laboratory detection limit
- TOC top of casing (surveyed reference elevation)
- feet MSL feet relative to mean sea level
- DTW depth to water
- BTOC below top of casing
- LPH liquid-phase hydrocarbons
- GW groundwater
- GWE groundwater elevation

Analytes

- TPH-g total petroleum hydrocarbons with gasoline (C6-C12)
- MTBE methyl tertiary butyl ether
- EDB 1,2-dibromoethane (same as ethylene dibromide)
- EDC 1,2-dichloroethane (same as ethylene dichloride)
- 8015B EPA Method 8015B for TPH-g
- 8260B EPA Method 8260B for Volatile Organic Compounds

Laboratory Qualifiers

- A01 PQL's and MDL's are raised due to sample dilution.
- PQL practical quantitation limit
- MDL method detection limit

Table 3
Liquid Phase Hydrocarbon Recovery Data
76 Station 0746
3943 Broadway Avenue, Oakland California

Date	MW-5	RW-1
11/11/1998	0.00	0.00
2/22/1999	0.040	0.00
4/2/1999	0.070	0.00
5/4/1999	0.00	0.00
5/20/1999	0.00	0.00
6/29/1999	0.00	0.00
0729/99	0.00	0.00
8/24/1999	0.00	0.00
9/27/1999	0.00	0.00
10/28/1999	0.00	0.00
11/15/1999	0.00	0.00
12/20/1999	0.00	0.00
1/20/2000	0.00	0.00
2/26/2000	0.00	0.00
3/31/2000	0.00	0.00
4/13/2000	0.000	0.00
5/22/2000	0.00	0.00
11/22/2000	0.020	0.00
2/14/2001	0.060	0.00
3/28/2001	0.00	0.00
4/28/2001	0.00	0.00
5/15/2001	0.00	0.00
6/29/2001	0.00	0.00
7/17/2001	0.00	0.00
8/30/2001	0.000	0.00
9/24/2001	0.00	0.00
10/15/2001	0.030	0.00
11/23/2001	0.00	0.00
12/10/2001	0.000	0.00
1/14/2002	0.00	0.00
2/22/2002	0.00	0.00
3/11/2002	0.000	0.00
4/15/2002	0.00	0.00
5/24/2002	0.040	0.00
6/17/2002	0.040	0.00
7/15/2002	0.020	0.00
8/19/2002	0.050	0.00
9/5/2002	0.030	0.00
10/7/2002	0.020	0.00
11/29/2002	0.020	0.00
12/12/2002	0.010	0.00
1/6/2003	0.010	0.00
2/12/2003	0.020	0.00
3/13/2003	0.020	0.00
4/7/2003	0.010	0.00
5/15/2003	0.030	0.00
6/12/2003	0.020	0.00
7/7/2003	0.010	0.00
8/14/2003	0.020	0.00
9/12/2003	0.020	0.00
10/15/2003	0.087	0.000
11/4/2003	0.043	0.000
11/21/2003	0.032	0.000
12/18/2003	0.024	0.000
1/7/2004	0.009	0.000

Table 3
Liquid Phase Hydrocarbon Recovery Data
76 Station 0746
3943 Broadway Avenue, Oakland California

Date	MW-5	RW-1
2/9/2004	0.010	0.010
3/24/2004	0.031	0.000
4/16/2004	0.000	0.000
5/24/2004	0.050	0.000
6/8/2004	0.049	0.000
7/2/2004	0.046	0.000
8/20/2004	0.080	0.000
9/17/2004	0.048	0.000
10/22/2004	0.024	0.000
11/29/2004	0.036	0.000
12/21/2004	0.010	0.000
1/24/2005	0.027	0.000
2/18/2005	0.020	0.000
3/18/2005	0.024	0.000
4/14/2005	0.010	0.000
5/17/2005	0.010	0.000
6/24/2005	0.000	0.000
7/14/2005	0.020	0.000
8/5/2005	0.050	0.000
9/16/2005	0.009	0.000
10/21/2005	0.000	0.000
11/22/2005	0.000	0.000
12/15/2005	0.000	0.000
1/19/2006	0.000	0.000
2/15/2006	0.000	0.000
3/25/2006	0.000	0.000
4/27/2006	0.000	0.000
5/25/2006	0.000	0.000
6/14/2006	0.000	0.000
7/3/2006	0.000	0.000
8/10/2006	0.000	0.000
9/15/2006	0.027	0.000
10/27/2006	0.009	0.000
11/22/2006	0.017	0.000
12/21/2006	0.000	0.000
2/5/2007	0.010	0.000
2/20/2007	0.000	0.000
3/28/2007	0.000	0.000
4/30/2007	0.000	0.000
5/23/2007	0.073	0.000
6/28/2007	0.049	0.000
8/1/2007	0.000	0.000
8/27/2007	0.000	0.000
9/12/2007	0.040	0.000
10/16/2007	0.000	0.000
12/13/2007	0.029	0.000
1/29/2008	0.010	0.000
2/28/2008	0.020	0.000
3/21/2008	0.000	0.000
4/11/2008	0.058	0.000
5/21/2008	0.044	0.000
6/9/2008	0.029	0.000
7/18/2008	0.032	0.000
8/15/2008	0.024	0.000
9/24/2008	0.051	0.000
10/22/2008	0.044	0.000

Table 3
Liquid Phase Hydrocarbon Recovery Data
76 Station 0746
3943 Broadway Avenue, Oakland California

Date	MW-5	RW-1
11/26/2008	0.034	0.000
12/30/2008	0.022	0.000
1/23/2009	NA	0.000
3/27/2009	0.000	0.000
4/28/2009	0.102	0.000
5/28/2009	NA	NA
7/31/2009	0.034	0.000
8/21/2009	0.102	0.000
9/28/2009	0.017	0.000
10/26/2009	0.063	0.000
11/30/2009	0.075	0.000
12/15/2009	0.010	0.000
1/25/2010	0.003	0.000
2/26/2010	0.000	0.000
3/23/2010	0.010	0.000
4/22/2010	0.009	0.000
5/21/2010	0.117	0.000
6/28/2010	0.085	0.000
7/21/2010	0.040	0.000
8/18/2010	0.070	0.000
9/29/2010	0.030	0.000
10/18/2010	0.046	0.000
11/30/2010	0.058	0.000
12/29/2010	0.250	0.000
1/6/2011	0.138	0.000
1/20/2011	0.231	0.000
2/1/2011	0.230	0.000
2/14/2011	0.000	0.000
3/3/2011	0.000	0.000
3/22/2011	0.000	0.000
4/25/2011	0.000	0.000
5/27/2011	0.000	0.000
9/13/2011	0.000	0.000
10/20/2011	0.000	0.000
11/4/2011	0.000	0.000
12/23/2011	0.210	0.000

Total LPH Removed (gallons): 3.909 0.010

LPH removed for 2" casing well = (feet of product)(0.17 gallon/foot)

4" casing well = (feet of product)(0.67 gallon/foot)

6" casing well = (feet of product)(1.5 gallon/foot)

ARCADIS

Attachment A

Field Data Sheets and General Procedures



GETTLER-RYAN INC.



TRANSMITTAL

July 3, 2014
G-R #385648

TO: Ms. Katherine Brandt
Arcadis
2000 Powell Street, 7th Floor
Emeryville, CA 94608

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6805 Sierra Court, Suite G
Dublin, California 94568

RE: **Chevron Facility**
#351647/0746
3943 Broadway
Oakland, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package First Semi-Annual Event of June 23, 2014

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/351647 0746

WELL CONDITION STATUS SHEET

Client/
 Facility #: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job #: 385648
 Event Date: 06/23/14
 Sampler: GILBERT MEDINA

WELL ID	Vault Frame Condition	Gasket/O-Ring (M) Missing (R) Replaced	Bolts (M) Missing (R) Replaced	Bolt Flanges B=Broken S=Stripped R=Retap	Apron Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) Inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Y/N
MW-1	OK							N	N	DIVERSIFIED/8/2	
MW-2	OK									EMCO/12/2	
MW-3	OK									DIVERSIFIED/8/2	
MW-4	OK									EMCO/12/2	
MW-5	OK										
MW-6	OK										
MW-7	OK										
MW-10	OK			B(2)	OK					UNIVERSAL/8/2	
MW-11	UTA										
MW-12	OK							N	N	BRAINARD KUMAR/8/2	
RW-1	OK									EMCO/24/3	

Comments _____

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Seaport Environmental located in Redwood City, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: Gm

Well ID: MW-1
 Well Diameter: 2.6 in.
 Total Depth: 19.84 ft.
 Depth to Water: 9.27 ft.
11.57 xVF 0.17 = 1.96

Date Monitored: 6/23/14

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 6 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.58

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 1320
 Sample Time/Date: 1355 / 6/23/14
 Approx. Flow Rate: - gpm.
 Did well de-water? No If yes, Time: _____

Weather Conditions: Sunny
 Water Color: Cloudy Odor: Y (N)
 Sediment Description: SILT
 Volume: _____ gal. DTW @ Sampling: 10.49

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (C F)	D.O. (mg/L)	ORP (mV)
<u>1327</u>	<u>2</u>	<u>6.62</u>	<u>0.47</u>	<u>21.5</u>		
<u>1327</u>	<u>4</u>	<u>6.57</u>	<u>0.47</u>	<u>21.2</u>		
<u>1331</u>	<u>6</u>	<u>6.52</u>	<u>0.46</u>	<u>21.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x vial	YES	HCL	BC LABS	TPH-GRO(C6-C12)(8015)/BTX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: GM

Well ID: Mw-2
 Well Diameter: 216 in.
 Total Depth: 19.82 ft.
 Depth to Water: 9.69 ft.
10.13 xVF 0.17 = 1.72

Date Monitored: 6/23/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Estimated Purge Volume: 5.5 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.71

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ ltr
Amt Removed from Well:	_____ ltr
Water Removed:	_____ ltr

Start Time (purge): 1130 Weather Conditions: Sunny
 Sample Time/Date: 1205 / 6/23/14 Water Color: Cloudy Odor: Y/N SLIGHT
 Approx. Flow Rate: - gpm. Sediment Description: SLT
 Did well de-water? NO If yes, Time: - Volume: - gal. DTW @ Sampling: 11.49

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / MS µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1134</u>	<u>2</u>	<u>6.63</u>	<u>0.50</u>	<u>21.3</u>	_____	_____
<u>1138</u>	<u>4</u>	<u>6.57</u>	<u>0.49</u>	<u>21.0</u>	_____	_____
<u>1142</u>	<u>5.5</u>	<u>6.52</u>	<u>0.48</u>	<u>20.9</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>Mw-2</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>BC LABS</u>	<u>TPH-GRO(C6-C12)(8015)/BTEX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)</u>

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: GM

Well ID: MW-3
 Well Diameter: (2) 6 in.
 Total Depth: 22.53 ft.
 Depth to Water: 10.28 ft.
12.25 xVF 0.17 = 2.09

Date Monitored: 6/23/14

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 6.5 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.73

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ ltr
Amt Removed from Well:	_____ ltr
Water Removed:	_____ ltr

Start Time (purge): 0940
 Sample Time/Date: 1020 16/23/14
 Approx. Flow Rate: - gpm.
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Weather Conditions: Sunny
 Water Color: cloudy Odor: DIN STRONG
 Sediment Description: NONE
 DTW @ Sampling: 12.69

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / mS / µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0945</u>	<u>2.5</u>	<u>6.44</u>	<u>0.61</u>	<u>21.2</u>	_____	_____
<u>0950</u>	<u>4.5</u>	<u>6.40</u>	<u>0.60</u>	<u>21.0</u>	_____	_____
<u>0954</u>	<u>6.5</u>	<u>6.36</u>	<u>0.59</u>	<u>20.9</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6 x vva vial</u>	<u>YES</u>	<u>HCL</u>	<u>BC LABS</u>	<u>TPH-GRO(C6-C12)(8015)/BTEX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)</u>

COMMENTS: SLIGHT STAIN



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/27/14 (inclusive)
 Sampler: GM

Well ID: MW-4
 Well Diameter: 3/6 in.
 Total Depth: 19.30 ft.
 Depth to Water: 10.23 ft.
9.52 xVF = 0.17 = 1.61

Date Monitored: 6/23/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 5 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.13

Purge Equipment:

Disposable Bailer: K
 Stainless Steel Bailer: _____
 Stack Pump: _____
 Peristaltic Pump: _____
 QED Bladder Pump: _____
 Other: _____

Sampling Equipment:

Disposable Bailer: K
 Pressure Bailer: _____
 Metal Filters: _____
 Peristaltic Pump: _____
 QED Bladder Pump: _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ ltr
Amt Removed from Well:	_____ ltr
Water Removed:	_____ ltr

Start Time (purge): 0845 Weather Conditions: Sunny
 Sample Time/Date: 0925 / 6/23/14 Water Color: cloudy Odor: PTN SLIGHT
 Approx. Flow Rate: _____ gpm. Sediment Description: SLT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 12.04

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / MS µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0849</u>	<u>2</u>	<u>6.41</u>	<u>0.56</u>	<u>21.7</u>	_____	_____
<u>0854</u>	<u>3.5</u>	<u>6.36</u>	<u>0.56</u>	<u>21.6</u>	_____	_____
<u>0858</u>	<u>5</u>	<u>6.34</u>	<u>0.55</u>	<u>21.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6 x vial</u>	<u>YES</u>	<u>HCL</u>	<u>BC LABS</u>	<u>TPH-GRO(C6-C12)(8015)/BTEX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)</u>

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: GM

Well ID: MW-5
 Well Diameter: 2/6 in.
 Total Depth: 20.0 ft.
 Depth to Water: 10.26 ft.
9.75 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 6/23/14

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 10.05 ft
 Depth to Water: 10.26 ft
 Hydrocarbon Thickness: 0.21 ft
 Visual Confirmation/Description:
OILY / TAN
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): _____
 Sample Time/Date: _____ / _____
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Weather Conditions: _____
 Water Color: _____ Odor: Y / N
 Sediment Description: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / mS µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	BC LABS	TPH-GRO(C6-C12)(8015)/BTEX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)

COMMENTS: STINGOX IN WELL APPEARED TO BE ≈ 0.01 OF SIH.

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: Gm

Well ID: MW-6
 Well Diameter: 2.6 in.
 Total Depth: 19.57 ft.
 Depth to Water: 7.97 ft.
11.70 xVF 0.17 = 1.98

Date Monitored: 6/23/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.21
 x3 case volume = Estimated Purge Volume: 6 gal.

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 1220
 Sample Time/Date: 1300/6/23/14
 Approx. Flow Rate: - gpm.
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 10.11

Weather Conditions: Sunny
 Water Color: Cloudy Odor: YRN
 Sediment Description: SL SILT

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1224</u>	<u>2</u>	<u>6.70</u>	<u>0.50</u>	<u>22.1</u>	_____	_____
<u>1228</u>	<u>4</u>	<u>6.62</u>	<u>0.51</u>	<u>21.9</u>	_____	_____
<u>1232</u>	<u>6</u>	<u>6.59</u>	<u>0.50</u>	<u>21.3</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6 x vial</u>	<u>YES</u>	<u>HCL</u>	<u>BC LABS</u>	<u>TPH-GRO(C6-C12)(8015)/BTEX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)</u>

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: GM

Well ID: MW-7
 Well Diameter: 2.6 in.
 Total Depth: 19.75 ft.
 Depth to Water: 9.01 ft.

Date Monitored: 6/23/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.14
 xVF 0.17 = 1.81 x3 case volume = Estimated Purge Volume: 6 gal.

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 1035 Weather Conditions: Sunny
 Sample Time/Date: 1110/6/23/14 Water Color: Cloudy Odor: Y1(N)
 Approx. Flow Rate: - gpm. Sediment Description: Slit
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 11.26

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS/ms µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1039</u>	<u>2</u>	<u>6.65</u>	<u>0.43</u>	<u>22.1</u>	_____	_____
<u>1043</u>	<u>4</u>	<u>6.59</u>	<u>0.47</u>	<u>21.8</u>	_____	_____
<u>1047</u>	<u>6</u>	<u>6.57</u>	<u>0.47</u>	<u>21.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x vva vial	YES	HCL	BC LABS	TPH-GRO(C6-C12)(8015)/BTEX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: Gay

Well ID: MW-10
 Well Diameter: 2.6 in.
 Total Depth: 21.74 ft.
 Depth to Water: 14.10 ft.
7.64

Date Monitored: 6/23/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF 0.17 = 1.29 x3 case volume = Estimated Purge Volume: 4 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.62

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 1430
 Sample Time/Date: 1505/6/23/14
 Approx. Flow Rate: _____ gpm.
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Weather Conditions: Sunny
 Water Color: Cloudy Odor: YIN
 Sediment Description: SLT
 DTW @ Sampling: 15.14

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{S}/\text{mS}$ / $\mu\text{mhos}/\text{cm}$)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1434</u>	<u>1.5</u>	<u>6.74</u>	<u>0.46</u>	<u>22.6</u>		
<u>1438</u>	<u>3</u>	<u>6.69</u>	<u>0.45</u>	<u>22.2</u>		
<u>1442</u>	<u>4</u>	<u>6.68</u>	<u>0.44</u>	<u>21.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>BC LABS</u>	<u>TPH-GRO(C6-C12)(8015)/BTX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)</u>

COMMENTS: _____

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: Gur

Well ID: MW-11
 Well Diameter: 2 1/6 in.
 Total Depth: _____ ft.
 Depth to Water: UTA ft.

Date Monitored: UTA

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / mS µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x vva vial	YES	HCL	BC LABS	TPH-GRO(C6-C12)(8015)/BTEX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)

COMMENTS: UNABLE TO ACCESS, RED CROSS TRUCK DEAD ON TOP OF WELL. THEY SAID THEY CAN GET IT MOVED BY TOMORROW 6/24/14.

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: Gur

Well ID: MW-12
 Well Diameter: 218 in.
 Total Depth: 17.65 ft.
 Depth to Water: 11.11 ft.
6.54 xVF 0.17 = 1.12

Date Monitored: 6/23/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 3.5 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.41

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 1530 Weather Conditions: Sunny
 Sample Time/Date: 1600 / 6/23/14 Water Color: cloudy Odor: YIN
 Approx. Flow Rate: _____ gpm. Sediment Description: SC SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 12.26

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS / MS µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1537</u>	<u>1.75</u>	<u>6.76</u>	<u>0.46</u>	<u>22.0</u>		
<u>1536</u>	<u>2.5</u>	<u>6.74</u>	<u>0.46</u>	<u>22.0</u>		
<u>1538</u>	<u>3.5</u>	<u>6.70</u>	<u>0.46</u>	<u>21.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>6 x vial</u>	<u>YES</u>	<u>HCL</u>	<u>BC LABS</u>	<u>TPH-GRO(C6-C12)(8015)/BTEX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)</u>

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #351647 / 0746
 Site Address: 3943 Broadway
 City: Oakland, CA

Job Number: 385648
 Event Date: 6/23/14 (inclusive)
 Sampler: GM

Well ID: RW-1
 Well Diameter: 2(6) in.
 Total Depth: 16.40 ft.
 Depth to Water: 9.20 ft.
7.20 xVF = 1.5 = 10.80

Date Monitored: 6/23/14

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.64 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump X _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ ltr
 Amt Removed from Well: _____ ltr
 Water Removed: _____ ltr

Start Time (purge): 0745 Weather Conditions: Sunny
 Sample Time/Date: 0730 16/23/14 Water Color: Clear Odor: Ø MODERATE
 Approx. Flow Rate: 2 gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 10.60

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (C F)	D.O. (mg/L)	ORP (mV)
<u>0750</u>	<u>11</u>	<u>7.01</u>	<u>0.35</u>	<u>20.4</u>	_____	_____
<u>0756</u>	<u>22</u>	<u>6.92</u>	<u>0.36</u>	<u>20.1</u>	_____	_____
<u>0801</u>	<u>33</u>	<u>6.87</u>	<u>0.35</u>	<u>20.1</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>RW-1</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>BC LABS</u>	<u>TPH-GRO(C6-C12)(8015)/BTEX+MTBE(8260)/EDB/EDC(8260)/ETHANOL(8260B)</u>




COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____

CHAIN OF CUSTODY FORM

Union Oil Company of California ■ 6101 Bollinger Canyon Road ■ San Ramon, CA 94583

COC 1 of 1

Union Oil Site ID: <u>0746</u>				Union Oil Consultant: <u>ARCAID'S</u>		ANALYSES REQUIRED																			
Site Global ID: <u>T0600101471</u>				Consultant Contact: <u>KATHARINE TANDI</u>		TPH - Diesel by EPA 8015	TPH - G by <u>(C6-C12) (8015B)</u>	BTEX/MTBE/CAHs by EPA 8260B	Ethanol by EPA 8260B 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	EPA 8260B Full List with OXYS	Turnaround Time (TAT): Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 72 Hours <input type="checkbox"/>														
Site Address: <u>3943 BROADWAY OAKLAND, CA</u>				Consultant Phone No.: <u>(510) 596-9675</u>							Special Instructions <u>RUN BOXES DI 8260 ON ALL 8260 APP LITS.</u>														
Union Oil PM: <u>TIMOTHY L BISHOP</u>				Sampling Company: <u>PREGETTLER-KYAN INC</u>																					
Union Oil PM Phone No.: <u>(925) 790-6463</u>				Sampled By (PRINT): <u>GILBERT MEDINA</u>																					
Charge Code: <u>NWRTB-0 351647-0-LAB</u>				Sampler Signature: 																					
This is a LEGAL document. ALL fields must be filled out CORRECTLY and COMPLETELY.				BC Laboratories, Inc.																					
				Project Manager: Molly Meyers 4100 Atlas Court, Bakersfield, CA 93308 Phone No. 661-327-4911																					
SAMPLE ID				Sample Time	# of Containers													Notes / Comments							
Field Point Name	Matrix	DTW	Date (yymmdd)																						
<u>QA</u>	<u>W-S-A</u>		<u>140623</u>	<u>1355</u>	<u>2</u>																				
<u>MW-1</u>	<u>W-S-A</u>		↓	<u>1205</u>	<u>6</u>																				
<u>MW-2</u>	<u>W-S-A</u>			<u>1020</u>																					
<u>MW-3</u>	<u>W-S-A</u>			<u>0925</u>																					
<u>MW-4</u>	<u>W-S-A</u>			<u>1300</u>																					
<u>MW-6</u>	<u>W-S-A</u>			<u>1110</u>																					
<u>MW-7</u>	<u>W-S-A</u>			<u>1505</u>																					
<u>MW-10</u>	<u>W-S-A</u>			<u>1600</u>																					
<u>MW-12</u>	<u>W-S-A</u>			<u>0830</u>																					
<u>RW-1</u>	<u>W-S-A</u>																								
	<u>W-S-A</u>																								
	<u>W-S-A</u>																								
Relinquished By: 		Company: <u>GRINC</u>		Date / Time: <u>6-24-14 0350</u>		Relinquished By: 		Company: <u>ERIN</u>		Date / Time: <u>6-24-14 1445</u>		Relinquished By:		Company:		Date / Time:									
Received By: <u>PREGETTLER-KYAN</u>		Company: <u>PREGETTLER-KYAN</u>		Date / Time: <u>6-24-14 1445</u>		Received By: <u>Henry Babin</u>		Company: <u>BC Lab</u>		Date / Time: <u>6-24-14 1445</u>		Received By:		Company:		Date / Time:									

ARCADIS

Attachment B

Historical Groundwater Results from TRC

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1														
11/1/1989	--	--	--	--	--	ND	--	ND	ND	ND	0.3	--	--	
2/15/1990	--	--	--	--	--	170	--	7.9	ND	2.2	2.8	--	--	
8/16/1990	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/7/1990	--	--	--	--	--	45	--	ND	ND	ND	ND	--	--	
2/25/1991	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
5/28/1991	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
8/28/1991	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/19/1991	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
2/6/1992	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
5/23/1992	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
8/26/1992	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/20/1992	--	--	--	--	--	ND	--	0.75	ND	ND	ND	--	--	
12/21/1992	81.07	8.12	0	72.95	--	--	--	--	--	--	--	--	--	
1/30/1993	81.07	7.63	0	73.44	0.49	--	--	--	--	--	--	--	--	
2/24/1993	81.07	7.16	0	73.91	0.47	1100	--	280	4.9	120	140	--	--	
3/22/1993	81.07	6.26	0	74.81	0.90	--	--	--	--	--	--	--	--	
4/28/1993	81.07	7.91	0	73.16	-1.65	--	--	--	--	--	--	--	--	
5/25/1993	81.07	7.87	0	73.20	0.04	260	--	27	4.9	2.6	54	--	--	
6/23/1993	80.54	7.66	0	72.88	-0.32	--	--	--	--	--	--	--	--	
7/22/1993	80.54	7.87	0	72.67	-0.21	--	--	--	--	--	--	--	--	
8/25/1993	80.54	8.00	0	72.54	-0.13	ND	--	ND	ND	ND	ND	--	--	
9/22/1993	80.54	8.10	0	72.44	-0.10	--	--	--	--	--	--	--	--	
10/28/1993	80.54	8.15	0	72.39	-0.05	--	--	--	--	--	--	--	--	
11/30/1993	80.54	7.65	0	72.89	0.50	--	--	--	--	--	--	--	--	Sampled semi-annually
2/16/1994	80.54	7.46	0	73.08	0.19	ND	--	0.84	ND	ND	0.59	--	--	
5/31/1994	80.54	7.80	0	72.74	-0.34	--	--	--	--	--	--	--	--	
8/31/1994	80.54	8.27	0	72.27	-0.47	ND	--	ND	0.98	ND	0.84	--	--	
9/27/1994	80.54	8.37	0	72.17	-0.10	--	--	--	--	--	--	--	--	
10/11/1994	80.54	8.36	0	72.18	0.01	--	--	--	--	--	--	--	--	
11/10/1994	80.54	6.43	0	74.11	1.93	--	--	--	--	--	--	--	--	
2/7/1995	80.54	7.06	0	73.48	-0.63	6100	--	670	ND	120	60	--	--	
5/3/1995	80.54	6.85	0	73.69	0.21	260	--	21	39	17	24	--	--	
8/3/1995	80.54	7.69	0	72.85	-0.84	--	--	--	--	--	--	--	--	
11/7/1995	80.54	8.15	0	72.39	-0.46	ND	--	ND	ND	ND	ND	--	--	
5/6/1996	80.54	7.40	0	73.14	0.75	170	--	1.0	20	2.3	17	55	--	
11/5/1996	80.54	7.90	0	72.64	-0.50	ND	--	ND	ND	ND	ND	5.2	--	
5/15/1997	80.54	7.77	0	72.77	0.13	ND	--	ND	ND	ND	ND	16	--	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	Ground-LPH Thickness (feet)	Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
11/12/1997	80.54	7.48	0	73.06	0.29	ND	--	ND	ND	ND	ND	11	--	
5/4/1998	80.54	7.39	0	73.15	0.09	ND	--	ND	ND	ND	ND	320	--	
11/11/1998	80.54	7.37	0	73.17	0.02	ND	--	ND	ND	ND	ND	200	--	
5/20/1999	80.54	7.41	0	73.13	-0.04	ND	--	ND	ND	ND	ND	89	47	
11/15/1999	80.54	7.84	0	72.70	-0.43	ND	--	ND	ND	ND	ND	8.12	7.19	
5/22/2000	80.54	7.53	0	73.01	0.31	ND	--	0.89	ND	ND	ND	220	290	
11/22/2000	80.54	7.35	0	73.19	0.18	ND	--	ND	ND	ND	ND	105	142	
5/15/2001	80.54	7.48	0	73.06	-0.13	345	--	ND	3.41	2.77	25.2	178	374	
11/23/2001	80.54	7.57	0	72.97	-0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	350	350	
5/24/2002	80.54	7.10	0	73.44	0.47	70	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	200	240	
11/29/2002	80.54	7.96	0	72.58	-0.86	ND<250	--	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	330	
5/15/2003	80.54	7.22	0	73.32	0.74	ND<250	--	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	210	
11/4/2003	80.54	7.94	0	72.60	-0.72	--	120	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	140	
5/24/2004	80.54	7.54	0	73.00	0.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	26	
11/29/2004	80.54	7.27	0	73.27	0.27	--	58	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	44	
6/24/2005	80.54	7.06	0	73.48	0.21	--	87	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	80	
12/15/2005	80.54	7.35	0	73.19	-0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	32	
6/14/2006	80.54	7.06	0	73.48	0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	44	
12/21/2006	80.54	7.12	0	73.42	-0.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	16	
6/28/2007	80.54	7.79	0	72.75	-0.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	5.6	
12/13/2007	80.54	7.94	0	72.60	-0.15	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	
6/9/2008	80.54	8.00	0	72.54	-0.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	29	
12/30/2008	80.54	7.51	0	73.03	0.49	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.2	
9/28/2009	80.54	8.10	0	72.44	-0.59	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.98	
12/15/2009	80.54	7.32	0	73.22	0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/28/2010	80.54	7.80	0	72.74	-0.48	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.1	
12/29/2010	80.54	6.22	0	74.32	1.58	--	99	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.6	
MW-2														
11/1/1989	--	--	--	--	--	200	--	ND	ND	3.0	1.2	--	--	
2/15/1990	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
8/16/1990	--	--	--	--	--	ND	--	ND	6.7	ND	ND	--	--	
11/7/1990	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
2/25/1991	--	--	--	--	--	ND	--	0.68	0.42	ND	0.86	--	--	
5/28/1991	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
8/28/1991	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/19/1991	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
2/6/1992	--	--	--	--	--	ND	--	0.36	0.66	ND	0.62	--	--	
5/23/1992	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
4/8/1993	82.01	9.14	0.02	72.89	-0.33	--	--	--	--	--	--	--	--	LPH in well
4/28/1993	82.01	9.44	0.03	72.59	-0.29	--	--	--	--	--	--	--	--	LPH in well
5/12/1993	82.01	9.57	0.03	72.46	-0.13	--	--	--	--	--	--	--	--	LPH in well
5/25/1993	82.01	9.45	0.03	72.58	0.12	--	--	--	--	--	--	--	--	LPH in well
6/7/1993	81.41	8.94	0	72.47	-0.11	--	--	--	--	--	--	--	--	
6/23/1993	81.41	9.20	0.02	72.23	-0.24	--	--	--	--	--	--	--	--	LPH in well
7/8/1993	81.41	9.31	0.03	72.12	-0.10	--	--	--	--	--	--	--	--	LPH in well
7/22/1993	81.41	9.47	0	71.94	-0.18	--	--	--	--	--	--	--	--	
8/11/1993	81.41	9.59	0	71.82	-0.12	--	--	--	--	--	--	--	--	
8/25/1993	81.41	9.67	0.03	71.76	-0.06	--	--	--	--	--	--	--	--	LPH in well
9/8/1993	81.41	10.34	0	71.07	-0.69	--	--	--	--	--	--	--	--	
9/22/1993	81.41	9.84	0.02	71.59	0.51	--	--	--	--	--	--	--	--	LPH in well
10/7/1993	81.41	9.87	0	71.54	-0.05	--	--	--	--	--	--	--	--	
10/28/1993	81.41	10.03	0	71.38	-0.16	--	--	--	--	--	--	--	--	
11/12/1993	81.41	9.76	0	71.65	0.27	--	--	--	--	--	--	--	--	
11/30/1993	81.41	9.66	0.02	71.76	0.11	--	--	--	--	--	--	--	--	LPH in well
2/16/1994	81.41	8.87	0	72.54	0.78	57000	--	910	2500	2100	9000	--	--	Sheen
5/31/1994	81.41	9.48	0	71.93	-0.61	39000	--	670	630	1500	6200	--	--	
8/31/1994	81.41	10.08	0	71.33	-0.60	44000	--	500	240	1400	5700	--	--	
9/24/1994	81.41	10.22	0	71.19	-0.14	--	--	--	--	--	--	--	--	
10/11/1994	81.41	10.41	0.01	71.01	-0.18	--	--	--	--	--	--	--	--	LPH in well
11/10/1994	81.41	7.47	0	73.94	2.93	86000	--	3300	3800	1800	8300	--	--	Sheen
2/7/1995	81.41	8.05	0	73.36	-0.58	45000	--	1400	1300	1500	5600	--	--	
3/14/1995	81.41	7.05	0	74.36	1.00	--	--	--	--	--	--	--	--	
5/3/1995	81.41	7.91	0	73.50	-0.86	26000	--	740	990	1100	4400	--	--	
8/3/1995	81.41	9.28	0	72.13	-1.37	18000	--	59	ND	530	1900	--	--	
8/19/1995	81.41	--	0	--	--	--	--	--	--	--	--	--	--	
11/7/1995	81.41	10.79	0	70.62	--	17000	--	110	26	400	1500	880	--	
5/6/1996	81.41	9.44	0	71.97	1.35	5100	--	48	ND	87	210	370	--	Sheen
11/5/1996	81.41	10.64	0	70.77	-1.20	35000	--	2200	ND	1200	2800	460	--	
5/15/1997	81.41	9.61	0	71.80	1.03	2400	--	110	ND	ND	140	100	--	
11/12/1997	81.41	9.18	0	72.23	0.43	29000	--	2000	ND	1800	3000	ND	--	
5/4/1998	81.41	9.50	0	71.91	-0.32	8200	--	430	ND	310	320	ND	--	
11/11/1998	81.41	9.25	0	72.16	0.25	8700	--	500	ND	330	310	ND	--	
5/20/1999	81.41	8.95	0	72.46	0.30	4300	--	250	ND	ND	86	ND	--	
11/15/1999	81.41	10.35	0	71.06	-1.40	6720	--	326	ND	398	226	120	45.1	
5/22/2000	81.41	9.14	0	72.27	1.21	4000	--	99	4.5	190	75	100	94	
11/22/2000	81.41	9.33	0	72.08	-0.19	6130	--	93.7	6.71	174	47.8	212	131	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
7/22/1993	81.29	9.26	0	72.03	-0.36	--	--	--	--	--	--	--	--	
8/25/1993	81.29	9.45	0	71.84	-0.19	640	--	100	1.1	100	22	--	--	
9/22/1993	81.29	9.63	0	71.66	-0.18	--	--	--	--	--	--	--	--	
10/28/1993	81.29	9.62	0	71.67	0.01	--	--	--	--	--	--	--	--	
11/30/1993	81.29	9.40	0	71.89	0.22	200	--	28	ND	17	8.1	--	--	
12/21/1993	81.48	9.10	0	72.38	0.49	--	--	--	--	--	--	--	--	
2/16/1994	81.29	9.21	0	72.08	-0.30	190	--	11	0.98	21	6.6	--	--	
5/31/1994	81.29	9.11	0	72.18	0.10	1100	--	190	ND	100	58	--	--	
8/31/1994	81.29	10.01	0	71.28	-0.90	400	--	17	0.94	14	5.2	--	--	
9/27/1994	81.29	10.09	0	71.20	-0.08	--	--	--	--	--	--	--	--	
10/11/1994	81.29	11.50	0	69.79	-1.41	--	--	--	--	--	--	--	--	
11/10/1994	81.29	9.21	0	72.08	2.29	7700	--	1800	280	460	1300	--	--	
2/7/1995	81.29	7.66	0	73.63	1.55	540	--	47	ND	17	2.5	--	--	
5/3/1995	81.29	8.29	0	73.00	-0.63	160	--	8.3	0.52	1.5	3.7	--	--	
8/3/1995	81.29	8.60	0	72.69	-0.31	57	--	2.0	ND	ND	ND	--	--	
8/19/1995	81.29	--	0	--	--	--	--	--	--	--	--	--	--	
11/7/1995	81.29	10.28	0	71.01	--	ND	--	0.71	ND	ND	ND	0.86	--	
5/6/1996	81.29	8.70	0	72.59	1.58	1200	--	12	11	15	36	ND	--	
11/5/1996	81.29	10.00	0	71.29	-1.30	700	--	32	0.71	1.8	1.3	6.5	--	
5/15/1997	81.29	9.37	0	71.92	0.63	51	--	ND	ND	ND	ND	ND	ND	
11/12/1997	81.29	8.92	0	72.37	0.45	74	--	1.7	ND	ND	ND	ND	ND	
5/4/1998	81.29	9.48	0	71.81	-0.56	ND	--	ND	ND	ND	ND	ND	ND	
11/11/1998	81.29	9.13	0	72.16	0.35	ND	--	0.63	ND	ND	ND	ND	ND	
5/20/1999	81.29	8.41	0	72.88	0.72	ND	--	ND	ND	ND	ND	ND	ND	
11/15/1999	81.29	9.68	0	71.61	-1.27	ND	--	ND	ND	ND	ND	ND	ND	
5/22/2000	81.29	8.60	0	72.69	1.08	ND	--	ND	ND	ND	ND	ND	ND	
11/22/2000	81.29	8.91	0	72.38	-0.31	ND	--	ND	ND	ND	ND	ND	ND	
5/15/2001	81.29	8.66	0	72.63	0.25	ND	--	ND	1.10	ND	1.16	ND	ND	
11/23/2001	81.29	8.84	0	72.45	-0.18	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
5/24/2002	81.29	7.93	0	73.36	0.91	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	9.6	3.5	
11/29/2002	81.29	9.34	0	71.95	-1.41	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.6	
5/15/2003	81.29	7.87	0	73.42	1.47	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
11/4/2003	81.48	9.45	0	72.03	-1.39	--	61	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
5/24/2004	81.48	8.49	0	72.99	0.96	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/29/2004	81.48	9.01	0	72.47	-0.52	--	120	ND<0.50	ND<0.50	0.52	ND<1.0	--	0.55	
6/24/2005	81.48	7.81	0	73.67	1.20	--	90	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/15/2005	81.48	8.73	0	72.75	-0.92	--	170	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.65	
6/14/2006	81.48	7.43	0	74.05	1.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

**Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	Ground- LPH Thickness (feet)	Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl- benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
11/29/2004	81.38	9.16	0.21	72.38	0.14	--	--	--	--	--	--	--	--	LPH in well
6/24/2005	81.38	8.41	0	72.97	0.59	--	53000	560	230	1600	5100	--	82	
12/15/2005	81.38	8.96	0	72.42	-0.55	--	27000	130	ND<25	560	1800	--	120	
6/14/2006	81.38	8.41	0	72.97	0.55	--	11000	110	ND<12	360	640	--	48	
12/21/2006	81.38	9.65	0	71.73	-1.24	--	78000	490	43	1400	4300	--	96	
6/28/2007	81.38	9.99	0.29	71.61	-0.12	--	--	--	--	--	--	--	--	LPH in well
12/13/2007	81.38	10.12	0.17	71.39	-0.22	--	--	--	--	--	--	--	--	LPH in well
6/9/2008	81.38	10.12	0.17	71.39	0.00	--	--	--	--	--	--	--	--	LPH in well
12/30/2008	81.38	9.33	0.13	72.15	0.76	--	--	--	--	--	--	--	--	LPH in well
9/28/2009	81.38	9.77	0.01	71.62	-0.53	--	--	--	--	--	--	--	--	LPH in well
12/15/2009	81.38	8.87	0.01	72.52	0.90	--	--	--	--	--	--	--	--	LPH in well
6/28/2010	81.38	9.82	0.5	71.93	-0.58	--	--	--	--	--	--	--	--	LPH in well
12/29/2010	81.38	8.69	1.49	73.81	1.87	--	--	--	--	--	--	--	--	LPH in well
MW-6														
11/7/1990	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
2/25/1991	--	--	--	--	--	ND	--	0.37	0.4	0.35	1.5	--	--	
5/28/1991	--	--	--	--	--	ND	--	ND	ND	ND	0.42	--	--	
8/28/1991	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/19/1991	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
2/6/1992	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
5/23/1992	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
8/26/1992	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/20/1992	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
12/21/1992	80.47	7.71	0	72.76	--	--	--	--	--	--	--	--	--	
1/30/1993	80.47	7.25	0	73.22	0.46	--	--	--	--	--	--	--	--	
2/24/1993	80.47	6.74	0	73.73	0.51	ND	--	ND	ND	ND	ND	--	--	
3/22/1993	80.47	5.85	0	74.62	0.89	--	--	--	--	--	--	--	--	
4/28/1993	80.47	7.58	0	72.89	-1.73	--	--	--	--	--	--	--	--	
5/25/1993	80.47	7.48	0	72.99	0.10	ND	--	ND	ND	ND	ND	--	--	
6/23/1993	79.94	7.34	0	72.60	-0.39	--	--	--	--	--	--	--	--	
7/22/1993	79.94	7.53	0	72.41	-0.19	--	--	--	--	--	--	--	--	
8/25/1993	79.94	7.66	0	72.28	-0.13	ND	--	ND	ND	ND	ND	--	--	
9/22/1993	79.94	7.76	0	72.18	-0.10	--	--	--	--	--	--	--	--	
10/28/1993	79.94	8.30	0	71.64	-0.54	--	--	--	--	--	--	--	--	
11/30/1993	79.94	7.40	0	72.54	0.90	--	--	--	--	--	--	--	--	
2/16/1994	79.94	7.13	0	72.81	0.27	ND	--	ND	ND	ND	ND	--	--	
5/31/1994	79.94	7.49	0	72.45	-0.36	--	--	--	--	--	--	--	--	
8/31/1994	79.94	7.93	0	72.01	-0.44	ND	--	ND	1.5	ND	1.6	--	--	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
9/27/1994	79.94	8.03	0	71.91	-0.10	--	--	--	--	--	--	--	--	
10/11/1994	79.94	8.05	0	71.89	-0.02	--	--	--	--	--	--	--	--	
11/10/1994	79.94	6.12	0	73.82	1.93	--	--	--	--	--	--	--	--	
2/7/1995	79.94	6.65	0	73.29	-0.53	ND	--	ND	ND	ND	ND	--	--	
5/3/1995	79.94	6.47	0	73.47	0.18	ND	--	ND	ND	ND	1.0	--	--	
8/3/1995	79.94	7.28	0	72.66	-0.81	--	--	--	--	--	--	--	--	
11/7/1995	79.94	7.98	0	71.96	-0.70	ND	--	ND	ND	ND	ND	--	--	
5/6/1996	79.94	7.80	0	72.14	0.18	--	--	--	--	--	--	--	--	
11/5/1996	79.94	7.63	0	72.31	0.17	--	--	--	--	--	--	--	--	
5/15/1997	79.94	7.41	0	72.53	0.22	--	--	--	--	--	--	--	--	
11/12/1997	79.94	7.51	0	72.43	-0.10	--	--	--	--	--	--	--	--	
5/4/1998	79.94	7.15	0	72.79	0.36	--	--	--	--	--	--	--	--	
11/11/1998	79.94	7.04	0	72.90	0.11	--	--	--	--	--	--	--	--	
5/20/1999	79.94	7.00	0	72.94	0.04	--	--	--	--	--	--	--	--	
11/15/1999	79.94	7.42	0	72.52	-0.42	--	--	--	--	--	--	--	--	
5/22/2000	79.94	7.24	0	72.70	0.18	--	--	--	--	--	--	--	--	
11/22/2000	79.94	7.40	0	72.54	-0.16	--	--	--	--	--	--	--	--	
5/15/2001	79.94	7.12	0	72.82	0.28	--	--	--	--	--	--	--	--	
11/23/2001	79.94	7.19	0	72.75	-0.07	--	--	--	--	--	--	--	--	
5/24/2002	79.94	6.54	0	73.40	0.65	--	--	--	--	--	--	--	--	
11/29/2002	79.94	7.26	0	72.68	-0.72	--	--	--	--	--	--	--	--	
5/15/2003	79.94	6.26	0	73.68	1.00	--	--	--	--	--	--	--	--	
11/4/2003	79.94	7.80	0	72.14	-1.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.4	
5/24/2004	79.94	7.54	0	72.40	0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.8	
11/29/2004	79.94	7.01	0	72.93	0.53	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.8	
6/24/2005	79.94	7.68	0	72.26	-0.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.47	
12/15/2005	79.94	7.49	0	72.45	0.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.88	
6/14/2006	79.94	6.45	0	73.49	1.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.0	
12/21/2006	79.94	6.91	0	73.03	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.0	
6/28/2007	79.94	7.46	0	72.48	-0.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.2	
12/13/2007	79.94	7.41	0	72.53	0.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.64	
6/9/2008	79.94	8.20	0	71.74	-0.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.65	
12/30/2008	79.94	7.47	0	72.47	0.73	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/28/2009	79.94	7.96	0	71.98	-0.49	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.67	
12/15/2009	79.94	7.22	0	72.72	0.74	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/28/2010	79.94	7.68	0	72.26	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/2010	79.94	5.93	0	74.01	1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

MW-7

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
3/9/1993	81.71	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
3/22/1993	81.71	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
4/8/1993	81.71	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
4/28/1993	81.71	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
5/12/1993	81.71	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
5/25/1993	81.71	10.12	0	71.59	--	1200	--	5.4	ND	9.0	21	--	--	
6/7/1993	81.41	9.98	0	71.43	-0.16	--	--	--	--	--	--	--	--	
6/23/1993	81.41	10.36	0	71.05	-0.38	--	--	--	--	--	--	--	--	
7/8/1993	81.41	10.52	0	70.89	-0.16	--	--	--	--	--	--	--	--	
7/22/1993	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
8/11/1993	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
8/25/1993	81.41	10.95	0	70.46	--	1800	--	11	17	8.9	29	--	--	
9/8/1993	81.41	11.34	0	70.07	-0.39	--	--	--	--	--	--	--	--	
9/22/1993	81.41	11.13	0	70.28	0.21	--	--	--	--	--	--	--	--	
10/7/1993	81.41	10.96	0	70.45	0.17	--	--	--	--	--	--	--	--	
10/28/1993	81.41	11.19	0	70.22	-0.23	--	--	--	--	--	--	--	--	
11/12/1993	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
11/30/1993	81.41	10.42	0	70.99	--	3500	--	18	ND	ND	ND	--	--	
2/16/1994	81.41	9.86	0	71.55	0.56	990	--	4.9	1.8	2.4	4.5	--	--	
5/31/1994	81.41	10.61	0	70.80	-0.75	350	--	3.0	1.0	0.73	1.7	--	--	
8/31/1994	81.41	11.37	0	70.04	-0.76	1800	--	ND	ND	ND	ND	--	--	
9/27/1994	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
10/11/1994	81.41	11.50	0	69.91	--	--	--	--	--	--	--	--	--	
11/10/1994	81.41	7.81	0	73.60	3.69	940	--	6.7	6.3	ND	16	--	--	
2/7/1995	81.41	8.69	0	72.72	-0.88	230	--	1.4	0.95	0.9	1.1	--	--	
5/3/1995	81.41	8.60	0	72.81	0.09	75	--	ND	ND	ND	1.0	--	--	
8/3/1995	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
11/7/1995	81.41	11.05	0	70.36	--	210	--	1.3	1.2	ND	ND	--	--	
5/6/1996	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
11/5/1996	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
5/15/1997	81.41	10.46	0	70.95	--	ND	--	ND	ND	ND	ND	43	--	
11/12/1997	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
5/4/1998	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
11/11/1998	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
5/20/1999	81.41	9.75	0	71.66	--	ND	--	ND	ND	ND	ND	23	10	
11/15/1999	81.41	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
5/22/2000	81.41	9.80	0	71.61	--	ND	--	ND	1.9	ND	3.3	ND	--	
11/22/2000	81.41	9.76	0	71.65	0.04	ND	--	ND	1.16	ND	1.22	ND	--	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
8/25/1993	80.53	10.44	0	70.09	-0.34	220	--	10	ND	6.8	1.4	--	--	
9/22/1993	80.53	10.64	0	69.89	-0.20	--	--	--	--	--	--	--	--	
10/28/1993	80.53	10.68	0	69.85	-0.04	--	--	--	--	--	--	--	--	
11/30/1993	80.53	9.87	0	70.66	0.81	200	--	5.6	ND	2.9	2.7	--	--	
2/16/1994	80.53	9.21	0	71.32	0.66	250	--	5.1	1.3	4.4	1.5	--	--	
5/31/1994	80.53	10.15	0	70.38	-0.94	360	--	7.8	0.97	4.6	2.2	--	--	
8/31/1994	80.53	10.97	0	69.56	-0.82	650	--	7.7	2.8	4.4	5.0	59	--	
9/27/1994	80.53	11.10	0	69.43	-0.13	--	--	--	--	--	--	--	--	
10/11/1994	80.53	11.20	0	69.33	-0.10	--	--	--	--	--	--	--	--	
11/10/1994	80.53	7.25	0	73.28	3.95	ND	--	ND	ND	ND	ND	--	--	
2/7/1995	80.53	7.76	0	72.77	-0.51	57	--	0.7	ND	0.86	ND	--	--	
5/3/1995	80.53	7.82	0	72.71	-0.06	ND	--	0.85	0.67	1.3	1.0	--	--	
8/3/1995	80.53	9.70	0	70.83	-1.88	91	--	1.1	ND	ND	ND	--	--	
11/7/1995	80.53	10.64	0	69.89	-0.94	130	--	1.5	0.62	0.71	ND	60	--	
5/6/1996	80.53	9.01	0	71.52	1.63	860	--	6.1	13	6.0	25	ND	--	
11/5/1996	80.53	11.42	0	69.11	-2.41	84	--	0.74	ND	1.2	4.5	ND	--	
5/15/1997	80.53	9.89	0	70.64	1.53	ND	--	ND	ND	ND	ND	ND	--	
11/12/1997	80.53	10.22	0	70.31	-0.33	ND	--	0.55	ND	ND	ND	74	--	
5/4/1998	80.53	10.05	0	70.48	0.17	ND	--	ND	ND	ND	ND	45	--	
11/11/1998	80.53	9.23	0	71.30	0.82	ND	--	ND	ND	ND	ND	ND	--	
5/20/1999	80.53	8.78	0	71.75	0.45	ND	--	ND	ND	ND	ND	ND	--	
11/15/1999	80.53	9.12	0	71.41	-0.34	ND	--	ND	ND	ND	ND	ND	--	
5/22/2000	80.53	9.17	0	71.36	-0.05	ND	--	ND	1.9	ND	3.5	ND	--	
11/22/2000	80.53	9.08	0	71.45	0.09	ND	--	ND	1.18	ND	1.16	ND	--	
5/15/2001	80.53	8.85	0	71.68	0.23	ND	--	ND	ND	ND	ND	ND	--	
11/23/2001	80.53	9.10	0	71.43	-0.25	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
5/24/2002	80.53	8.79	0	71.74	0.31	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
11/29/2002	80.53	9.24	0	71.29	-0.45	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
5/15/2003	80.53	8.56	0	71.97	0.68	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
11/4/2003	80.53	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
5/24/2004	80.53	9.38	0	71.15	--	--	330	1.8	ND<0.50	ND<0.50	ND<1.0	--	160	
11/29/2004	80.53	9.55	0	70.98	-0.17	--	690	0.72	ND<0.50	1.3	ND<1.0	--	160	
6/24/2005	80.53	8.65	0	71.88	0.90	--	240	0.80	ND<0.50	0.55	ND<1.0	--	67	
12/15/2005	80.53	9.43	0	71.10	-0.78	--	400	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	82	
6/14/2006	80.53	9.43	0	71.10	0.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.2	
12/21/2006	80.53	9.01	0	71.52	0.42	--	580	ND<0.50	ND<0.50	0.71	ND<0.50	--	36	
6/28/2007	80.53	11.64	0	68.89	-2.63	--	1200	0.81	ND<0.50	ND<0.50	0.54	--	52	
12/13/2007	80.53	11.18	0	69.35	0.46	--	1100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	31	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	Ground-LPH Thickness (feet)	Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
8/25/1993	78.18	14.10	0	64.08	1.36	ND	--	ND	ND	ND	ND	--	--	
9/22/1993	78.18	15.03	0	63.15	-0.93	--	--	--	--	--	--	--	--	
10/28/1993	78.18	13.84	0	64.34	1.19	--	--	--	--	--	--	--	--	
11/30/1993	78.18	13.04	0	65.14	0.80	ND	--	ND	ND	ND	ND	--	--	
2/16/1994	78.18	12.76	0	65.42	0.28	ND	--	ND	ND	ND	ND	--	--	
5/31/1994	78.18	12.79	0	65.39	-0.03	ND	--	ND	ND	ND	ND	--	--	
8/31/1994	78.18	12.97	0	65.21	-0.18	ND	--	ND	1.5	ND	1.8	--	--	
9/27/1994	78.18	14.88	0	63.30	-1.91	--	--	--	--	--	--	--	--	
10/11/1994	78.18	13.40	0	64.78	1.48	--	--	--	--	--	--	--	--	
11/10/1994	78.18	13.57	0	64.61	-0.17	ND	--	ND	ND	ND	ND	--	--	
2/7/1995	78.18	12.28	0	65.90	1.29	--	--	--	--	--	--	--	--	Sampled semi-annually
5/3/1995	78.18	9.28	0	68.90	3.00	ND	--	ND	ND	ND	ND	--	--	
8/3/1995	78.18	12.67	0	65.51	-3.39	--	--	--	--	--	--	--	--	
11/7/1995	78.18	12.28	0	65.90	0.39	ND	--	ND	ND	ND	ND	--	--	
5/6/1996	78.18	13.30	0	64.88	-1.02	--	--	--	--	--	--	--	--	Sampling discontinued
11/5/1996	78.18	10.90	0	67.28	2.40	--	--	--	--	--	--	--	--	
5/15/1997	78.18	11.65	0	66.53	-0.75	--	--	--	--	--	--	--	--	
11/12/1997	78.18	9.66	0	68.52	1.99	--	--	--	--	--	--	--	--	
5/4/1998	78.18	10.87	0	67.31	-1.21	--	--	--	--	--	--	--	--	
11/11/1998	78.18	11.40	0	66.78	-0.53	--	--	--	--	--	--	--	--	
5/20/1999	78.18	10.71	0	67.47	0.69	ND	--	ND	ND	ND	ND	ND	--	
11/15/1999	78.18	11.32	0	66.86	-0.61	ND	--	ND	1.04	ND	ND	ND	--	
5/22/2000	78.18	10.98	0	67.20	0.34	ND	--	ND	ND	ND	ND	ND	--	
11/22/2000	78.18	11.17	0	67.01	-0.19	ND	--	ND	ND	ND	ND	ND	--	
5/15/2001	78.18	10.93	0	67.25	0.24	ND	--	ND	ND	ND	ND	ND	--	
11/23/2001	78.18	11.08	0	67.10	-0.15	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
5/24/2002	78.18	10.58	0	67.60	0.50	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
11/29/2002	78.18	11.27	0	66.91	-0.69	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
5/15/2003	78.18	10.25	0	67.93	1.02	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
11/4/2003	78.18	11.23	0	66.95	-0.98	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
5/24/2004	78.18	10.10	0	68.08	1.13	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/29/2004	78.18	10.96	0	67.22	-0.86	--	63	ND<0.50	ND<0.50	1.0	2.5	--	ND<0.50	
6/24/2005	78.18	14.07	0	64.11	-3.11	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/15/2005	78.18	13.28	0	64.90	0.79	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/14/2006	78.18	12.53	0	65.65	0.75	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/21/2006	78.18	12.78	0	65.40	-0.25	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
6/28/2007	78.18	--	--	--	--	--	--	--	--	--	--	--	--	Bus parked over well
12/13/2007	78.18	15.37	0	62.81	--	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	Ground-LPH Thickness (feet)	Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
11/10/1994	80.63	6.34	0	74.29	3.27	--	--	--	--	--	--	--	--	
2/7/1995	80.63	7.18	0	73.45	-0.84	--	--	--	--	--	--	--	--	
3/14/1995	80.63	6.01	0	74.62	1.17	--	--	--	--	--	--	--	--	
11/7/1995	--	--	--	--	--	--	--	--	--	--	--	--	--	
10/15/2001	80.63	8.43	0	72.20	--	--	--	--	--	--	--	--	--	
11/23/2001	80.63	8.57	0	72.06	-0.14	--	--	--	--	--	--	--	--	
12/10/2001	80.63	8.51	0	72.12	0.06	--	--	--	--	--	--	--	--	
1/14/2002	80.63	8.13	0	72.50	0.38	--	--	--	--	--	--	--	--	
2/22/2002	80.63	6.18	0	74.45	1.95	--	--	--	--	--	--	--	--	
3/11/2002	80.63	6.31	0	74.32	-0.13	--	--	--	--	--	--	--	--	
4/15/2002	80.63	6.39	0	74.24	-0.08	--	--	--	--	--	--	--	--	
5/24/2002	80.63	8.14	0	72.49	-1.75	--	--	--	--	--	--	--	--	
6/17/2002	80.63	8.18	0	72.45	-0.04	--	--	--	--	--	--	--	--	
7/15/2002	80.63	8.29	0	72.34	-0.11	--	--	--	--	--	--	--	--	
8/19/2002	80.63	8.44	0	72.19	-0.15	--	--	--	--	--	--	--	--	
9/5/2002	80.63	8.47	0	72.16	-0.03	--	--	--	--	--	--	--	--	
10/7/2002	80.63	8.43	0	72.20	0.04	--	--	--	--	--	--	--	--	
11/29/2002	80.63	8.92	0	71.71	-0.49	--	--	--	--	--	--	--	--	
12/12/2002	80.63	8.87	0	71.76	0.05	--	--	--	--	--	--	--	--	
1/6/2003	80.63	8.66	0	71.97	0.21	--	--	--	--	--	--	--	--	
2/12/2003	80.63	8.39	0	72.24	0.27	--	--	--	--	--	--	--	--	
3/13/2003	80.63	8.06	0	72.57	0.33	--	--	--	--	--	--	--	--	
4/7/2003	80.63	8.09	0	72.54	-0.03	--	--	--	--	--	--	--	--	
5/15/2003	80.63	8.07	0	72.56	0.02	--	--	--	--	--	--	--	--	
6/12/2003	80.63	8.11	0	72.52	-0.04	--	--	--	--	--	--	--	--	
7/7/2003	80.63	8.13	0	72.50	-0.02	--	--	--	--	--	--	--	--	
8/14/2003	80.63	8.23	0	72.40	-0.10	--	--	--	--	--	--	--	--	
9/12/2003	80.63	8.29	0	72.34	-0.06	--	--	--	--	--	--	--	--	
11/4/2003	80.63	9.97	0	70.66	-1.68	--	2600	11	ND<10	ND<10	ND<20	--	210	
5/24/2004	80.63	8.31	0	72.32	1.66	--	3100	20	ND<5.0	16	ND<10	--	200	
11/29/2004	80.63	8.23	0	72.40	0.08	--	4500	46	ND<1.0	34	3.6	--	140	
6/24/2005	80.63	7.53	0	73.10	0.70	--	2000	20	0.87	50	3.0	--	56	
12/15/2005	80.63	8.11	0	72.52	-0.58	--	3300	37	0.70	35	4.7	--	44	
6/14/2006	80.63	7.41	0	73.22	0.70	--	1500	2.0	0.95	6.9	ND<1.0	--	21	
12/21/2006	80.63	7.78	0	72.85	-0.37	--	3100	21	0.65	56	5.4	--	27	
6/28/2007	80.63	9.09	0	71.54	-1.31	--	2800	46	0.96	44	2.6	--	65	
12/13/2007	80.63	9.21	0	71.42	-0.12	--	9100	190	2.1	400	81	--	30	
6/9/2008	80.63	9.30	0	71.33	-0.09	--	5400	23	ND<2.5	330	13	--	39	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground- Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl- benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
12/30/2008	80.63	8.23	0	72.40	1.07	--	5800	130	ND<2.5	270	58	--	22	
9/28/2009	80.63	9.10	0	71.53	-0.87	--	3400	3.8	ND<2.5	23	5.0	--	21	
12/15/2009	80.63	7.96	0	72.67	1.14	--	9100	18	ND<2.5	450	160	--	ND<2.5	
6/28/2010	80.63	8.68	0	71.95	-0.72	--	2300	20	1.0	56	ND<1.0	--	5.6	
12/29/2010	80.63	6.04	0	74.59	2.64	--	4100	9.3	1.3	6.8	ND<1.0	--	1.6	

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Comments
5/4/1998	--	--	--	--	--	--	--	--	--	2.94	
5/20/1999	--	--	--	--	--	--	--	--	--	3.22	
11/4/2003	--	ND<500	--	--	--	--	--	--	--	--	
5/24/2004	--	ND<50	--	--	--	--	--	--	--	--	
11/29/2004	--	ND<50	--	--	--	--	--	--	--	--	
6/24/2005	--	ND<1000	--	--	--	--	--	--	--	--	
12/15/2005	--	ND<250	--	--	--	--	--	--	--	--	
6/14/2006	--	ND<250	--	--	--	--	--	--	--	--	
12/21/2006	--	ND<250	--	--	--	--	--	--	--	--	
12/13/2007	--	ND<250	--	--	--	--	--	--	--	--	
6/9/2008	--	ND<250	--	--	--	--	--	--	--	--	
12/30/2008	--	ND<250	--	--	--	--	--	--	--	--	
9/28/2009	--	ND<250	--	--	--	--	--	--	--	--	
6/28/2010	--	ND<250	ND<0.50	--	ND<0.50	--	--	--	--	--	
12/29/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	
MW-12											
5/15/1997	--	--	--	--	--	--	--	--	--	2.10	
5/4/1998	--	--	--	--	--	--	--	--	--	3.41	
11/4/2003	ND<100	ND<500	--	--	--	ND<2.0	ND<2.0	ND<2.0	--	--	
5/24/2004	ND<5.0	ND<50	ND<0.50	--	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	--	
11/29/2004	ND<5.0	ND<50	ND<0.50	--	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	--	
6/24/2005	--	ND<1000	--	--	--	--	--	--	--	--	
12/15/2005	--	ND<250	--	--	--	--	--	--	--	--	
6/14/2006	--	ND<250	--	--	--	--	--	--	--	--	
12/21/2006	--	ND<250	--	--	--	--	--	--	--	--	
6/28/2007	--	ND<250	--	--	--	--	--	--	--	--	
12/13/2007	--	ND<250	--	--	--	--	--	--	--	--	
6/9/2008	--	ND<250	--	--	--	--	--	--	--	--	
12/30/2008	--	ND<250	--	--	--	--	--	--	--	--	
9/28/2009	--	ND<250	--	--	--	--	--	--	--	--	
12/15/2009	--	ND<250	--	--	--	--	--	--	--	--	
6/28/2010	--	ND<250	ND<0.50	ND<0.010	ND<0.50	--	--	--	--	--	
12/29/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	
RW-1											
11/7/1995	--	--	--	--	--	--	--	--	2.13	--	

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

76 Station 0746

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Comments
11/4/2003	ND<2000	ND<10000	--	--	--	ND<40	ND<40	ND<40	--	--	
5/24/2004	ND<50	ND<500	ND<5.0	--	ND<5.0	ND<10	ND<5.0	ND<5.0	--	--	
11/29/2004	38	ND<100	ND<1.0	--	ND<1.0	ND<2.0	ND<1.0	1.3	--	--	
6/24/2005	--	ND<1000	--	--	--	--	--	--	--	--	
12/15/2005	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	
6/14/2006	--	ND<250	--	--	--	--	--	--	--	--	
12/21/2006	34	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	
6/28/2007	--	ND<250	--	--	--	--	--	--	--	--	
12/13/2007	--	ND<500	--	--	--	--	--	--	--	--	
6/9/2008	--	ND<1200	--	--	--	--	--	--	--	--	
12/30/2008	--	ND<1200	--	--	--	--	--	--	--	--	
9/28/2009	--	ND<1200	--	--	--	--	--	--	--	--	
12/15/2009	--	ND<1200	--	--	--	--	--	--	--	--	
6/28/2010	--	ND<250	ND<0.50	--	ND<0.50	--	--	--	--	--	
12/29/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	

ARCADIS

Attachment C

Laboratory Report and Chain-of-Custody Documentation



Date of Report: 07/07/2014

Kathy Brandt

Arcadis

2000 Powell Street 7th Floor
Emeryville, CA 94608

Client Project: 351647
BCL Project: 0746
BCL Work Order: 1414131
Invoice ID: B177390

Enclosed are the results of analyses for samples received by the laboratory on 6/24/2014. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers
Client Service Rep

Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014; OR ELAP #4032-001; AK UST101

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Table of Contents

Sample Information

Chain of Custody and Cooler Receipt form.....	3
Laboratory / Client Sample Cross Reference.....	5

Sample Results

1414131-01 - QA-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	9
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	10
1414131-02 - MW-1-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	11
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	12
1414131-03 - MW-2-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	13
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	14
1414131-04 - MW-3-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	15
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	16
1414131-05 - MW-4-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	17
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	18
1414131-06 - MW-6-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	19
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	20
1414131-07 - MW-7-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	21
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	22
1414131-08 - MW-10-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	23
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	24
1414131-09 - MW-12-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	25
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	26
1414131-10 - RW-1-W-140623	
Volatile Organic Analysis (EPA Method 8260B).....	27
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	28

Quality Control Reports

Volatile Organic Analysis (EPA Method 8260B)	
Method Blank Analysis.....	29
Laboratory Control Sample.....	30
Precision and Accuracy.....	31
Purgeable Aromatics and Total Petroleum Hydrocarbons	
Method Blank Analysis.....	32
Laboratory Control Sample.....	33
Precision and Accuracy.....	34

Notes

Notes and Definitions.....	35
----------------------------	----

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



BC Laboratories, Inc.
Environmental Testing Laboratory Since 1949

Chain of Custody and Cooler Receipt Form for 1414131 Page 1 of 2

CHAIN OF CUSTODY FORM

Union Oil Company of California ■ 6101 Bollinger Canyon Road ■ San Ramon, CA 94583

COC 1 of 1

Union Oil Site ID: <u>0746</u>				Union Oil Consultant: <u>ARCADIS</u>				ANALYSES REQUIRED															
Site Global ID: <u>T0600101471</u>				Consultant Contact: <u>KATHRINE BRANDT</u>				TPH - Diesel by EPA 8015 TPH - G by <u>(C6-C12) (8015B)</u> BTX/MTBE/ <u> </u> by EPA 8260B Ethanol by EPA 8260B/ <u>EDB/EDC (8260)</u> EPA 8260B Full List with OXYS	Turnaround Time (TAT): Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 72 Hours <input type="checkbox"/>														
Site Address: <u>3943 BROADWAY OAKLAND, CA</u>				Consultant Phone No. <u>(510) 596-9675</u>					Special Instructions <u>RUN 8 OXYS BY 8260 ON ALL 8260 MTBE HITS.</u>														
Union Oil PM: <u>TIMOTHY L. BISHOP</u>				Sampling Company: <u>GETTLER RYAN INC</u>					Notes / Comments														
Union Oil PM Phone No. <u>(925) 790-6463</u>				Sampled By (PRINT): <u>GILBERT MEDINA</u>																			
Charge Code: <u>NWRTB-0351647-0-LAB 14.14131</u>				Sampler Signature: <u>[Signature]</u> BC Laboratories, Inc. Project Manager: Molly Meyers 4100 Atlas Court, Bakersfield, CA 93308 Phone No. 661-327-4911																			
This is a LEGAL document. ALL fields must be filled out CORRECTLY and COMPLETELY.																							
SAMPLE ID																							
Field Point Name	Matrix	DTW	Date (yymmdd)	Sample Time	# of Containers																		
<u>1 QA</u>	<u>W-S-A</u>		<u>140623</u>	<u> </u>	<u>2</u>																		
<u>-2 MW-1</u>	<u>W-S-A</u>			<u>1355</u>	<u>6</u>																		
<u>-3 MW-2</u>	<u>W-S-A</u>			<u>1205</u>																			
<u>-4 MW-3</u>	<u>W-S-A</u>			<u>1020</u>																			
<u>-5 MW-4</u>	<u>W-S-A</u>			<u>0925</u>																			
<u>-6 MW-6</u>	<u>W-S-A</u>			<u>1300</u>																			
<u>-7 MW-7</u>	<u>W-S-A</u>			<u>1110</u>																			
<u>-8 MW-10</u>	<u>W-S-A</u>			<u>1505</u>																			
<u>-9 MW-12</u>	<u>W-S-A</u>			<u>1600</u>																			
<u>-10 RW-1</u>	<u>W-S-A</u>			<u>0830</u>																			
	<u>W-S-A</u>																						
	<u>W-S-A</u>																						
Relinquished By <u>[Signature]</u> Company <u>GRINC</u> Date / Time: <u>6-24-14 0830</u>				Relinquished By <u>[Signature]</u> Company <u>GRINC</u> Date / Time: <u>6-24-14 1445</u>				Relinquished By <u>[Signature]</u> Company <u>BCLAB</u> Date / Time: <u>6-24-14 1830</u>															
Received By <u>[Signature]</u> Company <u>GETTLER-RYAN</u> Date / Time: <u>6-24-14 0700</u>				Received By <u>[Signature]</u> Company <u>BCLAB</u> Date / Time: <u>6-24-14 1445</u>				Received By <u>[Signature]</u> Company <u>BCLAB</u> Date / Time: <u>6-24-14 18:30</u>															

REL. [Signature] 6.24.14 2:30 [Signature] 6.24.14 2:30

CHK BY [Signature] DISTRIBUTION
SUB OUT



BC LABORATORIES INC. COOLER RECEIPT FORM Rev. No. 17 06/05/14 Page Of

Submission #: 1414131

SHIPPING INFORMATION Federal Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____		SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____	FREE LIQUID YES <input type="checkbox"/> NO <input type="checkbox"/>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals Ice Chest Containers None Comments: _____
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received YES NO Emissivity: 0.97 Container: Amber Thermometer ID: 207 Date/Time: 6-11-14 2:30
 Temperature: (A) 0.6 °C / (C) 0.7 °C Analyst Init M

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PIA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK	A 2									
40ml VOA VIAL		A, B	A, B	A, B	A, B	A, B	A, B	A, B	A, B	A, B
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/602/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
40ml EPA 547										
40ml EPA 531.1										
8oz Amber EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCE VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										
SMART KIT										
Summa Canister										

Comments: _____
 Sample Numbering Completed By: M Date/Time: 6-11-14 11:45 (S:\WPDoc\WordPerfect\LAB_DOCS\FORMS\SAMREC16)
 A = Actual / C = Corrected



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information
------------	---------------------------

1414131-01	COC Number: --- Project Number: 0746 Sampling Location: --- Sampling Point: QA-W-140623 Sampled By: GRD	Receive Date: 06/24/2014 21:30 Sampling Date: 06/23/2014 00:00 Sample Depth: --- Lab Matrix: Water Sample Type: Blank Water Delivery Work Order: Global ID: T0600101471 Location ID (FieldPoint): QA Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1414131-02	COC Number: --- Project Number: 0746 Sampling Location: --- Sampling Point: MW-1-W-140623 Sampled By: GRD	Receive Date: 06/24/2014 21:30 Sampling Date: 06/23/2014 13:55 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101471 Location ID (FieldPoint): MW-1 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1414131-03	COC Number: --- Project Number: 0746 Sampling Location: --- Sampling Point: MW-2-W-140623 Sampled By: GRD	Receive Date: 06/24/2014 21:30 Sampling Date: 06/23/2014 12:05 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101471 Location ID (FieldPoint): MW-2 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information
------------	---------------------------

1414131-04	COC Number: --- Project Number: 0746 Sampling Location: --- Sampling Point: MW-3-W-140623 Sampled By: GRD	Receive Date: 06/24/2014 21:30 Sampling Date: 06/23/2014 10:20 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101471 Location ID (FieldPoint): MW-3 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1414131-05	COC Number: --- Project Number: 0746 Sampling Location: --- Sampling Point: MW-4-W-140623 Sampled By: GRD	Receive Date: 06/24/2014 21:30 Sampling Date: 06/23/2014 09:25 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101471 Location ID (FieldPoint): MW-4 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1414131-06	COC Number: --- Project Number: 0746 Sampling Location: --- Sampling Point: MW-6-W-140623 Sampled By: GRD	Receive Date: 06/24/2014 21:30 Sampling Date: 06/23/2014 13:00 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101471 Location ID (FieldPoint): MW-6 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information
------------	---------------------------

1414131-07	COC Number: --- Project Number: 0746 Sampling Location: --- Sampling Point: MW-7-W-140623 Sampled By: GRD	Receive Date: 06/24/2014 21:30 Sampling Date: 06/23/2014 11:10 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101471 Location ID (FieldPoint): MW-7 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1414131-08	COC Number: --- Project Number: 0746 Sampling Location: --- Sampling Point: MW-10-W-140623 Sampled By: GRD	Receive Date: 06/24/2014 21:30 Sampling Date: 06/23/2014 15:05 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101471 Location ID (FieldPoint): MW-10 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1414131-09	COC Number: --- Project Number: 0746 Sampling Location: --- Sampling Point: MW-12-W-140623 Sampled By: GRD	Receive Date: 06/24/2014 21:30 Sampling Date: 06/23/2014 16:00 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101471 Location ID (FieldPoint): MW-12 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information
------------	---------------------------

1414131-10	COC Number: ---	Receive Date: 06/24/2014 21:30
	Project Number: 0746	Sampling Date: 06/23/2014 08:30
	Sampling Location: ---	Sample Depth: ---
	Sampling Point: RW-1-W-140623	Lab Matrix: Water
	Sampled By: GRD	Sample Type: Water
		Delivery Work Order:
		Global ID: T0600101471
		Location ID (FieldPoint): RW-1
		Matrix: W
		Sample QC Type (SACode): CS
		Cooler ID:

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-01	Client Sample Name: 0746, QA-W-140623, 6/23/2014 12:00:00AM
----------------------------------	--------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50		EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260B	ND		1
Toluene	ND	ug/L	0.50		EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0		EPA-8260B	ND		1
Ethanol	ND	ug/L	250		EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	86.6	%	75 - 125 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	95.5	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	93.3	%	80 - 120 (LCL - UCL)		EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	07/02/14	07/02/14 20:25	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-01	Client Sample Name: 0746, QA-W-140623, 6/23/2014 12:00:00AM
----------------------------------	--------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50		EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	88.4	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 02:40	jjh	GC-V9	1	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-02	Client Sample Name: 0746, MW-1-W-140623, 6/23/2014 1:55:00PM
----------------------------------	---------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50		EPA-8260B	ND		1
Methyl t-butyl ether	1.3	ug/L	0.50		EPA-8260B	ND		1
Toluene	ND	ug/L	0.50		EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0		EPA-8260B	ND		1
Ethanol	ND	ug/L	250		EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	86.2	%	75 - 125 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	92.7	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	90.1	%	80 - 120 (LCL - UCL)		EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	07/02/14	07/02/14 23:40	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-02	Client Sample Name: 0746, MW-1-W-140623, 6/23/2014 1:55:00PM
----------------------------------	---------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50		EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	88.7	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 03:00	jjh	GC-V9	1	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-03	Client Sample Name: 0746, MW-2-W-140623, 6/23/2014 12:05:00PM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50		EPA-8260B	ND		1
Methyl t-butyl ether	0.82	ug/L	0.50		EPA-8260B	ND		1
Toluene	ND	ug/L	0.50		EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0		EPA-8260B	ND		1
Ethanol	ND	ug/L	250		EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	82.9	%	75 - 125 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	99.1	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	94.9	%	80 - 120 (LCL - UCL)		EPA-8260B			1

Run #	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC
			Date/Time					Batch ID
1	EPA-8260B	07/02/14	07/02/14	22:12	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-03	Client Sample Name: 0746, MW-2-W-140623, 6/23/2014 12:05:00PM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50		EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	88.9	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 03:21	jjh	GC-V9	1	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-04	Client Sample Name: 0746, MW-3-W-140623, 6/23/2014 10:20:00AM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	87	ug/L	2.5		EPA-8260B	ND	A01	1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		2
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		2
Ethylbenzene	76	ug/L	2.5		EPA-8260B	ND	A01	1
Methyl t-butyl ether	7.6	ug/L	0.50		EPA-8260B	ND		2
Toluene	ND	ug/L	0.50		EPA-8260B	ND		2
Total Xylenes	13	ug/L	1.0		EPA-8260B	ND		2
Ethanol	ND	ug/L	250		EPA-8260B	ND		2
1,2-Dichloroethane-d4 (Surrogate)	85.0	%	75 - 125 (LCL - UCL)		EPA-8260B			1
1,2-Dichloroethane-d4 (Surrogate)	86.5	%	75 - 125 (LCL - UCL)		EPA-8260B			2
Toluene-d8 (Surrogate)	90.9	%	80 - 120 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	94.4	%	80 - 120 (LCL - UCL)		EPA-8260B			2
4-Bromofluorobenzene (Surrogate)	102	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	151	%	80 - 120 (LCL - UCL)		EPA-8260B		S09	2

Run #	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC
			Date/Time					Batch ID
1	EPA-8260B	07/02/14	07/03/14	10:10	JMS	MS-V12	5	BXG0273
2	EPA-8260B	07/02/14	07/02/14	22:30	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-04	Client Sample Name: 0746, MW-3-W-140623, 6/23/2014 10:20:00AM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	4200	ug/L	500		EPA-8015B	ND	A01	1
a,a,a-Trifluorotoluene (FID Surrogate)	118	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 03:41	jjh	GC-V9	10	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-05	Client Sample Name: 0746, MW-4-W-140623, 6/23/2014 9:25:00AM
----------------------------------	---------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	2.5	ug/L	0.50		EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		1
Ethylbenzene	9.1	ug/L	0.50		EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260B	ND		1
Toluene	ND	ug/L	0.50		EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0		EPA-8260B	ND		1
Ethanol	ND	ug/L	250		EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	88.5	%	75 - 125 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	92.9	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	117	%	80 - 120 (LCL - UCL)		EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	07/02/14	07/02/14 22:47	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-05	Client Sample Name: 0746, MW-4-W-140623, 6/23/2014 9:25:00AM
----------------------------------	---------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	2600	ug/L	500		EPA-8015B	ND	A01	1
a,a,a-Trifluorotoluene (FID Surrogate)	107	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 04:02	jjh	GC-V9	10	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-06	Client Sample Name: 0746, MW-6-W-140623, 6/23/2014 1:00:00PM
----------------------------------	---------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50		EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260B	ND		1
Toluene	ND	ug/L	0.50		EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0		EPA-8260B	ND		1
Ethanol	ND	ug/L	250		EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	79.1	%	75 - 125 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	93.2	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	97.7	%	80 - 120 (LCL - UCL)		EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	07/02/14	07/02/14 23:58	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-06	Client Sample Name: 0746, MW-6-W-140623, 6/23/2014 1:00:00PM
----------------------------------	---------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50		EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	88.3	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 04:22	jjh	GC-V9	1	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-07	Client Sample Name: 0746, MW-7-W-140623, 6/23/2014 11:10:00AM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50		EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260B	ND		1
Toluene	ND	ug/L	0.50		EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0		EPA-8260B	ND		1
Ethanol	ND	ug/L	250		EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	88.9	%	75 - 125 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	97.4	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	96.9	%	80 - 120 (LCL - UCL)		EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	07/02/14	07/03/14 00:16	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-07	Client Sample Name: 0746, MW-7-W-140623, 6/23/2014 11:10:00AM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50		EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	92.9	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 04:43	jjh	GC-V9	1	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-08	Client Sample Name: 0746, MW-10-W-140623, 6/23/2014 3:05:00PM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50		EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260B	ND		1
Toluene	ND	ug/L	0.50		EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0		EPA-8260B	ND		1
Ethanol	ND	ug/L	250		EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	84.6	%	75 - 125 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	98.8	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	100	%	80 - 120 (LCL - UCL)		EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	07/02/14	07/02/14 23:05	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-08	Client Sample Name: 0746, MW-10-W-140623, 6/23/2014 3:05:00PM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50		EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	87.1	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 05:03	jjh	GC-V9	1	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-09	Client Sample Name: 0746, MW-12-W-140623, 6/23/2014 4:00:00PM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50		EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260B	ND		1
Toluene	ND	ug/L	0.50		EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0		EPA-8260B	ND		1
Ethanol	ND	ug/L	250		EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	84.6	%	75 - 125 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	94.4	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	93.0	%	80 - 120 (LCL - UCL)		EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	07/02/14	07/03/14 00:34	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-09	Client Sample Name: 0746, MW-12-W-140623, 6/23/2014 4:00:00PM
----------------------------------	----------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50		EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	87.0	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 05:23	jjh	GC-V9	1	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID: 1414131-10	Client Sample Name: 0746, RW-1-W-140623, 6/23/2014 8:30:00AM
----------------------------------	---------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50		EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260B	ND		1
Toluene	ND	ug/L	0.50		EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0		EPA-8260B	ND		1
Ethanol	ND	ug/L	250		EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	82.1	%	75 - 125 (LCL - UCL)		EPA-8260B			1
Toluene-d8 (Surrogate)	92.5	%	80 - 120 (LCL - UCL)		EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	100	%	80 - 120 (LCL - UCL)		EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	07/02/14	07/02/14 23:23	JMS	MS-V12	1	BXG0273

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 1414131-10	Client Sample Name: 0746, RW-1-W-140623, 6/23/2014 8:30:00AM
----------------------------------	---------------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50		EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	95.5	%	70 - 130 (LCL - UCL)		EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	06/25/14	06/28/14 05:44	jjh	GC-V9	1	BXF2346

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BXG0273						
Benzene	BXG0273-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BXG0273-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BXG0273-BLK1	ND	ug/L	0.50		
Ethylbenzene	BXG0273-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BXG0273-BLK1	ND	ug/L	0.50		
Toluene	BXG0273-BLK1	ND	ug/L	0.50		
Total Xylenes	BXG0273-BLK1	ND	ug/L	1.0		
Ethanol	BXG0273-BLK1	ND	ug/L	250		
1,2-Dichloroethane-d4 (Surrogate)	BXG0273-BLK1	97.3	%	75 - 125 (LCL - UCL)		
Toluene-d8 (Surrogate)	BXG0273-BLK1	96.8	%	80 - 120 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BXG0273-BLK1	101	%	80 - 120 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Control Limits		Lab
								Percent Recovery	RPD	
QC Batch ID: BXG0273										
Benzene	BXG0273-BS1	LCS	24.370	25.000	ug/L	97.5		70 - 130		
Toluene	BXG0273-BS1	LCS	23.960	25.000	ug/L	95.8		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BXG0273-BS1	LCS	8.7800	10.000	ug/L	87.8		75 - 125		
Toluene-d8 (Surrogate)	BXG0273-BS1	LCS	9.9800	10.000	ug/L	99.8		80 - 120		
4-Bromofluorobenzene (Surrogate)	BXG0273-BS1	LCS	10.200	10.000	ug/L	102		80 - 120		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260B)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		Lab Quals
								Percent Recovery	Percent Recovery	
QC Batch ID: BXG0273		Used client sample: N								
Benzene	MS	1411671-54	ND	22.830	25.000	ug/L		91.3		70 - 130
	MSD	1411671-54	ND	26.300	25.000	ug/L	14.1	105	20	70 - 130
Toluene	MS	1411671-54	ND	24.460	25.000	ug/L		97.8		70 - 130
	MSD	1411671-54	ND	27.410	25.000	ug/L	11.4	110	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	MS	1411671-54	ND	8.7300	10.000	ug/L		87.3		75 - 125
	MSD	1411671-54	ND	8.6800	10.000	ug/L	0.6	86.8		75 - 125
Toluene-d8 (Surrogate)	MS	1411671-54	ND	10.280	10.000	ug/L		103		80 - 120
	MSD	1411671-54	ND	10.180	10.000	ug/L	1.0	102		80 - 120
4-Bromofluorobenzene (Surrogate)	MS	1411671-54	ND	9.7900	10.000	ug/L		97.9		80 - 120
	MSD	1411671-54	ND	9.9200	10.000	ug/L	1.3	99.2		80 - 120

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BXF2346						
Gasoline Range Organics (C6 - C12)	BXF2346-BLK1	ND	ug/L	50		
a,a,a-Trifluorotoluene (FID Surrogate)	BXF2346-BLK1	93.8	%	70 - 130 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Control Limits		Lab
								Percent Recovery	RPD	
QC Batch ID: BXF2346										
Gasoline Range Organics (C6 - C12)	BXF2346-BS1	LCS	911.43	1000.0	ug/L	91.1		85 - 115		
a,a,a-Trifluorotoluene (FID Surrogate)	BXF2346-BS1	LCS	36.738	40.000	ug/L	91.8		70 - 130		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent		Lab Quals
								Recovery	RPD	
QC Batch ID: BXF2346		Used client sample: N								
Gasoline Range Organics (C6 - C12)	MS	1411671-47	ND	902.26	1000.0	ug/L		90.2		70 - 130
	MSD	1411671-47	ND	910.36	1000.0	ug/L	0.9	91.0	20	70 - 130
a,a,a-Trifluorotoluene (FID Surrogate)	MS	1411671-47	ND	36.447	40.000	ug/L		91.1		70 - 130
	MSD	1411671-47	ND	36.537	40.000	ug/L	0.2	91.3		70 - 130

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
2000 Powell Street 7th Floor
Emeryville, CA 94608

Reported: 07/07/2014 16:54
Project: 0746
Project Number: 351647
Project Manager: Kathy Brandt

Notes And Definitions

- MDL Method Detection Limit
- ND Analyte Not Detected at or above the reporting limit
- PQL Practical Quantitation Limit
- RPD Relative Percent Difference
- A01 PQL's and MDL's are raised due to sample dilution.
- S09 The surrogate recovery on the sample for this compound was not within the control limits.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.