

# P & D ENVIRONMENTAL

4020 Panama Court  
Oakland, CA 94611  
Telephone (510) 658-6916

November 29, 1994  
Report 0047.R5

Mr. L.B. Patel  
Mr. P. Gupta  
VIP Service  
385 Century Circle  
Danville, CA 94526

SUBJECT: Quarterly Groundwater Monitoring and Sampling Report  
VIP Service  
3889 Castro Valley Blvd.  
Castro Valley, CA

Gentlemen:

P&D Environmental (P&D) is pleased to present this report documenting the results of the quarterly monitoring and sampling of the wells at the subject site. This work was performed in accordance with P&D's proposal 082394.P1 dated August 23, 1994. The work was performed in accordance with requirements set forth in a letter from Mr. Scott Seery of the Alameda County Department of Environmental Health (ACDEH) dated March 18, 1994 addressed to VIP Service and concerning the subject site. A Site Location Map (Figure 1) and Site Plan (Figure 2) are attached with this report.

## BACKGROUND

It is P&D's understanding that the site was purchased by VIP Service in December, 1984. Prior to purchase of the property by VIP Service, the site was operated as a retail gasoline station for an undetermined period of time. The site was operated as a retail gasoline station from the time of purchase by VIP Service until the tanks were removed by Accutite on April 26, 1993. The underground tank system consisted of three 10,000 gallon capacity gasoline tanks, two dispenser islands, and one 550 gallon waste oil tank. It is P&D's understanding that the fuel tanks contained leaded and unleaded gasoline while in use by VIP Service. In addition, VIP Service reported that diesel fuel was not stored at the site at any time.

It is P&D's understanding that at the time of tank removal, eight soil samples were collected from the sidewalls of the fuel tank pit, and one soil sample was collected from the waste oil tank pit. Groundwater was reported to have been encountered in the fuel tank pit at a depth of approximately 11 feet. One water sample was collected from the water in the fuel tank pit. On April 28, 1993 Accutite returned to the site and collected seven soil samples from beneath the dispenser islands.

All of the samples were analyzed at Sequoia Analytical in Redwood City, California for Total Petroleum Hydrocarbons as Gasoline (TPH-G); Benzene, Toluene, Ethylbenzene and Xylenes (BTEX); and for Total Lead. In addition, the samples from the waste oil tank were analyzed for Total Petroleum Hydrocarbons as Diesel (TPH-D); Total Oil and Grease (TOG); Halogenated Volatile Organic Compounds using EPA Method 8010; Semi-Volatile Organic Compounds using EPA Method 8270; and for the metals Cadmium, Chromium, Lead, Nickel and Zinc.

The results of the soil samples collected from the fuel tank pit showed TPH-G concentrations ranging from 120 to 6,200 parts per million (ppm), and total lead results ranging from not detected to 13 ppm. The results of the water sample from the fuel tank pit showed 140 ppm TPH-G, and 0.095 ppm total lead.

The results of the soil samples collected from beneath the fuel dispensers showed TPH-G values ranging from not detected to 4.7 ppm, and total lead values ranging from not detected to 7.6 ppm.

The results of the sample collected from the waste oil tank pit showed 670 ppm TPH-G; 410 ppm TPH-D; 1,300 ppm TOG; 0.023 ppm 1,2-Dichloroethane and 0.0094 ppm Tetrachloroethene in the EPA Method 8010 analysis; 2.7 ppm 2-Methylnaphthalene and 3.8 ppm Naphthalene in the EPA Method 8270 analysis; and various metals concentrations, none of which exceeded ten times their respective STLC values. The laboratory identified the TPH-D results as being a "non-diesel mix," and indicated that the compounds reported as diesel were diesel-range gasoline and diesel-range oil compounds.

Between August 27 and November 1, 1993 P&D personnel collected stockpiled soil samples for stockpiled soil disposal characterization and oversaw the excavation of approximately 680 cubic yards of soil from the vicinity of the fuel tank pit in an effort to remove petroleum hydrocarbon-impacted soil. In addition, during this time the soil which was stockpiled by Accutite during the tank removal activities and during the subsequent soil excavation activities was disposed of at an appropriate disposal facility, and the tank pit backfilled and compacted. A total of eight confirmation soil samples were collected from the sidewalls of the tank pit on November 19, 1993 at a depth of 10 feet after over-excavation and prior to backfilling. The analytical results of the samples ranged from 33 to 3,200 ppm TPH-G. The sample collection locations are shown on the attached Site Plan, Figure 3. Documentation of excavation, stockpiled soil characterization and disposal, and backfilling of the pit are provided in P&D's report 0047.R1 dated January 24, 1994. The samples results associated with the removal of the tanks by Accutite are also summarized in P&D's report 0047.R1.

On November 10, 1993 P&D personnel oversaw the installation of three groundwater monitoring wells, designated as MW1 through MW3, and one exploratory soil boring, designated as B1, at the subject site. The wells were developed on November 12 and sampled on November 16, 1993. The results of the water samples showed that TPH-G was not detected in wells MW1 and MW2, and that BTEX was not detected in MW2. In well MW1, 0.0022 ppm of benzene was detected. In well MW3, TPH-G was detected at 12 ppm; BTEX was detected with benzene detected at 3.3 ppm; TRPH was not detected; EPA Method 8010 compounds were not detected except for 0.027 ppm 1,2-Dichloroethane, and EPA Method 8270 compounds were not detected except for 0.009 ppm Phenol, 0.006 ppm Benzyl Alcohol, 0.006 2-Methylphenol, 0.007 ppm 2,4-Dimethylphenol, 0.088 ppm Benzoic Acid, 0.042 ppm Naphthalene, and 0.015 2-Methylnaphthalene.

Documentation of the monitoring well and soil boring installation and associated sample results are presented in P&D's report 0047.R2 dated January 24, 1994. The locations of the monitoring wells are shown in Figure 2.

In response to a letter dated March 18, 1994 from Mr. Scott Seery of the Alameda County Department of Environmental Health (ACDEH) addressed to VIP Service which commented upon the results of the initial groundwater sampling associated with the installation of the monitoring wells at the subject site, a quarterly groundwater monitoring and sampling program was initiated.

#### FIELD ACTIVITIES

On October 31, 1994 all three of the monitoring wells at the site were monitored and sampled by P&D personnel. The wells were monitored for depth to water and the presence of free product or sheen. Depth to water was measured to the nearest 0.01 foot using an electric water level indicator. The presence of free product or sheen was evaluated using a transparent bailer. No free product or sheen was observed in any of the wells. Depth to water level measurements are presented in Table 1.

Prior to sampling, the monitoring wells were purged of a minimum of three casing volumes of water. During purging operations, the field parameters of electrical conductivity, temperature and pH were monitored. Once the field

parameters were observed to stabilize, and a minimum of three casing volumes had been purged, water samples were collected using a clean Teflon bailer.

The water samples were transferred to 40-milliliter glass Volatile Organic Analysis (VOA) vials and 1-liter amber glass bottles, as appropriate, which were sealed with Teflon-lined screw caps. The VOA vials were overturned and tapped to assure that no air bubbles were present.

The VOA vials and bottles were then transferred to a cooler with ice, until they were transported to McCampbell Analytical, Inc. in Pacheco, California. McCampbell Analytical, Inc. is a State-certified hazardous waste testing laboratory. Chain of custody documentation accompanied the samples to the laboratory. Records of the field parameters measured during well purging are attached with this report. Water purged from the wells during purging operations was stored in a DOT-approved 55-gallon drum pending appropriate disposal.

#### HYDROGEOLOGY

Water levels were measured in the monitoring wells once during the quarter. The measured depth to water at the site on October 31, 1994 ranged from 10.58 to 11.55 feet. Groundwater levels have decreased in wells MW1, MW2 and MW3 by 0.69, 0.65 and 0.50 feet, respectively, since the previous monitoring on July 29, 1994. The calculated groundwater flow direction at the site on October 31, 1994 was to the west with a gradient of 0.0075. The groundwater gradient has decreased from 0.0085 and the groundwater flow direction has remained relatively unchanged since the previous quarterly monitoring on July 29, 1994.

Groundwater level data collected during the quarter are presented in Table 1. The groundwater flow direction at the site on October 31, 1994 is shown on Figure 2.

#### LABORATORY RESULTS

All of the groundwater samples from the monitoring wells were analyzed for TPH-G using EPA Method 5030 in conjunction with Modified EPA Method 8015 (GCFID), and for BTEX using EPA Method 8020. In addition, the groundwater sample from monitoring well MW3, located downgradient from the former fuel and waste oil tank pits, was analyzed for TPH-D using EPA Method 3510 in conjunction with Modified EPA Method 8015; Halogenated Volatile Organic Compounds using EPA Method 8010; and for Semi-volatile Organic Compounds using EPA Method 8270. The additional analysis performed on the sample from well MW3 was performed in accordance with a letter from Mr. Scott Seery of the ACDEH addressed to VIP Service dated March 18, 1994.

The laboratory analytical results of the groundwater samples collected from the monitoring wells show that TPH-G and BTEX were not detected in wells MW1 and MW2. In well MW3, TPH-G was detected at a concentration of 8.7 ppm; benzene was detected at a concentration of 2.6 ppm; TPH-D was detected at a concentration of 0.60 ppm; EPA Method 8010 compounds were not detected except for 0.019 ppm 1,2-Dichloroethane; and EPA Method 8270 compounds were not detected except for 0.008 ppm 2-Methylnaphthalene, 0.047 ppm Naphthalene, and 0.002 ppm Bis(2-Ethylhexyl) Pthalate. Review of the laboratory report and discussions with the laboratory indicate that the results reported as TPH-D are gasoline-range compounds.

#### DISCUSSION AND RECOMMENDATIONS

Based on the laboratory analytical results of the water samples collected from the monitoring wells, P&D recommends that the quarterly groundwater monitoring and sampling program be continued.

#### DISTRIBUTION

Copies of this report should be distributed to Mr. Scott Seery at the Alameda County Department of Environmental Health, and to Mr. Richard Hiett at the San Francisco Bay Regional Water Quality Control Board. Copies of the report should be accompanied by a transmittal letter signed by the principal executive officer of VIP Service.

#### LIMITATIONS

This report was prepared solely for the use of VIP Service. The content and conclusions provided by P&D in this assessment are based on information collected during our investigation, which may include, but not be limited to, visual site inspections; interviews with site owner, regulatory agencies and other pertinent individuals; review of available public documents; subsurface exploration and our professional judgement based on said information at the time of preparation of this document. Any subsurface sample results and observations presented herein are considered to be representative of the area of investigation; however, geological conditions may vary between borings and may not necessarily apply to the general site as a whole. If future subsurface or other conditions are revealed which vary from these findings, the newly-revealed conditions must be evaluated and may invalidate the findings of this report.

This report is issued with the understanding that it is the responsibility of the owner, or his representative, to ensure that the information contained herein is brought to the attention of the appropriate regulatory agencies, where required by law. Additionally, it is the sole responsibility of the owner to properly dispose of any hazardous materials or hazardous wastes left onsite, in accordance with existing laws and regulations.

This report has been prepared in accordance with generally accepted practices using standards of care and diligence normally practiced by recognized consulting firms performing services of a similar nature. P&D is not responsible for the accuracy or completeness of information provided by other individuals or entities which is used in this report. This report presents our professional judgement based upon data and findings identified in this report and interpretation of such data based upon our experience and background, and no warranty, either express or implied, is made. The conclusions presented are based upon the current regulatory climate and may require revision if future regulatory changes occur.


November 29, 1994  
Report 0047.R5

5


Should you have any questions, please do not hesitate to contact us at  
(510) 658-6916.

Sincerely,

P&D Environmental



Paul H. King  
Hydrogeologist



Don R. Braun  
Certified Engineering Geologist  
Registration No.: 1310  
Expiration Date: 6/30/96

dlk/PHK  
0047.R5

Attachments: Tables 1 & 2  
Site Location Map (Figure 1)  
Site Plan (Figure 2)  
Field Parameter Forms  
Laboratory Analytical Results  
Chain of Custody Documentation

TABLE 1  
WELL MONITORING DATA

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW1	10/31/94	180.83	11.55	169.28
	07/29/94		10.86	169.97
	04/25/94		10.70	170.13
	11/16/93		11.63	169.20
	11/12/93*		11.53	169.30
MW2	10/31/94	179.70	10.99	168.71
	07/29/94		10.34	169.36
	04/25/94		10.04	169.66
	11/16/93		11.10	168.60
	11/12/93*		10.95	168.75
MW3	10/31/94	178.98	10.58	168.40
	07/29/94		10.03	168.95
	04/25/94		9.64	169.34
	11/16/93		10.63	168.35
	11/12/93*		10.66	168.32

NOTES:

Elevations are in feet Mean Sea Level.

ft. = Feet.

\* = Depth to water measurements prior to groundwater monitoring well development.

TABLE 2  
GROUNDWATER  
LABORATORY ANALYTICAL RESULTS

Sample Location	TPH-D	TPH-G	Benzene	Toluene	Ethyl-benzene	Xylenes
Samples Collected on October 31, 1994						
MW1	NA	ND	ND	ND	ND	ND
MW2	NA	ND	ND	ND	ND	ND
MW3+	0.60 <i>(60)</i>	8.7 <i>8700</i>	2.6 <i>2600</i>	0.26 <i>260</i>	0.32 <i>320</i>	0.92 <i>920</i>
Samples Collected on July 29, 1994						
MW1	NA	ND	0.0012	ND	ND	ND
MW2	NA	ND	ND	ND	ND	ND
MW3++	0.67	6.3	2.0	0.13	0.22	0.52
Samples Collected on April 25, 1994						
MW1	ND	ND	ND	ND	ND	ND
MW2	ND	ND	ND	ND	ND	ND
MW3+++	2.1	17	4.8	0.47	0.29	1.6

NOTES:

TPH-D = Total Petroleum Hydrocarbons as Diesel.  
TPH-G = Total Petroleum Hydrocarbons as Gasoline.  
ND = Not Detected.  
NA = Not Analyzed.

*1,2-DCA 0.0005*  
*1,4(2-ethyl) 0.004*  
*MCL (ppm)*

- + = Review of the laboratory report and discussions with the laboratory indicate that the results reported as TPH-D are gasoline-range compounds. EPA 8010 compounds not detected except for [REDACTED] EPA 8270 compounds were not detected except for [REDACTED] and [REDACTED]
- ++ = Review of the laboratory report and discussions with the laboratory indicate that the results reported as TPH-D are gasoline-range compounds. EPA 8010 compounds not detected except for 0.0077 ppm 1,2-Dichloroethane; EPA 8270 compounds not detected except for 0.008 ppm 2-Methylnaphthalene and 0.044 ppm Naphthalene.
- +++ = Review of the laboratory report and discussions with the laboratory indicate that the results reported as TPH-D are gasoline-range compounds. EPA 8010 compounds not detected except for 0.28 ppm 1,2-Dichloroethane; EPA 8270 compounds not detected except for 0.013 ppm 2-Methylnaphthalene and 0.084 ppm Naphthalene.

Results are in parts per million (ppm), unless otherwise specified.

TABLE 2  
 GROUNDWATER  
 LABORATORY ANALYTICAL RESULTS

Sample Location	TPH-D	TPH-G	Benzene	Toluene	Ethyl-benzene	Xylenes
			<del>Samples Collected on</del> Samples Collected on November 18, 1993			
MW1	NA	ND	0.0022 2.2	ND	ND	ND
MW2	NA	ND	ND	ND	ND	ND
MW3++++	NA	12 12,000	3.3 3300	0.66 660	0.24 240	1.6 1600

NOTES:

TPH-D = Total Petroleum Hydrocarbons as Diesel.

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

ND = Not Detected.

NA = Not Analyzed.

++++= TRPH not detected; EPA 8010 compounds not detected except for 0.027 ppm 1,2-Dichloroethane; EPA 8270 compounds not detected except for 0.009 ppm Phenol, 0.006 ppm Benzyl Alcohol, 0.006 2-Methylphenol, 0.007 ppm 2,4-Dimethylphenol, 0.088 ppm Benzoic Acid, 0.042 ppm Naphthalene, and 0.015 2-Methylnaphthalene.

Results are in parts per million (ppm), unless otherwise specified.



# P & D ENVIRONMENTAL

4020 Panama Court  
Oakland, CA 94611  
Telephone (510) 658-6916



Base Map From  
U.S. Geological Survey  
Hayward, Calif.  
7.5 Minute Quadrangle  
Photorevised 1980





Figure 1  
SITE LOCATION MAP  
VIP Service  
3889 Castro Valley Blvd.  
Castro Valley, California

# P & D ENVIRONMENTAL

4020 Panama Court  
Oakland, CA 94611  
Telephone (510) 658-6916



Castro Valley Boulevard

Sidewalk



### LEGEND

- ⊕ Monitoring Well Location
- ◆ Exploratory Boring Location
- ( ) Groundwater Surface Elevation in Feet on October 31, 1994
- ➔ Groundwater Flow Direction



Base Map From  
P&D Environmental  
October, 1993

Figure 2  
SITE PLAN  
VIP Service  
3889 Castro Valley Blvd.  
Castro Valley, California

180.83  
11.55

P&D ENVIRONMENTAL  
GROUNDWATER MONITORING/WELL PURGING  
DATA SHEET

Site Name VIP Service - Castro Valley Well No. MW1  
Job No. 0047 Date 10/31/94  
TOC to Water (ft.) 11.55 3:45 PM Sheen None  
Well Depth (ft.) 19.8 Free Product Thickness ∅  
Well Diameter 2" Sample Collection Method Teflon Bailor  
Gal./Casing Vol. 1.4

$\Sigma = 4.2$

TIME	GAL. PURGED	pH	TEMPERATURE (°F)	ELECTRICAL CONDUCTIVITY ( $\mu S/cm$ )
<u>4:04</u>	<u>1</u>	<u>6.97</u>	<u>73.8</u>	<u>2.21 x 1000</u>
<u>4:06</u>	<u>2</u>	<u>6.86</u>	<u>71.4</u>	<u>1.81</u>
<u>4:08</u>	<u>3</u>	<u>6.74</u>	<u>70.8</u>	<u>1.85</u>
<u>4:10</u>	<u>4</u>	<u>6.68</u>	<u>72.5</u>	<u>1.84</u>
<u>4:12</u>	<u>5</u>	<u>6.67</u>	<u>70.4</u>	<u>1.88</u>
<u>4:15</u>	<u>Collect Samples</u>			

NOTES: PMK. Purge w. bailer

P&D ENVIRONMENTAL  
GROUNDWATER MONITORING/WELL PURGING  
DATA SHEET

Site Name VET Service - Castro Valley Well No. MW2

Job No. 0047 Date 10/31/94

TOC to Water (ft.) 10.99 3:46 PM Sheen None

Well Depth (ft.) 19.4 Free Product Thickness Ø

Well Diameter 2" Sample Collection Method Teflon bailer

Gal./Casing Vol. 1.4  
ε = 4.2

<u>TIME</u>	<u>GAL. PURGED</u>	<u>pH</u>	<u>TEMPERATURE</u> (°F)	<u>ELECTRICAL CONDUCTIVITY</u> (µS/cm)
<u>4:29</u>	<u>1</u>	<u>6.64</u>	<u>68.7</u>	<u>2.39 x 1000</u>
<u>4:31</u>	<u>2</u>	<u>6.63</u>	<u>69.7</u>	<u>2.44</u>
<u>4:33</u>	<u>3</u>	<u>6.63</u>	<u>69.6</u>	<u>2.59</u>
<u>4:35</u>	<u>4</u>	<u>6.63</u>	<u>69.5</u>	<u>2.50</u>
<u>4:37</u>	<u>5</u>	<u>6.63</u>	<u>69.5</u>	<u>2.46</u>
<u>4:40</u>	<u>Collect Sample</u>			

NOTES: PAK • Purge w bailer

P&D ENVIRONMENTAL  
GROUNDWATER MONITORING/WELL PURGING  
DATA SHEET

Site Name VIP Service - Luster Valley Well No. MWS  
 Job No. 0047 Date 10/31/94  
 TOC to Water (ft.) ~~18.9~~ 10.58 3:48PM Sheen None  
 Well Depth (ft.) 18.9 Free Product Thickness Ø  
 Well Diameter 2" Sample Collection Method Teflon bailer  
 Gal./Casing Vol. 1.4

TIME	Σ = 4.2 GAL. PURGED	pH	TEMPERATURE (°F)	ELECTRICAL CONDUCTIVITY (µS/cm)
4:52	1	6.66	66.0	1.92 x 1000
4:54	2	6.50	66.9	1.91
4:56	3	6.39	67.0	1.84
4:58	4	6.36	67.0	1.77
5:00	5	6.38	67.0	1.75
5:05	collect sample			

NOTES: PAK. Purged w. bailer.

P & D Environmental 4020 Panama Ct. Oakland, CA 94611	Client Project ID: # 0047; VIP Service-Castro Valley	Date Sampled: 10/31/94
		Date Received: 11/01/94
	Client Contact: Paul King	Date Extracted: 11/01-11/02/94
	Client P.O:	Date Analyzed: 11/01-11/02/94

**Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline\*, with BTEX\***

EPA methods 5030, modified 8015, and 8020 or 602; California RWQCB (SF Bay Region) method GCFID(5030)

Lab ID	Client ID	Matrix	TPH(g) <sup>+</sup>	Benzene	Toluene	Ethylbenzene	Xylenes	% Rec. Surrogate
41992	MW1	W	ND	ND	ND	ND	ND	101
41993	MW2	W	ND	ND	ND	ND	ND	99
41994	MW3	W	8700,a	2600	260	320	920	102
Detection Limit unless otherwise stated; ND means Not Detected	W	50 ug/L	0.5	0.5	0.5	0.5	0.5	
	S	1.0 mg/kg	0.005	0.005	0.005	0.005	0.005	

\*water samples are reported in ug/L, soil samples in mg/kg, and all TCLP extracts in mg/L

# cluttered chromatogram; sample peak co-elutes with surrogate peak

<sup>+</sup> The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds are significant; no recognizable pattern; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible phase is present.

P & D Environmental 4020 Panama Ct. Oakland, CA 94611	Client Project ID: # 0047; VIP Service-Castro Valley	Date Sampled: 10/31/94
		Date Received: 11/01/94
	Client Contact: Paul King	Date Extracted: 11/10/94
	Client P.O:	Date Analyzed: 11/10/94

**Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel \***

EPA methods modified 8015, and 3550 or 3510; California RWQCB (SF Bay Region) method GCFID(3550) or GCFID(3510)

Lab ID	Client ID	Matrix	TPH(d) <sup>+</sup>	% Recovery Surrogate
41994	MW3	W	600,d	109
Detection Limit unless otherwise stated; ND means Not Detected	W	50 ug/L		
	S	10 mg/kg		

\*water samples are reported in ug/L, soil samples in mg/kg, and all TCLP extracts in mg/L

# cluttered chromatogram; surrogate and sample peaks co-elute or surrogate peak is on elevated baseline

+ The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) modified diesel?: light(CL) or heavy(CH) diesel compounds are significant; d) gasoline range compounds are significant; e) medium boiling point pattern that does not match diesel(?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible phase is present.

P & D Environmental 4020 Panama Ct. Oakland, CA 94611	Client Project ID: # 0047; VIP Service- Castro Valley	Date Sampled: 10/31/94
	Client Contact: Paul King	Date Received: 11/01/94
	Client P.O:	Date Extracted: 11/02/94
		Date Analyzed: 11/02/94

## Volatile Halocarbons

EPA method 601 or 8010

Lab ID	41994			
Client ID	MW3			
Matrix	W			
Compound <sup>(1)</sup>	Concentration*	Concentration*	Concentration*	Concentration*
Bromodichloromethane	ND			
Bromoform <sup>(2)</sup>	ND			
Bromomethane	ND			
Carbon Tetrachloride <sup>(3)</sup>	ND			
Chlorobenzene	ND			
Chloroethane	ND			
2-Chloroethyl Vinyl Ether <sup>(4)</sup>	ND			
Chloroform <sup>(5)</sup>	ND			
Chloromethane	ND			
Dibromochloromethane	ND			
1,2-Dichlorobenzene	ND			
1,3-Dichlorobenzene	ND			
1,4-Dichlorobenzene	ND			
1,1-Dichloroethane	ND			
1,2-Dichloroethane	19			
1,1-Dichloroethene	ND			
cis 1,2-Dichloroethene	ND			
trans 1,2-Dichloroethene	ND			
1,2-Dichloropropane	ND			
cis 1,3-Dichloropropene	ND			
trans 1,3-Dichloropropene	ND			
Methylene Chloride <sup>(6)</sup>	ND			
1,1,2,2-Tetrachloroethane	ND			
Tetrachloroethene <sup>(7)</sup>	ND			
1,1,1-Trichloroethane	ND			
1,1,2-Trichloroethane	ND			
Trichloroethene	ND			
Trichlorofluoromethane	ND			
Vinyl Chloride <sup>(8)</sup>	ND			
% Recovery Surrogate	96			
Comments				

Detection limit unless otherwise stated: water, ND &lt; 1.0 ug/L; soil, ND &lt; 10ug/kg.

\* water samples are reported in ug/L, soil samples in ug/kg and all TCLP extracts in ug/L

(1) IUPAC allows "ylene" or "ene"; ex. ethylene or ethene; (2) tribromomethane; (3) tetrachloromethane; (4) (2-chloroethoxy) ethene; (5) trichloromethane; (6) dichloromethane; (7) perchlorethylene, PCE or perclor; (8) chloroethene; (9) unidentified peak(s) present.



## QC REPORT FOR HYDROCARBON ANALYSES

Date: 10/31-11/01/94

Matrix: Water

Analyte	Concentration (ug/L)			Amount Spiked	% Recovery		
	Sample	MS	MSD		MS	MSD	RPD
TPH (gas)	0.0	98.4	94.5	100	98.4	94.5	4.0
Benzene	0	9.8	10	10	98.0	100.0	2.0
Toluene	0	9.6	9.7	10	96.0	97.0	1.0
Ethyl Benzene	0	9.4	9.5	10	94.0	95.0	1.1
Xylenes	0	30.1	30.2	30	100.3	100.7	0.3
TPH (diesel)	0	158	160	150	105	107	1.2
TRPH (oil & grease)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

$$\% \text{ Rec.} = (\text{MS} - \text{Sample}) / \text{amount spiked} \times 100$$

$$\text{RPD} = (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) \times 2 \times 100$$

## QC REPORT FOR HYDROCARBON ANALYSES

Date: 11/10-11/11/94

Matrix: Water

Analyte	Concentration (ug/L)			Amount Spiked	% Recovery		
	Sample	MS	MSD		MS	MSD	RPD
TPH (gas)	0.0	93.1	99.1	100	93.1	99.1	6.2
Benzene	0	10	10.4	10	100.0	104.0	3.9
Toluene	0	9.9	10.6	10	99.0	106.0	6.8
Ethyl Benzene	0	9.8	10.4	10	98.0	104.0	5.9
Xylenes	0	31.5	33.5	30	105.0	111.7	6.2
TPH (diesel)	0	137	139	150	91	92	1.2
TRPH (oil & grease)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

$$\% \text{ Rec.} = (\text{MS} - \text{Sample}) / \text{amount spiked} \times 100$$

$$\text{RPD} = (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) \times 2 \times 100$$

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553

Tele: 510-798-1620 Fax: 510-798-1622

## QC REPORT FOR EPA 8010/8020/EDB

Date: 11/02/94

Matrix: Water

Analyte	Concentration (ug/L)				% Recovery		
	Sample	MS	MSD	Amount Spiked	MS	MSD	RPD
1,1-DCE	0.0	4.5	4.2	5.0	90	84	6.9
Trichloroethene	0.0	5.1	4.8	5.0	102	96	6.1
EDB	0.0	4.3	4.1	5.0	86	82	4.8
Chlorobenzene	0.0	5.3	5.1	5.0	106	102	3.8
Benzene	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Toluene	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chlorobz (PID)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

$$\% \text{ Rec.} = (\text{MS} - \text{Sample}) / \text{amount spiked} \times 100$$

$$\text{RPD} = (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) \times 2 \times 100$$

# CHROMALAB, INC.

Environmental Services (SDB)

November 7, 1994

MCCAMPBELL ANALYTICAL, INC.

Project: P/VIP

Sampled: October 31, 1994

Extracted: November 4, 1994

Method: EPA 3510/625

Reporting Limit: See Below

Client Sample ID: MW 3

Submission #: 9411026

(Revised 11/16/94)

Atten: Ed Hamilton

Project#: 3169

Received: November 2, 1994

Analyzed: November 5, 1994

Matrix: WATER

Dilution Factor: None

COMPOUND NAME	Sample mg/l	Reporting Limit mg/l	Spike Recovery
PHENOL	N.D.	0.002	-----
BIS(2-CHLOROETHYL) ETHER	N.D.	0.002	-----
2-CHLOROPHENOL	N.D.	0.002	46% 51%
1,3-DICHLOROBENZENE	N.D.	0.002	-----
1,4-DICHLOROBENZENE	N.D.	0.002	47% 39%
BENZYL ALCOHOL	N.D.	0.004	-----
1,2-DICHLOROBENZENE	N.D.	0.002	-----
2-METHYLPHENOL	N.D.	0.002	-----
BIS(2-CHLOROISOPROPYL) ETHER	N.D.	0.002	-----
4-METHYLPHENOL	N.D.	0.002	-----
N-NITROSO-DI-N-PROPYLAMINE	N.D.	0.002	-----
HEXACHLOROETHANE	N.D.	0.002	-----
NITROBENZENE	N.D.	0.002	-----
ISOPHORONE	N.D.	0.002	-----
2-NITROPHENOL	N.D.	0.002	-----
2,4-DIMETHYLPHENOL	N.D.	0.002	-----
BENZOIC ACID	N.D.	0.010	-----
BIS(2-CHLOROETHOXY) METHANE	N.D.	0.002	-----
2,4-DICHLOROPHENOL	N.D.	0.002	-----
1,2,4-TRICHLOROBENZENE	N.D.	0.002	47% 39%
NAPHTHALENE	0.047	0.002	-----
4-CHLOROANILINE	N.D.	0.004	-----
HEXACHLOROBUTADIENE	N.D.	0.002	-----
4-CHLORO-3-METHYLPHENOL	N.D.	0.004	31% 33%
2-METHYLNAPHTHALENE	0.008	0.002	-----
HEXACHLOROCYCLOPENTADIENE	N.D.	0.002	-----
2,4,6-TRICHLOROPHENOL	N.D.	0.002	-----
2,4,5-TRICHLOROPHENOL	N.D.	0.002	-----
2-CHLORONAPHTHALENE	N.D.	0.002	-----
2-NITROANILINE	N.D.	0.010	-----
DIMETHYL PHTHALATE	N.D.	0.002	-----
ACENAPHTHYLENE	N.D.	0.002	-----
3-NITROANILINE	N.D.	0.010	-----
ACENAPHTHENE	N.D.	0.002	58% 58%
2,4-DINITROPHENOL	N.D.	0.010	-----
4-NITROPHENOL	N.D.	0.010	-----
DIBENZOFURAN	N.D.	0.002	-----

(continued on next page)

1220 Quarry Lane • Pleasanton, California 94566-4756

(510) 484-1919 • Facsimile (510) 484-1096

Federal ID #68-0140157

# CHROMALAB, INC.

Environmental Services (SDB)

Page 2


Submission #: 9411026  
(Revised 11/16/94)

Project: P/VIP  
Project#: 3169  
Client Sample ID: MW 3  
Method: EPA 3510/625

Matrix: WATER

<u>COMPOUND NAME</u>	<u>Sample</u> <u>mg/l</u>	<u>Reporting</u> <u>Limit</u> <u>mg/l</u>	<u>Spike</u> <u>Recovery</u>
2,4-DINITROTOLUENE	N.D.	0.002	-----
2,6-DINITROTOLUENE	N.D.	0.002	-----
DIETHYL PHTHALATE	N.D.	0.002	-----
4-CHLORO-PHENYL PHENYL ETHER	N.D.	0.002	-----
FLUORENE	N.D.	0.002	-----
4-NITROANILINE	N.D.	0.010	-----
4,6-DINITRO-2-METHYL PHENOL	N.D.	0.010	-----
N-NITROSODIPHENYLAMINE	N.D.	0.002	-----
4-BROMOPHENYL PHENYL ETHER	N.D.	0.002	-----
HEXACHLOROBENZENE	N.D.	0.002	-----
PENTACHLOROPHENOL	N.D.	0.010	-----
PHENANTHRENE	N.D.	0.002	-----
ANTHRACENE	N.D.	0.002	-----
DI-N-BUTYL PHTHALATE	N.D.	0.002	-----
FLUORANTHENE	N.D.	0.002	-----
PYRENE	N.D.	0.002	67% 75%
BUTYLBENZYLPHTHALATE	N.D.	0.002	-----
3,3'-DICHLOROBENZIDINE	N.D.	0.004	-----
BENZO (A) ANTHRACENE	N.D.	0.002	-----
BIS (2-ETHYLHEXYL) PHTHALATE	N.D.	0.010	-----
CHRYSENE	N.D.	0.002	-----
DI-N-OCTYLPHTHALATE	N.D.	0.002	-----
BENZO (B) FLUORANTHENE	N.D.	0.002	-----
BENZO (K) FLUORANTHENE	N.D.	0.002	-----
BENZO (A) PYRENE	N.D.	0.002	-----
INDENO (1,2,3 C,D) PYRENE	N.D.	0.002	-----
DIBENZO (A,H) ANTHRACENE	N.D.	0.002	-----
BENZO (G,H,I) PERYLENE	N.D.	0.002	-----

ChromaLab, Inc.

  
Alex Tam  
Analytical Chemist

  
Ali Kharrazi  
Organic Manager

026/68711

19/60

# McCAMPBELL ANALYTICAL

110 2nd AVENUE, # D7

PACHECO, CA 94553

(510) 798-1620

FAX (510) 798-1622

# CHAIN OF CUSTODY RECORD

TURN AROUND TIME:

RUSH  24 HOUR  48 HOUR  5 DAY

REPORT TO: Ed Hamilton BILL TO: McCAMPBELL

COMPANY: McCAMPBELL ANALYTICAL

TELE:

FAX #:

PROJECT NUMBER: 3169 PROJECT NAME: P/VEP

PROJECT LOCATION: SAMPLER SIGNATURE:

### ANALYSIS REQUEST

OTHER |  
SUBM #: 9411026  
CLIENT: MCCAM  
DUE: 11/09/94  
REF #: 19160

BTEX & TPH as Gasoline (602/8020 & 8015)	
TPH as Diesel (8015)	
Total Petroleum Oil & Grease (5520 ELF/5520 BAF)	
Total Petroleum Hydrocarbons (418.1)	
EPA 601/8010	
EPA 602/8020	
EPA 605/8050	
EPA 608/8080 - PCBs Only	
EPA 624/8240/8250	
EPA 625/8270	<input checked="" type="checkbox"/>
CAM - 17 Metals	
EPA - Priority Pollutant Metals	
LEAD (7240/7421/239.2/6010)	
ORGANIC LEAD	
BCI	

COMMENTS

SAMPLE ID	LOCATION	SAMPLING		# CONTAINERS	TYPE CONTAINERS	MATRIX					METHOD PRESERVED			ANALYSIS REQUEST	COMMENTS
		DATE	TIME			WATER	SOIL	AIR	SLUDGE	OTHER	HCL	HNO3	OTHER		
MW3		10-31-94		1	Ltr	X								X	41994

RELINQUISHED BY:	DATE	TIME	RECEIVED BY:
<u>Nidia Pica</u>	<u>11/2/94</u>		
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:
RELINQUISHED BY:	DATE	TIME	RECEIVED BY LABORATORY:
	<u>11/2/94</u>	<u>1222</u>	<u>[Signature]</u>

REMARKS:  
sample received cold in good cond 11/2/94

**P & D ENVIRONMENTAL**

4020 Panama Court  
Oakland, CA 94611  
Telephone (510) 658-6916

**CHAIN OF CUSTODY RECORD**

3169 AP086 PAGE 1 OF 1

PROJECT NUMBER: 0047		PROJECT NAME: VEP Service - Castro Valley			NUMBER OF CONTAINERS	ANALYSIS(ES):					PRESERVATIVE	REMARKS	
SAMPLED BY: (PRINTED AND SIGNATURE) Paul H. King						TPH-Gas, BTEX	EPA 8010	TPH-Diesel 11-8-94					
SAMPLE NUMBER	DATE	TIME	TYPE	SAMPLE LOCATION									
MW1	10/31/94		water		2	X				ICE	Normal Turn Around		
MW2	"		"		2	X				"	" " "		
MW3	"		"		5	X	X	X	X	"	" " "		
											41992		
											41993		
											41994		
ICE/T <input checked="" type="checkbox"/> PRESERVATIVE <input checked="" type="checkbox"/> GOOD CONDITION <input checked="" type="checkbox"/> APPROPRIATE <input checked="" type="checkbox"/> HEAD SPACE ABSENT <input checked="" type="checkbox"/> CONTAINERS <input checked="" type="checkbox"/>					MUST BE FURNISHED BY OTHER <input checked="" type="checkbox"/> PRESERVATIVE <input checked="" type="checkbox"/> APPROPRIATE <input checked="" type="checkbox"/> CONTAINERS <input checked="" type="checkbox"/>								
RELINQUISHED BY: (SIGNATURE) Paul H. King		DATE 11/1/94	TIME 7:45	RECEIVED BY: (SIGNATURE) Ryann		TOTAL NO. OF SAMPLES (THIS SUBMIT) 3		LABORATORY: McCampbell Analytical					
RELINQUISHED BY: (SIGNATURE) Ryann		DATE 11/1	TIME 2:45	RECEIVED BY: (SIGNATURE) Kidd-Rice		TOTAL NO. OF CONTAINERS (THIS SUBMIT) 9		LABORATORY CONTACT: Ed Hamilton		LABORATORY PHONE NUMBER: (510) 798-1620			
RELINQUISHED BY: (SIGNATURE)		DATE	TIME	RECEIVED FOR LABORATORY BY: (SIGNATURE)		SAMPLE ANALYSIS REQUEST SHEET ATTACHED: ( ) YES (X) NO							
REMARKS:					VOAs preserved with HCE								