P & D Environmental

A Division of Paul H. King, Inc. 4020 Panama Court Oakland, CA 94611 (510) 658-6916

> November 2, 1999 Report 0047.R24

Mr. L.B. Patel Mr. P. Gupta VIP Service 385 Century Circle Danville, CA 94526

SUBJECT: GROUNDWATER MONITORING AND SAMPLING REPORT

VIP Service

3889 Castro Valley Blvd.

Castro Valley, CA

Gentlemen:

P&D Environmental a division of Paul H. King, Inc. (P&D) is pleased to present this report documenting the results of the semi-annual monitoring and sampling of groundwater monitoring wells MW1, MW2, and MW3 at the subject site. This work was performed in accordance with P&D's proposal 033099.P1 dated March 30, 1999 and requirements set forth in a letter from Mr. Scott Seery of the Alameda County Department of Environmental Health (ACDEH) dated March 18, 1994 for the subject site. Based upon a telephone conversation with Mr. Seery on July 31, 1995, the sampling of monitoring wells MW1 and MW2 was reduced to semi-annually. Based upon subsequent conversations, the sampling and monitoring of well MW3 has also been reduced to semi-annually. In addition, it was agreed that no further analysis for TPH-D will be performed for well MW3.

The monitoring and sampling was performed on September 10, 1939. The reporting period is for March, 1999 through September, 1999. A Site Location Map (Figure 1) and Site Plan (Figure 2) are attached with this report.

BACKGROUND

It is P&D's understanding that the site was purchased by VIP Service in December, 1984. Prior to purchase of the property by VIP Service, the site was operated as a retail gasoline station for an undetermined period of time. The site was operated as a retail gasoline station from the time of purchase by VIP Service until the tanks were removed by Accutite on April 26, 1993. The underground tank system consisted of three 10,000 gallon capacity gasoline tanks, two dispenser islands, and one 550 gallon waste oil tank. It is P&D's understanding that the fuel tanks contained leaded and unleaded gasoline while in use by VIP Service. In addition, VIP Service reported that diesel fuel was not stored at the site at any time.

It is P&D's understanding that at the time of tank removal, eight soil samples were collected from the sidewalls of the fuel tank pit, and one soil sample was collected from the waste oil tank pit. Groundwater was reported to have been encountered in the fuel tank pit at a depth of approximately 11 feet. One water sample was collected from the water in the fuel tank pit. On April 28, 1993 Accutite returned to the site and collected seven soil samples from beneath the dispenser islands.

All of the samples were analyzed at Sequoia Analytical in Redwood City, California for Total Petroleum Hydrocarbons as Gasoline (TPH-G); Benzene, Toluene, Ethylbenzene and Kylenes (BTEX); and for Total Lead. In addition, the samples from the waste oil tank were analyzed for Total Petroleum Hydrocarbons as Diesel (TPH-D); Total Oil and Grease (TOG); Halogenated Volatile Organic Compounds using EPA Method 8010; Semi-Volatile Organic Compounds using EPA Method 8270; and for the metals Cadmium, Chromium, Lead, Nickel and Zinc.

The results of the soil samples collected from the fuel tank pit showed

TPH-G concentrations ranging from 120 to 6,200 parts per million (ppm), and total lead results ranging from not detected to 13 ppm. The results of the water sample from the fuel tank pit showed 140 ppm TPH-G, and 0.095 ppm total lead.

The results of the soil samples collected from beneath the fuel dispensers showed TPH-G values ranging from not detected to 4.7 ppm, and total lead values ranging from not detected to 7.6 ppm.

The results of the sample collected from the waste oil tank pit showed 670 ppm TPH-G; 410 ppm TPH-D; 1,300 ppm TOG; 0.023 ppm 1,2-Dichloroethane and 0.0094 ppm Tetrachloroethylene in the EPA Method 8010 analysis; 2.7 ppm 2-Methylnapthalene and 3.8 ppm Naphthalene in the EPA Method 8270 analysis; and various metals concentrations, none of which exceeded ten times their respective STLC values. The laboratory identified the TPH-D results as being a "non-diesel mix," and indicated that the compounds reported as diesel were diesel-range gasoline and diesel-range oil compounds.

Between August 27 and November 1, 1993 P&D personnel collected stockpiled soil samples for stockpiled soil disposal characterization and oversaw the excavation of approximately 680 cubic yards of soil from the vicinity of the fuel tank pit in an effort to remove petroleum hydrocarbon-impacted soil. In addition, during this time the soil which was stockpiled by Accutite during the tank removal activities and during the subsequent soil excavation activities was disposed of at an appropriate disposal facility, and the tank pit backfilled and compacted. A total of eight confirmation soil samples were collected from the sidewalls of the tank pit on November 19, 1993 at a depth of 10 feet after over-excavation and prior to backfilling. The analytical results of the samples ranged from 33 to 3,200 ppm TPH-G. Documentation of excavation, stockpiled soil characterization and disposal, and backfilling of the pit are provided in P&D's report 0047.R1 dated January 24, 1994. The samples results associated with the removal of the tanks by Accutite are also summarized in P&D's report 0047.R1.

On November 10, 1993 P&D personnel oversaw the installation of three groundwater monitoring wells, designated as MW1 through MW3, and one exploratory soil boring, designated as B1, at the subject site. The wells were developed on November 12 and sampled on November 16, 1993. The results of the water samples showed that TPH-G was not detected in wells MW1 and MW2, and that BTEX was not detected in MW2. In well MW1, 0.0022 ppm of benzene was detected. In well MW3, TPH-G was detected at 12 ppm; BTEX was detected with benzene detected at 3.3 ppm; TRPH was not detected; EPA Method 8010 compounds were not detected except for 0.027 ppm 1,2-Dichloroethane; and EPA Method 8270 compounds were not detected except for 0.009 ppm Phenol, 0.006 ppm Benzyl Alcohol, 0.006 2-Methylphenol, 0.007 ppm 2,4-Dimethylphenol, 0.088 ppm Benzoic Acid, 0.042 ppm Naphthalene, and 0.015 2-Methylnapthalene.

Documentation of the monitoring well and soil boring installation and associated sample results are presented in P&D's report 0047.R2 dated January 24, 1994. The locations of the monitoring wells are shown in Figure 2.

In response to a letter dated March 18, 1994 from Mr. Scott Seery ACDEH which commented upon the results of the initial groundwater sampling associated with the installation of the monitoring wells at the subject site, a quarterly groundwater monitoring and sampling program was initiated.

FIELD ACTIVITIES

On September 10, 1999 all three of the monitoring wells at the site were monitored and sampled by P&D personnel. The wells were monitored for depth to water and the presence of free product or sheen. Depth to water was measured to the nearest 0.01 foot using an electric water level indicator. The presence of free product or sheen was evaluated using a transparent bailer. No free product

or sheen was observed in any of the wells. However, not be petroleum hydrocarbon odors were deterted in the sample state. Depth to water level measurements are presented in Table 1.

Prior to sampling, the monitoring wells were purged of a minimum of three casing volumes of water. During purging operations, the field parameters of electrical conductivity, temperature and pH were monitored. Once the field parameters were observed to stabilize, and a minimum of three casing volumes had been purged, a water sample was collected using a clean Teflon bailer.

The water samples were transferred to 40-milliliter glass Volatile Organic Analysis (VOA) vials and 1-liter amber glass bottles, as appropriate, which were sealed with Teflon-lined screw caps. The VOA vials were overturned and tapped to assure that no air bubbles were present.

The VOA vials and bottles were labeled and then transferred to a cooler with ice, until they were transported to McCampbell Analytical, Inc. in Pacheco, California. McCampbell Analytical, Inc. is a State-certified hazardous waste testing laboratory. Chain of custody documentation accompanied the samples to the laboratory. Records of the field parameters measured during well purging are attached with this report. Water purged from the wells during purging operations was stored in a DOT-approved 55-gallon drum at the site pending appropriate disposal.

HYDROGEOLOGY

Water levels were measured in the monitoring wells once during the report period. The measured depth to water at the site on September 10, 1999 ranged from 8.34 to 8.79 feet. Groundwater levels have decreased in wells MW1, MW2, and MW3 by 1.07, 1.43 and 1.22 feet, respectively, since the previous monitoring on February 10, 1999. The calculated groundwater flow direction at the site on September 10, 1999 was to the west-southwest with a gradient of 0.012. The groundwater gradient has increased, and the groundwater flow direction has shifted towards the south since the previous quarterly monitoring on February 10, 1999.

Groundwater level data collected during the quarter are presented in Table 1. The groundwater flow direction at the site on September 10, 1999 is shown on Figure 2.

LABORATORY RESULTS

The groundwater samples from monitoring wells MW1, MW2, and MW3 were analyzed for TPH-G using EPA Method 5030 in conjunction with Modified EPA Method 8015 (GCFID), BTEX and MTBE using EPA Method 8020. In addition, the groundwater sample from MW3 (near the former waste oil tank) was analyzed for Halogenated Volatile Organic Compounds using EPA Method 8010 and for Semi-volatile Organic Compounds using EPA Method 8270.

The laboratory analytical results of the groundwater samples collected from wells MW1 and MW2 show that TPH-G and BTEX were not detected, and that MTBE was not detected in MW2, but was detected in MW1 at a concentration of 0.049 ppm. The laboratory analytical results of the groundwater sample collected from monitoring well MW3 show that TPH-G was detected at a concentration of 0.39 ppm; benzene was detected at a concentration of 0.098 ppm; toluene was detected at a concentration of 0.0073 ppm; ethylbenzene was detected at a concentration of 0.012 ppm; total xylenes were detected at a concentration of 0.028 ppm; MTBE was not detected; EPA Method 8010 compounds were not detected except for 0.002 ppm 1,2-Dichloroethane; and EPA Method 8270 compounds were not detected.

DISCUSSION AND RECOMMENDATIONS

Based upon the sample results, P&D recommends that the semi-annual monitoring and sampling be continued. Continuation of the monitoring and sampling program should be re-evaluated upon submital of soil gas survey results associated with investigation of off site subsurface conditions in the vicinity of the subject site.

DISTRIBUTION

Copies of this report should be distributed to Mr. Scott Seery at the Alameda County Department of Environmental Health, and to Mr. Kevin Graves at the San Francisco Bay Regional Water Quality Control Board. Copies of the report should be accompanied by a transmittal letter signed by the principal executive officer of VIP Service.

LIMITATIONS

This report was prepared solely for the use of VIP Service. The content and conclusions provided by P&D in this assessment are based on information collected during our investigation, which may include, but not be limited to, visual site inspections; interviews with site owner, regulatory agencies and other pertinent individuals; review of available public documents; subsurface exploration and our professional judgement based on said information at the time of preparation of this document. Any subsurface sample results and observations presented herein are considered to be representative of the area of investigation; however, geological conditions may vary between borings and may not necessarily apply to the general site as a whole. If future subsurface or other conditions are revealed which vary from these findings, the newly-revealed conditions must be evaluated and may invalidate the findings of this report.

This report is issued with the understanding that it is the responsibility of the owner, or his representative, to ensure that the information contained herein is brought to the attention of the appropriate regulatory agencies, where required by law. Additionally, it is the sole responsibility of the owner to properly dispose of any hazardous materials or hazardous wastes left onsite, in accordance with existing laws and regulations.

This report has been prepared in accordance with generally accepted practices using standards of care and diligence normally practiced by recognized consulting firms performing services of a similar nature. P&D is not responsible for the accuracy or completeness of information provided by other individuals or entities which is used in this report. This report presents our professional judgement based upon data and findings identified in this report and interpretation of such data based upon our experience and background, and no warranty, either express or implied, is made. The conclusions presented are based upon the current regulatory climate and may require revision if future regulatory changes occur.

Should you have any questions, please do not hesitate to contact us at (510) 658-6916.

Sincerely,

P&D Environmental

Paul H. King Hydrogeologist

Don R. Braun

Certified Engineering Geologist

Registration No.: 1310 Expiration Date: 6/30/00

Attachments:

Tables 1 & 2

Site Location Map (Figure 1)

Site Plan (Figure 2)

Groundwater Monitoring/Well Purging Data Sheets

Laboratory Analytical Reports Chain of Custody Documentation

PHK/gmb 0047.R24

TABLE 1 WELL MONITORING DATA

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW1	09/10/99 02/10/99 02/10/99 02/24/98 11/18/97 08/12/97 04/25/97 01/31/97 07/19/96 04/23/96 01/17/96 10/26/95 08/15/95 05/02/95 01/30/95 10/31/94 07/29/94 04/25/94 11/16/93	180.83	8.79 7.72 6.61 9.71 9.39 8.37 7.62 8.81 8.17 9.66 10.00 9.23 8.56 9.50 11.55 10.86 10.70 11.63 11.53	172.04 173.11 174.22 171.12 171.44 172.46 173.21 172.02 172.66 171.17 170.83 171.60 172.27 171.33 169.28 169.29 170.13 169.20 169.30
MW2	09/10/99 02/10/99 02/10/99 02/24/98 11/18/97 08/12/97 04/25/97 01/31/97 07/19/96 04/23/96 01/17/96 10/26/95 08/15/95 05/02/95 01/30/95 10/31/94 07/29/94 04/25/94 11/16/93 11/12/93*	179.70	8.48 7.05 6.20 9.26 9.06 8.10 7.22 8.57 7.85 8.94 9.68 8.91 8.17 8.68 10.99 10.34 10.04 11.10 10.95	171.22 172.65 173.50 170.44 170.64 171.60 172.48 171.13 171.85 170.76 170.02 170.79 171.53 171.02 168.71 169.36 169.66 168.60 168.75

NOTES:

Elevations are in feet Mean Sea Level.

ft. = Feet.
* = Depth to water measurements prior to groundwater monitoring well
 development.

TABLE 1 WELL MONITORING DATA (Continued)

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Elev. (ft.)
MW3	09/10/99 02/10/99 02/24/98 11/18/97 08/12/97 04/25/97 01/31/97 07/19/96 04/23/96 01/17/96 10/26/95 08/15/95 05/02/95 01/30/95 10/31/94 07/29/94 04/25/94 11/16/93	178.98	8.34 7.12 6.55 8.97 8.85 7.99 7.30 8.42 7.76 8.61 9.39 8.62 8.04 8.46 10.58 10.03 9.64 10.63 10.63	170.64 171.86 172.43 170.01 170.13 170.99 171.68 170.56 171.22 170.37 169.59 170.36 170.36 170.94 170.52 168.40 168.95 168.35 168.32
	11/12/93*		10.00	200.32

NOTES:

Elevations are in feet Mean Sea Level.

ft. = Feet.
* = Depth to water measurements prior to groundwater monitoring well
 development.

TABLE 2 GROUNDWATER LABORATORY ANALYTICAL RESULTS

Sample Location	TPH-G	MTBE	Benzene	Toluene	Ethyl- benzene	Xylenes	
Samples Collected on September 10, 1999							
MW1	ND	0.049	ND	ND	ND	ND	
MW2	ND	ND	ND	ND	ND	ND	
MW3 * *	0.39	ND	.9.09 8	0.0073	0.012	0.028	

NOTES:

TPH-D = Total Petroleum Hydrocarbons as Diesel. TPH-G = Total Petroleum Hydrocarbons as Gasoline.

MTBE = Methyl tert-Butyl Ether.

ND = Not Detected.

NA = Not Analyzed.

** = In MW3 EPA Method 8010 compounds were not detected except for 0.002 ppm 1,2-Dichloroethane; and EPA Method 8270 compounds were not detected. Results are in parts per million (ppm), unless otherwise specified.

TABLE 2
GROUNDWATER
LABORATORY ANALYTICAL RESULTS
(Continued)

Sample Location	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes		
			es Collected cuary 10, 199					
MW1	NA	ND	ND	ND	ND	ND		
MW2	NA	ND	ND	ND	ND	ND		
MW3 * * *	NA	4.1	1.7	0.96	0.27	0.42		
Samples Collected on February 24, 1998								
MW1	ND	ND	ND	ND	ND	ND		
MW2	ND	ND	ND	ND	ND	ND		
MW3+	NA	19	4.6	0.33	0.65	1.8		
			es Collected ember 18, 199					
MW1	NA	NA	NA	NA	NA	NA		
MW2	NA	NA	NA	NA	NA	NA		
MW3++	NA	2.1	0.48	0.052	0.071	0.19		

NOTES:

TPH-D = Total Petroleum Hydrocarbons as Diesel.

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

ND = Not Detected.

NA = Not Analyzed.

*** = In MW3, MTBE was not detected; EPA Method 8010 compounds were not detected except for 0.0028 ppm 1,2-Dichloroethane; and EPA Method 8270 compounds were not detected except for 0.021 ppm Naphthalene.

+ = In MW3, MTBE was not detected; EPA Method 8010 compounds were not detected except for 0.011 ppm 1,2-Dichloroethane; and EPA Method 8270 compounds were not detected except for Naphthalene, 2-Methylnaphthalene and Phenol which were detected at concentrations of 0.083, 0.019, and 0.023 ppm, respectively.

++ = In MW3, MTBE was not detected; EFA Method 8010 compounds were not detected except for 0.0021 ppm 1,2 Dichloroethane; and EPA Method 8270 compounds were not detected except for Naphthalene and 2-Methylnaphthalene which were detected at concentrations of 0.058 and 0.026 ppm, respectively.

TABLE 2
GROUNDWATER
LABORATORY ANALYTICAL RESULTS
(Continued)

Sample Location	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes			
	Samples Collected on August 12, 1997								
MW1	ND	ND	ND	ND	ND	ND			
MW2	ND	N D	ND	ND	ND	ND			
MW3+++	NA	16	4.2	0.45	0.54	1.9			
Samples Collected on April 25, 1997									
MW1	NA	NA	NA	NA	NA	NA			
MW2	NA	NA	NA	NA	NA	NA			
MW3++++	NA	30	5.3	0.52	0.95	3.0			
			es Collected uary 31, 199						
MW1	NA	ND	ND	ND	ND	ND			
MW2	NA	ND	ND	ND	ND	ND			
MW3+++++	NA	5.5	1.6	0.10	0.19	0.41			

NOTES:

TPH-D = Total Petroleum Hydrocarbons as Diesel.
TPH-G = Total Petroleum Hydrocarbons as Gasoline.

ND = Not Detected.

NA = Not Analyzed.

+++ = In MW3, MTBE was not detected; EPA Method 8010 compounds were not detected except for 0.0091 ppm 1,2-Dichloroethane; and EPA Method 8270 compounds were not detected except for Bis(2-ethylhexyl) Phthalate, Naphthalene, and 2-Methylnaphthalene which were detected at concentrations of 0.021, 0.087, and 0.024 ppm, respectively.

and 0.024 ppm, respectively.
++++ =In Mw3, MTBE was not detected; EPA Method 8010 compounds were not detected except for 0.012 ppm 1,2 Dichloroethane; and EPA Method 8270 compounds were not detected except for Phenol, 4-Methylphenol, 2,4-Dimethylphenol, Naphthalene, and 2-Methylphenol which were detected at concentrations of 0.0028, 0.0024, 0.0028, 0.066 ppm, and 0.015 ppm, respectively.

+++++ =In MW3, MTBE was detected at a concentration of 0.063 ppm; EPA Method 8010 compounds were not detected except for 0.014 ppm 1,2 Dichloroethane; and EPA Method 8270 compounds were not detected except for Phenol, 2,4-Dimethylphenol, Naphthalene, and 2-Methylnaphthalene which were detected at concentrations of 0.0094, 0.0028, 0.031, and 0.0048 ppm, respectively.

TABLE 2
GROUNDWATER
LABORATORY ANALYTICAL RESULTS
(Continued)

Sample Location	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes	
			s Collected ly 19, 1996	on			
MW1	NA	NA	NA	NA	NA	AA	
MW2	NA	NA	NA	NA	NA	NA	
MW3@ NA 18 4.8 0.61 Samples Collected on April 23, 1996					0.76	2.8	
MW1	NA	ND	ND	ND	ND	ND	
MW2	NA	ND	ND	ND	ND	ND	
MW3@@	NA	9.7	2.9	0.17	0.38	0.68	
Samples Collected on January 17, 1996							
MWl	NA	NA	NA	NA	NA	NA	
MW2	NA	NA	NA	NA	NA	NA	
MW3@@@	NA	21	4.1	0.37	0.52	1.5	

NOTES:

TPH-D = Total Petroleum Hydrocarbons as Diesel.
TPH-G = Total Petroleum Hydrocarbons as Gasoline.

ND = Not Detected.

NA = Not Analyzed.

- @ =In MW3, EPA Method 8010 compounds were not detected; EPA Method 8270 compounds were not detected except for 0.0022 ppm 2,4-Dimethylphenol, 0.1 ppm Naphthalene, and 0.022 ppm 2-Methylnaphthalene. The EPA Method 8020 showed that MTBE was detected in MW3 at a concentration of 0.21 ppm.
- @@ = In MW3, EPA 8010 compounds were not detected except for 0.0051 ppm 1,2-Dichloroethane; EPA 8270 compounds were not detected except for Naphthalene and Phenol which were detected at concentrations of 0.056 and 0.025 ppm, respectively. The EPA Method 8020 results showed that MTBE was not detected in MW1 or MW2, and was detected in MW3 at a concentration of 0.15 ppm.
- @@@ = In MW3, EPA 8010 compounds were not detected except for 0.011 ppm 1,2 Dichloroethane; EPA 8270 compounds were not detected except for 0.0022 ppm Phenol, 0.0051 ppm 4-Methylphenol, 0.0029 ppm 2,4-Dimethylphenol, 0.032 ppm Naphthalene, and 0.010 ppm 2-Methylphenol.

TABLE 2
GROUNDWATER
LABORATORY ANALYTICAL RESULTS
(Continued)

Sample Location	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes		
			s Collected ober 26, 199!					
MW1	NA	ND	ND	ND	ND	ND		
MW2	NA	ND	ND	ND	ND	ND		
MW3@@@@	NA	19	4.0	0.48	0.64	1.8		
Samples Collected on August 15, 1995								
MW1	NA	NA	NA	NA	NA	NA		
MW2	NA	NA	NA	NA	NA	NA		
MW3@@@@@	NA	7.0	2.4	0.23	0.26	0.73		
			es Collected May 2, 1995	on				
MW1	NA	ND	ND	ND	ND	ND		
MW2	NA	ND	ND	ND	ND	ND		
MW3#	0.84	18	5.4	0.39	0.65	1.7		

NOTES:

TPH-D = Total Petroleum Hydrocarbons as Diesel.
TPH-G = Total Petroleum Hydrocarbons as Gasoline.

ND = Not Detected.

NA = Not Analyzed.

@@@@ =In Mw3, EPA 8010 compounds were not detected except for 0.011 ppm 1,2-Dichloroethane; EPA 8270 compounds were not detected except for 0.043 ppm Naphthalene. The EPA Method 8020 results showed that MTBE was not detected in Mw1 or Mw2, and was detected in Mw3 at a concentration of 0.24 ppm.

@@@@@ = EPA 8010 compounds were not detected except for 0.0091 ppm 1,2-Dichloroethane; EPA 8270 compounds were not detected except for 0.003 ppm 4-Methylphenol, 0.005 ppm 2,4-Dimethyl Phenol, 0.019 ppm Naphthalene, and 0.003 ppm 2-Methylnaphthalene.

#= Review of the laboratory report and discussions with the laboratory indicate that the results reported as TPH-D are gasoline-range compounds. EPA 8010 compounds not detected except for 0.014 ppm 1,2-Dichloroethane; EPA 8270 compounds were not detected except for 0.010 ppm 2-Methyl naphthalene and 0.062 ppm Naphthalene.

TABLE 2
GROUNDWATER
LABORATORY ANALYTICAL RESULTS
(Continued)

Sample Location	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes		
			s Collected mary 30, 1995					
MW1	NA	ND	ИD	ND	ND	ND		
MW2	NA	ND	ND	ИД	ND	ИD		
MW3##	0.70	24	7.6	0.35	0.90	2.2		
Samples Collected on October 31, 1994								
MW1	NA	ND	ND	ND	ND	ND		
MW2	NA	N D	ND	ND	ND	ND		
### £WM	0.60	8.7	2.6	0.26	0.32	0.92		
Samples Collected on July 29, 1994								
MW1	NA	ND	0.0012	ND	ND	ND		
MW2	AИ	ND	ND	ND	ИD	ND		
MW3####	0.67	6.3	2.0	0.13	0.22	0.52		

NOTES:

TPH-D = Total Petroleum Hydrocarbons as Diesel.
TPH-G = Total Petroleum Hydrocarbons as Gasoline.

ND = Not Detected.

NA = Not Analyzed.

= Review of the laboratory report and discussions with the laboratory indicate that the results reported as TPH-D are gasoline-range compounds. EPA 8010 compounds not detected except for 0.018 ppm 1,2-Dichloroethane; EPA 8270 compounds were not detected except for 0.014 ppm 2-Methyl naphthalene and 0.11 ppm Naphthalene.

= Review of the laboratory report and discussions with the laboratory
 indicate that the results reported as TPH-D are gasoline-range
 compounds. EPA 8010 compounds not detected except for 0.019 ppm 1,2 Dichloroethane; EPA 8270 compounds were not detected except for 0.008 ppm
 2-Methyl naphthalene, 0.047 ppm Naphthalene, and 0.002 ppm Bis(2 Ethylhexyl) Phthalate.

= Review of the laboratory report and discussions with the laboratory indicate that the results reported as TPH-D are gasoline-range compounds. EPA 8010 compounds not detected except for 0.0077 ppm 1,2-Dichloroethane; EPA 8270 compounds not detected except for 0.008 ppm 2-Methylnaphthalene and 0.044 ppm Naphthalene.

TABLE 2
GROUNDWATER
LABORATORY ANALYTICAL RESULTS
(Continued)

Sample Location	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Xylenes
			s Collected cil 25, 1994	on		
MW1	ND	ND	ND	ND	ND	ND
MW2	ND	ND	ND	ND	ND	ND
#######	2.1	17	4.8	0.47	0.29	1.6
			s Collected mber 16, 199			
MW1	NA	ND	0.0022	ND	ND	ND
MW2	NA	ND	ND	ND	ND	ND
WM3 ^	АИ	12	3.3	0.66	0.24	1.6

NOTES:

TPH-D = Total Petroleum Hydrocarbons as Diesel. TPH-G = Total Petroleum Hydrocarbons as Gasoline.

ND = Not Detected.

NA = Not Analyzed.

= Review of the laboratory report and discussions with the laboratory indicate that the results reported as TPH-D are gasoline-range compounds. EPA 8010 compounds not detected except for 0.28 ppm 1,2-Dichloroethane; EPA 8270 compounds not detected except for 0.013 ppm 2-Methylnapthalene and 0.084 ppm Naphthalene.

= TRPH not detected; EPA 8010 compounds not detected except for 0.027 ppm

= TRPH not detected; EPA 8010 compounds not detected except for 0.027 ppm 1,2-Dichloroethane; EPA 8270 compounds not detected except for 0.009 ppm Phenol, 0.006 ppm Benzyl Alcohol, 0.006 2-Methylphenol, 0.007 ppm 2,4-Dimethylphenol, 0.088 ppm Benzoic Acid, 0.042 ppm Naphthalene, and 0.015 ppm 2-Methylnapthalene.

P & D ENVIRONMENTAL A Division of Paul H. King, Inc.

A Division of Paul H. King, Inc. 4020 Panama Court Oakland, CA 94611 (510) 658-6916



Base Map From U.S. Geological Survey Hayward, Calif. 7.5 Minute Quadrangle Photorevised 1980




Scale in Feet 0 1000 2000 3000 Figure 1
SITE LOCATION MAP
VIP Service
3889 Castro Valley Blvd.
Castro Valley, California

P & D ENVIRONMENTAL A Division of Paul H. King, Inc.

4020 Panama Court Oakland, CA 94611 (510) 658-6916

Castro Valley Boulevard



P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING

1000-	DATA SHEET
Site Name WESERICE CASTL	
Job No. DY7	Date 9/10/09
TOC to Water (ft.)	Sheen Uone
Well Depth (ft.)	Free Product Thickness $_{-}$
Well Diameter 2"	Sample Collection Method
Gal./Casing Vol. 1.7 GAL	TEFLON BAILER
2:6 GAL	ELECTRICAL OH TEMPERATURE CONDUCTIVITY
TIME GAL. PURGED P	1 49 $\frac{\text{TEMPERATURE}}{82.7}$ $\frac{\text{CONDUCTIVITY}}{1.49}$
	7.10 7.10
	7.63 196
7.15 7.5	$\frac{7.45}{76.2}$ $\frac{1.92}{1.92}$
<u> </u>	<u>.39</u> <u>15.3</u> <u>1.87</u>
<u> \$7 17 </u>	,.37 74.8 1.81
2:18 4 6	6.33 74.4 1.82
7:19	6.27 74.1 1.82
7.70 5	6.28 74.0 1.82
7.71 55	6.27 74.2 1.81
$\frac{1}{2m}$ $\frac{3}{6}$	G.26 74.4 1.57
L> Sompet	
	
NOTES: GOR . LUTIN (DIADER MARRIE CITAR
WHACE	PURGE NATER IS VERY TURBITY CUESAIN UN TOVORISMON UP TOWARDS ENT OF
THE APPEXING	UNJURGIZAN WIT TOWARDS ENT OF
PURGE10.92 FVRF. N	10 PETROLFUM HYDROTAREN (PHC) ODOR.

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET

Site Name VIP SERVICE - GAR.	VALLEY	Well No. MY	12
	, except	9/ /p	9
Job No. 0047		Date 9/10/9	
TOC to Water (ft.)		Sheen Nol	Vt /x
Well Depth (ft.)		Free Product T	hickness ()
Well Diameter 7		Sample Collect	
Gal./Casing Vol. 1.8 CAL		TEFLON B	AILER
ξ: <u></u> 6		EI	ECTRICAL
TIME GAL. PURGED	pH TEMPE	RATURE CO	NDUCTIVITY
7:53e <u>0 S</u>	7 09 85	<u>-</u>	1.94
655	(6.33) (3.3)		1 99
2:56 15	6.49 7	7.3	1.7
7:5% 2	7.52 75	8	1.26
7 Ea 7 E	100 14		177
$\frac{U}{2}$	6.60	- -	1-1-7
<u>3:00</u>	6.63	· <u> </u>	1. + +
3.5	6.65	∱.Φ 	1.72_
3.02 4	6.57	3,X _	1.75
3.02 4.5	654 7	3.9	1.75
3.04 E	C.SI 7	7 7	1.70
7:07	$\frac{7}{6}$	-	(6)
2-1	$\frac{\sqrt{3}}{\sqrt{3}}$	711 -	100
3.07 6	<u> </u>		1.64
	MPLE_		
		-	
		 _	
NOTES: (7/1/R - PURGE V CLESRING	vater 13 Mot	RECOTELY TIV	SIP INTIAM.M
CLESRING	POWARDS EM7	No PHC	OPORS

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET

Site Name	VIP Storice - CASTRO	Values	Well No	MW3
Job No.	2047	. '	Date 9/13/	/09
-	0211	•	Sheen_N	
TOC to Water	109.	•		
Well Depth	J 10 .	-		uct Thickness 9
Well Diamete		-		llection Method
Gal./Casing	vol. 1.7 GAL	-	16pm	BALLER
	£.6	_••		ELECTRICAL
TIME	GAL. PURGED O. 5	pH n	TEMPERATURE X O O	CONDUCTIVITY
P. 73 (Ψ. Σ	7 05	74.2	1.57
777	1.3	7.17	73.0	1.5/
<u> </u>		6.6t	<u>+ (.6</u>	1.5
433:48	30	(6.56	+3.1	1.50
	<u>4.7</u>	<u>6.25</u>	+1.0	1.60
<u> 5:40</u>	<u> </u>	<u>(25</u>	<u>70.4</u>	1.55
3:52	<u>(, 0</u>	6.19	70.0	1.53
	57M	F 16		
				,
-	<u> </u>			
		100 0 101 1 0 000 00 10 000		·
-				
				
				
	· · ·			
				
NOTES:	MS- PIRCE W	ater is	INCHT/Aire HAPR	D& GRAY CLEARING
V I ·	100 W/T	me Mi	DIC 67-0-	V. 4 0. 1
	(1) - (1)	· · · · · · · · · · · · · · · · · · ·	PHC GROSS.	
PURGE10.92	MINI DHC	000K V on 284	WEIEK.	

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560 Telephone: 925-798-1620 Fax: 925-798-1622 http://www.mccampbell.com E-mail: main@mccampbell.com

P&D Environmental	Client Project ID: #0047; VIP Service-	Date Sampled: 09/10/99
4020 Panama Court	Castro Valley	Date Received: 09/13/99
Oakland, CA 94611	Client Contact: Paul King	Date Extracted: 09/13/99
	Client P.O:	Date Analyzed: 09/17/99

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*, with Methyl tert-Butyl Ether* & BTEX*

EPA methor Lab ID	ods 5030, modifie Client ID	d 8015, and Matrix	8020 or 602; Ca	alifornia RW	QCB (SF Bay Benzene	Region) me Toluene	Ethylben-	Xylenes	% Recovery
			·		ND	ND	zene ND	ND	Surrogate 107
19073	MW1	W	ND	49	ND	ND	ND	ND	107
19074	MW2	W	ND	ND	ND	ND	ND	ND	105
19075	MW3	w	390,a	ND<10	98	7.3	12	28	103
									·
					:	<u> </u>			
otherwi	ng Limit unless se stated; ND	W	50 ug/L	5.0	0.5	0.5	0.5	0.5	
	t detected above porting limit	S	1.0 mg/kg	0.05	0.005	0.005	0.005	0.005	

^{*} water and vapor samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP and SPLP extracts in ug/L

^{&#}x27;The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment; j) no recognizable pattern.



[#] cluttered chromatogram; sample peak coelutes with surrogate peak

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560 Telephone: 925-798-1620 Fax: 925-798-1622 http://www.mccampbell.com E-mail: main@mccampbell.com

		D. (0 1. 1. 00/10/00					
P&D Environmental	Client Project ID: #0047; VIP Service-	Date Sampled: 09/10/99 Date Received: 09/13/99					
4020 Panama Court	Castro Valley						
Oakland, CA 94611	Client Contact: Paul King	Date Extracted: 09/13/99					
	Client P.O:	Date Analyzed: 09/13/99					
	Volatile Halocarbons						
EPA method 601 or 8010							
Lab ID	19075						
Client ID	MW3						
Matrix	W						
Compound	Concentrat	ion					
Bromodichloromethane	ND						
Bromoform ^(b)	ND ND	······································					
Bromomethane	ND						
Carbon Tetrachloride(c)	ND						
Chlorobenzene	ND	,					
Chloroethane	ND	, , , 					
2-Chloroethyl Vinyl Ether ^(d)	ND						
Chloroform (c) Chloromethane	ND ND						
	ND ND						
Dibromochloromethane 1,2-Dichlorobenzene	ND ND						
1,3-Dichlorobenzene	ND						
1,4-Dichlorobenzene	ND ND						
Dichlorodifluoromethane	ND						
1.1-Dichloroethane	ND						
1,2-Dichloroethane		2.0					
1,1-Dichloroethene	ND						
cis 1,2-Dichloroethene	ND						
trans 1,2-Dichloroethene	ND						
1,2-Dichloropropane	ND						
cis 1,3-Dichloropropene	. ND						
trans 1,3-Dichloropropene	ND						
Methylene Chloride ^(f)	ND						
1,1,2,2-Tetrachloroethane	ND						
Tetrachloroethene	ND						
1,1,1-Trichloroethane	ND						
1,1,2-Trichloroethane	ND						
Trichloroethene	ND						
Trichlorofluoromethane	ND						
Vinyl Chloride ^(g)	ND						
% Recovery Surrogate	101						
Comments							

^{*} water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil and sludge samples in ug/kg, wipe samples in ug/wipe Reporting limit unless otherwise stated: water/TCLP/SPLP extracts, ND<0.5ug/L; soils and sludges, ND<5ug/kg; wipes, ND<0.2ug/wipe ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis

⁽b) tribromomethane; (c) tetrachloromethane; (d) (2-chloroethoxy) ethene; (e) trichloromethane; (f) dichloromethane; (g) chloroethene; (h) a lighter than water immiscible sheen is present; (i) liquid sample that contains greater than ~5 vol. % sediment; (j) sample diluted due to high organic content.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560 Telephone: 925-798-1620 Fax: 925-798-1622

http://www.mccampbell.com E-mail: main@mccampbell.com

P&D Environmental		-	D: #00	47; VIP Service-	Date Sampled: 09/10/99							
4020 Panama Court	Castro Va	lley			eived: 09/13/9	09/13/99						
Oakland, CA 94611	Client Co	ntact:	Paul K	ing	Date Extracted: 09/13/99							
	Client P.C):			Date Ana	lyzed: 09/17/	99					
·····	Semi-	Volati	ile Org	anics By GC/MS	<u>- </u>							
EPA method 625 and 3510 or 8270 at	nd 3550											
Lab ID				19075								
Client ID				MW3								
Matrix				W								
Compand	Concentration*	Report	ing Limit	Compound		Concentration*	Report	ing Limit				
Compound	Concentiation	W	S	Compound		Concentration	W	S				
Acenaphthene	ND	10	0.33	Di-n-octyl Phthalate		ND	10	0.33				
Acenaphthylene	ND	10	0.33	1,2-Diphenylhydrazin	e	ND	10	0.33				
Anthracene	ND	10	0.33	Fluoranthene		ND	10	0.33				
Benzidine	ND	50	1.6	Fluorene		ND	10	0.33				
Benzoic Acid	ND	50	1.6	Hexachlorobenzene		ND	10	0.33				
Benzo(a)anthracene	ND	10	0.33	Hexachlorobutadiene		ND	10	0.33				
Benzo(b)fluoranthene	ND	10	0.33	Hexachlorocyclopent	adiene	ND	50	1.6				
Benzo(k)fluoranthene	ND	10	0.33	Hexachloroethane		ND	10	0.33				
Benzo(g,h,i)perylene	ND	10	0.33	Indeno(1,2,3-cd)pyrer	ie	ND	10	0.33				
Benzo(a)pyrene	ND	10	0.33	Isophorone		ND	10	0.33				
Benzyl Alcohol	ND	20	0.66	2-Methylnaphthalene		ND	10	0.33				
Bis(2-chloroethoxy)methane	ND	10	0.33	2-Methylphenol (o-Ci	esol)	ND	10	0.33				
Bis(2-chloroethyl) Ether	ND	10	0.33	4-Methylphenol (p-Ci	esol)	ND	10	0.33				
Bis(2-chloroisopropyl)Ether	ND	10	0.33	Naphthalene		ND	10	0.33				
Bis(2-ethylhexyl) Phthalate	ND	10	0.33	2-Nitroaniline		ND	50	1.6				
4-Втоторнепуl Phenyl Ether	ND	10	0.33	3-Nitroaniline		ND	50	1.6				
Butylbenzyl Phthalate	ND	10	0.33	4-Nitroaniline		ND	50	1.6				
4-Chloroanaline	ND	20	0.66	2-Nitrophenol		ND	50	1.6				
4-Chloro-3-methylphenol	ND	10	0.33	4-Nitrophenol		ND	50	1.6				
2-Chloronaphthalene	ND	10	0.33	Nitrobenzene		ND	10	0.33				
2-Chlorophenol	ND	10	0.33	N-Nitrosodimethylam		ND	10	0.33				
4-Chlorophenyl Phenyl Ether	ND	10	0.33	N-Nitrosodiphenylam		ND	10	0.33				
Chrysene	ND	10	0.33	N-Nitrosodi-n-propyl	атіпе	ND	10	0.33				
Dibenzo(a,h)anthracene	ND	10	0.33	Pentachlorophenol		ND	10	0.33				
Dibenzofuran	ND	10	0.33	Phenanthrene		ND	10	0.33				
Di-n-butyl Phthalate	ND	10	0.33	Phenol		ND	10	0.33				
1,2-Dichlorobenzene	ND	10	0.33	Pyrene		ND	10	0.33				
1,3-Dichlorobenzene	ND	10	0.33	1,2,4-Trichlorobenzer		ND	10	0.33				
1,4-Dichlorobenzene	ND	10	0.33	2,4,5-Trichloropheno		ND	10	0.33				
3,3-Dichlorobenzidine	ND	20	0.66	2,4,6-Trichloropheno	<u> </u>	ND	10	0.33				
2,4-Dichlorophenol	ND	10	0.33	Comments:								
Diethyl Phthalate	ND	10	0.33		urrogate Reco	veries (%)						
2,4-Dimethylphenol	ND	10	0.33	2-Fluorobiphenyl			34					
Dimethyl Phthalate	ND	10	0.33	2-Fluorophenol			45					
4,6-Dinitro-2-methylphenol	ND	50	1.6	Nitrobenzene-d5			40					
2,4-Dinitrophenol	ND	50	1.6	Phenol-d5			49					
2,4-Dinitrotoluene	ND	10	0.33	2,4,6-Tribromopheno	1		57					
2 6 Dinitratalyana	NID	10	A 44	m Tombonut d14			65					

^{0.33} *water samples are reported in ug/L, soil and sludge samples in mg/kg, wipes in ug/wipe and all TCLP / STLC / SPLP extracts in ug/L

10

ND

h) lighter than water immiscible sheen is present; i)liquid sample that contains greater than ~5 vol. % sediment; j) sample diluted due to high organic content Edward Hamilton, Lab Director



p-Terphenyl-d14

2,6-Dinitrotoluene

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

McCAMPBELL ANALYTICAL INC.

QC REPORT FOR HYDROCARBON ANALYSES

Date: 09/17/99-09/18/99 Matrix:

WATER

	Concent:	ration	(ug/L)		% Reco	very	
Analyte	Sample			Amount			RPD
<u> </u>	(#18261)	MS	MSD	Spiked	MS	MSD	
TPH (gas)	0.0	102.8	100.0	100.0	102.8	100.0	2.8
Benzene	0.0	9.4	10.1	10.0	94.0	101.0	7.2
Toluene	0.0	9.5	10.2	10.0	95.0	102.0	7.1
Ethyl Benzene	0.0	9.9	10.4	10.0	99.0	104.0	4.9
Xylenes	0.0	30.0	31.0	30.0	100.0	103.3	3.3
TPH(diesel)	0.0	7622	7737	7500	102	103	1.5
TRPH (oil & grease)	0	23700	24100	23700	100	102	1.7

% Rec. = (MS - Sample) / amount spiked x 100

 $RPD = ((MS - MSD) / (MS + MSD)) \times 2 \times 100$

110 2nd Avenue South, #D7, Pacheco, CA 94553 Tele: 925-798-1620 Fax: 925-798-1622

McCAMPBELL ANALYTICAL INC.

QC REPORT FOR EPA 8010/8020/EDB

Date: 09/12/99-09/13/99 Matrix: WATER

	Conc	entrati	on (ug/L))	% Reco	very	٠
Analyte				Amount	Ì		RPD
1		MS	MSD	Spiked	MS	MSD	
							2.0
1,1-DCE	0.0	9.3	9.1	10.0	93	91	2.2
Trichloroethene	0.0	9.1	8.8	10.0	91	88	3.4
EDB	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chlorobenzene	0.0	9.9	9.6	10.0	99	96	3.1
Benzene	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Toluene	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chlorobz (PID)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

% Rec. = (MS - Sample) / amount spiked \times 100

RPD = ((MS - MSD) / (MS + MSD)) $\times 2 \times 100$

QC REPORT FOR SVOCs (EPA 8270/625/525)

Date: 09/17/99-09/18/99 Matrix: WATER

	Concentr	ation	(ug/Kg,m		% Reco	very	
Analyte	Sample		1	Amount			RPD
	(#18677) 	MS	MSD	Spiked	MS	MSD	
Phenol	0	54	44	100	54	44	40.8
2-Chlorophenol	o	55	54	100	55	54	1.8
1, 4-Dichlorobenzene	0	51	53	100	51	53	3.8
N-nitroso-di-n-propyl	0	38	35	100	38	35	8.2
1, 2, 4-Trichlorobenz	0	55	54	100	55	54	1.8
4-Chloro-3-methylphen	0	50	43	100	50	43	15.1
4-Nitrophenol	0	52	54	100	52	54	3.8
Acenaphthene	0	34	38	100	34	38	11.1
2, 4- Dinitrotoluene	0	42	43	100	42	43	2.4
Pentachlorophenol	0	34	35	100	34	35	2.9
Pyrene	0	60	67	100	60	67	11.0

% Rec. = (MS - Sample) / amount spiked x 100

RPD = $((MS - MSD) / (MS + MSD)) \times 2 \times 100$

P & D ENVIRONMENTAL A Division of Paul H. King, Inc. 4020 Panama Court Oakland, CA 94611 (510) 658-6916

CHAIN OF CUSTODY RECORD 16.000 1

PROJECT NUMBER:				NAME: Vice -	astro	Valley		ĒΝ	AWAL TSISFE.			Γ/	77	7		• /		
REC, BRO	NTED AND	SIGNATI	JRE)	10				NUMBER OF CONTAINERS	TANAL S	1876	0/3	2 /	//	/ /	PRESERVA DVE		REI	MARKS
SAMPLE NUMBER	DATE	TIME	TYPE		SAMPL	E LOCATION		SON				//	' /		* /	/		
MMI	9/10/99		Water	MONIT	oring WE	L MWI		3	X	娰		(M)		10	E N	OPML-	Trel	AROUND
MW7_	⁹ /10/99		1,	ţi	ν	MWZ		3	X	V				13		[,	1)	, 1
MW3	ţ-		l _l		tl ¥	MW3		7	X	X	×			<u>,</u>	<u>'</u>	- A	}~	11
						·					4	\perp	- -	 			1	9073
											_	_		.				1074
											_			ļ		····	_	F
			··							_	_	\perp	\bot	ļ			_ ' :	1075
											_		-	ļ				
														-	<u> </u>			
 ,, , , , , , , , , , , , , , , , ,										\dashv		\dashv		 				
									$\left - \right $	$\vdash \vdash$	\dashv			-				
			0.80 24.0	IMETALSI	THER								+	┼		·		
CE/P	PRESE	VATION	V July	me meo (JIIILII								+-	+-				
GOOD CONDITION. HEAD SPACE ABSENT	APPRO									\vdash		+	-	+				·
DEAD SPACE ABSENT	CUNIA	NERS_								╟┈╢	\dashv	+	+	-				
RELIMOUISHEP/BY:	¢SIGNATURE	L E)	DATE	ŢĮŅE	RECEIV	ED_BY: (SIÇ	MĄTURE)			4. HO. THIS 5		WPLES	- - ,	3	LABOI	RATORY:		
MINI	2		9/17/99	7.30		ils	Sitt	5				HYAME HT)	as	3				NALYTHAL
RELINDUISHED BY:	(SIGNATURE	Ξ)	DATE	TIME	RECEIV	ED BY: (SIG	NATURE)							СТ:	LABOI	RATORY	PHON	IE NUMBER
3/28/	Sith	<u>'</u>	9-13	12:40	∤			١.	0	7 H	V11	For	1		(92	3)798	- 16	TO
RELINQUISHED BY:	(SIGNĂTUŘE)	DATE	TIME		ED FOR CAR	ORATORY Hy VV	PY:			SA	MPLE	AN/			DUEST S		
,					REMAR				•							-/		
					-													
	•				}													TB MV