



ENVIRONMENTAL
PROTECTION

00 MAR 20 AM 8:39

3164 Gold Camp Drive
Suite 200
Rancho Cordova, CA 95760-6021
U.S.A.
(916) 638-2085
FAX: (916) 638-8385

March 16, 2000

Mr. Scott Seery
Department of Environmental Health
Alameda County Health Care Agency
1131 Harbor Parkway, Room 250
Alameda, CA 94502-6577

Subject: *Quarterly Ground Water Monitoring and
Remediation System Status Report, Fourth Quarter 1999*
Beacon Station No. 720
1088 Marina Boulevard
San Leandro, California
Delta Project No. D095-971

Dear Mr. Seery:

Delta Environmental Consultants, Inc. (Delta) has been authorized by Ultramar Inc. to perform quarterly ground water monitoring reporting for the subject site (Figure 1). The quarterly ground water monitoring is intended to evaluate the distribution of dissolved petroleum hydrocarbons in ground water beneath the site. This report summarizes ground water monitoring activities performed by Doulous Environmental Company (Doulous) at the site on December 13, 1999 and reports remediation system activities performed by Delta.

Ground Water Elevation Measurements, Flow Direction and Hydraulic Gradient

~~Doulous recorded quarterly ground water measurements on December 13, 1999 in monitoring wells MW-6 through MW-9.~~ The locations of the wells are shown on Figure 2. On December 13, 1999, ground water was present between 12.09 (MW-6) and 14.91 (MW-8) feet below the top of the monitoring well casings. The ground water level decreased an average of 1.79 feet since the previous quarterly monitoring event on September 7, 1999. Ground water level data for the December 13, 1999 monitoring event are presented in Table 1. Ground water information recorded by Doulous is tabulated in Enclosure A. Cumulative ground water level data reported previously by El Dorado Environmental, Inc. (El Dorado) are included in Enclosure B. During the December 13, 1999 sampling event, the air sparging and soil vapor extraction (SVE) systems were operating; however, the ground water treatment system was turned off.

The ground water elevation measurements recorded on December 13, 1999 were used to construct a ground water elevation contour map (Figure 3). Historically, ground water generally flows toward the southwest under non-pumping conditions.

Mr. Scott Seery
Department of Environmental Health
Alameda County Health Care Agency
March 16, 2000
Page 2

Ground Water Analytical Results

Ground water samples were collected from monitoring wells MW-1 through MW-9 on December 13, 1999. Ground water samples were submitted to Kiff Analytical (Kiff), a California-certified laboratory in Davis, California, for analyses of benzene, toluene, ethylbenzene, and total xylenes (BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8020 and total petroleum hydrocarbons (TPH) as gasoline by EPA Method 8015 Modified. Ground water information is tabulated for the fourth quarter 1999 sampling event and is included in Enclosure A.

~~No free product or sheen was detected in the wells during the December 13, 1999 sampling event.~~
Samples from monitoring wells MW-6 and MW-7 did not contain concentrations at or above the laboratory reporting limits for all analytes. Benzene concentrations were reported in the ground water samples collected from monitoring wells MW-2, MW-4 and MW-8 ranging from 1.3 micrograms per liter ($\mu\text{g/L}$) in monitoring well MW-4 to 35 $\mu\text{g/L}$ in monitoring well MW-8. A benzene isoconcentration map for the December 13, 1999 sampling event is included as Figure 4. Concentrations of TPH as gasoline ranged from 60 $\mu\text{g/L}$ in monitoring well MW-9 to 4,100 $\mu\text{g/L}$ in monitoring well MW-1. Concentrations of MTBE were detected in monitoring well MW-4 at a concentration of 12 $\mu\text{g/L}$. Ground water analytical results for the samples collected during the December 13, 1999 monitoring event are summarized in Table 1. Cumulative ground water analytical results, reported previously by El Dorado, are included in Enclosure B. A copy of the certified laboratory analytical report for the fourth quarter 1999 sampling event with chain-of-custody documentation is included in Enclosure C.

Status of Ground Water Remediation, Soil Vapor Extraction and Air Sparging Systems

~~The ground water treatment system consists of monitoring wells MW-1 through MW-9, a 250 standard cubic feet per minute vacuum blower, two 600-pound vapor phase GAC columns placed in series, a 300-gallon holding tank and a totalizer meter.~~ Ground water is pumped from the recovery wells to the surge tank and is then gravity fed to the DAT. The DAT strips the dissolved petroleum hydrocarbons from the ground water. From the DAT, the ground water is pumped through the two GAC columns in series to the holding tank where the treated ground water is pumped to the sanitary sewer. The GAC columns adsorb dissolved petroleum hydrocarbons that are not removed by the DAT. The effluent air stream from the DAT, containing petroleum hydrocarbon vapors stripped from the ground water stream, is routed through the SVE system prior to atmospheric discharge. The ground water system was turned off in March 1998 and has only processed purge water since that time. The ground water system was not operating during the December 13, 1999 monitoring event.

The current SVE system consists of monitoring wells MW-1 through MW-5, MW-8 and MW-9, SVE well VW-1 and the effluent vapor stream from the diffused aeration tank. These are manifolded to a 250 standard cubic feet per minute vacuum blower and two 600-pound vapor phase GAC columns which replaced a 250 standard cubic feet per minute EVAX catalytic oxidizer. The EVAX catalytic oxidizer was disconnected in February 1998 due to low TPH as gasoline vapor concentrations and the GAC columns were delivered during March 1998. The SVE system was restarted during April 1998. The air discharge is permitted under Bay Area Air Quality Management District permit to operate No. 25627.

Mr. Scott Seery
Department of Environmental Health
Alameda County Health Care Agency
March 16, 2000
Page 3

The air sparging system consists of air sparging wells SP-1 through SP-6, a GAST Model No. P6066 compressor and six air rotometers. The compressor injects air through the air rotometers and then into air sparging wells SP-1 through SP-6. Air sparging was installed to monitoring wells MW-5 and MW-9 on October 15, 1998 on a temporary basis.

The locations of the SVE well, monitoring wells, air sparging wells and equipment compound are illustrated on Figure 2. The remediation equipment layout is illustrated on Figure 5. The remediation system schematic is presented on Figure 6.

Delta collects monthly influent, mid-carbon and effluent samples from the ground water treatment system during the months the system is operating and submits them to Kiff for analysis of BTEX and TPH as gasoline. Cumulative analytical results are summarized in Table 2. As of December 13, 1999, the ground water treatment system had processed and discharged approximately 228,850 gallons of water to the sanitary sewer. The ground water treatment system was shut down March 1998 and did not operate during the fourth quarter 1999. The cumulative volume of ground water treated is summarized in Table 3.

During the operation of the SVE system with GAC, Delta collects monthly influent, mid-carbon and effluent vapor samples. The samples are submitted to Kiff for analysis of BTEX and TPH as gasoline. Cumulative sampling results for air samples collected from the SVE system during its operation are summarized in Table 4. ~~As of December 28, 1999, the SVE system has extracted approximately 1,826 pounds of vapor equivalent gasoline.~~ Copies of the fourth quarter 1999 laboratory analytical reports are included in Enclosure D.

Remarks/Signature

The interpretations contained in this report represent our professional opinions and are based, in part, on information supplied by the client. These opinions are based on currently available information and are arrived at in accordance with currently accepted hydrogeologic and engineering practices at this time and location. Other than this, no warranty is implied or intended.

Delta is forwarding a copy of this report to:

California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, CA 94612

Mr. Scott Seery
Department of Environmental Health
Alameda County Health Care Agency
March 16, 2000
Page 4


If you have any questions concerning this project, please contact Richard Munsch at (916) 638-2164.

Sincerely,

DELTA ENVIRONMENTAL CONSULTANTS, INC.



Trevor L. Atkinson
Project Engineer



Richard D. Munsch
Project Manager



Steven W. Meeks, P.E.
California Registered Civil Engineer No. C057461

TLA (LRP017.971)
Enclosures

cc: Mr. Joe Aldridge - Ultramar Inc.



TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation	Depth to Ground Water (ft)	Ground Water				Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
				Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)						
MW-1	03/12/98	33.10	11.09	22.01	<0.5	<0.5	5.0	2.8	100	<5.0	No sheen	
	05/28/98		11.36	21.74	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen	
	08/31/98		12.61	20.49	<0.5	<0.5	6.4	1.4	130	<5.0	No sheen	
	11/19/98		13.84	19.26	0.75	<0.5	<0.5	3.0	120	<5.0	No sheen	
	03/15/99		11.95	21.15	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen	
	06/07/99		13.45	19.65	1.6	1.9	230	110	5200	<5.0	No sheen	
	09/07/99		13.10	20.00	1.0	<0.5	22	15	490	<5.0	No sheen	
	12/13/99		14.29	18.81	<2.5	<2.5	170	110	4,100	<25	No sheen	
MW-2	03/12/98	32.80	10.92	21.88	32	1.0	12	6.5	440	20	No sheen	
	05/28/98		10.41	22.39	<0.5	<0.5	<0.5	<0.5	<50	27	No sheen	
	08/31/98		12.29	20.51	9.3	0.95	4.9	8.8	270	20	No sheen	
	11/19/98		13.47	19.33	16	0.72	<0.5	4.3	180	7.4	No sheen	
	03/15/99		11.95	20.85	12	3.5	59	840	2,400	10	No sheen	
	06/07/99		13.11	19.69	21	0.99	6.9	10	690	6.1	No sheen	
	09/07/99		12.92	19.88	7.8	1.2	42	100	610	<5.0	No sheen	
	12/13/99		13.96	18.84	26	0.93	52	96	3,000	<5.0	No sheen	
MW-3	03/12/98	32.30	10.81	21.49	0.67	<0.5	7.1	3.4	1,200	7.3	No sheen	
	05/28/98		11.45	20.85	<0.5	0.5	<0.5	<0.5	350	<5.0	No sheen	
	08/31/98		12.21	20.09	<0.5	0.89	0.69	<0.5	240	<5.0	No sheen	
	11/19/98		13.26	19.04	5.3	0.72	0.86	4.2	440	<5.0	No sheen	
	03/15/99		11.89	20.41	3.3	1.3	0.77	<0.5	410	<5.0	No sheen	
	06/07/99		12.91	19.39	<0.5	2.0	<0.5	0.66	680	<5.0	No sheen	
	09/07/99		12.81	19.49	<0.5	0.62	<0.5	8.7	150	12	No sheen	
	12/13/99		13.75	18.55	<0.5	0.52	<0.5	1.0	830	<5.0	No sheen	
MW-4	03/12/98	32.90	11.31	21.59	2,200	1,500	630	3,000	14,000	440	No sheen	
	05/28/98		10.40	22.50	<0.5	0.75	0.68	6.9	67	26	No sheen	
	08/31/98		12.54	20.36	1.8	2.5	0.65	3.4	<50	<5.0	No sheen	
	11/19/98		13.99	18.91	<0.5	<0.5	<0.5	0.61	<50	17	No sheen	
	03/15/99		12.06	20.84	1.2	1.6	0.76	4.5	160	9.3	No sheen	
	06/07/99		13.57	19.33	210	370	350	2,000	5,800	<20	No sheen	
	09/07/99		10.30	22.60	2.2	2.8	4.8	25	130	12	No sheen	
	12/13/99		14.18	18.72	1.3	1.0	1.2	4.8	<50	12	No sheen	

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation (ft)	Depth to Ground Water (ft)	Ground				Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
				Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)				
MW-5	03/12/98	32.70	11.11	21.59	2,600	160	470	2,200	12,000	<250	No sheen
	05/28/98		10.92	21.78	480	99	160	730	4,700	<250	No sheen
	08/31/98		12.79	19.91	200	14	55	220	1,400	180	No sheen
	11/19/98		13.39	19.31	1.4	<0.5	<0.5	<0.5	<50	39	No sheen
	03/15/99		11.71	20.99	320	17	290	780	3,400	33	No sheen
	06/07/99		13.26	19.44	220	8.9	240	290	3,200	<25	No sheen
	09/07/99		9.70	23.00	8.5	<0.5	8.5	12	140	38	No sheen
	12/13/99		14.06	18.64	<0.5	<0.5	<0.5	13	140	<5.0	No sheen
MW-6	03/12/98	30.40	10.49	19.91	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	05/28/98		10.58	19.82	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	08/31/98		10.85	19.55	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	11/19/98		10.88	19.52	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	03/15/99		10.83	19.57	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/07/99		11.01	19.39	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	09/07/99		11.89	18.51	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	12/13/99		12.09	18.31	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
MW-7	03/12/98	31.20	10.14	21.06	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	05/28/98		10.93	20.27	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	08/31/98		12.01	19.19	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	11/19/98		12.54	18.66	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	03/15/99		10.94	20.26	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/07/99		12.05	19.15	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	09/07/99		12.67	18.53	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	12/13/99		12.73	18.47	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
MW-8	03/12/98	33.80	11.81	21.99	1.4	<0.5	<0.5	<0.5	72	<5.0	No sheen
	05/28/98		12.14	21.66	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	08/31/98		13.16	20.64	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	11/19/98		14.56	19.24	510	24	1,200	2,800	14,000	<5.0	No sheen
	03/15/99		12.40	21.40	160	16	910	2,100	14,000	<50	No sheen
	06/07/99		14.06	19.74	330	14	470	880	7,800	<50	No sheen
	09/07/99		14.01	19.79	150	2.6	260	370	3,200	<5.0	No sheen
	12/13/99		14.91	18.89	35	<5.0	280	730	6,700	<50	No sheen

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 720
 1088 Marina Boulevard
 San Leandro, California

Monitoring Well	Date	Reference Elevation (ft)	Depth to Ground Water (ft)	Ground Water				Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
				Benzene (µg/L)	Toluene (µg/L)							
MW-9	03/12/98	32.56	10.93	21.63	320	23	180	720	3,700	190	No sheen	
	05/28/98		11.31	21.25	110	6.4	87	300	2,200	220	No sheen	
	08/31/98		12.16	20.40	240	23	690	1,900	11,000	<50	No sheen	
	11/19/98		11.04	21.52	7.7	<0.5	10	22	280	67	No sheen	
	03/15/99		11.81	20.75	<0.5	<0.5	<0.5	1.2	<50	<5.0	No sheen	
	06/07/99		12.21	20.35	9.3	0.86	9.7	12	340	<5.0	No sheen	
	09/07/99		10.10	22.46	0.76	<0.5	1.9	0.8	72	9.9	No sheen	
	12/13/99		13.64	18.92	<0.5	<0.5	<0.5	<0.5	60	<5.0	No sheen	

TPH = Total petroleum hydrocarbons.

MTBE = Methyl tertiary butyl ether.

µg/L = Micrograms per liter.

TABLE 2
GROUND WATER TREATMENT SYSTEM ANALYTICAL RESULTS

Beacon Station No. 720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl- benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)
Influent	06/05/97	3,500	900	910	2,700	16,000
	08/07/97	5,400	1,300	1,500	4,200	26,000
	09/04/97	3,100	530	1,400	5,400	23,000
	10/24/97	1,400	170	910	3,000	13,000
	12/29/97	840	98	650	1,900	11,000
	01/12/98	1,600	190	1,400	4,900	25,000
	02/23/98	830	42	34	1,600	8,800
	03/23/98	NS	NS	NS	NS	NS
	07/07/98	550	14	610	1,300	10,000
DAT Effluent	06/05/97	2,600	910	570	2,000	12,000
	08/07/97	510	80	38	320	2,200
	09/04/97	1,100	150	290	1,800	7,800
	10/24/97	900	83	190	1,700	6,900
	12/29/97	230	27	91	770	3,800
	01/12/98	26	3.6	<2.5	210	1,100
	02/23/98	NS	NS	NS	NS	NS
	03/23/98	NS	NS	NS	NS	NS
	07/07/98	NS	NS	NS	NS	NS
Mid	06/05/97	<0.5	<0.5	<0.5	<0.5	<50
	08/07/97	0.66	<0.5	<0.5	<0.5	<50
	09/04/97	1,000	99	74	660	4,100
	10/24/97	0.84	<0.5	0.56	4.8	350
	12/29/97	<0.5	<0.5	<0.5	<0.5	<50
	01/12/98	<0.5	<0.5	<0.5	<0.5	<50
	02/23/98	<0.5	<0.5	<0.5	<0.5	<50
	03/23/98	NS	NS	NS	NS	NS
	07/07/98	<0.5	<0.5	<0.5	<0.5	<50
Effluent	06/05/97	<0.5	<0.5	<0.5	<0.5	<50
	08/07/97	<0.5	<0.5	<0.5	<0.5	<50
	09/04/97	<0.5	<0.5	<0.5	<0.5	<50
	09/18/97	<0.5	<0.5	<0.5	<0.5	<50
	10/24/97	<0.5	<0.5	<0.5	<0.5	<50
	12/29/97	<0.5	<0.5	<0.5	<0.5	<50
	01/12/98	<0.5	<0.5	<0.5	0.5	<50
	02/23/98	<0.5	<0.5	<0.5	<0.5	<50
	03/23/98	<0.5	<0.5	<0.5	<0.5	64
	07/07/98	<0.5	<0.5	<0.5	<0.5	<50

TPH = Total petroleum hydrocarbons.

$\mu\text{g/L}$ = Micrograms per liter.

NS = Not sampled.

TABLE 3
GROUND WATER TREATMENT SYSTEM
CUMULATIVE DISCHARGE VOLUMES

Beacon Station No. 720
 1088 Marina Boulevard
 San Leandro, California

Date	Cumulative Discharge Volume (gallons)
07/03/97	550
07/22/97	1,470
08/07/97	3,180
08/18/97	11,690
09/04/97	72,710
09/17/97	88,990
09/18/97	91,280
10/09/97	136,130
10/24/97	153,370
11/06/97	153,370
11/26/97	153,370
12/10/97	153,370
12/29/97	188,870
01/12/98	200,280
01/26/98	206,490
02/19/98	217,210
02/23/98	219,900
03/09/98	228,400
03/23/98	228,400
04/06/98	228,400
04/24/98	228,400
05/12/98	228,400
05/21/98	228,400
06/09/98	228,400
07/07/98	228,610
07/21/98	228,850
10/20/98	228,850
03/28/99	228,850
06/22/99	228,850
09/22/99	228,850
12/13/99	228,850

TABLE 4
SVE SYSTEM ANALYTICAL RESULTS

Beacon Station No. 720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)
Influent	06/05/97	3.2	0.72	1.2	2.5	220
Effluent	06/05/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	07/03/97	0.30	0.67	0.23	1.8	86
Effluent	07/03/97	<0.05	0.054	<0.05	0.13	<5.0
Influent	07/22/97	0.76	1.6	0.92	5.3	270
Effluent	07/22/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	08/07/97	2.0	1.3	0.53	2.7	130
Effluent	08/07/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	09/04/97	1.8	0.73	1.3	5.9	190
Effluent	09/04/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	10/24/97	0.49	0.52	0.35	2.3	54
Effluent	10/24/97	<0.05	<0.05	<0.05	0.057	<5.0
Effluent	11/26/97	0.094	0.089	<0.05	0.062	5.3
Influent	12/10/97	<0.05	0.44	0.076	0.37	5.8
Effluent	12/10/97	<0.05	0.062	<0.05	<0.05	<5.0
Influent	12/12/97	0.59	0.17	0.49	2.0	26
Effluent	12/12/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	01/12/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	01/12/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	04/23/98	0.18	0.32	0.072	0.47	18
Mid-Carbon	04/23/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	04/23/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	06/09/98	<0.05	<0.05	<0.05	<0.05	<5.0
Mid-Carbon	06/09/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	06/09/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	07/07/98	0.067	<0.05	<0.05	<0.05	<5.0
Mid-Carbon	07/07/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	07/07/98	<0.05	<0.05	<0.05	<0.05	<5.0

TABLE 4
SVE SYSTEM ANALYTICAL RESULTS

Beacon Station No. 720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)
Mid-Carbon	07/21/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	08/11/98	<0.05	0.06	<0.05	0.071	<5.0
Mid-Carbon	08/11/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	08/11/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	09/10/98	0.16	0.46	0.062	0.20	16
Mid-Carbon	09/10/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	09/10/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	09/23/98	0.16	0.32	<0.05	0.20	9.4
Mid-Carbon	09/23/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	10/20/98	0.63	0.19	0.062	0.17	28
Mid-Carbon	10/20/98	0.79	0.37	<0.05	0.088	48
Effluent	10/20/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	11/26/98	0.13	0.43	0.072	0.35	9.2
Influent	12/08/99	0.73	2.2	0.15	0.71	43
Mid-Carbon	12/08/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	12/08/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	01/13/99	0.068	0.057	<0.05	0.095	6.5
Mid-Carbon	01/13/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	01/13/99	<0.05	<0.05	<0.05	<0.05	5.4
Effluent	01/28/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	02/10/99	1.1	1.2	0.071	0.28	56
Mid-Carbon	02/10/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	02/10/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	03/10/99	0.070	<0.05	<0.05	<0.05	<5.0
Mid-Carbon	03/10/99	0.069	<0.05	<0.05	<0.05	28
Effluent	03/10/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	04/07/99	0.22	0.078	<0.05	0.060	17
Influent	06/08/99	<0.05	<0.05	<0.05	<0.05	<5.0
Mid-Carbon	06/08/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	06/08/99	<0.05	<0.05	<0.05	<0.05	<5.0

TABLE 4
SVE SYSTEM ANALYTICAL RESULTS

Beacon Station No. 720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)
Influent	07/12/99	0.16	0.77	<0.05	0.18	11
Mid-Carbon	07/12/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	07/12/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	08/09/99	0.092	1.0	0.20	0.94	12
Mid-Carbon	08/09/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	08/09/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	09/07/99	0.069	0.41	0.07	0.38	16
Mid-Carbon	09/07/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	09/07/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	10/12/99	0.96	8.6	1.1	4.7	150
Mid-Carbon	10/12/99	<0.05	<0.05	<0.05	0.064	<5.0
Effluent	10/12/99	<0.05	<0.05	<0.05	0.063	<5.0
Influent	11/17/99	0.22	1.9	0.32	1.7	21
Mid-Carbon	11/17/99	0.067	<0.05	<0.05	<0.05	<5.0
Effluent	11/17/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	12/28/99	1.2	22	2.4	12	570
Mid-Carbon	12/28/99	0.052	<0.05	<0.05	<0.05	<5.0
Effluent	12/28/99	<0.05	<0.05	<0.05	<0.05	<5.0

TPH = Total petroleum hydrocarbons.

ppmv = parts per million by volume.



GENERAL NOTES:
BASE MAP FROM U.S.G.S.
SAN LEANDRO, CA
7.5 MINUTE TOPOGRAPHIC
PHOTOREVISED 1980



QUADRANGLE LOCATION





FIGURE 1	
SITE TOPOGRAPHIC MAP	
BEACON STATION NO 720	
PROJECT NO.	DRAWN BY
D095-971	M.L. 12/16/99
FILE NO.	PREPARED BY
95-971-1A	TLA
REVISION NO.	REVIEWED BY
2	<i>[Signature]</i>

Delta
Environmental
Consultants, Inc.



MARINA BOULEVARD

MW-6

North

LEGEND:

- - - PROPERTY LINE
- ↔ FENCE
- MW-1 MONITORING WELL LOCATION
- VW-1 VAPOR EXTRACTION WELL LOCATION
- ✖ SP-1 AIR SPARGING WELL LOCATION



SCALE

FIGURE 2

SITE MAP

BEACON STATION NO. 720
1088 MARINA BOULEVARD
SAN LEANDRO, CA.

NOTES:


1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.

PROJECT NO. D095-971	DRAWN BY M.L. 4/8/98	 Delta Environmental Consultants, Inc.
FILE NO. 95-971-6	PREPARED BY MAB	
REVISION NO. 5	REVIEWED BY <i>[Signature]</i>	

WAYNE AVENUE

MW-7
(18.47)

ART
SUPPLY



MW-6
● (18.31)



LEGEND:

- - - PROPERTY LINE
- * — FENCE
- MW-1 MONITORING WELL LOCATION
- VW-1 VAPOR EXTRACTION WELL LOCATION
- ✖ SP-1 AIR SPARGING WELL LOCATION
- (18.81) GROUND WATER ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL
- 18.6- WATER ELEVATION CONTOUR IN FEET RELATIVE TO MEAN SEA LEVEL
- ← GROUND WATER FLOW DIRECTION
- * MONITORING WELL MW-9 GROUND WATER ELEVATION WAS NOT USED IN CONTOUR CONSTRUCTION



FIGURE 3

GROUND WATER ELEVATION CONTOUR MAP
12/13/99

BEACON STATION NO. 720

1088 MARINA BOULEVARD

SAN LEANDRO, CA.



PROJECT NO. D095-971	DRAWN BY TLA 1/17/00	Delta Environmental Consultants, Inc.
FILE NO. 95-971-6	PREPARED BY TLA	
REVISION NO. 1	REVIEWED BY <i>[Signature]</i>	

NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.

WAYNE AVENUE

MW-7
(<0.5)



MARINA BOULEVARD

MW-6
● (<0.5)



LEGEND:

- - - PROPERTY LINE
- ↔ FENCE
- MONITORING WELL LOCATION
- VAPOR EXTRACTION WELL LOCATION
- ✖ AIR SPARGING WELL LOCATION
- (26) BENZENE CONCENTRATION IN MICROGRAMS PER LITER



SCALE


FIGURE 4
BENZENE ISOCONCENTRATION MAP
12/13/99
BEACON STATION NO. 720
1088 MARINA BOULEVARD
SAN LEANDRO, CA.


NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.

PROJECT NO. D095-971	DRAWN BY TLA 2/29/2000
FILE NO. 95-971-6	PREPARED BY TLA
REVISION NO. 2	REVIEWED BY <i>Sum</i>







LEGEND:

	BALL VALVE
	GATE VALVE
	SOLENOID VALVE
	PTF
	FLOW TOTALIZER
	PRESSURE GAUGE
	AQUEOUS PHASE CARBON PRESSURE SWITCH-PRESSURE SWITCH-SHUTS DATS/SUMP PUMP AND WELL PUMPS (W/REMOTE RESET)

- | | |
|--|---|
| | SURGE TANK:
HIGH HIGH-SHUTS OFF WELL PUMPS (W/REMOTE RESET) |
| | SECONDARY CONTAINMENT VESSEL FOR DATS:
HIGH HIGH SHUTS OFF WELL PUMPS |
| | DATS/SUMP:
HIGH HIGH-SHUTS OFF WELL PUMPS
HIGH-TURNS ON DATS SUMP PUMP
LOW-TURNS OFF DATS SUMP PUMP |
| | SECONDARY CONTAINMENT VESSEL FOR AQUEOUS PHASE CARBON:
HIGH HIGH-SHUTS OFF DATS/SUMP PUMP AND WELL PUMPS |
| | DISCHARGE HOLDING TANK:
HIGH HIGH-SHUTS OFF DATS SUMP PUMP (W/REMOTE RESET)
HIGH-TURNS ON TRANSFER PUMP AND OPENS SEWER SOLENOID VALVE
LOW-TURNS OFF TRANSFER PUMP AND CLOSES SEWER SOLENOID VALVE |
| | RECOVERY WELL PROBES:
HIGH-TURNS ON SUBMERSIBLE WELL PUMP (MW-4)-TO BE CONTROLLED BY RELAY IN PANEL
LOW-TURNS OFF SUBMERSIBLE WELL PUMP (MW-4)-TO BE CONTROLLED BY RELAY IN PANEL |
| | RECOVERY WELL PROBES:
HIGH-TURNS ON SUBMERSIBLE WELL PUMP (MW-5)-TO BE CONTROLLED BY RELAY IN PANEL
LOW-TURNS OFF SUBMERSIBLE WELL PUMP (MW-5)-TO BE CONTROLLED BY RELAY IN PANEL |

FIGURE 6
SOIL VAPOR EXTRACTION, AIR SPARGING,
& GROUNDWATER PUMPING SYSTEM SCHEMATIC
BEACON STATION 720
1088 MARINA BLVD.
SAN LEANDRO, CA.

PROJECT NO. D095-971	DRAWN BY TLA 7/7/99
FILE NO. 95-971-3	PREPARED BY TLA
REVISION NO. 4	REVIEWED BY <i>Sc</i>



ENCLOSURE A

Ground Water Sampling Information



3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670
Direct: (916) 638-2085
Fax: (916) 638-8385

Site Address: 1088 Marina Boulevard
San Leandro, California

Site Name: **Beacon 720**
Delta Project No.: **D095-971**
Date: **12/13/99**

Water Level Data					Purge Volume Calculations					Sampling Analytes				Sample Record		
Well ID	Time	Depth to Water	Depth to Bottom	D.O. (mg/L)	Casing Water Column*	Well Diameter (inches)	Multiplier Value (**)	Three Casing Volumes	Actual Water Purged	BTEX (8020) VOA	TPH-g (8015M) VOA	MTBE (8020) VOA	TPH-d (8015M) Amber	Other _____	Sample I.D.	Sample Time
MW-1	11:55	14.29	17.8	-	3.46	2 inch	0.5	1.7	2.2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MW-1	13:32
MW-2	11:51	13.96	22.7	-	8.74	2 inch	0.5	4.4	5.6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MW-2	13:17
MW-3	11:49	13.75	28.4	-	14.65	2 inch	0.5	7.3	9.4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MW-3	13:00
MW-4	11:59	14.18	27.5	-	13.28	2 inch	0.5	6.6	8.5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MW-4	13:52
MW-5	12:06	14.06	28.8	-	14.78	2 inch	0.5	7.4	9.4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MW-5	13:35
MW-6	11:43	12.09	14.9	-	2.82	2 inch	0.5	1.4	1.8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MW-6	12:46
MW-7	11:40	12.73	25.5	-	12.77	2 inch	0.5	6.4	8.2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MW-7	12:22
MW-8	12:03	14.91	27.9	-	13.01	2 inch	0.5	6.5	8.3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MW-8	14:13
MW-9	12:08	13.64	24.7	-	11.01	4 inch	2.0	22.0	28.6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MW-9	15:11
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Purge Method: Pump Bailer Sample Port

*Casing Water Column: Depth to Bottom - Depth to Water

****Multiplier Values:** (2" Well: 0.5) (4" Well: 2.0) (6" Well: 4.4)

Sampling Notes:

Original Copies of Field Sampling Sheets are Located in Project File

ENCLOSURE B

Cumulative Ground Water Level Data and Analytical
Results previously Reported by El Dorado Environmental

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-1	03/30/92	33.10	13.58	19.52	---	
	07/01/92		14.80	18.30	---	
	09/30/92		16.12	16.98	---	
	11/19/92		16.34	16.76	27.76	
	02/03/93		12.61	20.49	27.72	
	05/25/93		13.12	19.98	27.70	
	09/22/93		14.18	18.92	27.73	
	12/21/93		14.36	18.74	27.70	
	03/18/94		13.64	19.46	27.67	
	06/15/94		14.30	18.80	27.69	
	09/14/94		15.18	17.92	27.66	
	12/19/94		13.79	19.31	27.70	
	12/21/95		13.86	19.24	---	
	03/07/95		12.74	20.36	29.51	
	06/08/95		12.95	20.15	29.54	
	09/22/95		13.94	19.16	29.54	
	12/27/95		13.57	19.53	29.92	
	03/26/96		12.13	20.97	29.90	
	06/13/96		13.10	20.00	17.02	
	09/10/96		14.08	19.02	17.03	
	12/05/96		13.41	19.69	17.05	
	03/10/97		12.70	20.40	17.04	
	06/12/97		13.68	19.42	17.04	
	08/19/97		14.31	18.79	17.01	
	12/13/97		13.19	19.91	17.01	
MW-2	03/30/92	32.80	13.32	19.48	---	
	07/01/92		14.42	18.38	---	
	09/30/92		15.78	17.02	---	
	11/19/92		15.99	16.81	24.56	
	02/03/93		12.31	20.49	25.37	
	05/25/93		12.97	19.83	25.31	
	09/22/93		14.32	18.48	25.34	
	12/21/93		14.52	18.28	25.31	
	03/18/94		13.45	19.35	25.49	
	06/15/94		14.07	18.73	25.50	
	09/14/94		14.96	17.84	25.50	
	12/19/94		13.64	19.16	25.52	
	12/21/95		13.71	19.09	---	
	03/07/95		12.54	20.26	25.87	
	06/08/95		12.81	19.99	25.86	
	09/22/95		13.66	19.14	25.80	
	12/27/95		13.42	19.38	25.83	
	03/26/96		12.05	20.75	25.83	
	06/13/96		12.79	20.01	26.39	
	09/10/96		13.73	19.07	26.43	
	12/05/96		13.29	19.51	26.45	
	03/10/97		12.42	20.38	26.48	
	06/12/97		13.18	19.62	26.50	
	08/19/97		13.94	18.86	26.52	
	12/13/97		12.91	19.89	19.02	

NOTES:

- 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
- 2 = Elevation referenced to mean sea level.
- Well Depth = Measurement from top of casing to bottom of well.
- = Not measured.
- * = Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-3	03/30/92	32.30	12.96	19.34	---	
	07/01/92		14.00	18.30	---	
	09/30/92		15.36	16.94	---	
	11/19/92		15.57	16.73	24.45	
	02/03/93		11.96	20.34	24.54	
	05/25/93		14.12	18.18	24.50	
	09/22/93		13.88	18.42	24.50	
	12/21/93		14.12	18.18	24.50	
	03/18/94		13.04	19.26	24.57	
	06/15/94		13.65	18.65	24.78	
	09/14/94		14.54	17.76	24.59	
	12/19/94		13.28	19.02	24.71	
	12/21/95		13.30	19.00	---	
	03/07/95		12.26	20.04	26.03	
	06/08/95		12.42	19.88	26.02	
	09/22/95		13.25	19.05	26.00	
	12/27/95		13.04	19.26	26.00	
	03/26/96		11.62	20.68	26.01	
	06/13/96		12.61	19.69	28.45	
	09/10/96		13.49	18.81	28.42	
	12/05/96		13.07	19.23	28.42	
	03/10/97		12.23	20.07	28.41	
	06/12/97		12.94	19.36	28.44	
	08/19/97		12.85	19.45	28.45	
	12/13/97		12.45	19.85	28.43	
MW-4	03/30/92	32.90	13.60	19.30	---	
	07/01/92		15.72	17.18	---	
	09/30/92		16.04	16.86	---	
	11/19/92		16.21	16.69	26.92	
	02/03/93		12.70	20.20	27.00	
	05/25/93		12.97	19.93	26.88	
	09/22/93		14.51	18.39	26.90	
	12/21/93		14.75	18.15	26.90	
	03/18/94		13.68	19.22	27.24	
	06/15/94		14.37	18.53	28.54	
	09/14/94		15.23	17.67	27.25	
	12/19/94		13.93	18.97	28.61	
	12/21/95		13.99	18.91	---	
	03/07/95		12.86	20.04	28.64	
	06/08/95		13.10	19.80	28.68	
	09/22/95		13.98	18.92	28.71	
	12/27/95		13.74	19.16	28.71	
	03/26/96		12.30	20.60	28.70	
	06/13/96		13.18	19.72	27.86	
	09/10/96		14.22	18.68	27.40	
	12/05/96		13.65	19.25	27.40	
	03/10/97		12.79	20.11	27.42	
	06/12/97		13.51	19.39	27.40	
	08/19/97		14.29	18.61	27.40	
	12/13/97		13.43	19.47	27.43	

NOTES:

- 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
- 2 = Elevation referenced to mean sea level.
- Well Depth = Measurement from top of casing to bottom of well.
- = Not measured.
- * = Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-5	03/30/92	32.70	13.48	19.22	---	
	07/01/92		14.58	18.12	---	
	09/30/92		15.82	16.88	---	
	11/19/92		16.00	16.70	27.56	
	02/03/93		12.40	20.30	27.61	
	05/25/93		13.01	19.69	27.61	
	09/22/93		14.37	18.33	27.64	
	12/21/93		14.58	18.12	27.01	
	03/18/94		13.53	19.17	28.70	
	06/15/94		14.18	18.52	28.74	
	09/14/94		15.07	17.63	28.70	
	12/19/94		13.74	18.96	28.76	
	12/21/95		13.84	18.86	---	
	03/07/95		12.73	19.97	28.88	
	06/08/95		12.99	19.71	28.87	
	09/22/95		13.83	18.87	28.85	
	12/27/95		13.59	19.11	28.85	
	03/26/96		12.20	20.50	28.84	
	06/13/96		12.98	19.72	28.84	
	09/10/96		13.96	18.74	28.87	
	12/05/96		13.36	19.34	28.87	
	03/10/97		12.74	19.96	28.86	
	06/12/97		13.06	19.64	28.83	
	08/19/97		14.21	18.49	28.82	
	12/13/97		13.51	19.19	28.85	
MW-6	03/30/92	30.40	12.62	17.78	---	
	07/01/92		12.70	17.70	---	
	09/30/92		13.40	17.00	---	
	11/19/92		13.59	16.81	15.10	
	02/03/93		12.43	17.97	15.01	
	05/25/93		---	---	---	*
	10/11/93		12.82	17.58	15.10	
	12/21/93		13.06	17.34	15.10	
	03/18/94		12.16	18.24	15.16	
	06/15/94		12.59	17.81	15.17	
	09/14/94		12.86	17.54	14.97	
	12/19/94		12.48	17.92	15.19	
	12/21/95		11.61	18.79	---	
	03/07/95		12.37	18.03	14.98	
	06/08/95		11.14	19.26	15.00	
	09/22/95		12.44	17.96	15.00	
	12/27/95		12.21	18.19	14.98	
	03/26/96		12.26	18.14	14.97	
	06/13/96		12.55	17.85	14.98	
	09/10/96		12.31	18.09	15.01	
	12/05/96		12.22	18.18	15.00	
	03/10/97		12.19	18.21	15.01	
	06/12/97		12.28	18.12	14.97	
	08/19/97		12.30	18.10	14.98	
	12/13/97		11.93	18.47	14.93	

NOTES:

- 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
- 2 = Elevation referenced to mean sea level.
- Well Depth = Measurement from top of casing to bottom of well.
- = Not measured.
- * = Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-7	03/30/92	31.20	12.34	18.86	---	
	07/01/92		15.54	15.66	---	
	09/30/92		14.64	16.56	---	
	11/19/92		14.80	16.40	25.10	
	02/03/93		11.36	19.84	25.02	
	05/25/93		---	---	---	*
	09/22/93		13.18	18.02	25.01	
	12/21/93		13.42	17.78	25.02	
	03/18/94		12.36	18.84	25.13	
	06/15/94		13.01	18.19	25.21	
	09/14/94		13.88	17.32	25.13	
	12/19/94		12.61	18.59	25.23	
	12/21/95		12.38	18.82	---	
	03/07/95		11.56	19.64	25.22	
	06/08/95		11.82	19.38	25.20	
	09/22/95		12.67	18.53	25.23	
	12/27/95		12.34	18.86	25.23	
	03/26/96		11.03	20.17	25.21	
	06/13/96		11.76	19.44	25.20	
	09/10/96		12.71	18.49	24.56	
	12/05/96		12.32	18.88	24.56	
	03/10/97		11.38	19.82	24.53	
	06/12/97		12.28	18.92	24.52	
	08/19/97		12.92	18.28	24.52	
	12/13/97		11.69	19.51	24.50	
MW-8	03/30/92	33.80	14.66	19.14	---	
	07/01/92		15.74	18.06	---	
	09/30/92		17.00	16.80	---	
	11/19/92		17.01	16.79	29.75	
	02/03/93		13.83	19.97	29.88	
	05/25/93		13.01	20.79	29.86	
	09/22/93		15.81	17.99	24.52	
	12/21/93		16.05	17.75	29.86	
	03/18/94		14.62	19.18	29.87	
	06/15/94		15.29	18.51	30.07	
	09/14/94		16.22	17.58	29.87	
	12/19/94		14.81	18.99	30.05	
	12/21/95		14.89	18.91	---	
	03/07/95		13.75	20.05	29.94	
	06/08/95		13.98	19.82	29.93	
	09/22/95		14.92	18.88	29.95	
	12/27/95		14.61	19.19	29.92	
	03/26/96		13.09	20.71	29.73	
	06/13/96		13.81	19.99	27.92	
	09/10/96		14.80	19.00	27.95	
	12/05/96		14.05	19.75	27.96	
	03/10/97		13.40	20.40	27.98	
	06/12/97		14.31	19.49	27.95	
	08/19/97		13.85	19.95	27.94	
	12/13/97		13.92	19.88	27.93	

NOTES:

- 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
- 2 = Elevation referenced to mean sea level.
- Well Depth = Measurement from top of casing to bottom of well.
- = Not measured.
- * = Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-9	12/21/95	32.56	13.76	18.80	---	
	03/07/95		12.79	19.77	24.71	
	06/08/95		12.96	19.60	24.70	
	09/22/95		13.73	18.83	24.72	
	12/27/95		13.53	19.03	24.71	
	03/26/96		12.27	20.29	24.70	
	06/13/96		12.84	19.72	24.53	
	09/10/96		13.49	19.07	24.58	
	12/05/96		13.18	19.38	24.60	
	03/10/97		12.25	20.31	24.66	
	06/12/97		12.70	19.86	24.66	
	08/19/97		17.89	14.67	24.68	
	12/13/97		15.79	16.77	24.68	

NOTES:

1	= Measurement and reference elevation taken from notch/mark on top north side of well casing.
2	= Elevation referenced to mean sea level.
Well Depth	= Measurement from top of casing to bottom of well.
---	= Not measured.
*	= Well paved over.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-1	03/30/92	27,000		630	550	540	1,900
	07/01/92	55,000		840	1,000	830	3,600
	09/30/92	6,400		150	95	120	470
	11/19/92	1,300		90	11	50	87
	02/03/93	53,000		750	560	950	5,700
	05/25/93	9,400		200	86	470	1,500
	09/22/93	41,000		1,000	510	850	1,100
	12/21/93	41,000		1,000	490	2,700	13,000
	03/18/94	9,500		320	160	830	2,900
	06/15/94	8,000		310	80	990	2,300
	09/14/94	3,600		130	31	390	630
	12/19/94	17,000		350	150	1,500	5,200
	03/07/95	12,000		180	62	1,200	3,200
	06/08/95	6,300		76	8	560	860
	09/22/95	12,000		140	55	1,500	2,500
	12/27/95	3,900		60	13	480	870
	03/26/96	6,400		42	4.9	560	600
	06/13/96	9,600	<50	86	39	1,100	1,700
	09/10/96	16,000	<50	65	35	1,500	2,700
	12/05/96	6,400	<25	25	11	570	930
	03/10/97	15,000	<50	42	<5.0	1,400	1,500
	06/12/97	16,000	<100	33	34	1,100	1,700
	08/19/97	17,000	<100	47	14	1,300	2,200
	12/13/97	5,800	<100	20	35	360	470
MW-2	03/30/92	52,000		2,300	1,700	940	3,300
	07/01/92	130,000		3,500	2,900	1,900	7,900
	09/30/92	24,000		890	350	500	1,700
	11/19/92	32,000		1,900	1,700	870	3,400
	02/03/93	64,000		1,900	2,200	860	4,100
	05/25/93	34,000		3,300	1,500	1,300	5,900
	09/22/93	8,000		640	150	270	2,000
	12/21/93	18,000		1,500	410	1,300	5,000
	03/18/94	14,000		1,600	790	1,100	3,700
	06/15/94	13,000		1,600	580	1,200	4,100
	09/14/94	20,000		1,600	560	1,800	6,400
	12/19/94	19,000		1,700	750	1,600	5,800
	03/07/95	17,000		1,900	980	1,300	5,100
	06/08/95	19,000		2,100	740	1,500	4,900
	09/22/95	12,000		840	170	1,100	3,400
	12/27/95	16,000		1,100	540	1,400	5,100
	03/26/96	11,000		930	520	970	3,000
	06/13/96	11,000	1,200	1,800	1,400	1,500	4,500
	09/10/96	19,000	1,100	1,600	600	1,600	5,000
	12/05/96	12,000	180	650	180	1,000	2,800
	03/10/97	6,800	69	430	95	590	1,800
	06/12/97	20,000	100	610	140	1,500	4,300
	08/19/97	3,600	<100	250	10	250	250
	12/13/97	8,300	75	370	150	450	1,600

NOTES: < = Below indicated detection limit
ND = Reported as "nondetect" by previous consultant.
NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-3	03/30/92	21,000		560	50	630	980
	07/01/92	13,000		150	20	22	300
	09/30/92	4,500		53	2.6	84	96
	11/19/92	4,700		73	6.2	140	120
	02/03/93	23,000		220	40	430	740
	05/25/93	9,900		120	26	370	520
	09/22/93	10,000		370	71	320	640
	12/21/93	7,800		130	8.5	430	380
	03/18/94	3,100		22	1.3	78	41
	06/15/94	1,700		8.6	1.4	22	15
	09/14/94	1,400		3.8	<1.3	13	18
	12/19/94	3,800		70	1.7	140	110
	03/07/95	2,200		9.4	<1.3	30	21
	06/08/95	1,700		5.8	<1.3	2.3	14
	09/22/95	1,200		<1.3	<1.3	1.3	<1.3
	12/27/95	1,300		2.4	<1.3	3.3	3.6
	03/26/96	1,200		4.3	<1.3	4.2	2
	06/13/96	1,300	28	5.1	<0.50	21	6.5
	09/10/96	810	<5.0	1.4	4.8	1.6	2.1
	12/05/96	590	<5.0	<0.50	3.2	0.79	0.52
	03/10/97	650	<5.0	0.73	3.8	2.4	1.6
	06/12/97	710	<5.0	<0.50	3.5	2.9	3.6
	08/19/97	1,400	13	2.2	0.58	11	34
	12/13/97	810	<5.0	0.96	<0.50	0.54	1.8
MW-4	03/30/92	76,000		8,000	4,400	730	2,500
	07/01/92	95,000		6,900	2,200	70	880
	09/30/92	58,000		7,100	1,500	650	2,700
	11/19/92	33,000		5,500	840	400	1,400
	02/03/93	130,000		8,200	6,700	940	4,400
	05/25/93	63,000		16,000	6,600	1,700	8,100
	09/22/93	23,000		6,900	940	150	3,000
	12/21/93	28,000		6,900	1,900	1,100	5,500
	03/18/94	58,000		17,000	6,300	2,500	10,000
	06/15/94	59,000		20,000	4,900	2,500	9,100
	09/14/94	73,000		22,000	6,800	2,700	10,000
	12/19/94	67,000		20,000	8,300	2,300	9,100
	03/07/95	57,000		19,000	7,900	2,200	8,700
	06/08/95	61,000		17,000	6,300	2,700	9,000
	09/22/95	37,000		12,000	2,200	1,400	3,500
	12/27/95	39,000		12,000	6,000	1,800	5,800
	03/26/96	31,000		9,600	3,700	2,300	6,200
	06/13/96	240	89	64	0.93	1.8	2.7
	09/10/96	91,000	2,900	13,000	20,000	3,200	16,000
	12/05/96	16,000	1,200	3,700	3,100	580	2,800
	03/10/97	630	530	91	<0.50	<0.50	0.8
	06/12/97	36,000	1,100	4,600	5,300	1,200	5,500
	08/19/97	12,000	390	420	88	61	520
	12/13/97	4,800	360	560	740	130	1,100

NOTES: < = Below indicated detection limit
ND = Reported as "nondetect" by previous consultant.
NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-5	03/30/92	29,000		2,600	980	390	1,100
	07/01/92	52,000		2,400	1,000	5,200	2,000
	09/30/92	32,000		1,800	780	370	1,700
	11/19/92	7,800		1,000	280	120	370
	02/03/93	74,000		3,500	3,000	780	3,200
	05/25/93	57,000		7,900	4,700	1,900	7,800
	09/22/93	52,000		7,600	2,400	1,200	8,800
	12/21/93	23,000		3,600	1,200	970	3,600
	03/18/94	47,000		8,200	5,000	1,400	6,100
	06/15/94	28,000		7,900	4,000	1,200	5,200
	09/14/94	32,000		8,000	5,100	1,400	5,600
	12/19/94	29,000		7,000	3,400	1,200	5,200
	03/07/95	36,000		9,800	5,800	1,800	7,800
	06/08/95	33,000		7,700	3,800	1,500	6,200
	09/22/95	39,000		9,500	3,800	1,900	7,000
	12/27/95	42,000		9,700	5,000	2,200	8,800
	03/26/96	37,000		9,800	4,900	2,300	8,800
	06/13/96	18,000	1,400	5,500	2,200	1,500	5,300
	09/10/96	22,000	860	5,600	1,400	1,100	3,500
	12/05/96	24,000	650	5,100	2,500	1,400	4,700
	03/10/97	28,000	760	6,800	2,700	1,300	5,700
	06/12/97	49,000	700	7,500	3,200	2,300	9,200
	08/19/97	24,000	1,600	4,700	990	1,400	4,500
	12/13/97	18,000	360	2,700	760	630	4,200
MW-6	03/30/92	73		2.1	1.1	ND	0.6
	07/01/92	ND		ND	ND	ND	ND
	09/30/92	ND		0.73	ND	ND	0.58
	11/19/92	96		1.5	<0.5	<0.5	0.9
	02/03/93	73		0.6	<0.5	<0.5	<0.5
	05/25/93	NS		NS	NS	NS	NS
	10/11/93	<50		<0.5	<0.5	<0.5	<0.5
	12/21/93	<50		<0.5	<0.5	<0.5	<0.5
	03/18/94	<50		<0.5	<0.5	<0.5	<0.5
	06/15/94	<50		<0.5	<0.5	<0.5	<0.5
	09/14/94	<50		<0.5	<0.5	<0.5	<0.5
	12/19/94	<50		<0.5	<0.5	<0.5	<0.5
	03/07/95	<50		<0.5	<0.5	<0.5	<0.5
	06/08/95	<50		<0.5	<0.5	<0.5	<0.5
	09/22/95	<50		<0.50	<0.50	<0.50	<0.50
	12/27/95	<50		<0.50	<0.50	<0.50	<0.50
	03/26/96	<50		<0.50	<0.50	<0.50	<0.50
	06/13/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	09/10/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/05/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	03/10/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	06/12/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	08/19/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/13/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-7	03/30/92	ND		ND	ND	ND	ND
	07/01/92	ND		ND	ND	ND	ND
	09/30/92	ND		ND	ND	ND	ND
	11/19/92	<50		<0.5	<0.5	<0.5	<0.5
	02/03/93	<50		<0.5	<0.5	<0.5	<0.5
	05/25/93	NS		NS	NS	NS	NS
	09/22/93	<50		0.51	0.82	<0.5	0.81
	12/21/93	<50		<0.5	<0.5	<0.5	<0.5
	03/18/94	<50		<0.5	<0.5	<0.5	<0.5
	06/15/94	<50		<0.5	<0.5	<0.5	<0.5
	09/14/94	<50		<0.5	<0.5	<0.5	<0.5
	12/19/94	<50		<0.5	<0.5	<0.5	<0.5
	03/07/95	<50		<0.5	<0.5	<0.5	<0.5
	06/08/95	<50		<0.5	<0.5	<0.5	<0.5
	09/22/95	<50		<0.50	<0.50	<0.50	<0.50
	12/27/95	<50		<0.50	<0.50	<0.50	<0.50
	03/26/96	<50		<0.50	<0.50	<0.50	<0.50
	06/13/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	09/10/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/05/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	03/07/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	06/12/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	08/19/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/13/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
MW-8	03/30/92	3,000		1,700	880	970	1,900
	07/01/92	72,000		1,800	550	520	2,200
	09/30/92	12,000		680	140	140	560
	11/19/92	9,600		530	310	130	560
	02/03/93	44,000		1,500	1,300	490	2,300
	05/25/93	7,400		580	160	170	480
	09/22/93	2,400		490	45	37	140
	12/21/93	1,400		240	7.5	<2.5	82
	03/18/94	8,600		1,600	680	470	1,900
	06/15/94	4,800		980	380	260	1,200
	09/14/94	6,600		1,200	280	330	1,100
	12/19/94	8,400		1,800	390	500	2,000
	03/07/95	7,400		1,400	370	440	2,000
	06/08/95	6,000		790	220	290	1,400
	09/22/95	4,100		750	93	230	860
	12/27/95	5,400		860	140	350	1,400
	03/26/96	1,700		180	27	100	370
	06/13/96	2,400	42	500	67	220	850
	09/10/96	7,000	<50	1,300	100	410	1,600
	12/05/96	6,300	<50	1,100	78	410	1,600
	03/07/97	6,500	<130	840	67	330	1,500
	06/12/97	7,500	<50	1,000	79	390	1,400
	08/19/97	1,100	<20	170	14	38	220
	12/13/97	4,100	24	300	29	190	860

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-9	12/20/94	16,000		2,500	1,400	690	2,800
	03/07/95	5,200		1,600	250	320	520
	06/08/95	4,900		1,000	98	300	200
	09/22/95	4,000		1,100	82	190	200
	12/27/95	2,800		960	100	200	250
	03/26/96	1,600		380	44	96	110
	06/13/96	1,800	750	540	71	140	180
	09/10/96	2,400	810	860	70	190	210
	12/05/96	5,500	960	2,100	420	380	720
	03/07/97	4,200	720	1,300	170	260	440
	06/12/97	11,000	1,000	2,500	490	560	1,300
	08/19/97	42,000	<1,000	7,700	3,500	2,000	8,300
	12/13/97	13,000	710	1,300	280	960	3,100

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

TABLE 1
GROUNDWATER ELEVATIONS
(BEACON 720)

Date Sampled	Depth to Groundwater (Feet)	Groundwater Elevation (Feet)
Groundwater Monitoring Well MW-1:		Elevation of Top of Casing = 29.89 feet
June 23, 1987	14.79	15.10
July 06, 1987	14.93	14.96
August 06, 1987	14.22	15.67
November 04, 1987	15.74	14.15
February 02, 1988	13.99	15.90
May 02, 1988	14.99	14.90
November 21, 1988	13.03	16.86
February 14, 1989	15.86	14.03
May 02, 1989	14.77	15.12
August 10, 1989	16.35	13.54
November 08, 1989	16.46	13.43
February 20, 1990	15.58	14.31
May 18, 1990	16.40	13.49
September 15, 1990	16.83	13.06
November 26, 1990	17.16	12.73
February 07, 1991	16.43	13.46
May 14, 1991	14.93	14.96
August 16, 1991	16.35	13.54
Groundwater Monitoring Well MW-1		New Elevation of Top of Casing = 33.10 feet
December 24, 1991	17.20	15.90
March 30, 1992	13.58	19.52

TABLE 1
GROUNDWATER ELEVATIONS
(BEACON 720)

Date Sampled	Depth to Groundwater (Feet)	Groundwater Elevation (Feet)
Groundwater Monitoring Well MW-2:		Elevation of Top of Casing = 29.57 feet
June 23, 1987	14.51	15.06
July 06, 1987	14.63	14.94
August 06, 1987	14.95	14.62
November 04, 1987	15.45	14.12
February 02, 1988	13.74	15.83
May 02, 1988	14.63	14.94
November 21, 1988	12.99	16.58
February 14, 1989	15.66	13.91
May 02, 1989	14.56	15.01
August 10, 1989	16.22	13.35
November 08, 1989	16.19	13.38
February 20, 1990	15.34	14.23
May 18, 1990	16.20	13.37
September 15, 1990	16.42	13.05
November 26, 1990	16.83	12.74
February 07, 1991	16.13	13.44
May 14, 1991	14.62	14.95
August 16, 1991	16.00	13.57
Groundwater Monitoring Well MW-2:		New Elevation of Top of Casing = 32.80 feet
December 24, 1991	16.90	15.90
March 30, 1992	13.32	19.48

TABLE 1
GROUNDWATER ELEVATIONS
(BEACON 720)

Date Sampled	Depth to Groundwater (Feet)	Groundwater Elevation (Feet)
Groundwater Monitoring Well MW-3:		Elevation of Top of Casing = 29.13 feet
June 23, 1987	14.13	15.00
July 06, 1987	14.24	14.89
August 06, 1987	14.52	14.61
November 04, 1987	15.09	14.04
February 02, 1988	13.37	15.76
May 02, 1988	14.22	14.91
November 21, 1988	13.01	16.12
February 14, 1989	15.22	13.91
May 02, 1989	14.16	14.97
August 10, 1989	15.61	13.52
November 08, 1989	15.75	13.38
February 20, 1990	14.95	14.18
May 18, 1990	15.79	13.34
September 15, 1990	16.07	13.06
November 26, 1990	16.36	12.77
February 07, 1991	15.74	13.39
May 14, 1991	14.19	14.94
August 16, 1991	15.55	13.58
Groundwater Monitoring Well MW-3:		New Elevation of Top of Casing = 32.30 feet
December 24, 1991	16.40	15.90
March 30, 1992	12.96	19.34

TABLE 1
GROUNDWATER ELEVATIONS
(BEACON 720)

Date Sampled	Depth to Groundwater (Feet)	Groundwater Elevation (Feet)
Groundwater Monitoring Well MW-4:		Elevation of Top of Casing = 29.72 feet
June 23, 1987	14.77	14.95
July 06, 1987	14.91	14.81
August 06, 1987	15.19	14.53
November 04, 1987	15.72	14.00
February 02, 1988	14.03	15.69
May 02, 1988	14.89	14.83
November 21, 1988	12.88	16.84
February 14, 1989	15.83	13.89
May 02, 1989	14.75	14.97
August 10, 1989	16.30	13.42
November 08, 1989	16.29	13.43
February 20, 1990	15.62	14.10
May 18, 1990	16.34	13.38
September 15, 1990	16.79	12.93
November 26, 1990	17.08	12.64
February 07, 1991	16.37	13.35
May 14, 1991	14.87	14.85
August 16, 1991	16.25	13.47
Groundwater Monitoring Well MW-4:		New Elevation of Top of Casing = 32.90 feet
December 24, 1991	17.10	15.80
March 30, 1992	13.60	19.30

TABLE 1
GROUNDWATER ELEVATIONS
(BEACON 720)

Date Sampled	Depth to Groundwater (Feet)	Groundwater Elevation (Feet)
Groundwater Monitoring Well MW-5:		Elevation of Top of Casing = 29.55 feet
June 23, 1987	14.63	14.92
July 06, 1987	14.79	14.76
August 06, 1987	15.07	14.48
November 04, 1987	15.61	13.94
February 02, 1988	13.84	15.71
May 02, 1988	14.77	14.78
November 21, 1988	12.84	16.71
February 14, 1989	15.72	13.83
May 02, 1989	14.68	14.87
August 10, 1989	16.03	13.52
November 08, 1989	16.33	13.22
February 20, 1990	15.44	14.11
May 18, 1990	16.22	13.33
September 15, 1990	16.65	12.90
November 26, 1990	16.95	12.60
February 07, 1991	16.20	13.35
May 14, 1991	14.72	14.38
August 16, 1991	16.10	13.45
Groundwater Monitoring Well MW-5:		New Elevation of Top of Casing = 32.70 feet
December 24, 1991	16.92	15.78
March 30, 1992	13.48	19.22

TABLE 1
GROUNDWATER ELEVATIONS
(BEACON 720)

Date Sampled	Depth to Groundwater (Feet)	Groundwater Elevation (Feet)
Groundwater Monitoring Well MW-6:		Elevation of Top of Casing = 30.40 feet
December 24, 1991	14.12	16.28
March 30, 1992	12.62	17.78
Groundwater Monitoring Well MW-7:		Elevation of Top of Casing = 31.20 feet
December 24, 1991	15.70	15.50
March 30, 1992	12.34	18.86
Groundwater Monitoring Well MW-8:		Elevation of Top of Casing = 33.80 feet
December 24, 1991	18.00	15.80
March 30, 1992	14.66	19.14

- NOTES:
- 1) All elevations surveyed to an arbitrary datum
 - 2) Elevations and depths are given in feet
 - 3) Groundwater Technology, Inc. made measurements until February 1989
 - 4) DuPont Environmental Services collected samples from February 1989 through February 1991
 - 5) Environmental Geotechnical Consultants, Inc. made measurements beginning in May 1991

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
(BEACON 720)

Well No.	Date Sampled	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Xylenes (mg/L)	TPH-G (mg/L)	Comments
MW-1	Apr. 16, 1987	2,313	3,770	664.1	3,331	17,276	
	June 23, 1987	1,887	2,141	466.7	1,652	26,027	
	July 06, 1987	778.2	943.7	133.2	422.1	3,938	
	Aug. 06, 1987	1,270	1,576	288.7	873.7	6,079	
	Nov. 04, 1987	1,700	4,000	720	2,200	15,000	
	Feb. 02, 1988	1,500	1,700	230	740	14,000	
	May 02, 1988	3,500	700	4,900	2,700	33,000	
	Nov. 21, 1988	2,200	560	2,800	2,200	15,000	
	Feb. 14, 1989	1,700	1,700	340	1,500	12,000	Odor
	May 02, 1989	1,500	2,400	510	2,400	18,000	Odor, Slight Sheen
	Aug. 10, 1989	1,400	1,500	360	1,600	10,000	Odor
	Nov. 08, 1989	920	470	190	360	7,200	Odor
	Feb. 20, 1990	810	540	270	800	3,300	
	May 18, 1990	1,900	500	560	1,600	5,600	
	Sep. 15, 1990	320	110	150	520	5,200	Odor
	Nov. 26, 1990	370	59	150	370	3,000	Odor
	Feb. 07, 1991	750	570	480	1,800	14,000	
	May 14, 1991	1,000	1,400	600	2,500	41,000	
	Aug. 16, 1991	310	210	150	480	4,000	Odor
	Dec. 24, 1991	530	95	310	680	11,000	Moderate Odor
	Mar. 30, 1992	630	550	540	1,900	27,000	Odor

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
(BEACON 720)

Well No.	Date Sampled	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Xylenes (mg/L)	TPH-G (mg/L)	Comments
MW-2	Apr. 16, 1987	3,131	4,239	1,067	4,608	17,920	
	June 23, 1987	2,188	2,622	1,047	4,699	49,354	
	July 06, 1987	1,575	1,729	457	1,702	8,676	
	Aug. 06, 1987	2,623	3,722	702	2,882	14,376	
	Nov. 04, 1987	2,200	4,100	900	3,500	19,000	
	Feb. 02, 1988	6,200	6,500	1,000	4,000	54,000	
	May 02, 1988	6,800	1,300	7,100	5,400	53,000	
	Nov. 21, 1988	---	---	---	---	---	Free product
	Feb. 14, 1989	6,900	4,300	1,100	5,200	48,000	Film of free product
	May 02, 1989	6,100	8,800	2,100	16,000	111,000	Odor, sheen
	Aug. 10, 1989	4,200	2,900	1,000	5,800	39,000	Odor, sheen
	Nov. 08, 1989	3,700	1,500	740	2,200	45,000	Odor, heavy sheen
	Feb. 20, 1990	5,000	8,200	1,600	11,000	60,000	
	May 18, 1990	6,200	1,900	1,300	610	19,000	
	Sep. 15, 1990	1,400	820	660	3,000	27,000	Odor, sheen
	Nov. 26, 1990	1,100	880	700	3,800	28,000	Odor, sheen
	Feb. 07, 1991	2,100	1,900	1,300	6,200	63,000	Odor, sheen
	May 14, 1991	2,200	2,700	1,100	5,900	100,000	Moderate odor slight sheen
	Aug. 16, 1991	1,800	950	990	3,900	32,000	Slight odor, sheen
	Dec. 24, 1991	1,100	550	750	2,700	30,000	Odor, sheen
	Mar. 30, 1992	2,300	1,700	940	3,300	52,000	Odor, sheen

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
(BEACON 720)

Well No.	Date Sampled	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Xylenes (mg/L)	TPH-G (mg/L)	Comments
MW-3	Apr. 16, 1987	1,371	2,438	472.3	2,617	9,967	
	June 23, 1987	646.2	822.9	320.9	1,280	16,824	
	July 06, 1987	340.3	384.2	116.5	420.2	3,395	
	Aug. 06, 1987	441.9	436.3	118.2	417.3	3,107	
	Nov. 04, 1987	320	280	74	250	2,600	
	Feb. 02, 1988	2,200	2,300	500	2,300	44,000	
	May 02, 1988	1,600	450	840	1,700	14,000	
	Nov. 21, 1988	1,200	220	560	810	8,100	
	Feb. 14, 1989	1,500	220	220	500	5,500	Odor
	Aug. 10, 1989	750	10	190	210	2,700	Odor
	Nov. 08, 1989	370	90	ND	58	2,400	Odor
	Feb. 20, 1990	1,200	810	77	460	3,700	
	May 18, 1990	980	ND	330	250	2,300	
	Sep. 15, 1990	240	36	150	230	4,700	Odor
	Nov. 26, 1990	170	8.4	86	120	1,400	Odor
	Feb. 07, 1991	220	20	120	230	2,900	
	May 14, 1991	370	39	220	820	15,000	
	Aug. 16, 1991	480	50	360	680	7,200	Slight Odor
	Dec. 24, 1991	150	20	100	140	4,900	Slight Odor
	Mar. 30, 1992	560	50	630	980	21,000	Odor

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
(BEACON 720)

Well No.	Date Sampled	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Xylenes (mg/L)	TPH-G (mg/L)	Comments
MW-4	Apr. 16, 1987	5,896	3,797	893.9	4,106	19,309	
	June 23, 1987	4,030	1,842	850.0	3,254	31,429	
	July 06, 1987	27,110	1,247	308.2	1,312	8,117	
	Aug. 06, 1987	3,992	1,589	447.9	1,611	10,464	
	Nov. 04, 1987	9,500	17,000	2,800	11,000	55,000	
	Feb. 02, 1988	11,000	7,400	1,400	6,200	47,000	
	May 02, 1988	9,200	1,300	6,100	6,400	58,000	
	Nov. 21, 1988	5,700	1,600	3,100	7,600	48,000	
	Feb. 14, 1989	8,700	2,500	900	3,800	29,000	Odor & sheen
	May 02, 1989	4,800	5,600	1,800	8,800	69,000	Odor, slight sheen
	Aug. 10, 1989	15,000	6,600	1,800	12,000	67,000	Odor, slight sheen
	Nov. 08, 1989	11,000	3,200	1,100	4,400	71,000	Odor, slight sheen
	Feb. 20, 1990	8,100	4,500	930	3,500	19,000	
	May 18, 1990	45,000	12,000	5,000	27,000	100,000	
	Sep. 15, 1990	4,200	1,200	740	3,000	38,000	
	Nov. 26, 1990	2,800	650	810	2,600	19,000	Odor
	Feb. 07, 1991	4,600	1,100	1,600	4,600	41,000	Odor, sheen
	May 14, 1991	7,300	830	3,900	3,600	100,000	Slight odor, sheen
	Aug. 16, 1991	8,000	2,500	1,100	4,000	45,000	Strong odor, sheen
	Dec. 24, 1991	6,000	1,200	1,100	3,700	79,000	Odor, sheen
	Mar. 30, 1992	8,000	4,400	730	2,500	76,000	Odor, sheen

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
(BEACON 720)

Well No.	Date Sampled	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Xylenes (mg/L)	TPH-G (mg/L)	Comments
MW-5	Apr. 16, 1987	2,267	921.2	3,277	4,536	17,733	
	June 23, 1987	2,239	516.8	953.9	1,587	19,555	
	July 06, 1987	1,335	313.7	799.2	923.9	5,631	
	Aug. 06, 1987	1,890	881.2	576.8	93.4	6,450	
	Nov. 04, 1987	1,300	500	270	640	4,600	
	Feb. 02, 1988	3,100	1,500	550	1,400	24,000	
	May 02, 1988	4,400	490	1,200	1,500	17,000	
	Nov. 21, 1988	5,600	590	870	2,200	19,000	
	Feb. 14, 1989	4,300	810	410	1,300	13,000	Odor
	May 02, 1989	2,900	1,500	690	3,200	24,000	Odor, slight sheen
	Aug. 10, 1989	6,700	2,300	860	4,700	36,000	Odor, slight sheen
	Nov. 08, 1989	5,300	860	460	600	30,000	Odor
	Feb. 20, 1990	1,700	220	120	370	3,400	
	May 18, 1990	18,000	2,000	1,500	5,600	24,000	
	Sep. 15, 1990	2,600	2,200	1,000	4,900	42,000	Odor, sheen
	Nov. 26, 1990	1,900	280	260	800	8,500	Odor, sheen
	Feb. 07, 1991	1,500	1,200	610	2,700	24,000	Odor
	May 14, 1991	3,800	4,400	1,400	6,400	120,000	Odor, sheen
	Aug. 16, 1991	4,200	1,900	760	2,900	29,000	Moderate odor, sheen
	Dec. 24, 1991	3,900	1,500	880	3,200	63,000	Odor, sheen
	Mar. 30, 1992	2,600	980	390	1,100	29,000	Odor, sheen

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
(BEACON 720)

Well No.	Date Sampled	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Xylenes (mg/L)	TPH-G (mg/L)	Comments
MW-6	Dec. 24, 1991	ND	ND	ND	ND	79	
	Mar. 30, 1992	2.1	1.1	ND	0.6	73	
MW-7	Dec. 24, 1991	ND	ND	ND	ND	ND	
	Mar. 30, 1992	ND	ND	ND	ND	ND	
MW-8	Dec. 24, 1991	1,700	2,400	1,200	6,100	81,000	Odor, sheen
	Mar. 30, 1992	1,700	880	970	1,900	3,000	Odor, sheen

- Notes:
- 1) TPH-G = Total Petroleum Hydrocarbons as gasoline
 - 2) Odor refers to petroleum hydrocarbon odor
 - 3) All results are presented in parts per billion
 - 4) Groundwater Technology, Inc. collected samples prior to February 1989
 - 5) DuPont Environmental Services collected samples from February 1989 through February 1991
 - 6) Environmental Geotechnical Consultants, Inc. collected samples beginning in May 1991
 - 7) ND = Non Detect
 - 8) See analytical results for detection limits (Appendix B)

ENCLOSURE C

Ground Water Monitoring Analytical Results



Report Number : 15640

Date : 12/28/99

Richard Munsch
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, CA 95670

Subject : 9 Water Samples
Project Name : Beacon 720
Project Number : 94-720-01

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink, appearing to read "Joel Kiff".

Joel Kiff



Report Number : 15640

Date : 12/28/99

Project Name : Beacon 720

Project Number : 94-720-01

Sample : MW-1

Matrix : Water

Sample Date : 12/13/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 2.5	2.5	ug/L	EPA 8020	12/22/99
Toluene	< 2.5	2.5	ug/L	EPA 8020	12/22/99
Ethylbenzene	170	2.5	ug/L	EPA 8020	12/22/99
Total Xylenes	110	2.5	ug/L	EPA 8020	12/22/99
Methyl-t-butyl ether	< 25	25	ug/L	EPA 8020	12/22/99
TPH as Gasoline	4100	250	ug/L	M EPA 8015	12/22/99
aaa-Trifluorotoluene (8020 Surrogate)	97.7		% Recovery	EPA 8020	12/22/99
aaa-Trifluorotoluene (Gasoline Surrogate)	104		% Recovery	M EPA 8015	12/22/99

Sample : MW-2

Matrix : Water

Sample Date : 12/13/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	26	0.50	ug/L	EPA 8020	12/22/99
Toluene	0.93	0.50	ug/L	EPA 8020	12/22/99
Ethylbenzene	52	0.50	ug/L	EPA 8020	12/22/99
Total Xylenes	96	0.50	ug/L	EPA 8020	12/22/99
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	12/22/99
TPH as Gasoline	3000	50	ug/L	M EPA 8015	12/22/99
aaa-Trifluorotoluene (8020 Surrogate)	84.8		% Recovery	EPA 8020	12/22/99
aaa-Trifluorotoluene (Gasoline Surrogate)	180		% Recovery	M EPA 8015	12/22/99

Approved By: Joel Kiff



Report Number : 15640

Date : 12/28/99

Project Name : Beacon 720

Project Number : 94-720-01

Sample : MW-3

Matrix : Water

Sample Date : 12/13/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Toluene	0.52	0.50	ug/L	EPA 8020	12/22/99
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Total Xylenes	1.0	0.50	ug/L	EPA 8020	12/22/99
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	12/22/99
TPH as Gasoline	830	50	ug/L	M EPA 8015	12/22/99
aaa-Trifluorotoluene (8020 Surrogate)	65.2		% Recovery	EPA 8020	12/22/99
aaa-Trifluorotoluene (Gasoline Surrogate)	156		% Recovery	M EPA 8015	12/22/99

Sample : MW-4

Matrix : Water

Sample Date : 12/13/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	1.3	0.50	ug/L	EPA 8020	12/22/99
Toluene	1.0	0.50	ug/L	EPA 8020	12/22/99
Ethylbenzene	1.2	0.50	ug/L	EPA 8020	12/22/99
Total Xylenes	4.8	0.50	ug/L	EPA 8020	12/22/99
Methyl-t-butyl ether	12	5.0	ug/L	EPA 8020	12/22/99
TPH as Gasoline	< 50	50	ug/L	M EPA 8015	12/22/99
aaa-Trifluorotoluene (8020 Surrogate)	100		% Recovery	EPA 8020	12/22/99
aaa-Trifluorotoluene (Gasoline Surrogate)	102		% Recovery	M EPA 8015	12/22/99

Approved By: Joel Kiff



Report Number : 15640

Date : 12/28/99

Project Name : Beacon 720

Project Number : 94-720-01

Sample : MW-5

Matrix : Water

Sample Date : 12/13/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Toluene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Total Xylenes	13	0.50	ug/L	EPA 8020	12/22/99
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	12/22/99
TPH as Gasoline	140	50	ug/L	M EPA 8015	12/22/99
aaa-Trifluorotoluene (8020 Surrogate)	98.2		% Recovery	EPA 8020	12/22/99
aaa-Trifluorotoluene (Gasoline Surrogate)	101		% Recovery	M EPA 8015	12/22/99

Sample : MW-6

Matrix : Water

Sample Date : 12/13/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	12/23/99
Toluene	< 0.50	0.50	ug/L	EPA 8020	12/23/99
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	12/23/99
Total Xylenes	< 0.50	0.50	ug/L	EPA 8020	12/23/99
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	12/23/99
TPH as Gasoline	< 50	50	ug/L	M EPA 8015	12/23/99
aaa-Trifluorotoluene (8020 Surrogate)	103		% Recovery	EPA 8020	12/23/99
aaa-Trifluorotoluene (Gasoline Surrogate)	102		% Recovery	M EPA 8015	12/23/99

Approved By: Joel Kiff



Report Number : 15640

Date : 12/28/99

Project Name : Beacon 720

Project Number : 94-720-01

Sample : MW-7

Matrix : Water

Sample Date : 12/13/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Toluene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Total Xylenes	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	12/22/99
TPH as Gasoline	< 50	50	ug/L	M EPA 8015	12/22/99
aaa-Trifluorotoluene (8020 Surrogate)	99.5		% Recovery	EPA 8020	12/22/99
aaa-Trifluorotoluene (Gasoline Surrogate)	100		% Recovery	M EPA 8015	12/22/99

Sample : MW-8

Matrix : Water

Sample Date : 12/13/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	35	5.0	ug/L	EPA 8020	12/23/99
Toluene	< 5.0	5.0	ug/L	EPA 8020	12/23/99
Ethylbenzene	280	5.0	ug/L	EPA 8020	12/23/99
Total Xylenes	730	5.0	ug/L	EPA 8020	12/23/99
Methyl-t-butyl ether	< 50	50	ug/L	EPA 8020	12/23/99
TPH as Gasoline	6700	500	ug/L	M EPA 8015	12/23/99
aaa-Trifluorotoluene (8020 Surrogate)	99.9		% Recovery	EPA 8020	12/23/99
aaa-Trifluorotoluene (Gasoline Surrogate)	108		% Recovery	M EPA 8015	12/23/99

Approved By: Joel Kiff



Report Number : 15640

Date : 12/28/99

Project Name : Beacon 720

Project Number : 94-720-01

Sample : MW-9

Matrix : Water

Sample Date : 12/13/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Toluene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Total Xylenes	< 0.50	0.50	ug/L	EPA 8020	12/22/99
Methyl-t-butyl ether	< 5.0	5.0	ug/L	EPA 8020	12/22/99
TPH as Gasoline	60	50	ug/L	M EPA 8015	12/22/99
aaa-Trifluorotoluene (8020 Surrogate)	99.2		% Recovery	EPA 8020	12/22/99
aaa-Trifluorotoluene (Gasoline Surrogate)	101		% Recovery	M EPA 8015	12/22/99

Approved By: Joel Kiff



Ultramar Inc.
CHAIN OF CUSTODY REPORT

BEACON

JAN-17-00 MON 09:00 AM

Beacon Station No. 720	Sampler (Print Name) Edgar Cvetka	ANALYSES			Date 12-13-99	Form No. 1 of 2
Project No. 94-720-01	Sampler (Signature) 				STANDARD TA+	
Project Location SAN LEANDRO	Affiliation DOUCOS					
Sample No./Identification	Date	Time	Lab No.	BTEX	No. of Containers	REMARKS
MW-1	12-13-99	1:32	-01	XX	3	
MW-2		1:17	-02			
MW-3		1:00	-03			
MW-4		1:52	-04			
MW-5		1:35	-05			
MW-6		12:46	-06			
MW-7		12:22	-07			
MW-8		2:13	-08			
Relinquished by: (Signature/Affiliation) 	Date	Time	Received by: (Signature/Affiliation)		Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)		Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)		Date 12-13-99	Time 1100
Report To: RICHARD MUNCH	Bill to: ULTRAMAR INC. 525 West Third Street Hanford, CA 93230 Attention: TERRY FOX					
WHITE: Return to Client with Report	YELLOW: Laboratory Copy			PINK: Originator Copy		



Ultramar Inc.
CHAIN OF CUSTODY REPORT

BEACON

15640

Beacon Station No. 720	Sampler (Print Name) Edgar Pachetor	ANALYSES			Date 12-13-99	Form No. 2 of 2
Project No. 94-720-01	Sampler (Signature) 	BTEX	TPH (gasoline)	TPH (diesel)	No. of Containers 3	
Project Location SAN LEANDRO	Affiliation DOUCLOS					
Sample No./Identification MW - 9	Date 12-13-99	Time 3:11	Lab No. -09	X	REMARKS	
Relinquished by: (Signature/Affiliation) DOUCLOS		Date	Time	Received by: (Signature/Affiliation)		
Relinquished by: (Signature/Affiliation)		Date	Time	Received by: (Signature/Affiliation)		
Relinquished by: (Signature/Affiliation)		Date	Time	Received by: (Signature/Affiliation) K. J. Munch		
Report To: RICHARD MUNCH		Bill to: ULTRAMAR INC. 525 West Third Street Hanford, CA 93230 Attention: TERRY FOX				

WHITE: Return to Client with Report

YELLOW: Laboratory Copy

PINK: Originator Copy

32-4603 1-90



Report Number : 15129

Date : 01/10/2000

Richard Munsch
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, CA 95670

Subject : 3 Air Samples
Project Name : Beacon 720
Project Number : DO95-971

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink. The name "Joel" is written vertically on the left, and "Kiff" is written horizontally to the right, overlapping the "el".

Joel Kiff



Report Number : 15129

Date : 01/10/2000

Project Name : Beacon 720

Project Number : DO95-971

Sample : effluent Air

Matrix : Air

Sample Date : 10/12/1999

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8020	10/12/1999
Toluene	< 0.050	0.050	Molar ppm	EPA 8020	10/12/1999
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8020	10/12/1999
Total Xylenes	0.063	0.050	Molar ppm	EPA 8020	10/12/1999
TPH as Gasoline	< 5.0	5.0	Molar ppm	M EPA 8015	10/12/1999
aaa-Trifluorotoluene (8020 Surrogate)	99.3		% Recovery	EPA 8020	10/12/1999
aaa-Trifluorotoluene (Gasoline Surrogate)	96.7		% Recovery	M EPA 8015	10/12/1999

Sample : Mid Air

Matrix : Air

Sample Date : 10/12/1999

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8020	10/12/1999
Toluene	< 0.050	0.050	Molar ppm	EPA 8020	10/12/1999
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8020	10/12/1999
Total Xylenes	0.064	0.050	Molar ppm	EPA 8020	10/12/1999
TPH as Gasoline	< 5.0	5.0	Molar ppm	M EPA 8015	10/12/1999
aaa-Trifluorotoluene (8020 Surrogate)	102		% Recovery	EPA 8020	10/12/1999
aaa-Trifluorotoluene (Gasoline Surrogate)	102		% Recovery	M EPA 8015	10/12/1999

Approved By: Joel Kiff



Report Number : 15129

Date : 01/10/2000

Project Name : **Beacon 720**

Project Number : **DO95-971**

Sample : **Influent Air**

Matrix : **Air**

Sample Date : **10/12/1999**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.96	0.050	Molar ppm	EPA 8020	10/12/1999
Toluene	8.6	0.050	Molar ppm	EPA 8020	10/12/1999
Ethylbenzene	1.1	0.050	Molar ppm	EPA 8020	10/12/1999
Total Xylenes	4.7	0.050	Molar ppm	EPA 8020	10/12/1999
TPH as Gasoline	150	5.0	Molar ppm	M EPA 8015	10/12/1999
aaa-Trifluorotoluene (8020 Surrogate)	107		% Recovery	EPA 8020	10/12/1999
aaa-Trifluorotoluene (Gasoline Surrogate)	108		% Recovery	M EPA 8015	10/12/1999

Approved By: Joel Kiff



Ultramar Inc.
CHAIN OF CUSTODY REPORT

BEACON

15129

Beacon Station No. 720	Sampler (Print Name) Martin Morgan			ANALYSES			Date 10/12/99	Form No. / of 1
Project No. DO95-971	Sampler (Signature) <i>M. Morgan</i>							Kiff Lab 630 297 4800
Project Location San Leandro, CA	Affiliation Delta Env. Cons.						No. of Containers	Standard TAT
Sample No./Identification effluent A.r	Date 0717	Time -01	Lab No. XX	BTEX	TPH (gasoline)	TPH (diesel)		REMARKS
Mid A.r		0719	-02		XX			
influent A.r		0721	-03	XX			1	
Relinquished by: (Signature/Affiliation) <i>M. Morgan / Delta</i>	Date 10/12/99	Time 1206	Received by: (Signature/Affiliation)				Date 10/12/99	Time 1206
Relinquished by: (Signature/Affiliation)			Received by: (Signature/Affiliation)					
Relinquished by: (Signature/Affiliation)			Received by: (Signature/Affiliation)					
Report To: Richard Munsch 916 638 2085			Bill to: ULTRAMAR INC. 525 West Third Street Hanford, CA 93230 Attention: Terry Fox					

WHITE: Return to Client with Report

YELLOW: Laboratory Copy

PINK: Originator Copy



Report Number : 15396

Date : 01/10/2000

Richard Munsch
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, CA 95670

Subject : 3 Air Samples
Project Name : Beacon 720
Project Number : D095-971

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". Below the signature, the name "Joel Kiff" is printed in a small, black, sans-serif font.



Report Number : 15396

Date : 01/10/2000

Project Name : Beacon 720

Project Number : D095-971

Sample : effluent Air

Matrix : Air

Sample Date : 11/17/1999

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8020	11/17/1999
Toluene	< 0.050	0.050	Molar ppm	EPA 8020	11/17/1999
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8020	11/17/1999
Total Xylenes	< 0.050	0.050	Molar ppm	EPA 8020	11/17/1999
TPH as Gasoline	< 5.0	5.0	Molar ppm	M EPA 8015	11/17/1999
aaa-Trifluorotoluene (8020 Surrogate)	104		% Recovery	EPA 8020	11/17/1999
aaa-Trifluorotoluene (Gasoline Surrogate)	102		% Recovery	M EPA 8015	11/17/1999

Sample : Mid Air

Matrix : Air

Sample Date : 11/17/1999

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.067	0.050	Molar ppm	EPA 8020	11/17/1999
Toluene	< 0.050	0.050	Molar ppm	EPA 8020	11/17/1999
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8020	11/17/1999
Total Xylenes	< 0.050	0.050	Molar ppm	EPA 8020	11/17/1999
TPH as Gasoline	< 5.0	5.0	Molar ppm	M EPA 8015	11/17/1999
aaa-Trifluorotoluene (8020 Surrogate)	103		% Recovery	EPA 8020	11/17/1999
aaa-Trifluorotoluene (Gasoline Surrogate)	101		% Recovery	M EPA 8015	11/17/1999

Approved By: Joel Kiff



Report Number : 15396

Date : 01/10/2000

Project Name : **Beacon 720**

Project Number : **D095-971**

Sample : **Influent Air**

Matrix : Air

Sample Date : 11/17/1999

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.22	0.050	Molar ppm	EPA 8020	11/17/1999
Toluene	1.9	0.050	Molar ppm	EPA 8020	11/17/1999
Ethylbenzene	0.32	0.050	Molar ppm	EPA 8020	11/17/1999
Total Xylenes	1.7	0.050	Molar ppm	EPA 8020	11/17/1999
TPH as Gasoline	21	5.0	Molar ppm	M EPA 8015	11/17/1999
aaa-Trifluorotoluene (8020 Surrogate)	95.5		% Recovery	EPA 8020	11/17/1999
aaa-Trifluorotoluene (Gasoline Surrogate)	103		% Recovery	M EPA 8015	11/17/1999





Approved By: Joel Kiff



Ultramar Inc.
CHAIN OF CUSTODY REPORT

BEACON

15396

Beacon Station No. 720	Sampler (Print Name) Martin Morgan			ANALYSES			Date 11-17-99	Form No. of	
Project No. DO95-971	Sampler (Signature) 						Kitt LAB		
Project Location San Leandro, CA	Affiliation Delta Env. Cons.						Standard TAT		
Sample No./Identification	Date	Time	Lab No.	BTEX	TPH (gasoline)	TPH (diesel)	No. of Containers	REMARKS	
effluent Air	11/17/99	0902	-01	XX			1		
Mid Air	11/17/99	0906	-02	XX			1		
Infuent Air	11/17/99	0911	-03	XX			1		
Relinquished by: (Signature/Affiliation) 	Date 11/17/99	Time 1230	Received by: (Signature/Affiliation)				Date 11/17/99	Time 1230	
Relinquished by: (Signature/Affiliation) 	Date	Time	Received by: (Signature/Affiliation)				Date	Time	
Relinquished by: (Signature/Affiliation) 	Date	Time	Received by: (Signature/Affiliation)				Date 11/17/99	Time 1230	
Report To: Richard Munsch 916 638 2085				Bill to: ULTRAMAR INC. 525 West Third Street Hanford, CA 93230 Attention: Terry Fox					

WHITE: Return to Client with Report

YELLOW: Laboratory Copy

PINK: Originator Copy

20001100



Report Number : 15701

Date : 1/3/00

Richard Munsch
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, CA 95670

Subject : 3 Air Samples
Project Name : Beacon 720
Project Number : DO95-971

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". The signature is fluid and cursive, with "Joel" on the left and "Kiff" on the right, connected by a vertical line.

Joel Kiff



Report Number : 15701

Date : 1/3/00

Project Name : Beacon 720

Project Number : DO95-971

Sample : INF Air

Matrix : Air

Sample Date : 12/28/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	1.2	0.20	Molar ppm	EPA 8020	12/28/99
Toluene	22	0.20	Molar ppm	EPA 8020	12/28/99
Ethylbenzene	2.4	0.20	Molar ppm	EPA 8020	12/28/99
Total Xylenes	12	0.20	Molar ppm	EPA 8020	12/28/99
TPH as Gasoline	570	20	Molar ppm	M EPA 8015	12/28/99
aaa-Trifluorotoluene (8020 Surrogate)	41.3		% Recovery	EPA 8020	12/28/99
aaa-Trifluorotoluene (Gasoline Surrogate)	59.4		% Recovery	M EPA 8015	12/28/99

Sample : MID Air

Matrix : Air

Sample Date : 12/28/99

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.052	0.050	Molar ppm	EPA 8020	12/28/99
Toluene	< 0.050	0.050	Molar ppm	EPA 8020	12/28/99
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8020	12/28/99
Total Xylenes	< 0.050	0.050	Molar ppm	EPA 8020	12/28/99
TPH as Gasoline	< 5.0	5.0	Molar ppm	M EPA 8015	12/28/99
aaa-Trifluorotoluene (8020 Surrogate)	96.6		% Recovery	EPA 8020	12/28/99
aaa-Trifluorotoluene (Gasoline Surrogate)	100		% Recovery	M EPA 8015	12/28/99

Approved By: Joel Kiff



Report Number : 15701

Date : 1/3/00

Project Name : **Beacon 720**

Project Number : **DO95-971**

Sample : **EFF Air**

Matrix : **Air**

Sample Date : **12/28/99**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8020	12/28/99
Toluene	< 0.050	0.050	Molar ppm	EPA 8020	12/28/99
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8020	12/28/99
Total Xylenes	< 0.050	0.050	Molar ppm	EPA 8020	12/28/99
TPH as Gasoline	< 5.0	5.0	Molar ppm	M EPA 8015	12/28/99
aaa-Trifluorotoluene (8020 Surrogate)	96.5		% Recovery	EPA 8020	12/28/99
aaa-Trifluorotoluene (Gasoline Surrogate)	102		% Recovery	M EPA 8015	12/28/99

Approved By: Joel Kiff



Ultramar Inc.
CHAIN OF CUSTODY REPORT

BEACON

Beacon Station No. 720	Sampler (Print Name) Chris Hill			ANALYSES			Date 12-26-99	Form No. of 1
Project No. D095-971	Sampler (Signature)						Kidd LAB	
Project Location SAW Lemdros	Affiliation Delta						Hanford TAT	
Sample No./Identification	Date	Time	Lab No.	BTEX	TPH (gasoline)	TPH (diesel)	No. of Containers	REMARKS
INF Air	12-26-99	1240	-01	X			1	
MID		1238	-02	X			1	
EFF Air	12-26-99	1236	-03	X			1	
Relinquished by: (Signature/Affiliation)	Date 12-26 99	Time 1410	Received by: (Signature/Affiliation)				Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)				Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)				Date 12-26-99	Time 1410
Report To: Richard Marsh Delta				Bill to: ULTRAMAR INC. 925 West Third Street Hanford, CA 93230 Attention: Terry Fox				

WHITE: Return to Client with Report

YELLOW: Laboratory Copy

PINK: Originator Copy

50-8000 1/90