



SEP 06 2001

1704 Via Riata, Roseville, CA 95747

Tel: (916) 771-7098, FAX : (916) 771-4584

July 22, 2001

Mr. Scott Seery
Alameda County Health Care Agency
Department of Environmental Health
1131 Harbor Parkway, Room 250
Alameda, CA 94502-6577

Subject: *Quarterly Ground Water Monitoring and Remediation System Status Report, Second Quarter 2001*
Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California
Doulos Project No. 00-3720

Dear Mr. Seery:

This report describes quarterly ground water monitoring and remediation system activities conducted during the **Second Quarter 2001**.

STATUS OF GROUND WATER MONITORING

Doulos Environmental, Inc. (Doulos) has been authorized by Ultramar Inc. to perform quarterly ground water monitoring and remediation system oversight for the subject site. This report describes quarterly ground water monitoring and remediation system status for the **Second Quarter 2001**.

Cumulative ground water sampling information is tabulated in Table 1. A site topographic map, site map, ground water elevation contour map and concentration map are shown as Figures 1 through 4, respectively. The site history is included in Enclosure A, the quarterly monitoring data sheets are included in Enclosure B and the ground water analytical results are included in Enclosure C. Historical ground water monitoring data is included in Enclosure D.

- Historical ground water flow direction is to the southwest.
- The ground water table was influenced by the May 21 and 22, 2001 vacuum truck events conducted on monitoring well MW-2.

Work Performed During the Second Quarter 2001:

- Doulos performed ground water sampling on **May 22, 2001**.

Interim Remediation:

- On **May 21 and 22, 2001**, 2,500 gallons of ground water were over purged from monitoring well MW-2 using a vacuum truck.

Mr. Scott Seery
Alameda County Health Care Agency
Department of Environmental Health
July 22, 2001
Page 2

Analytical results from the above referenced interim remediation are included in Table 2. Laboratory analytical result for the above referenced interim remediation activity is included in Enclosure C.

STATUS OF REMEDIATION SYSTEM

Operation and maintenance is performed bi-monthly by Dousos on a remediation system consisting of ground water treatment, soil vapor extraction (SVE) and air sparging components. A process flow diagram showing details of the system is shown as Figures 5.

Operation & Maintenance Site Visits:

- Operation and maintenance site visits were conducted for the **Second Quarter 2001** on:
 - **April 5 and 18, 2001**
 - **May 15, 21, and 22, 2001**
 - **June 5 and 21, 2001**

Ground Water Extraction System Performance:

- The Ground Water Treatment System did not operate during the **Second Quarter 2001**.
- During the **Second Quarter 2001**, the ground water system processed **Zero (0)** gallons.
As of June 23, 2001, the ground water system has processed approximately **228,500** gallons.
- The Ground Water Treatment system has not operated continuously since **March 1998** and has only processed purge water since that time.
- Due to the elevated concentration reported in the most recent ground water sampling events, Ultramar may start up the ground water system in the future. The sanitary sewer agency will be notified of system modification or system start-up.
- Monitoring wells MW-4, MW-5 and MW-9 are recovery wells.

Soil Vapor Extraction System Performance:

- The SVE system operated continuously during the **Second Quarter 2001**.
~3.5 gal
- During the **Second Quarter 2001**, the SVE system removed approximately **23.0** pounds of vapor equivalent gasoline.
- As of **June 23, 2001**, the SVE system has removed approximately **2,485** pounds (**407** gallons) of vapor equivalent gasoline.
- Soil vapor extraction is conducted on MW-1 through MW-5, MW-8, MW-9 and vapor well VW-1.
- The SVE analytical results are included in Table 3 and the SVE performance data is included in Table 4. Remediation system analytical results are included in Enclosure E.

Mr. Scott Seery
Alameda County Health Care Agency
Department of Environmental Health
July 22, 2001
Page 3

Air Sparging System Performance:

- The Air Sparging system did not operate during the Second Quarter 2001.
- Air sparging system is connected to sparge points SP-1 through SP-6.

CONCLUSIONS/RECOMMENDATIONS

Doulos recommends continued operation of the remediation system and quarterly ground water monitoring.

The interpretations contained in this report represent our professional opinions and are based, in part, on information supplied by the client. These opinions are based on currently available information and are arrived at in accordance with currently accepted hydrogeologic and engineering practices at this time and location. Other than this, no warranty is implied or intended.

If you have any questions concerning this project, please contact Richard Munsch at (916) 771-7098.

DOULOS ENVIRONMENTAL, INC.



Richard D. Munsch

Project Manager


Hal Hansen, R.G.

California Registered Geologist No.6697

RDM (3720 2Q GWM 5-21-01)



cc: Mr. Joe Aldridge – Ultramar Inc.
Mr. Paul Zolfarelli – City of San Leandro
Case Worker – California Regional Water Quality Control Board – San Francisco Bay Region

Enclosures:

- Enclosure A: Site Background Information
- Enclosure B: Ground Water Sampling Information
- Enclosure C: Ground Water Analytical Results
- Enclosure D: Historical Ground Water Monitoring Data
- Enclosure E: Remediation System Analytical Results

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation (ft)	Depth to Ground Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-1	03/12/98	33.10	11.09	22.01	<0.5	<0.5	5.0	2.8	100	<5.0	No sheen
	05/28/98		11.36	21.74	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	08/31/98		12.61	20.49	<0.5	<0.5	6.4	1.4	130	<5.0	No sheen
	11/19/98		13.84	19.26	0.75	<0.5	<0.5	3.0	120	<5.0	No sheen
	03/15/99		11.95	21.15	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/07/99		13.45	19.65	1.6	1.9	230	110	5,200	<5.0	No sheen
	09/07/99		13.10	20.00	1.0	<0.5	22	15	490	<5.0	No sheen
	12/13/99		14.29	18.81	<2.5	<2.5	170	110	4,100	<25	No sheen
	03/08/00		11.22	21.88	<0.5	<0.5	21	7.7	1,200	150	No sheen
	06/12/00		12.85	20.25	1.5	0.9	160	98	3,000	34	No sheen
	11/15/00		14.19	18.91	<20	<20	470	390	8,500	14,000	No sheen
	02/27/01		12.35	20.75	5.4	2.6	260	190	6,100	4,300	No sheen
	05/22/01		14.18	18.92	8.9	13	1,100	1,300	21,000	2,300	No sheen
MW-2	03/12/98	32.80	10.92	21.88	32	1.0	12	6.5	440	20	No sheen
	05/28/98		10.41	22.39	<0.5	<0.5	<0.5	<0.5	<50	27	No sheen
	08/31/98		12.29	20.51	9.3	0.95	4.9	8.8	270	20	No sheen
	11/19/98		13.47	19.33	16	0.72	<0.5	4.3	180	7.4	No sheen
	03/15/99		11.95	20.85	12	3.5	59	840	2,400	10	No sheen
	06/07/99		13.11	19.69	21	0.99	6.9	10	690	6.1	No sheen
	09/07/99		12.92	19.88	7.8	1.2	42	100	610	<5.0	No sheen
	12/13/99		13.96	18.84	26	0.93	52	96	3,000	<5.0	No sheen
	03/08/00		10.87	21.93	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/12/00		12.53	20.27	51	17	170	320	5,500	18	No sheen
	11/15/00		13.96	18.84	75	48	1,200	2,800	16,000	19,000	No sheen
	02/27/01		12.29	20.51	54	24	320	870	10,000	6,000	No sheen
	05/22/01		15.51	17.29	12	5.0	79	100	2,400	3,500	No sheen
MW-3	03/12/98	32.30	10.81	21.49	0.67	<0.5	7.1	3.4	1,200	7.3	No sheen
	05/28/98		11.45	20.85	<0.5	0.5	<0.5	<0.5	350	<5.0	No sheen
	08/31/98		12.21	20.09	<0.5	0.89	0.69	<0.5	240	<5.0	No sheen
	11/19/98		13.26	19.04	5.3	0.72	0.86	4.2	440	<5.0	No sheen
	03/15/99		11.89	20.41	3.3	1.3	0.77	<0.5	410	<5.0	No sheen
	06/07/99		12.91	19.39	<0.5	2.0	<0.5	0.66	680	<5.0	No sheen
	09/07/99		12.81	19.49	<0.5	0.62	<0.5	8.7	150	12	No sheen
	12/13/99		13.75	18.55	<0.5	0.52	<0.5	1.0	830	<5.0	No sheen
	03/08/00		11.39	20.91	0.58	<0.5	0.77	<0.5	960	<5.0	No sheen
	06/12/00		12.58	19.72	1.7	<0.5	46	6.3	1,700	<5.0	No sheen
	11/15/00		13.85	18.45	<200	<200	<200	<200	<20,000	84,000	No sheen
	02/27/01		12.22	20.08	98	<20	130	30	3,500	16,000	No sheen
	05/22/01		13.66	18.64	41	<20	20	<20	<2,000	5,800	No sheen

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation (ft)	Depth to Ground Water (ft)	Ground Water Elevation			Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
				Benzene (µg/L)	Toluene (µg/L)						
MW-4	03/12/98	32.90	11.31	21.59	2,200	1,500	630	3,000	14,000	440	No sheen
	05/28/98		10.40	22.50	<0.5	0.75	0.68	6.9	67	26	No sheen
	08/31/98		12.54	20.36	1.8	2.5	0.65	3.4	<50	<5.0	No sheen
	11/19/98		13.99	18.91	<0.5	<0.5	<0.5	0.61	<50	17	No sheen
	03/15/99		12.06	20.84	1.2	1.6	0.76	4.5	160	9.3	No sheen
	06/07/99		13.57	19.33	210	370	350	2,000	5,800	<20	No sheen
	09/07/99		10.30	22.60	2.2	2.8	4.8	25	130	12	No sheen
	12/13/99		14.18	18.72	1.3	1.0	1.2	4.8	<50	12	No sheen
	03/08/00		11.77	21.13	78	200	160	750	3,700	11	No sheen
	06/12/00		13.47	19.43	<0.5	<0.5	<0.5	<0.5	<50	24	No sheen
	11/15/00		14.33	18.57	12	38	28	130	710	1,300	No sheen
MW-5	02/27/01		14.25	18.65	67	300	310	1,400	6,500	1,000	No sheen
	05/22/01		13.99	18.91	2.1	5.6	4.8	20	130	350	No sheen
	03/12/98	32.70	11.11	21.59	2,600	160	470	2,200	12,000	<250	No sheen
	05/28/98		10.92	21.78	480	99	160	730	4,700	<250	No sheen
	08/31/98		12.79	19.91	200	14	55	220	1,400	180	No sheen
	11/19/98		13.39	19.31	1.4	<0.5	<0.5	<0.5	<50	39	No sheen
	03/15/99		11.71	20.99	320	17	290	780	3,400	33	No sheen
	06/07/99		13.26	19.44	220	8.9	240	290	3,200	<25	No sheen
	09/07/99		9.70	23.00	8.5	<0.5	8.5	12	140	38	No sheen
	12/13/99		14.06	18.64	<0.5	<0.5	<0.5	13	140	<5.0	No sheen
	03/08/00		11.80	20.90	0.66	<0.5	2.5	30	280	<5.0	No sheen
	06/12/00		12.99	19.71	22	1.2	79	170	2,700	6.4	No sheen
MW-6	11/15/00		14.23	18.47	36	1.6	180	180	4,500	10	No sheen
	02/27/01		12.66	20.04	33	1.6	160	220	2,800	110	No sheen
	05/22/01		13.58	19.12	49	2.2	180	230	3,200	240	No sheen
	03/12/98	30.40	10.49	19.91	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	05/28/98		10.58	19.82	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	08/31/98		10.85	19.55	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	11/19/98		10.88	19.52	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	03/15/99		10.83	19.57	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/07/99		11.01	19.39	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	09/07/99		11.89	18.51	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	12/13/99		12.09	18.31	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	03/08/00		10.02	20.38	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/12/00		11.07	19.33	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	11/15/00		12.34	18.06	<0.5	<0.5	<0.5	<0.5	<50	<0.5	No sheen
	02/27/01		10.75	19.65	<0.5	<0.5	<0.5	<0.5	<50	<0.5	No sheen
	05/22/01		11.55	18.85	<0.5	<0.5	<0.5	<0.5	<50	<0.5	No sheen

TABLE 1
GROUND WATER MONITORING DATA

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation (ft)	Depth to Ground Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-7	03/12/98	31.20	10.14	21.06	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	05/28/98		10.93	20.27	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	08/31/98		12.01	19.19	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	11/19/98		12.54	18.66	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	03/15/99		10.94	20.26	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/07/99		12.05	19.15	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	09/07/99		12.67	18.53	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	12/13/99		12.73	18.47	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	03/08/00		10.90	20.30	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/12/00		12.61	18.59	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	11/15/00		13.06	18.14	<0.5	<0.5	<0.5	<0.5	<50	<0.5	No sheen
	02/27/01		11.85	19.35	<0.5	<0.5	<0.5	<0.5	<50	<0.5	No sheen
	05/22/01		12.31	18.89	<0.5	<0.5	<0.5	<0.5	<50	<0.5	No sheen
MW-8	03/12/98	33.80	11.81	21.99	1.4	<0.5	<0.5	<0.5	72	<5.0	No sheen
	05/28/98		12.14	21.66	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	08/31/98		13.16	20.64	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	11/19/98		14.56	19.24	510	24	1,200	2,800	14,000	<5.0	No sheen
	03/15/99		12.40	21.40	160	16	910	2,100	14,000	<50	No sheen
	06/07/99		14.06	19.74	330	14	470	880	7,800	<50	No sheen
	09/07/99		14.01	19.79	150	2.6	260	370	3,200	<5.0	No sheen
	12/13/99		14.91	18.89	35	<5.0	280	730	6,700	<50	No sheen
	03/08/00		11.85	21.95	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/12/00		13.59	20.21	4.0	<0.5	4.9	2.1	140	<5.0	No sheen
	11/15/00		14.94	18.86	2.0	<0.5	3.1	2.6	100	110	No sheen
	02/27/01		NM	NC	NS	NS	NS	NS	NS	NS	Tank Over Well
	05/22/01		NM	NC	NS	NS	NS	NS	NS	NS	Tank Over Well
MW-9	03/12/98	32.56	10.93	21.63	320	23	180	720	3,700	190	No sheen
	05/28/98		11.31	21.25	110	6.4	87	300	2,200	220	No sheen
	08/31/98		12.16	20.40	240	23	690	1,900	11,000	<50	No sheen
	11/19/98		11.04	21.52	7.7	<0.5	10	22	280	67	No sheen
	03/15/99		11.81	20.75	<0.5	<0.5	<0.5	1.2	<50	<5.0	No sheen
	06/07/99		12.21	20.35	9.3	0.86	9.7	12	340	<5.0	No sheen
	09/07/99		10.10	22.46	0.76	<0.5	1.9	0.8	72	9.9	No sheen
	12/13/99		13.64	18.92	<0.5	<0.5	<0.5	<0.5	60	<5.0	No sheen
	03/08/00		10.88	21.68	<0.5	<0.5	<0.5	<0.5	<50	<5.0	No sheen
	06/12/00		12.50	20.06	0.9	<0.5	2.7	1.3	640	10	No sheen
	11/15/00		13.60	18.96	<0.5	<0.5	0.69	<0.5	200	12	No sheen
	02/27/01		12.15	20.41	0.61	<0.5	2.2	1.2	360	42	No sheen
	05/22/01		13.20	19.36	0.57	<0.5	2.1	0.61	330	290	No sheen

TPH = Total petroleum hydrocarbons.

MTBE = Methyl tertiary butyl ether.

µg/L = Micrograms per liter.

TABLE 2
ADDITIONAL GROUND WATER MONITORING DATA

Beacon Station No.3720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Sample I.D.	Time	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH ^a as gasoline (µg/L)	MTBE ^b (µg/L)	DIPE ^c (µg/L)	ETBE ^d (µg/L)	TAME ^e (µg/L)	TBA ^f (µg/L)	Comments
MW-2	10/04/00	MW-2-IN	5:58 AM	150	<100	180	390	<10,000	91,000	NA	NA	NA	NA	
	10/04/00	MW-2-FI	8:50 AM	78	54	420	1,100	8,000	27,000	NA	NA	NA	NA	
	10/17/00	MW-2	9:45 AM	160	140	2,200	6,100	86,000	26,000	NA	NA	NA	NA	
	11/29/00	MW-2-IN	7:30 AM	62	66	1,000	3,800	19,000	12,000	NA	NA	NA	NA	
	11/29/00	MW-2-FI	2:20 PM	41	5.9	110	240	3,600	16,000	NA	NA	NA	NA	
	12/04/00	MW-2-IN	10:35 AM	87	82	1,300	4,400	22,000	7,900	<20	<20	<20	580	
	12/04/00	MW-2-FI	5:30 PM	51	<20	92	190	3,300	12,000	<20	<20	<20	990	
	05/21/01	MW-2	7:30 AM	74	85	500	2,000	13,000	930	NA	NA	NA	NA	
MW-3	10/04/00	MW-3-IN	8:40 AM	<200	<200	<200	<200	<20,000	150,000	NA	NA	NA	NA	
	10/04/00	MW-3-FI	9:20 AM	60	12	54	23	2,600	100,000	NA	NA	NA	NA	
	10/17/00	MW-3	10:20 AM	57	<50	50	<50	5,200	110,000	NA	NA	NA	NA	
	11/29/00	MW-3-IN	9:30 AM	94	<50	77	<50	<5,000	68,000	NA	NA	NA	NA	
	11/29/00	MW-3-FI	4:05 PM	<100	<100	<100	<100	<10,000	61,000	NA	NA	NA	NA	
	12/04/00	MW-3-IN	10:35 AM	93	<50	74	<50	<5,000	65,000	<50	<50	96	6,000	
	12/04/00	MW-3-FI	7:10 PM	<100	<100	<100	<100	<10,000	47,000	<100	<100	100	2,700	

a) Total Petroleum Hydrocarbon as gasoline

b) Methyl-t-butyl ether

c) Diisopropyl ether

d) Ethyl-t-butyl ether

e) Tert-amyl methyl ether

f) Tert Butanol

µg/L = Micrograms per liter.

TABLE 3
SVE SYSTEM ANALYTICAL RESULTS

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)
Influent	06/05/97	3.2	0.72	1.2	2.5	220
Effluent	06/05/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	07/03/97	0.30	0.67	0.23	1.8	86
Effluent	07/03/97	<0.05	0.054	<0.05	0.13	<5.0
Influent	07/22/97	0.76	1.6	0.92	5.3	270
Effluent	07/22/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	08/07/97	2.0	1.3	0.53	2.7	130
Effluent	08/07/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	09/04/97	1.8	0.73	1.3	5.9	190
Effluent	09/04/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	10/24/97	0.49	0.52	0.35	2.3	54
Effluent	10/24/97	<0.05	<0.05	<0.05	0.057	<5.0
Effluent	11/26/97	0.094	0.089	<0.05	0.062	5.3
Influent	12/10/97	<0.05	0.44	0.076	0.37	5.8
Effluent	12/10/97	<0.05	0.062	<0.05	<0.05	<5.0
Influent	12/12/97	0.59	0.17	0.49	2.0	26
Effluent	12/12/97	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	01/12/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	01/12/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	04/23/98	0.18	0.32	0.072	0.47	18
Mid-Carbon	04/23/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	04/23/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	06/09/98	<0.05	<0.05	<0.05	<0.05	<5.0
Mid-Carbon	06/09/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	06/09/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	07/07/98	0.067	<0.05	<0.05	<0.05	<5.0
Mid-Carbon	07/07/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	07/07/98	<0.05	<0.05	<0.05	<0.05	<5.0

TABLE 3
SVE SYSTEM ANALYTICAL RESULTS

Beacon Station No. 3720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)
Mid-Carbon	07/21/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	08/11/98	<0.05	0.06	<0.05	0.071	<5.0
Mid-Carbon	08/11/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	08/11/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	09/10/98	0.16	0.46	0.062	0.20	16
Mid-Carbon	09/10/98	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	09/10/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	09/23/98	0.16	0.32	<0.05	0.20	9.4
Mid-Carbon	09/23/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	10/20/98	0.63	0.19	0.062	0.17	28
Mid-Carbon	10/20/98	0.79	0.37	<0.05	0.088	48
Effluent	10/20/98	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	11/26/98	0.13	0.43	0.072	0.35	9.2
Influent	12/08/99	0.73	2.2	0.15	0.71	43
Mid-Carbon	12/08/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	12/08/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	01/13/99	0.068	0.057	<0.05	0.095	6.5
Mid-Carbon	01/13/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	01/13/99	<0.05	<0.05	<0.05	<0.05	5.4
Effluent	01/28/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	02/10/99	1.1	1.2	0.071	0.28	56
Mid-Carbon	02/10/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	02/10/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	03/10/99	0.070	<0.05	<0.05	<0.05	<5.0
Mid-Carbon	03/10/99	0.069	<0.05	<0.05	<0.05	28
Effluent	03/10/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	04/07/99	0.22	0.078	<0.05	0.060	17
Influent	06/08/99	<0.05	<0.05	<0.05	<0.05	<5.0
Mid-Carbon	06/08/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	06/08/99	<0.05	<0.05	<0.05	<0.05	<5.0

TABLE 3
SVE SYSTEM ANALYTICAL RESULTS

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)
Influent	07/12/99	0.16	0.77	<0.05	0.18	11
Mid-Carbon	07/12/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	07/12/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	08/09/99	0.092	1.0	0.20	0.94	12
Mid-Carbon	08/09/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	08/09/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	09/07/99	0.069	0.41	0.07	0.38	16
Mid-Carbon	09/07/99	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	09/07/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	10/12/99	0.96	8.6	1.1	4.7	150
Mid-Carbon	10/12/99	<0.05	<0.05	<0.05	0.064	<5.0
Effluent	10/12/99	<0.05	<0.05	<0.05	0.063	<5.0
Influent	11/17/99	0.22	1.9	0.32	1.7	21
Mid-Carbon	11/17/99	0.067	<0.05	<0.05	<0.05	<5.0
Effluent	11/17/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	12/28/99	1.2	22	2.4	12	570
Mid-Carbon	12/28/99	0.052	<0.05	<0.05	<0.05	<5.0
Effluent	12/28/99	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	01/12/00	0.45	1.7	0.18	1.0	110
Mid-Carbon	01/12/00	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	01/12/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	01/26/00	0.059	0.77	0.19	1.1	14
Mid-Carbon	01/26/00	0.20	<0.05	<0.05	<0.05	<5.0
Effluent	01/26/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	02/06/00	0.095	1.4	0.18	0.87	22
Mid-Carbon	02/06/00	0.20	<0.05	<0.05	<0.05	<5.0
Effluent	02/06/00	<0.05	<0.05	<0.05	<0.05	<5.0

TABLE 3
SVE SYSTEM ANALYTICAL RESULTS

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)
Influent	02/09/00	0.45	3.1	0.52	2.8	59
Mid-Carbon	02/09/00	0.18	<0.05	<0.05	<0.05	<5.0
Effluent	02/09/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	03/16/00	0.10	3.5	0.54	4.1	46
Mid-Carbon	03/16/00	0.83	0.31	<0.05	<0.05	22
Effluent	03/16/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	04/04/00	0.17	1.9	0.29	2.0	23
Mid	04/04/00	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	04/04/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	05/12/00	<0.05	0.059	<0.05	0.091	<5.0
Mid	05/12/00	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	05/12/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	06/19/00	<0.05	0.12	<0.05	<0.05	<5.0
Mid	06/19/00	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	06/19/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	07/25/00	2.4	8.1	0.80	3.5	140
Mid	07/25/00	<0.050	0.07	<0.050	<0.050	12
Effluent	07/25/00	<0.05	<0.05	<0.05	<0.05	5.4
Influent	07/25/00	2.4	8.1	0.80	3.5	140
Mid	07/25/00	<0.050	0.07	<0.050	<0.050	12
Effluent	07/25/00	<0.05	<0.05	<0.05	<0.05	5.4
Influent	08/09/00	2.4	8.1	0.80	3.5	140
Mid	08/09/00	<0.050	0.07	<0.050	<0.050	12
Effluent	08/09/00	<0.05	<0.05	<0.05	<0.05	5.4
Influent	09/06/00	2.4	8.1	0.80	3.5	140
Mid	09/06/00	<0.050	0.07	<0.050	<0.050	12
Effluent	09/06/00	<0.05	<0.05	<0.05	<0.05	5.4
Influent	10/17/00	<0.05	0.075	<0.05	0.14	<5.0
Mid	10/17/00	<0.050	0.07	<0.050	<0.050	<5.0
Effluent	10/17/00	<0.05	<0.05	<0.05	<0.05	<5.0

TABLE 3
SVE SYSTEM ANALYTICAL RESULTS

Beacon Station No. 3720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)
Influent	11/29/00	<0.05	0.24	0.08	0.29	<5.0
Mid	11/29/00	<0.05	0.07	<0.05	0.18	<5.0
Effluent	11/29/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	12/07/00	<0.05	0.13	<0.05	0.064	<5.0
Mid	12/07/00	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	12/07/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	01/07/01	0.12	0.85	0.16	0.92	17
Mid	01/07/01	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	01/07/01	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	02/23/01	0.19	1.6	0.19	1.1	32
Mid	02/23/01	<0.05	0.07	<0.05	<0.05	<5.0
Effluent	02/23/01	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	03/01/01	0.97	1.2	0.13	0.64	18
Mid	03/01/01	<0.05	0.053	<0.05	<0.098	<5.0
Effluent	03/01/01	<0.05	0.053	<0.05	0.13	<5.0
Influent	10/17/00	<0.05	0.075	<0.05	0.14	<5.0
Mid-Carbon	10/17/00	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	10/17/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	11/29/00	<0.05	0.24	0.08	0.29	<5.0
Mid-Carbon	11/29/00	<0.05	0.07	<0.05	0.18	<5.0
Effluent	11/29/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	12/07/00	<0.05	0.13	<0.05	0.064	<5.0
Mid-Carbon	12/07/00	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	12/07/00	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	01/07/01	0.12	0.85	0.16	0.92	17
Mid-Carbon	01/07/01	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	01/07/01	<0.05	<0.05	<0.05	<0.05	<5.0
Influent	02/23/01	0.19	1.6	0.19	1.1	32
Mid-Carbon	02/23/01	<0.05	0.07	<0.05	<0.05	<5.0
Effluent	02/23/01	<0.05	<0.05	<0.05	<0.05	<5.0

TABLE 3
SVE SYSTEM ANALYTICAL RESULTS

Beacon Station No. 3720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)
Infuent	03/01/01	0.97	1.2	0.13	0.64	18
Mid-Carbon	03/01/01	<0.05	0.053	<0.05	0.098	<5.0
Effluent	03/01/01	<0.05	0.11	<0.05	0.13	<5.0
Infuent	04/18/01	0.1	0.63	0.12	0.56	18
Mid-Carbon	04/18/01	<0.05	<0.05	<0.05	0.078	<5.0
Effluent	04/18/01	<0.05	<0.05	<0.05	0.11	<5.0
Infuent	05/21/01	0.088	1.0	0.31	1.5	20
Mid-Carbon	05/21/01	<0.05	<0.05	<0.05	<0.05	<5.0
Effluent	05/21/01	<0.05	<0.05	<0.05	<0.05	<5.0
Infuent	06/05/01	0.15	1.5	0.36	1.6	24
Mid-Carbon	06/05/01	<0.05	0.053	<0.05	0.098	9.1
Effluent	06/05/01	<0.05	<0.05	<0.05	<0.05	5.6

TPH = Total petroleum hydrocarbons.

µg/L = Micrograms per liter.

ppmv = parts per million by volume.

TABLE 4
SVE SYSTEM THROUGHPUT CALCULATIONS

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Date	Influent	Effluent	TPH		TPH		Benzene	Benzene	TPH		TPH		Benzene	Benzene	Cumulative		Cumulative	Change in hours of operation
	Flow Rate	Flow Rate	Influent	Effluent	Influent	Effluent	(ppmv)	(ppmv)	Removal (%)	Removal (%)	Extraction Rate (lbs/day)	Mass Emission (lbs/day)	Extraction Rate (lbs/day)	Emission Rate (lbs/day)	FID or LAB	TPH Extraction (lbs)	TPH Extraction (gallons)	Total Hours
08/18/98	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,715	---	---
09/10/98	98	98	16	<5.0	0.16	<0.05	NC	NC	0.50	<0.16	0.005	<0.002	LAB	1,721	282	2,587	552	
09/23/98	98	98	9.4	<5.0	0.16	<0.05	NC	NC	0.29	<0.16	0.005	<0.002	LAB	1,726	283	2,907	320	
10/20/98	59	59	28	<5.0	0.63	<0.05	NC	NC	0.53	<0.09	0.012	<0.001	LAB	1,727	283	2,962	55	
12/08/98	49	49	43	<5.0	0.73	<0.05	NC	NC	0.67	<0.08	0.011	<0.001	LAB	1,727	283	3,803	0*	
01/13/99	49	49	6.5	5.4	0.068	<0.05	16.9	NC	0.10	0.08	0.001	<0.001	LAB	1,738	285	4,495	692	
02/10/99	44	44	56	<5.0	1.1	<0.05	NC	NC	0.79	<0.07	0.016	<0.001	LAB	1,738	285	4,496	1	
03/10/99	15	15	<5.0	<5.0	0.07	<0.05	NC	NC	<0.02	<0.02	0.001	<0.001	LAB	1,750	287	5,172	676	
06/08/99	35	35	<5.0	<5.0	<0.05	<0.05	NC	NC	<0.06	<0.06	<0.001	<0.001	LAB	1,750	287	5,173	1	
07/12/99	39	39	11	<5.0	0.16	<0.05	NC	NC	0.14	<0.06	0.002	<0.001	LAB	1,753	287	5,982	809	
08/04/99	39	39	12	<5.0	0.092	<0.05	NC	NC	0.15	<0.06	0.001	<0.001	LAB	1,756	288	6,534	552	
09/07/99	39	39	16	<5.0	0.069	<0.05	NC	NC	0.20	<0.06	0.001	<0.001	LAB	1,762	289	7,351	817	
10/12/99	54	54	150	<5.0	0.96	<0.05	NC	NC	2.59	<0.09	0.015	<0.001	LAB	1,772	290	7,998	167**	
11/17/99	49	49	21	<5.0	0.22	<0.05	NC	NC	0.33	<0.08	0.003	<0.001	LAB	1,825	299	8,866	868	
12/28/00	49	49	570	<5.0	1.2	<0.05	NC	NC	8.96	<0.08	0.017	<0.001	LAB	1,825	299	8,867	1	
01/12/00	79	79	110	<5.0	0.45	<0.05	NC	NC	2.77	<0.13	0.010	<0.001	LAB	1,907	313	9,202	335	
01/26/00	79	79	14	<5.0	0.059	<0.05	NC	NC	0.35	<0.13	0.001	<0.001	LAB	1,929	316	9,540	338	
02/09/00	79	79	59	<5.0	0.45	<0.05	NC	NC	1.48	<0.13	0.010	<0.001	LAB	1,933	317	9,662	122	
03/16/00	79	79	46	<5.0	0.1	<0.05	NC	NC	1.16	<0.13	0.002	<0.001	LAB	1,981	325	10,525	863	
04/04/00	41	41	23	<5.0	0.17	<0.05	NC	NC	0.30	<0.07	0.002	<0.001	LAB	1,981	325	10,526	2	
05/12/00	41	41	<5.0	<5.0	<0.05	<0.05	NC	NC	<0.07	<0.07	<0.001	<0.001	LAB	1,986	326	11,164	638	
06/19/00	41	41	<5.0	<5.0	<0.05	<0.05	NC	NC	<0.07	<0.07	<0.001	<0.001	LAB	1,988	326	12,071	907	
07/11/00	41	41	<5.0	<5.0	<0.05	<0.05	NC	NC	<0.07	<0.07	<0.001	<0.001	LAB	1,990	326	12,601	530	
07/25/00	41	41	140	<5.4	2.4	<0.05	96.1	NC	1.85	0.07	0.029	<0.001	LAB	2,003	328	12,937	336	
08/09/00	41	41	2200	<5.0	25	<0.05	NC	NC	29.05	<0.07	0.299	<0.001	LAB	2,004	329	12,938	1	
09/06/00	41	41	6.8	<5.0	<0.05	<0.05	NC	NC	0.09	<0.07	<0.001	<0.001	LAB	2,409	395	13,606	668	

TABLE 4
SVE SYSTEM THROUGHPUT CALCULATIONS

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Date	Influent	Effluent	TPH Influent	TPH Effluent	Benzene	Benzene	TPH Removal	Benzene Removal	TPH	TPH	Benzene	Benzene	FID	Cumulative	Cumulative	Change in hours of operation	
	Flow Rate (ft ³ /min)	Flow Rate (ft ³ /min)			Influent (ppmv)	Effluent (ppmv)			Extraction Rate (lbs/day)	Mass Emission (lbs/day)	Extraction Rate (lbs/day)	Emission Rate (lbs/day)	Extraction Rate (lbs/day)	TPH Extraction (lbs)	TPH Extraction (gallons)	Total Hours	
10/17/00	40	40	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.06	< 0.06	< 0.001	< 0.001	LAB	2,411	395	14,054	448
11/29/00	40	40	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.06	< 0.06	< 0.001	< 0.001	LAB	2,414	396	15,062	1,008
12/07/00	40	40	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.06	< 0.06	< 0.001	< 0.001	LAB	2,414	396	15,328	266
01/19/01	87	87	17.0	<5.0	0.12	<0.05	NC	NC	< 0.47	< 0.14	< 0.003	< 0.001	LAB	2,425	397	16,259	931
02/23/01	67	67	32.0	<5.0	0.19	<0.05	NC	NC	< 0.69	< 0.11	< 0.004	< 0.001	LAB	2,445	401	17,096	837
03/01/01	60	60	18.0	<5.0	0.097	<0.05	NC	NC	< 0.35	< 0.10	< 0.002	< 0.001	LAB	2,448	401	17,247	151
04/18/01	62	62	18.0	<5.0	0.1	<0.05	NC	NC	< 0.36	< 0.10	< 0.002	< 0.001	LAB	2,465	404	18,396	1,149
05/21/01	65	65	20.0	<5.0	0.088	<0.05	NC	NC	< 0.42	< 0.10	< 0.002	< 0.001	LAB	2,477	406	19,160	764
06/05/01	78	78	24.0	<5.0	0.15	<0.05	NC	NC	< 0.60	< 0.12	< 0.003	< 0.001	LAB	2,485	407	19,514	354

* The system was running on ambient air, thus change in hours are zero.

** The system was running on ambient air from 9/22/99 to 10/12/99, the change in hours only represents time the system was extracting soil vapor.

NC = Not Calculated



GENERAL NOTES:
BASE MAP FROM U.S.G.S.
SAN LEANDRO, CA
7.5 MINUTE TOPOGRAPHIC
PHOTOREVISED 1980



A scale bar and north arrow are located in the bottom right corner of the map. The scale bar shows distances of 0, 500, 1000, and 2000 feet. The north arrow is a black triangle pointing upwards.

FIGURE 1
SITE TOPOGRAPHIC MAP
BEACON STATION NO 3720
1088 MARINA BOULEVARD
SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M.L. 12/18/00
FILE NO. 00-3720-1A	PREPARED BY RDM
REVISION NO.	REVIEWED BY




DOULOS
Environmental, Inc.

WAYNE AVENUE

MW-7

ART
SUPPLY



MARINA BOULEVARD

MW-6



LEGEND:

- PROPERTY LINE
- * FENCE
- MW-1 MONITORING WELL LOCATION
- VW-1 VAPOR EXTRACTION WELL LOCATION
- ✖ SP-1 AIR SPARGING WELL LOCATION



SCALE

FIGURE 2

SITE MAP

BEACON STATION NO. 3720

1088 MARINA BOULEVARD

SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M.L. 12/18/00	DOULOS Environmental, Inc.
FILE NO. 00-3720-6	PREPARED BY rdm	
REVISION NO. 6	REVIEWED BY	


NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.

WAYNE AVENUE

MW-7
(18.89)

ART
SUPPLY



LEGEND:

- - - PROPERTY LINE
- FENCE
- MW-1 MONITORING WELL LOCATION
- VW-1 VAPOR EXTRACTION WELL LOCATION
- ✖ SP-1 AIR SPARGING WELL LOCATION
- (18.92) GROUND WATER ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL
- 20.0 - WATER ELEVATION CONTOUR IN FEET RELATIVE TO MEAN SEA LEVEL
- ← GROUND WATER FLOW DIRECTION
- * MW-4 NOT USED FOR CONTOUR CONSTRUCTION




FIGURE 3
GROUND WATER ELEVATION CONTOUR MAP
5/21/01
BEACON STATION NO. 3720
1088 MARINA BOULEVARD
SAN LEANDRO, CA.

NOTES:


1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.

PROJECT NO. 00-3720	DRAWN BY M.L. 7/20/01	DOULOS Environmental, Inc.
FILE NO. 00-3720-6	PREPARED BY RDM	
REVISION NO. 1	REVIEWED BY	

WAYNE AVENUE



MW-7
(18.89)



18.8

MW-6
(18.85)

MARINA BOULEVARD

North

LEGEND:

- PROPERTY LINE
- FENCE
- MW-1 MONITORING WELL LOCATION
- VW-1 VAPOR EXTRACTION WELL LOCATION
- ✖ SP-1 AIR SPARGING WELL LOCATION
- (18.92) GROUND WATER ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL
- 20.0 - WATER ELEVATION CONTOUR IN FEET RELATIVE TO MEAN SEA LEVEL
- ← GROUND WATER FLOW DIRECTION
- * MW-4 NOT USED FOR CONTOUR CONSTRUCTION




FIGURE 3
GROUND WATER ELEVATION CONTOUR MAP
5/22/01
BEACON STATION NO. 3720
1088 MARINA BOULEVARD
SAN LEANDRO, CA.

NOTES:


1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.

PROJECT NO. 00-3720	DRAWN BY M.L. 7/20/01	DOULOS Environmental, Inc.
FILE NO. 00-3720-6	PREPARED BY RDM	
REVISION NO. 1	REVIEWED BY	

WAYNE AVENUE



MW-7
B <0.5
TPHG <50
MTBE <0.5



MARINA BOULEVARD

MW-6	B <0.5
	TPHG <50
	MTBE <0.5

North



LEGEND:

- PROPERTY LINE
- FENCE
- MW-1 MONITORING WELL LOCATION
- VW-1 VAPOR EXTRACTION WELL LOCATION
- ✖ SP-1 AIR SPARGING WELL LOCATION
- | |
|--------|
| B <0.5 |
|--------|

 BENZENE CONCENTRATION IN MICROGRAMS PER LITER (ug/L)
- | |
|----------|
| TPHG <50 |
|----------|

 TOTAL PETROLEUM HYDROCARBONS AS GASOLINE IN ug/L
- | |
|-----------|
| MTBE <5.0 |
|-----------|

 METHYL TERTIARY BUTYL ETHER IN ug/L
- NS NOT SAMPLED

NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.


FIGURE 4
GROUNDWATER ANALYTICAL SUMMARY
5/22/01
BEACON STATION NO. 3720
1088 MARINA BOULEVARD
SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M.L. 7/20/01
FILE NO. 00-3720-6	PREPARED BY RDM
REVISION NO. 1	REVIEWED BY




DOULOS
Environmental, Inc.

WAYNE AVENUE



MW-7	B <0.5
	TPHG <50
	MTBE <0.5



MARINA BOULEVARD

MW-6	B <0.5
	TPHG <50
	MTBE <0.5



LEGEND:

- PROPERTY LINE
- FENCE
- MW-1 MONITORING WELL LOCATION
- VW-1 VAPOR EXTRACTION WELL LOCATION
- ✖ SP-1 AIR SPARGING WELL LOCATION
- BENZENE CONCENTRATION IN MICROGRAMS PER LITER ($\mu\text{g/L}$)
- TOTAL PETROLEUM HYDROCARBONS AS GASOLINE IN $\mu\text{g/L}$
- METHYL TERTIARY BUTYL ETHER IN $\mu\text{g/L}$
- NS NOT SAMPLED



FIGURE 4

GROUNDWATER ANALYTICAL SUMMARY

5/21/01

BEACON STATION NO. 3720

1088 MARINA BOULEVARD

SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M.L. 7/20/01	DOULOS Environmental, Inc.
FILE NO. 00-3720-6	PREPARED BY RDM	
REVISION NO. 1	REVIEWED BY	

NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.




FIGURE 5
SOIL VAPOR EXTRACTION, AIR SPARGING,
& GROUNDWATER PUMPING SYSTEM SCHEMATIC
BEACON STATION NO. 3720
1088 MARINA BLVD.
SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M.L. 6/1/01
FILE NO. 00-3720-3	PREPARED BY RDM
REVISION NO. 4	REVIEWED BY

HISTORICAL BACKGROUND INFORMATION

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

PREVIOUS OWNER

- January 1987 - Three underground gasoline storage tanks and one waste oil tank were excavated and removed from two tank cavities. Samples collected from beneath the former tanks indicated that hydrocarbons were present in the soil.
- March 1987 - Five monitoring wells (MW-1 through MW-5) were installed by Conoco. Hydrocarbons were detected in soil and ground-water samples collected from the wells with the highest concentrations being detected in the area of MW-4.
- July 1987 - Four soil borings were drilled in the vicinity of MW-4 to further characterize the soil contamination in that area. TPH concentrations above 100 ppm were detected in each boring. The site has been on a monitoring program since June 1987.

ULTRAMAR INC.

- July 1990 - The site was purchased by Ultramar Inc. from Conoco. The monitoring program has continued.
- August 1991 - A shallow ground water study was performed as a screening tool to locate wells.
- October 1991 - Three additional wells were installed to further define the extent of the dissolved hydrocarbon plume.
- October 1993 - Performed a ground-water pump test, a vapor extraction test, and an air-sparging test.
- May 1994 - A Problem Assessment Report/Remedial Action Plan was submitted.
- December 1994 - One additional monitoring well, six air sparging points and one vapor extraction well were installed.
- June 1997 - Began operation of vapor extraction system.
- July 1997 - The ground water recovery system and the air sparging system began operation.
- September 7, 1999 - Performed quarterly monitoring. Continued to operate the vapor extraction and air sparging systems. The ground-water system did not operate during the quarter.
- The ground water extraction system has processed approximately 228,850 gallons of water. Approximately 1,762 pounds of hydrocarbons have been removed by the vapor extraction system.
- On October 4, 2000, 1,500 gallons of ground water were over purged from Monitoring wells MW-2 and MW-3 using a vacuum truck. Analytical results are included in Table 2.
- On October 17, 2000, 1,200 gallons of ground water were over purged from Monitoring wells MW-2 and MW-3 using a vacuum truck. Analytical results are included in Table 2.
- MW-1 and MW-2. Approximately 1,800 gallons of ground water were extracted during the DPE test.

HISTORICAL BACKGROUND INFORMATION

Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

- On December 4, 2000, approximately 1,600 gallons of ground water were extracted during the DPE test.
- On January 4, 2001, approximately 1,000 gallons of ground water were extracted during the DPE test.
- The evaluation of these interim remediation events is included in the Doulos report entitled *Evaluation of Interim Remediation with Vacuum Truck/Dual Phase Extraction Events*.

ENCLOSURE B

Ground Water Sampling Information

**DOULOS ENVIRONMENTAL COMPANY
GROUNDWATER/LIQUID LEVEL DATA
(measurements in feet)**

Project Address: Beacon #720, 1088 Marina Blvd.

Date: 5- 22- 01

San Leandro, CA

Project No.: 94-720-01

Recorded by: Hal Hansen

Notes: * MW-2 WHAS SAMPLED AFTER VAC TRUCK WHAS FINISHED.

DOULOS ENVIRONMENTAL COMPANY

SAMPLING INFORMATION SHEET

Client: UltramarSampling Date: 5-22-01Site: Beacon #720Project No.: 94-720-011088 Marina Blvd.Well Designation: MW-1San Leandro, CaIs setup of traffic control devices required? YES time: _____ hoursIs there standing water in well box? YES Above TOC Below TOCIs top of casing cut level? YES If no, see remarksIs well cap sealed and locked? YES If no, see remarks

Height of well casing riser (in inches): _____

Well cover type: 8" UV _____ 12" UV _____ 12" EMCO _____ 8" BK _____

12" BK _____ 12" DWP _____ 12" CNI 36" CNI _____ Other _____General condition of wellhead assembly: Excellent Good Fair PoorPurging Equipment: 2" disposable bailer Submersible pump2" PVC bailer Dedicated bailer4" PVC bailer Centrifugal pumpSampled with: Disposable bailer: Teflon bailer: _____Well Diameter: 2" 4" _____ 6" _____ 8" _____

Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.

Initial Measurement Recharge Measurement

Time: 5:15 Time: 5:11 Calculated purge: 2.2Depth of well: 17.74 Depth to water: 15.90 Actual purge: 2.9Depth to water: 14.18Start purge: 5:03 Sampling time: 5:12

Time	Temp.	E.C.	pH	Turbidity	Volume
5:03	67.8	1310	7.46	—	1
5:04	68.1	1293	7.41	—	2
5:04	68.2	1290	7.36	—	3
5:04	70.0	1286	7.34	—	4

Sample appearance: Clear Lock: Dolphin

Equipment replaced: (Check all that apply) Note condition of replaced item

2" Locking Cap: _____ Lock #3753: _____ 7/32 Allenhead: _____

4" Locking Cap: _____ Lock-Dolphin: _____ 9/16 Bolt: _____

6" Locking Cap: _____ Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

DOULOS ENVIRONMENTAL COMPANY

SAMPLING INFORMATION SHEET

Client: UltramarSampling Date: 15-22-01Site: Beacon #720Project No.: 94-720-011088 Marina Blvd.Well Designation: MW-2San Leandro, Ca

Is setup of traffic control devices required? NO YES time: _____ hours
 Is there standing water in well box? NO YES Above TOC Below TOC
 Is top of casing cut level? NO YES If no, see remarks
 Is well cap sealed and locked? NO YES If no, see remarks
 Height of well casing riser (in inches): 3
 Well cover type: 8" UV _____ 12" UV _____ 12" EMCO _____ 8" BK _____
 12" BK _____ 12" DWP _____ 12" CNI X 36" CNI _____ Other _____
 General condition of wellhead assembly: Excellent Good Fair Poor

Purging Equipment: 2" disposable bailer Submersible pump
 2" PVC bailer Dedicated bailer
 4" PVC bailer Centrifugal pump

Sampled with: Disposable bailer: Teflon bailer: _____Well Diameter: 2" 4" _____ 6" _____ 8" _____

Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.

Initial MeasurementRecharge MeasurementTime: 2:12 Recharge Time: 3:40 Calculated purge: 4.6
 Depth of well: 22.70 Depth to water: 16.93 Actual purge: 4.6
 Depth to water: 15.51Start purge: 3:28 Sampling time: 3:42

Time	Temp.	E.C.	pH	Turbidity	Volume
3:29	68.9	1460	7.58	—	1
3:30	68.8	1410	7.51	—	1
3:31	69.1	1351	7.46	—	3
3:32	69.2	1340	7.41	—	4

Sample appearance: Clean Lock: Dolphin

Equipment replaced: (Check all that apply) Note condition of replaced item
 2" Locking Cap: _____ Lock #3753: _____ 7/32 Allenhead: _____
 4" Locking Cap: _____ Lock-Dolphin: _____ 9/16 Bolt: _____
 6" Locking Cap: _____ Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

DOULOS ENVIRONMENTAL COMPANY

SAMPLING INFORMATION SHEET

Client: Ultramar
 Site: Beacon #720
1088 Marina Blvd.
San Leandro, Ca

Sampling Date: 5/22/01Project No.: 94-720-01Well Designation: MW-3

Is setup of traffic control devices required? YES time: _____ hours
 Is there standing water in well box? YES Above TOC Below TOC
 Is top of casing cut level? YES If no, see remarks
 Is well cap sealed and locked? YES If no, see remarks
 Height of well casing riser (in inches): _____
 Well cover type: 8" UV _____ 12" UV _____ 12" EMCO _____ 8" BK _____
 12" BK _____ 12" DWP _____ 12" CNI 36" CNI _____ Other _____
 General condition of wellhead assembly: Excellent Good Fair Poor

Purging Equipment: 2" disposable bailer Submersible pump
 2" PVC bailer Dedicated bailer
 4" PVC bailer Centrifugal pump

Sampled with: Disposable bailer: Teflon bailer: _____Well Diameter: 2" 4" _____ 6" _____ 8" _____

Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.

Initial Measurement

Time: 2:10 Recharge Measurement Time: 3:20 Calculated purge: 9.4
 Depth of well: 18.41 Depth to water: 14.90 Actual purge: 9.4
 Depth to water: 13.66

Start purge: 3:11 Sampling time: 3:21

Time	Temp.	E.C.	pH	Turbidity	Volume
3:12	70.0	1216	7.51	—	1
3:13	70.2	1206	7.40	—	2
3:14	70.6	1200	7.35	—	3
3:15	70.8	1193	7.30	—	4

Sample appearance: Clear Lock: Dolphin

Equipment replaced: (Check all that apply) Note condition of replaced item

2" Locking Cap: _____ Lock #3753: _____ 7/32 Allenhead: _____
 4" Locking Cap: _____ Lock-Dolphin: _____ 9/16 Bolt: _____
 6" Locking Cap: _____ Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

Client: UltramarSampling Date: 8/22/01Site: Beacon #720Project No.: 94-720-011088 Marina Blvd.Well Designation: MW-4San Leandro, Ca

Is setup of traffic control devices required? YES time: _____ hours
 Is there standing water in well box? YES Above TOC Below TOC

Is top of casing cut level? YES If no, see remarks

Is well cap sealed and locked? YES If no, see remarks

Height of well casing riser (in inches): 8

Well cover type: 8" UV 12" UV 12" EMCO 8" BK

12" BK 12" DWP 12" CNI X 36" CNI Other

General condition of wellhead assembly: Excellent Good Fair Poor

Purging Equipment: 2" disposable bailer Submersible pump
 2" PVC bailer Dedicated bailer
 4" PVC bailer Centrifugal pump

Sampled with: Disposable bailer: X Teflon bailer: _____

Well Diameter: 2" 4" 6" 8"

Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.

Initial Measurement Recharge Measurement Calculated purge: 8.6
 Time: 2:20 Time: 4:06 Actual purge: 8.6
 Depth of well: 27.44 Depth to water: 14.93
 Depth to water: 13.99

Start purge: 3:50 Sampling time: 4:06

Time	Temp.	E.C.	pH	Turbidity	Volume
<u>3:51</u>	<u>68.8</u>	<u>1374</u>	<u>7.64</u>	<u>—</u>	<u>1</u>
<u>3:51</u>	<u>69.2</u>	<u>1361</u>	<u>7.59</u>	<u>—</u>	<u>2</u>
<u>3:52</u>	<u>69.3</u>	<u>1268</u>	<u>7.50</u>	<u>—</u>	<u>3</u>
<u>3:53</u>	<u>70.4</u>	<u>1206</u>	<u>7.46</u>	<u>—</u>	<u>4</u>

Sample appearance: cloudy Lock: Dolphin

Equipment replaced: (Check all that apply) Note condition of replaced item

2" Locking Cap: Lock #3753: 7/32 Allenhead:

4" Locking Cap: Lock-Dolphin: 9/16 Bolt:

6" Locking Cap: Pinned Allenhead (DWP):

Remarks: _____

Signature: _____

DOULOS ENVIRONMENTAL COMPANY

SAMPLING INFORMATION SHEET

Client: Ultramar
 Site: Beacon #720
1088 Marina Blvd.
San Leandro, Ca

Sampling Date: 5/22/01
 Project No.: 94-720-01
 Well Designation: MW- 5

Is setup of traffic control devices required? YES time: _____ hours
 Is there standing water in well box? YES Above TOC Below TOC
 Is top of casing cut level? YES If no, see remarks
 Is well cap sealed and locked? YES If no, see remarks
 Height of well casing riser (in inches): 6
 Well cover type: 8" UV 12" UV 12" EMCO 8" BK
12" BK 12" DWP 12" CNI 36" CNI Other
 General condition of wellhead assembly: Excellent Good Fair Poor

Purging Equipment: 2" disposable bailer Submersible pump
2" PVC bailer Dedicated bailer
4" PVC bailer Centrifugal pump

Sampled with: Disposable bailer: Teflon bailer: _____

Well Diameter: 2" 4" 6" 8"

Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.

Initial Measurement Recharge Measurement

Time: 2:24 Time: 4:23 Calculated purge: 9.7
 Depth of well: 28.83 Depth to water: 15.08 Actual purge: 9.7
 Depth to water: 13.58

Start purge: 4:14 Sampling time: 4:24

Time	Temp.	E.C.	pH	Turbidity	Volume
<u>4:15</u>	<u>69.1</u>	<u>1150</u>	<u>7.34</u>	<u>—</u>	<u>1</u>
<u>4:16</u>	<u>70.4</u>	<u>1146</u>	<u>7.30</u>	<u>—</u>	<u>2</u>
<u>4:17</u>	<u>70.5</u>	<u>1130</u>	<u>7.21</u>	<u>—</u>	<u>3</u>
<u>4:18</u>	<u>70.8</u>	<u>1121</u>	<u>7.19</u>	<u>—</u>	<u>4</u>

Sample appearance: Cloudy Lock: Dolphin

Equipment replaced: (Check all that apply) Note condition of replaced item
 2" Locking Cap: _____ Lock #3753: _____ 7/32 Allenhead: _____
 4" Locking Cap: _____ Lock-Dolphin: _____ 9/16 Bolt: _____
 6" Locking Cap: _____ Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

DOULOS ENVIRONMENTAL COMPANY

SAMPLING INFORMATION SHEET

Client: Ultramar
 Site: Beacon #720
1088 Marina Blvd.
San Leandro, Ca

Sampling Date: 5/22/01Project No.: 94-720-01Well Designation: MW- 6Is setup of traffic control devices required? NO YES time: _____ hoursIs there standing water in well box? NO YES Above TOC Below TOCIs top of casing cut level? NO YES If no, see remarksIs well cap sealed and locked? NO YES If no, see remarksHeight of well casing riser (in inches): 6Well cover type: 8" UV 12" UV 12" EMCO 8" BK12" BK 12" DWP 12" CNI 36" CNI Other 12 POMEKOGeneral condition of wellhead assembly: Excellent Good Fair Poor

Purging Equipment: 2" disposable bailer Submersible pump
2" PVC bailer Dedicated bailer
4" PVC bailer Centrifugal pump

Sampled with: Disposable bailer: Teflon bailer: _____Well Diameter: 2" 4" 6" 8" Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.Initial MeasurementRecharge MeasurementTime: 2:04 Time: 3:01 Calculated purge: 2.1Depth of well: 14.86 Depth to water: 11.80 Actual purge: 2.1Depth to water: 11.55start purge: 2:48 Sampling time: 3:02

Time	Temp.	E.C.	pH	Turbidity	Volume
2:49	69.2	1308	7.59	—	1
2:50	70.1	1291	7.51	—	2
2:50	70.1	1284	7.48	—	3
2:51	70.4	1286	7.40	—	4

Sample appearance: Clear Lock: Dolphin

Equipment replaced: (Check all that apply) Note condition of replaced item

2" Locking Cap: _____ Lock #3753: _____ 7/32 Allenhead: _____

4" Locking Cap: _____ Lock-Dolphin: _____ 9/16 Bolt: _____

6" Locking Cap: _____ Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

DOULOS ENVIRONMENTAL COMPANY

SAMPLING INFORMATION SHEET

Client: Ultramar
 Site: Beacon #720
1088 Marina Blvd.
San Leandro, Ca

Sampling Date: 5/9/01

Project No.: 94-720-01

Well Designation: MW-7

Is setup of traffic control devices required? NO YES time: _____ hours
 Is there standing water in well box? NO YES Above TOC Below TOC
 Is top of casing cut level? NO YES If no, see remarks
 Is well cap sealed and locked? NO YES If no, see remarks
 Height of well casing riser (in inches): 6
 Well cover type: 8" UV _____ 12" UV _____ 12" EMCO _____ 8" BK _____
 12" BK _____ 12" DWP _____ 12" CNI _____ 36" CNI _____ Other 12 POMEKO
 General condition of wellhead assembly: Excellent Good Fair Poor

Purging Equipment: 2" disposable bailer Submersible pump
2" PVC bailer Dedicated bailer
4" PVC bailer Centrifugal pump

Sampled with: Disposable bailer: Teflon bailer: _____

Well Diameter: 2" 4" _____ 6" _____ 8" _____

Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.

Initial Measurement

Recharge Measurement

Time: 2:01

Time: 2:40

Calculated purge: 8.4

Depth of well: 15.50

Depth to water: 14.80

Actual purge: 8.4

Depth to water: 12.31

Start purge: 2:33 Sampling time: 2:41

Time	Temp.	E.C.	pH	Turbidity	Volume
2:33	68.4	1241	6.98	—	1
2:34	69.1	1230	6.91	—	2
2:35	70.0	1216	6.81	—	3
2:35	70.6	1204	6.80	—	4

Sample appearance: clear Lock: Dolphin

Equipment replaced: (Check all that apply) Note condition of replaced item

2" Locking Cap: _____ Lock #3753: _____ 7/32 Allenhead: _____
 4" Locking Cap: _____ Lock-Dolphin: _____ 9/16 Bolt: _____
 6" Locking Cap: _____ Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

DOULOS ENVIRONMENTAL COMPANY

SAMPLING INFORMATION SHEET

Client: Ultramar
 Site: Beacon #720
1088 Marina Blvd.
San Leandro, Ca

Sampling Date: 5/22/01
 Project No.: 94-720-01
 Well Designation: MW-9

Is setup of traffic control devices required? NO YES time: _____ hours
 Is there standing water in well box? NO YES Above TOC Below TOC
 Is top of casing cut level? NO YES If no, see remarks
 Is well cap sealed and locked? NO YES If no, see remarks
 Height of well casing riser (in inches): 6
 Well cover type: 8" UV 12" UV 12" EMCO 8" BK
12" BK 12" DWP 12" CNI X 36" CNI Other _____
 General condition of wellhead assembly: Excellent Good Fair Poor

Purging Equipment: 2" disposable bailer Submersible pump
2" PVC bailer Dedicated bailer
4" PVC bailer Centrifugal pump

Sampled with: Disposable bailer: X Teflon bailer: _____

Well Diameter: 2" 4" X 6" 8"

Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.

Initial Measurement

Time: 2:27

Recharge Measurement

Time: 4:55

Depth of well: 14.61

Calculated purge: 29.6

Depth to water: 13.20

Actual purge: 29.6

Start purge: 4:33 Sampling time: 5:00

Time	Temp.	E.C.	pH	Turbidity	Volume
<u>4:35</u>	<u>69.2</u>	<u>1402</u>	<u>7.45</u>	<u>—</u>	<u>1</u>
<u>4:37</u>	<u>69.1</u>	<u>1389</u>	<u>7.44</u>	<u>—</u>	<u>2</u>
<u>4:39</u>	<u>70.4</u>	<u>1394</u>	<u>7.40</u>	<u>—</u>	<u>3</u>
<u>4:41</u>	<u>70.6</u>	<u>1372</u>	<u>7.38</u>	<u>—</u>	<u>4</u>

Sample appearance: Cloudy Lock: N/A

Equipment replaced: (Check all that apply) Note condition of replaced item
 2" Locking Cap: _____ Lock #3753: _____ 7/32 Allenhead: _____
 4" Locking Cap: _____ Lock-Dolphin: _____ 9/16 Bolt: _____
 6" Locking Cap: _____ Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

ENCLOSURE C

Ground Water Analytical Results



Report Number : 20460

Date : 6/11/2001

Hal Hansen
Doulos Environmental
1537 Pine Valley Circle
Roseville, CA 95661

Subject : 8 Water Samples
Project Name : SAN LEANDRO 720
Project Number :
P.O. Number : 3720-58

Dear Mr. Hansen,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody.. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". Below the signature, the name "Joel Kiff" is printed in a smaller, standard font.

Joel Kiff



Report Number : 20460

Date : 6/11/2001

Project Name : SAN LEANDRO 720

Project Number :

Sample : MW-1

Matrix : Water

Lab Number : 20460-01

Sample Date : 5/22/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	8.9	5.0	ug/L	EPA 8260B	6/3/2001
Toluene	13	5.0	ug/L	EPA 8260B	6/3/2001
Ethylbenzene	1100	5.0	ug/L	EPA 8260B	6/3/2001
Total Xylenes	1300	5.0	ug/L	EPA 8260B	6/3/2001
Methyl-t-butyl ether (MTBE)	2300	5.0	ug/L	EPA 8260B	6/3/2001
TPH as Gasoline	21000	500	ug/L	EPA 8260B	6/3/2001
Toluene - d8 (Surr)	99.8		% Recovery	EPA 8260B	6/3/2001
4-Bromofluorobenzene (Surr)	113		% Recovery	EPA 8260B	6/3/2001

Sample : MW-2

Matrix : Water

Lab Number : 20460-02

Sample Date : 5/22/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	12	5.0	ug/L	EPA 8260B	6/5/2001
Toluene	5.0	5.0	ug/L	EPA 8260B	6/5/2001
Ethylbenzene	79	5.0	ug/L	EPA 8260B	6/5/2001
Total Xylenes	100	5.0	ug/L	EPA 8260B	6/5/2001
Methyl-t-butyl ether (MTBE)	3500	5.0	ug/L	EPA 8260B	6/5/2001
TPH as Gasoline	2400	500	ug/L	EPA 8260B	6/5/2001
Toluene - d8 (Surr)	99.4		% Recovery	EPA 8260B	6/5/2001
4-Bromofluorobenzene (Surr)	114		% Recovery	EPA 8260B	6/5/2001

Approved By: Joel Kiff



Report Number : 20460

Date : 6/11/2001

Project Name : SAN LEANDRO 720

Project Number :

Sample : MW-3

Matrix : Water

Lab Number : 20460-03

Sample Date : 5/22/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	41	20	ug/L	EPA 8260B	6/3/2001
Toluene	< 20	20	ug/L	EPA 8260B	6/3/2001
Ethylbenzene	20	20	ug/L	EPA 8260B	6/3/2001
Total Xylenes	< 20	20	ug/L	EPA 8260B	6/3/2001
Methyl-t-butyl ether (MTBE)	5800	20	ug/L	EPA 8260B	6/3/2001
TPH as Gasoline	< 2000	2000	ug/L	EPA 8260B	6/3/2001
Toluene - d8 (Surr)	99.5		% Recovery	EPA 8260B	6/3/2001
4-Bromofluorobenzene (Surr)	98.7		% Recovery	EPA 8260B	6/3/2001

Sample : MW-4

Matrix : Water

Lab Number : 20460-04

Sample Date : 5/22/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	2.1	0.50	ug/L	EPA 8260B	6/3/2001
Toluene	5.6	0.50	ug/L	EPA 8260B	6/3/2001
Ethylbenzene	4.8	0.50	ug/L	EPA 8260B	6/3/2001
Total Xylenes	20	0.50	ug/L	EPA 8260B	6/3/2001
Methyl-t-butyl ether (MTBE)	350	0.50	ug/L	EPA 8260B	6/3/2001
TPH as Gasoline	130	50	ug/L	EPA 8260B	6/3/2001
Toluene - d8 (Surr)	99.1		% Recovery	EPA 8260B	6/3/2001
4-Bromofluorobenzene (Surr)	99.1		% Recovery	EPA 8260B	6/3/2001

Approved By: Joel Kiff



Report Number : 20460

Date : 6/11/2001

Project Name : SAN LEANDRO 720

Project Number :

Sample : MW-5

Matrix : Water

Lab Number : 20460-05

Sample Date : 5/22/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	49	0.50	ug/L	EPA 8260B	6/5/2001
Toluene	2.2	0.50	ug/L	EPA 8260B	6/5/2001
Ethylbenzene	180	0.50	ug/L	EPA 8260B	6/5/2001
Total Xylenes	230	0.50	ug/L	EPA 8260B	6/5/2001
Methyl-t-butyl ether (MTBE)	240	0.50	ug/L	EPA 8260B	6/5/2001
TPH as Gasoline	3200	50	ug/L	EPA 8260B	6/5/2001
Toluene - d8 (Surr)	99.2		% Recovery	EPA 8260B	6/5/2001
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	6/5/2001

Sample : MW-6

Matrix : Water

Lab Number : 20460-06

Sample Date : 5/22/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	6/3/2001
Toluene	< 0.50	0.50	ug/L	EPA 8260B	6/3/2001
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	6/3/2001
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	6/3/2001
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	6/3/2001
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	6/3/2001
Toluene - d8 (Surr)	99.1		% Recovery	EPA 8260B	6/3/2001
4-Bromofluorobenzene (Surr)	98.8		% Recovery	EPA 8260B	6/3/2001

Approved By: Joel Kiff



Report Number : 20460

Date : 6/11/2001

Project Name : SAN LEANDRO 720

Project Number :

Sample : MW-7

Matrix : Water

Lab Number : 20460-07

Sample Date : 5/22/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	6/5/2001
Toluene	< 0.50	0.50	ug/L	EPA 8260B	6/5/2001
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	6/5/2001
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	6/5/2001
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	6/5/2001
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	6/5/2001
Toluene - d8 (Surr)	99.4		% Recovery	EPA 8260B	6/5/2001
4-Bromofluorobenzene (Surr)	101		% Recovery	EPA 8260B	6/5/2001

Sample : MW-9

Matrix : Water

Lab Number : 20460-08

Sample Date : 5/22/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.57	0.50	ug/L	EPA 8260B	6/3/2001
Toluene	< 0.50	0.50	ug/L	EPA 8260B	6/3/2001
Ethylbenzene	2.1	0.50	ug/L	EPA 8260B	6/3/2001
Total Xylenes	0.61	0.50	ug/L	EPA 8260B	6/3/2001
Methyl-t-butyl ether (MTBE)	290	1.0	ug/L	EPA 8260B	6/5/2001
TPH as Gasoline	330	50	ug/L	EPA 8260B	6/3/2001
Toluene - d8 (Surr)	99.4		% Recovery	EPA 8260B	6/3/2001
4-Bromofluorobenzene (Surr)	98.9		% Recovery	EPA 8260B	6/3/2001

Approved By: Joel Kiff



720 Olive Drive, Suite D
Davis, CA 95616
Lab: 530.297.4800
Fax: 530.297.4803

Lab No. 20460

Page 1 of 1

Project Manager: <i>HAL HANSEN</i>		Phone No.:		Chain-of-Custody Record and Analysis Request																			
Company/Address:		FAX No.:																					
Project Number:	P.O. No.:	Email Address:		Analysis Request																			
	<i>3720-58</i>	<input type="checkbox"/> .pdf <input type="checkbox"/> .xls <input type="checkbox"/> .doc <input type="checkbox"/> other																					
Project Name/Location: <i>SAN LEANDRO 720</i>		Sampler Signature: <i>Edgar Alineta</i>																					
Sample Designation	Sampling		Container (Type/Amount)		Method Preserved			Matrix			For Lab Use Only												
	Date	Time	40 ml VOA	SLEEVE	HCl	HNO ₃	ICE	NONE	WATER/SOIL	BTEX (8021B)	BTEX/TPH Gas/MTBE (8021B/M8015)	TPH as Diesel (M8015)	TPH as Motor Oil (M6015)	TPH Gas/BTEX/MTBE (8260B)	5 Oxygenates/TPH Gas/BTEX (8260B)	7 Oxygenates/TPH Gas/BTEX (8260B)	5 Oxygenates (8260B)	7 Oxygenates (8260B)	Lead Scav. (1,2 DCA & 1,2 EDB - 8260B)	EPA 8260B (Full List)	Volatile Halocarbons (EPA 8260B)	Lead (7421/239.2) TOTAL (X) W.E.T. (X)	TAT
MW-1	5-22-01	5:12	3		X	X		W			X			X									12 hr/24 hr/48 hr/72 hr/1 wk
MW-2		3:42																					-01
MW-3		3:21																					-02
MW-4		4:06																					-03
MW-5		4:24																					-04
MW-6		3:02																					-05
MW-7		2:41																					-06
MW-9		5:00																					-07
																							-08

Relinquished by: <i>[Signature]</i>	Date	Time	Received by: <i>[Signature]</i>	Remarks:
Relinquished by: <i>[Signature]</i>	Date	Time	Received by: <i>[Signature]</i>	Bill to: <i>JOE ALDRIDGE</i>
Relinquished by: <i>[Signature]</i>	Date 05/20/01	Time 144	Received by Laboratory: <i>John Little Kiff Analytical</i>	

12 hr = Results by 9 a.m. of the next bus. day
24 hr = Results by 5 p.m. of the next bus. day
48 hr = Results by 5 p.m. of the 2nd bus. day
72 hr = Results by 5 p.m. of the 3rd bus. day
1 wk = Results by 5 p.m. of the 5th bus. day

ENCLOSURE D

Historical Ground Water Monitoring Data

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-1	03/30/92	33.10	13.58	19.52	---	
	07/01/92		14.80	18.30	---	
	09/30/92		16.12	16.98	---	
	11/19/92		16.34	16.76	27.76	
	02/03/93		12.61	20.49	27.72	
	05/25/93		13.12	19.98	27.70	
	09/22/93		14.18	18.92	27.73	
	12/21/93		14.36	18.74	27.70	
	03/18/94		13.64	19.46	27.67	
	06/15/94		14.30	18.80	27.69	
	09/14/94		15.18	17.92	27.66	
	12/19/94		13.79	19.31	27.70	
	12/21/95		13.86	19.24	---	
	03/07/95		12.74	20.36	29.51	
	06/08/95		12.95	20.15	29.54	
	09/22/95		13.94	19.16	29.54	
	12/27/95		13.57	19.53	29.92	
	03/26/96		12.13	20.97	29.90	
	06/13/96		13.10	20.00	17.02	
	09/10/96		14.08	19.02	17.03	
	12/05/96		13.41	19.69	17.05	
	03/10/97		12.70	20.40	17.04	
	06/12/97		13.68	19.42	17.04	
	08/19/97		14.31	18.79	17.01	
	12/13/97		13.19	19.91	17.01	
MW-2	03/30/92	32.80	13.32	19.48	---	
	07/01/92		14.42	18.38	---	
	09/30/92		15.78	17.02	---	
	11/19/92		15.99	16.81	24.56	
	02/03/93		12.31	20.49	25.37	
	05/25/93		12.97	19.83	25.31	
	09/22/93		14.32	18.48	25.34	
	12/21/93		14.52	18.28	25.31	
	03/18/94		13.45	19.35	25.49	
	06/15/94		14.07	18.73	25.50	
	09/14/94		14.96	17.84	25.50	
	12/19/94		13.64	19.16	25.52	
	12/21/95		13.71	19.09	---	
	03/07/95		12.54	20.26	25.87	
	06/08/95		12.81	19.99	25.86	
	09/22/95		13.66	19.14	25.80	
	12/27/95		13.42	19.38	25.83	
	03/26/96		12.05	20.75	25.83	
	06/13/96		12.79	20.01	26.39	
	09/10/96		13.73	19.07	26.43	
	12/05/96		13.29	19.51	26.45	
	03/10/97		12.42	20.38	26.48	
	06/12/97		13.18	19.62	26.50	
	08/19/97		13.94	18.86	26.52	
	12/13/97		12.91	19.89	19.02	

NOTES:

- 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
- 2 = Elevation referenced to mean sea level.
- Well Depth = Measurement from top of casing to bottom of well.
- = Not measured.
- * = Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-3	03/30/92	32.30	12.96	19.34	---	
	07/01/92		14.00	18.30	---	
	09/30/92		15.36	16.94	---	
	11/19/92		15.57	16.73	24.45	
	02/03/93		11.96	20.34	24.54	
	05/25/93		14.12	18.18	24.50	
	09/22/93		13.88	18.42	24.50	
	12/21/93		14.12	18.18	24.50	
	03/18/94		13.04	19.26	24.57	
	06/15/94		13.65	18.65	24.78	
	09/14/94		14.54	17.76	24.59	
	12/19/94		13.28	19.02	24.71	
	12/21/95		13.30	19.00	—	
	03/07/95		12.26	20.04	26.03	
	06/08/95		12.42	19.88	26.02	
	09/22/95		13.25	19.05	26.00	
	12/27/95		13.04	19.26	26.00	
	03/26/96		11.62	20.68	26.01	
	06/13/96		12.61	19.69	28.45	
	09/10/96		13.49	18.81	28.42	
	12/05/96		13.07	19.23	28.42	
	03/10/97		12.23	20.07	28.41	
	06/12/97		12.94	19.36	28.44	
	08/19/97		12.85	19.45	28.45	
	12/13/97		12.45	19.85	28.43	
MW-4	03/30/92	32.90	13.60	19.30	—	
	07/01/92		15.72	17.18	---	
	09/30/92		16.04	16.86	—	
	11/19/92		16.21	16.69	26.92	
	02/03/93		12.70	20.20	27.00	
	05/25/93		12.97	19.93	26.88	
	09/22/93		14.51	18.39	26.90	
	12/21/93		14.75	18.15	26.90	
	03/18/94		13.68	19.22	27.24	
	06/15/94		14.37	18.53	28.54	
	09/14/94		15.23	17.67	27.25	
	12/19/94		13.93	18.97	28.61	
	12/21/95		13.99	18.91	—	
	03/07/95		12.86	20.04	28.64	
	06/08/95		13.10	19.80	28.68	
	09/22/95		13.98	18.92	28.71	
	12/27/95		13.74	19.16	28.71	
	03/26/96		12.30	20.60	28.70	
	06/13/96		13.18	19.72	27.86	
	09/10/96		14.22	18.68	27.40	
	12/05/96		13.65	19.25	27.40	
	03/10/97		12.79	20.11	27.42	
	06/12/97		13.51	19.39	27.40	
	08/19/97		14.29	18.61	27.40	
	12/13/97		13.43	19.47	27.43	

NOTES:

1

= Measurement and reference elevation taken from notch/mark on top north side of well casing.

2

= Elevation referenced to mean sea level.

Well Depth

= Measurement from top of casing to bottom of well.

*

= Not measured.

*

= Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-5	03/30/92	32.70	13.48	19.22	---	
	07/01/92		14.58	18.12	---	
	09/30/92		15.82	16.88	---	
	11/19/92		16.00	16.70	27.56	
	02/03/93		12.40	20.30	27.61	
	05/25/93		13.01	19.69	27.61	
	09/22/93		14.37	18.33	27.64	
	12/21/93		14.58	18.12	27.01	
	03/18/94		13.53	19.17	28.70	
	06/15/94		14.18	18.52	28.74	
	09/14/94		15.07	17.63	28.70	
	12/19/94		13.74	18.96	28.76	
	12/21/95		13.84	18.86	—	
	03/07/95		12.73	19.97	28.88	
	06/08/95		12.99	19.71	28.87	
	09/22/95		13.83	18.87	28.85	
	12/27/95		13.59	19.11	28.85	
	03/26/96		12.20	20.50	28.84	
	06/13/96		12.98	19.72	28.84	
	09/10/96		13.96	18.74	28.87	
	12/05/96		13.36	19.34	28.87	
	03/10/97		12.74	19.96	28.86	
	06/12/97		13.06	19.64	28.83	
	08/19/97		14.21	18.49	28.82	
	12/13/97		13.51	19.19	28.85	
MW-6	03/30/92	30.40	12.62	17.78	---	
	07/01/92		12.70	17.70	---	
	09/30/92		13.40	17.00	---	
	11/19/92		13.59	16.81	15.10	
	02/03/93		12.43	17.97	15.01	
	05/25/93		—	—	—	*
	10/11/93		12.82	17.58	15.10	
	12/21/93		13.06	17.34	15.10	
	03/18/94		12.16	18.24	15.16	
	06/15/94		12.59	17.81	15.17	
	09/14/94		12.86	17.54	14.97	
	12/19/94		12.48	17.92	15.19	
	12/21/95		11.61	18.79	—	
	03/07/95		12.37	18.03	14.98	
	06/08/95		11.14	19.26	15.00	
	09/22/95		12.44	17.96	15.00	
	12/27/95		12.21	18.19	14.98	
	03/26/96		12.26	18.14	14.97	
	06/13/96		12.55	17.85	14.98	
	09/10/96		12.31	18.09	15.01	
	12/05/96		12.22	18.18	15.00	
	03/10/97		12.19	18.21	15.01	
	06/12/97		12.28	18.12	14.97	
	08/19/97		12.30	18.10	14.98	
	12/13/97		11.93	18.47	14.93	

NOTES:

1	= Measurement and reference elevation taken from notch/mark on top north side of well casing.
2	= Elevation referenced to mean sea level.
Well Depth	= Measurement from top of casing to bottom of well.
—	= Not measured.
*	= Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-7	03/30/92	31.20	12.34	18.86	---	
	07/01/92		15.54	15.66	---	
	09/30/92		14.64	16.56	—	
	11/19/92		14.80	16.40	25.10	
	02/03/93		11.36	19.84	25.02	
	05/25/93		---	---	—	*
	09/22/93		13.18	18.02	25.01	
	12/21/93		13.42	17.78	25.02	
	03/18/94		12.36	18.84	25.13	
	06/15/94		13.01	18.19	25.21	
	09/14/94		13.88	17.32	25.13	
	12/19/94		12.61	18.59	25.23	
	12/21/95		12.38	18.82	—	
	03/07/95		11.56	19.64	25.22	
	06/08/95		11.82	19.38	25.20	
	09/22/95		12.67	18.53	25.23	
	12/27/95		12.34	18.86	25.23	
	03/26/96		11.03	20.17	25.21	
	06/13/96		11.76	19.44	25.20	
	09/10/96		12.71	18.49	24.56	
	12/05/96		12.32	18.88	24.56	
	03/10/97		11.38	19.82	24.53	
	06/12/97		12.28	18.92	24.52	
	08/19/97		12.92	18.28	24.52	
	12/13/97		11.69	19.51	24.50	
MW-8	03/30/92	33.80	14.66	19.14	—	
	07/01/92		15.74	18.06	—	
	09/30/92		17.00	16.80	—	
	11/19/92		17.01	16.79	29.75	
	02/03/93		13.83	19.97	29.88	
	05/25/93		13.01	20.79	29.86	
	09/22/93		15.81	17.99	24.52	
	12/21/93		16.05	17.75	29.86	
	03/18/94		14.62	19.18	29.87	
	06/15/94		15.29	18.51	30.07	
	09/14/94		16.22	17.58	29.87	
	12/19/94		14.81	18.99	30.05	
	12/21/95		14.89	18.91	—	
	03/07/95		13.75	20.05	29.94	
	06/08/95		13.98	19.82	29.93	
	09/22/95		14.92	18.88	29.95	
	12/27/95		14.61	19.19	29.92	
	03/26/96		13.09	20.71	29.73	
	06/13/96		13.81	19.99	27.92	
	09/10/96		14.80	19.00	27.95	
	12/05/96		14.05	19.75	27.96	
	03/10/97		13.40	20.40	27.98	
	06/12/97		14.31	19.49	27.95	
	08/19/97		13.85	19.95	27.94	
	12/13/97		13.92	19.88	27.93	

NOTES:

1

= Measurement and reference elevation taken from notch/mark on top north side of well casing.

2

= Elevation referenced to mean sea level.

Well Depth

--

= Measurement from top of casing to bottom of well.

*

= Not measured.

*

= Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-9	12/21/95	32.56	13.76	18.80	—	
	03/07/95		12.79	19.77	24.71	
	06/08/95		12.96	19.60	24.70	
	09/22/95		13.73	18.83	24.72	
	12/27/95		13.53	19.03	24.71	
	03/26/96		12.27	20.29	24.70	
	06/13/96		12.84	19.72	24.53	
	09/10/96		13.49	19.07	24.58	
	12/05/96		13.18	19.38	24.60	
	03/10/97		12.25	20.31	24.66	
	06/12/97		12.70	19.86	24.66	
	08/19/97		17.89	14.67	24.68	
	12/13/97		15.79	16.77	24.68	

NOTES:

- 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
- 2 = Elevation referenced to mean sea level.

Well Depth

- = Measurement from top of casing to bottom of well.
- = Not measured.
- * = Well paved over.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics					
			Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-1	03/30/92	27,000		630	550	540	1,900	
	07/01/92	55,000		840	1,000	830	3,600	
	09/30/92	6,400		150	95	120	470	
	11/19/92	1,300		90	11	50	87	
	02/03/93	53,000		750	560	950	5,700	
	05/25/93	9,400		200	86	470	1,500	
	09/22/93	41,000		1,000	510	850	1,100	
	12/21/93	41,000		1,000	490	2,700	13,000	
	03/18/94	9,500		320	160	830	2,900	
	06/15/94	8,000		310	80	990	2,300	
	09/14/94	3,600		130	31	390	630	
	12/19/94	17,000		350	150	1,500	5,200	
	03/07/95	12,000		180	62	1,200	3,200	
	06/08/95	6,300		76	8	560	860	
	09/22/95	12,000		140	55	1,500	2,500	
	12/27/95	3,900		60	13	480	870	
	03/26/96	6,400		42	4.9	560	600	
	06/13/96	9,600	<50	86	39	1,100	1,700	
	09/10/96	16,000	<50	65	35	1,500	2,700	
	12/05/96	6,400	<25	25	11	570	930	
	03/10/97	15,000	<50	42	<5.0	1,400	1,500	
	06/12/97	16,000	<100	33	34	1,100	1,700	
	08/19/97	17,000	<100	47	14	1,300	2,200	
	12/13/97	5,800	<100	20	35	360	470	
MW-2	03/30/92	52,000		2,300	1,700	940	3,300	
	07/01/92	130,000		3,500	2,900	1,900	7,900	
	09/30/92	24,000		890	350	500	1,700	
	11/19/92	32,000		1,900	1,700	870	3,400	
	02/03/93	64,000		1,900	2,200	860	4,100	
	05/25/93	34,000		3,300	1,500	1,300	5,900	
	09/22/93	8,000		640	150	270	2,000	
	12/21/93	18,000		1,500	410	1,300	5,000	
	03/18/94	14,000		1,600	790	1,100	3,700	
	06/15/94	13,000		1,600	580	1,200	4,100	
	09/14/94	20,000		1,600	560	1,800	6,400	
	12/19/94	19,000		1,700	750	1,600	5,800	
	03/07/95	17,000		1,900	980	1,300	5,100	
	06/08/95	19,000		2,100	740	1,500	4,900	
	09/22/95	12,000		840	170	1,100	3,400	
	12/27/95	16,000		1,100	540	1,400	5,100	
	03/26/96	11,000		930	520	970	3,000	
	06/13/96	11,000	1,200	1,800	1,400	1,500	4,500	
	09/10/96	19,000	1,100	1,600	600	1,600	5,000	
	12/05/96	12,000	180	650	180	1,000	2,800	
	03/10/97	6,800	69	430	95	590	1,800	
	06/12/97	20,000	100	610	140	1,500	4,300	
	08/19/97	3,600	<100	250	10	250	250	
	12/13/97	8,300	75	370	150	450	1,600	

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethylbenzene	Total Xylenes
MW-3	03/30/92	21,000		560	50	630	980
	07/01/92	13,000		150	20	22	300
	09/30/92	4,500		53	2.6	84	96
	11/19/92	4,700		73	6.2	140	120
	02/03/93	23,000		220	40	430	740
	05/25/93	9,900		120	26	370	520
	09/22/93	10,000		370	71	320	640
	12/21/93	7,800		130	8.5	430	380
	03/18/94	3,100		22	1.3	78	41
	06/15/94	1,700		8.6	1.4	22	15
	09/14/94	1,400		3.8	<1.3	13	18
	12/19/94	3,800		70	1.7	140	110
	03/07/95	2,200		9.4	<1.3	30	21
	06/08/95	1,700		5.8	<1.3	2.3	14
	09/22/95	1,200		<1.3	<1.3	1.3	<1.3
	12/27/95	1,300		2.4	<1.3	3.3	3.6
	03/26/96	1,200		4.3	<1.3	4.2	2
	06/13/96	1,300	28	5.1	<0.50	21	6.5
	09/10/96	810	<5.0	1.4	4.8	1.6	2.1
	12/05/96	590	<5.0	<0.50	3.2	0.79	0.52
	03/10/97	650	<5.0	0.73	3.8	2.4	1.6
	06/12/97	710	<5.0	<0.50	3.5	2.9	3.6
	08/19/97	1,400		13	2.2	0.58	11
	12/13/97	810	<5.0	0.96	<0.50	0.54	1.8
MW-4	03/30/92	76,000		8,000	4,400	730	2,500
	07/01/92	95,000		6,900	2,200	70	880
	09/30/92	58,000		7,100	1,500	650	2,700
	11/19/92	33,000		5,500	840	400	1,400
	02/03/93	130,000		8,200	6,700	940	4,400
	05/25/93	63,000		16,000	6,600	1,700	8,100
	09/22/93	23,000		6,900	940	150	3,000
	12/21/93	28,000		6,900	1,900	1,100	5,500
	03/18/94	58,000		17,000	6,300	2,500	10,000
	06/15/94	59,000		20,000	4,900	2,500	9,100
	09/14/94	73,000		22,000	6,800	2,700	10,000
	12/19/94	67,000		20,000	8,300	2,300	9,100
	03/07/95	57,000		19,000	7,900	2,200	8,700
	06/08/95	61,000		17,000	6,300	2,700	9,000
	09/22/95	37,000		12,000	2,200	1,400	3,500
	12/27/95	39,000		12,000	6,000	1,800	5,800
	03/26/96	31,000		9,600	3,700	2,300	6,200
	06/13/96	240	89	64	0.93	1.8	2.7
	09/10/96	91,000	2,900	13,000	20,000	3,200	16,000
	12/05/96	16,000	1,200	3,700	3,100	580	2,800
	03/10/97	630	530	91	<0.50	<0.50	0.8
	06/12/97	36,000	1,100	4,600	5,300	1,200	5,500
	08/19/97	12,000	390	420	88	61	520
	12/13/97	4,800	360	560	740	130	1,100

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethylbenzene	Total Xylenes
MW-5	03/30/92	29,000		2,600	980	390	1,100
	07/01/92	52,000		2,400	1,000	5,200	2,000
	09/30/92	32,000		1,800	780	370	1,700
	11/19/92	7,800		1,000	280	120	370
	02/03/93	74,000		3,500	3,000	780	3,200
	05/25/93	57,000		7,900	4,700	1,900	7,800
	09/22/93	52,000		7,600	2,400	1,200	8,800
	12/21/93	23,000		3,600	1,200	970	3,600
	03/18/94	47,000		8,200	5,000	1,400	6,100
	06/15/94	28,000		7,900	4,000	1,200	5,200
	09/14/94	32,000		8,000	5,100	1,400	5,600
	12/19/94	29,000		7,000	3,400	1,200	5,200
	03/07/95	36,000		9,800	5,800	1,800	7,800
	06/08/95	33,000		7,700	3,800	1,500	6,200
	09/22/95	39,000		9,500	3,800	1,900	7,000
	12/27/95	42,000		9,700	5,000	2,200	8,800
	03/26/96	37,000		9,800	4,900	2,300	8,800
	06/13/96	18,000	1,400	5,500	2,200	1,500	5,300
	09/10/96	22,000	860	5,600	1,400	1,100	3,500
	12/05/96	24,000	650	5,100	2,500	1,400	4,700
	03/10/97	28,000	760	6,800	2,700	1,300	5,700
	06/12/97	49,000	700	7,500	3,200	2,300	9,200
	08/19/97	24,000	1,600	4,700	990	1,400	4,500
	12/13/97	18,000	360	2,700	760	630	4,200
MW-6	03/30/92	73		2.1	1.1	ND	0.6
	07/01/92	ND		ND	ND	ND	ND
	09/30/92	ND		0.73	ND	ND	0.58
	11/19/92	96		1.5	<0.5	<0.5	0.9
	02/03/93	73		0.6	<0.5	<0.5	<0.5
	05/25/93	NS		NS	NS	NS	NS
	10/11/93	<50		<0.5	<0.5	<0.5	<0.5
	12/21/93	<50		<0.5	<0.5	<0.5	<0.5
	03/18/94	<50		<0.5	<0.5	<0.5	<0.5
	06/15/94	<50		<0.5	<0.5	<0.5	<0.5
	09/14/94	<50		<0.5	<0.5	<0.5	<0.5
	12/19/94	<50		<0.5	<0.5	<0.5	<0.5
	03/07/95	<50		<0.5	<0.5	<0.5	<0.5
	06/08/95	<50		<0.5	<0.5	<0.5	<0.5
	09/22/95	<50		<0.50	<0.50	<0.50	<0.50
	12/27/95	<50		<0.50	<0.50	<0.50	<0.50
	03/26/96	<50		<0.50	<0.50	<0.50	<0.50
	06/13/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	09/10/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/05/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	03/10/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	06/12/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	08/19/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/13/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-7	03/30/92	ND		ND	ND	ND	ND
	07/01/92	ND		ND	ND	ND	ND
	09/30/92	ND		ND	ND	ND	ND
	11/19/92	<50		<0.5	<0.5	<0.5	<0.5
	02/03/93	<50		<0.5	<0.5	<0.5	<0.5
	05/25/93	NS		NS	NS	NS	NS
	09/22/93	<50		0.51	0.82	<0.5	0.81
	12/21/93	<50		<0.5	<0.5	<0.5	<0.5
	03/18/94	<50		<0.5	<0.5	<0.5	<0.5
	06/15/94	<50		<0.5	<0.5	<0.5	<0.5
	09/14/94	<50		<0.5	<0.5	<0.5	<0.5
	12/19/94	<50		<0.5	<0.5	<0.5	<0.5
	03/07/95	<50		<0.5	<0.5	<0.5	<0.5
	06/08/95	<50		<0.5	<0.5	<0.5	<0.5
	09/22/95	<50		<0.50	<0.50	<0.50	<0.50
	12/27/95	<50		<0.50	<0.50	<0.50	<0.50
	03/26/96	<50		<0.50	<0.50	<0.50	<0.50
	06/13/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	09/10/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/05/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	03/07/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	06/12/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	08/19/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/13/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50
MW-8	03/30/92	3,000		1,700	880	970	1,900
	07/01/92	72,000		1,800	550	520	2,200
	09/30/92	12,000		680	140	140	560
	11/19/92	9,600		530	310	130	560
	02/03/93	44,000		1,500	1,300	490	2,300
	05/25/93	7,400		580	160	170	480
	09/22/93	2,400		490	45	37	140
	12/21/93	1,400		240	7.5	<2.5	82
	03/18/94	8,600		1,600	680	470	1,900
	06/15/94	4,800		980	380	260	1,200
	09/14/94	6,600		1,200	280	330	1,100
	12/19/94	8,400		1,800	390	500	2,000
	03/07/95	7,400		1,400	370	440	2,000
	06/08/95	6,000		790	220	290	1,400
	09/22/95	4,100		750	93	230	860
	12/27/95	5,400		860	140	350	1,400
	03/26/96	1,700		180	27	100	370
	06/13/96	2,400	42	500	67	220	850
	09/10/96	7,000	<50	1,300	100	410	1,600
	12/05/96	6,300	<50	1,100	78	410	1,600
	03/07/97	6,500	<130	840	67	330	1,500
	06/12/97	7,500	<50	1,000	79	390	1,400
	08/19/97	1,100	<20	170	14	38	220
	12/13/97	4,100	24	300	29	190	860

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-9	12/20/94	16,000		2,500	1,400	690	2,800
	03/07/95	5,200		1,600	250	320	520
	06/08/95	4,900		1,000	98	300	200
	09/22/95	4,000		1,100	82	190	200
	12/27/95	2,800		960	100	200	250
	03/26/96	1,600		380	44	96	110
	06/13/96	1,800	750	540	71	140	180
	09/10/96	2,400	810	860	70	190	210
	12/05/96	5,500	960	2,100	420	380	720
	03/07/97	4,200	720	1,300	170	260	440
	06/12/97	11,000	1,000	2,500	490	560	1,300
	08/19/97	42,000	<1,000	7,700	3,500	2,000	8,300
	12/13/97	13,000	710	1,300	280	960	3,100

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

ENCLOSURE E

Remediation System Analytical Results



Report Number : 19996

Date : 4/26/2001

Richard Munsch
Doulos Environmental
1704 Via Riata
Roseville, CA 95747

Subject : 3 Air Samples
Project Name : San Leandro
Project Number : 00-3720-0002
P.O. Number : 3720-57

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff".

Joel Kiff



Report Number : 19996

Date : 4/26/2001

Project Name : San Leandro

Project Number : 00-3720-0002

Sample : Air-Inf

Matrix : Air

Lab Number : 19996-01

Sample Date : 4/18/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.10	0.050	Molar ppm	EPA 8260B	4/19/2001
Toluene	0.63	0.050	Molar ppm	EPA 8260B	4/19/2001
Ethylbenzene	0.12	0.050	Molar ppm	EPA 8260B	4/19/2001
Total Xylenes	0.56	0.050	Molar ppm	EPA 8260B	4/19/2001
TPH as Gasoline	18	5.0	Molar ppm	EPA 8260B	4/19/2001
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	4/19/2001
4-Bromofluorobenzene (Surr)	96.3		% Recovery	EPA 8260B	4/19/2001

Approved By: Joel Kiff

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800



Report Number : 19996

Date : 4/26/2001

Project Name : San Leandro

Project Number : 00-3720-0002

Sample : Air-MID

Matrix : Air

Lab Number : 19996-02

Sample Date : 4/18/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8260B	4/20/2001
Toluene	< 0.050	0.050	Molar ppm	EPA 8260B	4/20/2001
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8260B	4/20/2001
Total Xylenes	0.078	0.050	Molar ppm	EPA 8260B	4/20/2001
TPH as Gasoline	< 5.0	5.0	Molar ppm	EPA 8260B	4/20/2001
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	4/20/2001
4-Bromofluorobenzene (Surr)	95.4		% Recovery	EPA 8260B	4/20/2001

Approved By: Joel Kiff

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800



Report Number : 19996

Date : 4/26/2001

Project Name : San Leandro

Project Number : 00-3720-0002

Sample : Air- Eff

Matrix : Air

Lab Number : 19996-03

Sample Date : 4/18/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8260B	4/19/2001
Toluene	< 0.050	0.050	Molar ppm	EPA 8260B	4/19/2001
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8260B	4/19/2001
Total Xylenes	0.11	0.050	Molar ppm	EPA 8260B	4/19/2001
TPH as Gasoline	< 5.0	5.0	Molar ppm	EPA 8260B	4/19/2001
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	4/19/2001
4-Bromofluorobenzene (Surr)	94.9		% Recovery	EPA 8260B	4/19/2001

Approved By: Joel Kiff

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800



**720 Olive Drive, Suite D
Davis, CA 95616
Lab: 530.297.4800
Fax: 530.297.4803**

Lab No. | 9996

Page _____ of _____



Report Number : 20405

Date : 06/08/2001

Richard Munsch
Doulos Environmental
1704 Via Riata
Roseville, CA 95747

Subject : 3 Air Samples
Project Name : San Leandro
Project Number : 00-3720-0002
P.O. Number : 3720-58

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff".

Joel Kiff



Report Number : 20405

Date : 06/08/2001

Project Name : San Leandro

Project Number : 00-3720-0002

Sample : Air-Inf

Matrix : Air

Lab Number : 20405-01

Sample Date : 05/21/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.088	0.050	Molar ppm	EPA 8260B	05/24/2001
Toluene	1.0	0.050	Molar ppm	EPA 8260B	05/24/2001
Ethylbenzene	0.31	0.050	Molar ppm	EPA 8260B	05/24/2001
Total Xylenes	1.5	0.050	Molar ppm	EPA 8260B	05/24/2001
TPH as Gasoline	20	5.0	Molar ppm	EPA 8260B	05/24/2001
Toluene - d8 (Surr)	108		% Recovery	EPA 8260B	05/24/2001
4-Bromofluorobenzene (Surr)	92.5		% Recovery	EPA 8260B	05/24/2001

Sample : Air-MID

Matrix : Air

Lab Number : 20405-02

Sample Date : 05/21/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8260B	05/24/2001
Toluene	< 0.050	0.050	Molar ppm	EPA 8260B	05/24/2001
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8260B	05/24/2001
Total Xylenes	< 0.050	0.050	Molar ppm	EPA 8260B	05/24/2001
TPH as Gasoline	< 5.0	5.0	Molar ppm	EPA 8260B	05/24/2001
Toluene - d8 (Surr)	99.0		% Recovery	EPA 8260B	05/24/2001
4-Bromofluorobenzene (Surr)	110		% Recovery	EPA 8260B	05/24/2001

Approved By: Joel Kiff



Report Number : 20405

Date : 06/08/2001

Project Name : San Leandro

Project Number : 00-3720-0002

Sample : Air-Eff

Matrix : Air

Lab Number : 20405-03

Sample Date : 05/21/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8260B	05/24/2001
Toluene	< 0.050	0.050	Molar ppm	EPA 8260B	05/24/2001
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8260B	05/24/2001
Total Xylenes	< 0.050	0.050	Molar ppm	EPA 8260B	05/24/2001
TPH as Gasoline	< 5.0	5.0	Molar ppm	EPA 8260B	05/24/2001
Toluene - d8 (Surr)	92.2		% Recovery	EPA 8260B	05/24/2001
4-Bromofluorobenzene (Surr)	94.8		% Recovery	EPA 8260B	05/24/2001

Approved By: Joel Kiff

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800



**720 Olive Drive, Suite D
Davis, CA 95616
Lab: 530.297.4800
Fax: 530.297.4803**

Lab No. 20405

Page 1 of 1

Project Manager: <u>Richard Munsch</u>		Phone No.: <u>(916) 771-7098</u>		Chain-of-Custody Record and Analysis Request																						
Company/Address: <u>Douglas</u>		FAX No.: <u>(916) 771-9584</u>		Analysis Request																						
Project Number: <u>00-3720-aug</u>		P.O. No.: <u>3720-58</u>		Email Address: <input checked="" type="checkbox"/> .pdf <input type="checkbox"/> .xls <input type="checkbox"/> .doc <input type="checkbox"/> other																						
Project Name/Location: <u>San Leandro</u>				Sampler Signature: <u>Phil P.M.</u>																						
Sample Designation	Sampling		Container (Type/Amount)		Method Preserved			Matrix																		
	Date	Time	40 ml VOA SLEEVE	Refill	HCl	HNO ₃	ICE	NONE	WATER/SOIL	Air	BTEX (8221B)	BTEX/TPH Gas/STEX (8221B/82015)	TPH & Diesel (82015)	TPH & Motor Oil (82015)	TPH Gas/BTEX/TBE (82008)	6 Organics/TPH Gas/STEX (82008)	7 Organics/TPH Gas/STEX (82008)	5 Organics (82008)	7 Organics (82008)	Lead Scan: (1,2 DCA & 1,2 EDG - 82008)	EPA 8260B (Full List)	Volatile Halocarbons (EPA 8260B)	Lead (7421/239.2) TOTAL (X) WET (X)	TAT	For Lab Use Only	
Air - Inf	5/21/01	6:54	(X				X	X															12 hr/24 hr/48 hr/72 hr/1 wk	12 hr = Results by 9 a.m. of the next bus. day 24 hr = Results by 5 p.m. of the next bus. day 48 hr = Results by 5 p.m. of the 2nd bus. day 72 hr = Results by 5 p.m. of the 3rd bus. day 1 wk = Results by 5 p.m. of the 5th bus. day
Air - MID	5/21/01	6:58	(X	X															-01	
Air - SFE	5/21/01	6:50	(X	X															-02	
																										-03
Relinquished by: <u>Phil P.M.</u>	Date	Time	Received by:									Remarks: <u>STAT</u>														
Relinquished by: <u> </u>	Date	Time	Received by:																							
Relinquished by: <u> </u>	Date	Time	Received by Laboratory: <u>John Cullen/Kirk</u>									Bill to: <u>Ultramar Inc. / Joe Aldridge</u>														



Report Number : 20607

Date : 6/19/2001

Richard Munsch
Doulos Environmental
1704 Via Riata
Roseville, CA 95747

Subject : 3 Air Samples
Project Name : San Leandro
Project Number : 00-3720-0002
P.O. Number : 3720-57

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". Below the signature, the name "Joel Kiff" is printed in a smaller, black, sans-serif font.

Joel Kiff



Report Number : 20607

Date : 6/19/2001

Project Name : San Leandro

Project Number : 00-3720-0002

Sample : Air-Inf

Matrix : Air

Lab Number : 20607-01

Sample Date : 6/5/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.15	0.050	Molar ppm	EPA 8260B	6/6/2001
Toluene	1.5	0.050	Molar ppm	EPA 8260B	6/6/2001
Ethylbenzene	0.36	0.050	Molar ppm	EPA 8260B	6/6/2001
Total Xylenes	1.6	0.050	Molar ppm	EPA 8260B	6/6/2001
TPH as Gasoline	24	5.0	Molar ppm	EPA 8260B	6/6/2001
Toluene - d8 (Surr)	99.2		% Recovery	EPA 8260B	6/6/2001
4-Bromofluorobenzene (Surr)	98.3		% Recovery	EPA 8260B	6/6/2001

Sample : Air-MID

Matrix : Air

Lab Number : 20607-02

Sample Date : 6/5/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8260B	6/6/2001
Toluene	< 0.050	0.050	Molar ppm	EPA 8260B	6/6/2001
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8260B	6/6/2001
Total Xylenes	< 0.050	0.050	Molar ppm	EPA 8260B	6/6/2001
TPH as Gasoline	9.1	5.0	Molar ppm	EPA 8260B	6/6/2001
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	6/6/2001
4-Bromofluorobenzene (Surr)	99.0		% Recovery	EPA 8260B	6/6/2001

Approved By: Joel Kiff



Report Number : 20607

Date : 6/19/2001

Project Name : San Leandro

Project Number : 00-3720-0002

Sample : Air-Eff

Matrix : Air

Lab Number : 20607-03

Sample Date : 6/5/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	Molar ppm	EPA 8260B	6/6/2001
Toluene	< 0.050	0.050	Molar ppm	EPA 8260B	6/6/2001
Ethylbenzene	< 0.050	0.050	Molar ppm	EPA 8260B	6/6/2001
Total Xylenes	< 0.050	0.050	Molar ppm	EPA 8260B	6/6/2001
TPH as Gasoline	5.6	5.0	Molar ppm	EPA 8260B	6/6/2001
Toluene - d8 (Surr)	99.7		% Recovery	EPA 8260B	6/6/2001
4-Bromofluorobenzene (Surr)	99.0		% Recovery	EPA 8260B	6/6/2001

Approved By: Joel Kiff

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800



**720 Olive Drive, Suite D
Davis, CA 95616
Lab: 530.297.4800
Fax: 530.297.4803**

Lab No. 20607

Page _____ of _____

Project Manager: <i>Richard Munsch</i>		Phone No.: (716) 771-7078		Chain-of-Custody Record and Analysis Request																																		
Company/Address: <i>Danbury</i>		FAX No.: (916) 771-4584		Analysis Request																																		
Project Number: 00-3720-0002		P.O. No.: 3720-37		Email Address: <input checked="" type="checkbox"/> .pdf <input type="checkbox"/> .xls <input type="checkbox"/> .doc <input type="checkbox"/> other																																		
Project Name/Location: <i>Sewage Treatment Plant</i>		Sampler Signature: <i>[Signature]</i>																																				
Sample Designation	Sampling		Container (Type/Amount)		Method Preserved		Matrix		BTEX (9021B)		BTEX/TPH Gas (9021B/MC015)		TPH as Diesel (MC015)		TPH as Motor Oil (MC015)		TPH Gas/BTEX/MTBE (9200B)		5 Oxygenates (9200B)		7 Oxygenates (9200B)		6 Oxygenates (9200B)		7 Oxygenates (9200B)		Lead Scan. (1.2 DCA & 1.2 EDB - 8200B)		EPA 8200B (Full List)		Volatile Halocarbons (EPA 8200B)		Lead (7210/230.2) TOTAL (X) W.E.T. (X)		TAT		For Lab Use Only	
	Date	Time	40 ml VOA SLEEVE Teflon	HCl	HNO ₃	ICE	NONE	WATER/SOIL Air	BTEX/TPH Gas (9021B/MC015)	TPH as Diesel (MC015)	TPH as Motor Oil (MC015)	TPH Gas/BTEX/MTBE (9200B)	5 Oxygenates (9200B)	7 Oxygenates (9200B)	6 Oxygenates (9200B)	7 Oxygenates (9200B)	Lead Scan. (1.2 DCA & 1.2 EDDB - 8200B)	EPA 8200B (Full List)	Volatile Halocarbons (EPA 8200B)	Lead (7210/230.2) TOTAL (X) W.E.T. (X)	12 hr/24 hr/48 hr/72 hr/1 wk	12 hr = Results by 9 a.m. of the next bus. day	24 hr = Results by 5 p.m. of the next bus. day	48 hr = Results by 5 p.m. of the 2nd bus. day	72 hr = Results by 5 p.m. of the 3rd bus. day	1 wk = Results by 5 p.m. of the 5th bus. day												
Air - Inf	6/5/01 10:51	1				1	1	X																														
Air - Mid	6/5/01 10:51	1				1	1	X																														
Air - Eff	6/5/01 10:54	1				1	1	X																														
Relinquished by: <i>John P. Mcl</i>	Date	Time	Received by:		Remarks: <i>STAB</i>																																	
Relinquished by:	Date	Time	Received by:																																			
Relinquished by:	Date	Time	Received by Laboratory: <i>Obama Alvarado, Manager</i>		Bill to: <i>Ultramar Inc.</i>		<i>See Attached</i>																															

Distribution: White - Lab, Yellow - File, Pink - Originator

COC.m8 {5/00}



Report Number : 20407

Date : 06/08/2001

Richard Munsch
Doulos Environmental
1704 Via Riata
Roseville, CA 95747

Subject : 1 Water Sample
Project Name : San Leandro
Project Number : 00-3720-0002
P.O. Number : 3720-58

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink, appearing to read "Joel Kiff".

Joel Kiff



Report Number : 20407

Date : 06/08/2001

Project Name : San Leandro

Project Number : 00-3720-0002

Sample : MW-2

Matrix : Water

Lab Number : 20407-01

Sample Date : 05/21/2001

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	74	2.5	ug/L	EPA 8260B	05/30/2001
Toluene	85	2.5	ug/L	EPA 8260B	05/30/2001
Ethylbenzene	500	2.5	ug/L	EPA 8260B	05/30/2001
Total Xylenes	2000	2.5	ug/L	EPA 8260B	05/30/2001
Methyl-t-butyl ether	930	25	ug/L	EPA 8260B	05/30/2001
TPH as Gasoline	13000	250	ug/L	EPA 8260B	05/30/2001
Toluene - d8 (Surr)	97.9		% Recovery	EPA 8260B	05/30/2001
4-Bromofluorobenzene (Surr)	96.4		% Recovery	EPA 8260B	05/30/2001

Approved By: Joel Kiff



720 Olive Drive, Suite D
Davis, CA 95618
Lab: 530.297.4800
Fax: 530.297.4803

Lab No. 20407

Page 1 of 1

Project Manager:

Richard Munsch

Phone No.:

(916) 771-7098

Company/Address:

Ronlos

FAX No.:

(916) 771-4584

Project Number:

00-3720-002

P.O. No.:

3720-58

Email Address:

.pdf .xls .doc other

Project Name/Location:

San Leandro

Sampler Signature:

Rich M.

Chain-of-Custody Record and Analysis Request

Analysis Request

Sample Designation	Sampling		Container (Type/Amount)		Method Preserved		Matrix	8TEX (8021B)	8TEX/TPH Gas/MTBE (8021B/M8015)	TPH in Diesel (M8015)	TPH in Motor Oil (M8015)	TPH Gas/8TEX/MTBE (8280B)	5 Oxygenates/TPH Gas/8TEX (8280B)	7 Oxygenates/TPH Gas/8TEX (8280B)	5 Oxygenates (8280B)	7 Oxygenates (8280B)	Lead Scav. (1.2 DCA & 1.2 EDB - 8280B)	EPA 8280B (Full List)	Volatile Hydrocarbons (EPA 8280B)	Lead (7421/239.2) TOTAL (X) W.E.T. (X)	TAT	For Lab Use Only
	Date	Time	40 ml VOA	SLEEVE	HCl	HNO ₃	ICE	NONE	WATER/SOIL													
MW-2	5/9/01	7:30	2							X												12 hr/24 hr/48 hr/72 hr/1 wk
																						12 hr = Results by 9 a.m. of the next bus. day
																						24 hr = Results by 9 p.m. of the next bus. day
																						48 hr = Results by 5 p.m. of the 2nd bus. day
																						72 hr = Results by 5 p.m. of the 3rd bus. day
																						1 wk = Results by 5 p.m. of the 5th bus. day
																						-01

Relinquished by:
Rich M.

Date Time Received by:

Remarks:

STAT

Relinquished by:
Rich M.

Date Time Received by:

Relinquished by:
John Cutts

Date Time Received by Laboratory:

Bill to: Ultramar. Inc. / Joe Aldridge
COC.MS (5/00)