

RECEIVED

10:55 am, Feb 04, 2009

Alameda County
Environmental Health

ConocoPhillips

76 Broadway
Sacramento, California 95818

January 30, 2009

Barbara Jakub
Alameda County Health Agency
1131 Harbor Bay parkway, Suite250
Alameda, California 94502-577

Re: **Quarterly Summary Report—First Quarter 2008**
76 Service Station # 5043 RO # 0219
449 Hegenberger Road
Oakland, CA

Dear Ms. Jakub:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely,



Terry L. Grayson
Site Manager
Risk Management & Remediation

January 26, 2009

Ms. Barbara Jakub
Alameda County Health Care Services
1131 Harbor Bay Parkway
Alameda, California 94502-6577

Re: Quarterly Summary Report - First Quarter 2008
76 Service Station No. 5043
449 Hegenberger Road
Oakland, California
RO0000219




Dear Ms. Jakub,

On behalf of ConocoPhillips Company (ConocoPhillips), Delta Consultants (Delta) is submitting the subject report and forwarding a copy of TRC's *Quarterly Monitoring Report January through March 2008*, dated April 11, 2008 for the above site. TRC has uploaded a copy of their report to the GeoTracker database.

Please contact me at (916) 503-1260 if you have questions.

Sincerely,
Delta Consultants


John Reay, P.G.
Senior Project Manager
California Registered Professional Geologist



Enclosure

cc: Mr. Terry Grayson- ConocoPhillips (electronic copy only)

QUARTERLY SUMMARY REPORT First Quarter 2008

76 Service Station No. 5043
449 Hegenberger Road
Oakland, California

County: Alameda

SITE DESCRIPTION

The subject site is an operating 76 service station located on the southwestern corner of Hegenberger Road and Edgewater Drive in Oakland, California. Station facilities include three underground storage tanks (USTs), four dispenser islands, and a station building. A total of six groundwater-monitoring wells are located at or near the site.

SITE BACKGROUND AND ACTIVITY

October 1991: Four soil samples were collected from the product pipe trenches at depths of approximately 3 feet below ground surface (bgs) during a dispenser island modification. The product pipe trenches were subsequently excavated to the groundwater depth at 4 to 4.5 bgs.

February 1992: Three monitoring wells were installed at the site to depths ranging from 13.5 to 15 feet bgs.

August 1992: Three additional monitoring wells were installed at the site to depths of 13.5 feet bgs.

September 1994: One 280-gallon waste oil UST was removed from the site. The tank was made of steel, and no apparent holes or cracks were observed in the tank. One soil sample was collected from beneath the former tank at a depth of approximately 9 feet bgs. No petroleum hydrocarbons were detected.

January 1995: Two additional monitoring wells were installed at the site to a depth of 13 feet bgs. In addition, two existing monitoring wells were destroyed in order to accommodate the construction of a car wash at the subject site. Wells MW-4 and MW-5 were fully drilled out and backfilled with neat cement.

March 1995: Two 10,000-gallon gasoline USTs and one 10,000-gallon diesel UST were removed from the site. Groundwater was encountered in the tank cavity at a depth of approximately 8.5 feet bgs. Soil samples contained low levels of total petroleum hydrocarbons as diesel (TPH-D) and benzene, and moderate levels of total petroleum hydrocarbons as gasoline (TPH-G). Approximately 125,000 gallons of groundwater were pumped from the site for remediation and properly disposed offsite. Four dispenser islands and associated product piping were also removed. Based on detections in confirmation samples, the product dispenser islands were over excavated to approximately 6 feet bgs.

March-April 1995: During demolition activities of the former station building, soil samples were collected from two excavations, which were subsequently over excavated. Confirmation samples contained low petroleum hydrocarbons. An additional area on the south side of the former station building was excavated based on photoionization detector (PID) readings. Two monitoring wells were destroyed in order to allow for over excavation activities to extend to an area adjacent to the dispenser islands in the southeastern quadrant of the site. The excavated areas were subsequently backfilled with clean-engineered fill.

April 1997: Two additional monitoring wells were installed in the vicinity of the site to depths of 13 to 15 feet bgs. In addition, well MW-3, which was damaged during the UST cavity over excavation in 1995, was fully drilled out and reconstructed in the same borehole.

October 2003: Site environmental consulting responsibilities were transferred to TRC.

April 8-9, 2005: TRC conducted a 24-hour dual phase extraction (DPE) event at the site on monitoring well MW-6. The 24-hour DPE event was moderately successful at removing vapor-phase petroleum hydrocarbons from the subsurface; therefore, TRC recommended DPE no longer be considered a viable remedial alternative for the site.

October 2007: Site environmental consulting responsibilities transferred to Delta .

SENSITIVE RECEPTORS

April 24, 2006: TRC completed a sensitive receptor survey for the site. According to the Department of Water Resources (DWR) records, three water supply wells are located within one-half mile of the site. In addition, two surface water bodies were observed within one-half mile of the site. San Leandro Creek is located approximately 1,400 feet southwest of the site and flows into San Leandro Bay. Elmhurst Creek is located approximately 2,220 feet north of the site and also flows into San Leandro Bay.

GROUNDWATER MONITORING AND SAMPLING

The groundwater monitoring well network, consisting of three onsite and three offsite monitoring wells, has been monitored and sampled on a quarterly basis since February 1992. During the most recent groundwater sampling event conducted on March 22, 2008, reported depth to groundwater ranged from 0.80 feet (MW-9) to 4.08 feet (MW-7) below top of casing (TOC).

The groundwater flow direction was reported south at a gradient of 0.02 ft/ft. During the previous sampling event, (December 28, 2007) the groundwater gradient was south at 0.01. Reported historical groundwater flow has been primarily south and south-southwest.

Groundwater concentrations are reported as follows.

TPH-G Detected in three of the six sampled wells with a maximum concentration of 66,000 µg/L in well MW-6, a decrease from the maximum concentration of 78,000 µg/L in this well during the previous sampling event.

Benzene Detected in two of the six sampled wells with a maximum concentration of 380 µg/L in well MW-6, a decrease from the maximum concentration of 28,000 µg/L in this well during the previous sampling event.

MTBE Detected in two of the six sampled wells with a maximum concentration of 39 µg/L in well MW-3, a decrease from the maximum concentration of 66 µg/L in this well during the previous sampling event.

REMEDIATION STATUS

Remediation is not currently being conducted at the site.

CHARACTERIZATION STATUS

Maximum TPH-G and benzene soil concentrations have been reported at 14,000 ppm and 160 ppm, respectively. Maximum TPH-G and benzene concentrations in groundwater were detected in MW-6 during the most recent groundwater sampling event at 66,000 µg/L and 380 µg/L respectively. Maximum MTBE was detected in the sample from MW-3 at 39 µg/L.

The highest groundwater concentrations of petroleum hydrocarbons are centered around monitor well MW-6. The plume appears stable in this configuration and it is this specific area that requires remediation to clean up the site and move towards closure.

RECENT CORRESPONDENCE

No regulatory correspondence were received or sent during the fourth quarter 2007.

THIS QUARTER ACTIVITIES (First Quarter 2008)

- Monitoring and sampling of the groundwater monitoring well network was conducted by TRC on March 22, 2008.
- TRC prepared the *Quarterly Monitoring Report, January through March 2008* dated April 11, 2008.

NEXT QUARTER ACTIVITIES (Second Quarter 2008)

- TRC will perform the second quarter 2008 groundwater monitoring and sampling event and will prepare a quarterly monitoring report.

CONSULTANT: Delta Consultants



21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCSolutions.com

DATE: April 11, 2008

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: 76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
JANUARY THROUGH MARCH 2008

Dear Mr. Borgh:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5043, located at 449 Hegenberger Road, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Anju Farfan". The signature is stylized with a large initial "A" and a long horizontal stroke.

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Daniel Davis, Delta Consultants (3 copies)

Enclosures
20-0400/5043R018.QMS


**QUARTERLY MONITORING REPORT
JANUARY THROUGH MARCH 2008**

76 STATION 5043
449 Hegenberger Road
Oakland, California

Prepared For:

Mr. Bill Borgh
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 4/11/08



LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Contour Map Figure 4: Dissolved-Phase Benzene Contour Map Figure 5: Dissolved-Phase MTBE Contour Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 03/22/08 Groundwater Sampling Field Notes – 03/22/08
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
January 2008 through March 2008
76 Station 5043
449 Hegenberger Road
Oakland, CA

Project Coordinator: **Bill Borgh**
Telephone: **916-558-7612**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **03/22/08**

Sample Points

Groundwater wells: **3** onsite, **3** offsite Points gauged: **6** Points sampled: **6**
Purging method: **Bailer**
Purge water disposal: **Onyx/Rodeo Unit 100**
Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): **n/a**
LPH removal frequency: **n/a** Method: **n/a**
Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **0.8 feet** Maximum: **4.08 feet**
Average groundwater elevation (relative to available local datum): **5.71 feet**
Average change in groundwater elevation since previous event: **0.15 feet**
Interpreted groundwater gradient and flow direction:
 Current event: **0.02 ft/ft, south**
 Previous event: **0.01 ft/ft, south (12/28/07)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **2** Sample Points above MCL (1.0 µg/l): **2**
 Maximum reported benzene concentration: **380 µg/l (MW-6)**
Sample Points with **TPH-G by GC/MS** **3** Maximum: **66,000 µg/l (MW-6)**
Sample Points with **MTBE 8260B** **2** Maximum: **39 µg/l (MW-3)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
µg/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$, where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to re-survey.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5043 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 5043

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 1a	Well/ Date	TPH-D	Ethanol (8260B)											

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 2a	Well/ Date	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease				

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 22, 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3		(Screen Interval in feet: 2.5-14.0)												
3/22/2008	8.04	3.26	0.00	4.78	-0.97	--	390	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	39	
MW-6		(Screen Interval in feet: 2.5-13.5)												
3/22/2008	8.87	2.48	0.00	6.39	0.79	--	66000	380	150	1500	2400	--	ND<25	
MW-7		(Screen Interval in feet: 3.0-13.0)												
3/22/2008	8.83	4.08	0.00	4.75	-0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-8		(Screen Interval in feet: 3.0-15.0)												
3/22/2008	8.52	2.31	0.00	6.21	0.33	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-9		(Screen Interval in feet: 3.0-13.0)												
3/22/2008	8.29	0.80	0.00	7.49	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.61	
MW-10		(Screen Interval in feet: 3.0-13.0)												
3/22/2008	8.62	4.00	0.00	4.62	-0.36	--	64	13	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	Ethanol (8260B) (µg/l)
MW-3 3/22/2008	230	ND<250
MW-6 3/22/2008	68000	ND<12000
MW-7 3/22/2008	ND<50	ND<250
MW-8 3/22/2008	ND<50	ND<250
MW-9 3/22/2008	ND<50	ND<250
MW-10 3/22/2008	ND<50	ND<250

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1 (Screen Interval in feet: DNA)														
2/18/1992	--	--	--	--	--	150000	--	17000	26000	5200	26000	--	--	
5/20/1992	--	--	--	--	--	--	--	--	--	--	--	--	--	
8/31/1992	--	--	--	--	--	64000	--	13000	12000	2500	22000	--	--	
11/30/1992	--	--	--	--	--	--	--	--	--	--	--	--	--	
2/4/1993	--	--	--	--	--	--	--	--	--	--	--	--	--	
5/4/1993	8.96	2.13	0.10	6.90	--	--	--	--	--	--	--	--	--	Not sampled - presence of free product
8/4/1993	8.96	2.92	0.03	6.06	-0.84	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/3/1993	7.38	3.04	0.00	4.34	-1.72	--	--	--	--	--	--	--	--	Not sampled - presence of free product
2/7/1994	7.38	2.55	0.03	4.85	0.51	--	--	--	--	--	--	--	--	Not sampled - presence of free product
5/19/1994	7.38	2.23	0.01	5.16	0.31	--	--	--	--	--	--	--	--	Not sampled - presence of free product
6/25/1994	7.38	2.49	0.01	4.90	-0.26	--	--	--	--	--	--	--	--	Not sampled - presence of free product
7/27/1994	7.38	3.10	0.00	4.28	-0.62	--	--	--	--	--	--	--	--	
8/15/1994	7.38	2.85	0.11	4.61	0.33	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/14/1994	7.38	2.97	0.12	4.50	-0.11	--	--	--	--	--	--	--	--	Not sampled - presence of free product
2/21/1995	7.38	1.53	0.02	5.87	1.37	--	--	--	--	--	--	--	--	Not sampled - presence of free product
5/18/1995	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-2 (Screen Interval in feet: DNA)														
2/18/1992	--	--	--	--	--	29000	--	1000	5300	260	7900	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
5/20/1992	--	--	--	--	--	24000	--	2200	7600	630	11000	--	--	
8/31/1992	--	--	--	--	--	9000	--	1800	640	140	2000	--	--	
11/30/1992	--	--	--	--	--	29000	--	2000	3400	1200	6900	--	--	
2/4/1993	--	--	--	--	--	18000	--	1600	3000	ND	6900	--	--	
5/4/1993	8.96	2.48	0.00	6.48	--	63000	--	3200	17000	470	17000	--	--	
8/4/1993	8.96	3.20	0.00	5.76	-0.72	45000	--	2100	6600	1400	12000	--	--	
11/3/1993	8.58	3.37	0.00	5.21	-0.55	72000	--	3700	16000	3700	20000	--	--	
2/7/1994	8.58	2.40	0.00	6.18	0.97	--	--	--	--	--	--	--	--	Not sampled - presence of free product
5/19/1994	8.58	2.13	0.00	6.45	0.27	42000	--	2500	1300	2300	13000	--	--	
6/25/1994	8.58	2.65	0.00	5.93	-0.52	--	--	--	--	--	--	--	--	
7/27/1994	8.58	3.44	0.00	5.14	-0.79	--	--	--	--	--	--	--	--	
8/15/1994	8.58	3.25	0.00	5.33	0.19	35000	--	2400	850	1700	15000	--	--	
11/14/1994	8.58	2.13	0.00	6.45	1.12	43000	--	2200	6500	1800	14000	--	--	
2/21/1995	8.58	1.65	0.00	6.93	0.48	44000	--	2200	3200	1300	1500	--	--	
5/18/1995	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-3 (Screen Interval in feet: 2.5-14.0)														
2/18/1992	--	--	--	--	--	230	--	4.8	22	1.8	33	--	--	
5/20/1992	--	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
8/31/1992	--	--	--	--	--	210	--	1	ND	ND	ND	--	--	
11/30/1992	--	--	--	--	--	790	--	ND	ND	ND	ND	--	--	
2/4/1993	--	--	--	--	--	3300	--	320	ND	96	6.1	--	--	
5/4/1993	7.84	4.32	0.00	3.52	--	1800	--	95	ND	ND	ND	--	--	
8/4/1993	7.84	4.94	0.00	2.90	-0.62	210	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
11/3/1993	7.42	4.53	0.00	2.89	-0.01	640	--	ND	ND	ND	ND	--	--	
2/7/1994	7.42	2.40	0.00	5.02	2.13	2700	--	110	ND	17	ND	--	--	
5/19/1994	7.42	3.60	0.00	3.82	-1.20	1800	--	83	ND	6.2	9.1	--	--	
6/25/1994	7.42	4.58	0.00	2.84	-0.98	--	--	--	--	--	--	--	--	
7/27/1994	7.42	4.58	0.00	2.84	0.00	--	--	--	--	--	--	--	--	
8/15/1994	7.42	4.65	0.00	2.77	-0.07	130	--	1.1	0.54	ND	0.97	--	--	
11/14/1994	7.42	3.18	0.00	4.24	1.47	1600	--	ND	ND	ND	ND	--	--	
2/21/1995	7.42	1.81	0.00	5.61	1.37	3800	--	350	ND	130	22	--	--	
5/18/1995	7.42	4.56	0.00	2.86	-2.75	1300	--	42	ND	ND	ND	--	--	
8/17/1995	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
7/26/1996	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
10/28/1996	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Obstructed at 0.55 feet
1/29/1997	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
4/15/1997	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
5/27/1997	7.42	3.45	0.00	3.97	--	670	--	6.5	ND	ND	ND	250	--	
6/1/1997	7.42	3.50	0.00	3.92	-0.05	--	--	--	--	--	--	--	--	
7/15/1997	8.04	3.71	0.00	4.33	0.41	240	--	ND	ND	ND	ND	490	--	
10/9/1997	8.04	3.70	0.00	4.34	0.01	270	--	1.1	ND	2.4	1.4	910	--	
1/14/1998	8.04	2.16	0.00	5.88	1.54	310	--	ND	ND	0.62	0.65	140	--	
4/1/1998	8.04	2.20	0.00	5.84	-0.04	370	--	5.7	ND	ND	ND	93	--	
7/15/1998	8.04	3.38	0.00	4.66	-1.18	460	--	ND	ND	ND	ND	230	--	
10/16/1998	8.04	2.30	0.00	5.74	1.08	330	--	4.7	ND	ND	ND	60	--	
1/25/1999	8.04	2.42	0.00	5.62	-0.12	420	--	1.5	ND	ND	ND	180	--	
4/15/1999	8.04	2.16	0.00	5.88	0.26	290	--	0.54	ND	ND	ND	160	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
7/14/1999	8.04	2.35	0.00	5.69	-0.19	290	--	3.2	ND	ND	ND	160	--	
10/21/1999	8.04	2.49	0.00	5.55	-0.14	360	--	0.77	ND	ND	ND	82	--	
1/20/2000	8.04	2.38	0.00	5.66	0.11	ND	--	0.81	ND	ND	ND	54	--	
4/13/2000	8.04	2.76	0.00	5.28	-0.38	250	--	0.69	ND	ND	ND	91	150	
7/14/2000	8.04	3.26	0.00	4.78	-0.50	345	--	ND	ND	ND	ND	94.7	--	
10/26/2000	8.04	3.12	0.00	4.92	0.14	480	--	6.0	ND	ND	ND	120	--	
1/3/2001	8.04	3.65	0.00	4.39	-0.53	364	--	1.59	ND	ND	ND	118	--	
4/4/2001	8.04	3.98	0.00	4.06	-0.33	417	--	1.24	ND	ND	0.802	237	--	
7/17/2001	8.04	3.12	0.00	4.92	0.86	480	--	ND	ND	ND	ND	150	--	
10/1/2001	8.04	3.25	0.00	4.79	-0.13	310	--	1.0	ND<0.50	ND<0.50	ND<0.50	53	--	
1/31/2002	8.04	2.27	0.00	5.77	0.98	250	--	3.5	ND<1.0	ND<1.0	ND<1.0	110	--	
4/18/2002	8.04	3.55	0.00	4.49	-1.28	300	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	59	
7/28/2002	8.04	2.55	0.00	5.49	1.00	--	500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	130	
10/9/2002	8.04	2.47	0.00	5.57	0.08	--	690	ND<5	ND<5	ND<5	ND<10	--	120	
1/2/2003	8.04	1.70	0.00	6.34	0.77	--	310	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	110	
4/1/2003	8.04	3.48	0.00	4.56	-1.78	--	250	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	210	
7/1/2003	8.04	2.65	0.00	5.39	0.83	--	450	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	70	
10/2/2003	8.04	3.12	0.00	4.92	-0.47	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	210	
1/9/2004	8.04	2.39	0.00	5.65	0.73	--	300	ND<0.50	0.53	0.53	1.5	--	66	
4/26/2004	8.04	3.11	0.00	4.93	-0.72	--	440	2.5	5.5	2.9	9.4	--	81	
7/22/2004	8.04	2.51	0.00	5.53	0.60	--	420	ND<0.5	ND<0.5	ND<0.5	ND<1	--	72	
10/29/2004	8.04	2.00	0.00	6.04	0.51	--	460	5.6	15	10	46	--	48	
1/10/2005	8.04	1.52	0.00	6.52	0.48	--	280	ND<0.50	0.62	ND<0.50	2.4	--	64	
6/15/2005	8.04	2.00	0.00	6.04	-0.48	--	460	ND<0.50	0.70	0.56	1.9	--	110	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
9/27/2005	8.04	1.90	0.00	6.14	0.10	--	210	ND<0.50	0.60	ND<0.50	ND<1.0	--	100	
12/13/2005	8.04	2.35	0.00	5.69	-0.45	--	230	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	92	
3/23/2006	8.04	1.84	0.00	6.20	0.51	--	290	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	88	
6/23/2006	8.04	2.26	0.00	5.78	-0.42	--	500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	75	
9/26/2006	8.04	2.08	0.00	5.96	0.18	--	270	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	73	
12/22/2006	8.04	1.88	0.00	6.16	0.20	--	260	ND<0.50	ND<0.50	ND<0.50	1.2	--	71	
3/30/2007	8.04	2.47	0.00	5.57	-0.59	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	120	
6/28/2007	8.04	2.54	0.00	5.50	-0.07	--	370	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	55	
9/25/2007	8.04	2.56	0.00	5.48	-0.02	--	350	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	61	
12/28/2007	8.04	2.29	0.00	5.75	0.27	--	260	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	66	
3/22/2008	8.04	3.26	0.00	4.78	-0.97	--	390	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	39	
MW-4 (Screen Interval in feet: DNA)														
8/31/1992	--	--	--	--	--	240	--	ND	ND	ND	0.54	--	--	
11/30/1992	--	--	--	--	--	420	--	ND	ND	ND	ND	--	--	
2/4/1993	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
5/4/1993	9.00	4.09	0.00	4.91	--	110	--	0.95	ND	ND	ND	--	--	
8/4/1993	9.00	5.01	0.00	3.99	-0.92	250	--	ND	3.5	ND	4.1	--	--	
11/3/1993	8.41	4.23	0.00	4.18	0.19	130	--	ND	ND	ND	ND	--	--	
2/7/1994	8.41	3.35	0.00	5.06	0.88	56	--	ND	ND	ND	ND	--	--	
5/19/1994	8.41	3.92	0.00	4.49	-0.57	140	--	ND	ND	ND	ND	--	--	
6/25/1994	8.41	4.35	0.00	4.06	-0.43	--	--	--	--	--	--	--	--	
7/27/1994	8.41	4.28	0.00	4.13	0.07	--	--	--	--	--	--	--	--	
8/15/1994	8.41	4.27	0.00	4.14	0.01	59	--	ND	0.6	ND	ND	--	--	
11/14/1994	8.41	4.05	0.00	4.36	0.22	130	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
2/21/1995	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-5 (Screen Interval in feet: DNA)														
8/31/1992	--	--	--	--	--	78	--	0.89	ND	ND	13	--	--	
11/30/1992	--	--	--	--	--	930	--	70	290	0.79	14	--	--	
2/4/1993	--	--	--	--	--	5700	--	38	ND	620	170	--	--	
5/4/1993	8.95	4.37	0.00	4.58	--	7400	--	41	ND	1000	35	--	--	
8/4/1993	8.95	5.81	0.00	3.14	-1.44	1500	--	130	1	460	11	--	--	
11/3/1993	8.95	5.68	0.00	3.27	0.13	13000	--	350	ND	3500	530	--	--	
2/7/1994	8.95	5.11	0.00	3.84	0.57	2000	--	87	ND	370	110	--	--	
5/19/1994	8.95	5.09	0.00	3.86	0.02	260	--	44	ND	32	4.1	--	--	
6/25/1994	8.95	4.55	0.00	4.40	0.54	--	--	--	--	--	--	--	--	
7/27/1994	8.95	5.72	0.00	3.23	-1.17	--	--	--	--	--	--	--	--	
8/15/1994	8.95	5.68	0.00	3.27	0.04	1600	--	110	ND	340	72	--	--	
11/14/1994	8.95	5.63	0.00	3.32	0.05	250	--	40	ND	ND	5	--	--	
2/21/1995	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-6 (Screen Interval in feet: 2.5-13.5)														
8/31/1992	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/30/1992	--	--	--	--	--	9200	--	550	ND	740	1600	--	--	
2/4/1993	--	--	--	--	--	3600	--	340	ND	290	550	--	--	
5/4/1993	9.12	3.72	0.00	5.40	--	4900	--	360	18	450	430	--	--	
8/4/1993	9.12	5.15	0.00	3.97	-1.43	3400	--	390	ND	440	190	--	--	
11/3/1993	8.87	5.25	0.00	3.62	-0.35	1400	--	320	ND	200	7.7	--	--	
2/7/1994	8.87	4.55	0.00	4.32	0.70	4900	--	650	ND	250	35	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
5/19/1994	8.87	4.62	0.00	4.25	-0.07	3600	--	300	1.7	210	41	--	--	
8/15/1994	8.87	5.08	0.00	3.79	-0.46	1300	--	130	6.7	54	57	--	--	
11/14/1994	8.87	5.30	0.00	3.57	-0.22	730	--	50	ND	ND	39	--	--	
2/21/1995	8.87	5.37	0.00	3.50	-0.07	2000	--	250	4.6	25	30	--	--	
5/18/1995	8.87	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
8/17/1995	8.87	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
7/26/1996	8.87	6.40	3.33	4.97	--	--	--	--	--	--	--	--	--	Not sampled - presence of free product
10/28/1996	8.87	4.10	0.21	4.93	-0.04	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/13/1996	8.87	4.02	0.25	5.04	0.11	--	--	--	--	--	--	--	--	
11/25/1996	8.87	4.01	0.75	5.42	0.38	--	--	--	--	--	--	--	--	
12/4/1996	8.87	3.65	0.50	5.59	0.17	--	--	--	--	--	--	--	--	
12/19/1996	8.87	4.80	2.20	5.72	0.13	--	--	--	--	--	--	--	--	
1/8/1997	8.87	4.84	1.75	5.34	-0.38	--	--	--	--	--	--	--	--	
1/14/1997	8.87	4.51	1.15	5.22	-0.12	--	--	--	--	--	--	--	--	
1/27/1997	8.87	4.00	1.75	6.18	0.96	--	--	--	--	--	--	--	--	
1/29/1997	8.87	3.24	0.31	5.86	-0.32	--	--	--	--	--	--	--	--	Not sampled - presence of free product
2/11/1997	8.87	4.65	1.20	5.12	-0.74	--	--	--	--	--	--	--	--	
2/24/1997	8.87	4.81	1.10	4.89	-0.23	--	--	--	--	--	--	--	--	
3/10/1997	8.87	4.60	0.95	4.98	0.10	--	--	--	--	--	--	--	--	
3/17/1997	8.87	4.50	0.89	5.04	0.05	--	--	--	--	--	--	--	--	
3/31/1997	8.87	4.65	1.00	4.97	-0.07	--	--	--	--	--	--	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
4/15/1997	8.87	4.90	1.03	4.74	-0.23	--	--	--	--	--	--	--	--	Not sampled - presence of free product
4/28/1997	8.87	4.78	0.03	4.11	-0.63	--	--	--	--	--	--	--	--	
5/15/1997	8.87	4.60	0.25	4.46	0.35	--	--	--	--	--	--	--	--	
5/27/1997	8.87	4.50	0.25	4.56	0.10	--	--	--	--	--	--	--	--	
6/9/1997	8.87	4.60	0.20	4.42	-0.14	--	--	--	--	--	--	--	--	
6/24/1997	8.87	4.50	0.25	4.56	0.14	--	--	--	--	--	--	--	--	
7/9/1997	8.87	4.80	0.60	4.52	-0.04	--	--	--	--	--	--	--	--	
7/15/1997	8.87	4.63	0.42	4.55	0.04	--	--	--	--	--	--	--	--	Not sampled - presence of free product
7/21/1997	8.87	4.75	0.25	4.31	-0.25	--	--	--	--	--	--	--	--	
8/6/1997	8.87	4.50	0.10	4.44	0.14	--	--	--	--	--	--	--	--	
8/20/1997	8.87	4.55	0.10	4.39	-0.05	--	--	--	--	--	--	--	--	
9/2/1997	8.87	4.75	0.05	4.16	-0.24	--	--	--	--	--	--	--	--	
10/9/1997	8.87	4.84	0.04	4.06	-0.10	--	--	--	--	--	--	--	--	Not sampled - presence of free product
1/14/1998	8.87	3.90	0.94	5.67	1.61	--	--	--	--	--	--	--	--	Not sampled - presence of free product
2/12/1998	8.87	3.35	0.64	6.00	0.33	--	--	--	--	--	--	--	--	
3/3/1998	8.87	4.51	0.02	4.37	-1.63	--	--	--	--	--	--	--	--	
4/1/1998	8.87	3.67	1.60	6.40	2.03	--	--	--	--	--	--	--	--	Not sampled - presence of free product
5/26/1998	8.87	4.11	0.50	5.13	-1.26	--	--	--	--	--	--	--	--	
6/15/1998	8.87	5.03	0.30	4.06	-1.07	--	--	--	--	--	--	--	--	
7/15/1998	8.87	4.56	0.05	4.35	0.28	--	--	--	--	--	--	--	--	Not sampled - presence of free product

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
8/21/1998	8.87	4.77	0.02	4.11	-0.23	--	--	--	--	--	--	--	--	
9/30/1998	8.87	5.08	0.03	3.81	-0.30	--	--	--	--	--	--	--	--	
10/16/1998	8.87	4.31	2.40	6.36	2.55	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/6/1998	8.87	3.98	0.17	5.02	-1.34	--	--	--	--	--	--	--	--	
11/25/1998	8.87	3.92	0.10	5.02	0.01	--	--	--	--	--	--	--	--	
12/28/1998	8.87	3.90	0.20	5.12	0.10	--	--	--	--	--	--	--	--	
1/25/1999	8.87	4.18	0.60	5.14	0.02	--	--	--	--	--	--	--	--	Not sampled - presence of free product
2/22/1999	8.87	4.07	0.22	4.96	-0.18	--	--	--	--	--	--	--	--	
3/22/1999	8.87	4.32	0.15	4.66	-0.30	--	--	--	--	--	--	--	--	
4/15/1999	8.87	4.23	0.95	5.35	0.69	--	--	--	--	--	--	--	--	Not sampled - presence of free product
5/28/1999	8.87	4.38	0.39	4.78	-0.57	--	--	--	--	--	--	--	--	
6/29/1999	8.87	4.12	0.02	4.76	-0.02	--	--	--	--	--	--	--	--	
7/14/1999	8.87	4.20	0.03	4.69	-0.07	--	--	--	--	--	--	--	--	Not sampled - presence of free product
8/23/1999	8.87	4.51	0.24	4.54	-0.15	--	--	--	--	--	--	--	--	
9/30/1999	8.87	4.17	0.17	4.83	0.29	--	--	--	--	--	--	--	--	
10/21/1999	8.87	4.27	0.12	4.69	-0.14	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/29/1999	8.87	4.18	0.00	4.69	0.00	--	--	--	--	--	--	--	--	
12/20/1999	8.87	4.26	0.01	4.62	-0.07	--	--	--	--	--	--	--	--	
1/20/2000	8.87	4.31	0.00	4.56	-0.06	130000	--	2900	8600	2000	16000	ND	--	
2/26/2000	8.87	3.98	0.00	4.89	0.33	--	--	--	--	--	--	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
3/31/2000	8.87	4.14	0.00	4.73	-0.16	--	--	--	--	--	--	--	--	--
4/13/2000	8.87	4.04	0.00	4.83	0.10	140000	--	5000	14000	3600	27000	7700	--	--
5/26/2000	8.87	4.41	0.00	4.46	-0.37	--	--	--	--	--	--	--	--	--
6/17/2000	8.87	4.35	0.00	4.52	0.06	--	--	--	--	--	--	--	--	--
7/14/2000	8.87	4.47	0.00	4.40	-0.12	259000	--	7670	13700	6860	40700	ND	ND	--
8/24/2000	8.87	3.71	0.00	5.16	0.76	--	--	--	--	--	--	--	--	--
9/27/2000	8.87	4.33	0.00	4.54	-0.62	--	--	--	--	--	--	--	--	--
10/26/2000	8.87	4.32	0.00	4.55	0.01	110000	--	7000	6200	3700	12000	670	43	--
1/3/2001	8.87	4.52	0.00	4.35	-0.20	84700	--	3950	4130	3650	11800	ND	ND	--
4/4/2001	8.87	4.29	0.00	4.58	0.23	69800	--	2060	2840	3650	10900	ND	47.8	--
7/17/2001	8.87	4.37	0.00	4.50	-0.08	100000	--	3200	3300	3400	12000	ND	--	--
10/1/2001	8.87	4.45	0.00	4.42	-0.08	110000	--	3200	2400	4500	13000	ND<1000	--	--
1/31/2002	8.87	4.03	0.00	4.84	0.42	230000	--	2400	1800	5400	16000	ND<2500	--	--
4/18/2002	8.87	3.45	0.00	5.42	0.58	94000	--	6800	13000	3000	19000	ND<500	--	--
7/28/2002	8.87	2.24	0.00	6.63	1.21	--	110000	530	170	3200	7300	--	ND<100	--
10/9/2002	8.87	3.53	0.00	5.34	-1.29	--	970000	10000	39000	13000	94000	--	ND<2000	--
1/2/2003	8.87	2.34	0.00	6.53	1.19	--	270000	6100	15000	5400	37000	--	ND<200	--
4/1/2003	8.87	3.17	0.00	5.70	-0.83	--	3000000	8000	39000	37000	260000	--	ND<2000	--
7/1/2003	8.87	3.55	0.00	5.32	-0.38	--	38000	2100	990	2700	6500	--	ND<100	--
10/2/2003	8.87	3.82	0.00	5.05	-0.27	--	100000	5600	6900	4700	18000	--	ND<800	--
1/9/2004	8.87	2.80	0.00	6.07	1.02	--	170000	2800	3300	4700	16000	--	ND<200	--
4/26/2004	8.87	3.40	0.00	5.47	-0.60	--	97000	5900	9000	5100	23000	--	ND<50	--
7/22/2004	8.87	3.54	0.00	5.33	-0.14	--	110000	4100	5100	4000	16000	--	ND<200	--
10/29/2004	8.87	3.03	0.00	5.84	0.51	--	100000	5200	6100	4200	15000	--	ND<50	--

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-6 continued														
1/10/2005	8.87	2.35	0.00	6.52	0.68	--	71000	1600	3700	2100	9900	--	ND<50	
6/15/2005	8.87	2.47	0.00	6.40	-0.12	--	130000	800	1800	2200	9300	--	ND<50	
9/27/2005	8.87	2.55	0.00	6.32	-0.08	--	13000	82	120	430	990	--	0.56	
12/13/2005	8.87	3.28	0.00	5.59	-0.73	--	68000	1500	1100	2200	7700	--	ND<50	
3/23/2006	8.87	2.87	0.00	6.00	0.41	--	41000	290	140	1500	2700	--	ND<50	
6/23/2006	8.87	3.15	0.00	5.72	-0.28	--	50000	2200	1400	1900	5700	--	ND<12	
9/26/2006	8.87	3.08	0.00	5.79	0.07	--	130000	2200	1000	2900	8800	--	ND<50	
12/22/2006	8.87	2.90	0.00	5.97	0.18	--	90000	940	610	1900	4700	--	ND<50	
3/30/2007	8.87	3.26	0.00	5.61	-0.36	--	210000	1100	560	3400	12000	--	ND<10	
6/28/2007	8.87	3.46	0.00	5.41	-0.20	--	67000	2200	1300	2700	10000	--	ND<25	
9/25/2007	8.87	3.52	0.00	5.35	-0.06	--	56000	2900	720	2400	9000	--	ND<25	
12/28/2007	8.87	3.27	0.00	5.60	0.25	--	78000	28000	2700	4000	8100	--	16000	
3/22/2008	8.87	2.48	0.00	6.39	0.79	--	66000	380	150	1500	2400	--	ND<25	
MW-7 (Screen Interval in feet: 3.0-13.0)														
5/27/1997	8.83	4.50	0.00	4.33	--	68	--	ND	ND	ND	ND	ND	--	
6/1/1997	8.83	4.54	0.00	4.29	-0.04	--	--	--	--	--	--	--	--	
7/15/1997	8.83	4.70	0.00	4.13	-0.16	ND	--	ND	ND	ND	ND	ND	--	
10/9/1997	8.83	4.30	0.00	4.53	0.40	ND	--	ND	ND	ND	ND	ND	--	
1/14/1998	8.83	2.88	0.00	5.95	1.42	ND	--	ND	ND	ND	ND	36	--	
4/1/1998	8.83	3.13	0.00	5.70	-0.25	ND	--	ND	ND	ND	ND	ND	--	
7/15/1998	8.83	4.45	0.00	4.38	-1.32	ND	--	ND	ND	ND	ND	ND	--	
10/16/1998	8.83	3.45	0.00	5.38	1.00	ND	--	ND	ND	ND	ND	ND	--	
1/25/1999	8.83	3.22	0.00	5.61	0.23	ND	--	ND	ND	ND	ND	ND	--	
4/15/1999	8.83	3.11	0.00	5.72	0.11	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-7 continued														
7/14/1999	8.83	3.34	0.00	5.49	-0.23	ND	--	ND	ND	ND	ND	ND	--	
10/21/1999	8.83	3.43	0.00	5.40	-0.09	ND	--	ND	ND	ND	ND	ND	--	
1/20/2000	8.83	3.29	0.00	5.54	0.14	ND	--	ND	ND	ND	ND	4.2	--	
4/13/2000	8.83	3.39	0.00	5.44	-0.10	ND	--	ND	ND	ND	ND	ND	--	
7/14/2000	8.83	4.42	0.00	4.41	-1.03	ND	--	ND	ND	ND	ND	7.83	--	
7/17/2001	8.83	5.06	0.00	3.77	-0.64	ND	--	ND	ND	ND	ND	ND	--	
10/1/2001	8.83	4.98	0.00	3.85	0.08	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
1/31/2002	8.83	3.88	0.00	4.95	1.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
4/18/2002	8.83	4.03	0.00	4.80	-0.15	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.7	--	
7/28/2002	8.83	3.59	0.00	5.24	0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
10/9/2002	8.83	4.53	0.00	4.30	-0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
1/3/2003	8.83	3.36	0.00	5.47	1.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
4/1/2003	8.83	3.94	0.00	4.89	-0.58	--	71	ND<0.50	ND<0.50	0.71	ND<1.0	--	3.4	
7/1/2003	8.83	4.60	0.00	4.23	-0.66	--	64	ND<0.50	ND<0.50	0.77	2.0	--	35	
10/2/2003	8.83	5.46	0.00	3.37	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.9	
1/9/2004	8.83	3.55	0.00	5.28	1.91	--	54	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.4	
4/26/2004	8.83	4.49	0.00	4.34	-0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.5	--	2.3	
7/22/2004	8.83	4.93	0.00	3.90	-0.44	--	82	0.90	2.0	3.5	9.9	--	1.4	
10/29/2004	8.83	3.71	0.00	5.12	1.22	--	210	0.67	1.6	1.7	5.8	--	ND<0.50	
1/10/2005	8.83	2.77	0.00	6.06	0.94	--	74	0.51	2.2	1.7	7.0	--	ND<0.50	
6/15/2005	8.83	3.40	0.00	5.43	-0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.88	
9/27/2005	8.83	3.44	0.00	5.39	-0.04	--	ND<50	0.59	1.2	ND<0.50	ND<1.0	--	0.96	
12/13/2005	8.83	3.98	0.00	4.85	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.65	
3/23/2006	8.83	3.37	0.00	5.46	0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-7 continued														
6/23/2006	8.83	5.25	0.00	3.58	-1.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/26/2006	8.83	4.13	0.00	4.70	1.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.77	
12/22/2006	8.83	3.63	0.00	5.20	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
3/30/2007	8.83	4.31	0.00	4.52	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
6/28/2007	8.83	4.62	0.00	4.21	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.54	
9/25/2007	8.83	4.65	0.00	4.18	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/2007	8.83	3.99	0.00	4.84	0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/22/2008	8.83	4.08	0.00	4.75	-0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-8 (Screen Interval in feet: 3.0-15.0)														
5/27/1997	8.52	3.42	0.00	5.10	--	310	--	0.88	0.67	15	70	ND	--	
6/1/1997	8.52	3.46	0.00	5.06	-0.04	--	--	--	--	--	--	--	--	
7/15/1997	8.52	3.49	0.00	5.03	-0.03	ND	--	ND	ND	2.7	3.8	ND	--	
10/9/1997	8.52	3.73	0.00	4.79	-0.24	590	--	1.4	ND	32	4.1	ND	--	
1/14/1998	8.52	1.92	0.00	6.60	1.81	ND	--	ND	ND	ND	ND	ND	--	
4/1/1998	8.52	2.38	0.00	6.14	-0.46	ND	--	ND	ND	ND	ND	4.7	--	
7/15/1998	8.52	3.53	0.00	4.99	-1.15	ND	--	ND	ND	0.56	1.1	ND	--	
10/16/1998	8.52	3.04	0.00	5.48	0.49	ND	--	ND	ND	ND	ND	ND	--	
1/25/1999	8.52	2.92	0.00	5.60	0.12	ND	--	ND	ND	ND	ND	ND	--	
4/15/1999	8.52	2.40	0.00	6.12	0.52	ND	--	ND	ND	ND	ND	ND	--	
7/14/1999	8.52	3.03	0.00	5.49	-0.63	ND	--	ND	ND	ND	ND	ND	--	
10/21/1999	8.52	3.11	0.00	5.41	-0.08	ND	--	ND	ND	ND	ND	ND	--	
1/20/2000	8.52	3.06	0.00	5.46	0.05	ND	--	ND	ND	ND	ND	ND	--	
4/13/2000	8.52	2.84	0.00	5.68	0.22	ND	--	ND	ND	ND	ND	ND	--	
7/14/2000	8.52	3.39	0.00	5.13	-0.55	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-8 continued														
7/17/2001	8.52	3.46	0.00	5.06	-0.07	ND	--	ND	ND	ND	ND	ND	--	
10/1/2001	8.52	3.51	0.00	5.01	-0.05	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
1/31/2002	8.52	2.75	0.00	5.77	0.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
4/18/2002	8.52	2.98	0.00	5.54	-0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
7/28/2002	8.52	2.41	0.00	6.11	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/9/2002	8.52	2.09	0.00	6.43	0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
1/2/2003	8.52	1.98	0.00	6.54	0.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
4/1/2003	8.52	2.66	0.00	5.86	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
7/1/2003	8.52	3.08	0.00	5.44	-0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/2/2003	8.52	3.89	0.00	4.63	-0.81	--	540	3.9	15	29	80	--	ND<2.0	
1/9/2004	8.52	2.38	0.00	6.14	1.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
4/26/2004	8.52	2.89	0.00	5.63	-0.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
7/22/2004	8.52	3.25	0.00	5.27	-0.36	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	
10/29/2004	8.52	3.06	0.00	5.46	0.19	--	ND<50	ND<0.50	ND<0.50	0.82	2.5	--	ND<0.50	
1/10/2005	8.52	1.92	0.00	6.60	1.14	--	58	ND<0.50	0.61	1.2	4.0	--	ND<0.50	
6/15/2005	8.52	2.22	0.00	6.30	-0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/27/2005	8.52	2.43	0.00	6.09	-0.21	--	ND<50	ND<0.50	ND<0.50	1.2	ND<1.0	--	ND<0.50	
12/13/2005	8.52	2.89	0.00	5.63	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/23/2006	8.52	2.12	0.00	6.40	0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/23/2006	8.52	2.65	0.00	5.87	-0.53	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/26/2006	8.52	2.75	0.00	5.77	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/2006	8.52	2.58	0.00	5.94	0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
3/30/2007	8.52	2.74	0.00	5.78	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
6/28/2007	8.52	2.90	0.00	5.62	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-8 continued														
9/25/2007	8.52	3.26	0.00	5.26	-0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/2007	8.52	2.64	0.00	5.88	0.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/22/2008	8.52	2.31	0.00	6.21	0.33	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-9 (Screen Interval in feet: 3.0-13.0)														
2/21/1995	8.29	1.98	0.00	6.31	--	70	--	ND	ND	ND	ND	--	--	
5/18/1995	8.29	3.47	0.00	4.82	-1.49	52	--	ND	1.1	ND	1.9	--	--	
8/17/1995	8.29	1.49	0.00	6.80	1.98	ND	--	ND	ND	ND	ND	--	--	
7/26/1996	8.29	0.28	0.00	8.01	1.21	ND	--	ND	ND	ND	ND	ND	--	
10/28/1996	8.29	1.15	0.00	7.14	-0.87	ND	--	ND	ND	ND	ND	7.6	--	
1/29/1997	8.29	1.05	0.00	7.24	0.10	ND	--	ND	ND	ND	ND	5.4	--	
4/15/1997	8.29	1.88	0.00	6.41	-0.83	ND	--	ND	ND	ND	ND	5.4	--	
5/27/1997	8.29	1.05	0.00	7.24	0.83	--	--	--	--	--	--	--	--	
7/15/1997	8.29	1.90	0.00	6.39	-0.85	ND	--	ND	ND	ND	ND	ND	--	
10/9/1997	8.29	1.76	0.00	6.53	0.14	ND	--	ND	ND	ND	ND	ND	--	
1/14/1998	8.29	1.26	0.00	7.03	0.50	ND	--	ND	ND	ND	ND	3.0	--	
4/1/1998	8.29	0.85	0.00	7.44	0.41	ND	--	ND	ND	ND	ND	ND	--	
7/15/1998	8.29	1.52	0.00	6.77	-0.67	ND	--	ND	ND	ND	ND	ND	--	
10/16/1998	8.29	0.81	0.00	7.48	0.71	ND	--	ND	ND	ND	ND	ND	--	
1/25/1999	8.29	0.92	0.00	7.37	-0.11	ND	--	ND	ND	ND	ND	ND	--	
4/15/1999	8.29	0.90	0.00	7.39	0.02	75	--	21	ND	ND	1.1	680	--	
7/14/1999	8.29	1.04	0.00	7.25	-0.14	ND	--	1.9	ND	ND	ND	260	--	
10/21/1999	8.29	1.23	0.00	7.06	-0.19	ND	--	ND	ND	ND	ND	170	--	
1/20/2000	8.29	1.18	0.00	7.11	0.05	ND	--	1.1	ND	ND	ND	35	--	
4/13/2000	8.29	1.08	0.00	7.21	0.10	160	--	0.64	ND	ND	ND	53	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-9 continued														
7/14/2000	8.29	1.43	0.00	6.86	-0.35	ND	--	ND	ND	ND	ND	20.2	--	
10/26/2000	8.29	1.38	0.00	6.91	0.05	240	--	2.9	ND	ND	ND	56	--	
1/3/2001	8.29	1.66	0.00	6.63	-0.28	166	--	0.763	0.776	ND	1.28	50.2	--	
4/4/2001	8.29	1.27	0.00	7.02	0.39	296	--	0.738	ND	ND	0.907	135	--	
7/17/2001	8.29	1.38	0.00	6.91	-0.11	ND	--	ND	ND	ND	ND	13	--	
10/1/2001	8.29	1.93	0.00	6.36	-0.55	51	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.0	--	
1/31/2002	8.29	2.08	0.00	6.21	-0.15	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.8	--	
4/18/2002	8.29	1.76	0.00	6.53	0.32	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.1	--	
7/28/2002	8.29	1.57	0.00	6.72	0.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.5	
10/9/2002	8.29	1.45	0.00	6.84	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	17	
1/2/2003	8.29	1.18	0.00	7.11	0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.6	
4/1/2003	8.29	2.04	0.00	6.25	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.4	
7/1/2003	8.29	2.80	0.00	5.49	-0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.2	
10/2/2003	8.29	2.70	0.00	5.59	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
1/9/2004	8.29	1.90	0.00	6.39	0.80	--	74	ND<0.50	0.98	2.3	6.2	--	ND<2.0	
4/26/2004	8.29	1.62	0.00	6.67	0.28	--	51	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.51	
7/22/2004	8.29	1.88	0.00	6.41	-0.26	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	0.78	
10/29/2004	8.29	1.28	0.00	7.01	0.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.0	--	ND<0.50	
1/10/2005	8.29	0.07	0.00	8.22	1.21	--	93	0.60	2.3	2.4	9.0	--	ND<0.50	
6/15/2005	8.29	1.70	0.00	6.59	-1.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.6	
9/27/2005	8.29	1.98	0.00	6.31	-0.28	--	ND<50	ND<0.50	0.73	ND<0.50	ND<1.0	--	2.3	
12/13/2005	8.29	2.26	0.00	6.03	-0.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.9	
3/23/2006	8.29	1.32	0.00	6.97	0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.7	
6/23/2006	8.29	1.98	0.00	6.31	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-9 continued														
9/26/2006	8.29	2.52	0.00	5.77	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/2006	8.29	1.98	0.00	6.31	0.54	--	ND<50	ND<0.50	0.57	1.8	4.6	--	1.6	
3/30/2007	8.29	2.01	0.00	6.28	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.4	
6/28/2007	8.29	1.90	0.00	6.39	0.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	4.9	
9/25/2007	8.29	1.57	0.00	6.72	0.33	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/2007	8.29	1.98	0.00	6.31	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/22/2008	8.29	0.80	0.00	7.49	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.61	
MW-10 (Screen Interval in feet: 3.0-13.0)														
2/21/1995	8.62	4.69	0.00	3.93	--	1500	--	250	26	9.1	160	--	--	
5/18/1995	8.62	4.92	0.00	3.70	-0.23	810	--	520	ND	18	23	--	--	
8/17/1995	8.62	4.05	0.00	4.57	0.87	67	--	25	ND	2.4	ND	--	--	
7/26/1996	8.62	4.08	0.00	4.54	-0.03	ND	--	3.7	ND	ND	ND	ND	--	
10/28/1996	8.62	4.09	0.00	4.53	-0.01	ND	--	1.1	ND	ND	ND	ND	--	
1/29/1997	8.62	2.94	0.00	5.68	1.15	210	--	41	0.67	7.2	4.8	11	--	
4/15/1997	8.62	4.07	0.00	4.55	-1.13	110	--	12	ND	0.77	ND	9.7	--	
5/27/1997	8.62	4.40	0.00	4.22	-0.33	--	--	--	--	--	--	--	--	
7/15/1997	8.62	4.19	0.00	4.43	0.21	ND	--	2.1	ND	0.67	0.73	ND	--	
10/9/1997	8.62	4.75	0.00	3.87	-0.56	190	--	38	0.92	6.6	7.6	ND	--	
1/14/1998	8.62	2.66	0.00	5.96	2.09	59	--	9.5	0.85	1.2	1.7	4.5	--	
4/1/1998	8.62	3.45	0.00	5.17	-0.79	230	--	66	1.7	12	17	6.4	--	
7/15/1998	8.62	4.21	0.00	4.41	-0.76	290	--	98	45	21	38	21	--	
10/16/1998	8.62	4.11	0.00	4.51	0.10	160	--	44	0.96	2.5	10	17	--	
1/25/1999	8.62	3.26	0.00	5.36	0.85	140	--	27	ND	2.8	6.8	23	--	
4/15/1999	8.62	3.63	0.00	4.99	-0.37	120	--	18	ND	1.8	5.1	14	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-10 continued														
7/14/1999	8.62	3.89	0.00	4.73	-0.26	280	--	55	3.2	11	31	6.1	--	
10/21/1999	8.62	4.09	0.00	4.53	-0.20	140	--	22	0.59	1.7	7.7	5.3	--	
1/20/2000	8.62	3.92	0.00	4.70	0.17	ND	--	0.73	0.86	ND	ND	5.2	--	
4/13/2000	8.62	3.85	0.00	4.77	0.07	67	--	54	ND	2.6	ND	3.8	--	
7/14/2000	8.62	4.18	0.00	4.44	-0.33	ND	--	0.547	ND	ND	ND	ND	--	
10/26/2000	8.62	3.96	0.00	4.66	0.22	ND	--	3.3	ND	0.83	1.5	ND	--	
1/3/2001	8.62	4.14	0.00	4.48	-0.18	52.7	--	5.15	ND	0.823	1.57	ND	--	
4/4/2001	8.62	3.88	0.00	4.74	0.26	129	--	28.1	1.67	4.97	10.1	ND	--	
7/17/2001	8.62	4.08	0.00	4.54	-0.20	ND	--	4.1	ND	1.0	1.8	ND	--	
10/1/2001	8.62	4.22	0.00	4.40	-0.14	140	--	30	0.51	4.0	12	ND<5.0	--	
1/31/2002	8.62	3.68	0.00	4.94	0.54	110	--	16	ND<0.50	2.3	5.6	ND<2.5	--	
4/18/2002	8.62	4.01	0.00	4.61	-0.33	ND<50	--	11	ND<0.50	1.4	4.5	ND<2.5	--	
7/28/2002	8.62	4.11	0.00	4.51	-0.10	--	67	15	ND<0.50	0.94	7.3	--	ND<2.0	
10/9/2002	8.62	3.97	0.00	4.65	0.14	--	ND<50	0.67	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
1/2/2003	8.62	3.03	0.00	5.59	0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
4/1/2003	8.62	3.83	0.00	4.79	-0.80	--	ND<50	11	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
7/1/2003	8.62	4.13	0.00	4.49	-0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/2/2003	8.62	4.05	0.00	4.57	0.08	--	77	9.9	0.78	2.3	4.9	--	ND<2.0	
1/9/2004	8.62	3.40	0.00	5.22	0.65	--	53	1.2	ND<0.50	0.70	1.6	--	ND<2.0	
4/26/2004	8.62	3.89	0.00	4.73	-0.49	--	ND<50	2.8	1.3	1.0	2.9	--	ND<0.50	
7/22/2004	8.62	3.73	0.00	4.89	0.16	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	
10/29/2004	8.62	3.41	0.00	5.21	0.32	--	100	2.0	1.2	1.1	3.6	--	ND<0.50	
1/10/2005	8.62	2.68	0.00	5.94	0.73	--	84	7.8	2.7	2.2	8.9	--	ND<0.50	
6/15/2005	8.62	4.63	0.00	3.99	-1.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through March 2008
76 Station 5043

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-10 continued														
9/27/2005	8.62	3.96	0.00	4.66	0.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/13/2005	8.62	3.75	0.00	4.87	0.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/23/2006	8.62	3.13	0.00	5.49	0.62	--	50	13	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
6/23/2006	8.62	3.90	0.00	4.72	-0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/26/2006	8.62	3.66	0.00	4.96	0.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/2006	8.62	3.56	0.00	5.06	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.8	--	ND<0.50	
3/30/2007	8.62	3.93	0.00	4.69	-0.37	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
6/28/2007	8.62	4.03	0.00	4.59	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
9/25/2007	8.62	3.91	0.00	4.71	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/2007	8.62	3.64	0.00	4.98	0.27	--	ND<50	2.1	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/22/2008	8.62	4.00	0.00	4.62	-0.36	--	64	13	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-1									
2/18/1992	13000	--	--	--	--	--	--	--	--
8/31/1992	8900	--	--	--	--	--	--	--	--
MW-2									
2/18/1992	4300	--	--	--	--	--	--	--	--
5/20/1992	4300	--	--	--	--	--	--	--	--
8/31/1992	1600	--	--	--	--	--	--	--	--
11/30/1992	5700	--	--	--	--	--	--	--	--
2/4/1993	6100	--	--	--	--	--	--	--	--
5/4/1993	7100	--	--	--	--	--	--	--	--
8/4/1993	1800	--	--	--	--	--	--	--	--
11/3/1993	2600	--	--	--	--	--	--	--	--
5/19/1994	3000	--	--	--	--	--	--	--	--
8/15/1994	2800	--	--	--	--	--	--	--	--
11/14/1994	10000	--	--	--	--	--	--	--	--
2/21/1995	2000	--	--	--	--	--	--	--	--
MW-3									
2/18/1992	ND	--	--	--	--	--	--	--	--
8/31/1992	92	--	--	--	--	--	--	--	--
11/30/1992	94	--	--	--	--	--	--	--	--
2/4/1993	550	--	--	--	--	--	--	--	--
5/4/1993	250	--	--	--	--	--	--	--	--
8/4/1993	100	--	--	--	--	--	--	--	--
11/3/1993	160	--	--	--	--	--	--	--	--
2/7/1994	620	--	--	--	--	--	--	--	--
5/19/1994	480	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-3 continued									
8/15/1994	110	--	--	--	--	--	--	--	--
11/14/1994	150	--	--	--	--	--	--	--	--
2/21/1995	850	--	--	--	--	--	--	--	--
5/18/1995	150	--	--	--	--	--	--	--	--
6/1/1997	610	--	--	--	--	--	--	--	--
7/15/1997	240	--	--	--	--	--	--	--	--
10/9/1997	500	--	--	--	--	--	--	--	--
1/14/1998	340	--	--	--	--	--	--	--	--
4/1/1998	320	--	--	--	--	--	--	--	--
7/15/1998	510	--	--	--	--	--	--	--	--
10/16/1998	67	--	--	--	--	--	--	--	--
1/25/1999	120	--	--	--	--	--	--	--	--
4/15/1999	170	--	--	--	--	--	--	--	--
7/14/1999	420	--	--	--	--	--	--	--	--
10/21/1999	350	--	--	--	--	--	--	--	--
1/20/2000	2060	--	--	--	--	--	--	--	--
4/13/2000	200	ND	ND	ND	ND	ND	ND	ND	--
7/14/2000	423	--	--	--	--	--	--	--	--
10/26/2000	330	--	--	--	--	--	--	--	--
1/3/2001	287	--	--	--	--	--	--	--	--
4/4/2001	360	--	--	--	--	--	--	--	--
7/17/2001	270	--	--	--	--	--	--	--	--
10/1/2001	270	--	--	--	--	--	--	--	--
1/31/2002	250	--	--	--	--	--	--	--	--
4/18/2002	320	--	--	--	--	--	--	--	--
7/28/2002	310	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-3 continued									
10/9/2002	700	--	--	--	--	--	--	--	--
1/2/2003	210	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--
4/1/2003	200	--	--	--	--	--	--	--	--
7/1/2003	380	--	ND<2500	--	--	--	--	--	--
10/2/2003	300	--	ND<2500	--	--	--	--	--	--
1/9/2004	200	--	ND<500	--	--	--	--	--	--
4/26/2004	160	--	ND<50	--	--	--	--	--	--
7/22/2004	330	--	ND<1000	--	--	--	--	--	--
10/29/2004	200	--	ND<50	--	--	--	--	--	--
1/10/2005	250	--	ND<50	--	--	--	--	--	--
6/15/2005	360	--	ND<50	--	--	--	--	--	--
9/27/2005	ND<200	79	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/2005	230	--	ND<250	--	--	--	--	--	--
3/23/2006	260	--	ND<250	--	--	--	--	--	--
6/23/2006	330	--	ND<250	--	--	--	--	--	--
9/26/2006	260	--	ND<250	--	--	--	--	--	--
12/22/2006	250	--	ND<250	--	--	--	--	--	--
3/30/2007	210	--	ND<250	--	--	--	--	--	--
6/28/2007	290	--	ND<250	--	--	--	--	--	--
9/25/2007	210	--	ND<250	--	--	--	--	--	--
12/28/2007	150	--	ND<250	--	--	--	--	--	--
3/22/2008	230	--	ND<250	--	--	--	--	--	--
MW-4									
8/31/1992	90	--	--	--	--	--	--	--	--
11/30/1992	61	--	--	--	--	--	--	--	--
2/4/1993	ND	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-4 continued									
5/4/1993	ND	--	--	--	--	--	--	--	--
8/4/1993	81	--	--	--	--	--	--	--	--
11/3/1993	68	--	--	--	--	--	--	--	--
2/7/1994	ND	--	--	--	--	--	--	--	--
5/19/1994	90	--	--	--	--	--	--	--	--
8/15/1994	72	--	--	--	--	--	--	--	--
11/14/1994	ND	--	--	--	--	--	--	--	--
MW-5									
8/31/1992	690	--	--	--	--	--	--	--	--
11/30/1992	470	--	--	--	--	--	--	--	ND
2/4/1993	5500	--	--	--	--	--	--	--	ND
5/4/1993	4600	--	--	--	--	--	--	--	ND
8/4/1993	970	--	--	--	--	--	--	--	ND
11/3/1993	2100	--	--	--	--	--	--	--	--
2/7/1994	830	--	--	--	--	--	--	--	--
5/19/1994	600	--	--	--	--	--	--	--	--
8/15/1994	860	--	--	--	--	--	--	--	--
11/14/1994	290	--	--	--	--	--	--	--	--
MW-6									
8/31/1992	750	--	--	--	--	--	--	--	--
11/30/1992	1400	--	--	--	--	--	--	--	--
2/4/1993	890	--	--	--	--	--	--	--	--
5/4/1993	1800	--	--	--	--	--	--	--	--
8/4/1993	1100	--	--	--	--	--	--	--	--
11/3/1993	390	--	--	--	--	--	--	--	--
2/7/1994	970	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-6 continued									
5/19/1994	1400	--	--	--	--	--	--	--	--
8/15/1994	790	--	--	--	--	--	--	--	--
11/14/1994	800	--	--	--	--	--	--	--	--
2/21/1995	730	--	--	--	--	--	--	--	--
1/20/2000	67600	--	--	--	--	--	--	--	--
4/13/2000	8700	--	--	--	--	--	--	--	--
7/14/2000	133000	--	--	--	--	--	--	--	--
10/26/2000	61000	--	--	--	--	--	--	--	--
1/3/2001	929	--	--	--	--	--	--	--	--
4/4/2001	18000	ND	ND	ND	ND	ND	ND	ND	--
7/17/2001	20000	--	--	--	--	--	--	--	--
10/1/2001	24000	--	--	--	--	--	--	--	--
1/31/2002	11000	--	--	--	--	--	--	--	--
4/18/2002	3500	--	--	--	--	--	--	--	--
7/28/2002	27000	--	--	--	--	--	--	--	--
10/9/2002	170000	--	--	--	--	--	--	--	--
1/2/2003	66000	--	--	--	--	--	--	--	--
4/1/2003	35000	--	--	--	--	--	--	--	--
7/1/2003	11000	--	ND<25000	--	--	--	--	--	--
10/2/2003	ND<50	--	ND<200000	--	--	--	--	--	--
1/9/2004	20000	--	ND<50000	--	--	--	--	--	--
4/26/2004	13000	--	ND<5000	--	--	--	--	--	--
7/22/2004	33000	--	ND<300000	--	--	--	--	--	--
10/29/2004	78000	--	ND<5000	--	--	--	--	--	--
1/10/2005	12000	--	ND<5000	--	--	--	--	--	--
6/15/2005	16000	--	ND<5000	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-6 continued									
9/27/2005	2500	ND<10	ND<250	--	--	1.8	ND<0.50	ND<0.50	--
12/13/2005	18000	--	ND<25000	--	--	--	--	--	--
3/23/2006	73000	--	ND<25000	--	--	--	--	--	--
6/23/2006	35000	--	ND<6200	--	--	--	--	--	--
9/26/2006	22000	--	ND<25000	--	--	--	--	--	--
12/22/2006	62000	--	ND<25000	--	--	--	--	--	--
3/30/2007	62000	--	ND<5000	--	--	--	--	--	--
6/28/2007	71000	--	ND<12000	--	--	--	--	--	--
9/25/2007	58000	--	ND<12000	--	--	--	--	--	--
12/28/2007	18000	--	ND<12000	--	--	--	--	--	--
3/22/2008	68000	--	ND<12000	--	--	--	--	--	--
MW-7									
6/1/1997	69	--	--	--	--	--	--	--	--
7/15/1997	ND	--	--	--	--	--	--	--	--
10/9/1997	190	--	--	--	--	--	--	--	--
1/14/1998	65	--	--	--	--	--	--	--	--
4/1/1998	ND	--	--	--	--	--	--	--	--
7/15/1998	74	--	--	--	--	--	--	--	--
10/16/1998	ND	--	--	--	--	--	--	--	--
1/25/1999	ND	--	--	--	--	--	--	--	--
4/15/1999	ND	--	--	--	--	--	--	--	--
7/14/1999	69	--	--	--	--	--	--	--	--
10/21/1999	ND	--	--	--	--	--	--	--	--
1/20/2000	ND	--	--	--	--	--	--	--	--
4/13/2000	ND	--	--	--	--	--	--	--	--
7/14/2000	68.0	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-7 continued									
7/17/2001	ND	--	--	--	--	--	--	--	--
10/1/2001	ND<51	--	--	--	--	--	--	--	--
1/31/2002	90	--	--	--	--	--	--	--	--
4/18/2002	78	--	--	--	--	--	--	--	--
7/28/2002	ND<50	--	--	--	--	--	--	--	--
10/9/2002	ND<96	--	--	--	--	--	--	--	--
1/3/2003	78	--	--	--	--	--	--	--	--
4/1/2003	67	--	--	--	--	--	--	--	--
7/1/2003	68	--	ND<500	--	--	--	--	--	--
10/2/2003	82	--	ND<500	--	--	--	--	--	--
1/9/2004	75	--	ND<500	--	--	--	--	--	--
4/26/2004	ND<50	--	ND<50	--	--	--	--	--	--
7/22/2004	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/2004	54	--	ND<50	--	--	--	--	--	--
1/10/2005	ND<50	--	ND<50	--	--	--	--	--	--
6/15/2005	ND<50	--	ND<50	--	--	--	--	--	--
9/27/2005	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/2005	ND<200	--	ND<250	--	--	--	--	--	--
3/23/2006	ND<200	--	ND<250	--	--	--	--	--	--
6/23/2006	ND<200	--	ND<250	--	--	--	--	--	--
9/26/2006	ND<50	--	ND<250	--	--	--	--	--	--
12/22/2006	630	--	ND<250	--	--	--	--	--	--
3/30/2007	94	--	ND<250	--	--	--	--	--	--
6/28/2007	ND<50	--	ND<250	--	--	--	--	--	--
9/25/2007	ND<50	--	ND<250	--	--	--	--	--	--
12/28/2007	75	--	ND<250	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-7 continued									
3/22/2008	ND<50	--	ND<250	--	--	--	--	--	--
MW-8									
6/1/1997	320	--	--	--	--	--	--	--	--
7/15/1997	ND	--	--	--	--	--	--	--	--
10/9/1997	390	--	--	--	--	--	--	--	--
1/14/1998	230	--	--	--	--	--	--	--	--
4/1/1998	510	--	--	--	--	--	--	--	--
7/15/1998	140	--	--	--	--	--	--	--	--
10/16/1998	170	--	--	--	--	--	--	--	--
1/25/1999	ND	--	--	--	--	--	--	--	--
4/15/1999	91	--	--	--	--	--	--	--	--
7/14/1999	120	--	--	--	--	--	--	--	--
10/21/1999	110	--	--	--	--	--	--	--	--
1/20/2000	583	--	--	--	--	--	--	--	--
4/13/2000	80	--	--	--	--	--	--	--	--
7/14/2000	113	--	--	--	--	--	--	--	--
7/17/2001	ND	--	--	--	--	--	--	--	--
10/1/2001	ND<50	--	--	--	--	--	--	--	--
1/31/2002	260	--	--	--	--	--	--	--	--
4/18/2002	160	--	--	--	--	--	--	--	--
7/28/2002	140	--	--	--	--	--	--	--	--
10/9/2002	120	--	--	--	--	--	--	--	--
1/2/2003	210	--	--	--	--	--	--	--	--
4/1/2003	220	--	--	--	--	--	--	--	--
7/1/2003	170	--	ND<500	--	--	--	--	--	--
10/2/2003	350	--	ND<500	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-8 continued									
1/9/2004	180	--	ND<500	--	--	--	--	--	--
4/26/2004	100	--	ND<50	--	--	--	--	--	--
7/22/2004	250	--	ND<1000	--	--	--	--	--	--
10/29/2004	120	--	ND<50	--	--	--	--	--	--
1/10/2005	140	--	ND<50	--	--	--	--	--	--
6/15/2005	140	--	ND<50	--	--	--	--	--	--
9/27/2005	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/2005	ND<200	--	ND<250	--	--	--	--	--	--
3/23/2006	ND<200	--	ND<250	--	--	--	--	--	--
6/23/2006	ND<230	--	ND<250	--	--	--	--	--	--
9/26/2006	110	--	ND<250	--	--	--	--	--	--
12/22/2006	100	--	ND<250	--	--	--	--	--	--
3/30/2007	120	--	ND<250	--	--	--	--	--	--
6/28/2007	140	--	ND<250	--	--	--	--	--	--
9/25/2007	110	--	ND<250	--	--	--	--	--	--
12/28/2007	110	--	ND<250	--	--	--	--	--	--
3/22/2008	ND<50	--	ND<250	--	--	--	--	--	--
MW-9									
2/21/1995	71	--	--	--	--	--	--	--	--
5/18/1995	ND	--	--	--	--	--	--	--	--
8/17/1995	ND	--	--	--	--	--	--	--	--
7/26/1996	98	--	--	--	--	--	--	--	--
10/28/1996	99	--	--	--	--	--	--	--	--
1/29/1997	54	--	--	--	--	--	--	--	--
4/15/1997	94	--	--	--	--	--	--	--	--
7/15/1997	ND	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-9 continued									
10/9/1997	160	--	--	--	--	--	--	--	--
1/14/1998	110	--	--	--	--	--	--	--	--
4/1/1998	110	--	--	--	--	--	--	--	--
7/15/1998	200	--	--	--	--	--	--	--	--
10/16/1998	ND	--	--	--	--	--	--	--	--
1/25/1999	ND	--	--	--	--	--	--	--	--
4/15/1999	ND	--	--	--	--	--	--	--	--
7/14/1999	140	--	--	--	--	--	--	--	--
10/21/1999	210	--	--	--	--	--	--	--	--
1/20/2000	519	--	--	--	--	--	--	--	--
4/13/2000	81	--	--	--	--	--	--	--	--
7/14/2000	107	--	--	--	--	--	--	--	--
10/26/2000	240	--	--	--	--	--	--	--	--
1/3/2001	164	--	--	--	--	--	--	--	--
4/4/2001	240	--	--	--	--	--	--	--	--
7/17/2001	ND	--	--	--	--	--	--	--	--
10/1/2001	ND<52	--	--	--	--	--	--	--	--
1/31/2002	200	--	--	--	--	--	--	--	--
4/18/2002	ND<50	--	--	--	--	--	--	--	--
7/28/2002	ND<50	--	--	--	--	--	--	--	--
10/9/2002	100	--	--	--	--	--	--	--	--
1/2/2003	ND<50	--	--	--	--	--	--	--	--
4/1/2003	56	--	--	--	--	--	--	--	--
7/1/2003	ND<50	--	ND<500	--	--	--	--	--	--
10/2/2003	ND<50	--	ND<500	--	--	--	--	--	--
1/9/2004	91	--	ND<500	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-9 continued									
4/26/2004	ND<50	--	ND<50	--	--	--	--	--	--
7/22/2004	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/2004	76	--	ND<50	--	--	--	--	--	--
1/10/2005	77	--	ND<50	--	--	--	--	--	--
6/15/2005	67	--	ND<50	--	--	--	--	--	--
9/27/2005	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/2005	ND<200	--	ND<250	--	--	--	--	--	--
3/23/2006	ND<200	--	ND<250	--	--	--	--	--	--
6/23/2006	ND<200	--	ND<250	--	--	--	--	--	--
9/26/2006	ND<50	--	ND<250	--	--	--	--	--	--
12/22/2006	150	--	ND<250	--	--	--	--	--	--
3/30/2007	72	--	ND<250	--	--	--	--	--	--
6/28/2007	1000	--	ND<250	--	--	--	--	--	--
9/25/2007	100	--	ND<250	--	--	--	--	--	--
12/28/2007	56	--	ND<250	--	--	--	--	--	--
3/22/2008	ND<50	--	ND<250	--	--	--	--	--	--
MW-10									
2/21/1995	270	--	--	--	--	--	--	--	--
5/18/1995	75	--	--	--	--	--	--	--	--
8/17/1995	ND	--	--	--	--	--	--	--	--
7/26/1996	ND	--	--	--	--	--	--	--	--
10/28/1996	ND	--	--	--	--	--	--	--	--
1/29/1997	ND	--	--	--	--	--	--	--	--
4/15/1997	ND	--	--	--	--	--	--	--	--
7/15/1997	ND	--	--	--	--	--	--	--	--
10/9/1997	ND	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043


Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-10 continued									
4/1/1998	62	--	--	--	--	--	--	--	--
7/15/1998	78	--	--	--	--	--	--	--	--
10/16/1998	ND	--	--	--	--	--	--	--	--
1/25/1999	ND	--	--	--	--	--	--	--	--
4/15/1999	ND	--	--	--	--	--	--	--	--
7/14/1999	180	--	--	--	--	--	--	--	--
10/21/1999	96	--	--	--	--	--	--	--	--
1/20/2000	252	--	--	--	--	--	--	--	--
4/13/2000	69	--	--	--	--	--	--	--	--
7/14/2000	149	--	--	--	--	--	--	--	--
10/26/2000	83	--	--	--	--	--	--	--	--
1/3/2001	126	--	--	--	--	--	--	--	--
4/4/2001	75	--	--	--	--	--	--	--	--
7/17/2001	ND	--	--	--	--	--	--	--	--
10/1/2001	100	--	--	--	--	--	--	--	--
1/31/2002	170	--	--	--	--	--	--	--	--
4/18/2002	130	--	--	--	--	--	--	--	--
7/28/2002	58	--	--	--	--	--	--	--	--
10/9/2002	ND<94	--	--	--	--	--	--	--	--
1/2/2003	64	--	--	--	--	--	--	--	--
4/1/2003	76	--	--	--	--	--	--	--	--
7/1/2003	87	--	ND<500	--	--	--	--	--	--
10/2/2003	160	--	ND<500	--	--	--	--	--	--
1/9/2004	74	--	ND<500	--	--	--	--	--	--
4/26/2004	ND<50	--	ND<50	--	--	--	--	--	--
7/22/2004	ND<200	--	ND<1000	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)
MW-10 continued									
10/29/2004	ND<50	--	ND<50	--	--	--	--	--	--
1/10/2005	94	--	ND<50	--	--	--	--	--	--
6/15/2005	62	--	ND<50	--	--	--	--	--	--
9/27/2005	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/2005	ND<200	--	ND<250	--	--	--	--	--	--
3/23/2006	ND<200	--	ND<250	--	--	--	--	--	--
6/23/2006	ND<200	--	ND<250	--	--	--	--	--	--
9/26/2006	ND<50	--	ND<250	--	--	--	--	--	--
12/22/2006	81	--	ND<250	--	--	--	--	--	--
3/30/2007	82	--	ND<250	--	--	--	--	--	--
6/28/2007	57	--	ND<250	--	--	--	--	--	--
9/25/2007	82	--	ND<250	--	--	--	--	--	--
12/28/2007	62	--	ND<250	--	--	--	--	--	--
3/22/2008	ND<50	--	ND<250	--	--	--	--	--	--


FIGURES

PS-1:1 L:\DMS VICINITY M A P S\5043\m.DWG Nov 15, 2007 - 3:00pm cvuong



SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
San Leandro Quadrangle



SCALE 1:24,000



PROJECT: 154771

FACILITY:

76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

VICINITY MAP

FIGURE 1


LEGEND



MW-10 Monitoring Well with Groundwater Elevation (feet)

7.00 Groundwater Elevation Contour

General Direction of Groundwater Flow



NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. * = not included in groundwater contour interpretation. UST = underground storage tank.

SCALE (FEET)



L:\Graphics\GIS\NORTH-SOUTH\5043\5043-QMS(NEW).DWG Apr 10, 2008 - 4:21pm bschmidt

MS-1:60 5043-003





PROJECT: 154771
 FACILITY:
 76 STATION 5043
 449 HEGENBERGER ROAD
 OAKLAND, CALIFORNIA


**GROUNDWATER ELEVATION
 CONTOUR MAP
 March 22, 2008**

FIGURE 2

LEGEND

MW-10  Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)

 10,000 Dissolved-Phase TPH-G (GC/MS) Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.

SCALE (FEET)



L:\Graphics\QMS NORTH-SOUTH\5043\5043\QMS(NEW).DWG Apr 10, 2008 - 4:29pm bschmidt

MS-1:60 5043-003





PROJECT: 154771
 FACILITY:
 76 STATION 5043
 449 HEGENBERGER ROAD
 OAKLAND, CALIFORNIA


**DISSOLVED-PHASE TPH-G (GC/MS)
 CONCENTRATION MAP
 March 22, 2008**

FIGURE 3

LEGEND

MW-10  Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)


 100 Dissolved-Phase Benzene Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
 UST = underground storage tank.

SCALE (FEET)



L:\Graphics\QMS NORTH+SOUTH\5043\5043QMS(NEW).DWG Apr 11, 2008 - 10:32am bechmidt

MS=1:60 5043-003





PROJECT: 154771
 FACILITY:
 76 STATION 5043
 449 HEGENBERGER ROAD
 OAKLAND, CALIFORNIA


**DISSOLVED-PHASE BENZENE
 CONCENTRATION MAP
 March 22, 2008**

FIGURE 4

LEGEND

MW-10  Monitoring Well with Dissolved-Phase MTBE Concentration (µg/l)


 10 Dissolved-Phase MTBE Contour (µg/l)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank. Results obtained using EPA Method 8260B.

SCALE (FEET)



L:\Graphics\CMS NORTH-SOUTH\DX-5000\5043+5043QMS(NEW).DWG Apr 10, 2008 - 4:54pm bschmidt

MS-1:60 5043-003




PROJECT: 154771
 FACILITY:
 76 STATION 5043
 449 HEGENBERGER ROAD
 OAKLAND, CALIFORNIA

**DISSOLVED-PHASE MTBE
 CONCENTRATION MAP
 March 22, 2008**

FIGURE 5


GRAPHS

Groundwater Elevations vs. Time
76 Station 5043




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5043











Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5043





Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 5043



Benzene Concentrations vs Time 76 Station 5043



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: ALEX

Job #/Task #: 154771 / FA20

Date: 3/22/08

Site # 5043

Project Manager A. COLLINS

Page 1 of 1

Well #	Time Gauged	TOC	Total Depth	Depth to Water	Depth to Product	Product Thickness (feet)	Time Sampled	Misc. Well Notes
MW-9	0652	✓	12.70	0.80	-	-	0820	2"
MW-8	0702	✓	14.81	2.31	-	-	0845	2"
MW-7	0706	✓	12.83	4.08	-	-	0900	2"
MW-10	0713	✓	12.75	4.00	-	-	0920	2"
MW-3	0717	✓	12.78	3.26	-	-	0810	2"
MW-6	0722	✓	13.93	2.48	-	-	0935	2"

FIELD DATA COMPLETE QA/QC COC WELL BOX CONDITION SHEETS

WTT CERTIFICATE MANIFEST DRUM INVENTORY TRAFFIC CONTROL

GROUNDWATER SAMPLING FIELD NOTES

Technician: Alex

Site: S043

Project No.: 154071

Date: 3/22/08

Well No. ~~804~~ MW-9

Purge Method: HB

Depth to Water (feet): 0.80

Depth to Product (feet):

Total Depth (feet): 12.70

LPH & Water Recovered (gallons):

Water Column (feet): 11.90

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 3.18

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. $\text{\textcircled{C}}$)	pH	D.O.	ORP	Turbidity
0815			2	558.9	17.5	7.07			
			4	531.7	17.6	6.91			
	0819		6	517.0	17.7	6.73			
Static at Time Sampled			Total Gallons Purged			Sample Time			
2.82			6			0820			
Comments:									

Well No. MW-8

Purge Method: HB

Depth to Water (feet): 2.31

Depth to Product (feet):

Total Depth (feet): 14.81

LPH & Water Recovered (gallons):

Water Column (feet): 12.50

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 4.80

1 Well Volume (gallons): 2'

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. $\text{\textcircled{C}}$)	pH	D.O.	ORP	Turbidity
0834			2	8657	16.1	6.35			
			4	9093	16.4	6.26			
	0839		6	9682	16.7	6.20			
Static at Time Sampled			Total Gallons Purged			Sample Time			
4.72			6			0845			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: ALEX

Site: S043

Project No.: 15171

Date: 3/22/08

Well No. MW-7

Purge Method: HB

Depth to Water (feet): 4.08

Depth to Product (feet): —

Total Depth (feet) 12.83

LPH & Water Recovered (gallons): —

Water Column (feet): 8.75

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 5.83

1 Well Volume (gallons): 1

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. °C)	pH	D.O.	ORP	Turbidity
0850			1	1180	16.5	7.83			
			2	1128	17.3	7.37			
	0855		3	1108	17.3	7.26			
Static at Time Sampled			Total Gallons Purged		Sample Time				
4.25			3		0900				
Comments:									

Well No. MW-10

Purge Method: HB

Depth to Water (feet) 4.00

Depth to Product (feet): —

Total Depth (feet) 12.75

LPH & Water Recovered (gallons): —

Water Column (feet): 8.75

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 5.75

1 Well Volume (gallons): 1

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. °C)	pH	D.O.	ORP	Turbidity
0910			1	2460	15.4	7.45			
			2	2558	16.3	7.40			
	0915		3	2567	16.5	7.37			
Static at Time Sampled			Total Gallons Purged		Sample Time				
4.14			3		0920				
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Alex

Site: 5043

Project No.: 154771

Date: 3/22/08

Well No. MW-3

Purge Method: HB

Depth to Water (feet): 3.26

Depth to Product (feet): —

Total Depth (feet) 12.78

LPH & Water Recovered (gallons): —

Water Column (feet) 9.52

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 5.16

1 Well Volume (gallons): 1

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0800			1	1826	18.3	7.90			
			2	1919	17.9	7.61			
	0804		3	2153	18.0	7.34			
Static at Time Sampled			Total Gallons Purged		Sample Time				
			3		0810				
Comments:									

Well No. MW-6

Purge Method: HB

Depth to Water (feet): 2.48

Depth to Product (feet): —

Total Depth (feet) 13.93

LPH & Water Recovered (gallons): —

Water Column (feet): 11.45

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 4.77

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0925			2	1775	16.0	7.45			
			4	1725	16.6	7.11			
	0930		6	1860	16.6	6.92			
Static at Time Sampled			Total Gallons Purged		Sample Time				
3.51			6		0935				
Comments:									



Date of Report: 04/02/2008

Anju Farfan

TRC

21 Technology Drive
Irvine, CA 92618

RE: 5043

BC Work Order: 0803867

Enclosed are the results of analyses for samples received by the laboratory on 03/24/2008 20:50. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Molly Meyers".

Contact Person: Molly Meyers
Client Service Rep

A handwritten signature in cursive script, which is mostly illegible but appears to be a name.

Authorized Signature



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information				
0803867-01	COC Number:	---	Receive Date:	03/24/2008 20:50	Delivery Work Order:
	Project Number:	5043	Sampling Date:	03/22/2008 08:20	Global ID: T0600101476
	Sampling Location:	MW-9	Sample Depth:	---	Matrix: W
	Sampling Point:	MW-9	Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI			Cooler ID:
0803867-02	COC Number:	---	Receive Date:	03/24/2008 20:50	Delivery Work Order:
	Project Number:	5043	Sampling Date:	03/22/2008 08:45	Global ID: T0600101476
	Sampling Location:	MW-8	Sample Depth:	---	Matrix: W
	Sampling Point:	MW-8	Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI			Cooler ID:
0803867-03	COC Number:	---	Receive Date:	03/24/2008 20:50	Delivery Work Order:
	Project Number:	5043	Sampling Date:	03/22/2008 09:00	Global ID: T0600101476
	Sampling Location:	MW-7	Sample Depth:	---	Matrix: W
	Sampling Point:	MW-7	Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI			Cooler ID:
0803867-04	COC Number:	---	Receive Date:	03/24/2008 20:50	Delivery Work Order:
	Project Number:	5043	Sampling Date:	03/22/2008 09:20	Global ID: T0600101476
	Sampling Location:	MW-10	Sample Depth:	---	Matrix: W
	Sampling Point:	MW-10	Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI			Cooler ID:
0803867-05	COC Number:	---	Receive Date:	03/24/2008 20:50	Delivery Work Order:
	Project Number:	5043	Sampling Date:	03/22/2008 08:10	Global ID: T0600101476
	Sampling Location:	MW-3	Sample Depth:	---	Matrix: W
	Sampling Point:	MW-3	Sample Matrix:	Water	Samle QC Type (SACode): CS
	Sampled By:	TRCI			Cooler ID:



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Laboratory / Client Sample Cross Reference

Laboratory Client Sample Information

0803867-06	COC Number:	---	Receive Date:	03/24/2008 20:50	Delivery Work Order:
	Project Number:	5043	Sampling Date:	03/22/2008 09:35	Global ID: T0600101476
	Sampling Location:	MW-6	Sample Depth:	---	Matrix: W
	Sampling Point:	MW-6	Sample Matrix:	Water	Sample QC Type (SACode): CS
	Sampled By:	TRCI			Cooler ID:

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803867-01		Client Sample Name: 5043, MW-9, MW-9, 3/22/2008 8:20:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733	ND	
Methyl t-butyl ether	0.61	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733	ND	
Toluene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733	ND	
Ethanol	ND	ug/L	250		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733	ND	
1,2-Dichloroethane-d4 (Surrogate)	113	%	76 - 114 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733		
Toluene-d8 (Surrogate)	98.7	%	88 - 110 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733		
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 01:58	ken	MS-V12	1	BRC1733		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID: 0803867-01		Client Sample Name: 5043, MW-9, MW-9, 3/22/2008 8:20:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	03/26/08	03/27/08 23:18	PTL	GC-5	1	BRC1715	ND	
Tetracosane (Surrogate)	58.1	%	28 - 139 (LCL - UCL)		Luft/TPHd	03/26/08	03/27/08 23:18	PTL	GC-5	1	BRC1715		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803867-02		Client Sample Name: 5043, MW-8, MW-8, 3/22/2008 8:45:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733	ND	
Toluene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733	ND	
Ethanol	ND	ug/L	250		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733	ND	
1,2-Dichloroethane-d4 (Surrogate)	110	%	76 - 114 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733		
Toluene-d8 (Surrogate)	97.4	%	88 - 110 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733		
4-Bromofluorobenzene (Surrogate)	99.3	%	86 - 115 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 01:10	ken	MS-V12	1	BRC1733		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID: 0803867-02		Client Sample Name: 5043, MW-8, MW-8, 3/22/2008 8:45:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	03/26/08	03/28/08 00:15	PTL	GC-5	1.020	BRC1715	ND	
Tetracosane (Surrogate)	29.5	%	28 - 139 (LCL - UCL)		Luft/TPHd	03/26/08	03/28/08 00:15	PTL	GC-5	1.020	BRC1715		

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803867-03		Client Sample Name: 5043, MW-7, MW-7, 3/22/2008 9:00:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733	ND	
Toluene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733	ND	
Ethanol	ND	ug/L	250		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733	ND	
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733		
Toluene-d8 (Surrogate)	99.4	%	88 - 110 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733		
4-Bromofluorobenzene (Surrogate)	99.2	%	86 - 115 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 01:34	ken	MS-V12	1	BRC1733		

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID: 0803867-03	Client Sample Name: 5043, MW-7, MW-7, 3/22/2008 9:00:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	03/26/08	03/28/08 00:29	PTL	GC-5	1	BRC1715	ND	
Tetracosane (Surrogate)	46.1	%	28 - 139 (LCL - UCL)		Luft/TPHd	03/26/08	03/28/08 00:29	PTL	GC-5	1	BRC1715		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803867-04		Client Sample Name: 5043, MW-10, MW-10, 3/22/2008 9:20:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	13	ug/L	0.50		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733	ND	
Toluene	ND	ug/L	0.50		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733	ND	
Ethanol	ND	ug/L	250		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733	ND	
Total Purgeable Petroleum Hydrocarbons	64	ug/L	50		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733	ND	
1,2-Dichloroethane-d4 (Surrogate)	111	%	76 - 114 (LCL - UCL)		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733		
Toluene-d8 (Surrogate)	99.5	%	88 - 110 (LCL - UCL)		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733		
4-Bromofluorobenzene (Surrogate)	97.6	%	86 - 115 (LCL - UCL)		EPA-8260	03/28/08	03/28/08 17:18	ken	MS-V12	1	BRC1733		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID: 0803867-04 Client Sample Name: 5043, MW-10, MW-10, 3/22/2008 9:20:00AM

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quais
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	03/26/08	03/28/08 00:44	PTL	GC-5	1	BRC1715	ND	
Tetracosane (Surrogate)	64.6	%	28 - 139 (LCL - UCL)		Luft/TPHd	03/26/08	03/28/08 00:44	PTL	GC-5	1	BRC1715		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803867-05 **Client Sample Name:** 5043, MW-3, MW-3, 3/22/2008 8:10:00AM

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733	ND	
Methyl t-butyl ether	39	ug/L	0.50		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733	ND	
Toluene	ND	ug/L	0.50		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733	ND	
Ethanol	ND	ug/L	250		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733	ND	
Total Purgeable Petroleum Hydrocarbons	390	ug/L	50		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733	ND	
1,2-Dichloroethane-d4 (Surrogate)	110	%	76 - 114 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733		
Toluene-d8 (Surrogate)	98.7	%	88 - 110 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733		
4-Bromofluorobenzene (Surrogate)	95.0	%	86 - 115 (LCL - UCL)		EPA-8260	03/28/08	03/29/08 00:46	ken	MS-V12	1	BRC1733		

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID: 0803867-05	Client Sample Name: 5043, MW-3, MW-3, 3/22/2008 8:10:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	230	ug/L	50		Luft/TPHd	03/26/08	03/28/08 00:58	PTL	GC-5	1	BRC1715	ND	
Tetracosane (Surrogate)	50.8	%	28 - 139 (LCL - UCL)		Luft/TPHd	03/26/08	03/28/08 00:58	PTL	GC-5	1	BRC1715		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803867-06		Client Sample Name: 5043, MW-6, MW-6, 3/22/2008 9:35:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	380	ug/L	25		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733	ND	A01
Ethylbenzene	1500	ug/L	25		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733	ND	A01
Methyl t-butyl ether	ND	ug/L	25		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733	ND	A01
Toluene	150	ug/L	25		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733	ND	A01
Total Xylenes	2400	ug/L	50		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733	ND	A01
Ethanol	ND	ug/L	12000		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733	ND	A01
Total Purgeable Petroleum Hydrocarbons	66000	ug/L	2500		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	100	%	76 - 114 (LCL - UCL)		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733		
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733		
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	03/28/08	03/31/08 17:39	ken	MS-V12	50	BRC1733		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID: 0803867-06		Client Sample Name: 5043, MW-6, MW-6, 3/22/2008 9:35:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
Diesel Range Organics (C12 - C24)	68000	ug/L	5000		Luft/TPHd	03/26/08	03/28/08 13:28	PTL	GC-5	100	BRC1715	ND	A01	
Tetracosane (Surrogate)	0	%	28 - 139 (LCL - UCL)		Luft/TPHd	03/26/08	03/28/08 13:28	PTL	GC-5	100	BRC1715		A01,A17	

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Benzene	BRC1733	Matrix Spike	0803883-02	0	25.110	25.000	ug/L		100		70 - 130
		Matrix Spike Duplicate	0803883-02	0	24.140	25.000	ug/L	3.5	96.6	20	70 - 130
Toluene	BRC1733	Matrix Spike	0803883-02	0	25.330	25.000	ug/L		101		70 - 130
		Matrix Spike Duplicate	0803883-02	0	24.950	25.000	ug/L	1.2	99.8	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRC1733	Matrix Spike	0803883-02	ND	10.530	10.000	ug/L		105		76 - 114
		Matrix Spike Duplicate	0803883-02	ND	10.550	10.000	ug/L		106		76 - 114
Toluene-d8 (Surrogate)	BRC1733	Matrix Spike	0803883-02	ND	10.100	10.000	ug/L		101		88 - 110
		Matrix Spike Duplicate	0803883-02	ND	10.080	10.000	ug/L		101		88 - 110
4-Bromofluorobenzene (Surrogate)	BRC1733	Matrix Spike	0803883-02	ND	9.7800	10.000	ug/L		97.8		86 - 115
		Matrix Spike Duplicate	0803883-02	ND	10.170	10.000	ug/L		102		86 - 115



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Total Petroleum Hydrocarbons (Silica Gel Treated) Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Diesel Range Organics (C12 - C24)	BRC1715	Matrix Spike	0802904-48	0	652.86	500.00	ug/L		131	36 - 130	Q03
		Matrix Spike Duplicate	0802904-48	0	718.54	500.00	ug/L	9.5	144	30	36 - 130
Tetracosane (Surrogate)	BRC1715	Matrix Spike	0802904-48	ND	27.090	20.000	ug/L		135	28 - 139	
		Matrix Spike Duplicate	0802904-48	ND	10.155	20.000	ug/L		50.8		28 - 139



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Benzene	BRC1733	BRC1733-BS1	LCS	23.870	25.000	0.50	ug/L	95.5		70 - 130		
Toluene	BRC1733	BRC1733-BS1	LCS	24.400	25.000	0.50	ug/L	97.6		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BRC1733	BRC1733-BS1	LCS	10.160	10.000		ug/L	102		76 - 114		
Toluene-d8 (Surrogate)	BRC1733	BRC1733-BS1	LCS	9.9800	10.000		ug/L	99.8		88 - 110		
4-Bromofluorobenzene (Surrogate)	BRC1733	BRC1733-BS1	LCS	10.020	10.000		ug/L	100		86 - 115		

TRC
 21 Technology Drive
 Irvine, CA 92618

Project: 5043
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Diesel Range Organics (C12 - C24)	BRC1715	BRC1715-BS1	LCS	597.68	500.00	50	ug/L	120		48 - 125		
Tetracosane (Surrogate)	BRC1715	BRC1715-BS1	LCS	14.381	20.000		ug/L	71.9		28 - 139		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRC1733	BRC1733-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRC1733	BRC1733-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRC1733	BRC1733-BLK1	ND	ug/L	0.50		
Toluene	BRC1733	BRC1733-BLK1	ND	ug/L	0.50		
Total Xylenes	BRC1733	BRC1733-BLK1	ND	ug/L	1.0		
Ethanol	BRC1733	BRC1733-BLK1	ND	ug/L	250		
Total Purgeable Petroleum Hydrocarbons	BRC1733	BRC1733-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRC1733	BRC1733-BLK1	102	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRC1733	BRC1733-BLK1	98.7	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRC1733	BRC1733-BLK1	99.3	%	86 - 115 (LCL - UCL)		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Diesel Range Organics (C12 - C24)	BRC1715	BRC1715-BLK1	ND	ug/L	50		
Tetracosane (Surrogate)	BRC1715	BRC1715-BLK1	57.5	%	28 - 139 (LCL - UCL)		

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/02/2008 11:00

Notes And Definitions

MDL Method Detection Limit
ND Analyte Not Detected at or above the reporting limit
PQL Practical Quantitation Limit
RPD Relative Percent Difference
A01 PQL's and MDL's are raised due to sample dilution.
A17 Surrogate not reportable due to sample dilution.
Q03 Matrix spike recovery(s) is(are) not within the control limits.

Submission #: 803867

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify)

SHIPPING CONTAINER

Ice Chest None
 Box Other (Specify)

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals: Ice Chest Containers None Comments:
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received
 YES NO

Ice Chest ID Blue
 Temperature: 1.4 °C
 Thermometer ID: 48

Emissivity .95
 Container pe

Date/Time 3/24 210
 Analyst Init JW

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PIA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A.2	A.3	A.3	A.3	A.3	A.3				
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER	B	B	B	B	B,C	B				
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: -1 LUNA received Broken

Sample Numbering Completed By: PLM Date/Time: 3-25-8

1946

BC LABORATORIES, INC.

4100 Atlas Court □ Bakersfield, CA 93308
(661) 327-4911 □ FAX (661) 327-1918

CHAIN OF CUSTODY

Analysis Requested

Circle one: Phillips 66 / Unocal

Consultant Firm: TRC

Address:
449 Heyenberger Rd

21 Technology Drive
Irvine, CA 92618-2302
Attn: Anju Farfan

City: Oakland

4-digit site#: 5043
Work Order# 01347-4509111985

State: CA Zip:

Project #: 154771

COP Manager:

Sampler Name: ALEX

MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge

BTEX/MTBE by 8021B, TPH-g by 8015
TPH -g by 8015M
TPH -D by 8015M w/SG clean up
TPH-g by GC/MS
BTEX/MTBE/ETPH BY 8260B
EDB/EDC by 8260B
ETHANOL by 8260B

Turnaround Time Requested

Lab#	Sample Description	Field Point Name	Date & Time Sampled	MATRIX	BTEX/MTBE by 8021B, TPH-g by 8015	TPH -g by 8015M	TPH -D by 8015M w/SG clean up	TPH-g by GC/MS	BTEX/MTBE/ETPH BY 8260B	EDB/EDC by 8260B	ETHANOL by 8260B	Turnaround Time Requested
	-1	MW-9	3/22/08 0820	GW		X	X	X			X	3TD
	-2	MW-8	0845									
	-3	MW-7	0900									
	-4	MW-10	0920									
	-5	MW-3	0910									
	-6	MW-6	0935									

CHK BX DISTRIBUTION
 JAW
 SUBMIT

Comments:
Global ID: T0600101476

Relinquished by: [Signature]

Relinquished by (Signature): Joe D. Lewis

Relinquished by (Signature): Ross Wiskay 3/24/08

Received by: FRIDGE

Received by: Ross Wiskay

Received by: [Signature]

Date & Time: 3/22/08 1145

Date & Time: 3/24/08 1530

Date & Time: 3-24-08 1815

(C) = CONTAINER

(P) = PRESERVATIVE

R. Lewis 3-24-08 2010 [Signature] 3/24 2010

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.