

RECEIVED

10:28 am, Feb 04, 2009

Alameda County
Environmental Health



76 Broadway
Sacramento, California 95818

January 30, 2009

Barbara Jakub
Alameda County Health Agency
1131 Harbor Bay parkway, Suite250
Alameda, California 94502-577

Re: ***Quarterly Summary Report—Second Quarter 2008***
76 Service Station # 5043 RO # 0219
449 Hegenberger Road
Oakland, CA

Dear Ms. Jakub:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely,

A handwritten signature in black ink, appearing to read "Terry L. Grayson".

Terry L. Grayson
Site Manager
Risk Management & Remediation

January 26, 2009

Ms. Barbara Jakub
Alameda County Health Agency
Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502-6577

Re: Quarterly Summary Report - Second Quarter 2008

76 Service Station No. 5043
449 Hegenberger Road
Oakland, California
R00000219




Dear Ms. Jakub,

On behalf of ConocoPhillips Company (ConocoPhillips), Delta Consultants (Delta) is submitting the subject report and forwarding a copy of TRC's *Quarterly Monitoring Report April through June 2008*, dated July 15, 2008 for the above site. TRC has uploaded a copy of their report to the GeoTracker database.

Please contact me at (916) 503-1260 if you have questions.

Sincerely,
Delta Consultants



Enclosure

cc: Mr. Terry Grayson- ConocoPhillips (electronic copy only)

QUARTERLY SUMMARY REPORT
Second Quarter 2008

76 Service Station No. 5043
449 Hegenberger Road
Oakland, California

County: Alameda

SITE DESCRIPTION

The subject site is an operating 76 service station located on the southwestern corner of Hegenberger Road and Edgewater Drive in Oakland, California. Station facilities include three underground storage tanks (USTs), four dispenser islands, and a station building. A total of six groundwater-monitoring wells are located at or near the site.

SITE BACKGROUND AND ACTIVITY

October 1991 Four soil samples were collected from the product pipe trenches at depths of approximately 3 feet below ground surface (bgs) during a dispenser island modification. The product pipe trenches were subsequently excavated to the groundwater depth at 4 to 4.5 bgs.

February 1992 Three monitoring wells were installed at the site to depths ranging from 13.5 to 15 feet bgs.

August 1992 Three additional monitoring wells were installed at the site to depths of 13.5 feet bgs.

September 1994 One 280-gallon waste oil UST was removed from the site. The tank was made of steel, and no apparent holes or cracks were observed in the tank. One soil sample was collected from beneath the former tank at a depth of approximately 9 feet bgs. No petroleum hydrocarbons were detected.

January 1995 Two additional monitoring wells were installed at the site to a depth of 13 feet bgs. In addition, two existing monitoring wells were destroyed in order to accommodate the construction of a car wash at the subject site. Wells MW-4 and MW-5 were fully drilled out and backfilled with neat cement.

March 1995 Two 10,000-gallon gasoline USTs and one 10,000-gallon diesel UST were removed from the site. Groundwater was encountered in the tank cavity at a depth of approximately 8.5 feet bgs. Soil samples contained low levels of total petroleum hydrocarbons as diesel (TPH-D) and benzene, and moderate levels of total petroleum hydrocarbons as gasoline (TPH-G). Approximately 125,000 gallons of groundwater were pumped from the site for remediation and properly disposed offsite. Four dispenser islands and associated product piping were also removed. Based on detections in confirmation samples, the product dispenser islands were over excavated to approximately 6 feet bgs.

March-April 1995 During demolition activities of the former station building, soil samples were collected from two excavations, which were subsequently over excavated. Confirmation samples contained low petroleum hydrocarbons. An additional area on the south side of the former station building was excavated based on photoionization detector (PID) readings. Two monitoring wells were destroyed in order to allow for over excavation activities to extend to an area adjacent to the dispenser islands in the southeastern quadrant of the site. The excavated areas were subsequently backfilled with clean-engineered fill.

April 1997 Two additional monitoring wells were installed in the vicinity of the site to depths of 13 to 15 feet bgs. In addition, well MW-3, which was damaged during the UST cavity over excavation in 1995, was fully drilled out and reconstructed in the same borehole.

October 2003 Site environmental consulting responsibilities were transferred to TRC.

April 8-9, 2005 TRC conducted a 24-hour dual phase extraction (DPE) event at the site on monitoring well MW-6. The 24-hour DPE event was moderately successful at removing vapor-phase petroleum hydrocarbons from the subsurface; therefore, TRC recommended DPE no longer be considered a viable remedial alternative for the site.

October 2007 Site environmental consulting responsibilities were transferred to Delta Consultants.

SENSITIVE RECEPTORS

April 24, 2006 TRC completed a sensitive receptor survey for the site. According to the Department of Water Resources (DWR) records, three water supply wells are located within a one-half mile of the Site. In addition, two surface water bodies were observed within a one-half mile radius of the Site. San Leandro Creek is located approximately 1,400 feet southwest of the Site and flows into San Leandro Bay. Elmhurst Creek is located approximately 2,220 feet north of the Site and also flows into San Leandro Bay.

GROUNDWATER MONITORING AND SAMPLING

The groundwater monitoring well network, consisting of three onsite and three offsite monitoring wells, has been monitored and sampled on a quarterly basis since February 1992. During the most recent groundwater sampling event conducted on June 23, 2008, reported depth to groundwater ranged from 1.8 feet (MW-9) to 4.1 feet (MW-7) below top of casing (TOC).

The groundwater flow was reported south at a gradient of 0.008 ft/ft. During the previous sampling event, (March 22, 2008,) the groundwater gradient was south at 0.02. Reported historical groundwater flow has been primarily to the south and south-southwest.

Dissolved groundwater concentrations are reported as follows.

TPH-G Detected in three of the six sampled wells with a maximum concentration of 59,000 µg/L in well MW-6. This is a decrease from a maximum concentration of 66,000 µg/L in well MW-6 during the previous sampling event.

Benzene Detected in two of the six sampled wells with a maximum concentration of 1,600 µg/L in well MW-6. This is an increase from a maximum concentration of 380 µg/L in well MW-6 during the previous sampling event.

MTBE Detected in two of the six sampled wells with a maximum concentration of 46 µg/L in well MW-3. This is an increase from a maximum concentration of 39 µg/L in well MW-3 during the previous sampling event.

REMEDIATION STATUS

Hydrogen Peroxide feasibility testing is being conducted at the site.

CHARACTERIZATION STATUS

Maximum TPH-G and benzene soil concentrations have been reported at 14,000 ppm and 160 ppm, respectively. Maximum TPH-G and benzene concentrations in groundwater were detected in MW-6 during the most recent groundwater sampling event at 59,000 µg/L, and 1,600 µg/L respectively. Maximum MTBE was detected in the sample from MW-3 at 46 µg/L.

RECENT CORRESPONDENCE

No regulatory correspondence were received or sent during the second quarter 2008.


THIS QUARTER ACTIVITIES (Second Quarter 2008)

- Monitoring and sampling of the groundwater monitoring well network was conducted by TRC on June 23, 2008.
- TRC prepared the *Quarterly Monitoring Report April through June 2008* dated July 15, 2008.

NEXT QUARTER ACTIVITIES (Second Quarter 2008)

- TRC will perform the second quarter 2008 groundwater monitoring and sampling event and will prepare a quarterly monitoring report.

CONSULTANT: Delta Consultants



21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCsolutions.com

DATE: July 15, 2008

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: 76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
APRIL THROUGH JUNE 2008

Dear Mr. Borgh:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5043, located at 449 Hegenberger Road, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Anju Farfan".

Anju Farfan
Groundwater Program Operations Manager

CC: Ms. Caitlin Morgan, Delta Consultants (3 copies)

Enclosures
20-0400/5043R19 QMS


**QUARTERLY MONITORING REPORT
APRIL THROUGH JUNE 2008**

76 STATION 5043
449 Hegenberger Road
Oakland, California

Prepared For:

Mr. Bill Borgh
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



The circular seal contains the text "PROJECT GEOLISTOR" at the top, "DENNIS E. JENSEN" in the center, "No. PG3531" below it, and "STATE OF CALIFORNIA" at the bottom.

Senior Project Geologist, Irvine Operations

Date: 7/15/08

LIST OF ATTACHMENTS	
Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Contour Map Figure 4: Dissolved-Phase Benzene Contour Map Figure 5: Dissolved-Phase MTBE Contour Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 06/23/08 Groundwater Sampling Field Notes – 06/23/08
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
April 2008 through June 2008
76 Station 5043
449 Hegenberger Road
Oakland, CA

Project Coordinator: **Bill Borgh** Water Sampling Contractor: **TRC**
Telephone: **916-558-7612** Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **06/23/08**

Sample Points

Groundwater wells: **3** onsite, **3** offsite Points gauged: **6** Points sampled: **6**

Purging method: **Bailer**

Purge water disposal: **Veolia/Rodeo Unit 100**

Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): **n/a**

LPH removal frequency: **n/a** Method: **n/a**

Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **1.8 feet** Maximum: **4.1 feet**

Average groundwater elevation (relative to available local datum): **5.35 feet**

Average change in groundwater elevation since previous event: **-0.36 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.008 ft/ft, south**

Previous event: **0.02 ft/ft, south (03/22/08)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **2** Sample Points above MCL (1.0 µg/l): **2**

Maximum reported benzene concentration: **1,600 µg/l (MW-6)**

Sample Points with **TPH-G by GC/MS** **3** Maximum: **59,000 µg/l (MW-6)**

Sample Points with **MTBE 8260B** **2** Maximum: **46 µg/l (MW-3)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

-	= not analyzed, measured, or collected
LPH	= liquid-phase hydrocarbons
Trace	= less than 0.01 foot of LPH in well
$\mu\text{g/l}$	= micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	= milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	= not detected at or above laboratory detection limit
TOC	= top of casing (surveyed reference elevation)

ANALYTES

BTEX	= benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	= di-isopropyl ether
ETBE	= ethyl tertiary butyl ether
MTBE	= methyl tertiary butyl ether
PCB	= polychlorinated biphenyls
PCE	= tetrachloroethene
TBA	= tertiary butyl alcohol
TCA	= trichloroethane
TCE	= trichloroethylene
TPH-G	= total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	= total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	= total petroleum hydrocarbons with diesel distinction
TRPH	= total recoverable petroleum hydrocarbons
TAME	= tertiary amyl methyl ether
1,1-DCA	= 1,1-dichloroethane
1,2-DCA	= 1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	= 1,1-dichloroethylene
1,2-DCE	= 1,2-dichloroethylene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation - Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures)
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs Time graphs may be corrected for apparent level changes due to re-survey

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5043 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc

Contents of Tables 1 and 2

Site: 76 Station 5043

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
----------------	---------------	-------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------	----------

Table 1a	Well/ Date	TPH-D	Ethanol (8260B)											
-----------------	---------------	-------	--------------------	--	--	--	--	--	--	--	--	--	--	--

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
----------------	---------------	-------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------	----------

Table 2a	Well/ Date	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease				
-----------------	---------------	-------	-----	--------------------	---------------------------------	------------------	------	------	------	-------------------------	--	--	--	--

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

June 23, 2008

76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	($\mu\text{g/l}$)								
MW-3	(Screen Interval in feet: 2.5-14.0)													
06/23/08	8.04	2.60	0.00	5.44	0.66	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	46	
MW-6	(Screen Interval in feet: 2.5-13.5)													
06/23/08	8.87	3.54	0.00	5.33	-1.06	--	59000	1600	130	1800	4100	--	25	
MW-7	(Screen Interval in feet: 3.0-13.0)													
06/23/08	8.83	4.10	0.00	4.73	-0.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-8	(Screen Interval in feet: 3.0-15.0)													
06/23/08	8.52	3.13	0.00	5.39	-0.82	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-9	(Screen Interval in feet: 3.0-13.0)													
06/23/08	8.29	1.80	0.00	6.49	-1.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-10	(Screen Interval in feet: 3.0-13.0)													
06/23/08	8.62	3.90	0.00	4.72	0.10	--	94	30	0.53	3.4	3.5	--	ND<0.50	

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	Ethanol (8260B)
	($\mu\text{g/l}$)	($\mu\text{g/l}$)
MW-3 06/23/08	130	ND<250
MW-6 06/23/08	68000	ND<12000
MW-7 06/23/08	ND<50	ND<250
MW-8 06/23/08	ND<58	ND<250
MW-9 06/23/08	ND<50	ND<250
MW-10 06/23/08	ND<50	ND<250

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1 (Screen Interval in feet: DNA)														
02/18/92	--	--	--	--	--	150000	--	17000	26000	5200	26000	--	--	
05/20/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
08/31/92	--	--	--	--	--	64000	--	13000	12000	2500	22000	--	--	
11/30/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/04/93	--	--	--	--	--	--	--	--	--	--	--	--	--	
05/04/93	8.96	2.13	0.10	6.90	--	--	--	--	--	--	--	--	--	Not sampled - presence of free product
08/04/93	8.96	2.92	0.03	6.06	-0.84	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/03/93	7.38	3.04	0.00	4.34	-1.72	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/07/94	7.38	2.55	0.03	4.85	0.51	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/19/94	7.38	2.23	0.01	5.16	0.31	--	--	--	--	--	--	--	--	Not sampled - presence of free product
06/25/94	7.38	2.49	0.01	4.90	-0.26	--	--	--	--	--	--	--	--	Not sampled - presence of free product
07/27/94	7.38	3.10	0.00	4.28	-0.62	--	--	--	--	--	--	--	--	
08/15/94	7.38	2.85	0.11	4.61	0.33	--	--	--	--	--	--	--	--	Not sampled - presence of free product
11/14/94	7.38	2.97	0.12	4.50	-0.11	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/21/95	7.38	1.53	0.02	5.87	1.37	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/18/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-2 (Screen Interval in feet: DNA)														
02/18/92	--	--	--	--	--	29000	--	1000	5300	260	7900	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-2 continued														
05/20/92	--	--	--	--	--	24000	--	2200	7600	630	11000	--	--	
08/31/92	--	--	--	--	--	9000	--	1800	640	140	2000	--	--	
11/30/92	--	--	--	--	--	29000	--	2000	3400	1200	6900	--	--	
02/04/93	--	--	--	--	--	18000	--	1600	3000	ND	6900	--	--	
05/04/93	8.96	2.48	0.00	6.48	--	63000	--	3200	17000	470	17000	--	--	
08/04/93	8.96	3.20	0.00	5.76	-0.72	45000	--	2100	6600	1400	12000	--	--	
11/03/93	8.58	3.37	0.00	5.21	-0.55	72000	--	3700	16000	3700	20000	--	--	
02/07/94	8.58	2.40	0.00	6.18	0.97	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/19/94	8.58	2.13	0.00	6.45	0.27	42000	--	2500	1300	2300	13000	--	--	
06/25/94	8.58	2.65	0.00	5.93	-0.52	--	--	--	--	--	--	--	--	
07/27/94	8.58	3.44	0.00	5.14	-0.79	--	--	--	--	--	--	--	--	
08/15/94	8.58	3.25	0.00	5.33	0.19	35000	--	2400	850	1700	15000	--	--	
11/14/94	8.58	2.13	0.00	6.45	1.12	43000	--	2200	6500	1800	14000	--	--	
02/21/95	8.58	1.65	0.00	6.93	0.48	44000	--	2200	3200	1300	1500	--	--	
05/18/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-3 (Screen Interval in feet: 2.5-14.0)														
02/18/92	--	--	--	--	--	230	--	4.8	22	1.8	33	--	--	
05/20/92	--	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
08/31/92	--	--	--	--	--	210	--	ND	ND	ND	ND	--	--	
11/30/92	--	--	--	--	--	790	--	ND	ND	ND	ND	--	--	
02/04/93	--	--	--	--	--	3300	--	320	ND	96	6.1	--	--	
05/04/93	7.84	4.32	0.00	3.52	--	1800	--	95	ND	ND	ND	--	--	
08/04/93	7.84	4.94	0.00	2.90	-0.62	210	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 continued														
11/03/93	7.42	4.53	0.00	2.89	-0.01	640	--	ND	ND	ND	ND	--	--	
02/07/94	7.42	2.40	0.00	5.02	2.13	2700	--	110	ND	17	ND	--	--	
05/19/94	7.42	3.60	0.00	3.82	-1.20	1800	--	83	ND	6.2	9.1	--	--	
06/25/94	7.42	4.58	0.00	2.84	-0.98	--	--	--	--	--	--	--	--	
07/27/94	7.42	4.58	0.00	2.84	0.00	--	--	--	--	--	--	--	--	
08/15/94	7.42	4.65	0.00	2.77	-0.07	130	--	1.1	0.54	ND	0.97	--	--	
11/14/94	7.42	3.18	0.00	4.24	1.47	1600	--	ND	ND	ND	ND	--	--	
02/21/95	7.42	1.81	0.00	5.61	1.37	3800	--	350	ND	130	22	--	--	
05/18/95	7.42	4.56	0.00	2.86	-2.75	1300	--	42	ND	ND	ND	--	--	
08/17/95	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
07/26/96	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
10/28/96	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Obstructed at 0.55 feet
01/29/97	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
04/15/97	7.42	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
05/27/97	7.42	3.45	0.00	3.97	--	670	--	6.5	ND	ND	ND	250	--	
06/01/97	7.42	3.50	0.00	3.92	-0.05	--	--	--	--	--	--	--	--	
07/15/97	8.04	3.71	0.00	4.33	0.41	240	--	ND	ND	ND	ND	490	--	
10/09/97	8.04	3.70	0.00	4.34	0.01	270	--	1.1	ND	2.4	1.4	910	--	
01/14/98	8.04	2.16	0.00	5.88	1.54	310	--	ND	ND	0.62	0.65	140	--	
04/01/98	8.04	2.20	0.00	5.84	-0.04	370	--	5.7	ND	ND	ND	93	--	
07/15/98	8.04	3.38	0.00	4.66	-1.18	460	--	ND	ND	ND	ND	230	--	
10/16/98	8.04	2.30	0.00	5.74	1.08	330	--	4.7	ND	ND	ND	60	--	
01/25/99	8.04	2.42	0.00	5.62	-0.12	420	--	1.5	ND	ND	ND	180	--	
04/15/99	8.04	2.16	0.00	5.88	0.26	290	--	0.54	ND	ND	ND	160	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 continued														
07/14/99	8.04	2.35	0.00	5.69	-0.19	290	--	3.2	ND	ND	ND	160	--	
10/21/99	8.04	2.49	0.00	5.55	-0.14	360	--	0.77	ND	ND	ND	82	--	
01/20/00	8.04	2.38	0.00	5.66	0.11	ND	--	0.81	ND	ND	ND	54	--	
04/13/00	8.04	2.76	0.00	5.28	-0.38	250	--	0.69	ND	ND	ND	91	150	
07/14/00	8.04	3.26	0.00	4.78	-0.50	345	--	ND	ND	ND	ND	94.7	--	
10/26/00	8.04	3.12	0.00	4.92	0.14	480	--	6.0	ND	ND	ND	120	--	
01/03/01	8.04	3.65	0.00	4.39	-0.53	364	--	1.59	ND	ND	ND	118	--	
04/04/01	8.04	3.98	0.00	4.06	-0.33	417	--	1.24	ND	ND	0.802	237	--	
07/17/01	8.04	3.12	0.00	4.92	0.86	480	--	ND	ND	ND	ND	150	--	
10/01/01	8.04	3.25	0.00	4.79	-0.13	310	--	1.0	ND<0.50	ND<0.50	ND<0.50	53	--	
01/31/02	8.04	2.27	0.00	5.77	0.98	250	--	3.5	ND<1.0	ND<1.0	ND<1.0	110	--	
04/18/02	8.04	3.55	0.00	4.49	-1.28	300	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	59	
07/28/02	8.04	2.55	0.00	5.49	1.00	--	500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	130	
10/09/02	8.04	2.47	0.00	5.57	0.08	--	690	ND<5	ND<5	ND<5	ND<10	--	120	
01/02/03	8.04	1.70	0.00	6.34	0.77	--	310	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	110	
04/01/03	8.04	3.48	0.00	4.56	-1.78	--	250	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	210	
07/01/03	8.04	2.65	0.00	5.39	0.83	--	450	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	70	
10/02/03	8.04	3.12	0.00	4.92	-0.47	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	210	
01/09/04	8.04	2.39	0.00	5.65	0.73	--	300	ND<0.50	0.53	0.53	1.5	--	66	
04/26/04	8.04	3.11	0.00	4.93	-0.72	--	440	2.5	5.5	2.9	9.4	--	81	
07/22/04	8.04	2.51	0.00	5.53	0.60	--	420	ND<0.5	ND<0.5	ND<0.5	ND<1	--	72	
10/29/04	8.04	2.00	0.00	6.04	0.51	--	460	5.6	15	10	46	--	48	
01/10/05	8.04	1.52	0.00	6.52	0.48	--	280	ND<0.50	0.62	ND<0.50	2.4	--	64	
06/15/05	8.04	2.00	0.00	6.04	-0.48	--	460	ND<0.50	0.70	0.56	1.9	--	110	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 continued														
09/27/05	8.04	1.90	0.00	6.14	0.10	--	210	ND<0.50	0.60	ND<0.50	ND<1.0	--	100	
12/13/05	8.04	2.35	0.00	5.69	-0.45	--	230	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	92	
03/23/06	8.04	1.84	0.00	6.20	0.51	--	290	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	88	
06/23/06	8.04	2.26	0.00	5.78	-0.42	--	500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	75	
09/26/06	8.04	2.08	0.00	5.96	0.18	--	270	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	73	
12/22/06	8.04	1.88	0.00	6.16	0.20	--	260	ND<0.50	ND<0.50	ND<0.50	1.2	--	71	
03/30/07	8.04	2.47	0.00	5.57	-0.59	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	120	
06/28/07	8.04	2.54	0.00	5.50	-0.07	--	370	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	55	
09/25/07	8.04	2.56	0.00	5.48	-0.02	--	350	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	61	
12/28/07	8.04	2.29	0.00	5.75	0.27	--	260	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	66	
03/22/08	8.04	3.26	0.00	4.78	-0.97	--	390	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	39	
06/23/08	8.04	2.60	0.00	5.44	0.66	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	46	
MW-4 (Screen Interval in feet: DNA)														
08/31/92	--	--	--	--	--	240	--	ND	ND	ND	0.54	--	--	
11/30/92	--	--	--	--	--	420	--	ND	ND	ND	ND	--	--	
02/04/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
05/04/93	9.00	4.09	0.00	4.91	--	110	--	0.95	ND	ND	ND	--	--	
08/04/93	9.00	5.01	0.00	3.99	-0.92	250	--	ND	3.5	ND	4.1	--	--	
11/03/93	8.41	4.23	0.00	4.18	0.19	130	--	ND	ND	ND	ND	--	--	
02/07/94	8.41	3.35	0.00	5.06	0.88	56	--	ND	ND	ND	ND	--	--	
05/19/94	8.41	3.92	0.00	4.49	-0.57	140	--	ND	ND	ND	ND	--	--	
06/25/94	8.41	4.35	0.00	4.06	-0.43	--	--	--	--	--	--	--	--	
07/27/94	8.41	4.28	0.00	4.13	0.07	--	--	--	--	--	--	--	--	
08/15/94	8.41	4.27	0.00	4.14	0.01	59	--	ND	0.6	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-4 continued														
11/14/94	8.41	4.05	0.00	4.36	0.22	130	--	ND	ND	ND	ND	--	--	
02/21/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-5 (Screen Interval in feet: DNA)														
08/31/92	--	--	--	--	--	78	--	0.89	ND	ND	13	--	--	
11/30/92	--	--	--	--	--	930	--	70	290	0.79	14	--	--	
02/04/93	--	--	--	--	--	5700	--	38	ND	620	170	--	--	
05/04/93	8.95	4.37	0.00	4.58	--	7400	--	41	ND	1000	35	--	--	
08/04/93	8.95	5.81	0.00	3.14	-1.44	1500	--	130	1	460	11	--	--	
11/03/93	8.95	5.68	0.00	3.27	0.13	13000	--	350	ND	3500	530	--	--	
02/07/94	8.95	5.11	0.00	3.84	0.57	2000	--	87	ND	370	110	--	--	
05/19/94	8.95	5.09	0.00	3.86	0.02	260	--	44	ND	32	4.1	--	--	
06/25/94	8.95	4.55	0.00	4.40	0.54	--	--	--	--	--	--	--	--	
07/27/94	8.95	5.72	0.00	3.23	-1.17	--	--	--	--	--	--	--	--	
08/15/94	8.95	5.68	0.00	3.27	0.04	1600	--	110	ND	340	72	--	--	
11/14/94	8.95	5.63	0.00	3.32	0.05	250	--	40	ND	ND	5	--	--	
02/21/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
MW-6 (Screen Interval in feet: 2.5-13.5)														
08/31/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/30/92	--	--	--	--	--	9200	--	550	ND	740	1600	--	--	
02/04/93	--	--	--	--	--	3600	--	340	ND	290	550	--	--	
05/04/93	9.12	3.72	0.00	5.40	--	4900	--	360	18	450	430	--	--	
08/04/93	9.12	5.15	0.00	3.97	-1.43	3400	--	390	ND	440	190	--	--	
11/03/93	8.87	5.25	0.00	3.62	-0.35	1400	--	320	ND	200	7.7	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
02/07/94	8.87	4.55	0.00	4.32	0.70	4900	--	650	ND	250	35	--	--	
05/19/94	8.87	4.62	0.00	4.25	-0.07	3600	--	300	1.7	210	41	--	--	
08/15/94	8.87	5.08	0.00	3.79	-0.46	1300	--	130	6.7	54	57	--	--	
11/14/94	8.87	5.30	0.00	3.57	-0.22	730	--	50	ND	ND	39	--	--	
02/21/95	8.87	5.37	0.00	3.50	-0.07	2000	--	250	4.6	25	30	--	--	
05/18/95	8.87	--	--	--	--	--	--	--	--	--	--	--	Inaccessible	
08/17/95	8.87	--	--	--	--	--	--	--	--	--	--	--	Inaccessible	
07/26/96	8.87	6.40	3.33	4.97	--	--	--	--	--	--	--	--	Not sampled - presence of free product	
10/28/96	8.87	4.10	0.21	4.93	-0.04	--	--	--	--	--	--	--	Not sampled - presence of free product	
11/13/96	8.87	4.02	0.25	5.04	0.11	--	--	--	--	--	--	--	--	
11/25/96	8.87	4.01	0.75	5.42	0.38	--	--	--	--	--	--	--	--	
12/04/96	8.87	3.65	0.50	5.59	0.17	--	--	--	--	--	--	--	--	
12/19/96	8.87	4.80	2.20	5.72	0.13	--	--	--	--	--	--	--	--	
01/08/97	8.87	4.84	1.75	5.34	-0.38	--	--	--	--	--	--	--	--	
01/14/97	8.87	4.51	1.15	5.22	-0.12	--	--	--	--	--	--	--	--	
01/27/97	8.87	4.00	1.75	6.18	0.96	--	--	--	--	--	--	--	--	
01/29/97	8.87	3.24	0.31	5.86	-0.32	--	--	--	--	--	--	--	Not sampled - presence of free product	
02/11/97	8.87	4.65	1.20	5.12	-0.74	--	--	--	--	--	--	--	--	
02/24/97	8.87	4.81	1.10	4.89	-0.23	--	--	--	--	--	--	--	--	
03/10/97	8.87	4.60	0.95	4.98	0.10	--	--	--	--	--	--	--	--	
03/17/97	8.87	4.50	0.89	5.04	0.05	--	--	--	--	--	--	--	--	
03/31/97	8.87	4.65	1.00	4.97	-0.07	--	--	--	--	--	--	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-6 continued														
04/15/97	8.87	4.90	1.03	4.74	-0.23	--	--	--	--	--	--	--	--	Not sampled - presence of free product
04/28/97	8.87	4.78	0.03	4.11	-0.63	--	--	--	--	--	--	--	--	
05/15/97	8.87	4.60	0.25	4.46	0.35	--	--	--	--	--	--	--	--	
05/27/97	8.87	4.50	0.25	4.56	0.10	--	--	--	--	--	--	--	--	
06/09/97	8.87	4.60	0.20	4.42	-0.14	--	--	--	--	--	--	--	--	
06/24/97	8.87	4.50	0.25	4.56	0.14	--	--	--	--	--	--	--	--	
07/09/97	8.87	4.80	0.60	4.52	-0.04	--	--	--	--	--	--	--	--	
07/15/97	8.87	4.63	0.42	4.55	0.04	--	--	--	--	--	--	--	--	Not sampled - presence of free product
07/21/97	8.87	4.75	0.25	4.31	-0.25	--	--	--	--	--	--	--	--	
08/06/97	8.87	4.50	0.10	4.44	0.14	--	--	--	--	--	--	--	--	
08/20/97	8.87	4.55	0.10	4.39	-0.05	--	--	--	--	--	--	--	--	
09/02/97	8.87	4.75	0.05	4.16	-0.24	--	--	--	--	--	--	--	--	
10/09/97	8.87	4.84	0.04	4.06	-0.10	--	--	--	--	--	--	--	--	Not sampled - presence of free product
01/14/98	8.87	3.90	0.94	5.67	1.61	--	--	--	--	--	--	--	--	Not sampled - presence of free product
02/12/98	8.87	3.35	0.64	6.00	0.33	--	--	--	--	--	--	--	--	
03/03/98	8.87	4.51	0.02	4.37	-1.63	--	--	--	--	--	--	--	--	
04/01/98	8.87	3.67	1.60	6.40	2.03	--	--	--	--	--	--	--	--	Not sampled - presence of free product
05/26/98	8.87	4.11	0.50	5.13	-1.26	--	--	--	--	--	--	--	--	
06/15/98	8.87	5.03	0.30	4.06	-1.07	--	--	--	--	--	--	--	--	
07/15/98	8.87	4.56	0.05	4.35	0.28	--	--	--	--	--	--	--	--	Not sampled - presence of free product

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
08/21/98	8.87	4.77	0.02	4.11	-0.23	--	--	--	--	--	--	--	--	
09/30/98	8.87	5.08	0.03	3.81	-0.30	--	--	--	--	--	--	--	--	
10/16/98	8.87	4.31	2.40	6.36	2.55	--	--	--	--	--	--	--	--	
11/06/98	8.87	3.98	0.17	5.02	-1.34	--	--	--	--	--	--	--	--	
11/25/98	8.87	3.92	0.10	5.02	0.01	--	--	--	--	--	--	--	--	
12/28/98	8.87	3.90	0.20	5.12	0.10	--	--	--	--	--	--	--	--	
01/25/99	8.87	4.18	0.60	5.14	0.02	--	--	--	--	--	--	--	--	
02/22/99	8.87	4.07	0.22	4.96	-0.18	--	--	--	--	--	--	--	--	
03/22/99	8.87	4.32	0.15	4.66	-0.30	--	--	--	--	--	--	--	--	
04/15/99	8.87	4.23	0.95	5.35	0.69	--	--	--	--	--	--	--	--	
05/28/99	8.87	4.38	0.39	4.78	-0.57	--	--	--	--	--	--	--	--	
06/29/99	8.87	4.12	0.02	4.76	-0.02	--	--	--	--	--	--	--	--	
07/14/99	8.87	4.20	0.03	4.69	-0.07	--	--	--	--	--	--	--	--	
08/23/99	8.87	4.51	0.24	4.54	-0.15	--	--	--	--	--	--	--	--	
09/30/99	8.87	4.17	0.17	4.83	0.29	--	--	--	--	--	--	--	--	
10/21/99	8.87	4.27	0.12	4.69	-0.14	--	--	--	--	--	--	--	--	
11/29/99	8.87	4.18	0.00	4.69	0.00	--	--	--	--	--	--	--	--	
12/20/99	8.87	4.26	0.01	4.62	-0.07	--	--	--	--	--	--	--	--	
01/20/00	8.87	4.31	0.00	4.56	-0.06	130000	--	2900	8600	2000	16000	ND	--	
02/26/00	8.87	3.98	0.00	4.89	0.33	--	--	--	--	--	--	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyi-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-6 continued														
03/31/00	8.87	4.14	0.00	4.73	-0.16	--	--	--	--	--	--	--	--	--
04/13/00	8.87	4.04	0.00	4.83	0.10	140000	--	5000	14000	3600	27000	7700	--	
05/26/00	8.87	4.41	0.00	4.46	-0.37	--	--	--	--	--	--	--	--	
06/17/00	8.87	4.35	0.00	4.52	0.06	--	--	--	--	--	--	--	--	
07/14/00	8.87	4.47	0.00	4.40	-0.12	259000	--	7670	13700	6860	40700	ND	ND	
08/24/00	8.87	3.71	0.00	5.16	0.76	--	--	--	--	--	--	--	--	
09/27/00	8.87	4.33	0.00	4.54	-0.62	--	--	--	--	--	--	--	--	
10/26/00	8.87	4.32	0.00	4.55	0.01	110000	--	7000	6200	3700	12000	670	43	
01/03/01	8.87	4.52	0.00	4.35	-0.20	84700	--	3950	4130	3650	11800	ND	ND	
04/04/01	8.87	4.29	0.00	4.58	0.23	69800	--	2060	2840	3650	10900	ND	47.8	
07/17/01	8.87	4.37	0.00	4.50	-0.08	100000	--	3200	3300	3400	12000	ND	--	
10/01/01	8.87	4.45	0.00	4.42	-0.08	110000	--	3200	2400	4500	13000	ND<1000	--	
01/31/02	8.87	4.03	0.00	4.84	0.42	230000	--	2400	1800	5400	16000	ND<2500	--	
04/18/02	8.87	3.45	0.00	5.42	0.58	94000	--	6800	13000	3000	19000	ND<500	--	
07/28/02	8.87	2.24	0.00	6.63	1.21	--	110000	530	170	3200	7300	--	ND<100	
10/09/02	8.87	3.53	0.00	5.34	-1.29	--	970000	10000	39000	13000	94000	--	ND<2000	
01/02/03	8.87	2.34	0.00	6.53	1.19	--	270000	6100	15000	5400	37000	--	ND<200	
04/01/03	8.87	3.17	0.00	5.70	-0.83	--	3000000	8000	39000	37000	260000	--	ND<2000	
07/01/03	8.87	3.55	0.00	5.32	-0.38	--	38000	2100	990	2700	6500	--	ND<100	
10/02/03	8.87	3.82	0.00	5.05	-0.27	--	100000	5600	6900	4700	18000	--	ND<800	
01/09/04	8.87	2.80	0.00	6.07	1.02	--	170000	2800	3300	4700	16000	--	ND<200	
04/26/04	8.87	3.40	0.00	5.47	-0.60	--	97000	5900	9000	5100	23000	--	ND<50	
07/22/04	8.87	3.54	0.00	5.33	-0.14	--	110000	4100	5100	4000	16000	--	ND<200	
10/29/04	8.87	3.03	0.00	5.84	0.51	--	100000	5200	6100	4200	15000	--	ND<50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-6 continued														
01/10/05	8.87	2.35	0.00	6.52	0.68	--	71000	1600	3700	2100	9900	--	ND<50	
06/15/05	8.87	2.47	0.00	6.40	-0.12	--	130000	800	1800	2200	9300	--	ND<50	
09/27/05	8.87	2.55	0.00	6.32	-0.08	--	13000	82	120	430	990	--	0.56	
12/13/05	8.87	3.28	0.00	5.59	-0.73	--	68000	1500	1100	2200	7700	--	ND<50	
03/23/06	8.87	2.87	0.00	6.00	0.41	--	41000	290	140	1500	2700	--	ND<50	
06/23/06	8.87	3.15	0.00	5.72	-0.28	--	50000	2200	1400	1900	5700	--	ND<12	
09/26/06	8.87	3.08	0.00	5.79	0.07	--	130000	2200	1000	2900	8800	--	ND<50	
12/22/06	8.87	2.90	0.00	5.97	0.18	--	90000	940	610	1900	4700	--	ND<50	
03/30/07	8.87	3.26	0.00	5.61	-0.36	--	210000	1100	560	3400	12000	--	ND<10	
06/28/07	8.87	3.46	0.00	5.41	-0.20	--	67000	2200	1300	2700	10000	--	ND<25	
09/25/07	8.87	3.52	0.00	5.35	-0.06	--	56000	2900	720	2400	9000	--	ND<25	
12/28/07	8.87	3.27	0.00	5.60	0.25	--	78000	28000	2700	4000	8100	--	16000	
03/22/08	8.87	2.48	0.00	6.39	0.79	--	66000	380	150	1500	2400	--	ND<25	
06/23/08	8.87	3.54	0.00	5.33	-1.06	--	59000	1600	130	1800	4100	--	25	
MW-7 (Screen Interval in feet: 3.0-13.0)														
05/27/97	8.83	4.50	0.00	4.33	--	68	--	ND	ND	ND	ND	ND	--	
06/01/97	8.83	4.54	0.00	4.29	-0.04	--	--	--	--	--	--	--	--	
07/15/97	8.83	4.70	0.00	4.13	-0.16	ND	--	ND	ND	ND	ND	ND	--	
10/09/97	8.83	4.30	0.00	4.53	0.40	ND	--	ND	ND	ND	ND	ND	--	
01/14/98	8.83	2.88	0.00	5.95	1.42	ND	--	ND	ND	ND	ND	36	--	
04/01/98	8.83	3.13	0.00	5.70	-0.25	ND	--	ND	ND	ND	ND	ND	--	
07/15/98	8.83	4.45	0.00	4.38	-1.32	ND	--	ND	ND	ND	ND	ND	--	
10/16/98	8.83	3.45	0.00	5.38	1.00	ND	--	ND	ND	ND	ND	ND	--	
01/25/99	8.83	3.22	0.00	5.61	0.23	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-7 continued														
04/15/99	8.83	3.11	0.00	5.72	0.11	ND	--	ND	ND	ND	ND	ND	--	
07/14/99	8.83	3.34	0.00	5.49	-0.23	ND	--	ND	ND	ND	ND	ND	--	
10/21/99	8.83	3.43	0.00	5.40	-0.09	ND	--	ND	ND	ND	ND	ND	--	
01/20/00	8.83	3.29	0.00	5.54	0.14	ND	--	ND	ND	ND	ND	4.2	--	
04/13/00	8.83	3.39	0.00	5.44	-0.10	ND	--	ND	ND	ND	ND	ND	--	
07/14/00	8.83	4.42	0.00	4.41	-1.03	ND	--	ND	ND	ND	ND	7.83	--	
07/17/01	8.83	5.06	0.00	3.77	-0.64	ND	--	ND	ND	ND	ND	ND	--	
10/01/01	8.83	4.98	0.00	3.85	0.08	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
01/31/02	8.83	3.88	0.00	4.95	1.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/18/02	8.83	4.03	0.00	4.80	-0.15	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.7	--	
07/28/02	8.83	3.59	0.00	5.24	0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
10/09/02	8.83	4.53	0.00	4.30	-0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.9	
01/03/03	8.83	3.36	0.00	5.47	1.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/01/03	8.83	3.94	0.00	4.89	-0.58	--	71	ND<0.50	ND<0.50	0.71	ND<1.0	--	3.4	
07/01/03	8.83	4.60	0.00	4.23	-0.66	--	64	ND<0.50	ND<0.50	0.77	2.0	--	35	
10/02/03	8.83	5.46	0.00	3.37	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.9	
01/09/04	8.83	3.55	0.00	5.28	1.91	--	54	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.4	
04/26/04	8.83	4.49	0.00	4.34	-0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.5	--	2.3	
07/22/04	8.83	4.93	0.00	3.90	-0.44	--	82	0.90	2.0	3.5	9.9	--	1.4	
10/29/04	8.83	3.71	0.00	5.12	1.22	--	210	0.67	1.6	1.7	5.8	--	ND<0.50	
01/10/05	8.83	2.77	0.00	6.06	0.94	--	74	0.51	2.2	1.7	7.0	--	ND<0.50	
06/15/05	8.83	3.40	0.00	5.43	-0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.88	
09/27/05	8.83	3.44	0.00	5.39	-0.04	--	ND<50	0.59	1.2	ND<0.50	ND<1.0	--	0.96	
12/13/05	8.83	3.98	0.00	4.85	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.65	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-7 continued														
03/23/06	8.83	3.37	0.00	5.46	0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/06	8.83	5.25	0.00	3.58	-1.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	8.83	4.13	0.00	4.70	-1.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.77	
12/22/06	8.83	3.63	0.00	5.20	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/30/07	8.83	4.31	0.00	4.52	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/28/07	8.83	4.62	0.00	4.21	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.54	
09/25/07	8.83	4.65	0.00	4.18	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/07	8.83	3.99	0.00	4.84	0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/22/08	8.83	4.08	0.00	4.75	-0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/08	8.83	4.10	0.00	4.73	-0.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-8 (Screen Interval in feet: 3.0-15.0)														
05/27/97	8.52	3.42	0.00	5.10	--	310	--	0.88	0.67	15	70	ND	--	
06/01/97	8.52	3.46	0.00	5.06	-0.04	--	--	--	--	--	--	--	--	
07/15/97	8.52	3.49	0.00	5.03	-0.03	ND	--	ND	ND	2.7	3.8	ND	--	
10/09/97	8.52	3.73	0.00	4.79	-0.24	590	--	1.4	ND	32	4.1	ND	--	
01/14/98	8.52	1.92	0.00	6.60	1.81	ND	--	ND	ND	ND	ND	ND	--	
04/01/98	8.52	2.38	0.00	6.14	-0.46	ND	--	ND	ND	ND	ND	4.7	--	
07/15/98	8.52	3.53	0.00	4.99	-1.15	ND	--	ND	ND	0.56	1.1	ND	--	
10/16/98	8.52	3.04	0.00	5.48	0.49	ND	--	ND	ND	ND	ND	ND	--	
01/25/99	8.52	2.92	0.00	5.60	0.12	ND	--	ND	ND	ND	ND	ND	--	
04/15/99	8.52	2.40	0.00	6.12	0.52	ND	--	ND	ND	ND	ND	ND	--	
07/14/99	8.52	3.03	0.00	5.49	-0.63	ND	--	ND	ND	ND	ND	ND	--	
10/21/99	8.52	3.11	0.00	5.41	-0.08	ND	--	ND	ND	ND	ND	ND	--	
01/20/00	8.52	3.06	0.00	5.46	0.05	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-8 continued														
04/13/00	8.52	2.84	0.00	5.68	0.22	ND	--	ND	ND	ND	ND	ND	--	
07/14/00	8.52	3.39	0.00	5.13	-0.55	ND	--	ND	ND	ND	ND	ND	--	
07/17/01	8.52	3.46	0.00	5.06	-0.07	ND	--	ND	ND	ND	ND	ND	--	
10/01/01	8.52	3.51	0.00	5.01	-0.05	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
01/31/02	8.52	2.75	0.00	5.77	0.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/18/02	8.52	2.98	0.00	5.54	-0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
07/28/02	8.52	2.41	0.00	6.11	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/09/02	8.52	2.09	0.00	6.43	0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/02/03	8.52	1.98	0.00	6.54	0.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/01/03	8.52	2.66	0.00	5.86	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
07/01/03	8.52	3.08	0.00	5.44	-0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/02/03	8.52	3.89	0.00	4.63	-0.81	--	540	3.9	15	29	80	--	ND<2.0	
01/09/04	8.52	2.38	0.00	6.14	1.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/26/04	8.52	2.89	0.00	5.63	-0.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/22/04	8.52	3.25	0.00	5.27	-0.36	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	
10/29/04	8.52	3.06	0.00	5.46	0.19	--	ND<50	ND<0.50	ND<0.50	0.82	2.5	--	ND<0.50	
01/10/05	8.52	1.92	0.00	6.60	1.14	--	58	ND<0.50	0.61	1.2	4.0	--	ND<0.50	
06/15/05	8.52	2.22	0.00	6.30	-0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	8.52	2.43	0.00	6.09	-0.21	--	ND<50	ND<0.50	ND<0.50	1.2	ND<1.0	--	ND<0.50	
12/13/05	8.52	2.89	0.00	5.63	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/23/06	8.52	2.12	0.00	6.40	0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/06	8.52	2.65	0.00	5.87	-0.53	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	8.52	2.75	0.00	5.77	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/06	8.52	2.58	0.00	5.94	0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-8 continued														
03/30/07	8.52	2.74	0.00	5.78	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/28/07	8.52	2.90	0.00	5.62	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/25/07	8.52	3.26	0.00	5.26	-0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/07	8.52	2.64	0.00	5.88	0.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/22/08	8.52	2.31	0.00	6.21	0.33	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/08	8.52	3.13	0.00	5.39	-0.82	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-9 (Screen Interval in feet: 3.0-13.0)														
02/21/95	8.29	1.98	0.00	6.31	--	70	--	ND	ND	ND	ND	--	--	
05/18/95	8.29	3.47	0.00	4.82	-1.49	52	--	ND	1.1	ND	1.9	--	--	
08/17/95	8.29	1.49	0.00	6.80	1.98	ND	--	ND	ND	ND	ND	--	--	
07/26/96	8.29	0.28	0.00	8.01	1.21	ND	--	ND	ND	ND	ND	ND	--	
10/28/96	8.29	1.15	0.00	7.14	-0.87	ND	--	ND	ND	ND	ND	7.6	--	
01/29/97	8.29	1.05	0.00	7.24	0.10	ND	--	ND	ND	ND	ND	5.4	--	
04/15/97	8.29	1.88	0.00	6.41	-0.83	ND	--	ND	ND	ND	ND	5.4	--	
05/27/97	8.29	1.05	0.00	7.24	0.83	--	--	--	--	--	--	--	--	
07/15/97	8.29	1.90	0.00	6.39	-0.85	ND	--	ND	ND	ND	ND	ND	--	
10/09/97	8.29	1.76	0.00	6.53	0.14	ND	--	ND	ND	ND	ND	ND	--	
01/14/98	8.29	1.26	0.00	7.03	0.50	ND	--	ND	ND	ND	ND	3.0	--	
04/01/98	8.29	0.85	0.00	7.44	0.41	ND	--	ND	ND	ND	ND	ND	--	
07/15/98	8.29	1.52	0.00	6.77	-0.67	ND	--	ND	ND	ND	ND	ND	--	
10/16/98	8.29	0.81	0.00	7.48	0.71	ND	--	ND	ND	ND	ND	ND	--	
01/25/99	8.29	0.92	0.00	7.37	-0.11	ND	--	ND	ND	ND	ND	ND	--	
04/15/99	8.29	0.90	0.00	7.39	0.02	75	--	21	ND	ND	1.1	680	--	
07/14/99	8.29	1.04	0.00	7.25	-0.14	ND	--	1.9	ND	ND	ND	260	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-9 continued														
10/21/99	8.29	1.23	0.00	7.06	-0.19	ND	--	ND	ND	ND	ND	170	--	
01/20/00	8.29	1.18	0.00	7.11	0.05	ND	--	1.1	ND	ND	ND	35	--	
04/13/00	8.29	1.08	0.00	7.21	0.10	160	--	0.64	ND	ND	ND	53	--	
07/14/00	8.29	1.43	0.00	6.86	-0.35	ND	--	ND	ND	ND	ND	20.2	--	
10/26/00	8.29	1.38	0.00	6.91	0.05	240	--	2.9	ND	ND	ND	56	--	
01/03/01	8.29	1.66	0.00	6.63	-0.28	166	--	0.763	0.776	ND	1.28	50.2	--	
04/04/01	8.29	1.27	0.00	7.02	0.39	296	--	0.738	ND	ND	0.907	135	--	
07/17/01	8.29	1.38	0.00	6.91	-0.11	ND	--	ND	ND	ND	ND	13	--	
10/01/01	8.29	1.93	0.00	6.36	-0.55	51	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.0	--	
01/31/02	8.29	2.08	0.00	6.21	-0.15	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.8	--	
04/18/02	8.29	1.76	0.00	6.53	0.32	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.1	--	
07/28/02	8.29	1.57	0.00	6.72	0.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.5	
10/09/02	8.29	1.45	0.00	6.84	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	17	
01/02/03	8.29	1.18	0.00	7.11	0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.6	
04/01/03	8.29	2.04	0.00	6.25	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.4	
07/01/03	8.29	2.80	0.00	5.49	-0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.2	
10/02/03	8.29	2.70	0.00	5.59	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/09/04	8.29	1.90	0.00	6.39	0.80	--	74	ND<0.50	0.98	2.3	6.2	--	ND<2.0	
04/26/04	8.29	1.62	0.00	6.67	0.28	--	51	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.51	
07/22/04	8.29	1.88	0.00	6.41	-0.26	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	0.78	
10/29/04	8.29	1.28	0.00	7.01	0.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.0	--	ND<0.50	
01/10/05	8.29	0.07	0.00	8.22	1.21	--	93	0.60	2.3	2.4	9.0	--	ND<0.50	
06/15/05	8.29	1.70	0.00	6.59	-1.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.6	
09/27/05	8.29	1.98	0.00	6.31	-0.28	--	ND<50	ND<0.50	0.73	ND<0.50	ND<1.0	--	2.3	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-9 continued														
12/13/05	8.29	2.26	0.00	6.03	-0.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.9	
03/23/06	8.29	1.32	0.00	6.97	0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.7	
06/23/06	8.29	1.98	0.00	6.31	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
09/26/06	8.29	2.52	0.00	5.77	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/06	8.29	1.98	0.00	6.31	0.54	--	ND<50	ND<0.50	0.57	1.8	4.6	--	1.6	
03/30/07	8.29	2.01	0.00	6.28	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.4	
06/28/07	8.29	1.90	0.00	6.39	0.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	4.9	
09/25/07	8.29	1.57	0.00	6.72	0.33	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/07	8.29	1.98	0.00	6.31	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/22/08	8.29	0.80	0.00	7.49	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.61	
06/23/08	8.29	1.80	0.00	6.49	-1.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-10 (Screen Interval in feet: 3.0-13.0)														
02/21/95	8.62	4.69	0.00	3.93	--	1500	--	250	26	9.1	160	--	--	
05/18/95	8.62	4.92	0.00	3.70	-0.23	810	--	520	ND	18	23	--	--	
08/17/95	8.62	4.05	0.00	4.57	0.87	67	--	25	ND	2.4	ND	--	--	
07/26/96	8.62	4.08	0.00	4.54	-0.03	ND	--	3.7	ND	ND	ND	ND	--	
10/28/96	8.62	4.09	0.00	4.53	-0.01	ND	--	1.1	ND	ND	ND	ND	--	
01/29/97	8.62	2.94	0.00	5.68	1.15	210	--	41	0.67	7.2	4.8	11	--	
04/15/97	8.62	4.07	0.00	4.55	-1.13	110	--	12	ND	0.77	ND	9.7	--	
05/27/97	8.62	4.40	0.00	4.22	-0.33	--	--	--	--	--	--	--	--	
07/15/97	8.62	4.19	0.00	4.43	0.21	ND	--	2.1	ND	0.67	0.73	ND	--	
10/09/97	8.62	4.75	0.00	3.87	-0.56	190	--	38	0.92	6.6	7.6	ND	--	
01/14/98	8.62	2.66	0.00	5.96	2.09	59	--	9.5	0.85	1.2	1.7	4.5	--	
04/01/98	8.62	3.45	0.00	5.17	-0.79	230	--	66	1.7	12	17	6.4	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-10 continued														
07/15/98	8.62	4.21	0.00	4.41	-0.76	290	--	98	45	21	38	21	--	
10/16/98	8.62	4.11	0.00	4.51	0.10	160	--	44	0.96	2.5	10	17	--	
01/25/99	8.62	3.26	0.00	5.36	0.85	140	--	27	ND	2.8	6.8	23	--	
04/15/99	8.62	3.63	0.00	4.99	-0.37	120	--	18	ND	1.8	5.1	14	--	
07/14/99	8.62	3.89	0.00	4.73	-0.26	280	--	55	3.2	11	31	6.1	--	
10/21/99	8.62	4.09	0.00	4.53	-0.20	140	--	22	0.59	1.7	7.7	5.3	--	
01/20/00	8.62	3.92	0.00	4.70	0.17	ND	--	0.73	0.86	ND	ND	5.2	--	
04/13/00	8.62	3.85	0.00	4.77	0.07	67	--	54	ND	2.6	ND	3.8	--	
07/14/00	8.62	4.18	0.00	4.44	-0.33	ND	--	0.547	ND	ND	ND	ND	--	
10/26/00	8.62	3.96	0.00	4.66	0.22	ND	--	3.3	ND	0.83	1.5	ND	--	
01/03/01	8.62	4.14	0.00	4.48	-0.18	52.7	--	5.15	ND	0.823	1.57	ND	--	
04/04/01	8.62	3.88	0.00	4.74	0.26	129	--	28.1	1.67	4.97	10.1	ND	--	
07/17/01	8.62	4.08	0.00	4.54	-0.20	ND	--	4.1	ND	1.0	1.8	ND	--	
10/01/01	8.62	4.22	0.00	4.40	-0.14	140	--	30	0.51	4.0	12	ND<5.0	--	
01/31/02	8.62	3.68	0.00	4.94	0.54	110	--	16	ND<0.50	2.3	5.6	ND<2.5	--	
04/18/02	8.62	4.01	0.00	4.61	-0.33	ND<50	--	11	ND<0.50	1.4	4.5	ND<2.5	--	
07/28/02	8.62	4.11	0.00	4.51	-0.10	--	67	15	ND<0.50	0.94	7.3	--	ND<2.0	
10/09/02	8.62	3.97	0.00	4.65	0.14	--	ND<50	0.67	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/02/03	8.62	3.03	0.00	5.59	0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/01/03	8.62	3.83	0.00	4.79	-0.80	--	ND<50	11	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
07/01/03	8.62	4.13	0.00	4.49	-0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/02/03	8.62	4.05	0.00	4.57	0.08	--	77	9.9	0.78	2.3	4.9	--	ND<2.0	
01/09/04	8.62	3.40	0.00	5.22	0.65	--	53	1.2	ND<0.50	0.70	1.6	--	ND<2.0	
04/26/04	8.62	3.89	0.00	4.73	-0.49	--	ND<50	2.8	1.3	1.0	2.9	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 1992 Through June 2008
76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-10 continued														
07/22/04	8.62	3.73	0.00	4.89	0.16	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	
10/29/04	8.62	3.41	0.00	5.21	0.32	--	100	2.0	1.2	1.1	3.6	--	ND<0.50	
01/10/05	8.62	2.68	0.00	5.94	0.73	--	84	7.8	2.7	2.2	8.9	--	ND<0.50	
06/15/05	8.62	4.63	0.00	3.99	-1.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	8.62	3.96	0.00	4.66	0.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/13/05	8.62	3.75	0.00	4.87	0.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/23/06	8.62	3.13	0.00	5.49	0.62	--	50	13	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/06	8.62	3.90	0.00	4.72	-0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	8.62	3.66	0.00	4.96	0.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/22/06	8.62	3.56	0.00	5.06	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.8	--	ND<0.50	
03/30/07	8.62	3.93	0.00	4.69	-0.37	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/28/07	8.62	4.03	0.00	4.59	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/25/07	8.62	3.91	0.00	4.71	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/28/07	8.62	3.64	0.00	4.98	0.27	--	ND<50	2.1	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/22/08	8.62	4.00	0.00	4.62	-0.36	--	64	13	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/23/08	8.62	3.90	0.00	4.72	0.10	--	94	30	0.53	3.4	3.5	--	ND<0.50	

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease (mg/l)
	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	
MW-1									
02/18/92	13000	--	--	--	--	--	--	--	--
08/31/92	8900	--	--	--	--	--	--	--	--
MW-2									
02/18/92	4300	--	--	--	--	--	--	--	--
05/20/92	4300	--	--	--	--	--	--	--	--
08/31/92	1600	--	--	--	--	--	--	--	--
11/30/92	5700	--	--	--	--	--	--	--	--
02/04/93	6100	--	--	--	--	--	--	--	--
05/04/93	7100	--	--	--	--	--	--	--	--
08/04/93	1800	--	--	--	--	--	--	--	--
11/03/93	2600	--	--	--	--	--	--	--	--
05/19/94	3000	--	--	--	--	--	--	--	--
08/15/94	2800	--	--	--	--	--	--	--	--
11/14/94	10000	--	--	--	--	--	--	--	--
02/21/95	2000	--	--	--	--	--	--	--	--
MW-3									
02/18/92	ND	--	--	--	--	--	--	--	--
08/31/92	92	--	--	--	--	--	--	--	--
11/30/92	94	--	--	--	--	--	--	--	--
02/04/93	550	--	--	--	--	--	--	--	--
05/04/93	250	--	--	--	--	--	--	--	--
08/04/93	100	--	--	--	--	--	--	--	--
11/03/93	160	--	--	--	--	--	--	--	--
02/07/94	620	--	--	--	--	--	--	--	--
05/19/94	480	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-3 continued									
08/15/94	110	--	--	--	--	--	--	--	--
11/14/94	150	--	--	--	--	--	--	--	--
02/21/95	850	--	--	--	--	--	--	--	--
05/18/95	150	--	--	--	--	--	--	--	--
06/01/97	610	--	--	--	--	--	--	--	--
07/15/97	240	--	--	--	--	--	--	--	--
10/09/97	500	--	--	--	--	--	--	--	--
01/14/98	340	--	--	--	--	--	--	--	--
04/01/98	320	--	--	--	--	--	--	--	--
07/15/98	510	--	--	--	--	--	--	--	--
10/16/98	67	--	--	--	--	--	--	--	--
01/25/99	120	--	--	--	--	--	--	--	--
04/15/99	170	--	--	--	--	--	--	--	--
07/14/99	420	--	--	--	--	--	--	--	--
10/21/99	350	--	--	--	--	--	--	--	--
01/20/00	2060	--	--	--	--	--	--	--	--
04/13/00	200	ND	ND	ND	ND	ND	ND	ND	--
07/14/00	423	--	--	--	--	--	--	--	--
10/26/00	330	--	--	--	--	--	--	--	--
01/03/01	287	--	--	--	--	--	--	--	--
04/04/01	360	--	--	--	--	--	--	--	--
07/17/01	270	--	--	--	--	--	--	--	--
10/01/01	270	--	--	--	--	--	--	--	--
01/31/02	250	--	--	--	--	--	--	--	--
04/18/02	320	--	--	--	--	--	--	--	--
07/28/02	310	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-3 continued									
10/09/02	700	--	--	--	--	--	--	--	--
01/02/03	210	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--
04/01/03	200	--	--	--	--	--	--	--	--
07/01/03	380	--	ND<2500	--	--	--	--	--	--
10/02/03	300	--	ND<2500	--	--	--	--	--	--
01/09/04	200	--	ND<500	--	--	--	--	--	--
04/26/04	160	--	ND<50	--	--	--	--	--	--
07/22/04	330	--	ND<1000	--	--	--	--	--	--
10/29/04	200	--	ND<50	--	--	--	--	--	--
01/10/05	250	--	ND<50	--	--	--	--	--	--
06/15/05	360	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	79	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	230	--	ND<250	--	--	--	--	--	--
03/23/06	260	--	ND<250	--	--	--	--	--	--
06/23/06	330	--	ND<250	--	--	--	--	--	--
09/26/06	260	--	ND<250	--	--	--	--	--	--
12/22/06	250	--	ND<250	--	--	--	--	--	--
03/30/07	210	--	ND<250	--	--	--	--	--	--
06/28/07	290	--	ND<250	--	--	--	--	--	--
09/25/07	210	--	ND<250	--	--	--	--	--	--
12/28/07	150	--	ND<250	--	--	--	--	--	--
03/22/08	230	--	ND<250	--	--	--	--	--	--
06/23/08	130	--	ND<250	--	--	--	--	--	--
MW-4									
08/31/92	90	--	--	--	--	--	--	--	--
11/30/92	61	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-4 continued									
02/04/93	ND	--	--	--	--	--	--	--	--
05/04/93	ND	--	--	--	--	--	--	--	--
08/04/93	81	--	--	--	--	--	--	--	--
11/03/93	68	--	--	--	--	--	--	--	--
02/07/94	ND	--	--	--	--	--	--	--	--
05/19/94	90	--	--	--	--	--	--	--	--
08/15/94	72	--	--	--	--	--	--	--	--
11/14/94	ND	--	--	--	--	--	--	--	--
MW-5									
08/31/92	690	--	--	--	--	--	--	--	--
11/30/92	470	--	--	--	--	--	--	--	ND
02/04/93	5500	--	--	--	--	--	--	--	ND
05/04/93	4600	--	--	--	--	--	--	--	ND
08/04/93	970	--	--	--	--	--	--	--	ND
11/03/93	2100	--	--	--	--	--	--	--	--
02/07/94	830	--	--	--	--	--	--	--	--
05/19/94	600	--	--	--	--	--	--	--	--
08/15/94	860	--	--	--	--	--	--	--	--
11/14/94	290	--	--	--	--	--	--	--	--
MW-6									
08/31/92	750	--	--	--	--	--	--	--	--
11/30/92	1400	--	--	--	--	--	--	--	--
02/04/93	890	--	--	--	--	--	--	--	--
05/04/93	1800	--	--	--	--	--	--	--	--
08/04/93	1100	--	--	--	--	--	--	--	--
11/03/93	390	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-6 continued									
02/07/94	970	--	--	--	--	--	--	--	--
05/19/94	1400	--	--	--	--	--	--	--	--
08/15/94	790	--	--	--	--	--	--	--	--
11/14/94	800	--	--	--	--	--	--	--	--
02/21/95	730	--	--	--	--	--	--	--	--
01/20/00	67600	--	--	--	--	--	--	--	--
04/13/00	8700	--	--	--	--	--	--	--	--
07/14/00	133000	--	--	--	--	--	--	--	--
10/26/00	61000	--	--	--	--	--	--	--	--
01/03/01	929	--	--	--	--	--	--	--	--
04/04/01	18000	ND	ND	ND	ND	ND	ND	ND	--
07/17/01	20000	--	--	--	--	--	--	--	--
10/01/01	24000	--	--	--	--	--	--	--	--
01/31/02	11000	--	--	--	--	--	--	--	--
04/18/02	3500	--	--	--	--	--	--	--	--
07/28/02	27000	--	--	--	--	--	--	--	--
10/09/02	170000	--	--	--	--	--	--	--	--
01/02/03	66000	--	--	--	--	--	--	--	--
04/01/03	35000	--	--	--	--	--	--	--	--
07/01/03	11000	--	ND<25000	--	--	--	--	--	--
10/02/03	ND<50	--	ND<200000	--	--	--	--	--	--
01/09/04	20000	--	ND<50000	--	--	--	--	--	--
04/26/04	13000	--	ND<5000	--	--	--	--	--	--
07/22/04	33000	--	ND<300000	--	--	--	--	--	--
10/29/04	78000	--	ND<5000	--	--	--	--	--	--
01/10/05	12000	--	ND<5000	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-6 continued									
06/15/05	16000	--	ND<5000	--	--	--	--	--	--
09/27/05	2500	ND<10	ND<250	--	--	1.8	ND<0.50	ND<0.50	--
12/13/05	18000	--	ND<25000	--	--	--	--	--	--
03/23/06	73000	--	ND<25000	--	--	--	--	--	--
06/23/06	35000	--	ND<6200	--	--	--	--	--	--
09/26/06	22000	--	ND<25000	--	--	--	--	--	--
12/22/06	62000	--	ND<25000	--	--	--	--	--	--
03/30/07	62000	--	ND<5000	--	--	--	--	--	--
06/28/07	71000	--	ND<12000	--	--	--	--	--	--
09/25/07	58000	--	ND<12000	--	--	--	--	--	--
12/28/07	18000	--	ND<12000	--	--	--	--	--	--
03/22/08	68000	--	ND<12000	--	--	--	--	--	--
06/23/08	68000	--	ND<12000	--	--	--	--	--	--
MW-7									
06/01/97	69	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	190	--	--	--	--	--	--	--	--
01/14/98	65	--	--	--	--	--	--	--	--
04/01/98	ND	--	--	--	--	--	--	--	--
07/15/98	74	--	--	--	--	--	--	--	--
10/16/98	ND	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	ND	--	--	--	--	--	--	--	--
07/14/99	69	--	--	--	--	--	--	--	--
10/21/99	ND	--	--	--	--	--	--	--	--
01/20/00	ND	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-7 continued									
04/13/00	ND	--	--	--	--	--	--	--	--
07/14/00	68.0	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	ND<51	--	--	--	--	--	--	--	--
01/31/02	90	--	--	--	--	--	--	--	--
04/18/02	78	--	--	--	--	--	--	--	--
07/28/02	ND<50	--	--	--	--	--	--	--	--
10/09/02	ND<96	--	--	--	--	--	--	--	--
01/03/03	78	--	--	--	--	--	--	--	--
04/01/03	67	--	--	--	--	--	--	--	--
07/01/03	68	--	ND<500	--	--	--	--	--	--
10/02/03	82	--	ND<500	--	--	--	--	--	--
01/09/04	75	--	ND<500	--	--	--	--	--	--
04/26/04	ND<50	--	ND<50	--	--	--	--	--	--
07/22/04	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/04	54	--	ND<50	--	--	--	--	--	--
01/10/05	ND<50	--	ND<50	--	--	--	--	--	--
06/15/05	ND<50	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<200	--	ND<250	--	--	--	--	--	--
09/26/06	ND<50	--	ND<250	--	--	--	--	--	--
12/22/06	630	--	ND<250	--	--	--	--	--	--
03/30/07	94	--	ND<250	--	--	--	--	--	--
06/28/07	ND<50	--	ND<250	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylenedibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-7 continued									
09/25/07	ND<50	--	ND<250	--	--	--	--	--	--
12/28/07	75	--	ND<250	--	--	--	--	--	--
03/22/08	ND<50	--	ND<250	--	--	--	--	--	--
06/23/08	ND<50	--	ND<250	--	--	--	--	--	--
MW-8									
06/01/97	320	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	390	--	--	--	--	--	--	--	--
01/14/98	230	--	--	--	--	--	--	--	--
04/01/98	510	--	--	--	--	--	--	--	--
07/15/98	140	--	--	--	--	--	--	--	--
10/16/98	170	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	91	--	--	--	--	--	--	--	--
07/14/99	120	--	--	--	--	--	--	--	--
10/21/99	110	--	--	--	--	--	--	--	--
01/20/00	583	--	--	--	--	--	--	--	--
04/13/00	80	--	--	--	--	--	--	--	--
07/14/00	113	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	ND<50	--	--	--	--	--	--	--	--
01/31/02	260	--	--	--	--	--	--	--	--
04/18/02	160	--	--	--	--	--	--	--	--
07/28/02	140	--	--	--	--	--	--	--	--
10/09/02	120	--	--	--	--	--	--	--	--
01/02/03	210	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-8 continued									
04/01/03	220	--	--	--	--	--	--	--	--
07/01/03	170	--	ND<500	--	--	--	--	--	--
10/02/03	350	--	ND<500	--	--	--	--	--	--
01/09/04	180	--	ND<500	--	--	--	--	--	--
04/26/04	100	--	ND<50	--	--	--	--	--	--
07/22/04	250	--	ND<1000	--	--	--	--	--	--
10/29/04	120	--	ND<50	--	--	--	--	--	--
01/10/05	140	--	ND<50	--	--	--	--	--	--
06/15/05	140	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<230	--	ND<250	--	--	--	--	--	--
09/26/06	110	--	ND<250	--	--	--	--	--	--
12/22/06	100	--	ND<250	--	--	--	--	--	--
03/30/07	120	--	ND<250	--	--	--	--	--	--
06/28/07	140	--	ND<250	--	--	--	--	--	--
09/25/07	110	--	ND<250	--	--	--	--	--	--
12/28/07	110	--	ND<250	--	--	--	--	--	--
03/22/08	ND<50	--	ND<250	--	--	--	--	--	--
06/23/08	ND<58	--	ND<250	--	--	--	--	--	--
MW-9									
02/21/95	71	--	--	--	--	--	--	--	--
05/18/95	ND	--	--	--	--	--	--	--	--
08/17/95	ND	--	--	--	--	--	--	--	--
07/26/96	98	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DiPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-9 continued									
10/28/96	99	--	--	--	--	--	--	--	--
01/29/97	54	--	--	--	--	--	--	--	--
04/15/97	94	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	160	--	--	--	--	--	--	--	--
01/14/98	110	--	--	--	--	--	--	--	--
04/01/98	110	--	--	--	--	--	--	--	--
07/15/98	200	--	--	--	--	--	--	--	--
10/16/98	ND	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	ND	--	--	--	--	--	--	--	--
07/14/99	140	--	--	--	--	--	--	--	--
10/21/99	210	--	--	--	--	--	--	--	--
01/20/00	519	--	--	--	--	--	--	--	--
04/13/00	81	--	--	--	--	--	--	--	--
07/14/00	107	--	--	--	--	--	--	--	--
10/26/00	240	--	--	--	--	--	--	--	--
01/03/01	164	--	--	--	--	--	--	--	--
04/04/01	240	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	ND<52	--	--	--	--	--	--	--	--
01/31/02	200	--	--	--	--	--	--	--	--
04/18/02	ND<50	--	--	--	--	--	--	--	--
07/28/02	ND<50	--	--	--	--	--	--	--	--
10/09/02	100	--	--	--	--	--	--	--	--
01/02/03	ND<50	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-9 continued									
04/01/03	56	--	--	--	--	--	--	--	--
07/01/03	ND<50	--	ND<500	--	--	--	--	--	--
10/02/03	ND<50	--	ND<500	--	--	--	--	--	--
01/09/04	91	--	ND<500	--	--	--	--	--	--
04/26/04	ND<50	--	ND<50	--	--	--	--	--	--
07/22/04	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/04	76	--	ND<50	--	--	--	--	--	--
01/10/05	77	--	ND<50	--	--	--	--	--	--
06/15/05	67	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<200	--	ND<250	--	--	--	--	--	--
09/26/06	ND<50	--	ND<250	--	--	--	--	--	--
12/22/06	150	--	ND<250	--	--	--	--	--	--
03/30/07	72	--	ND<250	--	--	--	--	--	--
06/28/07	1000	--	ND<250	--	--	--	--	--	--
09/25/07	100	--	ND<250	--	--	--	--	--	--
12/28/07	56	--	ND<250	--	--	--	--	--	--
03/22/08	ND<50	--	ND<250	--	--	--	--	--	--
06/23/08	ND<50	--	ND<250	--	--	--	--	--	--
MW-10									
02/21/95	270	--	--	--	--	--	--	--	--
05/18/95	75	--	--	--	--	--	--	--	--
08/17/95	ND	--	--	--	--	--	--	--	--
07/26/96	ND	--	--	--	--	--	--	--	--


Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-10 continued									
10/28/96	ND	--	--	--	--	--	--	--	--
01/29/97	ND	--	--	--	--	--	--	--	--
04/15/97	ND	--	--	--	--	--	--	--	--
07/15/97	ND	--	--	--	--	--	--	--	--
10/09/97	ND	--	--	--	--	--	--	--	--
04/01/98	62	--	--	--	--	--	--	--	--
07/15/98	78	--	--	--	--	--	--	--	--
10/16/98	ND	--	--	--	--	--	--	--	--
01/25/99	ND	--	--	--	--	--	--	--	--
04/15/99	ND	--	--	--	--	--	--	--	--
07/14/99	180	--	--	--	--	--	--	--	--
10/21/99	96	--	--	--	--	--	--	--	--
01/20/00	252	--	--	--	--	--	--	--	--
04/13/00	69	--	--	--	--	--	--	--	--
07/14/00	149	--	--	--	--	--	--	--	--
10/26/00	83	--	--	--	--	--	--	--	--
01/03/01	126	--	--	--	--	--	--	--	--
04/04/01	75	--	--	--	--	--	--	--	--
07/17/01	ND	--	--	--	--	--	--	--	--
10/01/01	100	--	--	--	--	--	--	--	--
01/31/02	170	--	--	--	--	--	--	--	--
04/18/02	130	--	--	--	--	--	--	--	--
07/28/02	58	--	--	--	--	--	--	--	--
10/09/02	ND<94	--	--	--	--	--	--	--	--
01/02/03	64	--	--	--	--	--	--	--	--
04/01/03	76	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5043

Date Sampled	TPH-D ($\mu\text{g/l}$)	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Total Oil and Grease (mg/l)
MW-10 continued									
07/01/03	87	--	ND<500	--	--	--	--	--	--
10/02/03	160	--	ND<500	--	--	--	--	--	--
01/09/04	74	--	ND<500	--	--	--	--	--	--
04/26/04	ND<50	--	ND<50	--	--	--	--	--	--
07/22/04	ND<200	--	ND<1000	--	--	--	--	--	--
10/29/04	ND<50	--	ND<50	--	--	--	--	--	--
01/10/05	94	--	ND<50	--	--	--	--	--	--
06/15/05	62	--	ND<50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50	--
12/13/05	ND<200	--	ND<250	--	--	--	--	--	--
03/23/06	ND<200	--	ND<250	--	--	--	--	--	--
06/23/06	ND<200	--	ND<250	--	--	--	--	--	--
09/26/06	ND<50	--	ND<250	--	--	--	--	--	--
12/22/06	81	--	ND<250	--	--	--	--	--	--
03/30/07	82	--	ND<250	--	--	--	--	--	--
06/28/07	57	--	ND<250	--	--	--	--	--	--
09/25/07	82	--	ND<250	--	--	--	--	--	--
12/28/07	62	--	ND<250	--	--	--	--	--	--
03/22/08	ND<50	--	ND<250	--	--	--	--	--	--
06/23/08	ND<50	--	ND<250	--	--	--	--	--	--

FIGURES



0 1/4 1/2 3/4 1 MILE

SCALE 1:24,000



SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
San Leandro Quadrangle



PROJECT: 154771

FACILITY:

76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

VICINITY MAP



FIGURE 1

LEGEND

MW-10 Monitoring Well with
Groundwater Elevation (feet)

6.00 — Groundwater Elevation
Contour


General Direction of
Groundwater Flow



NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells.
Elevations are in feet above mean sea level. * = not included in groundwater contour interpretation
UST = underground storage tank


SCALE (FEET)



LEGEND

MW-10 Monitoring Well with Dissolved-Phase
TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)

—10,000— Dissolved-Phase TPH-G (GC/MS)
Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples
TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method
8260B. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory
report. UST = underground storage tank.

SCALE (FEET)



PROJECT: 154771

FACILITY:

76 STATION 5043
449 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

**DISSOLVED-PHASE TPH-G (GC/MS)
CONCENTRATION MAP**


June 23, 2008

FIGURE 3

LEGEND

MW-10 Monitoring Well with
Dissolved-Phase Benzene
Concentration ($\mu\text{g/l}$)

— 1,000 — Dissolved-Phase Benzene
Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter ND = not detected at limit indicated on official laboratory report
UST = underground storage tank


SCALE (FEET)



LEGEND

MW-10 Monitoring Well with
Dissolved-Phase MTBE
Concentration ($\mu\text{g/l}$)

— 10 — Dissolved-Phase MTBE
Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples
MTBE = methyl tertiary butyl ether. $\mu\text{g/l}$ = micrograms per liter ND = not detected at limit
indicated on official laboratory report UST = underground storage tank Results obtained using
EPA Method 8260B.


SCALE (FEET)



DISSOLVED-PHASE MTBE
CONCENTRATION MAP
June 23, 2008


GRAPHS

Groundwater Elevations vs. Time
76 Station 5043




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5043



Elevations may have been corrected for apparent changes due to resurvey


Groundwater Elevations vs. Time
76 Station 5043




Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time

76 Station 5043



Benzene Concentrations vs Time
76 Station 5043



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the ISR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the ISR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: DASILVA Job #/Task #: 154771/TA20 Date: 6-23-08

Job #/Task #: 154771/HA 20

Date: 6-23-08

Site # 5043 Project Manager R. Colclough Page 1 of 1

Project Manager R. Collins

Page of

GROUNDWATER SAMPLING FIELD NOTES

Technician: Basilis

Site: 5043

Project No: 154771

Date: 6-23-02

Well No. MW-8

Depth to Water (feet): 3.13

Total Depth (feet) 14.83

Water Column (feet): 11.70

80% Recharge Depth(feet): 5.47

Purge Method: HB

Depth to Product (feet): _____

LPH & Water Recovered (gallons): _____

Casing Diameter (Inches): 2

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
<u>0652</u>			<u>2</u>	<u>9817</u>	<u>21.3</u>	<u>6.50</u>			
			<u>4</u>	<u>9997</u>	<u>22.0</u>	<u>5.80</u>			
<u>0658</u>			<u>6</u>	<u>10.09</u>	<u>21.0</u>	<u>5.59</u>			
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>5.45</u>			<u>6</u>			<u>0730</u>			
Comments: <u>Waited to recover for samples</u>									

Well No. MW-7

Depth to Water (feet): 4.10

Total Depth (feet) 13.05

Water Column (feet): 8.95

80% Recharge Depth(feet): 5.89

Purge Method: HB

Depth to Product (feet): _____

LPH & Water Recovered (gallons): _____

Casing Diameter (Inches): 2

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D O (mg/L)	ORP	Turbidity
<u>0743</u>			<u>2</u>	<u>1160</u>	<u>22.6</u>	<u>6.24</u>			
			<u>4</u>	<u>1084</u>	<u>24.5</u>	<u>6.13</u>			
<u>0749</u>			<u>6</u>	<u>1131</u>	<u>24.5</u>	<u>6.07</u>			
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>4.30</u>			<u>6</u>			<u>0751</u>			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Basilio

Site: 5043

Project No.: 154771

Date: 6-23-08

Well No. MW-3

Purge Method: HB

Depth to Water (feet): 2.60

Depth to Product (feet):

Total Depth (feet) 14.05

LPH & Water Recovered (gallons):

Water Column (feet): 11.45

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 4.89

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0812		2	1879	21.9	6.44				
		4	1968	22.3	6.34				
0816		6	2119	22.0	6.25				
Static at Time Sampled		Total Gallons Purged			Sample Time				
6.65		6			1016				
Comments: <u>Sampled after 2 hrs.</u>									

Well No. MW-9

Purge Method: HB

Depth to Water (feet): 1.80

Depth to Product (feet):

Total Depth (feet) 12.70

LPH & Water Recovered (gallons):

Water Column (feet): 10.90

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 3.98

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0830		2	597.5	22.9	7.14				
		4	801.4	23.7	6.58				
0835		6	239.8	22.1	6.13				
Static at Time Sampled		Total Gallons Purged			Sample Time				
3.45		6			0939				
Comments: <u>waited well to recover.</u>									

GROUNDWATER SAMPLING FIELD NOTES

Technician: J.A. Schio

Site: 5043

Project No.: 158771

Date: 6-23-08

Well No. MW-10

Purge Method: HB

Depth to Water (feet): 3.90

Depth to Product (feet):

Total Depth (feet) 12.50

LPH & Water Recovered (gallons):

Water Column (feet): 8.60

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 5.62

1 Well Volume (gallons): 1

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0915			1	2561	21.7	6.89			
			2	2689	21.9	6.58			
0918			3	2609	20.8	6.57			
Static at Time Sampled			Total Gallons Purged			Sample Time			
4.31			3			0920			
Comments:									

Well No. MW-6

Purge Method: HB

Depth to Water (feet): 3.54

Depth to Product (feet):

Total Depth (feet) 12.78

LPH & Water Recovered (gallons):

Water Column (feet): 9.24

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 5.38

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0851			2	2609	20.3	6.34			
			4	2881	21.1	6.15			
0854			6	3107	20.8	6.23			
Static at Time Sampled			Total Gallons Purged			Sample Time			
5.78			6			1054			
Comments: Sampled after required 2 hrs.									

BC**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

Date of Report: 07/03/2008

Anju Farfan

TRC

21 Technology Drive
Irvine, CA 92618

RE: 5043

BC Work Order: 0808188

Enclosed are the results of analyses for samples received by the laboratory on 6/24/2008. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Contact Person: Molly Meyers
Client Service Rep



Authorized Signature

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
0808188-01	COC Number: --- Project Number: 5043 Sampling Location: MW-8 Sampling Point: MW-8 Sampled By: TRCI	Receive Date: 06/24/2008 21:25 Sampling Date: 06/23/2008 07:30 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
0808188-02	COC Number: --- Project Number: 5043 Sampling Location: MW-7 Sampling Point: MW-7 Sampled By: TRCI	Receive Date: 06/24/2008 21:25 Sampling Date: 06/23/2008 07:51 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
0808188-03	COC Number: --- Project Number: 5043 Sampling Location: MW-3 Sampling Point: MW-3 Sampled By: TRCI	Receive Date: 06/24/2008 21:25 Sampling Date: 06/23/2008 10:16 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
0808188-04	COC Number: --- Project Number: 5043 Sampling Location: MW-9 Sampling Point: MW-9 Sampled By: TRCI	Receive Date: 06/24/2008 21:25 Sampling Date: 06/23/2008 09:39 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
0808188-05	COC Number: --- Project Number: 5043 Sampling Location: MW-10 Sampling Point: MW-10 Sampled By: TRCI	Receive Date: 06/24/2008 21:25 Sampling Date: 06/23/2008 09:20 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
0808188-06	COC Number: --- Project Number: 5043 Sampling Location: MW-6 Sampling Point: MW-6 Sampled By: TRCI	Receive Date: 06/24/2008 21:25 Sampling Date: 06/23/2008 10:54 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101476 Matrix: W Sample QC Type (SACode): CS Cooler ID:

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0808188-01	Client Sample Name: 5043, MW-8, MW-8, 6/23/2008 7:30:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520	ND	
Toluene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520	ND	
Ethanol	ND	ug/L	250		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520	ND	
1,2-Dichloroethane-d4 (Surrogate)	110	%	76 - 114 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520		
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520		
4-Bromofluorobenzene (Surrogate)	95.7	%	86 - 115 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 07:26	SDU	MS-V10	1	BRF1520		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0808188-01	Client Sample Name: 5043, MW-8, MW-8, 6/23/2008 7:30:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	58		Luft/TPHd	06/26/08	07/01/08 11:32	PTL	GC-5	1.163	BRF1626	ND M02
Tetracosane (Surrogate)	47.8	%	28 - 139 (LCL - UCL)		Luft/TPHd	06/26/08	07/01/08 11:32	PTL	GC-5	1.163	BRF1626	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0808188-02	Client Sample Name: 5043, MW-7, MW-7, 6/23/2008 7:51:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520	ND	
Toluene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520	ND	
Ethanol	ND	ug/L	250		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520	ND	
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520		
Toluene-d8 (Surrogate)	99.7	%	88 - 110 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520		
4-Bromofluorobenzene (Surrogate)	96.7	%	86 - 115 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 09:30	SDU	MS-V10	1	BRF1520		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0808188-02	Client Sample Name: 5043, MW-7, MW-7, 6/23/2008 7:51:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50	Luft/TPHd	06/26/08	07/01/08 11:46	PTL	GC-5	1.099	BRF1626	ND	M02
Tetracosane (Surrogate)	66.1	%	28 - 139 (LCL - UCL)	Luft/TPHd	06/26/08	07/01/08 11:46	PTL	GC-5	1.099	BRF1626		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0808188-03	Client Sample Name: 5043, MW-3, MW-3, 6/23/2008 10:16:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Benzene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	ND
Methyl t-butyl ether	46	ug/L	0.50		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	ND
Toluene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	ND
Total Xylenes	ND	ug/L	1.0		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	ND
Ethanol	ND	ug/L	250		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	ND
Total Purgeable Petroleum Hydrocarbons	200	ug/L	50		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	ND
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 09:12	SDU	MS-V10	1	BRF1520	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0808188-03	Client Sample Name: 5043, MW-3, MW-3, 6/23/2008 10:16:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	130	ug/L	56		Luft/TPHd	06/26/08	07/01/08 12:00	PTL	GC-5	1.111	BRF1626	ND M02
Tetracosane (Surrogate)	58.1	%	28 - 139 (LCL - UCL)		Luft/TPHd	06/26/08	07/01/08 12:00	PTL	GC-5	1.111	BRF1626	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0808188-04	Client Sample Name: 5043, MW-9, MW-9, 6/23/2008 9:39:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520	ND	
Toluene	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520	ND	
Ethanol	ND	ug/L	250		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520	ND	
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520		
Toluene-d8 (Surrogate)	96.5	%	88 - 110 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520		
4-Bromofluorobenzene (Surrogate)	96.1	%	86 - 115 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 08:55	SDU	MS-V10	1	BRF1520		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0808188-04	Client Sample Name: 5043, MW-9, MW-9, 6/23/2008 9:39:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	06/26/08	07/01/08 12:14	PTL	GC-5	1.010	BRF1626	ND M02
Tetracosane (Surrogate)	65.3	%	28 - 139 (LCL - UCL)		Luft/TPHd	06/26/08	07/01/08 12:14	PTL	GC-5	1.010	BRF1626	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0808188-05	Client Sample Name: 5043, MW-10, MW-10, 6/23/2008 9:20:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Benzene	30	ug/L	0.50		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	ND
Ethylbenzene	3.4	ug/L	0.50		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	ND
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	ND
Toluene	0.53	ug/L	0.50		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	ND
Total Xylenes	3.5	ug/L	1.0		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	ND
Ethanol	ND	ug/L	250		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	ND
Total Purgeable Petroleum Hydrocarbons	94	ug/L	50		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	ND
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	
Toluene-d8 (Surrogate)	103	%	88 - 110 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	
4-Bromofluorobenzene (Surrogate)	96.6	%	86 - 115 (LCL - UCL)		EPA-8260	06/25/08	07/02/08 08:37	SDU	MS-V10	1	BRF1520	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0808188-05	Client Sample Name: 5043, MW-10, MW-10, 6/23/2008 9:20:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	06/26/08	07/01/08 12:28	PTL	GC-5	1	BRF1626	ND M02
Tetracosane (Surrogate)	58.8	%	28 - 139 (LCL - UCL)		Luft/TPHd	06/26/08	07/01/08 12:28	PTL	GC-5	1	BRF1626	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0808188-06	Client Sample Name: 5043, MW-6, MW-6, 6/23/2008 10:54:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
Benzene	1600	ug/L	25		EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520	ND	A01
Ethylbenzene	1800	ug/L	25		EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520	ND	A01
Methyl t-butyl ether	25	ug/L	25		EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520	ND	A01
Toluene	130	ug/L	25		EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520	ND	A01
Total Xylenes	4100	ug/L	50		EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520	ND	A01
Ethanol	ND	ug/L	12000		EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520	ND	A01
Total Purgeable Petroleum Hydrocarbons	59000	ug/L	2500		EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	110	%	76 - 114 (LCL - UCL)	EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520			
Toluene-d8 (Surrogate)	103	%	88 - 110 (LCL - UCL)	EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520			
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)	EPA-8260	06/25/08	06/27/08 16:46	SDU	MS-V10	50	BRF1520			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC

Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0808188-06	Client Sample Name: 5043, MW-6, MW-6, 6/23/2008 10:54:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	68000	ug/L	5800	Luft/TPHd	06/26/08	07/01/08 23:18	PTL	GC-5	116.28	BRF1626	ND	A01,M02
Tetracosane (Surrogate)	79.0	%	28 - 139 (LCL - UCL)	Luft/TPHd	06/26/08	07/01/08 23:18	PTL	GC-5	116.28	BRF1626		A01

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Benzene	BRF1520	Matrix Spike	0807421-42	0	29.040	25.000	ug/L	116	116	20	70 - 130
		Matrix Spike Duplicate	0807421-42	0	24.750	25.000	ug/L	15.8	99.0	20	70 - 130
Toluene	BRF1520	Matrix Spike	0807421-42	0	28.870	25.000	ug/L	115	115	20	70 - 130
		Matrix Spike Duplicate	0807421-42	0	24.650	25.000	ug/L	15.4	98.6	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRF1520	Matrix Spike	0807421-42	ND	10.440	10.000	ug/L	104	104	20	76 - 114
		Matrix Spike Duplicate	0807421-42	ND	10.410	10.000	ug/L	104	104	20	76 - 114
Toluene-d8 (Surrogate)	BRF1520	Matrix Spike	0807421-42	ND	10.290	10.000	ug/L	103	103	20	88 - 110
		Matrix Spike Duplicate	0807421-42	ND	9.9800	10.000	ug/L	99.8	99.8	20	88 - 110
4-Bromofluorobenzene (Surrogate)	BRF1520	Matrix Spike	0807421-42	ND	9.9200	10.000	ug/L	99.2	99.2	20	86 - 115
		Matrix Spike Duplicate	0807421-42	ND	9.6100	10.000	ug/L	96.1	96.1	20	86 - 115

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Diesel Range Organics (C12 - C24)	BRF1626	Matrix Spike	0714775-27	27.733	287.08	500.00	ug/L	51.9	36 - 130	M02	
		Matrix Spike Duplicate	0714775-27	27.733	273.44	500.00	ug/L	5.5	49.1	30	36 - 130 M02
Tetracosane (Surrogate)	BRF1626	Matrix Spike	0714775-27	ND	14.237	20.000	ug/L		71.2	28 - 139	
		Matrix Spike Duplicate	0714775-27	ND	14.259	20.000	ug/L		71.3	28 - 139	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		
									Percent Recovery	RPD	Lab Quals
Benzene	BRF1520	BRF1520-BS1	LCS	28.510	25.000	0.50	ug/L	114	70 - 130		
Toluene	BRF1520	BRF1520-BS1	LCS	28.140	25.000	0.50	ug/L	113	70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BRF1520	BRF1520-BS1	LCS	10.500	10.000		ug/L	105	76 - 114		
Toluene-d8 (Surrogate)	BRF1520	BRF1520-BS1	LCS	10.080	10.000		ug/L	101	88 - 110		
4-Bromofluorobenzene (Surrogate)	BRF1520	BRF1520-BS1	LCS	9.8600	10.000		ug/L	98.6	86 - 115		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	<u>Control Limits</u>				
								Percent Recovery	RPD	Percent Recovery	RPD	Lab Quals
Diesel Range Organics (C12 - C24)	BRF1626	BRF1626-BS1	LCS	247.48	500.00	50	ug/L	49.5		48 - 125		M02
Tetracosane (Surrogate)	BRF1626	BRF1626-BS1	LCS	12.437	20.000		ug/L	62.2		28 - 139		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRF1520	BRF1520-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRF1520	BRF1520-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRF1520	BRF1520-BLK1	ND	ug/L	0.50		
Toluene	BRF1520	BRF1520-BLK1	ND	ug/L	0.50		
Total Xylenes	BRF1520	BRF1520-BLK1	ND	ug/L	1.0		
Ethanol	BRF1520	BRF1520-BLK1	ND	ug/L	250		
Total Purgeable Petroleum Hydrocarbons	BRF1520	BRF1520-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRF1520	BRF1520-BLK1	105	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRF1520	BRF1520-BLK1	102	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRF1520	BRF1520-BLK1	98.3	%	86 - 115 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Diesel Range Organics (C12 - C24)	BRF1626	BRF1626-BLK1	ND	ug/L	50		M02
Tetracosane (Surrogate)	BRF1626	BRF1626-BLK1	65.7	%	28 - 139 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618Project: 5043
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/03/2008 8:39

Notes And Definitions

- MDL Method Detection Limit
ND Analyte Not Detected at or above the reporting limit
PQL Practical Quantitation Limit
RPD Relative Percent Difference
A01 PQL's and MDL's are raised due to sample dilution.
M02 Analyte detected in the Method Blank at a level between the PQL and 1/2 the PQL.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Submission #: 0808182

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER

Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals: Ice Chest Containers None Comments:
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received
 YES NO

Ice Chest ID A/C
 Temperature: 1.5 / 16.9 °C
 Thermometer ID: 48

Emissivity 0.98
 Container COTF

Date/Time 6-24-82(13)
 Analyst Init AJ

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QI TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A3	A3	A3	A3	A3	A3	(1)	(1)	1	(1)
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QI EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QI EPA 548										
QT EPA 549										
QI EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER	BC	BC	BC	BC	BC	BC				
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: -5 One QTA Said "mw-70" COC Said "mw-10"

Sample Numbering Completed By: DML

Date/Time: 6/25/08 9:55

A = Actual / C = Corrected

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
 (661) 327-4911 FAX (661) 327-1918

CHK BY	DISTRIBUTION			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SUB-OUT <input type="checkbox"/>				

CHAIN OF CUSTODY

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015M <i>w/ 56-Cleanup</i>	8260 full list w/ oxygenates	BTEX/MTBE/ GAS BY 8260B	ETHANOL by 8260B	TPH -G by GC/MS	Turnaround Time Requested	
Address: 449 <i>Hegenberger Rd.</i>		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan											
City: <i>Oakland</i>		4-digit site#: <i>5043</i>											
State: CA Zip:		Project #: <i>154771</i>											
Conoco Phillips Mgr: <i>Bill Borgh</i>		Sampler Name: <i>Basilia Del Real</i>											
Lab#	Sample Description	Field Point Name			Date & Time Sampled								
-1	MW-8	<i>6-23-08 0730 6-W</i>											
-2	MW-7	<i>0751</i>											
-3	MW-3	<i>1016</i>											
-4	MW-9	<i>0939</i>											
-5	MW-10	<i>0920</i>											
-4	MW-6	<i>1054</i>											

Comments: GLOBAL ID: <i>T0600101476</i>	Relinquished by: (Signature)	Received by:	Date & Time
	Relinquished by: (Signature)	<i>R. Repagator</i>	<i>6-23-08 1200</i>
	Relinquished by: (Signature)	<i>Ross Wnday</i>	<i>6/24/08 1440</i>

R. Repagator 6-24-08 2125 Clean 6-24-08 2125

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.