



Shell Oil Products US

RO 220

April 8, 2004

Amir K. Gholami, REHS  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Alameda County  
APR 18 2004  
Environmental Health

**Subject:** Shell-branded Service Station  
285 Hegenberger Road  
Oakland, California

Dear Mr. Gholami:

Attached for your review and comment is a copy of the *First Quarter 2004 Monitoring Report* for the above referenced site. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (559) 645-9306 with any questions or concerns.

Sincerely,

Shell Oil Products US

*Karen Petryna*

Karen Petryna  
Sr. Environmental Engineer

April 8, 2004

Amir K. Gholami, REHS  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: **First Quarter 2004 Monitoring Report**  
Shell-branded Service Station  
285 Hegenberger Road  
Oakland, California  
Incident #98995749  
Cambria Project #246-0734-002



Dear Mr. Gholami:

On behalf of Equilon Enterprises LLC dba Shell Oil Products US, Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

### FIRST QUARTER 2004 ACTIVITIES

**Groundwater Monitoring:** Blaine Tech Services, Inc. (Blaine) of San Jose, California gauged water levels, sampled selected wells, calculated groundwater elevations and compiled the gasoline constituents analytical data. Cambria prepared a vicinity map (Figure 1) and a groundwater elevation contour map (Figure 2). Blaine's report, presenting the laboratory report and supporting field documents, is included as Attachment A.


**Diesel and Motor Oil Detections:** This quarter, diesel (total extractable petroleum hydrocarbons [TEPH]) was detected in 10 out of 12 wells sampled at concentrations up to 4,300 parts per billion (ppb); however, the analytical laboratory report indicated that for these samples, the reported hydrocarbon did not match the pattern of their diesel standard. Motor oil was detected above the reporting limit only in the sample from well VEW-5 at a concentration of 660 ppb. TEPH analysis for diesel and motor oil will be included in the analytes for groundwater at this site.

**Cambria  
Environmental  
Technology, Inc.**

5900 Hollis Street  
Suite A  
Emeryville, CA 94608  
Tel (510) 420-0700  
Fax (510) 420-9170

**ANTICIPATED SECOND QUARTER 2004 ACTIVITIES**

**Groundwater Monitoring:** The next sampling event is scheduled for the second quarter of 2004. At that time, Blaine will gauge water levels, sample selected site wells and tabulate the data. Cambria will prepare a monitoring report.




**Air-Sparge and Soil Vapor Extraction (AS/SVE) System Operation:** From March 25, 2002 to February 14, 2003, an AS/SVE system operated at the site using AS/SVE wells AS-1/VEW-5, AS-2/VEW-6 and AS-3/VEW-7. The system was shut down due to the low to non-detect concentrations of chemicals of concern in groundwater in the AS/SVE wells and because of consistently high groundwater elevations in the vapor extraction wells. Recent concentrations in some wells have shown rebound, with methyl tertiary butyl ether concentrations up to 1,900 ppb (in well MW-10) and benzene concentrations up to 21,000 ppb (in well MW-10). Based on past performance and current groundwater conditions, Cambria does not believe that restarting the AS/SVE system will be effective. Therefore, Cambria will evaluate other remedial options during the second quarter of 2004.


**CLOSING**

We appreciate the opportunity to work with you on this project. Please call Caryl Weekley at (510) 420-3324 if you have any questions or comments.


Sincerely,  
**Cambria Environmental Technology, Inc**



Caryl A. Weekley, R.G.  
Senior Project Geologist



Diane M. Lundquist, P.E.  
Principal Engineer



Figures: 1 - Vicinity Map  
2 - Groundwater Elevation Contour Map

Attachment: A - Blaine Groundwater Monitoring Report and Field Notes

cc: Karen Petryna, Shell Oil Products US, 20945 S. Wilmington Ave., Carson, CA 90810  
J.T., Elizabeth G., W.T., and Jeanette Watters, Tr., 600 Caldwell Road, Oakland, CA 94611  
Doug Herman, Port of Oakland, Division of Environmental Health and Safety, 530 Water Street, Oakland, CA 94607

\\loakdc\shell\Oakland 285 Hegenberger\QM\1q04\1q04qm.doc




FIGURE  
**1**

0 1/8 1/4 1/2 1  
SCALE : 1" = 1/4 MILE

**Shell-branded Service Station**  
285 Hegenberger Road  
Oakland, California  
Incident #98995749



C A M B R I A

**Vicinity Map**

G:\0AKLAND\285HEGENBERGER\FIGURES\11QM04.A1




FIGURE 2

Shell-branded Service Station  
285 Hegenberger Road  
Oakland, California  
Incident #98995749

**ATTACHMENT A**  
**Blaine Groundwater Monitoring Report**  
**and Field Notes**

BLAINE  
TECH SERVICES, INC.



1680 ROGERS AVENUE  
SAN JOSE, CA 95112-1105  
(408) 573-7771 FAX  
(408) 573-0555 PHONE  
CONTRACTOR'S LICENSE #746684  
www.blainetech.com

January 30, 2004

Karen Petryna  
Shell Oil Products US  
P.O. Box 7869  
Burbank, CA 91510-7869

First Quarter 2004 Groundwater Monitoring at  
Shell-branded Service Station  
285 Hegenberger Road  
Oakland, CA

Monitoring performed on January 5, 2004

---

Groundwater Monitoring Report **040105-MD-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.



Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart  
Project Coordinator

LG/jt

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Anni Kreml  
Cambria Environmental Technology, Inc.  
5900 Hollis Street, Suite A  
Oakland, CA 94608

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	02/16/1989	99,000	NA	20,000	23,000	5,700	2,300	NA	NA	6.64	3.83	2.81	NA
MW-1	05/23/1989	48,000	11,000	4,200	5,200	1,200	7,700	NA	NA	6.64	3.59	3.05	NA
MW-1	08/03/1989	63,000	11,000	5,500	5,500	3,200	9,500	NA	NA	6.64	4.04	2.60	NA
MW-1	12/15/1989	30,000	11,000	ND	ND	ND	ND	NA	NA	6.64	4.22	2.42	NA
MW-1	02/07/1990	93,000	10,000	13,000	9,600	2,400	14,000	NA	NA	6.64	4.60	2.04	NA
MW-1	04/18/1990	55,000	8,700	14,000	8,400	3,200	13,000	NA	NA	6.64	4.02	2.62	NA
MW-1	07/23/1990	73,000	3,600	16,000	7,400	2,800	15,000	NA	NA	6.64	4.17	2.47	NA
MW-1	09/27/1990	45,000	1,700	8,000	4,300	2,000	11,000	NA	NA	6.64	4.60	2.04	NA
MW-1	01/03/1991	43,000	3,100	10,000	3,400	1,900	11,000	NA	NA	6.64	4.88	1.76	NA
MW-1	04/10/1991	67,000	1,800	20,000	9,600	3,500	16,000	NA	NA	6.64	3.55	3.09	NA
MW-1	07/12/1991	NA	NA	NA	NA	NA	NA	NA	NA	6.64	3.97	2.67	NA
MW-1	10/08/1991	55,000	7,400	18,000	3,500	2,300	8,600	NA	NA	6.64	4.26	2.38	NA
MW-1	02/06/1992	48,000	15,000 a	12,000	2,800	1,900	7,400	NA	NA	6.64	4.94	1.70	NA
MW-1	05/04/1992	71,000	10,000 a	16,000	6,000	3,100	14,000	NA	NA	6.64	3.58	3.06	NA
MW-1	07/28/1992	68,000	18,000 a	21,000	5,500	3,400	15,000	NA	NA	6.64	3.91	2.73	NA
MW-1 (D)	07/28/1992	70,000	19,000 a	17,000	5,000	2,700	13,000	NA	NA	6.64	3.91	2.73	NA
MW-1	10/27/1992	53,000	1,300	18,000	3,700	3,400	11,000	NA	NA	6.64	4.79	1.85	NA
MW-1 (D)	10/27/1992	48,000	2,500 a	17,000	3,600	3,100	9,900	NA	NA	6.64	4.79	1.85	NA
MW-1	01/14/1993	84,000	2,200 a	17,000	5,400	3,000	13,000	NA	NA	6.64	3.39	3.25	NA
MW-1	04/23/1993	100,000	2,300 a	18,000	7,800	4,700	20,000	NA	NA	6.64	2.67	3.97	NA
MW-1	07/20/1993	41a	3,100 a	12,000	870	1,500	4,400	NA	NA	9.50	3.48	6.02	NA
MW-1	10/18/1993	33,000	8,100 a	14,000	1,200	2,000	4,900	NA	NA	9.50	4.20	5.30	NA
MW-1 (D)	10/18/1993	44,000	3,700 a	14,000	1,200	2,000	4,900	NA	NA	9.50	4.20	5.30	NA
MW-1	01/06/1994	71,000	9,000 a	9,000	870	1,600	5,100	NA	NA	9.50	4.13	5.37	NA
MW-1	04/12/1994	42,000	5,900	6,600	170	2,300	4,700	NA	NA	9.50	2.42	7.08	NA
MW-1 (D)	04/12/1994	40,000	4,700	6,300	180	2,000	4,400	NA	NA	9.50	2.42	7.08	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	07/25/1994	13,000	7,000 a	4,400	110	460	1,400	NA	NA	9.50	3.37	6.13	NA
MW-1	10/25/1994	19,000	3,900	5,500	210	880	2,000	NA	NA	9.50	4.07	5.43	NA
MW-1	01/09/1995	37,000	8,600 a	6,700	800	2,800	8,900	NA	NA	9.50	2.65	6.85	NA
MW-1	04/11/1995	26,000	5,500	4,700	270	1,800	3,400	NA	NA	9.50	2.38	7.12	NA
MW-1	07/18/1995	57,000	7,000	7,500	880	4,100	11,000	NA	NA	9.50	3.49	6.01	NA
MW-1 (D)	07/19/1995	46,000	6,600	6,000	670	3,200	7,500	NA	NA	9.50	3.49	6.01	NA
MW-1	10/18/1995b	37,000	3,200	5,400	450	2,600	7,400	10,000	NA	9.50	NA	NA	NA
MW-1	01/09/1996	32,000	NA	3,000	240	1,900	3,500	6,100	NA	9.50	2.95	6.55	NA
MW-1	04/02/1996	30,000	NA	3,100	260	2.0	3,900	8.0	NA	9.50	2.00	7.50	NA
MW-1	10/03/1996	18,000	2,800	3,000	120	1,200	1,700	7,500	NA	9.50	3.21	6.29	2.2
MW-1	04/03/1997	29,000	3,000	2,300	170	2,300	2,900	4,300	NA	9.50	2.84	6.66	2.2
MW-1	10/08/1997	22,000	3,600	920	71	2,400	2,200	820	NA	9.50	2.58	6.92	1.5
MW-1	06/10/1998	13,000	2,900	860	<100	1,300	500	29,000	32,000	9.50	2.67	6.83	0.5/0.5
MW-1 (D)	06/10/1998	9,400	2,100	870	<50	1,300	520	28,000	NA	9.50	2.67	6.83	0.5/0.5
MW-1	12/30/1998	6,930	1,540	714	52.7	243	<25.0	9,000	NA	9.50	4.68	4.82	1.6/1.4
MW-1 *	06/25/1999	12,600	NA	1,110	44.7	1,340	710	6,080	NA	9.50	2.86	6.64	1.2/2.1
MW-1	12/28/1999	3,260	1,170	527	14.0	50.7	40.3	5,430	7,060b	9.50	3.23	6.27	1.4/1.8
MW-1	05/31/2000	6,820	2,050	1,620	<50.0	116	<50.0	6,070	4,710	9.50	2.39	7.11	0.98/2.27
MW-1	10/17/2000	2,530	995 a	388	<10.0	16.4	22.1	917	NA	9.50	2.05	7.45	4.0/3.1
MW-1	05/01/2001	12,300	1,510	1,480	19.5	205	111	4,160	NA	9.50	3.55	5.95	1.6/1.3
MW-1	11/05/2001	NA	NA	NA	NA	NA	NA	NA	NA	9.85 e	4.43	5.42	0.4
MW-1	11/07/2001	3,000	<1,000	290	6.0	11	15	NA	870	9.85	4.00	5.85	2.1/1.4
MW-1	05/01/2002	11,000	<2,000	2,100	29	180	68	NA	1,500	9.85	3.14	6.71	3.4/2.3
MW-1	07/16/2002	7,400	<1,500	1,200	22	37	24	NA	1,900	9.85	3.69	6.16	0.9/0.8
MW-1	10/17/2002	4,600	<2,000	810	16	68	31	NA	1,600	9.44	4.76	4.68	0.8/1.2
MW-1	01/21/2003	11,000	<7,000	1,100	28	210	53	NA	1,100	9.44	3.50	5.94	0.3/0.7

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	---------------------------	--------------------------	------------------------

MW-1	05/01/2003	13,000	4,900 a	1,500	33	260	68	NA	1,700	9.44	3.04	6.40	NA
MW-1	07/17/2003	10,000	3,200 a,f	2,400	<50	250	<100	NA	3,100	9.44	3.92	5.52	NA
MW-1	10/02/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	9.44	NA	NA	NA
MW-1	10/16/2003	8,500	3,700 a	1,100	26	140	41	NA	1,700	9.44	4.65	4.79	NA
<b>MW-1</b>	<b>01/05/2004</b>	<b>11,000</b>	<b>4,300 a</b>	<b>1,600</b>	<b>29</b>	<b>200</b>	<b>45</b>	<b>NA</b>	<b>1,400</b>	<b>9.44</b>	<b>2.39</b>	<b>7.05</b>	<b>NA</b>

MW-2	02/16/1989	20,000	NA	200	900	2,700	9,600	NA	NA	7.68	5.33	2.35	NA
MW-2	05/23/1989	1,500	1,600	4.3	2.9	11	150	NA	NA	7.68	5.23	2.45	NA
MW-2	08/03/1989	15,000	7,400	75	120	850	2,200	NA	NA	7.68	6.03	1.65	NA
MW-2	12/15/1989	5,000	2,600	52	13	4.1	290	NA	NA	7.68	6.43	1.25	NA
MW-2	02/07/1990	13,000	4,800	32	34	230	640	NA	NA	7.68	5.82	1.86	NA
MW-2	04/18/1990	9,800	3,200	33	19	460	1,700	NA	NA	7.68	5.88	1.80	NA
MW-2	07/23/1990	9,600	2,700	41	27	540	940	NA	NA	7.68	6.05	1.63	NA
MW-2	10/01/1990	390	1,600	3.4	15	8.5	25	NA	NA	7.68	NA	NA	NA
MW-2	01/03/1991	1,800	830	56	4.4	4.8	92	NA	NA	7.68	6.82	0.86	NA
MW-2	04/10/1991	1,900	280	ND	28	140	490	NA	NA	7.68	4.80	2.88	NA
MW-2	07/12/1991	8,100	1,100	89	66	350	930	NA	NA	7.68	5.70	1.98	NA
MW-2	10/08/1991	1,400	2,600	5.1	1.5	36	270	NA	NA	7.68	6.40	1.28	NA
MW-2	02/06/1992	2,000	5,400 a	7.8	2.5	130	210	NA	NA	7.68	6.40	1.28	NA
MW-2	05/04/1992	21	1,000	ND	ND	300	960	NA	NA	7.68	4.68	3.00	NA
MW-2	07/28/1992	2,100	830 a	7.7	3.3	130	310	NA	NA	7.68	5.86	1.82	NA
MW-2	10/27/1992	1,100	530	16	3.1	4.5	25	NA	NA	7.68	6.96	0.72	NA
MW-2	01/14/1993	290	170 a	5.2	3.1	8.4	21	NA	NA	7.68	4.12	3.56	NA
MW-2	04/23/1993	2,400	1,200 a	ND	ND	210	610	NA	NA	7.68	3.84	3.84	NA
MW-2	07/20/1993	440	130	1.7	1.7	15	38	NA	NA	10.55	5.17	5.38	NA
MW-2	10/18/1993	2,100	1,600 a	ND	ND	90	110	NA	NA	10.55	6.20	4.35	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	01/06/1994	1.9a	130	ND	6.7	7.1	12	NA	NA	10.55	5.39	5.16	NA
MW-2	04/12/1994	120	130	ND	ND	3.4	4.3	NA	NA	10.55	4.72	5.83	NA
MW-2	07/25/1994	0.18a	280 a	5.3	ND	6.2	8.2	NA	NA	10.55	5.44	5.11	NA
MW-2	10/25/1994	170	400	ND	ND	ND	ND	NA	NA	10.55	6.73	3.82	NA
MW-2	01/09/1995	ND	ND	ND	ND	ND	ND	NA	NA	10.55	4.34	6.21	NA
MW-2	04/11/1995	ND	ND	ND	ND	ND	ND	NA	NA	10.55	3.72	6.83	NA
MW-2	07/18/1995	250	180	2.8	0.5	12	13	NA	NA	10.55	4.91	5.64	NA
MW-2	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.55	5.88	4.67	NA
MW-2	01/09/1996	790	130	5.1	1.5	2.4	4.6	1,400	NA	10.55	4.75	5.80	NA
MW-2	04/02/1996	260	NA	<2	<2	13	6.9	540	NA	10.55	3.25	7.30	NA
MW-2	10/03/1996	<2,000	620	<20	<20	<20	<20	13,000	NA	10.55	5.27	5.28	2.3
MW-2	04/03/1997	<1,000	190	<10	<10	<10	<10	2,800	NA	10.55	3.99	6.56	2.2
MW-2	10/08/1997	<5,000	1,100	<50	<50	<50	<50	d	NA	10.55	5.03	5.52	1.6
MW-2	06/10/1998	120	310	1.7	<1.0	<1.0	<1.0	3,800	NA	10.55	4.11	6.44	0.7/0.6
MW-2	12/30/1998	<5,000	1,050	<50.0	<50.0	<50.0	<50.0	12,100	15,300	10.55	4.76	5.79	1.3/1.2
MW-2 *	06/25/1999	<1,000	NA	<10.0	<10.0	<10.0	<10.0	7,570	NA	10.55	4.63	5.92	2.3/2.5
MW-2	12/28/1999	228	446	4.54	<0.500	<0.500	<0.500	4,260	NA	10.55	4.95	5.60	2.1/2.4
MW-2	05/31/2000	597	187	19.3	<0.500	0.860	<0.500	2,480	NA	10.55	4.06	6.49	1.8/2.7
MW-2	10/17/2000	Well inaccessible		NA	NA	NA	NA	NA	NA	10.55	NA	NA	NA
MW-2	05/01/2001	Well inaccessible		NA	NA	NA	NA	NA	NA	10.55	NA	NA	NA
MW-2	11/05/2001	<500	610	<5.0	<5.0	<5.0	<5.0	NA	1,800	10.55	6.12	4.43	0.6/1.1
MW-2	05/01/2002	440	<50	<2.5	<2.5	<2.5	<2.5	NA	1,300	10.55	3.85	6.70	6.2/0.9
MW-2	07/16/2002	<500	250	<5.0	<5.0	<5.0	<5.0	NA	2,100	10.55	4.56	5.99	0.9/1.3
MW-2	10/17/2002	280	240	<1.0	<1.0	<1.0	<1.0	NA	270	10.10	5.90	4.20	0.6/2.2
MW-2	01/21/2003	160	72	<0.50	<0.50	<0.50	<0.50	NA	380	10.10	4.11	5.99	0.5/1.0
MW-2	05/01/2003	350	<50	<0.50	<0.50	<0.50	<1.0	NA	110	10.10	4.18	5.92	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	07/17/2003	120	61 a,f	<0.50	<0.50	<0.50	<1.0	NA	14	10.10	4.72	5.38	NA
MW-2	10/02/2003	190	200 a	1.6	<0.50	<0.50	<1.0	NA	17	10.10	5.76	4.34	NA
MW-2	01/05/2004	77	<50	<0.50	0.86	<0.50	<1.0	NA	1.3	10.10	3.28	6.82	NA
MW-3	02/16/1989	60,000	NA	5,500	ND	3,200	5,200	NA	NA	7.81	5.17	2.64	NA
MW-3	05/23/1989	ND	1,500	ND	200	ND	ND	NA	NA	7.81	5.09	2.72	NA
MW-3	08/03/1989	2,000	1,200	120	ND	ND	86	NA	NA	7.81	5.34	2.47	NA
MW-3	12/15/1989	5,200	1,700	380	12	17	410	NA	NA	7.81	6.02	1.79	NA
MW-3	02/07/1990	260	230	17	47	5.4	2.5	NA	NA	7.81	4.95	2.86	NA
MW-3	04/18/1990	260	ND	ND	ND	ND	9.4	NA	NA	7.81	5.55	2.26	NA
MW-3	07/23/1990	510	210	46	ND	ND	9.3	NA	NA	7.81	5.81	2.00	NA
MW-3	09/27/1990	460	350	6.3	1.2	ND	15	NA	NA	7.81	6.86	0.95	NA
MW-3	01/03/1991	4,800	630	920	1.7	ND	190	NA	NA	7.81	6.84	0.97	NA
MW-3	04/10/1991	120	60	1.2	8.8	3.5	21	NA	NA	7.81	4.93	2.88	NA
MW-3	07/12/1991	430	ND	12	0.8	ND	7.7	NA	NA	7.81	5.56	2.25	NA
MW-3	10/08/1991	770	560	140	ND	ND	53	NA	NA	7.81	6.62	1.19	NA
MW-3	02/06/1992	500	340 a	74	0.7	5.2	5.3	NA	NA	7.81	6.28	1.53	NA
MW-3	05/04/1992	310	290 a	47	0.9	17	16	NA	NA	7.81	4.65	3.16	NA
MW-3	07/28/1992	780	100 a	130	ND	13	4.2	NA	NA	7.81	5.56	2.25	NA
MW-3	10/27/1992	740	69a	92	ND	7.8	9.6	NA	NA	7.81	6.65	1.16	NA
MW-3	01/14/1993	ND	ND	2.4	2.8	ND	ND	NA	NA	7.81	3.88	3.93	NA
MW-3	04/23/1993b	NA	NA	NA	NA	NA	NA	NA	NA	7.81	NA	NA	NA
MW-3	07/20/1993b	NA	NA	NA	NA	NA	NA	NA	NA	11.25 (TOB)	NA	NA	NA
MW-3	10/18/1993b	NA	NA	NA	NA	NA	NA	NA	NA	11.25 (TOB)	NA	NA	NA
MW-3	01/06/1994	130	64	1.7	ND	ND	0.93	NA	NA	11.25 (TOB)	5.54	NA	NA
MW-3	04/12/1994	ND	75	0.82	ND	ND	0.7	NA	NA	11.25 (TOB)	4.82	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	07/25/1994	0.06a	ND	2.8	ND	ND	0.7	NA	NA	11.25 (TOB)	6.03 (TOB)	5.22	NA
MW-3	10/25/1994	70	100	ND	ND	ND	ND	NA	NA	11.25 (TOB)	6.48	NA	NA
MW-3	01/09/1995	ND	ND	ND	ND	ND	ND	NA	NA	11.25 (TOB)	4.86 (TOB)	6.39	NA
MW-3	04/11/1995	ND	ND	ND	ND	ND	ND	NA	NA	11.25 (TOB)	4.22 (TOB)	7.03	NA
MW-3	07/18/1995	ND	90	2.8	ND	ND	ND	NA	NA	11.25 (TOB)	5.44 (TOB)	5.81	NA
MW-3	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	11.25 (TOB)	5.72	NA	NA
MW-3	01/09/1996	90	90	1.7	ND	<0.5	<0.5	61	NA	11.25 (TOB)	4.96	NA	NA
MW-3	04/02/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	24	NA	11.25 (TOB)	3.43	NA	NA
MW-3	10/03/1996	<500	180	<5	<5	<5	<5	1,200	NA	11.25 (TOB)	5.39	NA	2.4
MW-3	04/03/1997	150	83	3.2	<0.50	<0.50	0.81	280	NA	11.25 (TOB)	4.20	NA	2.0
MW-3	10/08/1997	180	120	7.3	0.68	0.54	3.9	1,700	NA	11.25 (TOB)	5.51(TOB)	5.74	2.1
MW-3	06/10/1998	130	120	12	0.85	<0.50	2.1	600	NA	11.25 (TOB)	3.91(TOB)	7.34	0.8/0.9
MW-3	12/30/1998	<250	108	<2.50	<2.50	<2.50	<2.50	1,010	NA	11.25 (TOB)	5.76 (TOB)	5.49	1.3/1.4
MW-3 *	06/25/1999	269	NA	4.24	<2.50	<2.50	<2.50	1,180	NA	11.25 (TOB)	4.73	NA	1.4/1.9
MW-3	12/28/1999	333	122	41.4	6.48	6.57	21.3	2,680	NA	11.25 (TOB)	5.75 (TOB)	5.50	1.3/1.5
MW-3	05/31/2000	1,180	89.2	19.1	1.92	3.26	<1.00	2,130	NA	11.25 (TOB)	4.96 (TOB)	6.29	1.2/2.2
MW-3	10/17/2000	156	183 a	5.22	0.819	<0.500	1.53	2,250	NA	11.25 (TOB)	5.70 (TOB)	5.55	2.0/2.1
MW-3	05/01/2001	286	95.9	<2.50	<2.50	<2.50	<2.50	1,470	NA	11.25 (TOB)	4.88 (TOB)	6.37	1.9/2.7
MW-3	05/29/2001	NA	NA	NA	NA	NA	NA	NA	NA	11.25 (TOB)	5.25 (TOB)	6.00	3.0/1.9
MW-3	11/05/2001	<500	<50	<5.0	<5.0	<5.0	<5.0	NA	2,100	11.25 (TOB)	6.25 (TOB)	5.00	0.5/1.9
MW-3	05/01/2002	<100	80	<1.0	<1.0	<1.0	<1.0	NA	430	11.25 (TOB)	4.77 (TOB)	6.48	4.1/0.7
MW-3	07/16/2002	410	340	12	2.0	<2.0	3.5	NA	530	11.25 (TOB)	5.44 (TOB)	5.81	0.3/1.7
MW-3	10/17/2002	220	82	2.5	<2.0	<2.0	2.3	NA	25	10.58	6.03	4.55	0.8/2.4
MW-3	01/21/2003	<50	150	<0.50	<0.50	<0.50	<0.50	NA	28	10.58	4.30	6.28	1.2/1.0
MW-3	05/01/2003	60	<50	<0.50	<0.50	<0.50	<1.0	NA	16	10.58	4.30	6.28	NA
MW-3	07/17/2003	120	<50	1.2	<0.50	<0.50	<1.0	NA	11	10.58	5.36	5.22	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	10/02/2003	160	56 a	3.1	1.1	<0.50	2.1	NA	8.2	10.58	6.00	4.58	NA
MW-3	01/05/2004	54	<50	<0.50	<0.50	<0.50	<1.0	NA	15	10.58	4.44	6.14	NA
MW-4	05/23/1989	ND	ND	ND	ND	ND	ND	NA	NA	7.38	5.60	1.78	NA
MW-4	08/03/1989	ND	ND	ND	ND	ND	ND	NA	NA	7.38	6.37	1.01	NA
MW-4	12/15/1989	ND	ND	ND	ND	ND	ND	NA	NA	7.38	6.91	0.47	NA
MW-4	03/08/1990	ND	ND	ND	ND	ND	ND	NA	NA	7.38	6.06	1.32	NA
MW-4	04/18/1990	NA	NA	NA	NA	NA	NA	NA	NA	7.38	5.84	1.54	NA
MW-4	07/23/1990	ND	ND	ND	ND	ND	ND	NA	NA	7.38	6.92	0.46	NA
MW-4	09/27/1991	ND	ND	ND	ND	ND	ND	NA	NA	7.38	8.03	0.65	NA
MW-4	01/03/1991	NA	NA	NA	NA	NA	NA	NA	NA	7.38	7.54	-0.16	NA
MW-4	04/10/1991	ND	ND	ND	ND	ND	ND	NA	NA	7.38	5.06	2.32	NA
MW-4	07/12/1991	ND	ND	ND	ND	ND	ND	NA	NA	7.38	6.86	0.52	NA
MW-4	10/08/1991	ND	ND	ND	ND	ND	ND	NA	NA	7.38	7.44	-0.06	NA
MW-4	02/06/1992	120	2,500 a	ND	ND	ND	ND	NA	NA	7.38	7.29	0.09	NA
MW-4	05/04/1992	ND	53	ND	ND	ND	ND	NA	NA	7.38	5.33	2.05	NA
MW-4	07/28/1992	ND	60	ND	ND	ND	ND	NA	NA	7.38	6.95	0.43	NA
MW-4	10/27/1992	ND	ND	ND	ND	ND	ND	NA	NA	7.38	7.65	-0.27	NA
MW-4	01/14/1993	ND	ND	ND	ND	ND	ND	NA	NA	7.38	4.84	2.54	NA
MW-4	04/23/1993	ND	ND	ND	ND	ND	ND	NA	NA	7.38	4.84	2.54	NA
MW-4	07/20/1993	ND	ND	2.2	ND	1.1	7.7	NA	NA	10.28	6.47	3.81	NA
MW-4	10/18/1993	ND	ND	ND	1.2	ND	ND	NA	NA	10.28	7.35	2.93	NA
MW-4	01/06/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.28	7.64	2.64	NA
MW-4	04/12/1994	ND	76	ND	ND	ND	ND	NA	NA	10.28	6.39	3.89	NA
MW-4	07/25/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.28	7.00	3.28	NA
MW-4	10/25/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.28	7.53	2.75	NA



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	01/09/1995	ND	70 a	ND	ND	ND	ND	NA	NA	10.28	4.90	5.38	NA
MW-4	04/11/1995	ND	140	1.5	ND	0.6	3.4	NA	NA	10.28	5.04	5.24	NA
MW-4	07/18/1995	ND	160	13	3.4	ND	ND	NA	NA	10.28	6.18	4.10	NA
MW-4	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.28	6.63	3.65	NA
MW-4	01/09/1996	<50	ND	<0.5	ND	<0.5	<0.5	ND	NA	10.28	3.82	6.46	NA
MW-4	04/02/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.28	3.97	6.31	NA
MW-4	10/03/1996	<50	81	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.28	3.74	6.54	NA
MW-4	04/03/1997	<50	69	<0.50	<0.50	<0.50	<0.50	<2.5	NA	10.28	3.74	6.54	1.8
MW-4	10/08/1997	<50	75	<0.50	<0.50	<0.50	<0.50	13	NA	10.28	4.89	5.39	2.0
MW-4 (D)	10/08/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	10.28	4.89	5.39	2.0
MW-4	06/10/1998	NA	NA	NA	NA	NA	NA	NA	NA	10.28	4.39	5.89	NA
MW-4	12/30/1998	<50.0	94.1	<0.500	<0.500	<0.500	0.580	7.33	NA	10.28	5.58	4.70	1.7/1.6
MW-4	06/25/1999	NA	NA	NA	NA	NA	NA	NA	NA	10.28	4.17	6.11	NA
MW-4	12/28/1999	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	10.28	4.54	5.74	1.4/1.5
MW-4	05/31/2000	NA	NA	NA	NA	NA	NA	NA	NA	10.28	3.85	6.43	NA
MW-4	10/17/2000	<50.0	274a	<0.500	<0.500	<0.500	<0.500	9.40	NA	10.28	3.50	6.78	3.8/4.0
MW-4	05/01/2001	NA	NA	NA	NA	NA	NA	NA	NA	10.28	4.10	6.18	NA
MW-4	11/05/2001	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	8.4	10.28	5.21	5.07	1.3/1.5
MW-4	05/01/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	10.28	4.28	6.00	2.6/1.1
MW-4	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	10.28	3.87	6.41	NA
MW-4	10/17/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	9.83	4.66	5.17	1.4/2.4
MW-4	01/21/2003	NA	NA	NA	NA	NA	NA	NA	NA	9.83	3.87	5.96	NA
MW-4	05/01/2003	<50	57 a	<0.50	<0.50	<0.50	<1.0	NA	<5.0	9.83	4.49	5.34	NA
MW-4	07/17/2003	NA	NA	NA	NA	NA	NA	NA	NA	9.83	5.46	4.37	NA
MW-4	10/02/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	5.9	9.83	5.51	4.32	NA
MW-4	01/05/2004	NA	NA	NA	NA	NA	NA	NA	NA	9.83	3.83	6.00	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	05/23/1989	26,000	7,000	1,500	280	ND	8,100	NA	NA	8.18	5.47	2.71	NA
MW-5	08/03/1989	12,000	8,700	860	94	ND	2,600	NA	NA	8.18	5.94	2.24	NA
MW-5	12/15/1989	1,000	710	22	35	18	44	NA	NA	8.18	6.75	1.43	NA
MW-5	02/07/1990	ND	620	0.8	ND	ND	ND	NA	NA	8.18	6.03	2.15	NA
MW-5	04/18/1990	19,000	5,000	4,500	850	97	8,000	NA	NA	8.18	5.80	2.38	NA
MW-5	07/23/1990	23,000	2,700	3,600	400	160	6,500	NA	NA	8.18	6.00	2.18	NA
MW-5	09/23/1990	5,400	550	1,400	26	13	1,300	NA	NA	8.18	7.18	1.00	NA
MW-5	01/03/1991	860	560	280	2.8	0.8	45	NA	NA	8.18	7.17	1.01	NA
MW-5	04/10/1991	12,000	1,800	710	130	500	2,400	NA	NA	8.18	5.25	2.93	NA
MW-5	07/12/1991	24,000	1,700	2,200	280	430	5,700	NA	NA	8.18	5.70	2.48	NA
MW-5	10/08/1991	2,800	1,400	860	13	ND	580	NA	NA	8.18	6.50	1.68	NA
MW-5	02/06/1992	1,000	1,200	300	ND	14	62	NA	NA	8.18	6.35	1.83	NA
MW-5	05/04/1992	10,000	4,100 a	1,500	350	710	2,300	NA	NA	8.18	4.87	3.31	NA
MW-5	07/28/1992	12,000	3,800 a	2,200	63	1,400	3,500	NA	NA	8.18	5.73	2.45	NA
MW-5	10/27/1992	7,500	480 a	1,100	59	230	900	NA	NA	8.18	6.98	1.20	NA
MW-5	01/14/1993	7,700	1,100 a	420	49	570	840	NA	NA	8.18	4.70	3.48	NA
MW-5	04/23/1993	110,000	1,600 a	2,900	2,500	3,400	12,000	NA	NA	8.18	4.19	3.99	NA
MW-5	07/20/1993	18a	1,200 a	1,400	84	1,500	3,200	NA	NA	10.87	5.10	5.77	NA
MW-5	10/18/1993	14,000	5,800 a	2,000	100	2,300	5,100	NA	NA	10.87	5.79	5.08	NA
MW-5	01/06/1994	81,000	1,100 a	11,000	9,300	3,600	12,000	NA	NA	10.87	5.56	5.31	NA
MW-5	04/12/1994	17,000	4,100	2,900	380	430	1,300	NA	NA	10.87	4.90	5.97	NA
MW-5	07/25/1994	5,900	5,400 a	1,500	42	34	170	NA	NA	10.87	5.38	5.49	NA
MW-5	10/25/1994	2,300	1,900 a	35	3	ND	8	NA	NA	10.87	6.16	4.71	NA
MW-5	01/09/1995	8,300	3,700 a	1,500	95	330	1,900	NA	NA	10.87	4.60	6.27	NA
MW-5	04/11/1995	7,300	9,800	1,200	230	600	550	NA	NA	10.87	3.74	7.13	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	07/18/1995	17,000	5,100	2,300	730	770	2,500	NA	NA	10.87	4.97	5.90	NA
MW-5	10/18/1995	Well abandoned		NA	NA	NA	NA	NA	NA	10.87	5.67	5.20	NA
MW-6	05/23/1989	22,000	7,000	16	6.5	7	3,400	NA	NA	8.21	5.47	2.74	NA
MW-6	08/03/1989	28,000	8,800	1,200	130	2,100	2,800	NA	NA	8.21	5.91	2.30	NA
MW-6	12/15/1989	16,000	5,500	370	92	200	180	NA	NA	8.21	5.98	2.23	NA
MW-6	02/07/1990	22,000	2,600	520	85	630	770	NA	NA	8.21	5.47	2.74	NA
MW-6	04/18/1990	21,000	5,700	900	77	2,700	2,700	NA	NA	8.21	5.80	2.41	NA
MW-6	07/23/1990	24,000	3,000	1,000	94	3,400	2,700	NA	NA	8.21	5.85	2.36	NA
MW-6	09/27/1990	22,000	ND	700	93	2,500	2,400	NA	NA	8.21	6.42	1.79	NA
MW-6	01/03/1991	25,000	960	1,000	88	2,600	3,700	NA	NA	8.21	6.73	1.48	NA
MW-6	04/10/1991	18,000	920	560	190	480	830	NA	NA	8.21	5.24	2.97	NA
MW-6	07/12/1991	9,500	1,900	670	51	1,100	920	NA	NA	8.21	5.78	2.43	NA
MW-6	10/08/1991	11,000	5,100	1,000	43	ND	ND	NA	NA	8.21	6.36	1.85	NA
MW-6	02/06/1992	7,200	1,500 a	560	8	720	160	NA	NA	8.21	6.15	2.06	NA
MW-6	05/04/1992	7,900	2,900 a	610	ND	1,500	240	NA	NA	8.21	5.07	3.14	NA
MW-6	07/28/1992	17,000	3,200 a	1,200	ND	3,000	610	NA	NA	8.21	5.85	2.36	NA
MW-6	10/27/1992	15,000	1,300 a	1,300	130	1,700	490	NA	NA	8.21	6.69	1.52	NA
MW-6	01/14/1993	4,900	1,600 a	80	31	330	37	NA	NA	8.21	4.52	3.69	NA
MW-6	04/23/1993	4,800	1,800 a	120	ND	780	73	NA	NA	8.21	4.32	3.89	NA
MW-6	07/20/1993	19a	910 a	570	18	1,100	130	NA	NA	11.04	5.39	5.65	NA
MW-6	10/18/1993	24,000	2,500 a	770	440	1,600	830	NA	NA	11.04	6.67	4.37	NA
MW-6	01/06/1994	20 a	2,300 a	450	30	530	52	NA	NA	11.04	5.66	5.38	NA
MW-6	04/12/1994	3,600	1,600	150	ND	340	21	NA	NA	11.04	4.91	6.13	NA
MW-6	07/25/1994	1,600	2,200 a	160	ND	ND	10	NA	NA	11.04	5.55	5.49	NA
MW-6 (D)	07/25/1994	1,000	2,400 a	160	ND	ND	18	NA	NA	11.04	5.55	5.49	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-6	10/25/1994	9,800	3,000 a	390	22	300	57	NA	NA	11.04	6.24	4.80	NA
MW-6	01/09/1995	2,200	800 a	74	12	400	39	NA	NA	11.04	4.58	6.46	NA
MW-6	04/11/1995	5,000	7,700	330	15	760	85	NA	NA	11.04	4.04	7.00	NA
MW-6	07/18/1995	4,200	1,700	320	11	490	22	NA	NA	11.04	5.01	6.03	NA
MW-6	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	11.04	5.86	5.18	NA
MW-6	01/09/1996	5,600	790	59	<5	180	12	14,000	NA	11.04	4.75	6.29	NA
MW-6	04/02/1996	1,500	NA	12	<5	170	9	1,900	NA	11.04	3.82	7.22	NA
MW-6	10/03/1996	2,600	1,800	110	<25	<25	<25	11,000	NA	11.04	5.27	5.77	2.2
MW-6	04/03/1997	<2,500	650	30	<25	32	<25	10,000	NA	11.04	4.42	6.62	2.0
MW-6	10/08/1997	1,900	1,100	31	<5.0	6.1	<5.0	2,600	NA	11.04	4.70	6.34	1.0
MW-6	06/10/1998	<1,000	1,500	17	12	14	88	14,000	NA	11.04	4.36	6.68	0.4/0.4
MW-6	12/30/1998	260	528	<2.50	<2.50	<2.50	<2.50	909	NA	11.04	4.98	6.06	2.1/1.6
MW-6 *	06/25/1999	<2,500	NA	<25.0	<25.0	<25.0	<25.0	8,850	7,630	11.04	4.81	6.23	1.4/3.6
MW-6	12/28/1999	526	416	7.60	<1.00	<1.00	<1.00	1,510	NA	11.04	5.17	5.87	1.8/2.0
MW-6	05/31/2000	2,870	998	45.7	4.70	8.61	<2.50	3,780	NA	11.04	4.58	6.46	0.92/2.30
MW-6	10/17/2000	2,370	944a	49.8	5.36	<5.00	<5.00	746	NA	11.04	4.80	6.24	2.5/2.1
MW-6	05/01/2001	3,000	706	2.72	<2.50	4.46	<2.50	473	NA	11.04	4.75	6.29	2.2/1.6
MW-6	05/29/2001	NA	NA	NA	NA	NA	NA	NA	NA	11.04	4.86	6.18	2.0/1.3
MW-6	11/05/2001	NA	NA	NA	NA	NA	NA	NA	NA	11.04	5.73	5.31	0.6
MW-6	11/07/2001	1,700	180	1.3	1.2	1.3	1.1	NA	430	11.04	5.75	5.29	2.4/1.8
MW-6	05/01/2002	1,400	<300	2.0	0.61	4.3	0.68	NA	220	11.04	4.47	6.57	2.5/2.0
MW-6	07/16/2002	3,500	<600	31	1.5	5.7	1.2	NA	220	11.04	5.05	5.99	0.6/0.6
MW-6	10/17/2002	3,000	<700	27	1.7	2.9	1.8	NA	340	10.59	5.80	4.79	1.2/1.1
MW-6	01/21/2003	900	<200	1.5	<0.50	1.4	<0.50	NA	73	10.59	4.39	6.20	0.8/0.6
MW-6	05/01/2003	700 a	160 a	0.58	<0.50	0.82	<1.0	NA	71	10.59	4.19	6.40	NA
MW-6	07/17/2003	<1,200	220 a,f	<12	<12	<12	<25	NA	840	10.59	5.22	5.37	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-6	10/02/2003	<1,000	300 a	<10	<10	<10	<20	NA	1,500	10.59	5.86	4.73	NA
MW-6	01/05/2004	520	140 a	<0.50	0.72	<0.50	<1.0	NA	30	10.59	3.79	6.80	NA
MW-7	05/23/1989	47,000	11,000	3,500	5,000	1,500	7,800	NA	NA	7.44	5.48	1.96	NA
MW-7	08/03/1989	68,000	22,000	6,200	6,600	3,600	8,800	NA	NA	7.44	4.22	3.22	NA
MW-7	12/15/1989	100,000	12,000	4,500	5,300	1,300	5,300	NA	NA	7.44	4.58	2.86	NA
MW-7	02/07/1990	96,000	8,100	15,000	15,000	2,500	14,000	NA	NA	7.44	5.34	2.10	NA
MW-7	04/18/1990	94,000	10,000	25,000	13,000	3,300	13,000	NA	NA	7.44	4.92	2.52	NA
MW-7	07/23/1990	84,000	12,000	3,800	26,000	13,000	3,000	NA	NA	7.44	4.99	2.45	NA
MW-7	09/27/1990	43,000	ND	25,000	6,100	2,400	9,000	NA	NA	7.44	6.16	1.28	NA
MW-7	01/03/1991	78,000	3,100	26,000	16,000	3,000	14,000	NA	NA	7.44	4.96	2.48	NA
MW-7	04/10/1991	140,000	1,800	26,000	16,000	2,200	14,000	NA	NA	7.44	4.13	3.31	NA
MW-7	07/12/1991	79,000	1,100	7,700	7,200	2,300	10,000	NA	NA	7.44	4.98	2.46	NA
MW-7	10/08/1991	55,000	390 a	29,000	7,500	1,800	9,300	NA	NA	7.44	5.48	1.96	NA
MW-7	02/06/1992	63,000	9,600 a	16,000	8,700	1,600	7,400	NA	NA	7.44	5.05	2.39	NA
MW-7	05/04/1992	67,000	9,800 a	22,000	13,000	1,800	9,400	NA	NA	7.44	4.43	3.01	NA
MW-7	07/28/1992	85,000	13,000 a	26,000	17,000	2,900	15,000	NA	NA	7.44	4.88	2.56	NA
MW-7	10/27/1992	63,000	1,900 a	21,000	11,000	3,000	11,000	NA	NA	7.44	5.39	2.05	NA
MW-7	01/14/1993	120,000	2,300 a	28,000	21,000	1,600	15,000	NA	NA	7.44	4.26	3.18	NA
MW-7	04/23/1993	60,000	12,000 a	17,000	3,700	2,200	11,000	NA	NA	7.44	4.04	3.40	NA
MW-7 (D)	04/23/1993	50,000	14,000 a	17,000	4,200	2,200	11,000	NA	NA	7.44	4.04	3.40	NA
MW-7	07/20/1993	47,000	13,000	23,000	9,900	2,200	12,000	NA	NA	10.28	4.36	5.92	NA
MW-7	10/18/1993	44,000	10,000 a	22,000	3,800	2,600	10,000	NA	NA	10.28	5.14	5.14	NA
MW-7	01/06/1994	65,000	5,200 a	16,000	4,900	1,900	8,500	NA	NA	10.28	4.83	5.45	NA
MW-7	04/12/1994	68,000	3,400	12,000	2,000	580	6,400	NA	NA	10.28	4.24	6.04	NA
MW-7	07/25/1994	63,000	4,200 a	16,000	5,800	300	8,300	NA	NA	10.28	4.58	5.70	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-7	10/25/1994	46,000	3,800 a	16,000	3,700	1,200	7,300	NA	NA	10.28	5.07	5.21	NA
MW-7	01/09/1995	62,000	3,300 a	24,000	8,500	1,100	9,400	NA	NA	10.28	3.38	6.90	NA
MW-7 (D)	01/11/1995	57,000	3,200 a	9,500	7,900	620	8,000	NA	NA	10.28	3.38	6.90	NA
MW-7	04/11/1995	53,000	7,000	13,000	4,200	1,500	7,700	NA	NA	10.28	3.52	6.76	NA
MW-7 (D)	04/12/1995	55,000	7,600	11,000	3,700	1,300	6,400	NA	NA	10.28	3.52	6.76	NA
MW-7	07/18/1995	95,000	2,700	24,000	8,000	2,100	12,000	NA	NA	10.28	4.70	5.58	NA
MW-7	10/18/1995	Well abandoned		NA	NA	NA	NA	NA	NA	10.28	5.25	5.03	NA
MW-8	05/23/1989	ND	100	ND	ND	ND	ND	NA	NA	7.79	6.62	1.17	NA
MW-8	08/03/1989	ND	75	ND	ND	ND	ND	NA	NA	7.79	6.62	1.17	NA
MW-8	12/15/1989	ND	ND	ND	ND	ND	ND	NA	NA	7.79	6.71	1.08	NA
MW-8	03/08/1990	ND	ND	ND	ND	ND	ND	NA	NA	7.79	4.95	2.84	NA
MW-8	04/18/1990	NA	NA	NA	NA	NA	NA	NA	NA	7.79	6.40	1.89	NA
MW-8	07/23/1990	ND	ND	ND	ND	ND	ND	NA	NA	7.79	6.62	1.17	NA
MW-8	09/27/1990	ND	1,100	ND	ND	ND	ND	NA	NA	7.79	6.98	0.81	NA
MW-8	01/03/1991	ND	ND	1.3	ND	ND	ND	NA	NA	7.79	7.03	0.76	NA
MW-8	04/10/1991	50	ND	0.7	1.1	0.8	1	NA	NA	7.79	4.40	3.39	NA
MW-8	07/12/1991	ND	ND	ND	ND	ND	ND	NA	NA	7.79	6.80	0.99	NA
MW-8	10/08/1991	ND	ND	1.4	ND	ND	ND	NA	NA	7.79	7.56	0.23	NA
MW-8	02/06/1992	ND	60 a	ND	0.7	ND	ND	NA	NA	7.79	6.94	0.85	NA
MW-8	05/04/1992	ND	210 a	ND	ND	ND	ND	NA	NA	7.79	5.86	1.93	NA
MW-8	07/28/1992	51	ND	ND	ND	1	0.6	NA	NA	7.79	6.94	0.85	NA
MW-8	10/27/1992	ND	ND	ND	6.6	ND	ND	NA	NA	7.79	7.83	-0.04	NA
MW-8	01/14/1993	ND	64a	ND	ND	ND	ND	NA	NA	7.79	3.60	4.19	NA
MW-8 (D)	01/14/1993	ND	NA	ND	ND	ND	ND	NA	NA	7.79	3.60	4.19	NA
MW-8	04/23/1993	ND	ND	ND	ND	ND	ND	NA	NA	7.79	4.12	3.67	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-8	07/20/1993	ND	ND	0.7	0.7	0.8	4.1	NA	NA	10.61	6.38	4.23	NA
MW-8	10/18/1993	ND	ND	ND	800	ND	ND	NA	NA	10.61	7.47	3.14	NA
MW-8	01/06/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.61	7.20	3.41	NA
MW-8	04/12/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.61	6.16	4.45	NA
MW-8	07/25/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.61	6.94	3.67	NA
MW-8	10/25/1994	ND	ND	ND	1	ND	ND	NA	NA	10.61	7.43	3.18	NA
MW-8	01/09/1995	ND	70 a	ND	ND	ND	ND	NA	NA	10.61	3.98	6.63	NA
MW-8	04/11/1995	ND	78	0.63	1.3	ND	0.75	NA	NA	10.61	4.12	6.49	NA
MW-8	07/18/1995	ND	130	ND	ND	ND	ND	NA	NA	10.61	5.21	5.40	NA
MW-8	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.61	5.58	5.03	NA
MW-8	01/09/1996	<50	ND	<0.5	<0.5	<0.5	<0.5	ND	NA	10.61	5.09	5.52	NA
MW-8	04/02/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.61	3.42	7.19	NA
MW-8	10/03/1996	<50	<69	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.61	4.30	6.31	NA
MW-8	04/03/1997	<50	62	<0.50	<0.50	<0.50	0.91	<2.5	NA	10.61	4.58	6.03	2.6
MW-8	10/08/1997	<50	57	<0.50	<0.50	<0.50	<0.50	<2.5	NA	10.61	3.00	7.61	3.6
MW-8	06/10/1998	NA	NA	NA	NA	NA	NA	NA	NA	10.61	2.88	7.73	NA
MW-8	12/30/1998	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	10.61	5.38	5.23	0.8/0.9
MW-8	06/25/1999	NA	NA	NA	NA	NA	NA	NA	NA	10.61	4.53	6.08	NA
MW-8	12/28/1999	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	10.61	4.93	5.68	1.0/0.9
MW-8	05/31/2000	NA	NA	NA	NA	NA	NA	NA	NA	10.61	4.02	6.59	NA
MW-8	10/17/2000	<50.0	143a	<0.500	<0.500	<0.500	<0.500	<2.50	NA	10.61	3.10	7.51	4.0/4.1
MW-8	05/01/2001	NA	NA	NA	NA	NA	NA	NA	NA	10.61	4.12	6.49	NA
MW-8	11/05/2001	<50	<50	<0.50	0.99	<0.50	<0.50	NA	<5.0	10.61	5.00	5.61	0.6/1.3
MW-8	05/01/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	10.61	3.25	7.36	0.6/3.6
MW-8	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	10.61	3.64	6.97	NA
MW-8	10/17/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	10.18	4.53	5.65	3.3/2.2

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-8	01/21/2003	NA	NA	NA	NA	NA	NA	NA	NA	10.18	3.98	6.20	NA
MW-8	05/01/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	10.18	4.00	6.18	NA
MW-8	07/17/2003	NA	NA	NA	NA	NA	NA	NA	NA	10.18	4.37	5.81	NA
MW-8	10/02/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	10.18	4.56	5.62	NA
<b>MW-8</b>	<b>01/05/2004</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>10.18</b>	<b>2.90</b>	<b>7.28</b>	<b>NA</b>

MW-9	08/03/1989	47,000	12,000	5,600	6,600	1,500	8,500	NA	NA	7.63	5.78	1.85	NA
MW-9	12/15/1989	88,000	9,200	4,300	5,400	140	5,600	NA	NA	7.63	5.24	2.39	NA
MW-9	02/07/1990	50,000	7,400	1,800	1,400	3,200	1,800	NA	NA	7.63	5.23	2.40	NA
MW-9	04/18/1990	50,000	7,500	14,000	11,000	730	10,000	NA	NA	7.63	5.34	2.29	NA
MW-9	07/23/1990	62,000	3,200	19,000	16,000	950	15,000	NA	NA	7.63	5.65	1.98	NA
MW-9	09/27/1990	30,000	2,700	16,000	6,500	980	11,000	NA	NA	7.63	5.96	1.67	NA
MW-9	01/03/1991	34,000	2,500	9,200	3,200	770	7,000	NA	NA	7.63	6.23	1.40	NA
MW-9	04/10/1991	66,000	2,200	17,000	13,000	1,400	14,000	NA	NA	7.63	4.65	2.98	NA
MW-9	07/12/1991	40,000	2,000	7,700	3,200	1,100	9,400	NA	NA	7.63	5.65	1.98	NA
MW-9	10/08/1991	20,000	4,700 a	11,000	640	240	6,000	NA	NA	7.63	6.08	1.55	NA
MW-9	02/06/1992	36,000	6,600 a	11,000	490	1,100	6,700	NA	NA	7.63	5.92	1.71	NA
MW-9	05/04/1992	31,000	5,800 a	11,000	1,700	1,200	8,700	NA	NA	7.63	4.80	2.83	NA
MW-9	07/28/1992	50,000	14,000	17,000	1,200	1,500	12,000	NA	NA	7.63	5.61	2.02	NA
MW-9	10/27/1992	43,000	880 a	15,000	680	1,700	8,100	NA	NA	7.63	6.24	1.39	NA
MW-9	01/14/1993	52,000	730 a	9,600	1,100	1,100	7,000	NA	NA	7.63	4.95	2.68	NA
MW-9	04/23/1993	45,000	8,000 a	11,000	1,400	1,500	10,000	NA	NA	7.63	4.54	3.09	NA
MW-9	07/20/1993	25,000	5,100	10,000	320	1,100	7,100	NA	NA	10.48	5.25	5.23	NA
MW-9	10/18/1993	32,000	4,900 a	14,000	530	2,000	10,000	NA	NA	10.48	6.00	4.48	NA
MW-9	01/06/1994	41,000	7,700 a	15,000	810	1,400	9,000	NA	NA	10.48	5.62	4.86	NA
MW-9 (D)	01/06/1994	43,000	8,300 a	15,000	920	1,300	8,000	NA	NA	10.48	5.62	4.86	NA



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-9	04/12/1994	39,000	2,000	8,300	ND	ND	4,000	NA	NA	10.48	4.31	6.17	NA
MW-9	07/25/1994	22,000	3,600 a	7,500	150	ND	4,100	NA	NA	10.48	5.43	5.05	NA
MW-9	10/25/1994	31,000	3,200 a	13,000	240	1,000	8,500	NA	NA	10.48	6.00	4.48	NA
MW-9 (D)	10/26/1994	31,000	3,500 a	13,000	220	1,100	8,300	NA	NA	10.48	6.00	4.48	NA
MW-9	01/09/1995	4,800	2,300 a	1,200	510	42	1,400	NA	NA	10.48	4.26	6.22	NA
MW-9	04/11/1995	20,000	3,400	5,100	460	400	3,400	NA	NA	10.48	4.08	6.40	NA
MW-9	07/18/1995	43,000	2,900	12,000	1,800	960	9,100	NA	NA	10.48	5.07	5.41	NA
MW-9	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.48	5.82	4.66	NA
MW-9	01/09/1996	64,000	2,800	12,000	5,400	1,800	10,000	2100	NA	10.48	4.36	6.12	NA
MW-9	04/02/1996	39,000	NA	10,000	100	520	4,100	<500	NA	10.48	3.86	6.62	NA
MW-9	10/03/1996	46,000	3,100	12,000	180	1,400	6,700	2,300	NA	10.48	4.90	5.58	1.4
MW-9	04/03/1997	36,000	2,300	9,700	140	580	3,900	<500	NA	10.48	3.98	6.50	1.8
MW-9	10/08/1997	34,000	3,500	6,900	<100	830	4,500	<125	NA	10.48	4.17	6.31	0.8
MW-9	06/10/1998	20,000	2,500	9,900	250	3,100	170	460	NA	10.48	3.84	6.64	0.3/0.4
MW-9	12/30/1998	30,100	1,900	8,500	166	603	3,340	<100	NA	10.48	4.72	5.76	1.1/1.2
MW-9 *	06/25/1999	26,300	NA	8,090	73.5	409	2,730	<100	NA	10.48	4.47	6.01	1.2/2.4
MW-9	12/28/1999	4,130	839	1,260	57.9	103	213	1,470	NA	10.48	4.82	5.66	1.0/1.1
MW-9	05/31/2000	8,210	1,300	9,290	62.3	141	908	565	NA	10.48	3.87	6.61	2.8/c
MW-9	10/17/2000	19,000	1,510 a	5,420	54.5	479	2,680	<250	NA	10.48	3.87	6.61	3.0/3.5
MW-9	05/01/2001	24,300	976	11,200	52.9	159	1,610	<250	NA	10.48	4.44	6.04	1.6/1.0
MW-9	05/29/2001	NA	NA	NA	NA	NA	NA	NA	NA	10.48	3.99	6.49	1.9/1.5
MW-9	11/05/2001	NA	NA	NA	NA	NA	NA	NA	NA	10.48	5.41	5.07	0.7
MW-9	11/07/2001	25,000	<1,000	7,300	85	630	4,100	NA	<250	10.48	5.60	4.88	1.4/1.1
MW-9	05/01/2002	27,000	<700	11,000	79	260	1,300	NA	<500	10.48	3.38	7.10	2.9/1.1
MW-9	07/16/2002	29,000	<700	12,000	<50	74	810	NA	<500	10.48	4.04	6.44	0.7/0.4
MW-9	10/17/2002	15,000	<800	10,000	31	36	490	NA	53	10.07	4.92	5.15	1.0/1.2

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-9	01/21/2003	8,500	<400	3,100	39	190	590	NA	<200	10.07	4.52	5.55	0.4/0.8
MW-9	05/01/2003	16,000 a	1,600 a	4,900	<100	<100	1,500	NA	<1,000	10.07	4.05	6.02	NA
MW-9	07/17/2003	14,000	1,300 a,f	9,900	130	<120	2,300	NA	<120	10.07	4.82	5.25	NA
MW-9	10/02/2003	13,000	3,100 a	8,500	190	770	5,100	NA	<100	10.07	5.17	4.90	NA
<b>MW-9</b>	<b>01/05/2004</b>	<b>37,000</b>	<b>1,500 a</b>	<b>15,000</b>	<b>250</b>	<b>750</b>	<b>3,800</b>	<b>NA</b>	<b>&lt;100</b>	<b>10.07</b>	<b>3.94</b>	<b>6.13</b>	<b>NA</b>
MW-10	12/15/1989	ND	3,100	1,500	ND	ND	ND	NA	NA	7.45	6.33	0.82	NA
MW-10	03/08/1990	25,000	1,800	17,000	330	2,100	1,400	NA	NA	7.45	5.41	2.00	NA
MW-10	04/18/1990	23,000	3,600	15,000	1,200	190	3,300	NA	NA	7.45	5.60	1.85	NA
MW-10	07/23/1990	18,000	1,900	12,000	380	ND	1,400	NA	NA	7.45	5.81	1.64	NA
MW-10	09/27/1990	9,500	430	13,000	100	1,800	230	NA	NA	7.45	6.64	0.81	NA
MW-10	01/03/1991	4,300	630	3,700	10	ND	110	NA	NA	7.45	6.96	0.49	NA
MW-10	04/10/1991	45,000	1,400	16,000	4,600	3,000	6,900	NA	NA	7.45	4.70	2.75	NA
MW-10	07/12/1991	ND	ND	ND	ND	ND	ND	NA	NA	7.45	5.90	1.55	NA
MW-10	10/08/1991	3,800	1,500 a	13,000	82	9	500	NA	NA	7.45	6.68	0.77	NA
MW-10	02/06/1992	22,000	1,600 a	12,000	ND	600	170	NA	NA	7.45	7.04	0.41	NA
MW-10	05/04/1992	39,000	8,000 a	14,000	5,000	1,800	5,000	NA	NA	7.45	4.69	2.76	NA
MW-10	07/28/1992	38,000	8,700 a	17,000	2,800	1,500	4,000	NA	NA	7.45	6.00	1.45	NA
MW-10	10/27/1992b	NA	NA	NA	NA	NA	NA	NA	NA	7.45	NA	NA	NA
MW-10	01/14/1993	26,000	950 a	10,000	ND	ND	160	NA	NA	7.45	6.07	1.38	NA
MW-10	04/23/1993	80,000	1,900 a	21,000	13,000	3,400	12,000	NA	NA	7.45	4.14	3.31	NA
MW-10	07/20/1993	31,000	4,800	14,000	4,200	1,700	5,500	NA	NA	10.61	5.62	4.99	NA
MW-10	10/18/1993	13,000	1,200 a	8,600	220	ND	450	NA	NA	10.61	6.43	4.18	NA
MW-10	01/06/1994	16,000	670 a	9,700	<125	<125	210	NA	NA	10.61	6.74	3.87	NA
MW-10	04/12/1994	16,000	860	5,600	ND	ND	ND	NA	NA	10.61	5.98	4.63	NA
MW-10	07/25/1994	2,300	2,100 a	1,400	26	25	51	NA	NA	10.61	6.31	4.30	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-10	10/25/1994	1,400	1,000 a	290	5	2	38	NA	NA	10.61	6.64	3.97	NA
MW-10	01/09/1995	16,000	2,300 a	7,500	1,400	230	1,500	NA	NA	10.61	5.70	4.91	NA
MW-10	04/11/1995	54,000	5,000	13,000	4,500	1,500	4,500	NA	NA	10.61	5.82	4.79	NA
MW-10	07/18/1995	72,000	2,600	20,000	7,200	2,800	9,000	NA	NA	10.61	6.79	3.82	NA
MW-10	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.61	5.31	5.30	NA
MW-10	01/09/1996	32,000	2,100	8,000	1,600	880	3,200	12,000	NA	10.61	5.92	4.69	NA
MW-10	04/02/1996	68,000	NA	9,100	2,300	1,100	3,700	3,300	NA	10.61	5.43	5.18	NA
MW-10	10/03/1996	33,000	2,900	11,000	1,300	830	2,400	7,300	NA	10.61	6.07	4.54	1.7
MW-10 (D)	10/03/1996	40,000	3,300	12,000	1,700	1,100	3,100	6,500	NA	10.61	6.07	4.54	1.7
MW-10	04/03/1997	36,000	3,400	12,000	2,300	1,400	4,500	2,300	NA	10.61	3.45	7.16	1.8
MW-10 (D)	04/03/1997	52,000	3,000	12,000	2,300	1,400	4,500	2,100	NA	10.61	3.45	7.16	1.8
MW-10	10/08/1997	20,000	3,100	7,500	420	470	1,300	1,500	NA	10.61	3.72	6.89	1.2
MW-10	06/10/1998	48,000	2,500	14,000	2,600	1,500	4,800	1,800	NA	10.61	4.00	6.61	0.7/0.5
MW-10	12/30/1998	17,800	2,820	6,000	136	344	639	1,250	NA	10.61	5.26	5.35	1.0/0.7
MW-10 *	06/25/1999	17,600	NA	6,150	212	287	687	1,740	NA	10.61	4.49	6.12	0.9/2.5
MW-10	12/28/1999	10,800	1,400	3,370	155	321	626	3,740	NA	10.61	4.87	5.74	1.2/1.4
MW-10	05/31/2000	3,020	2,270	1,080	34.3	118	251	775	NA	10.61	3.48	7.13	2.8/3.9
MW-10	10/17/2000	15,500	1,750 a	7,450	54.7	387	308	3,840	4,300	10.61	4.25	6.36	2.3/3.0
MW-10	05/01/2001	27,900	2,260	9,920	1,050	1,020	2,370	2,180	NA	10.61	5.40	5.21	2.0/1.1
MW-10	05/29/2001	NA	NA	NA	NA	NA	NA	NA	NA	10.61	3.74	6.87	3.70/1.8
MW-10	11/05/2001	NA	NA	NA	NA	NA	NA	NA	NA	10.61	6.08	4.53	0.6
MW-10	11/07/2001	14,000	360	5,300	260	430	810	NA	1,700	10.61	5.45	5.16	1.8/1.0
MW-10	05/01/2002	79,000	<1,500	16,000	4,400	3,300	8,800	NA	890	10.61	4.62	5.99	4.0/0.5
MW-10	07/16/2002	21,000	<1,000	6,500	350	460	1,000	NA	1,200	10.61	5.80	4.81	0.5/1.5
MW-10	10/17/2002	17,000	<1,800	5,800	290	520	1,100	NA	980	9.81	5.27	4.54	0.8/1.2
MW-10	01/21/2003	52,000	<2,000	13,000	2,000	2,100	4,800	NA	<1,000	9.81	5.72	4.09	0.3/0.6

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-10	05/01/2003	40,000	3,800 a	13,000	1,700	2,200	5,000	NA	2,900	9.81	4.29	5.52	NA
MW-10	07/17/2003	13,000	1,700 a,f	7,200	250	740	1,500	NA	2,400	9.81	5.05	4.76	NA
MW-10	10/02/2003	<5,000	1,400 a	2,700	<50	56	<100	NA	2,800	9.81	5.46	4.35	NA
<b>MW-10</b>	<b>01/05/2004</b>	<b>77,000</b>	<b>2,300 a</b>	<b>21,000</b>	<b>4,200</b>	<b>3,900</b>	<b>8,500</b>	<b>NA</b>	<b>1,900</b>	<b>9.81</b>	<b>3.52</b>	<b>6.29</b>	<b>NA</b>
MW-11	07/20/1993	50	ND	2.5	1.9	3.9	18	NA	NA	10.56	8.08	2.48	NA
MW-11	10/18/1993	ND	65	ND	ND	ND	ND	NA	NA	10.56	8.24	2.32	NA
MW-11	01/06/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.56	8.47	2.09	NA
MW-11	04/12/1994	ND	ND	1.1	0.87	ND	1.5	NA	NA	10.56	8.44	2.12	NA
MW-11	07/25/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.56	8.20	2.36	NA
MW-11	10/25/1994	ND	100	ND	ND	ND	ND	NA	NA	10.56	8.67	1.89	NA
MW-11	01/09/1995	ND	ND	ND	ND	ND	ND	NA	NA	10.56	7.63	2.93	NA
MW-11	04/11/1995	ND	140	ND	0.7	ND	0.5	NA	NA	10.56	8.06	2.50	NA
MW-11	07/18/1995	ND	50	ND	ND	ND	ND	NA	NA	10.56	9.31	1.25	NA
MW-11	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.56	8.34	2.22	NA
MW-11	01/09/1996	<50	ND	<0.5	<0.5	<0.5	<0.5	ND	NA	10.56	8.22	2.34	NA
MW-11	04/02/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.56	7.97	2.59	NA
MW-11	10/03/1996	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.56	8.37	2.19	3.6
MW-11	04/03/1997	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	10.56	8.31	2.25	2.2
MW-11	10/08/1997	<50	54	<0.50	<0.50	<0.50	<0.50	<2.5	NA	10.56	8.56	2.00	1.2
MW-11	06/10/1998	NA	NA	NA	NA	NA	NA	NA	NA	10.56	7.85	2.71	NA
MW-11	12/30/1998	<50.0	66.2	<0.500	<0.500	<0.500	<0.500	<2.00	NA	10.56	8.51	2.05	0.7/0.6
MW-11	06/25/1999	NA	NA	NA	NA	NA	NA	NA	NA	10.56	8.01	2.55	NA
MW-11	12/28/1999	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	10.56	8.39	2.17	0.8/1.0
MW-11	05/31/2000	NA	NA	NA	NA	NA	NA	NA	NA	10.56	7.38	3.18	NA
MW-11	10/17/2000	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	10.56	8.35	2.21	4.1/4.0

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-11	05/01/2001	NA	NA	NA	NA	NA	NA	NA	NA	10.56	8.15	2.41	NA
MW-11	11/05/2001	Unable to locate		NA	NA	NA	NA	NA	NA	10.56	NA	NA	NA
MW-11	05/01/2002	Unable to locate		NA	NA	NA	NA	NA	NA	10.56	NA	NA	NA
MW-11	05/08/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	10.56	7.82	2.74	1.0/1.1
MW-11	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	10.56	7.64	2.92	NA
MW-11	10/17/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	7.95	NA	1.3/1.0
MW-11	01/21/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.57	NA	NA
MW-11	05/01/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	7.62	NA	NA
MW-11	07/17/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.93	NA	NA
MW-11	10/02/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	7.56	NA	NA
<b>MW-11</b>	<b>01/05/2004</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>7.03</b>	<b>NA</b>	<b>NA</b>
MW-12	07/20/1993	ND	1,500	2.8	1.9	3.2	ND	NA	NA	9.56	6.76	2.80	NA
MW-12	10/18/1993	ND	ND	ND	ND	ND	ND	NA	NA	9.56	7.12	2.44	NA
MW-12	01/06/1994	ND	ND	ND	ND	ND	ND	NA	NA	9.56	7.15	2.41	NA
MW-12	04/12/1994	ND	ND	0.61	ND	ND	1.1	NA	NA	9.56	6.68	2.88	NA
MW-12	07/25/1994	ND	ND	ND	ND	ND	ND	NA	NA	9.56	6.83	2.73	NA
MW-12	10/25/1994	ND	ND	ND	ND	ND	ND	NA	NA	9.56	7.34	2.22	NA
MW-12	01/09/1995	ND	80 a	ND	ND	ND	ND	NA	NA	9.56	5.02	4.54	NA
MW-12	04/11/1995	ND	200	ND	ND	ND	ND	NA	NA	9.56	7.38	2.18	NA
MW-12	07/18/1995	ND	90	ND	ND	ND	ND	NA	NA	9.56	8.50	1.06	NA
MW-12	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	9.56	6.63	2.93	NA
MW-12	01/09/1996	<50	ND	<0.5	<0.5	<0.5	<0.5	ND	NA	9.56	6.32	3.24	NA
MW-12	04/02/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	9.56	5.60	3.96	NA
MW-12	10/03/1996	<50	72	<0.5	<0.5	<0.5	<0.5	<2.5	NA	9.56	3.30	6.26	2.5
MW-12	04/03/1997	<50	74	<0.50	<0.50	<0.50	<0.50	<2.5	NA	9.56	6.13	3.43	2.2

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-12	10/08/1997	<50	73	<0.50	<0.50	<0.50	<0.50	<2.5	NA	9.56	6.49	3.07	3.0
MW-12	06/10/1998	NA	NA	NA	NA	NA	NA	NA	NA	9.56	5.85	3.71	NA
MW-12	12/30/1998	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	9.56	8.42	1.14	1.3/0.9
MW-12	06/25/1999	NA	NA	NA	NA	NA	NA	NA	NA	9.56	7.89	1.67	NA
MW-12	12/28/1999	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	9.56	8.26	1.30	1.0/1.2
MW-12	05/31/2000	NA	NA	NA	NA	NA	NA	NA	NA	9.56	7.21	2.35	NA
MW-12	10/17/2000	<50.0	82.9 a	<0.500	<0.500	<0.500	<0.500	<2.50	NA	9.56	6.80	2.76	5.1/3.0
MW-12	05/01/2001	NA	NA	NA	NA	NA	NA	NA	NA	9.56	5.95	3.61	NA
MW-12	11/05/2001	Unable to locate		NA	NA	NA	NA	NA	NA	9.56	NA	NA	NA
MW-12	05/01/2002	Unable to locate		NA	NA	NA	NA	NA	NA	9.56	NA	NA	NA
MW-12	05/08/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	9.56	4.75	4.81	1.2/0.9
MW-12	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	9.56	4.88	4.68	NA
MW-12	10/17/2002	<50	81	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	5.11	NA	1.8/1.5
MW-12	01/21/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.76	NA	NA
MW-12	05/01/2003	<50	95 a	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	5.00	NA	NA
MW-12	07/17/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.85	NA	NA
MW-12	10/02/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	5.02	NA	NA
MW-12	01/05/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.95	NA	NA
MW-13	07/20/1993	ND	1,500	ND	ND	ND	ND	NA	NA	10.10	8.32	1.78	NA
MW-13 (D)	07/21/1993	ND	1,000	ND	ND	ND	ND	NA	NA	10.10	8.32	1.78	NA
MW-13	10/18/1993	ND	ND	ND	ND	ND	ND	NA	NA	10.10	8.66	1.44	NA
MW-13	01/06/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.10	8.70	1.40	NA
MW-13	04/12/1994	ND	100	1.7	1.2	0.59	2.4	NA	NA	10.10	8.20	1.90	NA
MW-13	07/25/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.10	8.39	1.71	NA
MW-13	10/25/1994	ND	ND	ND	ND	ND	ND	NA	NA	10.10	8.70	1.40	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-13	01/09/1995	ND	ND	ND	ND	ND	ND	NA	NA	10.10	7.35	2.75	NA
MW-13	04/11/1995	ND	320	ND	ND	ND	ND	NA	NA	10.10	5.50	4.60	NA
MW-13	07/18/1995	ND	ND	ND	ND	ND	ND	NA	NA	10.10	6.63	3.47	NA
MW-13	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.10	8.12	1.98	NA
MW-13	01/09/1996	<50	ND	<0.5	<0.5	<0.5	<0.5	ND	NA	10.10	7.74	2.36	NA
MW-13	04/02/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.10	6.30	3.80	NA
MW-13	10/03/1996	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.10	6.50	3.60	3.0
MW-13	04/03/1997	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	10.10	7.58	2.52	2.0
MW-13	10/08/1997	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	10.10	8.17	1.93	1.0
MW-13	06/10/1998	NA	NA	NA	NA	NA	NA	NA	NA	10.10	7.54	2.56	NA
MW-13	12/30/1998	<50.0	69.0	<0.500	<0.500	<0.500	<0.500	<2.00	NA	10.10	6.91	3.19	1.1/0.8
MW-13	06/25/1999	NA	NA	NA	NA	NA	NA	NA	NA	10.10	6.31	3.79	NA
MW-13	12/28/1999	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	10.10	6.65	3.45	0.8/1.0
MW-13	05/31/2000	NA	NA	NA	NA	NA	NA	NA	NA	10.10	5.94	4.16	NA
MW-13	10/17/2000	<50.0	121 a	<0.500	<0.500	<0.500	<0.500	<2.50	NA	10.10	8.38	1.72	2.5/2.8
MW-13	05/01/2001	NA	NA	NA	NA	NA	NA	NA	NA	10.10	7.65	2.45	NA
MW-13	11/05/2001	Unable to locate		NA	NA	NA	NA	NA	NA	10.10	NA	NA	NA
MW-13	05/01/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	10.10	6.80	3.30	3.5/3.5
MW-13	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	10.10	6.84	3.26	NA
MW-13	10/17/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	9.64	6.73	2.91	1.4/0.9
MW-13	01/21/2003	NA	NA	NA	NA	NA	NA	NA	NA	9.64	6.99	2.65	NA
MW-13	05/01/2003	<50	<50	3.4	0.75	1.1	2.7	NA	<5.0	9.64	6.62	3.02	NA
MW-13	07/17/2003	NA	NA	NA	NA	NA	NA	NA	NA	9.64	5.99	3.65	NA
MW-13	10/02/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	9.64	6.81	2.83	NA
MW-13	01/05/2004	NA	NA	NA	NA	NA	NA	NA	NA	9.64	5.98	3.66	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

VEW-5	09/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.91	NA	NA
VEW-5	10/17/2000	74,800	4,180 a	9,090	14,600	2,630	14,500	632	NA	NA	2.65	NA	3.0/3.1
VEW-5	05/01/2001	94,800	5,350	11,300	12,900	4,520	22,200	419	NA	NA	2.86	NA	0.4/0.6
VEW-5	11/05/2001	82,000	<1,600	14,000	7,400	2,900	15,000	NA	740	NA	4.11	NA	0.6/c
VEW-5	05/01/2002	16,000	<3,000	610	320	7.9	3,600	NA	310	NA	2.63	NA	4.7/2.9
VEW-5	07/16/2002	45,000	<3,000	7,900	2,700	1,000	4,600	NA	920	NA	2.96	NA	0.4/0.3
VEW-5	10/17/2002	<50	200	<0.50	<0.50	<0.50	<0.50	NA	46	8.81	3.55	5.26	1.1/1.0
VEW-5	01/21/2003	740	1,200	53	22	17	70	NA	17	8.81	2.06	6.75	1.6/0.5
VEW-5	05/01/2003	1,500	1,000 a	140	92	120	290	NA	11	8.81	2.34	6.47	NA
VEW-5	07/17/2003	4,200	1,400 a,f	630	1,300	360	1,400	NA	38	8.81	3.36	5.45	NA
VEW-5	10/02/2003	10,000	3,500 a	690	1,200	420	1,800	NA	54	8.81	3.65	5.16	NA
VEW-5	01/05/2004	180	530 a	5.0	0.73	6.5	11	NA	1.9	8.81	2.02	6.79	NA

VEW-6	09/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.94	NA	NA
VEW-6	10/17/2000	63,800	4,820 a	6,940	2,750	2,760	18,700	3,700	NA	NA	3.13	NA	2.0/2.1
VEW-6	05/01/2001	57,000	3,460	6,280	697	2,640	15,800	6,240	NA	NA	3.25	NA	0.8/1.2
VEW-6	05/29/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.17	NA	3.0/1.7
VEW-6	11/05/2001	39,000	<1,300	6,800	380	1,900	7,900	NA	8,800	NA	4.35	NA	0.8/1.3
VEW-6	05/01/2002	24,000	<4,500	1,800	270	470	3,700	NA	3,100	NA	2.73	NA	0.2/0.4
VEW-6	07/16/2002	19,000	<2,700	1,900	250	140	3,500	NA	2,900	NA	3.59	NA	0.3/0.2
VEW-6	10/17/2002	<50	110	<0.50	<0.50	<0.50	<0.50	NA	13	9.33	4.33	5.00	0.9/1.3
VEW-6	01/21/2003	900	<500	30	1.1	20	61	NA	110	9.33	3.08	6.25	4.6/5.6
VEW-6	05/01/2003	1,100 a	290 a	41	<5.0	58	66	NA	89	9.33	2.79	6.54	NA
VEW-6	07/17/2003	3,100	1,400 a,f	400	30	280	820	NA	1,400	9.33	3.80	5.53	NA
VEW-6	10/02/2003	2,100	1,200 a	310	37	200	420	NA	1,500	9.33	4.10	5.23	NA
VEW-6	01/05/2004	320	170 a	4.9	0.54	3.3	18	NA	68	9.33	2.31	7.02	NA



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	---------------------------	--------------------------	------------------------

VEW-7	09/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.59	NA	NA
VEW-7	10/17/2000	74,300	3,990 a	11,900	12,500	1,640	15,500	36,600	NA	NA	3.72	NA	3.5/4.1
VEW-7	05/01/2001	46,000	1,930	7,250	5,300	1,960	9,820	15,600	16,900	NA	3.40	NA	0.8/0.8
VEW-7	05/29/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.54	NA	2.5/1.4
VEW-7	11/05/2001	38,000	<900	9,300	610	1,700	6,000	NA	21,000	NA	4.85	NA	3.52/c
VEW-7	05/01/2002	590	<600	6.3	7.2	<2.5	81	NA	1,100	NA	2.62	NA	2.9/3.3
VEW-7	07/16/2002	95	54	1.5	<0.50	1.5	6.1	NA	100	NA	3.84	NA	3.6/2.5
VEW-7	10/17/2002	<50	110	1.4	<0.50	<0.50	<0.50	NA	34	9.49	4.93	4.56	3.0/1.9
VEW-7	01/21/2003	<50	180	0.88	<0.50	<0.50	4.2	NA	19	9.49	3.27	6.22	0.3/0.8
VEW-7	05/01/2003	2,200	1,000 a	62	8.0	230	80	NA	360	9.49	2.95	6.54	NA
VEW-7	07/17/2003	<1,200	590 a,f	97	19	150	110	NA	830	9.49	3.94	5.55	NA
VEW-7	10/02/2003	800	1,300 a	78	11	170	49	NA	1,200	9.49	5.00	4.49	NA
VEW-7	01/05/2004	2,500	970 a	120	13	86	300	NA	660	9.49	2.82	6.67	NA

AS-1	09/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.67	NA	NA
AS-1	10/17/2000	13,400	3,280 a	1,600	82.8	<20.0	2,600	498	NA	NA	5.50	NA	2.0/2.5
AS-1	05/01/2001	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
AS-1	11/05/2001	5,300	<900	85	26	46	120	NA	190	NA	6.11	NA	0.4/0.5
AS-1	05/01/2002	Insufficient water		NA	NA	NA	NA	NA	NA	NA	14.73	NA	NA
AS-1	07/16/2002	210	<150	8.2	<0.50	7.9	3.5	NA	25	NA	5.59	NA	4.6/2.8
AS-1	10/17/2002	Well dry		NA	NA	NA	NA	NA	NA	8.23	NA	NA	NA
AS-1	01/21/2003	<50	220	0.62	<0.50	<0.50	<0.50	NA	<5.0	8.23	9.51	-1.28	2.2/2.5
AS-1	05/01/2003	79	96 a	2.2	0.99	5.1	4.8	NA	<5.0	8.23	5.75	2.48	NA
AS-1	07/17/2003	<50	79 a,f	1.2	0.60	0.95	1.7	NA	3.6	8.23	5.90	2.33	NA
AS-1	10/02/2003	440	99 a	12	49	22	94	NA	3.5	8.23	5.90	2.33	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

AS-1	01/05/2004	<50	76 a	0.75	<0.50	0.70	<1.0	NA	2.4	8.23	5.64	2.59	NA
------	------------	-----	------	------	-------	------	------	----	-----	------	------	------	----

AS-2	09/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.38	NA	NA
AS-2	10/17/2000	4,380	1,380 a	167	<10.0	225	680	315	NA	NA	5.50	NA	3.1/3.0
AS-2	05/01/2001	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
AS-2	11/05/2001	2,200	<300	100	0.99	91	21	NA	220	NA	5.99	NA	0.8/0.6
AS-2	05/01/2002	880	<300	19	<0.50	31	22	NA	57	NA	5.25	NA	1.0/0.8
AS-2	07/16/2002	910	<200	40	4.1	39	43	NA	78	NA	5.53	NA	0.7/0.9
AS-2	10/17/2002	Well dry		NA	NA	NA	NA	NA	NA	8.65	NA	NA	NA
AS-2	01/21/2003	<50	140	1.4	<0.50	2.0	0.94	NA	19	8.65	9.32	-0.67	1.4/1.6
AS-2	05/01/2003	56	120 a	2.1	<0.50	4.7	<1.0	NA	12	8.65	6.74	1.91	NA
AS-2	07/17/2003	180	80 a,f	11	0.56	34	13	NA	23	8.65	6.40	2.25	NA
AS-2	10/02/2003	320	190 a	8.5	6.3	24	25	NA	21	8.65	6.20	2.45	NA
AS-2	01/05/2004	210	160 a	1.4	<0.50	21	1.6	NA	15	8.65	6.32	2.33	NA

AS-3	09/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.75	NA	NA
AS-3	10/17/2000	3,520	942 a	588	521	41.2	566	1,740	NA	NA	6.18	NA	3.1/3.0
AS-3	05/01/2001	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
AS-3	11/05/2001	1,600	110	41	4.9	8.2	30	NA	240	NA	6.41	NA	1.1/3.2
AS-3	05/01/2002	Insufficient water		NA	NA	NA	NA	NA	NA	NA	14.90	NA	NA
AS-3	07/16/2002	Well dry		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
AS-3	10/17/2002	Insufficient water		NA	NA	NA	NA	NA	NA	8.84	14.78	-5.94	NA
AS-3	01/21/2003	<50	320	<0.50	<0.50	<0.50	<0.50	NA	<5.0	8.84	11.59	-2.75	2.2/1.1
AS-3	05/01/2003	57	150 a	0.53	<0.50	4.7	2.7	NA	<5.0	8.84	6.44	2.40	NA
AS-3	07/17/2003	<50	110 a,f	0.83	2.1	2.4	5.4	NA	2.5	8.84	6.55	2.29	NA
AS-3	10/02/2003	<50	96 a	2.9	3.9	8.4	15	NA	8.1	8.84	6.55	2.29	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
AS-3	01/05/2004	<50	120 a	<0.50	<0.50	<0.50	<1.0	NA	1.5	8.84	6.47	2.37	NA

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to November 5, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to November 5, 2001, analyzed by EPA Method 8020.

MTBE = Methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

TOB = Top of Wellbox

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft = Feet

<n = Below detection limit

D = Duplicate sample

n/n = Dissolved oxygen reading; pre-purge/post-purge.

NA = Not applicable

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**285 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	---------------------------	--------------------------	------------------------

Notes:

- a = Chromatogram pattern indicates an unidentified hydrocarbon/Hydrocarbon does not match pattern of laboratory's standard.
- b = Sample was analyzed outside of EPA recommended holding time.
- c = Post-purge DO reading not taken.
- d = Lab did not record detected result
- e = Change in casing elevation due to wellhead maintenance.
- f = TEPH with Silica Gel Cleanup.
- \* All diesel and motor oil samples for this event were lost in laboratory fire.

Site surveyed (except wells MW-11 and MW-12) March 18, 2002, by Virgil Chavez Land Surveying of Vallejo, California.

**Blaine Tech Services, Inc.**

January 19, 2004

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Attn.: Leon Gearhart  
Project#: 040105-MD1  
Project: 98995749  
Site: 285 Hegenberger Road, Oakland

Dear Mr. Gearhart,

Attached is our report for your samples received on 01/06/2004 18:33  
This report has been reviewed and approved for release. Reproduction of this report  
is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after  
02/20/2004 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,  
please call me at (925) 484-1919.

You can also contact me via email. My email address is: [vvancil@stl-inc.com](mailto:vvancil@stl-inc.com)

Sincerely,



Vincent Vancil  
Project Manager

## Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

## Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
MW-1	01/05/2004 15:25	Water	1
MW-2	01/05/2004 14:30	Water	2
MW-3	01/05/2004 14:15	Water	3
MW-6	01/05/2004 14:50	Water	4
MW-9	01/05/2004 15:40	Water	5
MW-10	01/05/2004 15:10	Water	6
VEW-5	01/05/2004 14:00	Water	7
VEW-6	01/05/2004 13:20	Water	8
VEW-7	01/05/2004 13:00	Water	9
AS-1	01/05/2004 12:30	Water	10
AS-2	01/05/2004 12:00	Water	11
AS-3	01/05/2004 11:20	Water	12

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	MW-1	Lab ID:	2004-01-0089-1
Sampled:	01/05/2004 15:25	Extracted:	1/9/2004 12:16
Matrix:	Water	QC Batch#:	2004/01/09-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	4300	50	ug/L	1.00	01/10/2004 11:40	edr
Motor Oil	ND	500	ug/L	1.00	01/10/2004 11:40	
<b>Surrogate(s)</b>						
o-Terphenyl	68.5	50-120	%	1.00	01/10/2004 11:40	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	MW-2	Lab ID:	2004-01-0089 - 2
Sampled:	01/05/2004 14:30	Extracted:	1/7/2004 13:00
Matrix:	Water	QC Batch#:	2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	ND	50	ug/L	1.00	01/08/2004 18:58	
Motor Oil	ND	500	ug/L	1.00	01/08/2004 18:58	
<b>Surrogate(s)</b> o-Terphenyl	71.8	50-120	%	1.00	01/08/2004 18:58	



**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	MW-3	Lab ID:	2004-01-0089 - 3
Sampled:	01/05/2004 14:15	Extracted:	1/7/2004 13:00
Matrx:	Water	QC Batch#:	2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	ND	50	ug/L	1.00	01/08/2004 19:28	
Motor Oil	ND	500	ug/L	1.00	01/08/2004 19:28	
<b>Surrogate(s)</b>						
o-Terphenyl	68.9	50-120	%	1.00	01/08/2004 19:28	

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	MW-6	Lab ID:	2004-01-0089 - 4
Sampled:	01/05/2004 14:50	Extracted:	1/7/2004 13:00
Matrix:	Water	QC Batch#:	2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	140	50	ug/L	1.00	01/08/2004 19:58	edr
Motor Oil	ND	500	ug/L	1.00	01/08/2004 19:58	
<b>Surrogate(s)</b>						
o-Terphenyl	71.9	50-120	%	1.00	01/08/2004 19:58	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	MW-9	Lab ID:	2004-01-0089 - 5
Sampled:	01/05/2004 15:40	Extracted:	1/7/2004 13:00
Matrix:	Water	QC Batch#:	2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	1500	50	ug/L	1.00	01/08/2004 20:29	edr
Motor Oil	ND	500	ug/L	1.00	01/08/2004 20:29	
<b>Surrogate(s)</b>						
o-Terphenyl	60.7	50-120	%	1.00	01/08/2004 20:29	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	MW-10	Lab ID:	2004-01-0089 - 6
Sampled:	01/05/2004 15:10	Extracted:	1/7/2004 13:00
Matrix:	Water	QC Batch#:	2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	2300	50	ug/L	1.00	01/08/2004 20:59	edr
Motor Oil	ND	500	ug/L	1.00	01/08/2004 20:59	
<b>Surrogate(s)</b>						
o-Terphenyl	59.5	50-120	%	1.00	01/08/2004 20:59	

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s): 3510/8015M	Test(s): 8015M
Sample ID: VEW-5	Lab ID: 2004-01-0089 - 7
Sampled: 01/05/2004 14:00	Extracted: 1/7/2004 13:00
Matrix: Water	QC Batch#: 2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	530	50	ug/L	1.00	01/08/2004 21:30	ldr
Motor Oil	660	500	ug/L	1.00	01/08/2004 21:30	
<i>Surrogate(s)</i> o-Terphenyl	71.2	50-120	%	1.00	01/08/2004 21:30	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	VEW-6	Lab ID:	2004-01-0089 - 8
Sampled:	01/05/2004 13:20	Extracted:	1/7/2004 13:00
Matrix:	Water	QC Batch#:	2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	170	50	ug/L	1.00	01/08/2004 22:00	edr
Motor Oil	ND	500	ug/L	1.00	01/08/2004 22:00	
<b>Surrogate(s)</b>						
o-Terphenyl	75.1	50-120	%	1.00	01/08/2004 22:00	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s): 3510/8015M	Test(s): 8015M
Sample ID: VEW-7	Lab ID: 2004-01-0089 - 9
Sampled: 01/05/2004 13:00	Extracted: 1/7/2004 13:00
Matrix: Water	QC Batch#: 2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	970	50	ug/L	1.00	01/08/2004 22:31	edr
Motor Oil	ND	500	ug/L	1.00	01/08/2004 22:31	
<i>Surrogate(s)</i> o-Terphenyl	72.6	50-120	%	1.00	01/08/2004 22:31	

Sewern Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	AS-1	Lab ID:	2004-01-0089 - 10
Sampled:	01/05/2004 12:30	Extracted:	1/7/2004 13:00
Matrix:	Water	QC Batch#:	2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	76	50	ug/L	1.00	01/08/2004 23:01	ndp
Motor Oil	ND	500	ug/L	1.00	01/08/2004 23:01	
<b>Surrogate(s)</b>						
o-Terphenyl	79.3	50-120	%	1.00	01/08/2004 23:01	



**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s): 3510/8015M	Test(s): 8015M
Sample ID: AS-2	Lab ID: 2004-01-0089-11
Sampled: 01/05/2004 12:00	Extracted: 1/7/2004 13:00
Matrix: Water	QC Batch#: 2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	160	50	ug/L	1.00	01/09/2004 03:05	edr
Motor Oil	ND	500	ug/L	1.00	01/09/2004 03:05	
<b>Surrogate(s)</b> o-Terphenyl	81.5	50-120	%	1.00	01/09/2004 03:05	

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s): 3510/8015M	Test(s): 8015M
Sample ID: AS-3	Lab ID: 2004-01-0089 - 12
Sampled: 01/05/2004 11:20	Extracted: 1/7/2004 13:00
Matrix: Water	QC Batch#: 2004/01/07-4A.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	120	50	ug/L	1.00	01/09/2004 03:36	ndp
Motor Oil	ND	500	ug/L	1.00	01/09/2004 03:36	
<b>Surrogate(s)</b>						
o-Terphenyl	74.7	50-120	%	1.00	01/09/2004 03:36	

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Batch QC Report		
Prep(s): 3510/8015M		Test(s): 8015M
Method Blank	Water	QC Batch # 2004/01/07-4A.10
MB: 2004/01/07-4A.10-001		Date Extracted: 01/07/2004 13:00

Compound	Conc.	RL	Unit	Analyzed	Flag
Diesel	ND	50	ug/L	01/09/2004 02:35	
Motor Oil	ND	500	ug/L	01/09/2004 02:35	
<b>Surrogates(s)</b> o-Terphenyl	78.3	50-120	%	01/09/2004 02:35	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Batch QC Report					
Prep(s): 3510/8015M		Water		Test(s) 8015M	
Method Blank				QC Batch # 2004/01/09-4A.10	
MB: 2004/01/09-4A.10-001				Date Extracted: 01/09/2004 12:16	
Compound	Conc.	RL	Unit	Analyzed	Flag
Diesel	ND	50	ug/L	01/10/2004 08:06	
Motor Oil	ND	500	ug/L	01/10/2004 08:06	
<b>Surrogates(s)</b>					
o-Terphenyl	73.1	50-120	%	01/10/2004 08:06	

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Batch QC Report			
Prep(s): 3510/8015M		Test(s): 8015M	
Laboratory Control Spike		Water	QC Batch # 2004/01/07-4A-10
LCS	2004/01/07-4A-10-002	Extracted: 01/07/2004	Analyzed: 01/09/2004 11:44
LCSD	2004/01/07-4A-10-003	Extracted: 01/07/2004	Analyzed: 01/09/2004 12:15

Compound	Conc. ug/L		Exp. Conc.	Recovery %		RPD	Ctrl. Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Diesel	836	816	1000	83.6	81.6	2.4	60-130	25		
<b>Surrogates(s)</b> o-Terphenyl	15.9	15.6	20.0	79.7	78.0		50-120			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Batch QC Report									
Prep(s): 3510/8015M					Test(s): 8015M				
Laboratory Control Spike			Water			QC Batch # 2004/01/09-4A.10			
LCS	2004/01/09-4A.10-002		Extracted: 01/09/2004			Analyzed: 01/10/2004 08:06			
LCSD	2004/01/09-4A.10-003		Extracted: 01/09/2004			Analyzed: 01/10/2004 08:37			

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Diesel	820	870	1000	82.0	87.0	5.9	60-130	25		
<b>Surrogates(s)</b> o-Terphenyl	15.8	16.9	20.0	79.2	84.4		50-120			

**Total Extractable Petroleum Hydrocarbons (TEPH) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

**Legend and Notes**

**Result Flag**

edr

Hydrocarbon reported is in the early Diesel range, and does not match our Diesel standard

ldr

Hydrocarbon reported is in the late Diesel range, and does not match our Diesel standard

ndp

Hydrocarbon reported does not match the pattern of our Diesel standard

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 15:00

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

**Samples Reported**

Sample Name	Date Sampled	Matrix	Lab #
MW-1	01/05/2004 15:25	Water	1
MW-2	01/05/2004 14:30	Water	2
MW-3	01/05/2004 14:15	Water	3
MW-6	01/05/2004 14:50	Water	4
MW-9	01/05/2004 15:40	Water	5
MW-10	01/05/2004 15:10	Water	6
VEW-5	01/05/2004 14:00	Water	7
VEW-6	01/05/2004 13:20	Water	8
VEW-7	01/05/2004 13:00	Water	9
AS-1	01/05/2004 12:30	Water	10
AS-2	01/05/2004 12:00	Water	11
AS-3	01/05/2004 11:20	Water	12



**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW-1	Lab ID:	2004-01-0089 - 1
Sampled:	01/05/2004 15:25	Extracted:	1/10/2004 15:53
Matrix:	Water	QC Batch#:	2004/01/10-1B.66
Analysis Flag: 0 ( See Legend and Note Section )			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	11000	1000	ug/L	20.00	01/10/2004 15:53	
Benzene	1600	10	ug/L	20.00	01/10/2004 15:53	
Toluene	29	10	ug/L	20.00	01/10/2004 15:53	
Ethylbenzene	200	10	ug/L	20.00	01/10/2004 15:53	
Total xylenes	45	20	ug/L	20.00	01/10/2004 15:53	
Methyl tert-butyl ether (MTBE)	1400	10	ug/L	20.00	01/10/2004 15:53	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	101.5	76-130	%	20.00	01/10/2004 15:53	
Toluene-d8	97.0	78-115	%	20.00	01/10/2004 15:53	

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW-2	Lab ID:	2004-01-0089 - 2
Sampled:	01/05/2004 14:30	Extracted:	1/10/2004 16:17
Matrix:	Water	QC Batch#:	2004/01/10-1B.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	77	50	ug/L	1.00	01/10/2004 16:17	
Benzene	ND	0.50	ug/L	1.00	01/10/2004 16:17	
Toluene	0.86	0.50	ug/L	1.00	01/10/2004 16:17	
Ethylbenzene	ND	0.50	ug/L	1.00	01/10/2004 16:17	
Total xylenes	ND	1.0	ug/L	1.00	01/10/2004 16:17	
Methyl tert-butyl ether (MTBE)	1.3	0.50	ug/L	1.00	01/10/2004 16:17	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	99.7	76-130	%	1.00	01/10/2004 16:17	
Toluene-d8	97.4	78-115	%	1.00	01/10/2004 16:17	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566  
Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW-3	Lab ID:	2004-01-0089 - 3
Sampled:	01/05/2004 14:15	Extracted:	1/10/2004 16:41
Matrix:	Water	QC Batch#:	2004/01/10-1B.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	54	50	ug/L	1.00	01/10/2004 16:41	
Benzene	ND	0.50	ug/L	1.00	01/10/2004 16:41	
Toluene	ND	0.50	ug/L	1.00	01/10/2004 16:41	
Ethylbenzene	ND	0.50	ug/L	1.00	01/10/2004 16:41	
Total xylenes	ND	1.0	ug/L	1.00	01/10/2004 16:41	
Methyl tert-butyl ether (MTBE)	15	0.50	ug/L	1.00	01/10/2004 16:41	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	99.6	76-130	%	1.00	01/10/2004 16:41	
Toluene-d8	96.1	78-115	%	1.00	01/10/2004 16:41	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW-6	Lab ID:	2004-01-0089 - 4
Sampled:	01/05/2004 14:50	Extracted:	1/10/2004 17:05
Matrx:	Water	QC Batch#:	2004/01/10-1B.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	520	50	ug/L	1.00	01/10/2004 17:05	
Benzene	ND	0.50	ug/L	1.00	01/10/2004 17:05	
Toluene	0.72	0.50	ug/L	1.00	01/10/2004 17:05	
Ethylbenzene	ND	0.50	ug/L	1.00	01/10/2004 17:05	
Total xylenes	ND	1.0	ug/L	1.00	01/10/2004 17:05	
Methyl tert-butyl ether (MTBE)	30	0.50	ug/L	1.00	01/10/2004 17:05	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	100.6	76-130	%	1.00	01/10/2004 17:05	
Toluene-d8	96.2	78-115	%	1.00	01/10/2004 17:05	

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: MW-9	Lab ID: 2004-01-0089 - 5
Sampled: 01/05/2004 15:40	Extracted: 1/10/2004 17:29
Matrix: Water	QC Batch#: 2004/01/10-1B.66
Analysis Flag: 0 ( See Legend and Note Section )	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	37000	10000	ug/L	200.00	01/10/2004 17:29	
Benzene	15000	100	ug/L	200.00	01/10/2004 17:29	
Toluene	250	100	ug/L	200.00	01/10/2004 17:29	
Ethylbenzene	750	100	ug/L	200.00	01/10/2004 17:29	
Total xylenes	3800	200	ug/L	200.00	01/10/2004 17:29	
Methyl tert-butyl ether (MTBE)	ND	100	ug/L	200.00	01/10/2004 17:29	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	126.3	76-130	%	200.00	01/10/2004 17:29	
Toluene-d8	100.9	78-115	%	200.00	01/10/2004 17:29	

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW-10	Lab ID:	2004-01-0089 - 6
Sampled:	01/05/2004 15:10	Extracted:	1/10/2004 17:53
Matrix:	Water	QC Batch#:	2004/01/10-1B-66
Analysis Flag: 0 ( See Legend and Note Section )			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	77000	20000	ug/L	400.00	01/10/2004 17:53	
Benzene	21000	200	ug/L	400.00	01/10/2004 17:53	
Toluene	4200	200	ug/L	400.00	01/10/2004 17:53	
Ethylbenzene	3900	200	ug/L	400.00	01/10/2004 17:53	
Total xylenes	8500	400	ug/L	400.00	01/10/2004 17:53	
Methyl tert-butyl ether (MTBE)	1900	200	ug/L	400.00	01/10/2004 17:53	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	123.9	76-130	%	400.00	01/10/2004 17:53	
Toluene-d8	96.6	78-115	%	400.00	01/10/2004 17:53	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	VEW-5	Lab ID:	2004-01-0089 - 7
Sampled:	01/05/2004 14:00	Extracted:	1/10/2004 18:17
Matrix:	Water	QC Batch#:	2004/01/10-1B.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	180	50	ug/L	1.00	01/10/2004 18:17	
Benzene	5.0	0.50	ug/L	1.00	01/10/2004 18:17	
Toluene	0.73	0.50	ug/L	1.00	01/10/2004 18:17	
Ethylbenzene	6.5	0.50	ug/L	1.00	01/10/2004 18:17	
Total xylenes	11	1.0	ug/L	1.00	01/10/2004 18:17	
Methyl tert-butyl ether (MTBE)	1.9	0.50	ug/L	1.00	01/10/2004 18:17	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	98.0	76-130	%	1.00	01/10/2004 18:17	
Toluene-d8	97.1	78-115	%	1.00	01/10/2004 18:17	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	VEW-6	Lab ID:	2004-01-0089-8
Sampled:	01/05/2004 13:20	Extracted:	1/10/2004 18:41
Matrix:	Water	QC Batch#:	2004/01/10-1B.66

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	320	50	ug/L	1.00	01/10/2004 18:41	
Benzene	4.9	0.50	ug/L	1.00	01/10/2004 18:41	
Toluene	0.54	0.50	ug/L	1.00	01/10/2004 18:41	
Ethylbenzene	3.3	0.50	ug/L	1.00	01/10/2004 18:41	
Total xylenes	18	1.0	ug/L	1.00	01/10/2004 18:41	
Methyl tert-butyl ether (MTBE)	68	0.50	ug/L	1.00	01/10/2004 18:41	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	97.2	76-130	%	1.00	01/10/2004 18:41	
Toluene-d8	96.1	78-115	%	1.00	01/10/2004 18:41	



**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	VEW-7	Lab ID:	2004-01-0089 - 9
Sampled:	01/05/2004 13:00	Extracted:	1/10/2004 17:21
Matrix:	Water	QC Batch#:	2004/01/10-1B.62
Analysis Flag: o ( See Legend and Note Section )			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	2500	500	ug/L	10.00	01/10/2004 17:21	
Benzene	120	5.0	ug/L	10.00	01/10/2004 17:21	
Toluene	13	5.0	ug/L	10.00	01/10/2004 17:21	
Ethylbenzene	86	5.0	ug/L	10.00	01/10/2004 17:21	
Total xylenes	300	10	ug/L	10.00	01/10/2004 17:21	
Methyl tert-butyl ether (MTBE)	660	5.0	ug/L	10.00	01/10/2004 17:21	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	95.4	76-130	%	10.00	01/10/2004 17:21	
Toluene-d8	100.4	78-115	%	10.00	01/10/2004 17:21	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	AS-1	Lab ID:	2004-01-0089 - 10
Sampled:	01/05/2004 12:30	Extracted:	1/10/2004 17:43
Matrix:	Water	QC Batch#:	2004/01/10-1B.62

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	ND	50	ug/L	1.00	01/10/2004 17:43	
Benzene	0.75	0.50	ug/L	1.00	01/10/2004 17:43	
Toluene	ND	0.50	ug/L	1.00	01/10/2004 17:43	
Ethylbenzene	0.70	0.50	ug/L	1.00	01/10/2004 17:43	
Total xylenes	ND	1.0	ug/L	1.00	01/10/2004 17:43	
Methyl tert-butyl ether (MTBE)	2.4	0.50	ug/L	1.00	01/10/2004 17:43	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	91.1	76-130	%	1.00	01/10/2004 17:43	
Toluene-d8	101.3	78-115	%	1.00	01/10/2004 17:43	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	AS-2	Lab ID:	2004-01-0089 - 11
Sampled:	01/05/2004 12:00	Extracted:	1/10/2004 18:05
Matrix:	Water	QC Batch#:	2004/01/10-1B.62

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	210	50	ug/L	1.00	01/10/2004 18:05	
Benzene	1.4	0.50	ug/L	1.00	01/10/2004 18:05	
Toluene	ND	0.50	ug/L	1.00	01/10/2004 18:05	
Ethylbenzene	21	0.50	ug/L	1.00	01/10/2004 18:05	
Total xylenes	1.6	1.0	ug/L	1.00	01/10/2004 18:05	
Methyl tert-butyl ether (MTBE)	15	0.50	ug/L	1.00	01/10/2004 18:05	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	99.5	76-130	%	1.00	01/10/2004 18:05	
Toluene-d8	97.5	78-115	%	1.00	01/10/2004 18:05	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	AS-3	Lab ID:	2004-01-0089 - 12
Sampled:	01/05/2004 11:20	Extracted:	1/10/2004 18:27
Matrix:	Water	QC Batch#:	2004/01/10-1B.62

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	ND	50	ug/L	1.00	01/10/2004 18:27	
Benzene	ND	0.50	ug/L	1.00	01/10/2004 18:27	
Toluene	ND	0.50	ug/L	1.00	01/10/2004 18:27	
Ethylbenzene	ND	0.50	ug/L	1.00	01/10/2004 18:27	
Total xylenes	ND	1.0	ug/L	1.00	01/10/2004 18:27	
Methyl tert-butyl ether (MTBE)	1.5	0.50	ug/L	1.00	01/10/2004 18:27	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	90.8	76-130	%	1.00	01/10/2004 18:27	
Toluene-d8	102.0	78-115	%	1.00	01/10/2004 18:27	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

Page 13 of 18

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Batch QC Report					
Prep(s): 5030B		Water		Test(s): 8260B	
Method Blank				QC Batch # 2004/01/10-1B.62	
MB: 2004/01/10-1B.62-036				Date Extracted: 01/10/2004 09:36	
Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	01/10/2004 09:36	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	01/10/2004 09:36	
Benzene	ND	0.5	ug/L	01/10/2004 09:36	
Toluene	ND	0.5	ug/L	01/10/2004 09:36	
Ethylbenzene	ND	0.5	ug/L	01/10/2004 09:36	
Total xylenes	ND	1.0	ug/L	01/10/2004 09:36	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	88.2	76-130	%	01/10/2004 09:36	
Toluene-d8	102.8	78-115	%	01/10/2004 09:36	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Batch QC Report					
Prep(s): 5030B			Test(s): 8260B		
Method Blank			Water		
MB: 2004/01/10-1B 66-040			QC Batch # 2004/01/10-1B 66		
			Date Extracted: 01/10/2004 09:40		
Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	01/10/2004 09:40	
Benzene	ND	0.5	ug/L	01/10/2004 09:40	
Toluene	ND	0.5	ug/L	01/10/2004 09:40	
Ethylbenzene	ND	0.5	ug/L	01/10/2004 09:40	
Total xylenes	ND	1.0	ug/L	01/10/2004 09:40	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	01/10/2004 09:40	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	93.0	76-130	%	01/10/2004 09:40	
Toluene-d8	94.4	78-115	%	01/10/2004 09:40	

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Batch QC Report										
Prep(s): 5030B						Test(s): 8260B				
Laboratory Control Spike				Water			QC Batch # 2004/01/10-1B.62			
LCS	2004/01/10-1B.62-052			Extracted: 01/10/2004			Analyzed: 01/10/2004 08:52			
LCSD	2004/01/10-1B.62-034			Extracted: 01/10/2004			Analyzed: 01/10/2004 10:34			
Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	22.0	19.1	25	88.0	76.4	14.1	65-165	20		
Benzene	25.1	21.3	25	100.4	85.2	16.4	69-129	20		
Toluene	27.8	24.0	25	111.2	96.0	14.7	70-130	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	442	463	500	88.4	92.6		76-130			
Toluene-d8	517	528	500	103.4	105.6		78-115			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566  
Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1  
98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

Batch QC Report			
Prep(s): 5030B		Test(s): 8260B	
Laboratory Control Spike		Water	QC Batch # 2004/01/10-1B.66
LCS	2004/01/10-1B.66-052	Extracted: 01/10/2004	Analyzed: 01/10/2004 08:52
LCSD	2004/01/10-1B.66-016	Extracted: 01/10/2004	Analyzed: 01/10/2004 09:16

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Benzene	22.7	22.4	25	90.8	89.6	1.3	69-129	20		
Toluene	22.8	22.8	25	91.2	91.2	0.0	70-130	20		
Methyl tert-butyl ether (MTBE)	22.0	22.6	25	88.0	90.4	2.7	65-165	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	463	450	500	92.6	90.0		76-130			
Toluene-d8	439	468	500	87.8	93.6		78-115			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

01/16/2004 16:48



**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 040105-MD1

98995749

Received: 01/06/2004 18:33

Site: 285 Hegenberger Road, Oakland

**Legend and Notes**

**Analysis Flag**

o

Reporting limits were raised due to high level of analyte present in the sample.

LAB: SFE

SHELL Chain Of Custody Record

81733

Lab. Identifier (if necessary):

Address:

City, State, Zip:

Shell Project Manager to be Invoiced:

SCIENCE & ENGINEERING  
 TECHNICAL SERVICES  
 CRMT/HOUSTON

Karen Petryna

**2004-01-0089**

INCIDENT NUMBER (S&E ONLY)

9 8 9 9 5 7 4 9

SAP or CRMT NUMBER (TS/CRMT)

DATE: 01/05/04

PAGE: 1 of 2

Blaine Tech Services: 1680 Rogers Avenue, San Jose, CA 95112  
 408-575-0555 | 408-573-7771 | gearhart@blainetech.com

BTSS | 285 Hegenberger Road, Oakland | T0600101245

Project Contact: Leon Gearhart | Anni Kreml | 510-420-3335 | akreml@cambria-env.com

Control Sheet Project No: 040105-MD

Sampler Name(s) (Print): Jonathan DeJong

TURNAROUND TIME (BUSINESS DAYS):  10 DAYS  5 DAYS  72 HOURS  48 HOURS  24 HOURS  LESS THAN 24 HOURS

LA - RWCCB REPORT FORMAT  JUST AGENCY

GC/MS MTBE CONFIRMATION: HIGHEST            HIGHEST PER BORING            ALL           

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

REQUESTED ANALYSIS

FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes

3.5

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable	BTEX	MTBE (R221B - Spill RL)	MTBE (R220B - D Spill RL)	Oxygenates (S) by (R220B)	Ethanol (R220B)	Methanol	1,2-DCA (R220B)	EDB (R220B)	TPH - Dissol. Extractable (R220B)	TPH - Motor Oil	Nitrate	Sulfate	Ferrous Iron	MTBE (R220B) Confirmation, See Note	TEMPERATURE ON RECEIPT °C	
		DATE	TIME																			
	MW-1	01/05/04	1525	W	8	✓	✓	✓							✓	✓						
	MW-2		1430		8	✓	✓	✓							✓	✓						
	MW-3		1415		8	✓	✓	✓							✓	✓						
	MW-6		1450		8	✓	✓	✓							✓	✓						
	MW-9		1545		8	✓	✓	✓							✓	✓						
	MW-10		1510		8	✓	✓	✓							✓	✓						
	VFW-5		1400		8	✓	✓	✓							✓	✓						
	VFW-6		1320		8	✓	✓	✓							✓	✓						
	VFW-7		1300		8	✓	✓	✓							✓	✓						
	AS-1		1230		8	✓	✓	✓							✓	✓						

Received by (Signature): John DeJong Date: 1/6/04 Time: 1150

Received by (Signature): [Signature] Date: 1-6-04 Time: 1833

Received by (Signature): [Signature] Date:            Time:           

Distribution: White with single check, Green to File, Yellow and Pink to Client

QC-01 Sampling (7/14/03) 5/10/03

LAB: STC

# SHELL Chain Of Custody Record

Lab Identification (if necessary):  
 Address:  
 City, State, Zip:

Shell Project Manager to be Invoiced:

- SCIENCE & ENGINEERING
- TECHNICAL SERVICES
- CRMT HOUSTON

Karen Petryna

INCIDENT NUMBER (S&E ONLY)

9 8 9 9 5 7 4 9

SAP or CRMT NUMBER (TS/CRMT)

DATE: 01/05/04

PAGE: 2 of 2

ADDRESS (OPTIONAL): <b>Blaine Tech Services</b>	LAB CODE: <b>BTSS</b>	SITE ADDRESS (Street and City): <b>285 Hegenberger Road, Oakland</b>	DEPT. ID NO.: <b>T0600101245</b>
ADDRESS: <b>1680 Rogers Avenue, San Jose, CA 95112</b>	CONTACT PERSON (Name, Title, Phone & Fax): <b>Anni Krom</b>	PHONE NO.: <b>510-420-3335</b>	EMAIL: <b>akrom@cambria-env.com</b>
CONTACT PERSON (Name, Title, Phone & Fax): <b>Leon Gearhart</b>	CONSULTANT PROJECT NO.: <b>040105-100</b>	LAB USE ONLY	
TELEPHONE: <b>408-573-0555</b>	FAX: <b>408-573-7771</b>	E-MAIL: <b>lgearhart@blainetech.com</b>	

*Sobhathna De Jong*

TURNAROUND TIME (BUSINESS DAYS):  
 30 DAYS  5 DAYS  72 HOURS  48 HOURS  24 HOURS  LESS THAN 24 HOURS

LA - RW/CR REPORT FORMAT  UST AGENCY

GC/MS MTBE CONFIRMATION: HIGHEST \_\_\_\_\_ HIGHEST per #CORNG \_\_\_\_\_ ALL \_\_\_\_\_

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable	BTEX	MTBE (#218 - Spill RL)	MTBE (#200B - 0.5ppb RL)	Oxyaromatics (S) by (#260B)	Ethanol (#260B)	Methanol	1,2-DCA (#269B)	EDB (#260B)	TPH - Diesel, Extractable (#015H)	TPH - Motor Oil	Nitrate	Sulfate	Ferrous Iron	MTBE (#260B) Confirmation, See Note	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes	
		DATE	TIME																			
	A5-2	1/5/04	1200	4	8	✓	✓	✓							✓	✓						3.5
	A5-3	1/6/04	1120	1	8	✓	✓	✓							✓	✓						

Released by (Signature): <i>Sobhathna De Jong</i>	Received by (Signature): <i>[Signature]</i>	Date: <u>1/6/04</u>	Time: <u>11:55</u>
Released by (Signature): <i>[Signature]</i>	Received by (Signature): <i>[Signature]</i>	Date:	Time:
Released by (Signature): <i>[Signature]</i>	Received by (Signature): <i>[Signature]</i>	Date:	Time:

D40 Sample (14) 500 012

# WELL GAUGING DATA

Project # 040105-MDI Date 01-5-04 Client 98995749

Site 285 Hagenberger Rd. Oakland

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	
MW-1	4	sheen / odor				2.39	9.52	}	
MW-2	4					3.28	9.45		
MW-3	4					4.44	9.73		
MW-4	4					3.83	10.00		G
MW-6	4					3.79	10.93		
MW-8	4					2.90	9.75		G
MW-9	4					3.94	10.70		
MW-10	4					3.52	9.86		
MW-11	4					7.03	13.62		G
MW-12	4					3.95	14.45		G
MW-13	4					5.98	14.14		G
VEW-5	4					2.02	9.15		
VEW-6	4					2.31	9.16		
VEW-7	4					2.82	9.65		
AS-1	1					5.64	14.55		
AS-2	1					6.32	14.79		
AS-3	1					6.47	14.77		

### SHELL WELL MONITORING DATA SHEET

BTS #: <u>040105-MD1</u>	Site: <u>98995749</u>
Sampler: <u>John De Jong</u>	Date: <u>01/05/04</u>
Well I.D.: <u>MW-1</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>9.52</u>	Depth to Water (DTW): <u>2.39</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>3.82</u>	

Purge Method: <u>Bailer</u>	Waters: <u>Peristaltic</u>	Sampling Method: <u>Bailer</u>
<u>Disposable Bailer</u>	<u>Extraction Pump</u>	<u>Disposable Bailer</u>
<u>Positive Air Displacement</u>	Other: _____	<u>Extraction Port</u>
<u>Electric Submersible</u>		<u>Dedicated Tubing</u>

$4.6 \text{ (Gals.)} \times 3 = 13.8 \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														
I Case Volume	Specified Volumes	Calculated Volume															

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1024</u>	<u>61.7</u>	<u>6.8</u>	<u>2284</u>	<u>11</u>	<u>5</u>	<u>clear, odor</u>
		<u>well dewatered</u>		<u>(@)</u>	<u>8</u>	<u>DTW = 6.94</u>
<u>1525</u>	<u>60.1</u>	<u>6.8</u>	<u>1967</u>	<u>46</u>	<u>-</u>	<u>clear</u>

Did well dewater? <u>Yes</u> No	Gallons actually evacuated: <u>8</u>
Sampling Date: <u>01/05/04</u>	Sampling Time: <u>0525</u> Depth to Water: <u>2.56</u>
Sample I.D.: <u>MW-1</u>	Laboratory: <u>(STL)</u> Other: _____
Analyzed for: <u>(TPH-G)</u> <u>(BTEX)</u> <u>(MTBE)</u> <u>(TPH-D)</u>	Other: <u>Motor oil</u>
EB I.D. (if applicable): _____ @ _____ Time	Duplicate I.D. (if applicable): _____
Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____	
D.O. (if req'd): Pre-purge: _____ mg/L	Post-purge: _____ mg/L
O.R.P. (if req'd): Pre-purge: _____ mV	Post-purge: _____ mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>040105-MD1</u>	Site: <u>98995749</u>
Sampler: <u>John De Jong</u>	Date: <u>01/05/04</u>
Well I.D.: <u>MW-2</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>9.45</u>	Depth to Water (DTW): <u>3.28</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>4.98</u>	

Purge Method: Bailer      Water      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing

$5.5 \text{ (Gals.)} \times 3 = 16.5 \text{ Gals.}$ <p>I Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
9:51	60.7	7.0	977	42	5.5	clear
	well	dewatered			10	DTW: 7.11
1430	60.4	7.1	820	13	-	clear

Did well dewater? (Yes) No      Gallons actually evacuated: 10

Sampling Date: 01/05/04      Sampling Time: 1430      Depth to Water: 3.91

Sample I.D.: MW-2      Laboratory: (STL) Other \_\_\_\_\_

Analyzed for: (TPH-G) (BTEX) (MTBE) (TPH-D) Other: Motor oil

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 040105-MD1	Site: 98995749
Sampler: John De Jong	Date: 01/05/04
Well I.D.: MW-3	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD): 9.73	Depth to Water (DTW): 9.44
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer      Waterra      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
 Electric Submersible      Other:      Dedicated Tubing

$\frac{3.4 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{10.2 \text{ Gals.}}{\text{Calculated Volume}}$	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>3</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>3</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>3</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
934	59.6	7.2	810	22	3.2	clear
					6	well dewatered (2) DTW=6.95
1415	61.7	7.4	500	13	-	clear

Did well dewater? (Yes) No      Gallons actually evacuated: 6

Sampling Date: 01/05/04      Sampling Time: 1415      Depth to Water: 3.83

Sample I.D.: MW-3      Laboratory: (STL) Other:

Analyzed for: (TPH-G) (BTEX) (MTBE) (TPH-D) Other: Motor oil

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>040105-MD1</u>	Site: <u>98995749</u>
Sampler: <u>John De Jong</u>	Date: <u>01/05/04</u>
Well I.D.: <u>MW-6</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>10.00</u>	Depth to Water (DTW): <u>3.79</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: <u>Electric Submersible</u>	Water: <u>Peristaltic</u>	Sampling Method: <u>Disposal Bailer</u>
Disposable Bailer	Peristaltic	<del>Disposal Bailer</del>
Positive Air Displacement	Extraction Pump	Extraction Port
<u>Electric Submersible</u>	Other _____	Dedicated Tubing
		Other: _____

$\frac{4}{1} \text{ (Gals.)} \times \frac{3}{1} = \frac{12}{1} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														
1 Case Volume	Specified Volumes	Calculated Volume															

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1002</u>	<u>58.6</u>	<u>7.0</u>	<u>1051</u>	<u>96</u>	<u>4</u>	<u>ads</u>
	<u>well dewatered</u>			<u>(2)</u>	<u>7</u>	<u>DTW = 8.31</u>
<u>1450</u>	<u>57.4</u>	<u>7.0</u>	<u>935</u>	<u>28</u>	<u>—</u>	<u>clear</u>

Did well dewater? <u>(Yes)</u> No	Gallons actually evacuated: <u>7</u>	
Sampling Date: <u>01/05/04</u>	Sampling Time: <u>1450</u>	Depth to Water: <u>3.86</u>
Sample I.D.: <u>MW-6</u>	Laboratory: <u>(STL)</u> Other _____	
Analyzed for: <u>(TPH-G)</u> <u>(BTEX)</u> <u>(MTBE)</u> <u>(TPH-D)</u> Other: <u>Motor oil</u>		
EB I.D. (if applicable): _____ @ _____ Time	Duplicate I.D. (if applicable): _____	
Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____		
D.O. (if req'd): Pre-purge: _____ mg/L	Post-purge: _____ mg/L	
O.R.P. (if req'd): Pre-purge: _____ mV	Post-purge: _____ mV	



## SHELL WELL MONITORING DATA SHEET

BTS #: <u>040105-MD1</u>	Site: <u>98995749</u>
Sampler: <u>John De Jong</u>	Date: <u>01/05/04</u>
Well I.D.: <u>MW-9</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>10.70</u>	Depth to Water (DTW): <u>3.94</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>5.29</u>	

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible

Water:  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing

Other: \_\_\_\_\_

$\frac{4.4 \text{ (Gals.)}}{1 \text{ Case Volume}} \times \frac{3}{\text{Specified Volumes}} = \frac{13.2}{\text{Calculated Volume}} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1036</u>	<u>59.8</u>	<u>7.2</u>	<u>3260</u>	<u>13</u>	<u>4.5</u>	<u>Amber color</u>
			<u>NOV de-water evtd.</u>		<u>7.5</u>	<u>DTW = 7.21</u>
<u>1540</u>	<u>61.5</u>	<u>7.1</u>	<u>3187</u>	<u>8</u>		<u>Amber color</u>

Did well dewater?  Yes  No      Gallons actually evacuated: 7.5

Sampling Date: 01/05/04      Sampling Time: 1540      Depth to Water: 7.89 @ Site

Sample I.D.: MW-9      Laboratory: STL Other: \_\_\_\_\_

Analyzed for:  TPH-G  BTEX  MTBE  TPH-D Other: Motor oil

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 040105-MD1	Site: 98995749
Sampler: John De Jong	Date: 01/05/04
Well I.D.: MW-10	Well Diameter: 2 3 ④ 6 8
Total Well Depth (TD): 9.86	Depth to Water (DTW): 3.52
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____
------------------------------------------------------------------------------------------------	----------------------------------------------------------	-----------------------------------------------------------------------------------------------------

$\frac{4.1 \text{ (Gals.)} \times 3 \text{ Specified Volumes}}{1 \text{ Case Volume}} = 12.3 \text{ Gals. Calculated Volume}$	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1014	61.4	7.0	2945	18	4.5	odor
Well dewatered @					7	DTW = 7.42
1510	61.2	7.1	2745	32	—	

Did well dewater?  Yes  No      Gallons actually evacuated: 7

Sampling Date: 01/05/04      Sampling Time: 1510      Depth to Water: 3.70

Sample I.D.: MW-10      Laboratory: STL Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Motor oil

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>040105-MD1</u>	Site: <u>98995749</u>
Sampler: <u>John De Jong</u>	Date: <u>01/05/04</u>
Well I.D.: <u>VEG-5</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>9.15</u>	Depth to Water (DTW): <u>2.02</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>3.45</u>	

Purge Method: Bailer      Waterra      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
 Electric Submersible      Other: tubing/check valve      Other: tubing/check valve  
 Dedicated Tubing

$\underline{1.1} \text{ (Gals.)} \times \underline{3} = \underline{3.3} \text{ Gals.}$ <p>I Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td><u>2"</u></td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	<u>2"</u>	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
<u>2"</u>	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1342	62.7	7.2	6533	7200	1.1	
1346	62.8	7.1	1565	7200	2.2	
1350	62.5	7.2	1506	7200	3.3	

Did well dewater? Yes  No  Gallons actually evacuated: 3.3

Sampling Date: 01/05/04 Sampling Time: 1400 Depth to Water: 7.13

Sample I.D.: VEG-5 Laboratory: STL Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Motor oil

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 040105-MD1		Site: 98995749	
Sampler: John De Jong		Date: 01/05/04	
Well I.D.: VEW-6		Well Diameter: 2 3 <u>4</u> 6 8	
Total Well Depth (TD): 9.16		Depth to Water (DTW): 2.31	
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to: <u>PVC</u> Grade		D.O. Meter (if req'd): YSI HACH	
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>3.68</u>			

Purge Method: Bailer Watera Sampling Method: Bailer  
 Disposable Bailer Peristaltic Disposable Bailer  
 Positive Air Displacement Extraction Pump Extraction Port  
 Electric Submersible Other: tubing/check valve Other: tubing/check valve

1.1 (Gals.) X 3 = 3.3 Gals.  
 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
<u>2"</u>	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1310	63.2	7.4	2331	1/2	1.1	
1313	62.5	7.3	2266	7200	2.2	
1325	61.8	7.3	2144	7200	3.3	

Did well dewater? Yes  No  Gallons actually evacuated: 3.3

Sampling Date: 01/05/04 Sampling Time: 1320 Depth to Water: 3.37

Sample I.D.: VEW-6 Laboratory: STL Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Motor oil

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	<input type="text"/>	mg/L	Post-purge:	<input type="text"/>	mg/L
O.R.P. (if req'd):	Pre-purge:	<input type="text"/>	mV	Post-purge:	<input type="text"/>	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>040105-MD1</u>	Site: <u>98995749</u>
Sampler: <u>John De Jong</u>	Date: <u>01/05/04</u>
Well I.D.: <u>VEU-7</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>9.65</u>	Depth to Water (DTW): <u>2.82</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>4.19</u>	

Purge Method:  Bailer       Watera      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible       Other: soling w/check valve       Other: Tubing w/check valve

<u>1.1</u> (Gals.) X <u>3</u> = <u>3.3</u> Gals.	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td><u>2"</u></td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	<u>2"</u>	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
<u>2"</u>	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														
1 Case Volume	Specified Volumes	Calculated Volume															

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1242	64.2	7.1	4582	94	1.1	Amber color, odor
1245	63.1	7.0	3571	54	2.2	
1247	62.8	6.9	2860	40	3.3	
1250	63.1	7.0	2695	69	4.4	

Did well dewater? Yes  No  Gallons actually evacuated: 4.4

Sampling Date: 01/05/04 Sampling Time: 1300 Depth to Water: 4.01

Sample I.D.: VEU-7 Laboratory: (STL) Other: \_\_\_\_\_

Analyzed for: (TPH-G) (BTEX) (MTBE) (TPH-D) Other: Motor oil

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 040105-MD1	Site: 98995749
Sampler: John De Jong	Date: 01/05/04
Well I.D.: AS-1	Well Diameter: 2 3 4 6 8 <u>10</u>
Total Well Depth (TD): 14.55	Depth to Water (DTW): 5.64
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.42	

Purge Method: Bailer      Water      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
 Electric Submersible      Other tubing w/ check valve      Other tubing w/ check valve

$.4 \text{ (Gals.)} \times 3 = 1.2 \text{ Gals.}$ Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (ms or <del>ms</del> )	Turbidity (NTUs)	Gals. Removed	Observations
1214	65.7	7.6	10.13ms	8	.4	Clear
1216	66.5	7.6	9799ms	9	.8	
1218	66.9	7.6	9638ms	8	1.2	

Did well dewater? Yes  No  Gallons actually evacuated: 1.2

Sampling Date: 01/05/04      Sampling Time: 1230      Depth to Water: 7.15

Sample I.D.: AS-1      Laboratory: STL Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Motor oil

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>040105-MD1</u>	Site: <u>98995749</u>
Sampler: <u>John De Jong</u>	Date: <u>01/05/04</u>
Well I.D.: <u>AS-2</u>	Well Diameter: 2 3 4 6 8 <u>10</u>
Total Well Depth (TD): <u>14.79</u>	Depth to Water (DTW): <u>6.32</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>8.01</u>	

Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: <u>Electric Submersible</u>	Sampling Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: <u>tubing/deck valve</u>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

$\frac{3}{1} \text{ (Gals.)} \times \frac{3}{\text{Specified Volumes}} = \frac{9}{\text{Calculated Volume}} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multplier</th> <th>Well Diameter</th> <th>Multplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multplier	Well Diameter	Multplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multplier	Well Diameter	Multplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. ( <u>mS</u> or <del>µS</del> )	Turbidity (NTUs)	Gals. Removed	Observations
1145	65.9	6.9	42.15	5	.3	clear
1147	66.3	6.9	42.33	9	.6	
1151	66.8	7.1	42.46	3	.9	

Did well dewater? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Gallons actually evacuated: <u>9</u>
Sampling Date: <u>01/05/04</u>	Sampling Time: <u>1200</u> Depth to Water: <u>8.00</u>
Sample I.D.: <u>AS-2</u>	Laboratory: <u>STL</u> Other: _____

Analyzed for: <u>TPH-G</u> <u>BTEX</u> <u>MTBE</u> <u>TPH-D</u> Other: <u>Motor oil</u>
EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____
Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

### SHELL WELL MONITORING DATA SHEET

BTS #: <u>040105-MD1</u>	Site: <u>98995749</u>
Sampler: <u>John De Jong</u>	Date: <u>01/05/04</u>
Well I.D.: <u>AS-3</u>	Well Diameter: 2 3 4 6 8 <u>①</u>
Total Well Depth (TD): <u>14.77</u>	Depth to Water (DTW): <u>6.47</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>8.13</u>	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible	Waterra Peristaltic Extraction Pump Other: <u>5/8" tubing</u>	Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: <u>1 1/2" borg / check water</u>
------------------------------------------------------------------------------------------------	------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------

$\underline{.3} \text{ (Gals.)} \times \underline{3} = \underline{.9} \text{ Gals.}$ 1 Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <del>µS</del> )	Turbidity (NTUs)	Gals. Removed	Observations
1106	64.4	7.7	15.79 (mS)	6.0	.3	clear
1109	65.7	7.7	16.06 (mS)	3.4	.6	
1111	65.2	7.7	16.13 mS	3.1	.9	

Did well dewater? Yes  No  Gallons actually evacuated: .9

Sampling Date: 01/05/04 Sampling Time: 1120 Depth to Water: 6.71

Sample I.D.: AS-3 Laboratory: STL Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Motor oil

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV