Environmental Management Company 6001 Bollinger Canyon Rd, L4050 P.O. Box 6012 San Ramon, CA 94583-2324 Tcl 925-842-1589

Fax 925-842-8370

Karen Streich Project Manager Ro22/

July 12 , 2004

ChevronTexaco

Alameda County Health Care Services 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577

Re:

Chevron Service Station # 9-0338

Address: 5500 Telegraph Avenue, Oakland, California

I have reviewed the attached routine groundwater monitoring report dated June 21, 2004

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Karen Streich Project Manager

Varen Sheat

Enclosure: Report



TRANSMITTAL

June 21, 2004 G-R #386456

TO:

Mr. Bruce H. Eppler

Cambria Environmental Technology, Inc.

4111 Citrus Avenue, Suite 12 Rocklin, California 95677

FROM:

Deanna L. Harding

Project Coordinator Gettler-Ryan Inc.

6747 Sierra Court, Suite J Dublin, California 94568 Alemoda County,

Environmental Rooms

RE: Chevron Service Station

#9-0338

5500 Telegraph Avenue Oakland, California MTI: 61D-1957

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	June 18, 2004	Groundwater Monitoring and Sampling Report Second Quarter - Event of May 22, 2004

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for <u>your use</u> and distribution to the following:

Ms. Karen Streich, ChevronTexaco Company, P.O. Box 6012, Room K2256, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *July 9*, 2004, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577

Enclosures

trans/9-0338-KS

June 18, 2004 G-R Job #386456

Ms. Karen Streich ChevronTexaco Company P.O. Box 6012, Room K2256 San Ramon, CA 94583

RE: Second Quarter Event of May 22, 2004

Groundwater Monitoring & Sampling Report

Chevron Service Station #9-0338

5500 Telegraph Avenue Oakland, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding Project Coordinator

Hagop Kevork P.E. No. C55734

Figure 1: Potentiometric Map

Table 1: Groundwater Monitoring Data and Analytical Results


Table 2: Groundwater Analytical Results - Oxygenate Compounds

Table 3: Groundwater Analytical Results

Attachments: Standard Operating Procedure - Groundwater Sampling

Field Data Sheets

Chain of Custody Document and Laboratory Analytical Reports



EXPLANATION

- Groundwater monitoring well
- Destroyed groundwater monitoring well
- Groundwater elevation in feet 99.99 referenced to Mean Sea Level
- Groundwater elevation contour. dashed where inferred

Approximate groundwater flow direction at a gradient of 0.01 to 0.03 Ft./Ft.

Scale in Feet

FIGURE

TELEGRAPH AVENUE

Figure modified from drawing provided by RRM engineering contracting firm.



(925) 551-7555

POTEMTIOMETRIC MAP Chevron Service Station #9-0338 5500 Telegraph Avenue Oakland, California

55TH STREET

DATE May 22 ,2004

REVISED DATE

PROJECT NUMBER 386456

REVIEWED BY

FILE NAME: P:\Enviro\Chevron\9-0338\Q04-9-0338.DWG | Layout Tab: Pot2

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0338

hevron Service Station #9-033 5500 Telegraph Avenue Oakland, California

				Oakiaiu,	outilor				
WELL ID/	тос	GWE	DTW	TPH-G	B	7	E	X	MTBE
ATE	(fi.)	(msl)	(fi.)	(ppb)	(ppb)	(ppb)	(ррб)	(ppb)	(ppb)
C-1A									
)5/27/99	123.27	115.93	7.34	9,100	40	25	560	1,900	35
19/02/99	123.27	115.72	7.55	9,700	24	18.4	626	754	66
10/27/99	123.27	115.84	7.43	4,740	<10	<10	276	270	<100/66.6
)2/11/00	123.27	115.27	8.00	5,100	17.5	<10	182	333	<50
05/10/00	123.27	116.65	6.62	11,000	110	170	480	980	<500
07/27/00	123.27	115.14	8.13	6,200¹	<50	<50	540	150	<250
1/21/00	123.27	115.60	7.67	6,500 ¹	19	<10	450	360	<50
)2/05/01	123.27	115.91	7.36	5,270	1.43	1.04	326	269	15.0
05/07/01	123.27	115.90	7.37	$3,000^{1}$	37	27	520	490	63
08/06/01	123.27	115.15	8.12	3,300 ¹	3.1	3.8	160	100	47
11/12/01	123.27	116.42	6.85	5,100	1.9	<2.0	230	230	3.1
02/11/02	123.27	114.99	8.28	820	1.3	< 0.50	21	7.7	$5.7/4^3$
05/13/02	123.27	114.30	8.97	1,800	<1.0	< 0.50	26	8.6	7.5
08/09/02	123.27	114.33	8.94	2,100	1.7	<5.0	29	<20	<2.5
11/07/02	123.27	114.37	8.90	2,600	<2.0	1.0	13	54	7.9
02/04/03	123.27	115.47	7.80	640	<2.0	<2.0	4.4	6.3	7.8
05/05/03	123.27	115.84	7.43	980 🗸	<2.0	0.5	19	10	7.3
08/28/03 ⁵	123.27	114.16	9.11	2,100	< 0.5	< 0.5	7	4	7
11/26/03 ⁵	123.27	113.74	9.53	490	< 0.5	< 0.5	< 0.5	< 0.5	11
02/25/04 ⁵	123.27	116.41	6.86	<50	< 0.5	< 0.5	< 0.5	3	3
05/22/04 ⁵	123.27	114.15	9.12	110	<0.5	<0.5	<0.5	<0.5	6
C-2A									
05/27/99	125.89	119.53	6.36	<50	< 0.5	< 0.5	< 0.5	< 0.5	44
09/02/99	125.89	117.04	8.85	<50	<0.5	<0.5	< 0.5	< 0.5	<2.5
10/27/99	125.89	116.65	9.24	< 50	< 0.5	<0.5	<0.5	< 0.5	8.75/7.77
02/11/00	125.89	117.64	8.25	<50	<0.5	<0.5	< 0.5	< 0.5	17.8
05/10/00	125.89	117.46	8.43	<50	<0.50	< 0.50	< 0.50	< 0.50	3.2
07/27/00	125.89	116.34	9.55	<50	< 0.50	< 0.50	< 0.50	< 0.50	20
11/21/00	125.89	116.39	9.50	<50	< 0.50	< 0.50	< 0.50	< 0.50	< 50
02/05/01	125.89	116.50	9.39	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	3.36
05/07/01	125.89	116.29	9.60	< 50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results

Chevron Service Station #9-0338 5500 Telegraph Avenue Oakland, California

WELL ID/	TOC	GWE	DTW	TPH-G	В	T	E.	X	MTBE			
DATE	(fi.)	(msl)	(fi.)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)			
C-2A (cont)						0.60	-0.50	1.4	12			
08/06/01	125.89	115.72	10.17	<50	<0.50	0.59	<0.50	1.4	12 3.4			
11/12/01	125.89	115.28	10.61	<50	<0.50	<0.50	<0.50	<1.5				
02/11/02	125.89	117.31	8.58	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ³			
05/13/02	125.89	115.76	10.13	1,100	17	83	21	99	29			
08/09/02	125.89	116.76	9.13	<50	<0.50	< 0.50	<0.50	<1.5	<2.5			
11/07/02	125.89	114.37	11.52	<50	< 0.50	< 0.50	< 0.50	<1.5	. 7.5			
02/04/03	125.89	116.87	9.02	<50	< 0.50	< 0.50	< 0.50	<1.5	<2.5			
05/05/03	125.89	116.61	9.28	<50	< 0.5	< 0.5	< 0.5	<1.5	<2.5			
08/28/03 ⁵	125.89	114.98	10.91	<50	< 0.5	< 0.5	< 0.5	< 0.5	1			
11/26/03 ⁵	125.89	114.73	11.16	<50	< 0.5	< 0.5	< 0.5	<0.5	3			
02/25/04 ⁵	125.89	117.47	8.42	<50	< 0.5	< 0.5	< 0.5	< 0.5	0.5			
05/22/04 ⁵	125.89	115.68	10.21	<50	<0.5	<0.5	< 0.5	<0.5	2			
C-4												
05/27/99	125.40	115.34	10.06	<50	< 0.5	<0.5	<0.5	<0.5	44			
09/02/99	125.40	114.89	10.51	<50	< 0.5	< 0.5	< 0.5	<0.5	3.1			
10/27/99	125.40	115.03	10.37	< 50	< 0.5	< 0.5	< 0.5	<0.5	$<5.0/<2.0^2$			
02/11/00	125.40	114.48	10.92	< 50	< 0.5	< 0.5	< 0.5	< 0.5	2.79			
05/10/00	125.40	116.28	9.12	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5			
07/27/00	125.40	113.50	11.90	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5			
11/21/00	125.40	113.76	11.64	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5			
02/05/01	125.40	115.21	10.19	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50			
05/07/01	125.40	114.45	10.95	< 50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5			
08/06/01	125.40	113.75	11.65	<50	< 0.50	0.52	< 0.50	1.1	3.2			
11/12/01	125.40	113.69	11.71	< 50	< 0.50	< 0.50	< 0.50	<1.5	<2.5			
02/11/024	125.40	114.45	10.95	< 50	< 0.50	< 0.50	< 0.50	<1.5	$72/62^3$			
05/13/02	125.40	113.64	11.76	< 50	< 0.50	< 0.50	< 0.50	<1.5	21			
08/09/02	125.40	114.50	10.90	<50	< 0.50	< 0.50	< 0.50	<1.5	4.9			
11/07/02	125.40	113.72	11.68	<50	< 0.50	< 0.50	< 0.50	<1.5	<2.5			
02/04/03	125.40	114.44	10.96	<50	< 0.50		<0.50 <0.50 <1.5					
05/05/03	125.40			<50	<0.5	< 0.5	<0.5	<1.5	120			
08/28/03 ⁵	125.40	114.19	11.21	<50	<0.5	<0.5	<0.5	<0.5	<0.5			

Groundwater Monitoring and Analytical Results

Chevron Service Station #9-0338 5500 Telegraph Avenue Oakland, California

WELL ID/	TOC	GWE	DTW	TPH-G	0.000 B 0.0000		errene E rrene	incom x idadi	MTBE
DATE	(fi.)	(msl)	(/1.)	(ppb)	(pph)	(ppb)	(ppb)	(ppb)	(ppb)
	<u> </u>								
C-4 (cont)									
11/26/03 ⁵	125.40	113.40	12.00	<50	<0.5	<0.5	< 0.5	<0.5	<0.5
02/25/045	125.40	114.51	10.89	<50	< 0.5	< 0.5	<0.5	<0.5	16
05/22/04 ⁵	125.40	114.29	11.11	<50	<0.5	<0.5	<0.5	<0.5	1
C-5									
05/27/99	124.15	117.54	6.61	2,800	350	73	32	280	$2,200/2,500^2$
09/02/99	124.15	116.27	7.88	570	9.0	<2.5	<2.5	<2.5	890
10/27/99	124.15	116.90	7.25	543	4.22	< 0.5	3.28	<0.5	$845/1,080^2$
02/11/00	124.15	117.41	6.74	488	0.56	<0.5	1.45	<0.5	565
05/10/00	124.15	118.36	5.79	140 ¹	3.6	1.2	0.53	2.0	380
07/27/00	124.15	116.92	7.23	260 ¹	1.4	1.2	0.93	2.8	460
11/21/00	124.15	117.47	6.68	130 ¹	0.74	0.73	< 0.50	< 0.50	350
02/05/01	124.15	117.74	6.41	111	<1.00	<1.00	<1.00	<1.00	197
05/07/01	124.15	117.91	6.24	100 ¹	2.1	1.0	< 0.50	0.80	210
08/06/01	124.15	116.74	7.41	94 ¹	0.84	1.2	0.54	1.5	360
11/12/01	124.15	116.82	7.33	58	< 0.50	< 0.50	< 0.50	<1.5	280
02/11/02	124.15	117.90	6.25	<50	< 0.50	< 0.50	< 0.50	<1.5	$150/140^3$
05/13/02	124.15	116.13	8.02	79	7.7	1.2	2.6	5.5	180
08/09/02	124.15	113.13	11.02	<50	< 0.50	< 0.50	< 0.50	<1.5	220
11/07/02	124.15	114.51	9.64	<50	< 0.50	< 0.50	< 0.50	<1.5	300
02/04/03	124.15	117.07	7.08	2,300	210	4.4	250	53	490
05/05/03	124.15	116.63	7.52	350	18	1.7	22	10	620 :
08/28/03 ⁵	124.15	115.25	8.90	59	3	< 0.5	4	7	470
11/26/03 ⁵	124.15	114.49	9.66	190	14	0.5	15	20	640
02/25/045	124.15	116.54	7.61	<50	0.9	< 0.5	4	< 0.5	140
05/22/04 ⁵	124.15	115.93	8.22	640	. 90	3	56	73	860
TRIP BLANK						•			
05/27/99				<50	<0.5	< 0.5	< 0.5	<0.5	<2.5
09/02/99				<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/99				<50	<0.5	<0.5	<0.5	<0.5	<5.0

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0338

5500 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (fi.)	GWE (msl)	DTW. (ft.)	TPH-G (ppb)	B (pph)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK (cor	nt)								
02/11/00				<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/10/00				<50	< 0.50	< 0.50	< 0.50	<0.50	<2.5
07/27/00				<50	< 0.50	<0.50	< 0.50	<0.50	<2.5
11/21/00				<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5
02/05/01			-	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	<2.50
05/07/01				<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5
08/06/01				<50	< 0.50	<0.50	< 0.50	< 0.50	<2.5
QA							•		
11/12/01				<50	< 0.50	< 0.50	< 0.50	<1.5	<2.5
02/11/02				<50	< 0.50	< 0.50	< 0.50	<1.5	<2.5
05/13/02				< 50	< 0.50	< 0.50	< 0.50	<1.5	<2.5
08/09/02				<50	< 0.50	< 0.50	< 0.50	<1.5	<2.5
11/07/02				<50	< 0.50	< 0.50	< 0.50	<1.5	<2.5
02/04/03				<50	< 0.50	< 0.50	< 0.50	<1.5	<2.5
05/05/03				<50	< 0.5	< 0.5	< 0.5	<1.5	<2.5
08/28/03 ⁵				<50	<0.5	< 0.5	< 0.5	< 0.5	<0.5
11/26/03 ⁵				<50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
02/25/04 ⁵	<u></u>			<50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
05/22/04 ⁵				<50	<0.5	<0.5	<0.5	<0.5	<0.5
									•

Table 1

Groundwater Monitoring Data and Analytical Results

Chevron Service Station #9-0338 5500 Telegraph Avenue Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 10, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

TPH-G = Total Petroleum Hydrocarbons as Gasoline

MTBE = Methyl tertiary butyl ether

(ft.) = Feet

B = Benzene

(ppb) = Parts per billion

GWE = Groundwater Elevation

T = Toluene

-- = Not Measured/Not Analyzed
OA = Quality Assurance/Trip Blank

(msl) = Mean sea level

E = Ethylbenzene

DTW = Depth to Water

X = Xylenes

- Laboratory report indicates gasoline C6-C12.
- ² Confirmation run.
- MTBE by EPA Method 8260.
- Total Petroleum Hydrocarbons as Diesel (TPH-D) was less than the reporting limit.
- 5 BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0338

evron Service Station #9-0. 5500 Telegraph Avenue Oakland, California

WELL ID	DATE	ETHANOL	TBA	MTBE	DIPE	ETBE	TAME (ppb)
		(ppb)	(bpb)	(ppb)	(ppb)	(ppb)	ФРО
C-1A	02/11/02		<100	4	<2	<2	<2
C-IA	08/28/03	<50		7			
	11/26/03	<50		11			
	02/25/04	<50		3			**
	05/22/04	<50		6		-	
C 24	02/11/02		<100	<2	<2	<2	<2
C-2A	08/28/03	 <50		1			
	11/26/03	<50		3			
	02/25/04	<50		0.5			
	05/22/04	<50	***	2			
C-4	02/11/02		<100	62	<2	<2	<2
	08/28/03	<50		<0.5			
	11/26/03	<50		<0.5	~-		
	02/25/04	<50		16			
	05/22/04	<50	***	1			
							•
C-5	02/11/02		<100	140	<2	<2	<2
	08/28/03	<50		470			
	11/26/03	<50		640			
	02/25/04	< 50		140	and time		
	05/22/04	<50		860			

Talac 2

Groundwater Analytical Results - Oxygenate Compounds

Chevron Service Station #9-0338 5500 Telegraph Avenue Oakland, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

Table 3

Groundwater Analytical Results

Chevron Service Station #9-0338 5500 Telegraph Avenue Oakland, California

	DATE	(opb)	(nph)	Lead (ppb)	(bnh)	Zinc (ppb)		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
C-4	02/11/02	<10.0	80.5	16.7	126	143	<320	<0.20-<0.50

EXPLANATIONS:

TOG = Total Oil and Grease

HVOCs = Halogenated Volatile Oraganic Compounds

(ppb) = Parts per billion

Note: All HVOCs were not detected (ND) unless otherwise noted.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.

WELL MONITORING/SAMPLING FIELD DATA SHEET

lient/Facility #:	ChevronTexaco	#9-0338		Job Number:	386456	
· -	5500 Telegraph	Avenue		Event Date:	5.22.09	(inclus
_	Oakland, CA			Sampler:	FT	
Veil ID	C- I A	Date l	Monitored:	5.22.04	Well Condition:	DK
Vell Diameter	2 in.		Volume	3/4"= 0.02	1"= 0.04 2"= 0.17	3"= 0.38
otal Depth	19.44 ft.		Factor (V		5"= 1.02 6"= 1.50	12"= 5.80
epth to Water	9.12 ft. 10.32 ×VF	17_	= 1.75	x3 (case volume) =	Estimated Purge Volume	: 5.2 gal.
- 		Samp	ling Equipment	.	Time Started:	
urge Equipment:		_	-	. /	Time Bailed:	
isposable Bailer		•	sable Bailer	Y	- 4 '	
Stainless Steel Bailer		Pressi	ure Bailer		Depth to Water: Hydrocarbon Thickn	
Stack Pump	7	Discre	te Bailer		Hydrocardon Frickin Visual Confirmation/	
Suction Pump		Other:		· · · · · · · · · · · · · · · · · · ·		Description.
Grundfos			 -		Skimmer / Absorban	t Sock (circle one)
						Skimmer: ga
Other:					Amt Removed from	
				•	Product Transferred	
Start Time (purge) Sample Time/Dat Purging Flow Rat Did well de-water Time (2400 hr.) 1 237	e: 1256 / 5.2 e: 1.5 gpm.	Sediment fyes, Time	er Conditions Water Color It Description Conductivity (u mhos/cm)	: <u>LT. (</u>	Sitt	ORP (mV)
1242	<u> </u>	7.55	ORATORY INI	18.4 FORMATION		
SAMPLE ID	(#) CONTAINER	REFRIG.	RESERV. TYP			ALYSES
C- 14	Q x voa vial	YES	HCL	LANCASTEF	TPH-G(8015)/BTEX ETHANOL(8260)	+MTBE(8260)/
				<u> </u>		
COMMENTS:					····	



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

lient/Facility#:	ChevronTexaco	, 110 0000	,	Job Number:	000-100			-		
	5500 Telegraph			Event Date:	<u>5</u> .	5.22.04				
_	Oakland, CA			Sampler:		FT		· ·		
-	outdate, or					_====				
Vell ID	C- 1A	Date	Monitored:	5.22.04	Well Co	ondition: _	<u>o'r</u>			
Vell Diameter	2 in.		Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38			
otal Depth	20.22 ft.	•	Factor (VF)		5"= 1.02	6"= 1.50	12"= 5.80			
Depth to Water	10.21 ft.						·			
• · ·	10.01xvi	17	_= <u> .70</u> _;	(3 (case volume) =						
						ted:		(2400 hrs) (2400 hrs)		
urge Equipment:		•	ling Equipment:	/		ed:		٠		
Disposable Bailer		· ·	sable Baller	V		Water:		, ^t l		
Stainless Steel Bailer			ure Bailer	 		bon Thicknes		ft		
Stack Pump			ete Bailer		Visual Co	nfirmation/De	escription:			
Suction Pump		Otnei	: <u> </u>		- Cldwwar	/ Absorbant 9	Sock (circle or	<u></u>		
Grundfos					Amt Rem	oved from Sk	kimmer:	gal		
Other:					Amt Rem	oved from W	ell:	gal		
					Product T	Fransferred to);			
Start Time (purge Sample Time/Da		22.04		BRO	CLOUDY	Odor:	No			
**	te: 1152 / 5. te: 1.5 gpm.	22.04 Sedime			iLTY gal	Odor: _ I. o.	ORP (mV)			
Sample Time/Da Purging Flow Ra Did well de-wate (2400 hr.) 1135 1136	volume (gal.) 1.5 3.0 5.0	22.04 Sedime If yes, Time pH 7.57e 7.51 7.53	Water Color: nt Description: e: Conductivity (u mhos/cm) 262 253 245	Volume: Temperature CF) 18.1 17.4 CRMATION	gal D.(mg	Odor: _	ORP			
Sample Time/Da Purging Flow Ra Did well de-wate Time (2400 hr.) 1135 1136 1140	te: 1152 / 5. te: 1.5 gpm. Volume (gal.) 1.5 3.0 5.0 (#) CONTAINER	22.04 Sedime If yes, Time pH 7.56 7.51 7.53	Water Color: nt Description: e: Conductivity (u mhos/cm) 262 253 245	Volume: Temperature CF) 18.1 17.4 CRMATION	gal D.(mg	Odor: _	ORP (mV)			
Sample Time/Da Purging Flow Ra Did well de-wate (2400 hr.) 1135 1136	volume (gal.) 1.5 3.0 5.0	Sediment Sediment Sediment PH 7.5% 7.5% 7.5% 7.5% PH 7.5% PH 7.5% PH	Water Color: nt Description: e: Conductivity (u mhos/cm) 262 253 245 BORATORY INF	Volume: Temperature OF) 13.1 17.4 17. CORMATION LABORATOR	gal D.(mg	Odor: _	ORP (mV)			
Sample Time/Da Purging Flow Ra Did well de-wate Time (2400 hr.) 1135 1136 1140	te: 1152 / 5. te: 1.5 gpm. Volume (gal.) 1.5 3.0 5.0 (#) CONTAINER	Sediment Sediment Sediment PH 7.5% 7.5% 7.5% 7.5% PH 7.5% PH 7.5% PH	Water Color: nt Description: e: Conductivity (u mhos/cm) 262 253 245 BORATORY INF PRESERV. TYPE HCL	Volume: Temperature (CF) 18.1 17.4 17. CORMATION LABORATOI LANCASTE	gal D.G (mg RY R TPH-G(E ETHANG	Odor: _	ORP (mV)			
Sample Time/Da Purging Flow Ra Did well de-wate Time (2400 hr.) 1135 1136 1140	te: 1152 / 5. te: 1.5 gpm. Volume (gal.) 1.5 3.0 5.0 (#) CONTAINER	Sediment Sediment Sediment PH 7.5% 7.5% 7.5% 7.5% PH 7.5% PH 7.5% PH	Water Color: nt Description: e: Conductivity (u mhos/cm) 262 253 245 BORATORY INF PRESERV. TYPE HCL	Volume: Temperature OF) 13.1 17.4 17. CORMATION LABORATOR	gal D.G (mg RY R TPH-G(E ETHANG	Odor: _	ORP (mV)			



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: C	ChevronTexaco	#9-033	8	Job Number:	386456		_
	500 Telegraph			Event Date:	5. 22.0	4	_(inclusi
	Dakland, CA			Sampler:	FT		-
Vell ID	C- U	Date	Monitored:	5.22.04	Well Condition:	ok	
Well Diameter	2 in.					01-0.20	1
Total Depth	19.46 ft.		Volume Factor (VI	3/4"= 0.02 -) 4"= 0.66	1"= 0.04 2"= 0.17 5"= 1.02 6"= 1.50	3"= 0.38 12"= 5.80	
	11 11 ft.	,	Facioi (VI	, 4 - 0.00			f
Depth to Water _	-1.7.1	.17	- 1.41	v3 (case volume) =	Estimated Purge Volume:	4.25 gal.	
-	8.35xVF			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Time Started:		400 hrs)
Purge Equipment:		Sam	pling Equipment	: <i>1</i>	Time Started		400 hrs)
Disposable Bailer			osable Bailer	J	Depth to Product:		ft
•		•	sure Bailer		Depth to Water:		ff
Stainless Steel Bailer	/		rete Bailer		Hydrocarbon Thickne		ft
Stack Pump	X		er:		Visual Confirmation/I	Description:	ŀ
Suction Pump		0010			Skimmer / Absorban	Sock (circle one	<u>, </u>
Grundfos					Amt Removed from		
Other:					Amt Removed from		
					Product Transferred	to:	
Time (2400 hr.) 1204 1205	Volume (gal.) 1.5 3.0 4.0	pH 1.48 1.44 1.42	Conductivity (u mhos/cm) 235 187.5	Temperature (OF)	D.O. (mg/L)	ORP (mV)	- - -
SAMPLE ID	(#) CONTAINER	L.A REFRIG.	BORATORY IN	E LABORATO		LYSES	
c- L	🕼 x voa vial	YES	HCL	LANCASTE	R TPH-G(8015)/BTEX ETHANOL(8260)	+MTBE(820U)/	
					E TITAL O E O E O E		
COMMENTS:		SLo		VERY LAS	T CASE		
				olume_			· · · · · · · · · · · · · · · · · · ·
Add/Replac	ed Lock:		<u> </u>	Add/Replaced	Plug:/S	ize: 2	<u> </u>



WELL MONITORING/SAMPLING FIELD DATA SHEET

lient/Facility #: lite Address:	ChevronTexac				
me Audress.	5500 Telegrapi	n Avenue	Event Date:	5.22.04	(inclus
City:	Oakland, CA		Sampler:	FT	
Well ID	C- 5	Date Monitor	ed: 5.22.04	Well Condition:	οίί
Well Diameter Total Depth	2 in. 20.16 ft.		lume 3/4*= 0.02 ctor (VF) 4"= 0.66	1 - 0,00	3"= 0.38 2"= 5.80
Depth to Water	8.22 ft.	L	<u> </u>	stimated Purge Volume: 4	. <i>0</i> gal.
	<u> </u>	Sampling Equi		Time Started:	(2400 hrs)
Purge Equipment:	1	Disposable Bail	1	Depth to Product:	· · · · · · · · · · · · · · · · · · ·
Disposable Baller Stalnless Steel Bail	ler •	Pressure Bailer		Depth to Water:	
Stairliess Steel Dali Stack Pump Suction Pump		Discrete Bailer Other:		Hydrocarbon Thickness: Visual Confirmation/Desc	ft cription:
Grundfos				Skimmer / Absorbant So	ck (circle one)
Other:			•	Amt Removed from Skim	nmer: gal :gal
				Amt Removed from Well Product Transferred to:_	gai
	Date: <u>1327 / 5</u> Rate: 2.0 gpm.	Sediment Description		V.LT.TAD Odor:	
Did well de-wa	volume	If yes, Time:	Volume: vity Temperature cm) (OF) 19.8	D.O. (mg/L)	ORP (mV)
Time (2400 hr.	Volume (gal.) 2.0	If yes, Time: pH	vity Temperature (C)F)	D.O.	
Time (2400 hr. 1305	Volume (gal.) 2.0 4.0	pH Conducti (umhos/ 7,41 281 7.37 196. 1.31 178.	Volume: vity Temperature cm) (CF) 19.8 18.7 3 18.4 RY INFORMATION	D.O. (mg/L)	(mV)
Time (2400 hr. 1305 1304 1309	Volume (gal.) 2.0 4.0 6.5 (#) CONTAINER	If yes, Time: pH Conducti (u mhos/i 7,41 281 7.37 196. 118. LABORATO REFRIG. PRESER	Volume: Vity Temperature OF) 19.8 18.7 18.4 RY INFORMATION V. TYPE LABORATOR	D.O. (mg/L)	(mV)
Time (2400 hr. 1305	Volume (gal.) 2.0 4.0	If yes, Time: pH Conducti (u mhos/i 7,41 281 7.37 196. 118. LABORATO REFRIG. PRESER	Volume: Vity Temperature OF) 19.8 18.7 18.4 RY INFORMATION V. TYPE LABORATOR	D.O. (mg/L)	(mV)
Time (2400 hr. 1305 1304 1309	Volume (gal.) 2.0 4.0 6.5 (#) CONTAINER	If yes, Time: pH Conducti (u mhos/i 7,41 281 7.37 196. 118. LABORATO REFRIG. PRESER	Volume: Vity Temperature OF) 19.8 18.7 18.4 RY INFORMATION V. TYPE LABORATOR	D.O. (mg/L) Y ANALYS TPH-G(8015)/BTEX+M	(mV)

Chevron California Region Analysis Request/Chain of Custody

(I) Lancactor Laboratories							//	190	u	Co=	Fo	r Lai	ncas	ter L	borat	orles - 2	U SO (only	SCR#:		
Lancaster Laboratories Where quality is a science.	05240	54-04	0		Acc	xt. #: _	_/	770	<u></u>	San							80	77	291	-	
· · · · · · · · · · · · · · · · · · ·	Cambria MTI Pr	olect#: 61D	-1957				ſ				Ап	aly	568	Requ	ıestec	1 					
				T	Vlatrix						Pr	080			ode		·		Preservati	ve Codes ' = Thiosu	1
Facility #: SS#9-0338 G-R#386456	Global ID#1000	0100347						H		\dashv	_	\dashv	\dashv	H	+	╄	-			niosu NaOH≃	
Site Address: 5500 TELEGRAPH AVEN				 			- [1	1		1				S = H ₂ SO ₄ C) = Other	
Chevron PM:MTI	ead Consultant: C	AMBRIA			<u>න</u> ගු		ည္	_	[3	Charles of Carrier				ପ୍ଲ					☐ J value reportin		
Consultant/Office: G-R, Inc., 6747 Sierra	Court, Suite J.	Dublin, Ca. S	4508		Potable NPDES	 		뒫	(8	1	-		8260			,	1	Must meet lower possible for 826	ist detectio: 30 compour	n limits nds
Consultant Prj. Mgr.: Deanna L. Harding	(deanna@grin	c.com)					of Containers	8260 🔀 8021 🗆	ا م			ł	ᅵ	7					8021 MTBE Confi		
Consultant Phone #:925-551-7555		-551 -7899]				8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO		8	7421	THAND			1		Confirm highes	t hit by 826	0
Sampler: FRAUK Tr	ERRINONI		ie e		 	\ <u>\</u>	Total Number	置	8	g	ត្ត 🗎	Oxygenates		¥	1				☐ Confirm all hits		
Service Order #:	□Non SAR:				٦		Ž	<u>₹</u>	8013	TPH 8015 MO	3 (<u></u>	742	리	١	İ			Runoxy		
	Date Collected	Time Collected	Grab	Soil	Water		Tot	BTEX + MTBE	Œ		88 88		Lead 7420	山		<u> </u>	<u> </u>		☐ Run oxy		
Sample Identification	A 5.22.04				N		2	X	X						_	 	 	├ -	Comments / Re	emarks	
				1	<u> </u>					_			\dashv	7		+	┿	╁			
C+1		1256	X	1_	∐_	\sqcup	6	X,	X	\dashv			-	$\langle \cdot \rangle$		+-	+-	┼╌	-		
C -2	A	1125	\mathcal{S}	4-	H	1-1	0	X	}					$\langle \cdot $		+	+	+-	1		
<u> </u>	1	1327	 	╁	╁		(<u>o</u>	文	Ż	-	\dashv	_		\frac{1}{2}		+-	+-	†	1		
	2 ▼	11227		╁	1	1 1	<u> </u>	_	/ ~	_				7				<u> </u>]		•
		· · · · · · · · · · · · · · · · · · ·		1		\Box]		:
				1												·					
								<u> </u>					_		-	_	4_	1	_		
		·		_		1-1				 -			-	-		+	-	+-	4		
		<u> </u>	<u> </u>	1	-	+	-	ļ		\vdash			-				+-	╁	-{		
		Relinqui	ished 🖤	<u>ا</u>		<u></u>		<u>. </u>	٠,		Date	Т	Tim	8	Reçeiv	ed by	1		1	Date	Time
Turnareund Time Requested (TAT) (plea	ise circle)	42	the	Ie	مبر	<u></u>	ز		.,	5:	22.	O¥			٨٧	<u> </u>	<u>~~</u>	_	<u></u>	A9401	
	18 hour	Rojnqu	ished by	Z.YI				_			Date 1410		Tim	_	Receiv	•		,,		Date 5/14/64	Time
24 nour 4 day	5 day	Relingu	lehed h	10		_	•				Dale		Tim		Receiv			10	my -	Date	Time
Data Package Options (please circle if requ	uired)	SE A	-	L		a.	, 71-a	y	·	1	14/0	1	5	15	Ai	160	en	L		5/24/04	
QC Summary Type I — Full Type VI (Raw Data) ☐ Coelt Deliverable n	ot needed		ished by	Con	nmerci	al Car	Tier:		<u>\^</u>	$\overline{\cap}$		~	٨		Poceiv	ed by	: ,	_	11/1/2	Date	Jime
Type VI (Raw Data) Coelt Deliverable n WIP (RWQCB)	EDF/E	DD UPS	F	edEx	ķ	6	ther_	\mathcal{M}	1	7	5 C	<u> </u>	<u> </u>		7	\mathcal{D}	Ò	1	M MUN.	ST& IP	/XX/
Disk		Temper	rature U	pon F	Receipt	1	<u>. S</u>	<u>, ^</u> '	<u>.</u> هي	5					Custod	No.	als in	tact?	Yes No		

Lancaster Laboratories, Inc., 2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 (717) 656-2300 Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client.

3460 Rev. 7/30/01

2426 New Helland Pea, PD Res 16426 Language, RA 17605-2425 * T17-664-2400 Fac 717-654-2441* www.harteasterhijas.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco c/o Cambria Suite 9 4111 Citrus Avenue Rocklin CA 95677 916-630-1855

Prepared by:

Lancaster Laboratories 2425 New Holland Pike Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 897291. Samples arrived at the laboratory on Tuesday, May 25, 2004. The PO# for this group is 99011184 and the release number is MTI.

Client Description			<u>Lancaster Labs Number</u>
	NA	Water	4280522
QA-T-040522	Grab	Water	4280523
C-1A-W-040522			4280524
C-2A-W-040522	Grab	Water	4280525
C-4-W-040522	Grab	Water	4280526
C-5-W-040522	Grab	Water	4200,720

1 COPY TO ELECTRONIC COPY TO

Cambria C/O Gettler- Ryan

Gettler-Ryan

Attn: Deanna L. Harding

Attn: Cheryl Hansen



SASA NEW HICKORD PAR PO FOR 1942A LANCARM, PA. 1701 D. (2025 #117-4124-2000) Few 717-4124-2000 in manufacturable habit cont

Questions? Contact your Client Services Representative Teresa L Cunningham at (717) 656-2300.

Respectfully Submitted,

Victoria M. Martell

Chemist



2425 New Historia Pike, PO Box 12425, Lancasian, Ph. 17605-2425 • 717-656-2300 Fex. 717-656-2661 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4280522

NA Water QA-T-040522 Facility# 90338 Job# 386456 MTI# 61D-1957

5500 Telegraph - Oakland T0600100347 QA

Collected: 05/22/2004

Submitted: 05/25/2004 08:25 Reported: 06/04/2004 at 16:50

Discard: 07/05/2004

Account Number: 10904

ChevronTexaco c/o Cambria

Suite 9

4111 Citrus Avenue Rocklin CA 95677

OAKTB

CAT No. 01728	Analysis Name TPH-GRO - Waters The reported concentration of gasoline constituents eluting patart time.	CAS Number n.a. TPH-GRO does not prior to the C6	As Received Result N.D. include MTBE or (n-hexane) TPH-GE	As Received Method Detection Limit 50. other RO range	Units ug/l	Dilution Factor
06054	BTEX+MTBE by 8260B		•			
02010 05401 05407 05415 06310	Methyl Tertiary Butyl Ether Benzene Toluene Ethylbenzene Xylene (Total)	1634-04-4 71-43-2 108-88-3 100-41-4 1330-20-7	N.D. N.D. N.D. N.D. N.D.	0.5 0.5 0.5 0.5	ug/1 ug/1 ug/1 ug/1 ug/1	1 1 1 1

GRD

		Laboratory	Chro	nicle Analysis		Dilution
CAT No. 01728	Analysis Name TPH-GRO - Waters	Method N. CA LUFT Gasoline	Trial# 1	Date and Time 05/27/2004 06:32	Analyst Michael F Barrow	Factor 1
06054 01146 01163	BTEX+MTBE by 8260B GC VOA Water Prep GC/MS VOA Water Prep	Method SW-846 8260B SW-846 5030B SW-846 5030B		05/30/2004 20:02 05/27/2004 06:32 05/30/2004 20:02	Elizabeth M Taylor Michael F Barrow Elizabeth M Taylor	1 n.a. n.a.



2425 New Holland Pike, PO Box 12425, Lancaster, FA 17605-2425 • 717-656-2500 Fax:717-656-2661 • www.lancasterlabs.com

Page 1 of 1

4280523 Lancaster Laboratories Sample No. WW

C-1A-W-040522 Grab Water

Facility# 90338 Job# 386456 MTI# 61D-1957

5500 Telegraph - Oakland T0600100347 C-1A

Collected:05/22/2004 12:56

Submitted: 05/25/2004 08:25

Reported: 06/04/2004 at 16:50

Discard: 07/05/2004

Account Number: 10904

ChevronTexaco c/o Cambria

Suite 9

GRD

4111 Citrus Avenue Rocklin CA 95677

OAK1A

				As Received		
CAT			As Received	Method		Dilution
No.	Analysis Name	CAS Number	Result	Detection Limit	Units	Factor
01728	TPH-GRO - Waters	n.a.	110.	50.	ug/1	1
	The reported concentration of gasoline constituents eluting part time.	TPH-GRO does no orior to the C6	t include MTBE or (n-hexane) TPH-0	other GRO range		
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/1	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	6.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

G3.M		Laboratory	Chro	nicle Analysis		Dilution
CAT No. 01728	Analysis Name TPH-GRO - Waters	Method N. CA LUFT Gasoline	Trial# 1	Date and Time 05/26/2004 13:27	Analyst Linda C Pape	Factor 1
01594	BTEX+5	Method SW-846 8260B	1	05/30/2004 22:55	Elizabeth M Taylor	1
01146	Oxygenates+EDC+EDB+ETOH GC VOA Water Prep GC/MS VOA Water Prep	SW-846 5030B SW-846 5030B	1 1	05/26/2004 13:27 05/30/2004 22:55	Linda C Pape Elizabeth M Taylor	n.a. n.a.



2425 New Holland Pike, PO Box 12425, Lancaster, FA 17605-2425 • 717-656-2500 Fax: 717-656-2601 • www.sancasterlabs.com

Page 1 of 1

4280524 Lancaster Laboratories Sample No.

Grab C-2A-W-040522

Facility# 90338 Job# 386456 MTI# 61D-1957 5500 Telegraph - Oakland T0600100347 C-2A

Submitted: 05/25/2004 08:25 Reported: 06/04/2004 at 16:51

Collected:05/22/2004 11:52

Discard: 07/05/2004

Account Number: 10904

ChevronTexaco c/o Cambria

GRD

Suite 9 4111 Citrus Avenue Rocklin CA 95677

OAK2A

CAT			As Received	As Received Method		Dilution
No.	Analysis Name	CAS Number	Result	Detection Limit	Units	Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of gasoline constituents eluting start time.	TPH-GRO does not prior to the C6	include MTBE of (n-hexane) TPH-0	r other GRO range		
01594	BTEX+5 Oxygenates+EDC+EDB+ETO	ł				
01587	Ethanol	64-17 - 5	N.D.	50.	ug/1	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	2.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
05415 06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

		Laboratory	Chro:	nicle Analysis		Dilution
CAT No. 01728	Analysis Name TPH-GRO - Waters	Method N. CA LUFT Gasoline	Trial# 1	Date and Time 05/26/2004 14:22	Analyst Linda C Pape	Factor 1
01594	BTEX+5	Method SW-846 8260B	1	05/30/2004 21:35	Elizabeth M Taylor	1
01146 01163	Oxygenates+EDC+EDB+ETOH GC VOA Water Prep GC/MS VOA Water Prep	SW-846 5030B SW-846 5030B	. 1 . 1	05/26/2004 14:22 05/30/2004 21:35	Linda C Pape Elizabeth M Taylor	n.a. n.a.



2425 New Hostord Pike, PO Box 12425, Larcasian, FA 17605-2425 *717-656-2500 Fax: 717-656-2681 * www.itancasteriabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4280525

C-4-W-040522 Grab Water Facility# 90338 Job# 386456 MTI# 61D-1957

5500 Telegraph - Oakland T0600100347 C-4

Collected: 05/22/2004 12:20 by FT

Submitted: 05/25/2004 08:25 Reported: 06/04/2004 at 16:51

Discard: 07/05/2004

Account Number: 10904

ChevronTexaco c/o Cambria

Suite 9

GRD

4111 Citrus Avenue Rocklin CA 95677

OAL	(4 –
-----	-------------

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of T gasoline constituents eluting p start time.	PH-GRO does not orior to the C6	(n-hexane) TPH-G	RO range		
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

		Laboratory	Chro	nicle Analysis		Dilution
CAT No. 01728	Analysis Name TPH-GRO - Waters	Method N. CA LUFT Gasoline	Trial# 1	Date and Time 05/26/2004 14:58	Analyst Linda C Pape	Factor 1
01594	BTEX+5	Method SW-846 8260B	1	05/30/2004 20:15	Elizabeth M Taylor	1
01146 01163	Oxygenates+EDC+EDB+ETOH GC VOA Water Prep GC/MS VOA Water Prep	SW-846 5030B SW-846 5030B	1 1	05/26/2004 14:58 05/30/2004 20:15	Linda C Pape Elizabeth M Taylor	n.a. n.a.



2425 New Hoters) Pike, PO Box 12425, Larcestell, PA 17605-2425 • 717-666-2500 Fex; 717-656-2661 • WWW.lancesterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4280526

C-5-W-040522 Grab Water Facility# 90338 Job# 386456 MTI# 61D-1957 5500 Telegraph - Oakland T0600100347 C-5

GRD

Collected: 05/22/2004 13:27 by FT

Account Number: 10904

Submitted: 05/25/2004 08:25 Reported: 06/04/2004 at 16:51 ChevronTexaco c/o Cambria Suite 9

Discard: 07/05/2004

4111 Citrus Avenue Rocklin CA 95677

OAK5-

CAT	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit 50.	Units ug/l	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of T	n.a. PH-GRO does not	640. include MTBE or	other	W9/ ±	_
	gasoline constituents eluting part time.	rior to the C6	(n-hexane) TPH-G	RO range		
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
07.505	Ethanol	64-17 - 5	N.D.	50.	ug/l	1
01587	Methyl Tertiary Butyl Ether	1634-04-4	860	5.	ug/l	10
02010		71-43-2	90.	0.5	ug/1	1
05401	Benzene	108-68-3	3.	0.5	ug/l	1
05407	Toluene	100-41-4	56.	0.5	ug/l	1
05415 06310	Ethylbenzene Xylene (Total)	1330-20-7	73.	0.5	ug/l	1

		Laboratory	Chro	nicle Analysis		Dilution
CAT No. 01728	Analysis Name TPH-GRO - Waters	Method N. CA LUFT Gasoline	Trial#	Date and Time 05/26/2004 15:34	Analyst Linda C Pape	Factor 1
01594	BTEX+5	Method SW-846 8260B	1	05/30/2004 20:42		1
01594	Oxygenates+EDC+EDB+ETOH BTEX+5	SW-846 B260B	1	05/30/2004 21:08		10
01146	Oxygenates+EDC+EDB+ETOH GC VOA Water Prep GC/MS VOA Water Prep	SW-846 5030B SW-846 5030B	1 1	05/26/2004 15:34 05/30/2004 20:42		n.a. n.a.



2425 New Hoters) Pike, PO Box 12425, Larchelei, FA 17605-2425 • 737-656-2300 Fax: 717-656-2881 • www.tancasterlabs.com

Page 1 of 3

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria

Reported: 06/04/04 at 04:51 PM

Group Number: 897291

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank <u>MDL</u>	Report <u>Units</u>	LCS %REC	LCSD %REC	LCS/LCSD <u>Limits</u>	RPD	RPD Max
Batch number: 04147A53A TPH-GRO - Waters	Sample n	umber(s): 50.	4280523-429 ug/l	96 96	101	70-130	5	30
Batch number: 04148A08B TPH-GRO - Waters	Sample n N.D.	umber(s): 50.	4280522 ug/l	99	101	70-130	2	30
Batch number: P041511AA Methyl Tertiary Butyl Ether Benzene Toluene Ethylbenzene Xylene (Total)	Sample n N.D. N.D. N.D. N.D.	umber(s): 0.5 0.5 0.5 0.5	4280522 ug/l ug/l ug/l ug/l ug/l	104 104 104 104 104		77-127 85-117 85-115 82-119 84-120		
Batch number: P041512AA Ethanol Methyl Tertiary Butyl Ether Benzene Toluene Ethylbenzene Xylene (Total)	Sample r N.D. N.D. N.D. N.D. N.D. N.D.	number(s): 50. 0.5 0.5 0.5 0.5 0.5	4280523-42 ug/1 ug/1 ug/1 ug/1 ug/1 ug/1	80526 101 106 104 105 106 107		46-145 77-127 85-117 85-115 82-119 84-120		

Sample Matrix Quality Control

Analysis Name	MS %RBC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 04147A53A TPH-GRO - Waters	Sample 112	number	(s): 4280523 63-154	3-42805	26				
Batch number: 04148A08B TPH-GRO - Waters	Sample 119	number	(s): 4280522 63-154	2					
Batch number: P041511AA Methyl Tertiary Butyl Ether Benzene Toluene Ethylbenzene Xylene (Total)	Sample 109 112 112 113 113	number 109 113 115 115 115	(s): 4280522 69-134 83-128 83-127 82-129 82-130	0 1 2 2 2	30 30 30 30 30				
Batch number: P041512AA Ethanol Methyl Tertiary Butyl Ether	Sample 120 107	number 110 105	(s): 4280523 41-155 69-134	3-42809 8 2	30 30 30				

- *- Outside of specification
- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



2425 New Holland Piles. PO Box 12426, Lancester. Ph. 17605-2425 • 737-666-2300 Fex: 717-656-2661 • www.lancesterlabs.com

Page 2 of 3

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria

Group Number: 897291

Reported: 06/04/04 at 04:51 PM

Sample Matrix Quality Control

Analysis Name Benzene Toluene Ethylbenzene Xylene (Total)	MS %REC 114 113 112 113	MSD %REC 112 112 112 112	MS/MSD Limits 83-128 83-127 82-129 82-130	RPD 2 1 0	RPD MAX 30 30 30 30	BKG Conc	DUP <u>Conc</u>	DUP <u>RPD</u>	Dup RPD Max
Xylene (Total)	113	112	02 100	_					

Surrogate Quality Control

	er: 04147A53A Trifluorotoluene-F			
280523	110			
280524	112			
280525	117			
280526	112			
lank	110			
CS	111			
CSD	114			
15	118			
Limits:	57-146			
Analysis N	Tame: TPH-GRO - Waters			
satch numb	er: 04148A08B Trifluorotoluene-F			
	Trifiuorotofuene-F			
4280522	110		-	
Blank	74			
LCS	138			
LCSD	130			•
MS	118			
Limits:	57-146			
Analysis N	Name: BTEX+MTBE by 8260B			
Batch numb	per: P041511AA	_	_ " 10	4-Bromofluorobenzen
	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-PIOWOII dolopominon
	100	100	106	103
4280522	106	99	104	102
Blank	106	102	106	102
LCS	107	101	105	101
MS	107	100	105	102
MSD	106	100		
Limits:	81-120	82-112	85-112	83-113
Analysaia '	Name: BTEX+5 Oxygenates+ED	C+EDB+ETOH		
Analysis	ber: P041512AA			
Baten num	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzen
4280523	103	100	101	104
	103	101	105	102
4280524	70 4	+		

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Limits:

Analysis Report

2425 New Hotland Pike, PO Box 12425, Larrandon, PA 17605-2425 *757-656-2300 Fixe;717-656-2601 * www.sancesterlabs.com

Page 3 of 3

Quality Control Summary

Group Number: 897291 Client Name: ChevronTexaco c/o Cambria Reported: 06/04/04 at 04:51 PM Surrogate Quality Control 102 105 100 102 4280525 105 103 105 104 4280526 106 100 101 Blank 104 105 101 LCS 103 100 100 104 MS 103 105 104 101 MSD 83-113 85-112 82-112

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The background result was more than four times the spike added.



Explanation of Symbols and Abbreviations

Inorganic Qualifiers

The following defines common symbols and abbreviations used in reporting technical data:

N.D. TNTC IU umhos/cm C meq g ug ml m3	none detected Too Numerous To Count International Units micromhos/cm degrees Celsius milliequivalents gram(s) microgram(s) milliliter(s) cubic meter(s)	BMQL MPN CP Units NTU F Ib. kg mg I	Below Minimum Quantitation Level Most Probable Number cobalt-chloroplatinate units nephelometric turbidity units degrees Fahrenheit pound(s) kilogram(s) milligram(s) liter(s) microliter(s)
---	---	---	--

- less than The number following the sign is the <u>limit of quantitation</u>, the smallest amount of analyte which can be reliably determined using this specific test.
- > greater than
- J estimated value The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).
- ppm parts per million One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.
- ppb parts per billion

on an as-received basis.

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

		-	Village to a CDDL but SID)
Α	TIC is a possible aldol-condensation product	В	Value is <crdl, but="" th="" ≥idl<=""></crdl,>
В	Analyte was also detected in the blank	E	Estimated due to interference
c	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
	Compound quantitated on a diluted sample	N	Spike sample not within control limits
D	Compound quantitated on a didded sample	-	Method of standard additions (MSA) used
E	Concentration exceeds the calibration range of	S	
	the instrument		for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
	Presumptive evidence of a semiporary and	W	Post digestion spike out of control limits
Р	Concentration difference between primary and	*	Duplicate analysis not within control limits
	confirmation columns >25%	•	Duplicate alialysis not within control limits
U	Compound was not detected	+	Correlation coefficient for MSA < 0.995
X,Y,Z	Defined in case narrative		

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - in accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.