



Dana R. Thurman
Property Specialist
Retail and Terminal
Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9559
Fax (925) 842-8370
dthurman@chevron.com

Ps 221 ✓

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Jan. 20, 2006

Re: Chevron Service Station # 9-0338

Address: 5500 Telegraph Ave., Oakland, California

I have reviewed the attached routine groundwater monitoring report dated January 4, 2006.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in cursive script that reads "Dana Thurman".

Dana Thurman
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

January 4, 2006

G-R #386456

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Suite 12
Rocklin, California 95677

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-0338
5500 Telegraph Avenue
Oakland, California
MTI: 61H-1957
RO 0000221

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	January 4, 2006	Groundwater Monitoring and Sampling Report Fourth Quarter - Event of November 30, 2005

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following:**

Mr. Dana Thurman, ChevronTexaco Company, P.O. Box 6012, Room K2236, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **January 18, 2006**, at which time the final report will be distributed to the following:

cc: **Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577**

Enclosures

trans/9-0338-DT

6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



GETTLER - RYAN INC.

January 4, 2006
G-R Job #386456

Mr. Dana Thurman
ChevronTexaco Company
P.O. Box 6012, Room K2236
San Ramon, CA 94583

RE: Fourth Quarter Event of November 30, 2005
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0338
5500 Telegraph Avenue
Oakland, California

Dear Mr. Thurman:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


Deanna L. Harding
Project Coordinator







Robert A. Lauritzen
Senior Geologist, P.G. No. 7504


Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Table 3: Groundwater Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



EXPLANATION

- ◆ Groundwater monitoring well
- ✕ Destroyed well
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- 99.99--- Groundwater elevation contour, dashed where inferred


 Approximate groundwater flow direction at a gradient of 0.02 Ft./Ft.



Source: Figure modified from drawing provided by RRM engineering contracting firm.


GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-0338
 5500 Telegraph Avenue
 Oakland, California

FIGURE
1

PROJECT NUMBER 386456	REVIEWED BY	DATE November 30, 2005	REVISED DATE
---------------------------------	-------------	----------------------------------	--------------

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0338
5500 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1A									
05/27/99	123.27	115.93	7.34	9,100	40	25	560	1,900	35
09/02/99	123.27	115.72	7.55	9,700	24	18.4	626	754	66
10/27/99	123.27	115.84	7.43	4,740	<10	<10	276	270	<100/66.6 ²
02/11/00	123.27	115.27	8.00	5,100	17.5	<10	182	333	<50
05/10/00	123.27	116.65	6.62	11,000 ¹	110	170	480	980	<500
07/27/00	123.27	115.14	8.13	6,200 ¹	<50	<50	540	150	<250
11/21/00	123.27	115.60	7.67	6,500 ¹	19	<10	450	360	<50
02/05/01	123.27	115.91	7.36	5,270	1.43	1.04	326	269	15.0
05/07/01	123.27	115.90	7.37	3,000 ¹	37	27	520	490	63
08/06/01	123.27	115.15	8.12	3,300 ¹	3.1	3.8	160	100	47
11/12/01	123.27	116.42	6.85	5,100	1.9	<2.0	230	230	3.1
02/11/02	123.27	114.99	8.28	820	1.3	<0.50	21	7.7	5.7/4 ³
05/13/02	123.27	114.30	8.97	1,800	<1.0	<0.50	26	8.6	7.5
08/09/02	123.27	114.33	8.94	2,100	1.7	<5.0	29	<20	<2.5
11/07/02	123.27	114.37	8.90	2,600	<2.0	1.0	13	54	7.9
02/04/03	123.27	115.47	7.80	640	<2.0	<2.0	4.4	6.3	7.8
05/05/03	123.27	115.84	7.43	980	<2.0	0.5	19	10	7.3
08/28/03 ⁵	123.27	114.16	9.11	2,100	<0.5	<0.5	7	4	7
11/26/03 ⁵	123.27	113.74	9.53	490	<0.5	<0.5	<0.5	<0.5	11
02/25/04 ⁵	123.27	116.41	6.86	<50	<0.5	<0.5	<0.5	3	3
05/22/04 ⁵	123.27	114.15	9.12	110	<0.5	<0.5	<0.5	<0.5	6
08/20/04 ⁵	123.27	114.06	9.21	700	<0.5	<0.5	17	<0.5	4
11/05/04 ⁵	123.27	114.38	8.89	330	<0.5	<0.5	<0.5	<0.5	9
02/14/05 ⁵	123.27	114.47	8.80	<50	<0.5	<0.5	<0.5	<0.5	0.9
05/16/05 ⁵	123.27	114.96	8.31	<50	<0.5	<0.5	<0.5	<0.5	0.6
08/31/05 ⁵	123.27	113.77	9.50	<50	0.5	0.8	<0.5	5	5
11/30/05⁵	123.27	116.10	7.17	<50	<0.5	<0.5	<0.5	<0.5	3
C-2A									
05/27/99	125.89	119.53	6.36	<50	<0.5	<0.5	<0.5	<0.5	44
09/02/99	125.89	117.04	8.85	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/99	125.89	116.65	9.24	<50	<0.5	<0.5	<0.5	<0.5	8.75/7.77 ²
02/11/00	125.89	117.64	8.25	<50	<0.5	<0.5	<0.5	<0.5	17.8
05/10/00	125.89	117.46	8.43	<50	<0.50	<0.50	<0.50	<0.50	3.2

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0338
 5500 Telegraph Avenue
 Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-2A (cont)									20
07/27/00	125.89	116.34	9.55	<50	<0.50	<0.50	<0.50	<0.50	<50
11/21/00	125.89	116.39	9.50	<50	<0.50	<0.50	<0.50	<0.50	3.36
02/05/01	125.89	116.50	9.39	<50.0	<0.500	<0.500	<0.500	<0.500	<2.5
05/07/01	125.89	116.29	9.60	<50	<0.50	<0.50	<0.50	<0.50	1.4
08/06/01	125.89	115.72	10.17	<50	<0.50	<0.50	<0.50	<1.5	3.4
11/12/01	125.89	115.28	10.61	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ³
02/11/02	125.89	117.31	8.58	<50	<0.50	<0.50	21	99	29
05/13/02	125.89	115.76	10.13	1,100	17	83	<0.50	<1.5	<2.5
08/09/02	125.89	116.76	9.13	<50	<0.50	<0.50	<0.50	<1.5	7.5
11/07/02	125.89	114.37	11.52	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/04/03	125.89	116.87	9.02	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/05/03	125.89	116.61	9.28	<50	<0.5	<0.5	<0.5	<0.5	1
08/28/03 ^s	125.89	114.98	10.91	<50	<0.5	<0.5	<0.5	<0.5	3
11/26/03 ^s	125.89	114.73	11.16	<50	<0.5	<0.5	<0.5	<0.5	0.5
02/25/04 ^s	125.89	117.47	8.42	<50	<0.5	<0.5	<0.5	<0.5	2
05/22/04 ^s	125.89	115.68	10.21	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/20/04 ^s	125.89	114.91	10.98	<50	<0.5	<0.5	<0.5	<0.5	5
11/05/04 ^s	125.89	115.73	10.16	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/14/05 ^s	125.89	116.62	9.27	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/16/05 ^s	125.89	116.89	9.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/31/05 ^s	125.89	114.96	10.93	<50	0.8	1	<0.5	5	2
11/30/05 ^s	125.89	115.47	10.42	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-4									44
05/27/99	125.40	115.34	10.06	<50	<0.5	<0.5	<0.5	<0.5	3.1
09/02/99	125.40	114.89	10.51	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ²
10/27/99	125.40	115.03	10.37	<50	<0.5	<0.5	<0.5	<0.5	2.79
02/11/00	125.40	114.48	10.92	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/10/00	125.40	116.28	9.12	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/27/00	125.40	113.50	11.90	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/21/00	125.40	113.76	11.64	<50	<0.50	<0.50	<0.50	<0.50	<2.50
02/05/01	125.40	115.21	10.19	<50.0	<0.500	<0.500	<0.500	<0.500	<2.5
05/07/01	125.40	114.45	10.95	<50	<0.50	<0.50	<0.50	<0.50	<2.5
08/06/01	125.40	113.75	11.65	<50	<0.50	0.52	<0.50	1.1	3.2

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0338
 5500 Telegraph Avenue
 Oakland, California

WELL ID/ DATE	TOC (<i>ft.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)
C-4 (cont)									
11/12/01	125.40	113.69	11.71	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/11/02 ⁴	125.40	114.45	10.95	<50	<0.50	<0.50	<0.50	<1.5	72/62 ³
05/13/02	125.40	113.64	11.76	<50	<0.50	<0.50	<0.50	<1.5	21
08/09/02	125.40	114.50	10.90	<50	<0.50	<0.50	<0.50	<1.5	4.9
11/07/02	125.40	113.72	11.68	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/04/03	125.40	114.44	10.96	<50	<0.50	<0.50	<0.50	<1.5	81
05/05/03	125.40	114.25	11.15	<50	<0.5	<0.5	<0.5	<1.5	120
08/28/03 ⁵	125.40	114.19	11.21	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/03 ⁵	125.40	113.40	12.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/25/04 ⁵	125.40	114.51	10.89	<50	<0.5	<0.5	<0.5	<0.5	16
05/22/04 ⁵	125.40	114.29	11.11	<50	<0.5	<0.5	<0.5	<0.5	1
08/20/04 ⁵	125.40	113.36	12.04	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/05/04 ⁵	125.40	115.08	10.32	<50	<0.5	<0.5	<0.5	<0.5	0.7
02/14/05 ⁵	125.40	114.69	10.71	<50	<0.5	<0.5	<0.5	<0.5	2
05/16/05 ⁵	125.40	115.46	9.94	<50	<0.5	<0.5	<0.5	<0.5	1
08/31/05 ⁵	125.40	114.59	10.81	<50	0.7	1	<0.5	7	0.6
11/30/05 ⁵	125.40	114.81	10.59	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-5									
05/27/99	124.15	117.54	6.61	2,800	350	73	32	280	2,200/2,500 ²
09/02/99	124.15	116.27	7.88	570	9.0	<2.5	<2.5	<2.5	890
10/27/99	124.15	116.90	7.25	543	4.22	<0.5	3.28	<0.5	845/1,080 ²
02/11/00	124.15	117.41	6.74	488	0.56	<0.5	1.45	<0.5	565
05/10/00	124.15	118.36	5.79	140 ¹	3.6	1.2	0.53	2.0	380
07/27/00	124.15	116.92	7.23	260 ¹	1.4	1.2	0.93	2.8	460
11/21/00	124.15	117.47	6.68	130 ¹	0.74	0.73	<0.50	<0.50	350
02/05/01	124.15	117.74	6.41	111	<1.00	<1.00	<1.00	<1.00	197
05/07/01	124.15	117.91	6.24	100 ¹	2.1	1.0	<0.50	0.80	210
08/06/01	124.15	116.74	7.41	94 ¹	0.84	1.2	0.54	1.5	360
11/12/01	124.15	116.82	7.33	58	<0.50	<0.50	<0.50	<1.5	280
02/11/02	124.15	117.90	6.25	<50	<0.50	<0.50	<0.50	<1.5	150/140 ³
05/13/02	124.15	116.13	8.02	79	7.7	1.2	2.6	5.5	180
08/09/02	124.15	113.13	11.02	<50	<0.50	<0.50	<0.50	<1.5	220
11/07/02	124.15	114.51	9.64	<50	<0.50	<0.50	<0.50	<1.5	300

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0338
5500 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-5 (cont)									
02/04/03	124.15	117.07	7.08	2,300	210	4.4	250	53	490
05/05/03	124.15	116.63	7.52	350	18	1.7	22	10	620
08/28/03 ⁵	124.15	115.25	8.90	59	3	<0.5	4	7	470
11/26/03 ⁵	124.15	114.49	9.66	190	14	0.5	15	20	640
02/25/04 ⁵	124.15	116.54	7.61	<50	0.9	<0.5	4	<0.5	140
05/22/04 ⁵	124.15	115.93	8.22	640	90	3	56	73	860
08/20/04 ⁵	124.15	114.50	9.65	<50	<0.5	<0.5	<0.5	<0.5	340
11/05/04 ⁵	124.15	115.51	8.64	1,400	84	3	120	160	780
02/14/05 ⁵	124.15	116.62	7.53	<50	<0.5	<0.5	<0.5	<0.5	28
05/16/05 ⁵	124.15	115.89	8.26	<50	<0.5	<0.5	<0.5	<0.5	190
08/31/05 ⁵	124.15	114.81	9.34	240	13	<0.5	13	14	710
11/30/05 ⁵	124.15	116.40	7.75	160	3	<0.5	15	12	280
TRIP BLANK									
05/27/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/02/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
02/11/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/10/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/27/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/21/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
02/05/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
05/07/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
08/06/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA									
11/12/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/11/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/13/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
08/09/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/07/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/04/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/05/03	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/28/03 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/03 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0338
5500 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC (ft)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
QA (cont)									
02/25/04 ^s	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/22/04 ^s	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/20/04 ^s	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/05/04 ^s	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/14/05 ^s	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/16/05 ^s	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/31/05 ^s	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/05 ^s	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0338
5500 Telegraph Avenue
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 10, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

- ¹ Laboratory report indicates gasoline C6-C12.
- ² Confirmation run.
- ³ MTBE by EPA Method 8260.
- ⁴ Total Petroleum Hydrocarbons as Diesel (TPH-D) was less than the reporting limit.
- ⁵ BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0338
5500 Telegraph Avenue
Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-1A	02/11/02	--	<100	4	<2	<2	<2
	08/28/03	<50	--	7	--	--	--
	11/26/03	<50	--	11	--	--	--
	02/25/04	<50	--	3	--	--	--
	05/22/04	<50	--	6	--	--	--
	08/20/04	<50	<5	4	<0.5	<0.5	<0.5
	11/05/04	<50	<5	9	<0.5	<0.5	<0.5
	02/14/05	<50	<5	0.9	<0.5	<0.5	<0.5
	05/16/05	<50	<5	0.6	<0.5	<0.5	<0.5
	08/31/05	<50	<5	5	<0.5	<0.5	<0.5
	11/30/05	<50	<5	3	<0.5	<0.5	<0.5
C-2A	02/11/02	--	<100	<2	<2	<2	<2
	08/28/03	<50	--	1	--	--	--
	11/26/03	<50	--	3	--	--	--
	02/25/04	<50	--	0.5	--	--	--
	05/22/04	<50	--	2	--	--	--
	08/20/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	11/05/04	<50	<5	5	<0.5	<0.5	<0.5
	02/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	05/16/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	08/31/05	<50	<5	2	<0.5	<0.5	<0.5
	11/30/05	<50	<5	<0.5	<0.5	<0.5	<0.5
C-4	02/11/02	--	<100	62	<2	<2	<2
	08/28/03	<50	--	<0.5	--	--	--
	11/26/03	<50	--	<0.5	--	--	--
	02/25/04	<50	--	16	--	--	--
	05/22/04	<50	--	1	--	--	--
	08/20/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	11/05/04	<50	<5	0.7	<0.5	<0.5	<0.5
	02/14/05	<50	<5	2	<0.5	<0.5	<0.5
	05/16/05	<50	<5	1	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Chevron Service Station #9-0338
 5500 Telegraph Avenue
 Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-4	08/31/05	<50	<5	0.6	<0.5	<0.5	<0.5
(cont)	11/30/05	<50	<5	<0.5	<0.5	<0.5	<0.5
C-5	02/11/02	--	<100	140	<2	<2	<2
	08/28/03	<50	--	470	--	--	--
	11/26/03	<50	--	640	--	--	--
	02/25/04	<50	--	140	--	--	--
	05/22/04	<50	--	860	--	--	--
	08/20/04	<50	<5	340	<0.5	<0.5	2
	11/05/04	<50	23	780	<0.5	<0.5	5
	02/14/05	<50	<5	28	<0.5	<0.5	<0.5
	05/16/05	<50	10	190	<0.5	<0.5	1
	08/31/05	<50	38	710	<0.5	<0.5	5
	11/30/05	<50	16	280	<0.5	<0.5	1

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0338
5500 Telegraph Avenue
Oakland, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

Table 3
Groundwater Analytical Results
Chevron Service Station #9-0338
5500 Telegraph Avenue
Oakland, California

WELL ID	DATE	Cadmium (ppb)	Chromium (ppb)	Lead (ppb)	Nickel (ppb)	Zinc (ppb)	TOG (ppb)	HVOCs (ppb)
C-4	02/11/02	<10.0	80.5	16.7	126	143	<320	<0.20-0.50

EXPLANATIONS:

TOG = Total Oil and Grease

HVOCs = Halogenated Volatile Organic Compounds

(ppb) = Parts per billion

Note: All HVOCs were not detected (ND) unless otherwise noted.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hill, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0338
 Site Address: 5500 Telegraph Avenue
 City: Oakland, CA

Job Number: 386456
 Event Date: 11/30/05 (inclusive)
 Sampler: C. Rogers

Well ID: C-1A Date Monitored: 11/30/05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 19.45 ft.
 Depth to Water: 7.17 ft.
12.28 xVF 0.17 = 2.08 x3 case volume = Estimated Purge Volume: 6 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0910 Weather Conditions: Overcast / Drizzle
 Sample Time/Date: 0945 / 11/30/05 Water Color: Clear Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0916</u>	<u>2</u>	<u>7.04</u>	<u>681</u>	<u>18.4</u>		
<u>0921</u>	<u>4</u>	<u>7.07</u>	<u>668</u>	<u>18.4</u>		
<u>0925</u>	<u>6</u>	<u>7.02</u>	<u>674</u>	<u>18.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-1A</u>	<u>6 x vva vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0338 Job Number: 386456
 Site Address: 5500 Telegraph Avenue Event Date: 11/30/05 (inclusive)
 City: Oakland, CA Sampler: C. Rogan

Well ID: C-2A Date Monitored: 11/30/05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 20.20 ft.
 Depth to Water: 10.42 ft.
9.78 xVF 0.17 = 1.66 x3 case volume = Estimated Purge Volume: 5 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: ⊕ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0745 Weather Conditions: Overcast / D1121
 Sample Time/Date: 0815 / 11/30/05 Water Color: Clear Odor: NO
 Purging Flow Rate: — gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0750</u>	<u>2</u>	<u>7.5</u>	<u>617</u>	<u>18.4</u>		
<u>0755</u>	<u>4</u>	<u>7.1</u>	<u>596</u>	<u>18.3</u>		
<u>0758</u>	<u>5</u>	<u>7.03</u>	<u>610</u>	<u>18.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-2A</u>	<u>6 x vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0338
 Site Address: 5500 Telegraph Avenue
 City: Oakland, CA

Job Number: 386456
 Event Date: 11/30/05 (inclusive)
 Sampler: [Signature]

Well ID: C-4
 Well Diameter: 2 in.
 Total Depth: 19.45 ft.
 Depth to Water: 10.59 ft.
8.86

Date Monitored: 11/30/05 Well Condition: OK

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

xVF 0.17 = 1.50 x3 case volume = Estimated Purge Volume: 4.5 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): 0700 Weather Conditions: overcast / Drizzle
 Sample Time/Date: 0730 11/30/05 Water Color: clear Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0706</u>	<u>1.5</u>	<u>7.11</u>	<u>597</u>	<u>18.3</u>		
<u>0712</u>	<u>3</u>	<u>7.06</u>	<u>609</u>	<u>18.4</u>		
<u>0714</u>	<u>4.5</u>	<u>7.05</u>	<u>612</u>	<u>18.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-4</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0338
 Site Address: 5500 Telegraph Avenue
 City: Oakland, CA

Job Number: 386456
 Event Date: 11/30/05 (inclusive)
 Sampler: G. Rega

Well ID: C-5
 Well Diameter: 2 in.
 Total Depth: 20.15 ft.
 Depth to Water: 7.75 ft.

Date Monitored: 11/30/05 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

13.40 xVF 0.17 = 2.10 x3 case volume= Estimated Purge Volume: 6.5 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0825 Weather Conditions: Overcast / D11221
 Sample Time/Date: 09001 11/30/05 Water Color: Clear Odor: No
 Purging Flow Rate: - gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0830</u>	<u>2</u>	<u>7.07</u>	<u>682</u>	<u>18.3</u>		
<u>0836</u>	<u>4</u>	<u>7.01</u>	<u>671</u>	<u>18.3</u>		
<u>0845</u>	<u>6.5</u>	<u>7.02</u>	<u>676</u>	<u>18.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-5</u>	<u>6 x vovial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



120505-03

For Lancaster Laboratories use only
 Acct. #: 10904 Sample #: 41603176-80 SCR#: _____
 Group# 969866

Cambria MTI Project #: 61H-1957

Facility #: SS#9-0338 G-R#386456 Global ID#T0600100347
 Site Address: 5500 TELEGRAPH AVENUE, OAKLAND, CA
 Chevron PM: MTI Lead Consultant: CAMBRIABE
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: G. Rose
 Service Order #: _____ Non SAR:

Matrix		Analyses Requested	
Soil	Water	Oil	Air
<input type="checkbox"/> Potable	<input type="checkbox"/> NPDES	Total Number of Containers	
<input type="checkbox"/> NPDES	<input type="checkbox"/> NPDES	BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021	
<input type="checkbox"/> Air	<input type="checkbox"/> Air	TPH 8015 MOD GRO <input type="checkbox"/>	
		TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup	
		8260 Full scan <input type="checkbox"/>	
		S Oxygenates + 15 Hydro (8260) <input checked="" type="checkbox"/>	
		Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>	

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 Full scan	S Oxygenates + 15 Hydro (8260)	Lead 7420	7421
QA	11/30/05				X	X	X	X	2	X	X	X	X	X		
C-1A		0945	X		X	X	X	X	6	X	X	X	X	X		
C-2A		0815	X		X	X	X	X	6	X	X	X	X	X		
C-4		0730	X		X	X	X	X	4	X	X	X	X	X		
C-5		0900	X		X	X	X	X	6	X	X	X	X	X		

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 STD. TAT 24 hour
 72 hour
 48 hour
 4 day
 5 day

Data Package Options (please circle if required)
 QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed **EDF/EDD**
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: 12/1/05	Time: _____	Received by: <u>[Signature]</u>	Date: 12/5/05	Time: _____
Relinquished by: <u>[Signature]</u>	Date: 12/5/05	Time: 1250	Received by: <u>[Signature]</u>	Date: 12/5/05	Time: 1250
Relinquished by: <u>[Signature]</u>	Date: 12/5/05	Time: 1530	Received by: <u>[Signature]</u>	Date: 12/5/05	Time: _____
Relinquished by Commercial Carrier: UPS	FedEx	Other: <u>DHL</u>	Received by: <u>[Signature]</u>	Date: 12/5/05	Time: 0925
Temperature Upon Receipt: 1.0 °C			Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco c/o Cambria
Suite 12
4111 Citrus Avenue
Rocklin CA 95677

916-630-1855

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 969866. Samples arrived at the laboratory on Tuesday, December 06, 2005. The PO# for this group is 99011184 and the release number is MTL.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-051130	NA	Water	4663176
C-1A-W-051130	Grab	Water	4663177
C-2A-W-051130	Grab	Water	4663178
C-4-W-051130	Grab	Water	4663179
C-5-W-051130	Grab	Water	4663180

1 COPY TO
ELECTRONIC
COPY TO

Cambria C/O Gettler- Ryan
Gettler-Ryan

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Lynn M Frederiksen at (717) 656-2300

Respectfully Submitted,

A handwritten signature in cursive script that reads "Susan M. Goshert".

Susan M. Goshert
Group Leader

Lancaster Laboratories Sample No. WW 4663176

QA-T-051130 NA Water
 Facility# 90338 Job# 386456 MTI# 61H-1957 GRD
 5500 Telegraph-Oakland T0600100347 QA
 Collected: 11/30/2005

Account Number: 10904

Submitted: 12/06/2005 09:25
 Reported: 12/12/2005 at 18:09
 Discard: 01/12/2006

ChevronTexaco c/o Cambria
 Suite 12
 4111 Citrus Avenue
 Rocklin CA 95677

TELQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	12/07/2005 18:34	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	12/09/2005 06:14	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/07/2005 18:34	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/09/2005 06:14	Dawn M Harle	n.a.

Lancaster Laboratories Sample No. WW 4663177

C-1A-W-051130 Grab Water
 Facility# 90338 Job# 386456 MTI# 61H-1957 GRD
 5500 Telegraph-Oakland T0600100347 C-1A
 Collected: 11/30/2005 09:45 by GR

Account Number: 10904

Submitted: 12/06/2005 09:25
 Reported: 12/12/2005 at 18:09
 Discard: 01/12/2006

ChevronTexaco c/o Cambria
 Suite 12
 4111 Citrus Avenue
 Rocklin CA 95677

TELLA

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	3.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	12/08/2005 00:49	K. Robert Caulfeild-James	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	12/08/2005 17:40	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/08/2005 00:49	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/08/2005 17:40	Ginelle L Feister	n.a.

Lancaster Laboratories Sample No. WW 4663178

C-2A-W-051130 Grab Water
 Facility# 90338 Job# 386456 MTI# 61H-1957 GRD
 5500 Telegraph-Oakland T0600100347 C-2A
 Collected: 11/30/2005 08:15 by GR

Account Number: 10904

Submitted: 12/06/2005 09:25
 Reported: 12/12/2005 at 18:09
 Discard: 01/12/2006

ChevronTexaco c/o Cambria
 Suite 12
 4111 Citrus Avenue
 Rocklin CA 95677

TEL2A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	12/08/2005 01:18	K. Robert Caulfeild-James	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	12/09/2005 09:48	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/08/2005 01:18	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/09/2005 09:48	Ginelle L Feister	n.a.

Lancaster Laboratories Sample No. WW 4663179

 C-4-W-051130 Grab Water
 Facility# 90338 Job# 386456 MTI# 61H-1957 GRD
 5500 Telegraph-Oakland T0600100347 C-4
 Collected: 11/30/2005 07:30 by GR

Account Number: 10904

 Submitted: 12/06/2005 09:25
 Reported: 12/12/2005 at 18:09
 Discard: 01/12/2006

 ChevronTexaco c/o Cambria
 Suite 12
 4111 Citrus Avenue
 Rocklin CA 95677

TELC4

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	5.	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	12/08/2005 01:47	K. Robert Caulfeild-James	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	12/08/2005 18:26	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/08/2005 01:47	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/08/2005 18:26	Ginelle L Feister	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4663180

C-5-W-051130 Grab Water
 Facility# 90338 Job# 386456 MTI# 61H-1957 GRD
 5500 Telegraph-Oakland T0600100347 C-5
 Collected: 11/30/2005 09:00 by GR

Account Number: 10904

Submitted: 12/06/2005 09:25
 Reported: 12/12/2005 at 18:09
 Discard: 01/12/2006

ChevronTexaco c/o Cambria
 Suite 12
 4111 Citrus Avenue
 Rocklin CA 95677

TELC5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	160.	50.	ug/l	1
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	280.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	1.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	16.	5.	ug/l	1
05401	Benzene	71-43-2	3.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	15.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	12.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT GRO	1	12/08/2005 02:15	K. Robert Caulfeild-James	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	12/08/2005 18:49	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/08/2005 02:15	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/08/2005 18:49	Ginelle L Feister	n.a.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 12/12/05 at 06:09 PM

Group Number: 969866

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 05341A16A TPH-GRO - Waters	N.D.	50.	ug/l	100	101	70-130	1	30
Batch number: Z053421AA	Sample number(s): 4663176-4663180							
Ethanol	N.D.	50.	ug/l	109		30-155		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	90		77-127		
di-Isopropyl ether	N.D.	0.5	ug/l	85		67-130		
Ethyl t-butyl ether	N.D.	0.5	ug/l	86		74-120		
t-Amyl methyl ether	N.D.	0.5	ug/l	90		79-113		
t-Butyl alcohol	N.D.	5.	ug/l	90		60-133		
Benzene	N.D.	0.5	ug/l	91		85-117		
Toluene	N.D.	0.5	ug/l	92		85-115		
Ethylbenzene	N.D.	0.5	ug/l	93		82-119		
Xylene (Total)	N.D.	0.5	ug/l	96		83-113		
Batch number: Z053424AA	Sample number(s): 4663176							
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	95		77-127		
Benzene	N.D.	0.5	ug/l	89		85-117		
Toluene	N.D.	0.5	ug/l	96		85-115		
Ethylbenzene	N.D.	0.5	ug/l	97		82-119		
Xylene (Total)	N.D.	0.5	ug/l	100		83-113		
Batch number: Z053431AA	Sample number(s): 4663178							
Ethanol	N.D.	50.	ug/l	111		30-155		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	87		77-127		
di-Isopropyl ether	N.D.	0.5	ug/l	83		67-130		
Ethyl t-butyl ether	N.D.	0.5	ug/l	83		74-120		
t-Amyl methyl ether	N.D.	0.5	ug/l	87		79-113		
t-Butyl alcohol	N.D.	5.	ug/l	90		60-133		
Benzene	N.D.	0.5	ug/l	89		85-117		
Toluene	N.D.	0.5	ug/l	91		85-115		
Ethylbenzene	N.D.	0.5	ug/l	91		82-119		
Xylene (Total)	N.D.	0.5	ug/l	95		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05341A16A TPH-GRO - Waters	121	122	63-154	1	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 12/12/05 at 06:09 PM

Group Number: 969866

Sample Matrix Quality Control

Analysis Name	MS	MSD	MS/MSD	RPD	BKG	DUP	DUP	Dup RPD
	%REC	%REC	Limits	RPD	MAX	Conc	RPD	Max
Batch number: Z053421AA	Sample number(s): 4663177, 4663179-4663180							
Ethanol	113	115	26-162	2				30
Methyl Tertiary Butyl Ether	94	93	69-134	1				30
di-Isopropyl ether	91	90	75-130	1				30
Ethyl t-butyl ether	91	90	78-119	1				30
t-Amyl methyl ether	95	93	72-125	1				30
t-Butyl alcohol	91	93	56-134	2				30
Benzene	100	99	83-128	0				30
Toluene	101	101	83-127	1				30
Ethylbenzene	101	100	82-129	1				30
Xylene (Total)	101	100	82-130	2				30
Batch number: Z053424AA	Sample number(s): 4663176							
Methyl Tertiary Butyl Ether	99	99	69-134	0				30
Benzene	100	99	83-128	0				30
Toluene	106	106	83-127	0				30
Ethylbenzene	104	105	82-129	0				30
Xylene (Total)	108	107	82-130	1				30
Batch number: Z053431AA	Sample number(s): 4663178							
Ethanol	116	113	26-162	3				30
Methyl Tertiary Butyl Ether	90	89	69-134	1				30
di-Isopropyl ether	87	86	75-130	1				30
Ethyl t-butyl ether	88	87	78-119	1				30
t-Amyl methyl ether	92	91	72-125	1				30
t-Butyl alcohol	95	93	56-134	1				30
Benzene	97	98	83-128	0				30
Toluene	98	99	83-127	1				30
Ethylbenzene	98	98	82-129	1				30
Xylene (Total)	95	93	82-130	2				30

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 05341A16A
 Trifluorotoluene-F

4663176	89
4663177	90
4663178	89
4663179	90
4663180	89
Blank	90
LCS	91
LCSD	93
MS	92
MSD	93

Limits: 63-135

 Analysis Name: BTEX+5 Oxygenates+ETOH
 Batch number: Z053421AA

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 12/12/05 at 06:09 PM

Group Number: 969866

Surrogate Quality Control

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4663177	96	86	90	87
4663179	96	86	90	87
4663180	95	85	91	88
Blank	95	86	91	88
LCS	95	86	91	90
MS	95	86	90	90
MSD	95	86	90	90
Limits:	80-116	77-113	80-113	78-113

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: Z053424AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4663176	104	94	96	91
Blank	103	94	96	91
LCS	102	93	96	94
MS	103	94	96	93
MSD	102	93	96	94
Limits:	80-116	77-113	80-113	78-113

 Analysis Name: BTEX+5 Oxygenates+ETOH
 Batch number: Z053431AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4663178	96	87	91	88
Blank	95	86	90	87
LCS	94	86	91	91
MS	96	86	91	90
MSD	96	86	91	91
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

J estimated value - The result is \geq the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but \geq IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.