



**RECEIVED**

10:45 am, Aug 25, 2008

Alameda County  
Environmental Health

Jerry Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**Denis L. Brown**  
**Shell Oil Products US**  
HSE - Environmental Services  
20945 S. Wilmington Ave.  
Carson, CA 90810-1039  
**Tel** (707) 865 0251  
**Fax** (707) 865 2542  
**Email** [denis.l.brown@shell.com](mailto:denis.l.brown@shell.com)

Re: Shell-branded Service Station  
540 Hegenberger Road  
Oakland, California  
SAP Code 135694  
Incident No. 98995752  
ACHCSA Case No. 0223

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is written over a horizontal line.

Denis L. Brown  
Project Manager



**CONESTOGA-ROVERS  
& ASSOCIATES**

5900 Hollis Street, Suite A, Emeryville, California 94608  
Telephone: 510-420-0700 Facsimile: 510-420-9170  
www.CRAworld.com

August 22, 2008

Mr. Jerry Wickham  
Hazardous Materials Specialist  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577


Re: **Groundwater Monitoring Report – Second Quarter 2008**  
Shell-branded Service Station  
540 Hegenberger Road  
Oakland, California  
SAP Code 135694  
Incident No. 98995752  
Agency Case No. 0223


Dear Mr. Wickham:


Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

If you have any questions regarding the contents of this document, please call Peter Schaefer at (510) 420-3319.

Sincerely,  
**Conestoga-Rovers & Associates**

  
Peter Schaefer, CHG, CEG  
Project Manager



  
for: Ana Friel, PG  
Professional Geologist

cc: Mr. Denis Brown, Shell  
SF Data Room

Equal  
Employment  
Opportunity Employer



**CONESTOGA-ROVERS  
& ASSOCIATES**

Mr. Jerry Wickham  
August 22, 2008

## **GROUNDWATER MONITORING REPORT – SECOND QUARTER 2008**

<b>Site Address</b>	<u>540 Hegenberger Road, Oakland</u>
<b>Site Use</b>	<u>Shell-branded Service Station</u>
<b>Shell Project Manager</b>	<u>Denis Brown</u>
<b>Consultant and Contact Person</b>	<u>CRA, Peter Schaefer</u>
<b>Lead Agency and Contact</b>	<u>ACHCSA, Jerry Wickham</u>
<b>Agency Case No.</b>	<u>0223</u>
<b>Shell SAP Code</b>	<u>135694</u>
<b>Shell Incident No.</b>	<u>98995752</u>
<b>Date of Most Recent Agency Correspondence</b>	<u>January 11, 2007</u>

### **Current Quarter's Activities**

1. Blaine Tech Services, Inc. (Blaine) gauged and sampled wells according to the established monitoring program for this site.
2. CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). The Blaine report, presenting the analytical data, is included in Attachment A.

### **Current Quarter's Findings**

<b>Groundwater Flow Direction</b>	<u>Variable</u>
<b>Hydraulic Gradient</b>	<u>Variable</u>
<b>Depth to Water</b>	<u>4.01 to 7.34 feet below top of well casing</u>



**CONESTOGA-ROVERS  
& ASSOCIATES**

Mr. Jerry Wickham  
August 22, 2008

### **Proposed Activities for Next Quarter**


1. Blaine will gauge and sample wells during the third month of the quarter, according to the established monitoring program for this site, and CRA will prepare a report.

Figures:           1 - Vicinity Map  
                      2 - Groundwater Contour and Chemical Concentration Map

Attachment:      A - Blaine Tech Services, Inc. - Groundwater Monitoring Report


Conestoga-Rovers & Associates (CRA) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

IC:\Documents and Settings\bcarter\Desktop\2q08qm.doc



SONOMA.SHELL\OAKLAND 540 HEGENBERGER\FIGURES\VICINITY.A1

FIGURE 1




**Shell-branded Service Station**  
 540 Hegenberger Road  
 Oakland, California



**CONESTOGA-ROVERS & ASSOCIATES**

**Vicinity Map**



### EXPLANATION

- MW-2 ● Monitoring well location (Shell)
- BW-A ▲ Tank backfill well location (Shell)
- MW-1 ⊕ Groundwater extraction well location (Shell)
- MW-1 ■ Monitoring well location (ARCO)
- RW-1 ⊕ Recovery well location (ARCO)
- MW-2 ⊗ Destroyed well location (ARCO)
- Sanitary sewer main (SS)
- Water line (W)
- - - Telephone line (T)
- - - Storm drain (SD)
- ▶ Flow direction
- FH ◊ Fire hydrant
- FL = 5.0' Flowline elevation (msl)
- INF • GWE sample location
- XX.XX Groundwater elevation contour, in feet above msl, dashed where inferred.

Well	ELEV	Benzene	MTBE
MW-3	3.33	NDa	NDa
BW-D	4.60	ND	1.1
BW-C	4.00	ND	1.1
BW-A	3.25	ND	1.1
MW-2	2.19	ND	1.5
MW-5	2.58	ND	1.7
MW-1	2.47	NDa	180
MW-4	2.54	ND	18

**Notes:**  
 ND = Not detected  
 NDa = Elevated reporting limit, see laboratory report for details




FIGURE  
**2**

Groundwater Contour and  
Chemical Concentration Map

June 23, 2008



CONESTOGA-ROVERS  
& ASSOCIATES

Shell-branded Service Station  
540 Hegenberger Road  
Oakland, California

J:\SHELL\OAKLAND 540 HEGENBERGER\FIGURES\20M08.DWG

**Attachment A**

**Blaine Tech Services, Inc.  
Groundwater Monitoring Report**

---

**BLAINE**  
**TECH SERVICES** INC.

---

GROUNDWATER SAMPLING SPECIALISTS  
SINCE 1985

July 9, 2008

Denis Brown  
Shell Oil Products US  
20945 South Wilmington Avenue  
Carson, CA 90810

Second Quarter 2008 Groundwater Monitoring at  
Shell-branded Service Station  
540 Hegenberger Road  
Oakland, CA

Monitoring performed on June 23, 2008

---

**Groundwater Monitoring Report 080623-BD-2**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.



Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata  
Project Manager

MN/tm

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Anni Kreml  
Conestoga-Rovers & Associates  
5900 Hollis Street, Suite A  
Emeryville, CA 94608

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1 (a)	08/26/1998	2,700	28	55	59	39	33,000	NA	NA	NA	NA	NA	NA	10.54	7.91	2.63	1.8
MW-1 (b)	08/26/1998	<1,000	22	<10	<10	<10	17,000	NA	NA	NA	NA	NA	NA	10.54	7.91	2.63	2.2
MW-1	12/28/1998	<5,000	<50.0	<50.0	<50.0	<50.0	153,000	33,000	NA	NA	NA	NA	NA	10.54	8.75	1.79	1.9
MW-1	03/29/1999	<2,000	<20.0	<20.0	<20.0	<20.0	693,000	NA	NA	NA	NA	NA	NA	10.54	8.32	2.22	2.0
MW-1	06/22/1999	20,000	<200	<200	<200	<200	150,000	NA	NA	NA	NA	NA	NA	10.54	9.05	1.49	1.7
MW-1	09/30/1999	<2,500	<25.0	<25.0	<25.0	<25.0	30,900	NA	NA	NA	NA	NA	NA	10.54	8.35	2.19	2.6
MW-1	11/19/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.54	9.58	0.96	NA
MW-1	11/24/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.54	9.65	0.89	NA
MW-1	12/02/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.54	9.55	0.99	NA
MW-1	12/10/1999	<50.0	29.7	<20.0	<20.0	<20.0	76,300	NA	NA	NA	NA	NA	NA	10.54	8.86	1.68	1.2
MW-1	03/02/2000	<2,500	<25.0	<25.0	<25.0	<25.0	27,600	NA	NA	NA	NA	NA	NA	10.54	8.83	1.71	3.2
MW-1	06/08/2000	<2,000	<20.0	<20.0	<20.0	<20.0	59,000	67,600	NA	NA	NA	NA	NA	10.54	7.78	2.76	1.9
MW-1	09/05/2000	<10,000	411	<100	<100	<100	71,100	115,000 e	NA	NA	NA	NA	NA	10.54	7.84	2.70	NA
MW-1	12/15/2000	35,600	1,310	<50.0	<50.0	<50.0	136,000	f	NA	NA	NA	NA	NA	10.54	7.65	2.89	NA
MW-1	03/09/2001	<10,000	1,390	<100	<100	<100	89,600	164,000	NA	NA	NA	NA	NA	10.54	6.44	4.10	NA
MW-1	06/27/2001	<5,000	<50	<50	<50	<50	NA	19,000	NA	NA	NA	NA	NA	10.54	8.46	2.08	NA
MW-1	09/19/2001	<5,000	<50	<50	<50	<50	NA	52,000	NA	NA	NA	NA	NA	10.54	8.10	2.44	NA
MW-1	12/31/2001	<5,000	<25	<25	<25	<25	NA	17,000	NA	NA	NA	NA	NA	10.54	7.31	3.23	NA
MW-1	03/14/2002	<20,000	<200	<200	<200	<200	NA	60,000	NA	NA	NA	NA	NA	10.54	7.68	2.86	NA
MW-1	06/25/2002	<5,000	<50	<50	<50	<50	NA	34,000	NA	NA	NA	NA	NA	10.54	8.40	2.14	NA
MW-1	09/19/2002	<2,500	<25	<25	<25	<25	NA	18,000	NA	NA	NA	NA	NA	10.52	8.58	1.94	NA
MW-1	12/12/2002	<5,000	<50	<50	<50	<50	NA	30,000	NA	NA	NA	NA	NA	10.52	8.41	2.11	NA
MW-1	01/02/2003	NA	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	NA	10.52	7.45	3.07	NA
MW-1	03/20/2003 g	3,800	<25	<25	<25	<25	5,500	NA	NA	NA	NA	NA	NA	10.52	8.21	2.31	NA
MW-1	06/23/2003	<10,000	<100	<100	<100	<200	NA	35,000	NA	NA	NA	NA	NA	10.52	9.02	1.50	NA
MW-1	09/22/2003	<5,000	<50	<50	<50	<100	NA	15,000	NA	NA	NA	NA	NA	10.52	15.74	-5.22	NA
MW-1	12/03/2003	<1,300	<13	<13	<13	<25	NA	3,600	NA	NA	NA	NA	NA	10.52	18.35 h	NA	NA
MW-1	03/18/2004	<250	<2.5	<2.5	<2.5	<5.0	NA	570	NA	NA	NA	NA	NA	10.52	7.32	3.20	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

MW-1	05/25/2004	<250	<2.5	<2.5	<2.5	<5.0	NA	250	NA	NA	NA	NA	NA	10.52	6.80	3.72	NA
MW-1	09/22/2004	<2,000	<20	<20	<20	<40	NA	170	<80	<80	<80	20000	<2,000	10.52	6.55	3.97	NA
MW-1	12/22/2004	<500	<5.0	<5.0	<5.0	<10	NA	57	NA	NA	NA	NA	NA	10.52	6.44	4.08	NA
MW-1	02/23/2005	<2,000	<20	<20	<20	<40	NA	110	NA	NA	NA	NA	NA	10.52	5.79	4.73	NA
MW-1	06/27/2005	<250	<2.5	<2.5	<2.5	<5.0	NA	16	NA	NA	NA	NA	NA	10.52	6.43	4.09	NA
MW-1	08/31/2005	<250	<2.5	<2.5	<2.5	<5.0	NA	32	<10	<10	<10	4000	<250	9.27	6.38	2.89	NA
MW-1	12/14/2005	<50.0	<0.500	2.03	<0.500	<0.500	NA	30.4	NA	NA	NA	NA	NA	9.27	6.46	2.81	NA
MW-1	03/08/2006	417	1.87	<0.500	<0.500	0.830	NA	17.8	NA	NA	NA	3380	NA	9.27	6.21	3.06	NA
MW-1	06/14/2006	728	282	1.61	4.16	9.82	NA	109	NA	NA	NA	2950	NA	9.27	6.86	2.41	NA
MW-1	09/27/2006	817	<0.500	<0.500	<0.500	<0.500	NA	122	<0.500	<0.500	<0.500	1420	<50.0	9.27	7.70	1.57	NA
MW-1	11/30/2006	150	<0.50	<0.50	<0.50	<1.0	NA	54	NA	NA	NA	3200	NA	9.27	7.59	1.68	NA
MW-1	03/06/2007	150 k	<0.50 k	<1.0 k	<0.50 k	<1.0 k	NA	40 k	NA	NA	NA	3,600 k	NA	9.27	6.38	2.89	NA
MW-1	06/11/2007	340	<5.0	<10	<10	<10	NA	23	NA	NA	NA	14000	NA	9.27	7.88	1.39	NA
MW-1	09/26/2007	190 m,n	<2.5	<5.0	<5.0	<5.0	NA	490	<10	<10	<10	460	<500	9.27	7.03	2.24	NA
MW-1	12/28/2007	<50 m	<0.50	<1.0	<1.0	<1.0	NA	120	NA	NA	NA	710	NA	9.27	7.40	1.87	NA
MW-1	03/31/2008	360	<0.50	<1.0	<1.0	<1.0	NA	350	NA	NA	NA	890	NA	9.27	7.41	1.86	NA
<b>MW-1</b>	<b>06/23/2008</b>	<b>280</b>	<b>&lt;2.5</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>NA</b>	<b>180</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>620</b>	<b>NA</b>	<b>9.27</b>	<b>6.80</b>	<b>2.47</b>	<b>NA</b>

MW-2 (a)	08/26/1998	<250	3.2	<2.5	<2.5	<2.5	4,000	NA	NA	NA	NA	NA	NA	9.21	7.18	2.03	2.4
MW-2 (b)	08/26/1998	<250	3.1	<2.5	<2.5	<2.5	4,800	NA	NA	NA	NA	NA	NA	9.21	7.18	2.03	2.7
MW-2 (D)(b)	08/26/1998	<250	4.8	<2.5	<2.5	6.0	3,300	NA	NA	NA	NA	NA	NA	9.21	7.18	2.03	2.7
MW-2	12/28/1998	<50.0	<0.500	<0.500	<0.500	<0.500	28.8	NA	NA	NA	NA	NA	NA	9.21	7.34	1.87	2.1
MW-2	03/29/1999	235	<0.500	<0.500	<0.500	3.4	101	NA	NA	NA	NA	NA	NA	9.21	6.85	2.36	2.0
MW-2	06/22/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	9.21	7.10	2.11	1.9
MW-2	09/30/1999	<50.0	<0.500	<0.500	<0.500	<0.500	1,700	NA	NA	NA	NA	NA	NA	9.21	8.06	1.15	1.0
MW-2	12/10/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	9.21	8.61	0.60	1.4
MW-2	03/02/2000	<500	11.5	<5.00	<5.00	<5.00	5,280	NA	NA	NA	NA	NA	NA	9.21	6.33	2.88	0.4
MW-2	06/08/2000	<50.0	0.670	<0.500	<0.500	<0.500	3,160	NA	NA	NA	NA	NA	NA	9.21	6.87	2.34	1.6

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	09/05/2000	<1,000	<10.0	<10.0	<10.0	<10.0	9,600	NA	NA	NA	NA	NA	NA	9.21	6.79	2.42	NA
MW-2	12/15/2000	<200	<2.00	<2.00	<2.00	<2.00	6,320	NA	NA	NA	NA	NA	NA	9.21	6.76	2.45	NA
MW-2	03/09/2001	<500	<5.00	<5.00	<5.00	<5.00	17,200	NA	NA	NA	NA	NA	NA	9.21	6.28	2.93	NA
MW-2	06/27/2001	<100	1.4	<1.0	<1.0	<2.0	NA	470	NA	NA	NA	NA	NA	9.21	7.12	2.09	NA
MW-2	09/19/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	330	NA	NA	NA	NA	NA	9.21	7.17	2.04	NA
MW-2	12/31/2001	<100	<1.0	<1.0	<1.0	<1.0	NA	420	NA	NA	NA	NA	NA	9.21	6.24	2.97	NA
MW-2	03/14/2002	<250	4.5	3.3	<2.5	<2.5	NA	1,600	NA	NA	NA	NA	NA	9.21	6.72	2.49	NA
MW-2	06/25/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	110	NA	NA	NA	NA	NA	9.21	7.23	1.98	NA
MW-2	09/19/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	90	NA	NA	NA	NA	NA	9.19	7.48	1.71	NA
MW-2	12/12/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	170	NA	NA	NA	NA	NA	9.19	7.33	1.86	NA
MW-2	03/20/2003 g	56	<0.50	<0.50	<0.50	<0.50	58	NA	NA	NA	NA	NA	NA	9.19	7.65	1.54	NA
MW-2	06/23/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	44	NA	NA	NA	NA	NA	9.19	8.72	0.47	NA
MW-2	09/22/2003	<250	<2.5	<2.5	<2.5	<5.0	NA	37	NA	NA	NA	NA	NA	9.19	8.84	0.35	NA
MW-2	12/03/2003	<250	<2.5	<2.5	<2.5	<5.0	NA	99	NA	NA	NA	NA	NA	9.19	8.95	0.24	NA
MW-2	03/18/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	24	NA	NA	NA	NA	NA	9.19	7.19	2.00	NA
MW-2	05/25/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	53	NA	NA	NA	NA	NA	9.19	8.40	0.79	NA
MW-2	09/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	24	<2.0	<2.0	<2.0	100	<50	9.19	7.08	2.11	NA
MW-2	12/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	39	NA	NA	NA	NA	NA	9.19	7.09	2.10	NA
MW-2	02/23/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	38	NA	NA	NA	NA	NA	9.19	6.50	2.69	NA
MW-2	06/27/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	28	NA	NA	NA	NA	NA	9.19	7.17	2.02	NA
MW-2	08/31/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	5.5	<2.0	<2.0	<2.0	19	<50	9.19	7.21	1.98	NA
MW-2	12/14/2005	<50.0	<0.500	2.16	<0.500	<0.500	NA	5.33	NA	NA	NA	NA	NA	9.19	7.13	2.06	NA
MW-2	03/08/2006	<50.0	<0.500	<0.500	<0.500	0.560	NA	18.8	NA	NA	NA	<10.0	NA	9.19	6.02	3.17	NA
MW-2	06/14/2006	<50.0	<0.500	0.680	<0.500	<0.500	NA	2.17	NA	NA	NA	<10.0	NA	9.19	7.19	2.00	NA
MW-2	09/27/2006	276	<0.500	<0.500	<0.500	<0.500	NA	5.29	<0.500	<0.500	<0.500	30	<50.0	9.19	7.45	1.74	NA
MW-2	11/30/2006	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	<5.0	NA	9.19	7.30	1.89	NA
MW-2	03/06/2007	<50 k	<0.50 k	<1.0 k	<0.50 k	<1.0 k	NA	0.87 k	NA	NA	NA	<5.0 k	NA	9.19	6.70	2.49	NA
MW-2	06/11/2007	<50	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	<10	NA	9.19	7.14	2.05	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	09/26/2007	<50 m	<0.50	<1.0	<1.0	<1.0	NA	2.1	<2.0	<2.0	<2.0	<10	<100	9.19	7.34	1.85	NA
MW-2	12/28/2007	<50 m	<0.50	<1.0	<1.0	<1.0	NA	0.57 l	NA	NA	NA	<10	NA	9.19	6.79	2.40	NA
MW-2	03/31/2008	<50	<0.50	<1.0	<1.0	<1.0	NA	1.4	NA	NA	NA	<10	NA	9.19	7.09	2.10	NA
<b>MW-2</b>	<b>06/23/2008</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>1.5</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>&lt;10</b>	<b>NA</b>	<b>9.19</b>	<b>7.00</b>	<b>2.19</b>	<b>NA</b>
MW-3 (a)	08/26/1998	2,300	180	330	<0.50	420	44,000	NA	NA	NA	NA	NA	NA	9.45	6.52	2.93	1.8
MW-3 (b)	08/26/1998	<50	<0.50	<0.50	<0.50	<0.50	52,000	75,000	NA	NA	NA	NA	NA	9.45	6.52	2.93	2.3
MW-3	12/28/1998	<5,00	139	<50.0	<50.0	<50.0	15,100	NA	NA	NA	NA	NA	NA	9.45	6.73	2.72	1.7
MW-3	03/29/1999	52,500	5,500	6,900	1,360	6,250	508,000	630,000 c	NA	NA	NA	NA	NA	9.45	6.21	3.24	2.1
MW-3	06/22/1999	58,000	6,600	9,850	1,640	6,950	677,000	653,000	NA	NA	NA	NA	NA	9.45	7.00	2.45	1.3
MW-3	09/30/1999	4,360	121	122	36.1	647	33,700	35,600	NA	NA	NA	NA	NA	9.45	6.84	2.61	0.6
MW-3	11/19/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.45	7.93	1.52	NA
MW-3	11/24/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.45	8.25	1.20	NA
MW-3	12/02/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.45	7.55	1.90	NA
MW-3	12/10/1999	4,220	973	26.3	273	584	88,200	NA	NA	NA	NA	NA	NA	9.45	7.28	2.17	2.5
MW-3	03/02/2000	65,300	5,210	10,300	2,650	15,100	56,800	59,800 e	NA	NA	NA	NA	NA	9.45	5.87	3.58	d
MW-3	06/08/2000	72,700	3,570	10,200	2,100	13,400	44,400	NA	NA	NA	NA	NA	NA	9.45	5.32	4.13	1.1
MW-3	09/05/2000	26,100	959	2,910	1,090	5,640	24,000	NA	NA	NA	NA	NA	NA	9.45	5.60	3.85	NA
MW-3	12/15/2000	5,190	438	8.39	483	530	19,100	11,800 f	NA	NA	NA	NA	NA	9.45	6.27	3.18	NA
MW-3	03/09/2001	5,880	472	42.2	392	1,290	41,800	NA	NA	NA	NA	NA	NA	9.45	5.71	3.74	NA
MW-3	06/27/2001	9,100	330	79	140	1,600	NA	31,000	NA	NA	NA	NA	NA	9.45	6.88	2.57	NA
MW-3	09/19/2001	790	14	18	17	67	NA	8,100	NA	NA	NA	NA	NA	9.45	6.70	2.75	NA
MW-3	12/31/2001	<5,000	220	<50	86	<50	NA	22,000	NA	NA	NA	NA	NA	9.45	5.92	3.53	NA
MW-3	03/14/2002	<2,500	<25	<25	<25	<25	NA	12,000	NA	NA	NA	NA	NA	9.45	6.25	3.20	NA
MW-3	06/25/2002	<10,000	160	<100	<100	<100	NA	42,000	NA	NA	NA	NA	NA	9.45	6.65	2.80	NA
MW-3	09/19/2002	<10,000	650	<100	280	360	NA	84,000	NA	NA	NA	NA	NA	9.45	6.51	2.94	NA
MW-3	12/12/2002	<10,000	170	<100	<100	<100	NA	45,000	NA	NA	NA	NA	NA	9.45	6.97	2.48	NA
MW-3	01/02/2003	NA	59	<5.0	5.3	<10	NA	NA	NA	NA	NA	NA	NA	9.45	5.90	3.55	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	03/20/2003 g	5,100	<50	<50	<50	<50	4,400	NA	NA	NA	NA	NA	NA	9.45	6.87	2.58	NA
MW-3	06/23/2003	<5,000	<50	<50	<50	<100	NA	8,100	NA	NA	NA	NA	NA	9.45	13.80	-4.35	NA
MW-3	09/22/2003	<250	<2.5	4.6	<2.5	<5.0	NA	470	NA	NA	NA	NA	NA	9.45	6.31	3.14	NA
MW-3	12/03/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	180	NA	NA	NA	NA	NA	9.45	14.77 h	NA	NA
MW-3	03/18/2004	<1,000	14	<10	<10	<20	NA	2,500	NA	NA	NA	NA	NA	9.45	6.07	3.38	NA
MW-3	05/25/2004	3,900	<10	66	23	470	NA	140	NA	NA	NA	NA	NA	9.45	14.63	-5.18	NA
MW-3	09/22/2004	<10,000	830	<100	290	450	NA	28,000	<400	<400	<400	13000	<10,000	9.45	4.86	4.59	NA
MW-3	12/22/2004	94	<0.50	<0.50	<0.50	<1.0	NA	84	NA	NA	NA	NA	NA	9.45	6.93	2.52	NA
MW-3	02/23/2005	<50 i	<0.50	<0.50	<0.50	<1.0	NA	85	NA	NA	NA	NA	NA	9.45	5.68	3.77	NA
MW-3	06/27/2005	<2,500	96	<25	29	<50	NA	6,100	NA	NA	NA	NA	NA	9.45	4.80	4.65	NA
MW-3	08/31/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	300	<2.0	<2.0	<2.0	700	<50	8.33	5.07	3.26	NA
MW-3	12/14/2005	647	6.16	2.37	1.88	<0.500	NA	303 j	NA	NA	NA	NA	NA	8.33	5.65	2.68	NA
MW-3	03/08/2006	901	20.8	<0.500	5.55	0.980	NA	313	NA	NA	NA	1660	NA	8.33	5.57	2.76	NA
MW-3	06/14/2006	1,240	61.0	<0.500	11.0	0.730	NA	680	NA	NA	NA	5660	NA	8.33	5.68	2.65	NA
MW-3	09/27/2006	555	1.70	<0.500	<0.500	<0.500	NA	24.5	<0.500	<0.500	<0.500	1370	<50.0	8.33	6.11	2.22	NA
MW-3	11/30/2006	990	32	<2.5	8.2	<5.0	NA	590	NA	NA	NA	13000	NA	8.33	6.09	2.24	NA
MW-3	03/06/2007	2,900 k	57 k	<10 k	16 k	<10 k	NA	1,700 k	NA	NA	NA	46000	NA	8.33	4.20	4.13	NA
MW-3	06/11/2007	1,900	110	<50	28 l	<50	NA	1,100	NA	NA	NA	42000	NA	8.33	5.19	3.14	NA
MW-3	09/26/2007	<50 m	2.0	<1.0	0.38 l	<1.0	NA	11	<2.0	<2.0	<2.0	920	<100	8.33	5.54	2.79	NA
MW-3	12/28/2007	84 m	15	<1.0	0.52 l	<1.0	NA	91	NA	NA	NA	4400	NA	8.33	4.68	3.65	NA
MW-3	03/31/2008	140	3.9	<1.0	<1.0	<1.0	NA	14	NA	NA	NA	1600	NA	8.33	5.06	3.27	NA
<b>MW-3</b>	<b>06/23/2008</b>	<b>180</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>NA</b>	<b>&lt;2.0</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>4500</b>	<b>NA</b>	<b>8.33</b>	<b>5.00</b>	<b>3.33</b>	<b>NA</b>

MW-4	09/25/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.88	7.64	2.24	NA
MW-4	12/15/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	9.88	7.55	2.33	NA
MW-4	03/09/2001	<50.0	<0.500	0.730	<0.500	0.529	3.16	NA	NA	NA	NA	NA	NA	9.88	7.04	2.84	NA
MW-4	06/27/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	9.88	7.76	2.12	NA
MW-4	09/19/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	9.88	7.69	2.19	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	12/31/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	9.88	7.08	2.80	NA
MW-4	03/14/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	9.88	7.57	2.31	NA
MW-4	06/25/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	9.88	8.50	1.38	NA
MW-4	09/19/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	9.88	8.22	1.66	NA
MW-4	12/12/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	9.88	8.08	1.80	NA
MW-4	03/20/2003 g	<50	<0.50	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	NA	NA	NA	9.88	7.92	1.96	NA
MW-4	06/23/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	NA	9.88	8.18	1.70	NA
MW-4	09/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	16	NA	NA	NA	NA	NA	9.88	8.28	1.60	NA
MW-4	12/03/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	15	NA	NA	NA	NA	NA	9.88	8.44	1.44	NA
MW-4	03/18/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	15	NA	NA	NA	NA	NA	9.88	7.52	2.36	NA
MW-4	05/25/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	20	NA	NA	NA	NA	NA	9.88	8.30	1.58	NA
MW-4	09/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	20	<2.0	<2.0	<2.0	<5.0	<50	9.88	7.72	2.16	NA
MW-4	12/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	20	NA	NA	NA	NA	NA	9.88	7.32	2.56	NA
MW-4	02/23/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	18	NA	NA	NA	NA	NA	9.88	6.95	2.93	NA
MW-4	06/27/2005	55	<0.50	<0.50	<0.50	<1.0	NA	14	NA	NA	NA	NA	NA	9.88	7.48	2.40	NA
MW-4	08/31/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	15	<2.0	<2.0	<2.0	11	<50	9.88	7.53	2.35	NA
MW-4	12/14/2005	<50.0	<0.500	2.04	<0.500	<0.500	NA	10.1	NA	NA	NA	NA	NA	9.88	7.54	2.34	NA
MW-4	03/08/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	5.73	NA	NA	NA	NA	NA	9.88	6.19	3.69	NA
MW-4	06/14/2006	<50.0	<0.500	0.590	<0.500	<0.500	NA	14.0	NA	NA	NA	NA	NA	9.88	7.63	2.25	NA
MW-4	09/27/2006	426	<0.500	<0.500	<0.500	<0.500	NA	16.5	<0.500	<0.500	<0.500	<10.0	<50.0	9.88	7.87	2.01	NA
MW-4	11/30/2006	<50	<0.50	<0.50	<0.50	<1.0	NA	16	NA	NA	NA	NA	NA	9.88	7.81	2.07	NA
MW-4	03/06/2007	<50 k	<0.50 k	<1.0 k	<0.50 k	<1.0 k	NA	17 k	NA	NA	NA	NA	NA	9.88	7.10	2.78	NA
MW-4	06/11/2007	<50	<0.50	<1.0	<1.0	<1.0	NA	22	NA	NA	NA	NA	NA	9.88	7.68	2.20	NA
MW-4	09/26/2007	<50 m	<0.50	<1.0	<1.0	<1.0	NA	17	<2.0	<2.0	<2.0	<10	<100	9.88	7.80	2.08	NA
MW-4	12/28/2007	59 m	<0.50	<1.0	<1.0	<1.0	NA	20	NA	NA	NA	NA	NA	9.88	7.19	2.69	NA
MW-4	03/31/2008	<50	<0.50	<1.0	<1.0	<1.0	NA	15	NA	NA	NA	NA	NA	9.88	6.46	3.42	NA
MW-4	06/23/2008	<50	<0.50	<1.0	<1.0	<1.0	NA	18	NA	NA	NA	NA	NA	9.88	7.34	2.54	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	06/18/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.36	NA	NA
MW-5	06/25/2002	<10,000	<100	<100	<100	<100	NA	60,000	NA	NA	NA	NA	NA	NA	8.30	NA	NA
MW-5	09/19/2002	<2,000	<20	<20	<20	<20	NA	7,200	NA	NA	NA	NA	NA	10.03	8.44	1.59	NA
MW-5	12/12/2002	<5,000	<50	<50	<50	<50	NA	33,000	NA	NA	NA	NA	NA	10.03	8.49	1.54	NA
MW-5	03/20/2003 g	12,000	<50	<50	<50	<50	15,000	NA	NA	NA	NA	NA	NA	10.03	8.23	1.80	NA
MW-5	06/23/2003	<1,000	<10	<10	<10	<20	NA	1,700	NA	NA	NA	NA	NA	10.03	16.70	-6.67	NA
MW-5	09/22/2003	<2,500	<25	<25	<25	<50	NA	4,400	NA	NA	NA	NA	NA	10.03	16.70	-6.67	NA
MW-5	12/03/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	70	NA	NA	NA	NA	NA	10.03	16.79	-6.76	NA
MW-5	03/18/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	43	NA	NA	NA	NA	NA	10.03	16.78	-6.75	NA
MW-5	05/25/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	30	NA	NA	NA	NA	NA	10.03	13.02	-2.99	NA
MW-5	09/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	20	<2.0	<2.0	<2.0	83	<50	10.03	5.91	4.12	NA
MW-5	12/22/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	67	NA	NA	NA	NA	NA	10.03	5.72	4.31	NA
MW-5	02/23/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	120	NA	NA	NA	NA	NA	10.03	4.41	5.62	NA
MW-5	06/27/2005	56	<0.50	<0.50	<0.50	<1.0	NA	46	NA	NA	NA	NA	NA	10.03	5.98	4.05	NA
MW-5	08/31/2005	<1,000	<10	<10	<10	<20	NA	69	<40	<40	<40	2400	<1,000	9.03	6.60	2.43	NA
MW-5	12/14/2005	302	<0.500	2.02	<0.500	<0.500	NA	34.0	NA	NA	NA	NA	NA	9.03	5.00	4.03	NA
MW-5	03/08/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	34.6	NA	NA	NA	677	NA	9.03	4.18	4.85	NA
MW-5	06/14/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	30.4	NA	NA	NA	4380	NA	9.03	6.10	2.93	NA
MW-5	09/27/2006	528	<0.500	<0.500	<0.500	<0.500	NA	28.6	<0.500	<0.500	<0.500	384	<50.0	9.03	6.94	2.09	NA
MW-5	11/30/2006	<50	<0.50	<0.50	<0.50	<1.0	NA	7.3	NA	NA	NA	380	NA	9.03	6.70	2.33	NA
MW-5	03/06/2007	76 k	<0.50 k	<1.0 k	<0.50 k	<1.0 k	NA	20 k	NA	NA	NA	1,200 k	NA	9.03	4.65	4.38	NA
MW-5	06/11/2007	<50	0.35 l	0.30 l	0.47 l	3.79 l	NA	21	NA	NA	NA	38	NA	9.03	6.28	2.75	NA
MW-5	09/26/2007	<50 m	<0.50	<1.0	<1.0	<1.0	NA	27	<2.0	<2.0	<2.0	2400	<100	9.03	7.71	1.32	NA
MW-5	12/28/2007	<50 m	<0.50	<1.0	<1.0	<1.0	NA	6.5	NA	NA	NA	190	NA	9.03	5.86	3.17	NA
MW-5	03/31/2008	60	<0.50	<1.0	<1.0	<1.0	NA	15	NA	NA	NA	910	NA	9.03	6.29	2.74	NA
<b>MW-5</b>	<b>06/23/2008</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>1.7</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>200</b>	<b>NA</b>	<b>9.03</b>	<b>6.45</b>	<b>2.58</b>	<b>NA</b>
C-1	09/19/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	1.44	NA	NA



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

C-1	03/29/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	2.59	NA	NA
C-1	06/25/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	3.72	NA	NA
C-1	09/19/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	3.08	NA	NA
C-1	12/12/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	0.64	NA	NA
C-1	03/20/2003 g	<50	<0.50	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	NA	NA	NA	NA	4.61	NA	NA

SD-1	09/19/2001	Unable to sample		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-1	03/29/2002	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-1	06/25/2002	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-1	09/19/2002	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-1	12/12/2002	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-1	03/20/2003	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

SD-2	09/19/2001	Unable to sample		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-2	03/29/2002	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-2	06/25/2002	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-2	09/19/2002	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-2	12/12/2002	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SD-2	03/20/2003	Dry	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

BW-A	06/22/1999	318	<0.50	<0.50	0.590	1.48	4,470	NA	NA	NA	NA	NA	NA	NA	4.71	NA	1.1
BW-A	06/25/2002	<500	<5.0	<5.0	<5.0	18	NA	3,100	NA	NA	NA	NA	NA	NA	5.14	NA	NA
BW-A	09/19/2002	<200	<2.0	<2.0	<2.0	<2.0	NA	<20	NA	NA	NA	NA	NA	NA	7.19	NA	NA
BW-A	12/12/2002	<500	<5.0	<5.0	<5.0	<5.0	NA	2,900	NA	NA	NA	NA	NA	NA	6.40	NA	NA
BW-A	03/20/2003 g	<2,500	<25	<25	<25	<25	<250	NA	NA	NA	NA	NA	NA	NA	5.36	NA	NA
BW-A	06/23/2003	<1,000	<10	<10	<10	<20	NA	<100	NA	NA	NA	NA	NA	NA	10.27	NA	NA
BW-A	09/22/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.63	NA	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
BW-B	06/22/1999	<250	<2.5	<2.5	<2.5	<2.5	8,600	NA	NA	NA	NA	NA	NA	NA	5.90	NA	1.2
BW-B	06/27/2001	<5,000	<50	<50	<50	<50	NA	40,000	NA	NA	NA	NA	NA	NA	5.83	NA	NA
BW-B	12/31/2001	<2,000	<20	<20	<20	<20	NA	9,200	NA	NA	NA	NA	NA	NA	4.19	NA	NA
BW-B	03/14/2002	<2,000	<20	<20	<20	<20	NA	9,400	NA	NA	NA	NA	NA	NA	5.24	NA	NA
BW-B	06/25/2002	<2,000	<20	<20	<20	<20	NA	6,600	NA	NA	NA	NA	NA	NA	6.19	NA	NA
BW-B	09/19/2002	<500	<5.0	<5.0	<5.0	<5.0	NA	<50	NA	NA	NA	NA	NA	NA	8.46	NA	NA
BW-B	12/12/2002	<500	<5.0	<5.0	<5.0	<5.0	NA	1,700	NA	NA	NA	NA	NA	NA	7.46	NA	NA
BW-B	03/20/2003 g	170	<1.0	<1.0	<1.0	<1.0	190	NA	NA	NA	NA	NA	NA	NA	6.23	NA	NA
BW-B	06/23/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	43	NA	NA	NA	NA	NA	NA	9.95	NA	NA
BW-B	09/22/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.32	NA	NA	NA
BW-C	06/22/1999	<50	<0.50	<0.50	<0.50	0.98	11,000	NA	NA	NA	NA	NA	NA	NA	5.91	NA	1.6
BW-C	06/25/2002	<5,000	<50	<50	<50	<50	NA	20,000	NA	NA	NA	NA	NA	NA	6.49	NA	NA
BW-C	09/19/2002	<1,000	<10	<10	<10	<10	NA	400	NA	NA	NA	NA	NA	NA	8.52	NA	NA
BW-C	12/12/2002	<2,000	<20	<20	<20	<20	NA	8,000	NA	NA	NA	NA	NA	NA	7.57	NA	NA
BW-C	03/20/2003 g	270	<1.0	<1.0	<1.0	<1.0	250	NA	NA	NA	NA	NA	NA	NA	6.48	NA	NA
BW-C	06/23/2003	<1,000	<10	<10	<10	<20	NA	170	NA	NA	NA	NA	NA	NA	11.48	NA	NA
BW-C	09/22/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.81	NA	NA	NA
BW-D	06/22/1999	<50.0	<0.500	<0.500	<0.500	<0.500	2,190	NA	NA	NA	NA	NA	NA	NA	4.78	NA	1.4
BW-D	06/25/2002	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BW-D	07/02/2002	<1,000	23	<10	<10	<10	NA	<100	NA	NA	NA	NA	NA	NA	6.36	NA	NA
BW-D	09/19/2002	<250	<2.5	<2.5	<2.5	<2.5	NA	<25	NA	NA	NA	NA	NA	NA	7.25	NA	NA
BW-D	12/12/2002	<5,000	<50	<50	<50	<50	NA	16,000	NA	NA	NA	NA	NA	NA	6.21	NA	NA
BW-D	03/20/2003 g	71	<0.50	<0.50	<0.50	<0.50	55	NA	NA	NA	NA	NA	NA	NA	5.23	NA	NA
BW-D	06/23/2003	<1,000	<10	<10	<10	<20	NA	<100	NA	NA	NA	NA	NA	NA	10.25	NA	NA
BW-D	09/22/2003	<100	<1.0	<1.0	<1.0	<2.0	NA	120	NA	NA	NA	NA	NA	NA	10.18	NA	NA
BW-D	12/03/2003	<1,300	110	<13	<13	29	NA	560	NA	NA	NA	NA	NA	NA	10.20	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
BW-D	03/18/2004	<50	0.67	<0.50	<0.50	<1.0	NA	12	NA	NA	NA	NA	NA	NA	3.42	NA	NA
BW-D	05/25/2004	<50	1.4	0.96	<0.50	<1.0	NA	1.7	NA	NA	NA	NA	NA	NA	8.83	NA	NA
BW-D	09/22/2004	<100	6.9	<1.0	2.1	4.2	NA	210	NA	NA	NA	NA	NA	NA	2.75	NA	NA
BW-D	12/22/2004	61	2.1	2.9	<0.50	3.6	NA	5.4	NA	NA	NA	NA	NA	NA	3.67	NA	NA
BW-D	02/23/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	1.2	NA	NA	NA	NA	NA	NA	2.88	NA	NA
BW-D	06/27/2005	53	<0.50	<0.50	<0.50	<1.0	NA	1.8	NA	NA	NA	NA	NA	NA	3.70	NA	NA
BW-D	08/31/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	1.4	NA	NA	NA	NA	NA	8.61	3.82	4.79	NA
BW-D	12/14/2005	<50.0	<0.500	2.78	<0.500	<0.500	NA	2.26	NA	NA	NA	NA	NA	8.61	3.59	5.02	NA
BW-D	03/08/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	2.23	NA	NA	NA	NA	NA	8.61	3.61	5.00	NA
BW-D	06/14/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	18.1	NA	NA	NA	NA	NA	8.61	3.86	4.75	NA
BW-D	09/27/2006	410	<0.500	<0.500	<0.500	<0.500	NA	2.90	<0.500	<0.500	<0.500	78	<50.0	8.61	4.32	4.29	NA
BW-D	11/30/2006	<50	<0.50	<0.50	<0.50	<1.0	NA	1.3	NA	NA	NA	NA	NA	8.61	4.00	4.61	NA
BW-D	03/06/2007	<50 k	<0.50 k	<1.0 k	<0.50 k	<1.0 k	NA	1.4 k	NA	NA	NA	NA	NA	8.61	3.44	5.17	NA
BW-D	06/11/2007	<50	<0.50	<1.0	<1.0	<1.0	NA	0.95 l	NA	NA	NA	NA	NA	8.61	4.14	4.47	NA
BW-D	09/26/2007	<50 m	<0.50	<1.0	<1.0	<1.0	NA	1.1	NA	NA	NA	NA	NA	8.61	4.22	4.39	NA
BW-D	12/28/2007	<50 m	<0.50	<1.0	<1.0	<1.0	NA	1.4	NA	NA	NA	NA	NA	8.61	3.55	5.06	NA
BW-D	03/31/2008	<50	<0.50	<1.0	<1.0	<1.0	NA	2.3	NA	NA	NA	NA	NA	8.61	4.20	4.41	NA
<b>BW-D</b>	<b>06/23/2008</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>1.1</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>8.61</b>	<b>4.01</b>	<b>4.60</b>	<b>NA</b>

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to June 27, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to June 27, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

GW = Groundwater

DO = Dissolved Oxygen

ppm = Parts per million

ug/L = Parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample


NA = Not applicable

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**540 Hegenberger Road**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

Notes:

- a = Pre-purge
  - b = Post purge
  - c = Lab confirmed MTBE by mistake. MTBE value at MW-1 should have been confirmed instead.
  - d = DO reading not taken.
  - e = Sample was analyzed outside of the EPA recommended holding time.
  - f = The second highest MTBE hit was mistakenly confirmed. MTBE for MW-1 should have been confirmed.
  - g = On March 20, 2003, all analyses run by EPA Method 8015/8020.
  - h = Depth to top of pump; pump prevented depth to water measurement.
  - i = The concentration reported reflects individual or discrete unidentified peaks not matching a typical fuel pattern.
  - j = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
  - k = 1,1-Dichloroethene, a calibration check compound (CCC), was outside the 20%D method acceptance criteria in the CCV.
  - l = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
  - m = Analyzed by EPA Method 8015B (M).
  - n = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
- Ethanol analyzed by EPA Method 8260B.
- Site surveyed September 21, 2000 by Virgil Chavez Land Surveying of Vallejo, CA.
- C-1 is a canal sample location.
- SD-1 and SD-2 are storm drains.
- Wells MW-1 through MW-5 surveyed January 24 and June 19, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.
- Wells MW-1, MW-3, MW-5, and BW-D surveyed on September 22, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.
- Unmonitored backfilled wells BW-A, BW-B, and BW-C surveyed on September 22, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.



July 08, 2008

Michael Ninokata  
Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 08-06-2270**  
Client Reference: **540 Hegenberger Rd., Oakland, CA**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 6/25/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Jessie Kim".

Calscience Environmental  
Laboratories, Inc.  
Jessie Kim  
Project Manager

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 06/25/08  
Work Order No: 08-06-2270  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA 8260B  
Units: ug/L

Project: 540 Hegenberger Rd., Oakland, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-4	08-06-2270-4-A	06/23/08 13:50	Aqueous	GC/MS T	07/02/08	07/03/08 01:53	080702L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	18	1.0	1	
Toluene	ND	1.0	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	93	70-130			1,4-Bromofluorobenzene-TPPH	88	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
BW-D	08-06-2270-6-A	06/23/08 14:38	Aqueous	GC/MS T	07/02/08	07/03/08 05:09	080702L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	1.1	1.0	1	
Toluene	ND	1.0	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	92	70-130			1,4-Bromofluorobenzene-TPPH	88	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-715-570	N/A	Aqueous	GC/MS T	07/02/08	07/03/08 01:25	080702L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	94	70-130			1,4-Bromofluorobenzene-TPPH	89	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Blaine Tech Services, Inc.  
 1680 Rogers Avenue  
 San Jose, CA 95112-1105

Date Received: 06/25/08  
 Work Order No: 08-06-2270  
 Preparation: EPA 5030B  
 Method: LUFT GC/MS / EPA 8260B  
 Units: ug/L

Project: 540 Hegenberger Rd., Oakland, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-06-2270-1-A	06/23/08 15:21	Aqueous	GC/MS T	07/02/08	07/03/08 03:17	080702L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	280	250	5		p/m-Xylene	ND	5.0	5	
Benzene	ND	2.5	5		o-Xylene	ND	5.0	5	
Ethylbenzene	ND	5.0	5		Methyl-t-Butyl Ether (MTBE)	180	5.0	5	
Toluene	ND	5.0	5		Tert-Butyl Alcohol (TBA)	620	50	5	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	92	70-130			1,4-Bromofluorobenzene-TPPH	89	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-06-2270-2-A	06/23/08 14:21	Aqueous	GC/MS T	07/02/08	07/03/08 03:45	080702L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	1.5	1.0	1	
Toluene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	93	70-130			1,4-Bromofluorobenzene-TPPH	89	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	08-06-2270-3-A	06/23/08 14:41	Aqueous	GC/MS T	07/02/08	07/03/08 04:13	080702L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	180	100	2		p/m-Xylene	ND	2.0	2	
Benzene	ND	1.0	2		o-Xylene	ND	2.0	2	
Ethylbenzene	ND	2.0	2		Methyl-t-Butyl Ether (MTBE)	ND	2.0	2	
Toluene	ND	2.0	2		Tert-Butyl Alcohol (TBA)	4500	50	5	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	93	70-130			1,4-Bromofluorobenzene-TPPH	89	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	08-06-2270-5-A	06/23/08 15:41	Aqueous	GC/MS T	07/02/08	07/03/08 04:41	080702L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	1.7	1.0	1	
Toluene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	200	10	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	95	70-130			1,4-Bromofluorobenzene-TPPH	89	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



**Analytical Report**



Blaine Tech Services, Inc.  
 1680 Rogers Avenue  
 San Jose, CA 95112-1105

Date Received: 06/25/08  
 Work Order No: 08-06-2270  
 Preparation: EPA 5030B  
 Method: LUFT GC/MS / EPA 8260B  
 Units: ug/L

Project: 540 Hegenberger Rd., Oakland, CA

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-715-570	N/A	Aqueous	GC/MS T	07/02/08	07/03/08 01:25	080702L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	94	70-130			1,4-Bromofluorobenzene-TPPH	89	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-715-571	N/A	Aqueous	GC/MS T	07/03/08	07/03/08 14:27	080703L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		p/m-Xylene	ND	1.0	1	
Benzene	ND	0.50	1		o-Xylene	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	94	70-130			1,4-Bromofluorobenzene-TPPH	90	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 06/25/08  
Work Order No: 08-06-2270  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA  
8260B

Project 540 Hegenberger Rd., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-4	Aqueous	GC/MS T	07/02/08	07/03/08	080702S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	113	88	70-130	25	0-30	
Ethylbenzene	114	89	70-130	25	0-30	
Toluene	118	92	70-130	25	0-30	
p/m-Xylene	116	91	70-130	25	0-30	
o-Xylene	117	90	70-130	26	0-30	
Methyl-t-Butyl Ether (MTBE)	116	91	70-130	18	0-30	
Tert-Butyl Alcohol (TBA)	116	84	70-130	31	0-30	4
Diisopropyl Ether (DIPE)	112	85	70-130	27	0-30	
Ethyl-t-Butyl Ether (ETBE)	111	87	70-130	25	0-30	
Tert-Amyl-Methyl Ether (TAME)	111	86	70-130	26	0-30	
Ethanol	111	80	70-130	33	0-30	4

RPD - Relative Percent Difference, CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 06/25/08  
Work Order No: 08-06-2270  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA  
8260B

Project 540 Hegenberger Rd., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-06-2293-12	Aqueous	GC/MS T	07/03/08	07/03/08	080703S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	109	110	70-130	0	0-30	
Ethylbenzene	110	112	70-130	2	0-30	
Toluene	113	114	70-130	1	0-30	
p/m-Xylene	105	108	70-130	3	0-30	
o-Xylene	109	111	70-130	2	0-30	
Methyl-t-Butyl Ether (MTBE)	116	119	70-130	2	0-30	
Tert-Butyl Alcohol (TBA)	118	119	70-130	0	0-30	
Diisopropyl Ether (DIPE)	110	110	70-130	0	0-30	
Ethyl-t-Butyl Ether (ETBE)	115	115	70-130	0	0-30	
Tert-Amyl-Methyl Ether (TAME)	113	115	70-130	2	0-30	
Ethanol	114	105	70-130	8	0-30	

RPD - Relative Percent Difference, CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 08-06-2270  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA 8260B

Project: 540 Hegenberger Rd., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-715-570	Aqueous	GC/MS.T	07/02/08	07/03/08	080702L02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPPH	108	116	65-135	7	0-30	
Benzene	112	112	70-130	0	0-30	
Ethylbenzene	115	114	70-130	1	0-30	
Toluene	116	117	70-130	0	0-30	
p/m-Xylene	118	116	70-130	1	0-30	
o-Xylene	117	117	70-130	0	0-30	
Methyl-t-Butyl Ether (MTBE)	99	99	70-130	0	0-30	
Tert-Butyl Alcohol (TBA)	107	106	70-130	1	0-30	
Diisopropyl Ether (DIPE)	111	111	70-130	0	0-30	
Ethyl-t-Butyl Ether (ETBE)	112	114	70-130	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	111	112	70-130	1	0-30	
Ethanol	111	107	70-130	4	0-30	

RPD - Relative Percent Difference, CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: N/A  
Work Order No: 08-06-2270  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA 8260B

Project: 540 Hegenberger Rd., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-715-571	Aqueous	GC/MS T	07/03/08	07/03/08	080703L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPPH	112	110	65-135	2	0-30	
Benzene	108	108	70-130	0	0-30	
Ethylbenzene	114	111	70-130	3	0-30	
Toluene	114	112	70-130	2	0-30	
p/m-Xylene	117	114	70-130	2	0-30	
o-Xylene	118	115	70-130	3	0-30	
Methyl-t-Butyl Ether (MTBE)	119	120	70-130	1	0-30	
Tert-Butyl Alcohol (TBA)	117	121	70-130	3	0-30	
Diisopropyl Ether (DIPE)	110	108	70-130	2	0-30	
Ethyl-t-Butyl Ether (ETBE)	114	116	70-130	1	0-30	
Tert-Amyl-Methyl Ether (TAME)	115	117	70-130	2	0-30	
Ethanol	102	102	70-130	0	0-30	

RPD - Relative Percent Difference, CL - Control Limit



Work Order Number: 08-06-2270

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

LAB (LOCATION)

- CALSCIENCE ( )
- SPL ( )
- XENCO ( )
- TEST AMERICA ( )
- OTHER ( )



# Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

<input checked="" type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA S&CM	<input type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER _____	

Print Bill To Contact Name: **Denis Brown**

INCIDENT # (ENV SERVICES): **9 8 9 9 5 7 5 2**

PO #: \_\_\_\_\_ SAP #: \_\_\_\_\_

DATE: **6/23/08**

PAGE: **1** of **1**

SAMPLING COMPANY: **Bialne Tech Services**

LOG CODE: **BTSS**

ADDRESS: **1680 Rogers Ave, San Jose, CA 95112**

PROJECT CONTACT (Name, Title, Phone, Fax, E-Mail):  
**Michael Ninokata**  
 Telephone: **(408)573-0555** Fax: **(408)573-7771** E-Mail: **mninokata@bialnetech.com**

TURNAROUND TIME (CALENDAR DAYS):  
 STANDARD (14 DAY)  5 DAYS  3 DAYS  2 DAYS  24 HOURS  RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT  UST AGENCY:

SITE ADDRESS: Street and City: **540 Hegenberger Rd., Oakland** State: **CA** GLOBAL ID NO.: **T0600102123**

EDF DELIVERABLE TO (Name, Company, Office Location): **Ann Kreml, CRA, Emeryville** PHONE NO.: **(510) 420-3335** E-MAIL: **Shelledt@craworld.com**

CONSULTANT PROJECT NO: **080623-1502** BTS #

SAMPLER NAME(S) (Print): **B. Doshier** LAB USE ONLY: **06-2270**

SPECIAL INSTRUCTIONS OR NOTES :

SHELL CONTRACT RATE APPLIES  
 STATE REIMBURSEMENT RATE APPLIES  
 EDD NOT NEEDED  
 RECEIPT VERIFICATION REQUESTED

Run TPH-d w/Silica Gel Clean Up

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	PRESERVATIVE					NO. OF CONT.	REQUESTED ANALYSIS											TEMPERATURE ON RECEIPT °C	Container PID Readings or Laboratory Notes					
		DATE	TIME		HCL	HNO3	H2SO4	NONE	OTHER		TPH - Purgeable (8260B)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)			Ethanol (8260B)	Methanol (8015M)			
		1	MW-1		6/23/08	1521	W	X						3	X	X	X	X										
2	MW-2		1421	W	X					3	X	X	X	X														
3	MW-3		1441	W	X					3	X	X	X	X														
4	MW-4		1350	W	X					3	X	X	X															
5	MW-5		1541	W	X					3	X	X	X	X														
6	BW-D		1430	W	X					3	X	X	X															

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: <b>6/23/08</b>	Time: <b>1656</b>
Relinquished by: (Signature) <i>[Signature]</i> (Sample Custodian)	Received by: (Signature) <i>[Signature]</i> Tom O'Malley CEC	Date: <b>6/24/08</b>	Time: <b>1035</b>
Relinquished by: (Signature) <i>[Signature]</i> GS0609848316	Received by: (Signature) <i>[Signature]</i> Woburn CA	Date: <b>6-25-08</b>	Time: <b>1030</b>

WORK ORDER #: **08** -   -

Cooler 1 of 1

**SAMPLE RECEIPT FORM**

CLIENT: Blaine Tech

DATE: 6/25/08

**TEMPERATURE - SAMPLES RECEIVED BY:**

**CALSCIENCE COURIER:**

- Chilled, cooler with temperature blank provided.
- Chilled, cooler without temperature blank.
- Chilled and placed in cooler with wet ice.
- Ambient and placed in cooler with wet ice.
- Ambient temperature (For Air & Filter only).
- \_\_\_\_\_ °C Temperature blank.

**LABORATORY (Other than Calscience Courier):**

- 03.8 °C Temperature blank.
- \_\_\_\_\_ °C IR thermometer.
- Ambient temperature (For Air & Filter only).

Initial: JP

**CUSTODY SEAL INTACT:**

Sample(s): \_\_\_\_\_ Cooler: \_\_\_\_\_ No (Not Intact) : \_\_\_\_\_ Not Present:

Initial: JP

**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with custody papers.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on sample label(s).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VOA vial(s) free of headspace. ....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Initial: JP

**COMMENTS:**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



# WELL GAUGING DATA

Project # 080623-BDZ Date 6/23/08 Client Shell

Site 540 Hegenberger Rd. OAKLAND CA.

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
MW-1	1235	2					6.80	22.77	↓	
MW-2	1215	2				7.00	19.94			
MW-3	1220	2				5.00	18.63			
MW-4	1320	4				7.34	18.55			
MW-5	1225	4				6.45	18.60			
BW-D	1210	12				4.01	12.30			

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>080623 - BD 2</u>	Site: <u>98995752</u>
Sampler: <u>BD</u>	Date: <u>6/23/08</u>
Well I.D.: <u>MW-1</u>	Well Diameter: <u>3</u> 4 6 8
Total Well Depth (TD): <u>22.77</u>	Depth to Water (DTW): <u>6.80</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>15.97 + 6.80 = 22.77</u>	

Purge Method:  Bailer      Waterra      Sampling Method:  Bailer  
                    Disposable Bailer       Peristaltic       Disposable Bailer  
                    Positive Air Displacement       Extraction Pump       Extraction Port  
                    Electric Submersible      Other \_\_\_\_\_       Dedicated Tubing

$\frac{2.5 \text{ (Gals.)} \times 3}{1 \text{ Case Volume}} = 7.5 \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1504	66.2	7.1	8477	470	2.5	
1507	66.0	7.2	8527	>1000	5	
1510	66.1	7.0	8536	>1000	7.5	

Did well dewater? Yes  No      Gallons actually evacuated: 7.5

Sampling Date: 6/23/08 Sampling Time: 1521 Depth to Water:

Sample I.D.: MW-1 Laboratory: STL Other CAL SCI

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see COC

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>080623-<del>WW</del>BD2</u>	Site: <u>98995752</u>
Sampler: <u>WW</u>	Date: <u>06/23/08</u>
Well I.D.: <u>MW-2</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth (TD): <u>19.94</u>	Depth to Water (DTW): <u>7.00</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>9.59</u>	

Purge Method:  Bailer      Watera      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible      Other \_\_\_\_\_       Dedicated Tubing

$2.1 \text{ (Gals.)} \times 3 = 6.3 \text{ Gals.}$ <p>I Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1410	66.7	8.5	577	324	2.1	
1413	66.5	8.0	633	>1000	4.2	
1416	66.0	7.9	709	>1000	6.3	

Did well dewater? Yes  No      Gallons actually evacuated: 6.3

Sampling Date: 06/23/08      Sampling Time: 1421      Depth to Water: 9.00

Sample I.D.: MW-2      Laboratory: STL      Other: CALSIENCE

Analyzed for: TPH-G BTEX MTBE TPH-D      Other: all PC

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D      Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <del>080623-WW</del> 080623-802	Site: 9899 S 752
Sampler: WW	Date: 06/23/08
Well I.D.: MW-3	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 15.63	Depth to Water (DTW): 5.00
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <del>PVC</del> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.13	

Purge Method:  Bailer      Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible      Other \_\_\_\_\_       Dedicated Tubing  
 Other: \_\_\_\_\_

$\frac{1.7 \text{ (Gals.)} \times 3}{1 \text{ Case Volume Specified Volumes}} = 5.1 \text{ Gals. Calculated Volume}$	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1432	66.8	6.9	5140	661	1.7	odor
1434	66.7	6.6	9315	926	3.4	
1436	66.5	6.5	9422	481	5.1	

Did well dewater? Yes  No  Gallons actually evacuated: 5.1

Sampling Date: 06/23/08 Sampling Time: 1441 Depth to Water: ~~6.56~~ 6.56

Sample I.D.: MW-3 Laboratory: STL Other: CAL SCIENCE

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see WC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV



## SHELL WELL MONITORING DATA SHEET

BTS #: <u>080023 - BD<sup>2</sup></u>	Site: <u>98995752</u>
Sampler: <u>BD</u>	Date: <u>6/23/08</u>
Well I.D.: <u>MW-5</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>18.60</u>	Depth to Water (DTW): <u>6.45</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <sup>12.15</sup> <u>8.88</u>	

Purge Method:  Bailer  Waterra  Sampling Method:  Bailer  
 Disposable Bailer  Peristaltic  Disposable Bailer  
 Positive Air Displacement  Extraction Pump  Extraction Port  
 Electric Submersible  Other \_\_\_\_\_  Dedicated Tubing

$7.9 \text{ (Gals.)} \times \underline{3} = \underline{23.7} \text{ Gals.}$ I Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°C)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1335	19.2	7.38	817	76	7.9	clear / odor
1337	20.9	7.22	641	72	15.8	↓
1339	20.5	7.22	754	550	23.7	Brown
1341	20.0	7.27	757	547	31.6	↓

Did well dewater? Yes  No  Gallons actually evacuated: 31.6

Sampling Date: 6/23/08 Sampling Time: 1541 Depth to Water: 13.28 <sup>2 hr recharge</sup>

Sample I.D.: MW-5 Laboratory: STL Other CAL SCI

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

