



**Shell Oil Products US**

May 20, 2003

Ro 228

Amir K. Gholami, REHS  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**Alameda County**

**MAY 23 2003**

**Environmental Health**

**Subject: Shell-branded Service Station**  
630 High Street  
Oakland, California

Dear Mr. Gholami:

Attached for your review and comment is a copy of the *First Quarter 2003 Monitoring Report* for the above referenced site. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (559) 645-9306 with any questions or concerns.

Sincerely,

**Shell Oil Products US**

*Karen Petryna*

Karen Petryna  
Sr. Environmental Engineer

May 20, 2003

Amir K. Gholami, REHS  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: **First Quarter 2003 Monitoring Report**  
Shell-branded Service Station  
630 High Street  
Oakland, California  
Incident #98995751  
Cambria Project #245-0318-002

Alameda County  
MAY 23 2003  
Environmental Health



Dear Mr. Gholami:

On behalf of Equilon Enterprises LLC dba Shell Oil Products US, Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

## FIRST QUARTER 2003 ACTIVITIES

**Groundwater Monitoring:** Blaine Tech Services, Inc. (Blaine) of San Jose, California gauged all site wells, sampled selected site wells, calculated groundwater elevations, and compiled the analytical data. Cambria prepared a vicinity map with previously submitted well survey information (Figure 1) and a groundwater elevation contour map (Figure 2). Blaine's report, presenting the laboratory report and supporting field documents, is included as Attachment A.

## ANTICIPATED SECOND QUARTER 2003 ACTIVITIES

**Groundwater Monitoring:** Blaine will gauge all site wells, sample selected site wells, and tabulate the data. Cambria will prepare a monitoring report.

**Utility Survey:** On September 16, 2002, Cambria submitted a *Subsurface Investigation Work Plan* for the site proposing to conduct a subsurface utility survey and to install several soil borings downgradient of the site. In a September 19, 2002 correspondence, Mr. Barney Chan of the Alameda County Health Care Services Agency, requested that Cambria submit a report of the

Cambria  
Environmental  
Technology, Inc.

5900 Hollis Street  
Suite A  
Emeryville, CA 94608  
Tel (510) 420-0700  
Fax (510) 420-9170

utility survey prior to determining final soil boring locations. Cambria agreed with this recommendation in a September 23, 2002 correspondence. Cambria is currently completing the utility survey report for the site. Preliminary results are shown on Figure 2. Detailed results of the survey will be submitted with final proposed soil boring locations under separate cover.

**CLOSING**


We appreciate the opportunity to work with you on this project. Please call Ana Friel at (707) 442-2700 if you have any questions or comments.



Sincerely,  
**Cambria Environmental Technology, Inc**

*Matthew W. Derby for*  
Jacquelyn L. Jones  
Project Geologist

*Matthew W. Derby*  
Matthew W. Derby, P.E.  
Senior Project Engineer




- Figures: 1 - Vicinity/Area Well Survey Map  
2 - Groundwater Elevation Contour Map

Attachment: A - Blaine Groundwater Monitoring Report and Field Notes

cc: Karen Petryna, Shell Oil Products US, P.O. Box 7869, Burbank, CA 91510-7869

G:\Oakland 630 High\QM\1q03\1q03qm.doc



Q:\OAKLAND\630HIGH\FIGURES\VIC-WELL-SURVEY.A1

SOURCE: TOPOI MAPS

### Shell-branded Service Station

630 High Street  
Oakland, California  
Incident #98995751



C A M B R I A

### Vicinity / Area Well Survey Map

(1/2-Mile Radius)



**EXPLANATION**

- Proposed soil boring location
- MW-1** Monitoring well location
- Electrical line (E)
- Storm drain line (SD)
- Sanitary sewer line (SS)
- Water line (W)
- Gas line (G)
- Communications line (T)
- Shell oil pipeline (O)
- City of Oakland Electrical vault (E)
- Water vault (W)
- City of Oakland Manhole (MH)
- Utility Pole
- Storm Drain inlet (SD)
- Flow direction
- FL** Flow line elevation, in feet above mean sea level
- \*** Data anomalous, not used for contouring
- Groundwater flow direction
- XX.XX** Groundwater elevation contour, in feet above mean sea level (msl), approximately located; dashed where inferred

Well	ELEV	Benz	MTBE
MW-1	3.53	20	500
MW-2	3.74	<0.500 - 8/27/99	19.2 - 8/27/99
MW-3	2.18*	220	1,800
MW-4	2.88	(32.8) - 8/27/99	<2.00 - 8/27/99
MW-5	2.67	0.73	120
MW-6	3.10*	<0.50	57
MW-7	2.79	<0.50	<5.0
MW-8	3.27	<0.500 - 8/27/99	<2.00 - 8/27/99
MW-9	4.39	<0.500 - 8/27/99	<2.00 - 8/27/99
MW-10	3.30	<0.500 - 8/27/99	<2.00 - 8/27/99






FIGURE 2

G:\OAKLAND\630HIGH\FIGURES\10M03.MP.DWG

**ATTACHMENT A**  
**Blaine Groundwater Monitoring Report**  
**and Field Notes**

BLAINE  
TECH SERVICES, INC.



1680 ROGERS AVENUE  
SAN JOSE, CA 95112-1105  
(408) 573-7771 FAX  
(408) 573-0555 PHONE  
CONTRACTOR'S LICENSE #746684  
www.blainetech.com

March 4, 2003

Karen Petryna  
Shell Oil Products US  
P.O. Box 7869  
Burbank, CA 91510-7869

First Quarter 2003 Groundwater Monitoring at  
Shell-branded Service Station  
630 High Street  
Oakland, CA

Monitoring performed on January 30, 2003

---

Groundwater Monitoring Report 030130-MN-2

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purge water (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart  
Project Coordinator

LG/jt

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Anni Kreml  
Cambria Environmental Technology, Inc.  
5900 Hollis Street, Suite A  
Oakland, CA 94608



**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	01/29/1991	11,000	21,000a	310	41	500	400	NA	NA	99.35	10.79	88.56	NA
MW-1	04/30/1991	8,300	2,100	250	32	310	300	NA	NA	99.35	9.48	89.87	NA
MW-1	07/22/1991	11,000	3,800	310	36	290	280	NA	NA	99.35	10.53	88.82	NA
MW-1	02/21/1992	7,300	8,900b	200	36	340	270	NA	NA	99.35	8.31	91.04	NA
MW-1	05/22/1992	7,600	18,000b, c	140	<50	300	140	NA	NA	99.35	10.02	89.33	NA
MW-1	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	99.35	10.06	89.29	NA
MW-1	08/20/1992	9,100	5,200b	530	340	860	540	NA	NA	99.35	10.32	89.03	NA
MW-1	11/18/1992	15,000	4,100b	220	50	790	340	NA	NA	99.35	10.64	88.71	NA
MW-1	02/09/1993	7,000	1,200	130	23	220	160	NA	NA	99.35	8.71	90.64	NA
MW-1	06/16/1993	4,800	NA	150	31	320	130	NA	NA	99.35	9.71	89.64	1.73/1.58k
MW-1	08/24/1993	10,000	NA	170	27	610	170	NA	NA	99.35	10.23	89.12	1.49/1.70k
MW-1	11/23/1993	7,600	NA	190	<12	430	140	NA	NA	99.35	10.48	88.87	1.77/2.80k
MW-1	02/14/1994	8,000	NA	150	47	210	68	NA	NA	99.35	9.17	90.18	6.2/2.5k
MW-1	05/25/1994	8,800	NA	95	<10	210	63	NA	NA	99.35	9.52	89.83	NA
MW-1	08/04/1994	6,200	NA	150	14	350	180	NA	NA	99.35	10.51	88.84	NA
MW-1	11/08/1994	7,600	NA	190	<10	480	200	NA	NA	99.35	10.20	89.15	NA
MW-1	02/01/1995	8,200	NA	130	21	170	130	NA	NA	99.35	6.94	92.41	NA
MW-1	05/04/1995	7,000	NA	130	47	190	180	NA	NA	99.35	8.40	90.95	NA
MW-1	05/16/1997	5,600	NA	57	<10	26	29	84	NA	99.35	9.93	89.42	1.5
MW-1	11/03/1997	6,900	NA	81	<10	32	30	170	NA	99.35	10.27	89.08	0.8/0.6k
MW-1	06/05/1998	4,200	NA	68	7.6	39	69	84	NA	99.35	8.95	90.40	1.0/0.5k
MW-1	11/06/1998	6,200	NA	87	<2.5	48	55	200	NA	99.35	10.69	88.66	1.2/1.8
MW-1	06/07/1999	5,210	NA	33.6	21.9	7.42	<5.00	153	205	99.35	9.81	89.54	NA
MW-1	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	99.35	9.55	89.80	0.8
MW-1	08/27/1999	6,080	NA	46.0	<20.0	<20.0	26.1	303	429	99.35	10.00	89.35	0.7/1.5
MW-1	11/11/1999	7,660	NA	92.0	20.4	28.2	46.1	520	542	99.35	10.27	89.08	1.3/1.8
MW-1	04/26/2000	3,730	NA	69.4	<5.00	9.42	28.6	206	NA	99.35	9.54	89.81	2.30/2.71
MW-1	11/02/2000	4,930	NA	81.3	5.32	18.3	29.8	440	NA	99.35	8.90	90.45	3.0/3.2

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	05/31/2001	6,800	NA	64	7.1	7.2	28	NA	790	99.35	9.25	90.10	2.3/2.6
MW-1	11/19/2001	6,100	NA	41	4.9	10	25	NA	710	99.35	10.09	89.26	1.2/0.8
MW-1	01/29/2002	7,100	NA	67	5.6	7.3	22	NA	510	99.35	9.13	90.22	4.3/6.0
MW-1	06/05/2002	4,500	NA	47	4.9	8.9	22	NA	880	99.35	9.95	89.40	NA
MW-1	07/31/2002	8,600	NA	41	6.0	17	23	NA	920	12.02	10.34	1.68	NA
MW-1	12/26/2002	6,900	NA	16	2.8	5.2	16	NA	540	12.02	7.56	4.46	NA
<b>MW-1</b>	<b>01/30/2003</b>	<b>7,500</b>	<b>NA</b>	<b>20</b>	<b>3.5</b>	<b>4.9</b>	<b>15</b>	<b>NA</b>	<b>500</b>	<b>12.02</b>	<b>8.49</b>	<b>3.53</b>	<b>NA</b>
MW-2	01/29/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	13.25	87.90	NA
MW-2	04/30/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	10.94	90.21	NA
MW-2	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	12.14	89.01	NA
MW-2	02/21/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	10.08	91.07	NA
MW-2	05/22/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	11.52	89.63	NA
MW-2	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.50	89.65	NA
MW-2	08/20/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	11.72	89.43	NA
MW-2	11/18/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	13.06	88.09	NA
MW-2	02/09/1993	95	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	10.06	91.09	NA
MW-2	06/16/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	11.60	89.55	NA
MW-2	08/24/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	12.16	88.99	NA
MW-2	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	12.74	88.41	NA
MW-2	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	10.91	90.24	NA
MW-2	05/25/1994	100	NA	1.2	4.9	2.3	13	NA	NA	101.15	11.06	90.09	NA
MW-2	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	101.15	12.04	89.11	NA
MW-2	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	12.38	88.77	NA
MW-2	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	101.15	8.76	92.39	NA
MW-2	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	101.15	10.20	90.95	NA
MW-2	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.28	89.87	NA
MW-2	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.71	89.44	NA

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-2	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	101.15	9.85	91.30	NA
MW-2	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	101.15	12.60	88.55	NA
MW-2	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.03	90.12	NA
MW-2	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	19.2	34.5	101.15	10.98	90.17	0.71/4.0
MW-2	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	101.15	10.33	90.82	NA
MW-2	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	101.15	9.58	91.57	NA
MW-2	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	101.15	10.03	91.12	NA
MW-2	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	101.15	10.01	91.14	NA
MW-2	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.63	89.52	NA
MW-2	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	101.15	10.12	91.03	NA
MW-2	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.03	90.12	NA
MW-2	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	13.80	11.43	2.37	NA
MW-2	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	13.80	9.94	3.86	NA
<b>MW-2</b>	<b>01/30/2003</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>13.80</b>	<b>10.06</b>	<b>3.74</b>	<b>NA</b>

MW-3	01/29/1991	2,300	410a	17	14.1	10	230	NA	NA	99.49	11.09	88.40	NA
MW-3	04/30/1991	<50	260	22	4	7	17	NA	NA	99.49	9.57	89.92	NA
MW-3	07/22/1991	2,000	310	51	<0.5	<0.5	<0.5	NA	NA	99.49	10.66	88.83	NA
MW-3	02/21/1992	2,800	640d	15	2.8	<2.5	12	NA	NA	99.49	8.97	90.52	NA
MW-3	05/22/1992	3,700	220b, c	27	11	20	110	NA	NA	99.49	9.32	90.17	NA
MW-3	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.22	89.27	NA
MW-3	08/20/1992	13,000	340b	72	85	71	140	NA	NA	99.49	10.44	89.05	NA
MW-3	11/18/1992	2,100	430b	21	3.6	11	13	NA	NA	99.49	10.79	88.70	NA
MW-3	02/09/1993	3,300	83	21	5.6	6.1	<0.5	NA	NA	99.49	9.35	90.14	NA
MW-3	06/16/1993	3,500e	NA	66	6	<0.5	<0.5	NA	NA	99.49	9.56	89.93	NA
MW-3	08/24/1993	3,400e	NA	110	<5	<5	<5	NA	NA	99.49	10.51	88.98	NA
MW-3	11/23/1993	3,000	NA	36	44	6.9	23	NA	NA	99.49	10.77	88.72	NA
MW-3	02/14/1994	4,700g	NA	9.9	5.2	8.8	<5.0	NA	NA	99.49	9.61	89.88	NA

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-3	05/25/1994	1,200	NA	<10	<10	<10	<10	NA	NA	99.49	10.00	89.49	NA
MW-3	08/04/1994	2,600	NA	29	<5	14	11	NA	NA	99.49	10.63	88.86	NA
MW-3	11/08/1994	2,600	NA	5.5	1.5	1.9	0.9	NA	NA	99.49	11.02	88.47	NA
MW-3	02/01/1995	4,600	NA	27	1.2	3.2	2.5	NA	NA	99.49	8.31	91.18	NA
MW-3	05/04/1995	1,800	NA	140	11	11	16	NA	NA	99.49	8.70	90.79	NA
MW-3	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.30	89.19	NA
MW-3	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.52	88.97	NA
MW-3	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	99.49	9.18	90.31	NA
MW-3	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	99.49	11.00	88.49	NA
MW-3	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.93	88.56	NA
MW-3	08/27/1999	8,600	NA	2,410	135	279	1,390	26,400	29,500	99.49	10.23	89.26	0.8/0.7
MW-3	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.46	89.03	NA
MW-3	04/26/2000	7,100	NA	1,310	573	89.2	376	35,000	38,000	99.49	9.45	90.04	2.42/2.63
MW-3	11/02/2000	4,750	NA	1,210	29.3	50.5	125	8,750	8,960	99.49	10.05	89.44	2.0/2.5
MW-3	05/31/2001	5,400	NA	860	<20	29	<20	NA	10,000	99.49	10.38	89.11	1.8/2.0
MW-3	11/19/2001	3,200	NA	440	7.8	8.6	23	NA	3,400	99.49	10.29	89.20	3.1/1.5
MW-3	01/29/2002	2,900	NA	370	<20	<20	57	NA	5,400	99.49	9.07	90.42	5.2/3.8
MW-3	06/05/2002	3,500	NA	370	<10	<10	<10	NA	4,700	99.49	10.03	89.46	NA
MW-3	07/31/2002	4,100	NA	290	<5.0	<5.0	<5.0	NA	2,100	12.12	10.32	1.80	NA
MW-3	12/26/2002	1,500	NA	130	<2.5	<2.5	<2.5	NA	1,300	12.12	8.24	3.88	NA
<b>MW-3</b>	<b>01/30/2003</b>	<b>2,300</b>	<b>NA</b>	<b>220</b>	<b>8.0</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>NA</b>	<b>1,800</b>	<b>12.12</b>	<b>9.94</b>	<b>2.18</b>	<b>NA</b>

MW-4	01/29/1991	2,600	1,300	83	<0.5	<0.5	110	NA	NA	99.24	10.76	88.48	NA
MW-4	04/30/1991	2,600	750	22	4	7	17	NA	NA	99.24	9.45	89.79	NA
MW-4	07/22/1991	4,300	1,200	120	<0.5	<0.5	10	NA	NA	99.24	10.34	88.90	NA
MW-4	02/21/1992	2,000	8,300b	31	6.3	3.5	6.6	NA	NA	99.24	7.60	91.64	NA
MW-4	05/22/1992	3,600	3,400b, c	55	5	3	10	NA	NA	99.24	9.90	89.34	NA
MW-4	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.02	89.22	NA

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	08/20/1992	3,100	3,400	100	45	14	45	NA	NA	99.24	10.32	88.92	NA
MW-4	11/18/1992	2,200	1,400	32	12	4.2	24	NA	NA	99.24	10.51	88.73	NA
MW-4	02/09/1993	1,500	180	1.1	<0.5	<0.5	<0.5	NA	NA	99.24	8.13	91.11	NA
MW-4	06/16/1993	1,100	NA	120	47	5.1	19	NA	NA	99.24	9.60	89.64	1.86/4.82k
MW-4	08/24/1993	2,700	NA	46	11	25	0.97	NA	NA	99.24	10.05	89.19	1.46/1.27k
MW-4	11/23/1993	2,500	NA	23	5.7	3.7	16	NA	NA	99.24	10.25	89.99	5.29/6.59k
MW-4	02/14/1994	1,500	NA	12	7.8	<2.5	<2.5	NA	NA	99.24	8.83	90.41	2.1/1.9k
MW-4	05/25/1994	810	NA	20	<2	<2	4	NA	NA	99.24	9.64	89.60	NA
MW-4	08/04/1994	2,300	NA	99	15	6.3	24	NA	NA	99.24	10.62	88.62	NA
MW-4	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.24	9.28	89.96	NA
MW-4	02/01/1995	960	NA	5.6	2.2	2.6	2.8	NA	NA	99.24	6.52	92.72	NA
MW-4	05/04/1995	960	NA	20	4.7	3.7	5.6	NA	NA	99.24	8.40	90.84	NA
MW-4	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.35	89.89	NA
MW-4	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.17	89.07	NA
MW-4	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	99.24	8.85	90.39	NA
MW-4	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.17	89.07	NA
MW-4	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	99.24	11.06	88.18	NA
MW-4	08/27/1999	1,520	NA	32.8	6.25	<2.50	5.65	61.5	<2.00	99.24	10.25	88.99	1.0/1.4
MW-4	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.11	89.13	NA
MW-4	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.18	90.06	NA
MW-4	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.72	89.52	NA
MW-4	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.29	89.95	NA
MW-4	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.98	89.26	NA
MW-4	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.12	90.12	NA
MW-4	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.09	89.15	NA
MW-4	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	11.90	10.30	1.60	NA
MW-4	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	11.90	7.22	4.68	NA
<b>MW-4</b>	<b>01/30/2003</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>11.90</b>	<b>9.02</b>	<b>2.88</b>	<b>NA</b>

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	01/29/1991	3,100	720	86	<0.5	24	28	NA	NA	100.08	11.72	88.36	NA
MW-5	04/30/1991	<50	90	46	<0.5	9	9	NA	NA	100.08	10.45	89.63	NA
MW-5	07/22/1991	1,700	300	23	<0.5	6,700	10,000	NA	NA	100.08	11.43	88.65	NA
MW-5	02/21/1992	240	180h	1	<0.5	<0.5	1	NA	NA	100.08	9.24	90.84	NA
MW-5	05/22/1992	6,200	7,100b, c	6	95	56	99	NA	NA	100.08	10.97	89.11	NA
MW-5	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	100.08	10.98	89.10	NA
MW-5	08/20/1992	7,400	120b	56	95	91	150	NA	NA	100.08	11.14	88.94	NA
MW-5	11/18/1992	3,300	320b	27	<12.5	20	470	NA	NA	100.08	11.21	88.87	NA
MW-5	02/09/1993	160	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	100.08	10.01	90.07	NA
MW-5	06/16/1993	140	NA	0.8	<0.5	<0.5	<0.5	NA	NA	100.08	11.05	89.03	1.53/2.72k
MW-5	08/24/1993	1,000	NA	7.9	<1	2.2	<1.5	NA	NA	100.08	11.32	88.76	2.69/1.41k
MW-5	11/23/1993	2,000	NA	67	15	11	33	NA	NA	100.08	11.35	88.73	8.20/3.09k
MW-5	02/14/1994	660	NA	1.3	<0.5	0.5	0.7	NA	NA	100.08	10.34	89.74	2.0/1.9k
MW-5	05/25/1994	670	NA	0.65	<0.5	2.6	<0.5	NA	NA	100.08	10.54	89.54	NA
MW-5	08/04/1994	700	NA	5	<0.5	1.2	<0.5	NA	NA	100.08	11.50	88.58	NA
MW-5	11/08/1994	810	NA	4.2	<0.5	1.5	0.8	NA	NA	100.08	11.24	88.84	NA
MW-5	02/01/1995	110	NA	7	<0.5	<0.5	<0.5	NA	NA	100.08	9.05	91.03	NA
MW-5	05/04/1995	260	NA	3.1	1.3	2	1.5	NA	NA	100.08	10.35	89.73	NA
MW-5	05/16/1997	440	NA	2.4	3.1	1.6	3.3	7.1	NA	100.08	11.21	88.87	2.9
MW-5	11/03/1997	1,400	NA	34	<2.5	2.8	4.4	33	NA	100.08	11.43	88.65	3.0/1.2k
MW-5	06/05/1998	230	NA	3.6	0.5	<0.50	1.3	34	NA	100.08	10.35	89.73	3.2/1.4k
MW-5	11/06/1998	1,800	NA	29	<0.50	3.8	7.1	26	NA	100.08	11.89	88.19	2.6/3.0
MW-5	06/07/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	19.5	NA	100.08	10.28	89.80	NA
MW-5	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	100.08	10.74	89.34	0.6
MW-5	08/27/1999	254	NA	5.09	1.08	<0.500	<0.500	9.97	12.0	100.08	11.01	89.07	NA
MW-5	11/11/1999	549	NA	16.4	3.29	2.18	3.16	18.2	NA	100.08	11.33	88.75	2.3/2.7
MW-5	04/26/2000	338	NA	0.787	2.30	<0.500	3.01	21.7	NA	100.08	10.32	89.76	1.99/3.01

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-5	11/02/2000	507	NA	0.659	2.39	2.70	3.88	20.0	NA	100.08	10.75	89.33	4.0/2.0
MW-5	05/31/2001	67	NA	<0.50	<0.50	<0.50	<0.50	NA	87	100.08	10.53	89.55	3.8/2.1
MW-5	11/19/2001	850	NA	2.8	1.4	2.3	8.5	NA	57	100.08	10.88	89.20	2.6/1.9
MW-5	01/29/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	95	100.08	9.95	90.13	5.5/3.6
MW-5	06/05/2002	140	NA	<0.50	<0.50	<0.50	<0.50	NA	36	100.08	10.73	89.35	NA
MW-5	07/31/2002	520	NA	1.1	2.0	<0.50	<0.50	NA	45	12.72	11.00	1.72	NA
MW-5	12/26/2002	1,300	NA	75	3.7	<2.0	310	NA	600	12.72	9.24	3.48	NA
<b>MW-5</b>	<b>01/30/2003</b>	<b>&lt;50</b>	<b>NA</b>	<b>0.73</b>	<b>&lt;0.50</b>	<b>1.4</b>	<b>&lt;0.50</b>	<b>NA</b>	<b>120</b>	<b>12.72</b>	<b>10.05</b>	<b>2.67</b>	<b>NA</b>

MW-6	01/29/1991	<50	860	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	10.23	88.33	NA
MW-6	04/30/1991	<50	1,100	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	9.15	89.41	NA
MW-6	07/22/1991	<50	1,200	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	10.10	88.46	NA
MW-6	02/21/1992	<50	60d	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	7.15	91.41	NA
MW-6	05/22/1992	<50	650c	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	9.55	89.01	NA
MW-6	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	98.56	9.53	89.03	NA
MW-6	08/20/1992	140e	510c	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	9.84	88.72	NA
MW-6	11/18/1992	200e	350	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	10.03	88.53	NA
MW-6	02/09/1993	14,000e	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	7.91	90.65	NA
MW-6	06/16/1993	5,700e	NA	<0.5	22	<0.5	34	NA	NA	98.56	8.74	89.82	8.46/9.73k
MW-6	08/24/1993	4,300e	NA	<12.5	<12.5	<12.5	<12.5	NA	NA	98.56	9.66	88.90	2.15/1.52k
MW-6	11/23/1993	3,300e	NA	<12	<12	<12	<12	NA	NA	98.56	9.86	88.70	3.86/6.75k
MW-6	02/14/1994	14,000e	NA	<12.5	<12.5	<12.5	<12.5	NA	NA	98.56	8.27	90.29	2.3/5.2k
MW-6	05/25/1994	<1,000i	NA	<10	<10	<10	<10	NA	NA	98.56	8.89	89.67	NA
MW-6	08/04/1994	250j	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	10.10	88.46	NA
MW-6	11/08/1994	4,600e	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	8.98	89.58	NA
MW-6	02/01/1995	710	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	7.07	91.49	NA
MW-6	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.56	8.56	90.00	NA
MW-6	05/16/1997	<500	NA	<5.0	<5.0	<5.0	<5.0	1,700	NA	98.56	9.57	88.99	6.2

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-6	11/03/1997	<500	NA	<5.0	<5.0	<5.0	<5.0	990	NA	98.56	9.76	88.80	1.4/1.0k
MW-6	06/05/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	590	NA	98.56	8.50	90.06	1.5/1.1k
MW-6	11/06/1998	<250	NA	<2.5	<2.5	<2.5	<2.5	810	NA	98.56	10.00	88.56	2.0/1.4
MW-6	06/07/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	71.5	NA	98.56	9.35	89.21	NA
MW-6	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	98.56	9.20	89.36	1.9
MW-6	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	197	276	98.56	9.52	89.04	1.5/7.8
MW-6	11/11/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	212	NA	98.56	9.87	88.69	1.4/1.7
MW-6	04/26/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	236	NA	98.56	9.13	89.43	1.93/2.90
MW-6	11/02/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	497	NA	98.56	9.13	89.43	2.5/3.5
MW-6	05/31/2001	<2,000	NA	<20	<20	<20	<20	NA	5,400	98.56	9.22	89.34	1.8/2.1
MW-6	11/19/2001	<500	NA	5.0	<5.0	<5.0	18	NA	2,600	98.56	9.48	89.08	2.5/1.9
MW-6	01/29/2002	<200	NA	<2.0	<2.0	<2.0	<2.0	NA	1,000	98.56	8.12	90.44	5.6/4.3
MW-6	06/05/2002	<100	NA	<1.0	<1.0	<1.0	<1.0	NA	650	98.56	9.58	88.98	NA
MW-6	07/31/2002	<200	NA	<2.0	<2.0	<2.0	<2.0	NA	860	11.21	9.90	1.31	NA
MW-6	12/26/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	200	11.21	7.13	4.08	NA
<b>MW-6</b>	<b>01/30/2003</b>	<b>&lt;50</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>NA</b>	<b>57</b>	<b>11.21</b>	<b>8.11</b>	<b>3.10</b>	<b>NA</b>

MW-7	01/29/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	8.91	88.62	NA
MW-7	04/30/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	8.38	89.15	NA
MW-7	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	9.13	88.40	NA
MW-7	02/21/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	6.87	90.66	NA
MW-7	05/22/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	8.08	89.45	NA
MW-7	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	97.53	8.82	88.71	NA
MW-7	08/20/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	8.89	88.64	NA
MW-7	11/18/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	9.54	87.99	NA
MW-7	02/09/1993	72	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	7.84	89.69	NA
MW-7	06/16/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	7.80	89.73	NA
MW-7	08/24/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	8.51	89.02	NA



**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-7	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	8.70	88.83	NA
MW-7	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	7.52	90.01	NA
MW-7	05/25/1994	<50	NA	<0.5	0.63	<0.5	0.93	NA	NA	97.53	9.04	88.49	NA
MW-7	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	97.53	9.80	87.83	NA
MW-7	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	8.45	89.08	NA
MW-7	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	97.53	5.51	92.02	NA
MW-7	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.53	8.34	89.19	NA
MW-7	05/16/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	2.7	NA	97.53	8.80	88.73	2.8
MW-7	11/03/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	97.53	8.95	88.58	1.6/1.2k
MW-7	06/05/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	4.3	NA	97.53	7.75	89.78	1.5/1.1k
MW-7	11/06/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	4.5	NA	97.53	9.20	88.33	4.1/2.2
MW-7	06/07/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	97.53	8.39	89.14	NA
MW-7	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	97.53	8.43	89.10	0.4
MW-7	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	97.53	8.43	89.10	0.4
MW-7	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	4.33	97.53	8.82	88.71	1.3/1.9
MW-7	11/11/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	4.30	NA	97.53	8.64	88.89	1.1/1.0
MW-7	04/26/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	6.59	NA	97.53	8.31	89.22	1.09/2.41
MW-7	11/02/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	7.38	NA	97.53	7.80	89.73	4.0/4.0
MW-7	05/31/2001	<50	NA	<0.50	1.4	<0.50	4.6	NA	5.3	97.53	7.61	89.92	3.2/3.3
MW-7	11/19/2001	<50	NA	0.64	0.86	1.6	6.1	NA	7.3	97.53	9.11	88.42	2.6/2.1
MW-7	01/29/2002	<50	NA	0.70	<0.50	<0.50	<0.50	NA	<5.0	97.53	7.85	89.68	2.1/2.3
MW-7	06/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	97.53	8.68	88.85	NA
MW-7	07/31/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	10.17	8.94	1.23	NA
MW-7	12/26/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	10.17	6.05	4.12	NA
MW-7	01/30/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	10.17	7.38	2.79	NA
MW-8	01/29/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	8.47	88.66	NA
MW-8	04/30/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	7.64	89.49	NA

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-8	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	8.36	88.77	NA
MW-8	02/21/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	6.54	90.59	NA
MW-8	05/22/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	7.68	89.45	NA
MW-8	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	97.13	8.16	88.97	NA
MW-8	08/20/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	8.25	88.88	NA
MW-8	11/18/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	8.32	88.81	NA
MW-8	02/09/1993	63	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	5.58	91.55	NA
MW-8	06/16/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	7.19	89.94	NA
MW-8	08/24/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	7.98	89.15	NA
MW-8	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	8.09	89.04	NA
MW-8	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	9.42	87.71	NA
MW-8	05/25/1994	<50	NA	<0.5	1.1	<0.5	2.5	NA	NA	97.13	7.18	89.95	NA
MW-8	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	97.13	8.51	88.62	NA
MW-8	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	6.24	90.89	NA
MW-8	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	97.13	3.94	93.19	NA
MW-8	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	97.13	5.04	92.09	NA
MW-8	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.65	89.48	NA
MW-8	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.03	90.10	NA
MW-8	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	97.13	6.47	90.66	NA
MW-8	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	97.13	8.27	88.86	NA
MW-8	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	97.13	8.69	88.44	NA
MW-8	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	97.13	7.82	89.31	1.5/2.0
MW-8	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.91	89.22	NA
MW-8	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.10	90.03	NA
MW-8	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.95	89.18	NA
MW-8	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.22	89.91	NA
MW-8	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.70	89.43	NA
MW-8	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	97.13	6.64	90.49	NA

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-8	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.78	89.35	NA
MW-8	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	9.75	8.24	1.51	NA
MW-8	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	9.75	6.13	3.62	NA
<b>MW-8</b>	<b>01/30/2003</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>9.75</b>	<b>6.48</b>	<b>3.27</b>	<b>NA</b>

MW-9	01/29/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	8.27	91.45	NA
MW-9	04/30/1991	<50	<50	0.6	<0.5	<0.5	1.1	NA	NA	99.72	7.62	92.10	NA
MW-9	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	8.48	91.24	NA
MW-9	02/21/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	6.91	92.81	NA
MW-9	05/22/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	8.64	91.08	NA
MW-9	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.55	92.17	NA
MW-9	08/20/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	7.38	92.34	NA
MW-9	11/18/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	10.17	89.55	NA
MW-9	02/09/1993	290	110	6	<0.5	<0.5	<0.5	NA	NA	99.72	6.89	92.83	NA
MW-9	06/16/1993	90e	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	8.74	90.98	1.51/2.17k
MW-9	08/24/1993	50e	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	8.32	91.40	2.86/2.74k
MW-9	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	8.17	91.55	3.41/3.78k
MW-9	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	7.67	92.05	4.6/5.2k
MW-9	05/25/1994	56	NA	1.3	4	1.4	8.3	NA	NA	99.72	7.89	91.83	NA
MW-9	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	99.72	9.76	89.96	NA
MW-9	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	7.75	91.97	NA
MW-9	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	99.72	5.66	94.06	NA
MW-9	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	99.72	7.40	92.32	NA
MW-9	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.72	92.00	NA
MW-9	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	99.72	6.93	92.79	NA
MW-9	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.23	92.49	NA
MW-9	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	99.72	9.91	89.81	NA
MW-9	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	99.72	9.03	90.69	NA

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-9	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	99.72	7.45	92.27	3.5/4.3
MW-9	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.40	92.32	NA
MW-9	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.66	92.06	NA
MW-9	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	99.72	8.41	91.31	NA
MW-9	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	99.72	8.02	91.70	NA
MW-9	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	99.72	8.40	91.32	NA
MW-9	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.83	91.89	NA
MW-9	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	99.72	8.34	91.38	NA
MW-9	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	12.34	8.54	3.80	NA
MW-9	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	12.34	7.12	5.22	NA
<b>MW-9</b>	<b>01/30/2003</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>12.34</b>	<b>7.95</b>	<b>4.39</b>	<b>NA</b>

MW-10	01/29/1991	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	10.81	88.18	NA
MW-10	04/30/1991	<50	460	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	8.79	90.20	NA
MW-10	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	9.94	89.05	NA
MW-10	02/21/1992	<50	120	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	9.11	89.88	NA
MW-10	05/22/1992	<50	310	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	9.14	89.85	NA
MW-10	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.87	89.12	NA
MW-10	08/20/1992	<50	460	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	9.30	89.69	NA
MW-10	11/18/1992	<50	470	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	10.21	88.78	NA
MW-10	02/09/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	7.63	91.36	NA
MW-10	06/16/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	8.57	90.42	NA
MW-10	08/24/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	9.61	89.38	NA
MW-10	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	10.10	88.89	NA
MW-10	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	9.01	89.98	NA
MW-10	05/25/1994	<50	NA	<0.5	1.1	<0.5	1.4	NA	NA	98.99	8.84	90.15	NA
MW-10	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.82	89.17	NA
MW-10	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	9.40	89.59	NA

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-10	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	98.99	6.78	92.21	NA
MW-10	05/04/1995	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.00	91.99	NA
MW-10	05/16/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	98.99	8.66	90.33	NA
MW-10	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.37	89.62	NA
MW-10	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.27	91.72	NA
MW-10	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.48	89.51	NA
MW-10	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	98.99	8.72	90.27	NA
MW-10	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	98.99	8.62	90.37	1.6/1.6
MW-10	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	98.99	8.55	90.44	NA
MW-10	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.39	91.60	NA
MW-10	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	98.99	8.26	90.73	NA
MW-10	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.98	91.01	NA
MW-10	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.34	89.65	NA
MW-10	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.34	91.65	NA
MW-10	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	98.99	8.11	90.88	NA
MW-10	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.63	2.97	NA
MW-10	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.50	3.10	NA
<b>MW-10</b>	<b>01/30/2003</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>11.60</b>	<b>8.30</b>	<b>3.30</b>	<b>NA</b>

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8020.

MTBE = Methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

MSL = Mean sea level

ft = Feet

<n = Below detection limit

D = Duplicate sample

NA = Not Applicable

n/n = 1st case volume/3rd case volume D.O.'s

ppm = parts per million

**WELL CONCENTRATIONS**  
**Shell-Branded Service Station**  
**630 High Street**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

Notes:

- a =Compounds detected and calculated as TEPH do not match the diesel standard; pattern is characteristic of weathered diesel.
  - b =Concentration reported as TEPH is primarily due to the presence of a lighter petroleum product, possibly gasoline or kerosene.
  - c =Concentration reported as TEPH is primarily due to a heavier petroleum product, possibly motor oil or aged diesel fuel.
  - d =Compounds detected within the TEPH range are not characteristic of the standard diesel chromatographic pattern.
  - e =Concentration reported as TPPH is primarily due to the presence of a discrete hydrocarbon peak not indicative of gasoline.
  - f =26 ug/L benzene detected using EPA Method 8240.
  - g =The concentration reported as TPPH is due to the presence of a combination of gasoline and a discrete peak not indicative of gasoline.
  - h =Compounds detected and calculated as TPPH appear to be the less volatile constituents of gasoline.
  - i =Sample diluted due to high-non hydrocarbon peak.
  - j =The positive result has an atypical pattern for gasoline analysis.
  - k =Field measurement of DO concentrations before and after well purging.
  - l = This sample was analyzed outside of EPA recommended holding time.
- Survey information provided by Cambria Environmental Technology in October, 2002.



Report Number : 31222

Date : 2/10/2003

Leon Gearhart  
Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Subject : 5 Water Samples  
Project Name : 630 High Street, Oakland  
Project Number : 030130MN1  
P.O. Number : 98995751

Dear Mr. Gearhart,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". The signature is written in a cursive style with a large, looped initial "J".

Joel Kiff





Report Number : 31222

Date : 2/10/2003

Project Name : 630 High Street, Oakland

Project Number : 030130MN1

Sample : MW-1

Matrix : Water

Lab Number : 31222-01

Sample Date :1/30/2003

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	20	2.0	ug/L	EPA 8260B	2/6/2003
Toluene	3.5	2.0	ug/L	EPA 8260B	2/6/2003
Ethylbenzene	4.9	2.0	ug/L	EPA 8260B	2/6/2003
Total Xylenes	15	2.0	ug/L	EPA 8260B	2/6/2003
Methyl-t-butyl ether (MTBE)	500	20	ug/L	EPA 8260B	2/6/2003
TPH as Gasoline	7500	200	ug/L	EPA 8260B	2/6/2003
Toluene - d8 (Surr)	99.9		% Recovery	EPA 8260B	2/6/2003
4-Bromofluorobenzene (Surr)	103		% Recovery	EPA 8260B	2/6/2003

Sample : MW-3

Matrix : Water

Lab Number : 31222-02

Sample Date :1/30/2003

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	220	5.0	ug/L	EPA 8260B	2/6/2003
Toluene	8.0	5.0	ug/L	EPA 8260B	2/6/2003
Ethylbenzene	< 5.0	5.0	ug/L	EPA 8260B	2/6/2003
Total Xylenes	< 5.0	5.0	ug/L	EPA 8260B	2/6/2003
Methyl-t-butyl ether (MTBE)	1800	50	ug/L	EPA 8260B	2/6/2003
TPH as Gasoline	2300	500	ug/L	EPA 8260B	2/6/2003
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	2/6/2003
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	2/6/2003

Approved By:  Joel Kiff



Report Number : 31222

Date : 2/10/2003

Project Name : 630 High Street, Oakland

Project Number : 030130MN1

Sample : MW-5

Matrix : Water

Lab Number : 31222-03

Sample Date :1/30/2003

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.73	0.50	ug/L	EPA 8260B	2/6/2003
Toluene	< 0.50	0.50	ug/L	EPA 8260B	2/6/2003
Ethylbenzene	1.4	0.50	ug/L	EPA 8260B	2/6/2003
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	2/6/2003
Methyl-t-butyl ether (MTBE)	120	5.0	ug/L	EPA 8260B	2/6/2003
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	2/6/2003
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	2/6/2003
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	2/6/2003

Sample : MW-6

Matrix : Water

Lab Number : 31222-04

Sample Date :1/30/2003

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	2/4/2003
Toluene	< 0.50	0.50	ug/L	EPA 8260B	2/4/2003
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	2/4/2003
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	2/4/2003
Methyl-t-butyl ether (MTBE)	57	5.0	ug/L	EPA 8260B	2/4/2003
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	2/4/2003
Toluene - d8 (Surr)	91.5		% Recovery	EPA 8260B	2/4/2003
4-Bromofluorobenzene (Surr)	98.4		% Recovery	EPA 8260B	2/4/2003

Approved By:  Joel Kiff

Project Name : **630 High Street, Oakland**Project Number : **030130MN1**Sample : **MW-7**

Matrix : Water

Lab Number : 31222-05

Sample Date :1/30/2003

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
<b>Benzene</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	2/4/2003
<b>Toluene</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	2/4/2003
<b>Ethylbenzene</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	2/4/2003
<b>Total Xylenes</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	2/4/2003
<b>Methyl-t-butyl ether (MTBE)</b>	<b>&lt; 5.0</b>	5.0	ug/L	EPA 8260B	2/4/2003
<b>TPH as Gasoline</b>	<b>&lt; 50</b>	50	ug/L	EPA 8260B	2/4/2003
Toluene - d8 (Surr)	88.6		% Recovery	EPA 8260B	2/4/2003
4-Bromofluorobenzene (Surr)	99.7		% Recovery	EPA 8260B	2/4/2003

Approved By:  Joel Kiff

Report Number : 31222

Date : 2/10/2003

QC Report : Method Blank Data

Project Name : 630 High Street, Oakland

Project Number : 030130MN1

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	2/7/2003
Toluene	< 0.50	0.50	ug/L	EPA 8260B	2/7/2003
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	2/7/2003
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	2/7/2003
Methyl-t-butyl ether (MTBE)	< 5.0	5.0	ug/L	EPA 8260B	2/7/2003
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	2/7/2003
Toluene - d8 (Surr)	95.6		%	EPA 8260B	2/7/2003
4-Bromofluorobenzene (Surr)	112		%	EPA 8260B	2/7/2003
Benzene	< 0.50	0.50	ug/L	EPA 8260B	2/3/2003
Toluene	< 0.50	0.50	ug/L	EPA 8260B	2/3/2003
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	2/3/2003
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	2/3/2003
Methyl-t-butyl ether (MTBE)	< 5.0	5.0	ug/L	EPA 8260B	2/3/2003
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	2/3/2003
Toluene - d8 (Surr)	93.9		%	EPA 8260B	2/3/2003
4-Bromofluorobenzene (Surr)	97.1		%	EPA 8260B	2/3/2003

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
-----------	----------------	------------------------	-------	-----------------	---------------

KIFF ANALYTICAL, LLC

2795 2nd St. Suite 300 Davis, CA 95616 530-297-4800

Approved By:  Joel Kiff

Report Number : 31222


Date : 2/10/2003

## QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : 630 High Street, Oakland

Project Number : 030130MN1

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Recov. Limit	Relative Percent Diff. Limit
Benzene	31260-06	<0.50	39.9	40.1	37.4	37.3	ug/L	EPA 8260B	2/6/03	93.6	93.0	0.616	70-130	25
Toluene	31260-06	1.0	39.9	40.1	36.8	36.3	ug/L	EPA 8260B	2/6/03	89.8	88.0	1.93	70-130	25
Tert-Butanol	31260-06	5.8	200	200	157	158	ug/L	EPA 8260B	2/6/03	75.9	75.7	0.216	70-130	25
Methyl-t-Butyl Ether	31260-06	<0.50	39.9	40.1	41.7	43.6	ug/L	EPA 8260B	2/6/03	104	109	4.15	70-130	25
Benzene	31248-01	<0.50	40.0	40.0	37.0	35.4	ug/L	EPA 8260B	2/3/03	92.4	88.5	4.34	70-130	25
Toluene	31248-01	<0.50	40.0	40.0	35.8	35.7	ug/L	EPA 8260B	2/3/03	89.4	89.2	0.224	70-130	25
Tert-Butanol	31248-01	51	200	200	244	276	ug/L	EPA 8260B	2/3/03	96.4	112	15.2	70-130	25
Methyl-t-Butyl Ether	31248-01	12	40.0	40.0	51.8	51.1	ug/L	EPA 8260B	2/3/03	99.6	98.0	1.67	70-130	25

Approved By:  Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

## QC Report : Laboratory Control Sample (LCS)

Project Name : **630 High Street, Oakland**Project Number : **030130MN1**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	2/6/03	85.9	70-130
Toluene	40.0	ug/L	EPA 8260B	2/6/03	82.4	70-130
Tert-Butanol	200	ug/L	EPA 8260B	2/6/03	84.2	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	2/6/03	95.6	70-130
Benzene	40.0	ug/L	EPA 8260B	2/3/03	97.0	70-130
Toluene	40.0	ug/L	EPA 8260B	2/3/03	85.6	70-130
Tert-Butanol	200	ug/L	EPA 8260B	2/3/03	96.1	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	2/3/03	103	70-130

KIFF ANALYTICAL, LLC

Approved By: Joel Kiff

# SHELL CHAIN OF CUSTODY RECORD

Lab Identification (if necessary):

Address:

City, State, Zip:

Shell Project Manager to be invoiced:

 SCIENCE & ENGINEERING  
 TECHNICAL SERVICES  
 CRMT HOUSTON

Karen Petryna

31222

INCIDENT NUMBER (S&amp;E ONLY)

9 8 9 9 5 7 5 1

SAP or CRMT NUMBER (TS/CRMT)

DATE: 1/30/07

PAGE: 1 of 1

SAMPLING COMPANY: <b>Blaine Tech Services</b>		LOG CODE: <b>BTSS</b>	SITE ADDRESS (Street and City): <b>630 High Street, Oakland</b>		GLOBAL ID NO.: <b>T0600101273</b>											
ADDRESS: <b>1680 Rogers Avenue, San Jose, CA 95112</b>			EDF DELIVERABLE TO (Responsible Party or Designee): <b>Anni Kreml</b>	PHONE NO.: <b>510-420-3335</b>	E-MAIL: <b>ShellOaklandEDF@cambria-env.com</b>	CONSULTANT PROJECT NO.: <b>BTS# 070130 m7</b>										
PROJECT CONTACT (Hardcopy or PDF Report to): <b>Leon Gearhart</b>			SAMPLER NAME(S) (Print): <i>Michael Winkler</i>			LAB USE ONLY										
TELEPHONE: <b>408-573-0555</b>	FAX: <b>408-573-7771</b>	E-MAIL: <b>lgearhart@blainetech.com</b>														
TURNAROUND TIME (BUSINESS DAYS): <input checked="" type="checkbox"/> 10 DAYS <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 72 HOURS <input type="checkbox"/> 48 HOURS <input type="checkbox"/> 24 HOURS <input type="checkbox"/> LESS THAN 24 HOURS			<b>REQUESTED ANALYSIS</b>													
<input type="checkbox"/> LA - RWQCB REPORT FORMAT <input type="checkbox"/> UST AGENCY:			<b>FIELD NOTES:</b>  Container/Preservative or PID Readings or Laboratory Notes													
GC/MS MTBE CONFIRMATION: HIGHEST _____ HIGHEST per BORING _____ ALL _____																
SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED <input type="checkbox"/>																
LAB USE ONLY	Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Gas, Purgeable	BTEX	MTBE (0.021B - 5ppb RL)	MTBE (0.260B - 0.5ppb RL)	Oxygenates (5) by (0.260B)	Ethanol (0.260B)	Methanol	1,2-DCA (0.260B)	EDB (0.260B)	TPH - Diesel, Extractable (0.015m)	TEMPERATURE ON RECEIPT °C
	MW-1	1/30	1501	W	3	X	X	X								-01
	MW-3		1525			X	X	X								-02
	MW-5		1440			X	X	X								-03
	MW-6		1520			X	X	X								-04
	MW-7		1512	B	1	X	X	X								-05
Relinquished by: (Signature)		Received by: (Signature)			Date:	Time:										
<i>[Signature]</i>		<i>[Signature]</i>														
Relinquished by: (Signature)		Received by: (Signature)			Date:	Time:										
_____		_____														
Relinquished by: (Signature)		Received by: (Signature)			Date:	Time:										
_____		<i>[Signature]</i> RFF Analytical			01/31/07	1058										

# WELL GAUGING DATA

Project # 030130-MW2 Date 1/30/03 Client Shell

Site 630 High St. Oakland

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	
MW-1	4					8.49	13.70		
MW-2	4					10.06	19.21		GO
MW-3	4					9.94	17.26		
MW-4	4					9.02	11.31		GO
MW-5	4					10.05	17.25		
MW-6	4					8.11	19.30		
MW-7	4					7.38	19.41		
MW-8	4					6.48	20.53		GO
MW-9	4					7.95	11.45		GO
MW-10	4					8.30	12.48		GO



### SHELL WELL MONITORING DATA SHEET

BTS #: <u>030130-MN2</u>	Site: <u>98995751</u>
Sampler: <u>MN</u>	Date: <u>1/30/03</u>
Well I.D.: <u>MN-1</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>13.70</u>	Depth to Water (DTW): <u>9.49</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> <u>HACH</u>
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>9.53</u>	

Purge Method:  Bailer       Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Middleburg       Extraction Pump       Extraction Port  
 Electric Submersible       Other \_\_\_\_\_       Dedicated Tubing  
 Other: \_\_\_\_\_

$\frac{3.5 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{10.5 \text{ Gals.}}{\text{Calculated Volume}}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> × 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> × 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> × 0.163														

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1455	69.3	7.0	1076	21	3.5	Clear, HC odor
1456	well	dewatered				DTW = 11.20 Fast Recharge
1501	67.8	6.9	1779	19	-	Clear, HC odor

Did well dewater?  Yes     No      Gallons actually evacuated: 3.5

Sampling Date: 1/30/03      Sampling Time: 1501      Depth to Water: 9.47

Sample I.D.: MN-1      Laboratory: KIT     SPL     Other \_\_\_\_\_

Analyzed for:  TPH-G     BTEX     MTBE     TPH-D    Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for:  TPH-G     BTEX     MTBE     TPH-D    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

### SHELL WELL MONITORING DATA SHEET

BTS #: 030130-MW	Site: 98995751
Sampler: MDN	Date: 1/30/03
Well I.D.: MW-3	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 17.26	Depth to Water (DTW): 9.94
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.40	

Purge Method:  Bailor       Waterra      Sampling Method:  Bailor  
 Disposable Bailor       Peristaltic       Disposable Bailor  
 Middleburg       Extraction Pump       Extraction Port  
 Electric Submersible      Other \_\_\_\_\_       Dedicated Tubing  
 Other: \_\_\_\_\_

$\frac{5.0 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{15.0 \text{ Gals.}}{\text{Calculated Volume}}$	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> x 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> x 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> x 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1448	67.9	6.9	1071	22	5.0	clear, no odor
1449	Well	de-aerated				DTW = 14.15
1525	68.1	6.9	1055	17		DTW = 10.02 clear no odor

Did well dewater?  Yes    No    Gallons actually evacuated: 5.0

Sampling Date: 1/30/03    Sampling Time: 1525    Depth to Water: 10.02

Sample I.D.: MW-3    Laboratory: KIT    SPL    Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D    Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
ORP (if req'd):	Pre-purge:	mV	Post-purge:	mV

**SHELL WELL MONITORING DATA SHEET**

BTS #: 030130-MW	Site: 98995751
Sampler: MDN	Date: 1/30/03
Well I.D.: MW-5	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 17.25	Depth to Water (DTW): 10.05
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.49	

Purge Method: <input type="checkbox"/> Bailler <input type="checkbox"/> Disposable Bailler <input type="checkbox"/> Middleburg <input checked="" type="checkbox"/> Electric Submersible	Water: <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailler <input type="checkbox"/> Disposable Bailler <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
--	---	--

$\frac{5.0 \text{ (Gals.)} \times 3}{\text{Specified Volume}} = \frac{15.0 \text{ Gals.}}{\text{Calculated Volume}}$	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1433	69.6	6.8	1189	19	5.0	Clear, HC odor
1434	69.2	6.8	1139	13	10.0	Clear, HC odor
1435	69.4	6.8	1195	10	15.0	Clear HC odor
						DTW = 11.25 Fast Recharge

Did well dewater? Yes  No  Gallons actually evacuated: 15.0

Sampling Date: 1/30/03 Sampling Time: 1440 Depth to Water: 11.05

Sample I.D.: MW-5 Laboratory: KTR SPL Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

SB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/l	Post-purge:	mg/l
	D.R.P. (if req'd):	Pre-purge:	mV	Post-purge:

### SHELL WELL MONITORING DATA SHEET

BTS #: 030130-MW2	Site: 98995751
Sampler: MDN	Date: 1/30/03
Well I.D.: MW-6	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 19.30	Depth to Water (DTW): 8.11
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.35	

Purge Method:  Bailor  Disposable Bailor  Middleburg  Electric Submersible

Water:  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method:  Bailor  Disposable Bailor  Extraction Port  Dedicated Tubing

Other: \_\_\_\_\_

$$\frac{7.5 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{22.5 \text{ Gals.}}{\text{Calculated Volume}}$$

Well Diameter	Multifiler	Well Diameter	Multifiler
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1420	69.4	7.2	1178	8	7.5	clear
1422	69.6	7.2	867	5	15.0	clear
1423		Well	Dewatered		-	DTW = 16.60
1520	69.8	7.1	826	8	-	Clear DTW = 8.84

Did well dewater?  Yes  No      Gallons actually evacuated: 15.0

Sampling Date: 1/30/03      Sampling Time: 1520      Depth to Water: 8.84

Sample I.D.: MW-6      Laboratory: KIT SPL Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

SB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	D.R.P. (if req'd):	Pre-purge:	mV	Post-purge:

## SHELL WELL MONITORING DATA SHEET

BTS #: 030130-MW2	Site: 98995751
Sampler: MDN	Date: 1/30/03
Well I.D.: MW-7	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 19.41	Depth to Water (DTW): 7.38
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.79	

Purge Method:  Bailor  Disposable Bailor  Middleburg  Electric Submersible  
 Waterra  Peristaltic  Extraction Pump  Other \_\_\_\_\_  
 Sampling Method:  Bailor  Disposable Bailor  Extraction Port  Dedicated Tubing  
 Other: \_\_\_\_\_

8.0 (Gals.) X 3 = 24.0 Gals.  
 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or (µS)	Turbidity (NTUs)	Gals. Removed	Observations
1409	66.9	7.3	1145	11	8.0	clear
1411	67.1	7.2	1163	8	16.0	clear
1412	well	dewatered			-	DTW = 16.97
1512	67.0	7.2	1163	4	-	clear DTW = 8.09

Did well dewater?  Yes  No      Gallons actually evacuated: 16.0

Sampling Date: 1/30/03      Sampling Time: 1512      Depth to Water: 8.09

Sample I.D.: MW-7      Laboratory: Riff SPL Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
D.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV