



RO 228G

Denis L. Brown

June 7, 2005

Mr. Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda California 94502-6577

Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Groundwater Monitoring Report – First Quarter 2005
Shell-branded Service Station
630 High Street
Oakland, California
SAP Code: 135693
Incident No. 98995751

Alameda County
JUN 09 2005
Environmental Health

Dear Mr. Wickham:

Equilon Enterprises LLC dba Shell Oil Products US (Shell) is providing this cover letter for the attached report as recommended in Appendix A of the "Tri-Regional Board Staff Recommendation For Preliminary Evaluation and Investigation of Underground Tank Sites".

To the best of Shell's knowledge:

- Local Implementing Agency (LIA) guidelines have been implemented.
- The attached reports are accurate.
- Shell agrees with the conclusions and recommendations contained with the report.

Shell plans to send the next quarterly status report by July 15, 2005.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

Shell Oil Products US

Denis L. Brown

Sr. Environmental Engineer

June 7, 2005

Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Groundwater Monitoring Report - First Quarter 2005**
Shell-branded Service Station
630 High Street
Oakland, California
SAP Code 135693
Incident No. 98995751



Dear Mr. Wickham:

Cambria Environmental Technology, Inc. (Cambria) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

FIRST QUARTER 2005 ACTIVITIES

Blaine Tech Services, Inc. (Blaine) of San Jose, California gauged all site wells, sampled selected site wells, and prepared a summary table of field gauging and laboratory analytical data. Cambria prepared a vicinity/area well survey map (Figure 1) and a groundwater contour/chemical concentration map (Figure 2). Blaine's report, presenting the laboratory report and supporting field documents, is included as Appendix A.

ANTICIPATED SECOND QUARTER 2005 ACTIVITIES

Blaine will gauge all site wells, sample selected site wells, and tabulate the data. Cambria will prepare a groundwater monitoring report.

**Cambria
Environmental
Technology, Inc.**

270 Perkins Street
Sonoma, CA 95476
Tel (707) 935-4850
Fax (707) 935-6649

C A M B R I A

CLOSING

If you have any questions or comments regarding this submittal, please call Ana Friel at (707) 268-3812.

Sincerely,
Cambria Environmental Technology, Inc

M. Mass
for Lisa Summers
Staff Scientist



Ana Friel
Ana Friel
Senior Project Geologist
PG 6452




Attachments:

- Figure 1. Vicinity/Area Well Survey Map
- Figure 2. Groundwater Contour/Chemical Concentration Map

- Appendix A. Blaine Tech Services – Groundwater Monitoring Report

cc: Denis Brown, Shell Oil Products US



Shell-branded Service Station
 630 High Street
 Oakland, California



**Vicinity/Area Well
 Survey Map**
 (1/2-Mile Radius)

EXPLANATION

- Monitoring well location
- Fuel dispenser number
- Electrical line (E)
- Storm drain line (SD)
- Sanitary sewer line (SS)
- Water line (W)
- Gas line (G)
- Communications line (T)
- Shell oil pipeline (O)
- City of Oakland Electrical vault (E)
- Water vault (W)
- City of Oakland Manhole (MH)
- Utility Pole
- Storm Drain inlet (SD)
- Flow direction
- FL Flow line elevation, in feet above mean sea level
- Groundwater elevation in feet referenced to mean sea level (ft msl). Arrows indicate approximate groundwater flow direction.
- 1.90 Groundwater elevation in ft msl
- (<0.50) Benzene concentration in parts per billion (ppb)
- (45) MTBE concentration in ppb
- (<0.500/<5.00, 27-Aug-99) Benzene/MTBE concentration (ppb), date last reported
- Approximate hydraulic gradient = 0.02




FIGURE 2

Appendix A

**Blaine Tech Services, Inc.
Groundwater Monitoring Report**

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart
Project Coordinator

LG/ks

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Ana Friel
Cambria Environmental Technology, Inc.
P.O. Box 259
Sonoma, CA 95476-0259

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	01/29/1991	11,000	21,000a	310	41	500	400	NA	NA	NA	NA	NA	NA	99.35	10.79	88.56	NA
MW-1	04/30/1991	8,300	2,100	250	32	310	300	NA	NA	NA	NA	NA	NA	99.35	9.48	89.87	NA
MW-1	07/22/1991	11,000	3,800	310	36	290	280	NA	NA	NA	NA	NA	NA	99.35	10.53	88.82	NA
MW-1	02/21/1992	7,300	8,900b	200	36	340	270	NA	NA	NA	NA	NA	NA	99.35	8.31	91.04	NA
MW-1	05/22/1992	7,600	18,000b, c	140	<50	300	140	NA	NA	NA	NA	NA	NA	99.35	10.02	89.33	NA
MW-1	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.35	10.06	89.29	NA
MW-1	08/20/1992	9,100	5,200b	530	340	860	540	NA	NA	NA	NA	NA	NA	99.35	10.32	89.03	NA
MW-1	11/18/1992	15,000	4,100b	220	50	790	340	NA	NA	NA	NA	NA	NA	99.35	10.64	88.71	NA
MW-1	02/09/1993	7,000	1,200	130	23	220	160	NA	NA	NA	NA	NA	NA	99.35	8.71	90.64	NA
MW-1	06/16/1993	4,800	NA	150	31	320	130	NA	NA	NA	NA	NA	NA	99.35	9.71	89.64	1.73/1.58k
MW-1	08/24/1993	10,000	NA	170	27	610	170	NA	NA	NA	NA	NA	NA	99.35	10.23	89.12	1.49/1.70k
MW-1	11/23/1993	7,600	NA	190	<12	430	140	NA	NA	NA	NA	NA	NA	99.35	10.48	88.87	1.77/2.80k
MW-1	02/14/1994	8,000	NA	150	47	210	68	NA	NA	NA	NA	NA	NA	99.35	9.17	90.18	6.2/2.5k
MW-1	05/25/1994	8,800	NA	95	<10	210	63	NA	NA	NA	NA	NA	NA	99.35	9.52	89.83	NA
MW-1	08/04/1994	6,200	NA	150	14	350	180	NA	NA	NA	NA	NA	NA	99.35	10.51	88.84	NA
MW-1	11/08/1994	7,600	NA	190	<10	480	200	NA	NA	NA	NA	NA	NA	99.35	10.20	89.15	NA
MW-1	02/01/1995	8,200	NA	130	21	170	130	NA	NA	NA	NA	NA	NA	99.35	6.94	92.41	NA
MW-1	05/04/1995	7,000	NA	130	47	190	180	NA	NA	NA	NA	NA	NA	99.35	8.40	90.95	NA
MW-1	05/16/1997	5,600	NA	57	<10	26	29	84	NA	NA	NA	NA	NA	99.35	9.93	89.42	1.5
MW-1	11/03/1997	6,900	NA	81	<10	32	30	170	NA	NA	NA	NA	NA	99.35	10.27	89.08	0.8/0.6k
MW-1	06/05/1998	4,200	NA	68	7.6	39	69	84	NA	NA	NA	NA	NA	99.35	8.95	90.40	1.0/0.5k
MW-1	11/06/1998	6,200	NA	87	<2.5	48	55	200	NA	NA	NA	NA	NA	99.35	10.69	88.66	1.2/1.8
MW-1	06/07/1999	5,210	NA	33.6	21.9	7.42	<5.00	153	205	NA	NA	NA	NA	99.35	9.81	89.54	NA
MW-1	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.35	9.55	89.80	0.8
MW-1	08/27/1999	6,080	NA	46.0	<20.0	<20.0	26.1	303	429	NA	NA	NA	NA	99.35	10.00	89.35	0.7/1.5
MW-1	11/11/1999	7,660	NA	92.0	20.4	28.2	46.1	520	542	NA	NA	NA	NA	99.35	10.27	89.08	1.3/1.8
MW-1	04/26/2000	3,730	NA	69.4	<5.00	9.42	28.6	206	NA	NA	NA	NA	NA	99.35	9.54	89.81	2.30/2.71
MW-1	11/02/2000	4,930	NA	81.3	5.32	18.3	29.8	440	NA	NA	NA	NA	NA	99.35	8.90	90.45	3.0/3.2

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

MW-1	05/31/2001	6,800	NA	64	7.1	7.2	28	NA	790	NA	NA	NA	NA	99.35	9.25	90.10	2.3/2.6
MW-1	11/19/2001	6,100	NA	41	4.9	10	25	NA	710	NA	NA	NA	NA	99.35	10.09	89.26	1.2/0.8
MW-1	01/29/2002	7,100	NA	67	5.6	7.3	22	NA	510	NA	NA	NA	NA	99.35	9.13	90.22	4.3/6.0
MW-1	06/05/2002	4,500	NA	47	4.9	8.9	22	NA	880	NA	NA	NA	NA	99.35	9.95	89.40	NA
MW-1	07/31/2002	8,600	NA	41	6.0	17	23	NA	920	NA	NA	NA	NA	12.02	10.34	1.68	NA
MW-1	12/26/2002	6,900	NA	16	2.8	5.2	16	NA	540	NA	NA	NA	NA	12.02	7.56	4.46	NA
MW-1	01/30/2003	7,500	NA	20	3.5	4.9	15	NA	500	NA	NA	NA	NA	12.02	8.49	3.53	NA
MW-1	05/13/2003	7,200	6,300 d	32	<25	<25	<50	NA	650	NA	NA	NA	NA	12.02	8.99	3.03	NA
MW-1	07/29/2003	8,800	NA	50	7.3	16	26	NA	740	NA	NA	NA	NA	12.02	9.98	2.04	NA
MW-1	11/25/2003	8,400	NA	44	7.8	9.7	24	NA	870	NA	NA	NA	NA	12.02	9.92	2.10	NA
MW-1	02/12/2004	5,700	NA	28	5.4	9.1	20	NA	620	NA	NA	NA	NA	12.02	9.04	2.98	NA
MW-1	04/30/2004	8,200	NA	43	6.3	26	24	NA	810	NA	NA	NA	NA	12.02	9.65	2.37	NA
MW-1	08/23/2004	6,300	NA	34	<5.0	21	22	NA	510	<20	<20	<20	630	12.02	10.15	1.87	NA
MW-1	11/08/2004	7,200	NA	19	<5.0	15	19	NA	280	NA	NA	NA	NA	12.02	9.42	2.60	NA
MW-1	02/02/2005	6,800	NA	15	5.0	16	14	NA	130	NA	NA	NA	NA	12.02	8.75	3.27	NA

MW-2	01/29/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	13.25	87.90	NA
MW-2	04/30/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	10.94	90.21	NA
MW-2	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	12.14	89.01	NA
MW-2	02/21/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	10.08	91.07	NA
MW-2	05/22/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	11.52	89.63	NA
MW-2	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.50	89.65	NA
MW-2	08/20/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	11.72	89.43	NA
MW-2	11/18/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	13.06	88.09	NA
MW-2	02/09/1993	95	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	10.06	91.09	NA
MW-2	06/16/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	11.60	89.55	NA
MW-2	08/24/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	12.16	88.99	NA
MW-2	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	12.74	88.41	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	10.91	90.24	NA
MW-2	05/25/1994	100	NA	1.2	4.9	2.3	13	NA	NA	NA	NA	NA	NA	101.15	11.06	90.09	NA
MW-2	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	12.04	89.11	NA
MW-2	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	12.38	88.77	NA
MW-2	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	8.76	92.39	NA
MW-2	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	101.15	10.20	90.95	NA
MW-2	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.28	89.87	NA
MW-2	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.71	89.44	NA
MW-2	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	9.85	91.30	NA
MW-2	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	12.60	88.55	NA
MW-2	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.03	90.12	NA
MW-2	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	19.2	34.5	NA	NA	NA	NA	101.15	10.98	90.17	0.71/4.0
MW-2	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	10.33	90.82	NA
MW-2	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	9.58	91.57	NA
MW-2	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	10.03	91.12	NA
MW-2	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	10.01	91.14	NA
MW-2	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.63	89.52	NA
MW-2	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	10.12	91.03	NA
MW-2	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	101.15	11.03	90.12	NA
MW-2	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	11.43	2.37	NA
MW-2	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	9.94	3.86	NA
MW-2	01/30/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	10.06	3.74	NA
MW-2	05/13/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	10.22	3.58	NA
MW-2	07/29/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	11.30	2.50	NA
MW-2	11/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	11.73	2.07	NA
MW-2	02/12/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	10.32	3.48	NA
MW-2	04/30/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	10.78	3.02	NA
MW-2	08/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	11.48	2.32	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	11/08/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	11.17	2.63	NA
MW-2	02/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.80	9.85	3.95	NA
MW-3	01/29/1991	2,300	410a	17	14.1	10	230	NA	NA	NA	NA	NA	NA	99.49	11.09	88.40	NA
MW-3	04/30/1991	<50	260	22	4	7	17	NA	NA	NA	NA	NA	NA	99.49	9.57	89.92	NA
MW-3	07/22/1991	2,000	310	51	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.49	10.66	88.83	NA
MW-3	02/21/1992	2,800	640d	15	2.8	<2.5	12	NA	NA	NA	NA	NA	NA	99.49	8.97	90.52	NA
MW-3	05/22/1992	3,700	220b, c	27	11	20	110	NA	NA	NA	NA	NA	NA	99.49	9.32	90.17	NA
MW-3	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.22	89.27	NA
MW-3	08/20/1992	13,000	340b	72	85	71	140	NA	NA	NA	NA	NA	NA	99.49	10.44	89.05	NA
MW-3	11/18/1992	2,100	430b	21	3.6	11	13	NA	NA	NA	NA	NA	NA	99.49	10.79	88.70	NA
MW-3	02/09/1993	3,300	83	21	5.6	6.1	<0.5	NA	NA	NA	NA	NA	NA	99.49	9.35	90.14	NA
MW-3	06/16/1993	3,500e	NA	66	6	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.49	9.56	89.93	NA
MW-3	08/24/1993	3,400e	NA	110	<5	<5	<5	NA	NA	NA	NA	NA	NA	99.49	10.51	88.98	NA
MW-3	11/23/1993	3,000	NA	36	44	6.9	23	NA	NA	NA	NA	NA	NA	99.49	10.77	88.72	NA
MW-3	02/14/1994	4,700g	NA	9.9	5.2	8.8	<5.0	NA	NA	NA	NA	NA	NA	99.49	9.61	89.88	NA
MW-3	05/25/1994	1,200	NA	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	99.49	10.00	89.49	NA
MW-3	08/04/1994	2,600	NA	29	<5	14	11	NA	NA	NA	NA	NA	NA	99.49	10.63	88.86	NA
MW-3	11/08/1994	2,600	NA	5.5	1.5	1.9	0.9	NA	NA	NA	NA	NA	NA	99.49	11.02	88.47	NA
MW-3	02/01/1995	4,600	NA	27	1.2	3.2	2.5	NA	NA	NA	NA	NA	NA	99.49	8.31	91.18	NA
MW-3	05/04/1995	1,800	NA	140	11	11	16	NA	NA	NA	NA	NA	NA	99.49	8.70	90.79	NA
MW-3	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.30	89.19	NA
MW-3	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.52	88.97	NA
MW-3	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.49	9.18	90.31	NA
MW-3	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.49	11.00	88.49	NA
MW-3	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.93	88.56	NA
MW-3	08/27/1999	8,600	NA	2,410	135	279	1,390	26,400	29,500	NA	NA	NA	NA	99.49	10.23	89.26	0.8/0.7
MW-3	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.49	10.46	89.03	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	04/26/2000	7,100	NA	1,310	573	89.2	376	35,000	38,000	NA	NA	NA	NA	99.49	9.45	90.04	2.42/2.63
MW-3	11/02/2000	4,750	NA	1,210	29.3	50.5	125	8,750	8,960	NA	NA	NA	NA	99.49	10.05	89.44	2.0/2.5
MW-3	05/31/2001	5,400	NA	860	<20	29	<20	NA	10,000	NA	NA	NA	NA	99.49	10.38	89.11	1.8/2.0
MW-3	11/19/2001	3,200	NA	440	7.8	8.6	23	NA	3,400	NA	NA	NA	NA	99.49	10.29	89.20	3.1/1.5
MW-3	01/29/2002	2,900	NA	370	<20	<20	57	NA	5,400	NA	NA	NA	NA	99.49	9.07	90.42	5.2/3.8
MW-3	06/05/2002	3,500	NA	370	<10	<10	<10	NA	4,700	NA	NA	NA	NA	99.49	10.03	89.46	NA
MW-3	07/31/2002	4,100	NA	290	<5.0	<5.0	<5.0	NA	2,100	NA	NA	NA	NA	12.12	10.32	1.80	NA
MW-3	12/26/2002	1,500	NA	130	<2.5	<2.5	<2.5	NA	1,300	NA	NA	NA	NA	12.12	8.24	3.88	NA
MW-3	01/30/2003	2,300	NA	220	8.0	<5.0	<5.0	NA	1,800	NA	NA	NA	NA	12.12	9.94	2.18	NA
MW-3	05/13/2003	3,800	1,000 d	230	<10	<10	<20	NA	2,000	NA	NA	NA	NA	12.12	9.53	2.59	NA
MW-3	07/29/2003	5,000	NA	200	<10	<10	<20	NA	1,300	NA	NA	NA	NA	12.12	10.04	2.08	NA
MW-3	11/25/2003	3,100	NA	18	<5.0	7.2	<10	NA	690	NA	NA	NA	NA	12.12	10.34	1.78	NA
MW-3	02/12/2004	2,400	NA	20	<5.0	<5.0	<10	NA	780	NA	NA	NA	NA	12.12	9.75	2.37	NA
MW-3	04/30/2004	2,500	NA	29	<5.0	<5.0	<10	NA	800	NA	NA	NA	NA	12.12	9.78	2.34	NA
MW-3	08/23/2004	4,300	NA	7.5	<5.0	<5.0	<10	NA	530	<20	<20	<20	1,000	12.12	10.30	1.82	NA
MW-3	11/08/2004	4,200	NA	8.9	<5.0	5.7	<10	NA	390	NA	NA	NA	NA	12.12	9.82	2.30	NA
MW-3	02/02/2005	4,400	NA	14	<2.5	<2.5	8.2	NA	320	NA	NA	NA	NA	12.12	9.35	2.77	NA
MW-4	01/29/1991	2,600	1,300	83	<0.5	<0.5	110	NA	NA	NA	NA	NA	NA	99.24	10.76	88.48	NA
MW-4	04/30/1991	2,600	750	22	4	7	17	NA	NA	NA	NA	NA	NA	99.24	9.45	89.79	NA
MW-4	07/22/1991	4,300	1,200	120	<0.5	<0.5	10	NA	NA	NA	NA	NA	NA	99.24	10.34	88.90	NA
MW-4	02/21/1992	2,000	8,300b	31	6.3	3.5	6.6	NA	NA	NA	NA	NA	NA	99.24	7.60	91.64	NA
MW-4	05/22/1992	3,600	3,400b, c	55	5	3	10	NA	NA	NA	NA	NA	NA	99.24	9.90	89.34	NA
MW-4	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.02	89.22	NA
MW-4	08/20/1992	3,100	3,400	100	45	14	45	NA	NA	NA	NA	NA	NA	99.24	10.32	88.92	NA
MW-4	11/18/1992	2,200	1,400	32	12	4.2	24	NA	NA	NA	NA	NA	NA	99.24	10.51	88.73	NA
MW-4	02/09/1993	1,500	180	1.1	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.24	8.13	91.11	NA
MW-4	06/16/1993	1,100	NA	120	47	5.1	19	NA	NA	NA	NA	NA	NA	99.24	9.60	89.64	1.86/4.82k

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	08/24/1993	2,700	NA	46	11	25	0.97	NA	NA	NA	NA	NA	NA	99.24	10.05	89.19	1.46/1.27k
MW-4	11/23/1993	2,500	NA	23	5.7	3.7	16	NA	NA	NA	NA	NA	NA	99.24	10.25	89.99	5.29/6.59k
MW-4	02/14/1994	1,500	NA	12	7.8	<2.5	<2.5	NA	NA	NA	NA	NA	NA	99.24	8.83	90.41	2.1/1.9k
MW-4	05/25/1994	810	NA	20	<2	<2	4	NA	NA	NA	NA	NA	NA	99.24	9.64	89.60	NA
MW-4	08/04/1994	2,300	NA	99	15	6.3	24	NA	NA	NA	NA	NA	NA	99.24	10.62	88.62	NA
MW-4	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.24	9.28	89.96	NA
MW-4	02/01/1995	960	NA	5.6	2.2	2.6	2.8	NA	NA	NA	NA	NA	NA	99.24	6.52	92.72	NA
MW-4	05/04/1995	960	NA	20	4.7	3.7	5.6	NA	NA	NA	NA	NA	NA	99.24	8.40	90.84	NA
MW-4	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.35	89.89	NA
MW-4	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.17	89.07	NA
MW-4	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	8.85	90.39	NA
MW-4	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.17	89.07	NA
MW-4	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	11.06	88.18	NA
MW-4	08/27/1999	1,520	NA	32.8	6.25	<2.50	5.65	61.5	<2.00	NA	NA	NA	NA	99.24	10.25	88.99	1.0/1.4
MW-4	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.11	89.13	NA
MW-4	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.18	90.06	NA
MW-4	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.72	89.52	NA
MW-4	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.29	89.95	NA
MW-4	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.98	89.26	NA
MW-4	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	9.12	90.12	NA
MW-4	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.24	10.09	89.15	NA
MW-4	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	10.30	1.60	NA
MW-4	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	7.22	4.68	NA
MW-4	01/30/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	9.02	2.88	NA
MW-4	05/13/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	8.82	3.08	NA
MW-4	07/29/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	9.88	2.02	NA
MW-4	11/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	9.84	2.06	NA
MW-4	02/12/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	9.08	2.82	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

MW-4	04/30/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	9.62	2.28	NA
MW-4	08/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	9.90	2.00	NA
MW-4	11/08/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	9.54	2.36	NA
MW-4	02/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.90	8.68	3.22	NA

MW-5	01/29/1991	3,100	720	86	<0.5	24	28	NA	NA	NA	NA	NA	NA	100.08	11.72	88.36	NA
MW-5	04/30/1991	<50	90	46	<0.5	9	9	NA	NA	NA	NA	NA	NA	100.08	10.45	89.63	NA
MW-5	07/22/1991	1,700	300	23	<0.5	6,700	10,000	NA	NA	NA	NA	NA	NA	100.08	11.43	88.65	NA
MW-5	02/21/1992	240	180h	1	<0.5	<0.5	1	NA	NA	NA	NA	NA	NA	100.08	9.24	90.84	NA
MW-5	05/22/1992	6,200	7,100b, c	6	95	56	99	NA	NA	NA	NA	NA	NA	100.08	10.97	89.11	NA
MW-5	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	100.08	10.98	89.10	NA
MW-5	08/20/1992	7,400	120b	56	95	91	150	NA	NA	NA	NA	NA	NA	100.08	11.14	88.94	NA
MW-5	11/18/1992	3,300	320b	27	<12.5	20	470	NA	NA	NA	NA	NA	NA	100.08	11.21	88.87	NA
MW-5	02/09/1993	160	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	100.08	10.01	90.07	NA
MW-5	06/16/1993	140	NA	0.8	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	100.08	11.05	89.03	1.53/2.72k
MW-5	08/24/1993	1,000	NA	7.9	<1	2.2	<1.5	NA	NA	NA	NA	NA	NA	100.08	11.32	88.76	2.69/1.41k
MW-5	11/23/1993	2,000	NA	67	15	11	33	NA	NA	NA	NA	NA	NA	100.08	11.35	88.73	8.20/3.09k
MW-5	02/14/1994	660	NA	1.3	<0.5	0.5	0.7	NA	NA	NA	NA	NA	NA	100.08	10.34	89.74	2.0/1.9k
MW-5	05/25/1994	670	NA	0.65	<0.5	2.6	<0.5	NA	NA	NA	NA	NA	NA	100.08	10.54	89.54	NA
MW-5	08/04/1994	700	NA	5	<0.5	1.2	<0.5	NA	NA	NA	NA	NA	NA	100.08	11.50	88.58	NA
MW-5	11/08/1994	810	NA	4.2	<0.5	1.5	0.8	NA	NA	NA	NA	NA	NA	100.08	11.24	88.84	NA
MW-5	02/01/1995	110	NA	7	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	100.08	9.05	91.03	NA
MW-5	05/04/1995	260	NA	3.1	1.3	2	1.5	NA	NA	NA	NA	NA	NA	100.08	10.35	89.73	NA
MW-5	05/16/1997	440	NA	2.4	3.1	1.6	3.3	7.1	NA	NA	NA	NA	NA	100.08	11.21	88.87	2.9
MW-5	11/03/1997	1,400	NA	34	<2.5	2.8	4.4	33	NA	NA	NA	NA	NA	100.08	11.43	88.65	3.0/1.2k
MW-5	06/05/1998	230	NA	3.6	0.5	<0.50	1.3	34	NA	NA	NA	NA	NA	100.08	10.35	89.73	3.2/1.4k
MW-5	11/06/1998	1,800	NA	29	<0.50	3.8	7.1	26	NA	NA	NA	NA	NA	100.08	11.89	88.19	2.6/3.0
MW-5	06/07/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	19.5	NA	NA	NA	NA	NA	100.08	10.28	89.80	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	100.08	10.74	89.34	0.6
MW-5	08/27/1999	254	NA	5.09	1.08	<0.500	<0.500	9.97	12.0	NA	NA	NA	NA	100.08	11.01	89.07	NA
MW-5	11/11/1999	549	NA	16.4	3.29	2.18	3.16	18.2	NA	NA	NA	NA	NA	100.08	11.33	88.75	2.3/2.7
MW-5	04/26/2000	338	NA	0.787	2.30	<0.500	3.01	21.7	NA	NA	NA	NA	NA	100.08	10.32	89.76	1.99/3.01
MW-5	11/02/2000	507	NA	0.659	2.39	2.70	3.88	20.0	NA	NA	NA	NA	NA	100.08	10.75	89.33	4.0/2.0
MW-5	05/31/2001	67	NA	<0.50	<0.50	<0.50	<0.50	NA	87	NA	NA	NA	NA	100.08	10.53	89.55	3.8/2.1
MW-5	11/19/2001	850	NA	2.8	1.4	2.3	8.5	NA	57	NA	NA	NA	NA	100.08	10.88	89.20	2.6/1.9
MW-5	01/29/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	95	NA	NA	NA	NA	100.08	9.95	90.13	5.5/3.6
MW-5	06/05/2002	140	NA	<0.50	<0.50	<0.50	<0.50	NA	36	NA	NA	NA	NA	100.08	10.73	89.35	NA
MW-5	07/31/2002	520	NA	1.1	2.0	<0.50	<0.50	NA	45	NA	NA	NA	NA	12.72	11.00	1.72	NA
MW-5	12/26/2002	1,300	NA	75	3.7	<2.0	310	NA	600	NA	NA	NA	NA	12.72	9.24	3.48	NA
MW-5	01/30/2003	<50	NA	0.73	<0.50	1.4	<0.50	NA	120	NA	NA	NA	NA	12.72	10.05	2.67	NA
MW-5	05/13/2003	210	100 d	<0.50	<0.50	<0.50	<1.0	NA	39	NA	NA	NA	NA	12.72	9.99	2.73	NA
MW-5	07/29/2003	490	NA	<0.50	<0.50	<0.50	<1.0	NA	45	NA	NA	NA	NA	12.72	10.82	1.90	NA
MW-5	11/25/2003	280 m	NA	<0.50	<0.50	<0.50	<1.0	NA	35	NA	NA	NA	NA	12.72	11.01	1.71	NA
MW-5	02/12/2004	710 m	NA	<0.50	<0.50	<0.50	<1.0	NA	49	NA	NA	NA	NA	12.72	10.13	2.59	NA
MW-5	04/30/2004	130 m	NA	<0.50	<0.50	<0.50	<1.0	NA	41	NA	NA	NA	NA	12.72	10.62	2.10	NA
MW-5	08/23/2004	610	NA	<0.50	<0.50	<0.50	<1.0	NA	43	NA	NA	NA	NA	12.72	10.42	2.30	NA
MW-5	11/08/2004	420	NA	<0.50	<0.50	<0.50	<1.0	NA	35	NA	NA	NA	NA	12.72	10.60	2.12	NA
MW-5	02/02/2005	510	NA	<0.50	<0.50	<0.50	<1.0	NA	20	NA	NA	NA	NA	12.72	9.80	2.92	NA
MW-6	01/29/1991	<50	860	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	10.23	88.33	NA
MW-6	04/30/1991	<50	1,100	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	9.15	89.41	NA
MW-6	07/22/1991	<50	1,200	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	10.10	88.46	NA
MW-6	02/21/1992	<50	60d	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	7.15	91.41	NA
MW-6	05/22/1992	<50	650c	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	9.55	89.01	NA
MW-6	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.56	9.53	89.03	NA
MW-6	08/20/1992	140e	510c	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	9.84	88.72	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-6	11/18/1992	200e	350	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	10.03	88.53	NA
MW-6	02/09/1993	14,000e	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	7.91	90.65	NA
MW-6	06/16/1993	5,700e	NA	<0.5	22	<0.5	34	NA	NA	NA	NA	NA	NA	98.56	8.74	89.82	8.46/9.73k
MW-6	08/24/1993	4,300e	NA	<12.5	<12.5	<12.5	<12.5	NA	NA	NA	NA	NA	NA	98.56	9.66	88.90	2.15/1.52k
MW-6	11/23/1993	3,300e	NA	<12	<12	<12	<12	NA	NA	NA	NA	NA	NA	98.56	9.86	88.70	3.86/6.75k
MW-6	02/14/1994	14,000e	NA	<12.5	<12.5	<12.5	<12.5	NA	NA	NA	NA	NA	NA	98.56	8.27	90.29	2.3/5.2k
MW-6	05/25/1994	<1,000i	NA	<10	<10	<10	<10	NA	NA	NA	NA	NA	NA	98.56	8.89	89.67	NA
MW-6	08/04/1994	250j	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	10.10	88.46	NA
MW-6	11/08/1994	4,600e	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	8.98	89.58	NA
MW-6	02/01/1995	710	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	7.07	91.49	NA
MW-6	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.56	8.56	90.00	NA
MW-6	05/16/1997	<500	NA	<5.0	<5.0	<5.0	<5.0	1,700	NA	NA	NA	NA	NA	98.56	9.57	88.99	6.2
MW-6	11/03/1997	<500	NA	<5.0	<5.0	<5.0	<5.0	990	NA	NA	NA	NA	NA	98.56	9.76	88.80	1.4/1.0k
MW-6	06/05/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	590	NA	NA	NA	NA	NA	98.56	8.50	90.06	1.5/1.1k
MW-6	11/06/1998	<250	NA	<2.5	<2.5	<2.5	<2.5	810	NA	NA	NA	NA	NA	98.56	10.00	88.56	2.0/1.4
MW-6	06/07/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	71.5	NA	NA	NA	NA	NA	98.56	9.35	89.21	NA
MW-6	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.56	9.20	89.36	1.9
MW-6	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	197	276	NA	NA	NA	NA	98.56	9.52	89.04	1.5/7.8
MW-6	11/11/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	212	NA	NA	NA	NA	NA	98.56	9.87	88.69	1.4/1.7
MW-6	04/26/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	236	NA	NA	NA	NA	NA	98.56	9.13	89.43	1.93/2.90
MW-6	11/02/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	497	NA	NA	NA	NA	NA	98.56	9.13	89.43	2.5/3.5
MW-6	05/31/2001	<2,000	NA	<20	<20	<20	<20	NA	5,400	NA	NA	NA	NA	98.56	9.22	89.34	1.8/2.1
MW-6	11/19/2001	<500	NA	5.0	<5.0	<5.0	18	NA	2,600	NA	NA	NA	NA	98.56	9.48	89.08	2.5/1.9
MW-6	01/29/2002	<200	NA	<2.0	<2.0	<2.0	<2.0	NA	1,000	NA	NA	NA	NA	98.56	8.12	90.44	5.6/4.3
MW-6	06/05/2002	<100	NA	<1.0	<1.0	<1.0	<1.0	NA	650	NA	NA	NA	NA	98.56	9.58	88.98	NA
MW-6	07/31/2002	<200	NA	<2.0	<2.0	<2.0	<2.0	NA	860	NA	NA	NA	NA	11.21	9.90	1.31	NA
MW-6	12/26/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	200	NA	NA	NA	NA	11.21	7.13	4.08	NA
MW-6	01/30/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	57	NA	NA	NA	NA	11.21	8.11	3.10	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-6	05/13/2003	<50	180 d	<0.50	<0.50	<0.50	<1.0	NA	40	NA	NA	NA	NA	11.21	8.69	2.52	NA
MW-6	07/29/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	39	NA	NA	NA	NA	11.21	9.52	1.69	NA
MW-6	11/25/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	44	NA	NA	NA	NA	11.21	9.42	1.79	NA
MW-6	02/12/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	40	NA	NA	NA	NA	11.21	8.86	2.35	NA
MW-6	04/30/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	41	NA	NA	NA	NA	11.21	9.41	1.80	NA
MW-6	08/23/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	43	<2.0	<2.0	<2.0	<5.0	11.21	9.67	1.54	NA
MW-6	11/08/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	34	NA	NA	NA	NA	11.21	8.91	2.30	NA
MW-6	02/02/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	25	NA	NA	NA	NA	11.21	8.50	2.71	NA

MW-7	01/29/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	8.91	88.62	NA
MW-7	04/30/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	8.38	89.15	NA
MW-7	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	9.13	88.40	NA
MW-7	02/21/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	6.87	90.66	NA
MW-7	05/22/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	8.08	89.45	NA
MW-7	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.53	8.82	88.71	NA
MW-7	08/20/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	8.89	88.64	NA
MW-7	11/18/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	9.54	87.99	NA
MW-7	02/09/1993	72	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	7.84	89.69	NA
MW-7	06/16/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	7.80	89.73	NA
MW-7	08/24/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	8.51	89.02	NA
MW-7	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	8.70	88.83	NA
MW-7	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	7.52	90.01	NA
MW-7	05/25/1994	<50	NA	<0.5	0.63	<0.5	0.93	NA	NA	NA	NA	NA	NA	97.53	9.04	88.49	NA
MW-7	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.53	9.80	87.83	NA
MW-7	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	8.45	89.08	NA
MW-7	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.53	5.51	92.02	NA
MW-7	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.53	8.34	89.19	NA
MW-7	05/16/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	2.7	NA	NA	NA	NA	NA	97.53	8.80	88.73	2.8

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-7	11/03/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	97.53	8.95	88.58	1.6/1.2k
MW-7	06/05/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	4.3	NA	NA	NA	NA	NA	97.53	7.75	89.78	1.5/1.1k
MW-7	11/06/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	4.5	NA	NA	NA	NA	NA	97.53	9.20	88.33	4.1/2.2
MW-7	06/07/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	97.53	8.39	89.14	NA
MW-7	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.53	8.43	89.10	0.4
MW-7	06/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.53	8.43	89.10	0.4
MW-7	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	4.33	NA	NA	NA	NA	97.53	8.82	88.71	1.3/1.9
MW-7	11/11/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	4.30	NA	NA	NA	NA	NA	97.53	8.64	88.89	1.1/1.0
MW-7	04/26/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	6.59	NA	NA	NA	NA	NA	97.53	8.31	89.22	1.09/2.41
MW-7	11/02/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	7.38	NA	NA	NA	NA	NA	97.53	7.80	89.73	4.0/4.0
MW-7	05/31/2001	<50	NA	<0.50	1.4	<0.50	4.6	NA	5.3	NA	NA	NA	NA	97.53	7.61	89.92	3.2/3.3
MW-7	11/19/2001	<50	NA	0.64	0.86	1.6	6.1	NA	7.3	NA	NA	NA	NA	97.53	9.11	88.42	2.6/2.1
MW-7	01/29/2002	<50	NA	0.70	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	97.53	7.85	89.68	2.1/2.3
MW-7	06/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	97.53	8.68	88.85	NA
MW-7	07/31/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	10.17	8.94	1.23	NA
MW-7	12/26/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	10.17	6.05	4.12	NA
MW-7	01/30/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	10.17	7.38	2.79	NA
MW-7	05/13/2003	<50	85 d	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	10.17	7.74	2.43	NA
MW-7	07/29/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	2.3	NA	NA	NA	NA	10.17	8.45	1.72	NA
MW-7	11/25/2003	140	NA	<0.50	8.7	2.0	10	NA	2.0	NA	NA	NA	NA	10.17	8.47	1.70	NA
MW-7	02/12/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	2.8	NA	NA	NA	NA	10.17	7.63	2.54	NA
MW-7	04/30/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	2.2	NA	NA	NA	NA	10.17	9.29	0.88	NA
MW-7	08/23/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	1.9	<2.0	<2.0	<2.0	<5.0	10.17	8.68	1.49	NA
MW-7	11/08/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	1.7	NA	NA	NA	NA	10.17	8.19	1.98	NA
MW-7	02/02/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	1.9	NA	NA	NA	NA	10.17	7.65	2.52	NA
MW-8	01/29/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	8.47	88.66	NA
MW-8	04/30/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	7.64	89.49	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-8	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	8.36	88.77	NA
MW-8	02/21/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	6.54	90.59	NA
MW-8	05/22/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	7.68	89.45	NA
MW-8	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	8.16	88.97	NA
MW-8	08/20/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	8.25	88.88	NA
MW-8	11/18/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	8.32	88.81	NA
MW-8	02/09/1993	63	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	5.58	91.55	NA
MW-8	06/16/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	7.19	89.94	NA
MW-8	08/24/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	7.98	89.15	NA
MW-8	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	8.09	89.04	NA
MW-8	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	9.42	87.71	NA
MW-8	05/25/1994	<50	NA	<0.5	1.1	<0.5	2.5	NA	NA	NA	NA	NA	NA	97.13	7.18	89.95	NA
MW-8	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	8.51	88.62	NA
MW-8	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	6.24	90.89	NA
MW-8	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	3.94	93.19	NA
MW-8	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	97.13	5.04	92.09	NA
MW-8	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.65	89.48	NA
MW-8	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.03	90.10	NA
MW-8	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	6.47	90.66	NA
MW-8	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	8.27	88.86	NA
MW-8	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	8.69	88.44	NA
MW-8	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA	97.13	7.82	89.31	1.5/2.0
MW-8	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.91	89.22	NA
MW-8	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.10	90.03	NA
MW-8	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.95	89.18	NA
MW-8	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.22	89.91	NA
MW-8	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.70	89.43	NA
MW-8	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	6.64	90.49	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-8	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97.13	7.78	89.35	NA
MW-8	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	8.24	1.51	NA
MW-8	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	6.13	3.62	NA
MW-8	01/30/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	6.48	3.27	NA
MW-8	05/13/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	6.80	2.95	NA
MW-8	07/29/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	7.75	2.00	NA
MW-8	11/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	7.53	2.22	NA
MW-8	02/12/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	6.65	3.10	NA
MW-8	04/30/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	7.33	2.42	NA
MW-8	08/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	7.95	1.80	NA
MW-8	11/08/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	7.07	2.68	NA
MW-8	02/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	6.50	3.25	NA

MW-9	01/29/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	8.27	91.45	NA
MW-9	04/30/1991	<50	<50	0.6	<0.5	<0.5	1.1	NA	NA	NA	NA	NA	NA	99.72	7.62	92.10	NA
MW-9	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	8.48	91.24	NA
MW-9	02/21/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	6.91	92.81	NA
MW-9	05/22/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	8.64	91.08	NA
MW-9	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.55	92.17	NA
MW-9	08/20/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	7.38	92.34	NA
MW-9	11/18/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	10.17	89.55	NA
MW-9	02/09/1993	290	110	6	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	6.89	92.83	NA
MW-9	06/16/1993	90e	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	8.74	90.98	1.51/2.17k
MW-9	08/24/1993	50e	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	8.32	91.40	2.86/2.74k
MW-9	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	8.17	91.55	3.41/3.78k
MW-9	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	7.67	92.05	4.6/5.2k
MW-9	05/25/1994	56	NA	1.3	4	1.4	8.3	NA	NA	NA	NA	NA	NA	99.72	7.89	91.83	NA
MW-9	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	9.76	89.96	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-9	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	7.75	91.97	NA
MW-9	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	5.66	94.06	NA
MW-9	05/04/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	99.72	7.40	92.32	NA
MW-9	05/16/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.72	92.00	NA
MW-9	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	6.93	92.79	NA
MW-9	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.23	92.49	NA
MW-9	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	9.91	89.81	NA
MW-9	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	9.03	90.69	NA
MW-9	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA	99.72	7.45	92.27	3.5/4.3
MW-9	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.40	92.32	NA
MW-9	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.66	92.06	NA
MW-9	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	8.41	91.31	NA
MW-9	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	8.02	91.70	NA
MW-9	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	8.40	91.32	NA
MW-9	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	7.83	91.89	NA
MW-9	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	99.72	8.34	91.38	NA
MW-9	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	8.54	3.80	NA
MW-9	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	7.12	5.22	NA
MW-9	01/30/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	7.95	4.39	NA
MW-9	05/13/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	7.58	4.76	NA
MW-9	07/29/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	8.53	3.81	NA
MW-9	11/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	8.67	3.67	NA
MW-9	02/12/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	8.22	4.12	NA
MW-9	04/30/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	8.35	3.99	NA
MW-9	08/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	9.31	3.03	NA
MW-9	11/08/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	8.60	3.74	NA
MW-9	02/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.34	7.05	5.29	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-10	01/29/1991	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	10.81	88.18	NA
MW-10	04/30/1991	<50	460	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	8.79	90.20	NA
MW-10	07/22/1991	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	9.94	89.05	NA
MW-10	02/21/1992	<50	120	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	9.11	89.88	NA
MW-10	05/22/1992	<50	310	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	9.14	89.85	NA
MW-10	07/07/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.87	89.12	NA
MW-10	08/20/1992	<50	460	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	9.30	89.69	NA
MW-10	11/18/1992	<50	470	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	10.21	88.78	NA
MW-10	02/09/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	7.63	91.36	NA
MW-10	06/16/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	8.57	90.42	NA
MW-10	08/24/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	9.61	89.38	NA
MW-10	11/23/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	10.10	88.89	NA
MW-10	02/14/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	9.01	89.98	NA
MW-10	05/25/1994	<50	NA	<0.5	1.1	<0.5	1.4	NA	NA	NA	NA	NA	NA	98.99	8.84	90.15	NA
MW-10	08/04/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.82	89.17	NA
MW-10	11/08/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	9.40	89.59	NA
MW-10	02/01/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	6.78	92.21	NA
MW-10	05/04/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.00	91.99	NA
MW-10	05/16/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	98.99	8.66	90.33	NA
MW-10	11/03/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.37	89.62	NA
MW-10	06/05/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.27	91.72	NA
MW-10	11/06/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.48	89.51	NA
MW-10	06/07/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	8.72	90.27	NA
MW-10	08/27/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA	98.99	8.62	90.37	1.6/1.6
MW-10	11/11/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	8.55	90.44	NA
MW-10	04/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.39	91.60	NA
MW-10	11/02/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	8.26	90.73	NA
MW-10	05/31/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.98	91.01	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-10	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	9.34	89.65	NA
MW-10	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	7.34	91.65	NA
MW-10	06/05/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.99	8.11	90.88	NA
MW-10	07/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.63	2.97	NA
MW-10	12/26/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.50	3.10	NA
MW-10	01/30/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.30	3.30	NA
MW-10	05/13/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.17	3.43	NA
MW-10	07/29/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.62	2.98	NA
MW-10	11/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	9.24	2.36	NA
MW-10	02/12/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.14	3.46	NA
MW-10	04/30/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.31	3.29	NA
MW-10	08/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.85	2.75	NA
MW-10	11/08/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	8.91	2.69	NA
MW-10	02/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.60	7.55	4.05	NA

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not Applicable

n/n = 1st case volume/3rd case volume DO's

ppm = parts per million

WELL CONCENTRATIONS
Shell-Branded Service Station
630 High Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

Notes:

- a = Compounds detected and calculated as TEPH do not match the diesel standard; pattern is characteristic of weathered diesel.
 - b = Concentration reported as TEPH is primarily due to the presence of a lighter petroleum product, possibly gasoline or kerosene.
 - c = Concentration reported as TEPH is primarily due to a heavier petroleum product, possibly motor oil or aged diesel fuel.
 - d = Compounds detected within the TEPH range are not characteristic of the standard diesel chromatographic pattern.
 - e = Concentration reported as TPPH is primarily due to the presence of a discrete hydrocarbon peak not indicative of gasoline.
 - f = 26 ug/L benzene detected using EPA Method 8240.
 - g = The concentration reported as TPPH is due to the presence of a combination of gasoline and a discrete peak not indicative of gasoline.
 - h = Compounds detected and calculated as TPPH appear to be the less volatile constituents of gasoline.
 - i = Sample diluted due to high-non hydrocarbon peak.
 - j = The positive result has an atypical pattern for gasoline analysis.
 - k = Field measurement of DO concentrations before and after well purging.
 - l = This sample was analyzed outside of EPA recommended holding time.
 - m = Hydrocarbon does not match pattern of laboratory's standard.
- Survey information provided by Cambria Environmental Technology in October, 2002.

Blaine Tech Services, Inc.

February 17, 2005

1680 Rogers Avenue
San Jose, CA 95112-1105
Attn.: Leon Gearhart
Project#: 050202-SS2
Project: 98995751
Site: 630 High Street, Oakland

Dear Mr. Gearhart,


Attached is our report for your samples received on 02/03/2005 13:31
This report has been reviewed and approved for release. Reproduction of this report
is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after
03/20/2005 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,

You can also contact me via email. My email address is: mbrewer@stl-inc.com

Sincerely,



Melissa Brewer
Project Manager

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2

98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
MW-1	02/02/2005 12:58	Water	1
MW-3	02/02/2005 13:30	Water	2
MW-5	02/02/2005 12:44	Water	3
MW-6	02/02/2005 13:20	Water	4
MW-7	02/02/2005 13:12	Water	5

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Page 1 of 13

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Prep(s): 6030B	Test(s): 8260B
Sample ID: MW-1	Lab ID: 2005-02-0159-11
Sampled: 02/02/2005 12:58	Extracted: 2/11/2005 23:14
Matrix: Water	QC Batch#: 2005/02/11-2A.69
Analysis Flag: L2 (See Legend and Note Section)	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	6800	500	ug/L	10.00	02/11/2005 23:14	
Benzene	15	5.0	ug/L	10.00	02/11/2005 23:14	
Toluene	5.0	5.0	ug/L	10.00	02/11/2005 23:14	
Ethylbenzene	16	5.0	ug/L	10.00	02/11/2005 23:14	
Total xylenes	14	10	ug/L	10.00	02/11/2005 23:14	
Methyl tert-butyl ether (MTBE)	130	5.0	ug/L	10.00	02/11/2005 23:14	
Surrogate(s)						
1,2-Dichloroethane-d4	114.3	73-130	%	10.00	02/11/2005 23:14	
Toluene-d8	102.8	81-114	%	10.00	02/11/2005 23:14	

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW-3	Lab ID:	2005-02-0159 - 2
Sampled:	02/02/2005 13:30	Extracted:	2/14/2005 21:25
Matrix:	Water	QC Batch:	2005/02/14 20:68
Analysis Flag: 1-2 (See Legend and Note Section)			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	4400	250	ug/L	5.00	02/14/2005 21:25	
Benzene	14	2.5	ug/L	5.00	02/14/2005 21:25	
Toluene	ND	2.5	ug/L	5.00	02/14/2005 21:25	
Ethylbenzene	ND	2.5	ug/L	5.00	02/14/2005 21:25	
Total xylenes	8.2	5.0	ug/L	5.00	02/14/2005 21:25	
Methyl tert-butyl ether (MTBE)	320	2.5	ug/L	5.00	02/14/2005 21:25	
Surrogate(s)						
1,2-Dichloroethane-d4	132.9	73-130	%	5.00	02/14/2005 21:25	S5
Toluene-d8	110.5	81-114	%	5.00	02/14/2005 21:25	

Sewern Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Page 3 of 13

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.
Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Prep(s):	6030B	Test(s):	8260B
Sample ID:	MW/5	Lab ID:	2005-02-0159-3
Sampled:	02/02/2005 12:44	Extracted:	2/11/2005 23:51
Matrix:	Water	QC Batch#:	2005/02/11 2A.69

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	510	50	ug/L	1.00	02/11/2005 23:51	
Benzene	ND	0.50	ug/L	1.00	02/11/2005 23:51	
Toluene	ND	0.50	ug/L	1.00	02/11/2005 23:51	
Ethylbenzene	ND	0.50	ug/L	1.00	02/11/2005 23:51	
Total xylenes	ND	1.0	ug/L	1.00	02/11/2005 23:51	
Methyl tert-butyl ether (MTBE)	20	0.50	ug/L	1.00	02/11/2005 23:51	
Surrogate(s)						
1,2-Dichloroethane-d4	109.6	73-130	%	1.00	02/11/2005 23:51	
Toluene-d8	107.0	81-114	%	1.00	02/11/2005 23:51	

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Client(s)	8260B	Test(s)	8260B
Sample ID	MW/6	Lab ID	2005/02/0159/24
Sampled	02/02/2005 16:20	Extracted	2/12/2005 00:10
Matrix	Water	QC Batch#	2005/02/11 2A.69

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	1.00	02/12/2005 00:10	
Benzene	ND	0.50	ug/L	1.00	02/12/2005 00:10	
Toluene	ND	0.50	ug/L	1.00	02/12/2005 00:10	
Ethylbenzene	ND	0.50	ug/L	1.00	02/12/2005 00:10	
Total xylenes	ND	1.0	ug/L	1.00	02/12/2005 00:10	
Methyl tert-butyl ether (MTBE)	25	0.50	ug/L	1.00	02/12/2005 00:10	
Surrogate(s)						
1,2-Dichloroethane-d4	109.7	73-130	%	1.00	02/12/2005 00:10	
Toluene-d8	105.8	81-114	%	1.00	02/12/2005 00:10	

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Page 5 of 13

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW7	Lab ID:	2005-02-0159 - 5
Sampled:	02/02/2005 13:12	Extracted:	2/12/2005 00:29
Matrix:	Water	QC Batch#:	2005/02/11-2A 69

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	1.00	02/12/2005 00:29	
Benzene	ND	0.50	ug/L	1.00	02/12/2005 00:29	
Toluene	ND	0.50	ug/L	1.00	02/12/2005 00:29	
Ethylbenzene	ND	0.50	ug/L	1.00	02/12/2005 00:29	
Total xylenes	ND	1.0	ug/L	1.00	02/12/2005 00:29	
Methyl tert-butyl ether (MTBE)	1.9	0.50	ug/L	1.00	02/12/2005 00:29	
Surrogate(s)						
1,2-Dichloroethane-d4	118.2	73-130	%	1.00	02/12/2005 00:29	
Toluene-d8	102.5	81-114	%	1.00	02/12/2005 00:29	

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Batch (QC) Report	
Test(s): 8260B	Test(s): 8260B
Method: Blank	Water
MB: 2005/02/11/2A.69.019	QC Batch #: 2005/02/11-2A.69
	Date Extracted: 02/11/2005 17:19

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	02/11/2005 17:19	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	02/11/2005 17:19	
Benzene	ND	0.5	ug/L	02/11/2005 17:19	
Toluene	ND	0.5	ug/L	02/11/2005 17:19	
Ethylbenzene	ND	0.5	ug/L	02/11/2005 17:19	
Total xylenes	ND	1.0	ug/L	02/11/2005 17:19	
Surrogates(s)					
1,2-Dichloroethane-d4	102.8	73-130	%	02/11/2005 17:19	
Toluene-d8	103.2	81-114	%	02/11/2005 17:19	

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Batch QC Report					
Prep(s): 5030B				Test(s): 8260B	
Method: Blank		Water		QC Batch #: 2005/02/14-2C:68	
MB: 2005/02/14-2C:68-003				Date Extracted: 02/14/2005 18:03	

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	02/14/2005 18:03	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	02/14/2005 18:03	
Benzene	ND	0.5	ug/L	02/14/2005 18:03	
Toluene	ND	0.5	ug/L	02/14/2005 18:03	
Ethylbenzene	ND	0.5	ug/L	02/14/2005 18:03	
Total xylenes	ND	1.0	ug/L	02/14/2005 18:03	
Surrogates(s)					
1,2-Dichloroethane-d4	113.6	73-130	%	02/14/2005 18:03	
Toluene-d8	109.8	81-114	%	02/14/2005 18:03	

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.
Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Batch: 8260B		Test(s): 8260B	
Laboratory Control Spike		Water	
GC Batch # 2005/02/11-2A.69		GC Batch # 2005/02/11-2A.69	
Extracted: 02/11/2005		Analyzed: 02/11/2005 16:29	

Compound	Conc. ug/L		Exp. Conc.	Recovery %		RPD	Ctrl. Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	24.1		25	96.4			65-165	20		
Benzene	22.4		25	89.6			69-129	20		
Toluene	23.5		25	94.0			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	512		500	102.4			73-130			
Toluene-d8	509		500	101.8			81-114			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Page 9 of 13

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Batch QC Report			
Prep(s): 5030B	Water		Test(s): 8260B
Laboratory Control Spike	QC Batch # 2005/02/14-2C.68		
LCS: 2005/02/14-2C.68-015	Extracted: 02/14/2005	Analyzed: 02/14/2005 17:15	
LCSD			

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	20.7		25	82.8			65-165	20		
Benzene	19.8		25	79.2			69-129	20		
Toluene	21.4		25	85.6			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	490		500	98.0			73-130			
Toluene-d8	553		500	110.6			81-114			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Batch QC Report			
Project:	8260B		Test(s): 8260B
Matrix Spike (MS/MSD)		Water	QC Batch #: 2005/02/11-2A.69
MS/MSD			Lab ID: 2005-02-0152-001
MS#	2005/02/11-2A.69-002	Extracted: 02/11/2005	Analyzed: 02/11/2005 21:02
			Dilution: 1.00
MSD#	2005/02/11-2A.69-020	Extracted: 02/11/2005	Analyzed: 02/11/2005 21:20
			Dilution: 1.00

Compound	Conc. ug/L			Spk.Level	Recovery %			Limits %		Flags	
	MS	MSD	Sample	ug/L	MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	29.1	26.3	ND	25	116.4	105.2	10.1	65-165	20		
Benzene	26.6	23.9	ND	25	106.4	95.6	10.7	69-129	20		
Toluene	28.6	26.4	ND	25	114.4	105.6	8.0	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	545	530		500	109.1	106.0		73-130			
Toluene-d8	522	523		500	104.4	104.6		81-114			

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2
98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Batch QC Report			
Prep(s):	6030B	Test(s):	8260B
Matrix Spike (MS / MSD)	Water	QC Batch #	2005/02/14-2C-68
MS/MSD		Lab ID:	2005-02-0201-005
MS: 2005/02/14-2C-68-049	Extracted: 02/14/2005	Analyzed:	02/14/2005 18:49
		Dilution:	1.00
MSD: 2005/02/14-2C-68-007	Extracted: 02/14/2005	Analyzed:	02/14/2005 19:07
		Dilution:	1.00

Compound	Conc. ug/L			Spk.Level	Recovery %			Limits %		Flags	
	MS	MSD	Sample		ug/L	MS	MSD	RPD	Rec.	RPD	MS
Methyl tert-butyl ether	26.1	26.8	ND	25	104.4	107.2	2.6	65-165	20		
Benzene	24.5	26.8	ND	25	98.0	107.2	9.0	69-129	20		
Toluene	26.2	28.7	ND	25	104.8	114.8	9.1	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	527	526		500	105.4	105.2		73-130			
Toluene-d8	548	567		500	109.6	113.4		81-114			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Gas/BTEX/MTBE by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050202-SS2

98995751

Received: 02/03/2005 13:31

Site: 630 High Street, Oakland

Legend and Notes

Analysis Flag

L2

Reporting limits were raised due to high level of analyte present in the sample.

Result Flag

S5

Surrogate recoveries higher than acceptance limits.
Matrix interference suspected

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

02/17/2005 14:39

Page 13 of 13

LAB: SL

SHELL Chain Of Custody Record

98025

Lab Identification (If necessary):

Address:

City, State, Zip:

Shell Project Manager to be invoiced:

- SCIENCE & ENGINEERING
- TECHNICAL SERVICES
- CRMT, HOUSTON

Karen Petryna

2005-02-0159

INCIDENT NUMBER (SAE ONLY)

9 8 9 9 5 7 5 1

SAP or CRMT NUMBER (ITS/CRMT)

DATE: 2/2/05

PAGE: 1 of 1

SAMPLING COMPANY Blaine Tech Services		LOG CODE BTSS	SITE ADDRESS (Street and City) 630 High Street, Oakland		CLIENT ID NO. T0600101273
ADDRESS 1680 Rogers Avenue, San Jose, CA 95112		EOP DELIVERABLE TO (Responsible Party or Designer) Ana Friel		PHONE NO. (707) 442-2700	CONSULTANT PROJECT NO. 050202-552
PROJECT CONTACT (Name, Title, or POC Reporting) Leon Gearhart		SAMPLER NAME(S) (P/H) Suction Sump		LAB USE ONLY	
TELEPHONE 408-573-0555	FAX 408-573-7771	EMAIL lgearhart@blainetech.com		BTSS #	

TURNAROUND TIME (BUSINESS DAYS):
 10 DAYS 5 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

LA - RWQCS REPORT FORMAT LIST AGENCY: _____

GC/MS MTBE CONFIRMATION: HIGHEST _____ HIGHEST per BORING _____ ALL _____

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas Purgeable	BTEX	MTBE (8021B - 5ppb RL)	MTHB (8250B - 0.5ppb RL)	Oxyanions (5) by (8260B)	Ethanol (8260B)	Methanol	1,2-DCA (8260B)	EDB (8260B)	TPH - Diesel/Extractable (8015m)
		DATE	TIME												
	MW-1	2/2/05	0530	GN	3	X	X	X							
	MW-3	↓	1530	↓	↓	X	X	X							
	MW-5	↓	240	↓	↓	X	X	X							
	MW-6	↓	320	↓	↓	X	X	X							
	MW-7	✓	302	✓	✓	X	X	X							

FIELD NOTES:

Contained/Preservative or PID Readings or Laboratory Notes

200

TEMPERATURE ON RECEIPT: _____

Requested by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: <u>2/2/05</u>	Time: <u>1331</u>
Requested by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: <u>02/03/05</u>	Time: <u>1733</u>
Requested by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: _____	Time: _____

CRS Graphic 7141 850-6703