February 15, 1995

BC/

Alameda County Health Care Services 1131 Harbor Bay Parkway Alameda, CA 94501

RE: Unocal Service Station #5325

3220 Lakeshore Avenue Oakland, California

610

Per the request of the Unocal Corporation Project Manager, Mr. David B. DeWitt, enclosed please find our report (MPDS-UN5325-04) dated January 27, 1995 for the above referenced site.

Should you have any questions regarding the reporting of data, please feel free to call our office at (510) 602-5120. Any other questions may be directed to the Project Manager at (510) 277-2384.

Sincerely,

MPDS Services, Inc.

Brenda Pepito

/bp

Enclosure

cc: Mr. David B. DeWitt

CUEDIO PI 2:13

MPDS-UN5325-05 January 27, 1995

Unocal Corporation 2000 Crow Canyon Place, Suite 400 P.O. Box 5155 San Ramon, California 94583

Attention: Mr. David DeWitt

RE: Quarterly Data Report

Unocal Service Station #5325

3220 Lakeshore Avenue Oakland, California

Dear Mr. DeWitt:

This data report presents the results of the most recent quarter of monitoring and sampling of the monitoring wells at the referenced site by MPDS Services, Inc.

RECENT FIELD ACTIVITIES

The monitoring wells that were monitored and sampled during this quarter are indicated in Table 1. Prior to sampling, the wells were checked for depth to water and the presence of free product or sheen. The monitoring data and the ground water elevations are summarized in Table 1. The ground water flow direction during the most recent quarter is shown on the attached Figure 1.

Ground water samples were collected on December 24, 1994. Prior to sampling, the wells were each purged of between 6 and 36 gallons of water. During purging operations, the field parameters pH, temperature, and electrical conductivity were recorded and are presented in Table 2. Once the field parameters were observed to stabilize, and where possible, a minimum of approximately four casing volumes had been removed from each well, samples were then collected using a clean Teflon bailer. The samples were decanted into clean VOA vials, which were then sealed with Teflon-lined screw caps, labeled, and stored in a cooler, on ice, until delivery to a state-certified laboratory. MPDS Services, Inc. transported the purged ground water to the Unocal Refinery located in Rodeo, California, for treatment and discharge to San Pablo Bay under NPDES permit.

ANALYTICAL RESULTS

The ground water samples were analyzed at Sequoia Analytical Laboratory and were accompanied by properly executed Chain of Custody documentation. The analytical results of the ground water samples collected to date are summarized in Table 3. The concentrations of Total Petroleum Hydrocarbons (TPH) as gasoline and benzene detected in the ground water

MPDS-UN5325-05 January 27, 1995 Page 2

samples collected this quarter are shown on the attached Figure 2. Copies of the laboratory analytical results and the Chain of Custody documentation are attached to this report.

LIMITATIONS

Environmental changes, either naturally-occurring or artificially-induced, may cause changes in ground water levels and flow paths, thereby changing the extent and concentration of any contaminants.

DISTRIBUTION

A copy of this report should be sent to the Alameda County Health Care Services Agency.

If you have any questions regarding this report, please do not hesitate to call Mr. Nubar Srabian at (510) 602-5120.

Sincerely,

MPDS Services, Inc.

Sarkis A. Karkarian

Staff Engineer

Joel G. Greger, C.E.G.

Senior Engineering Geologist

License No. EG 1633 Exp. Date 8/31/96

/bp

Attachments: Tables 1, 2 & 3

Location Map Figures 1 & 2

Laboratory Analyses

Chain of Custody documentation

cc: Mr. Greg Gurss, GeoStrategies, Inc., Rancho Cordova

TABLE 1
SUMMARY OF MONITORING DATA

| 02/000000000000000000000000000000000000 | | | | | | |
|---|---------------------------|-----------------|------------------|----------------------|----------|---|
| | Ground Water Elevation | Depth to Water | Total Well Depth | Product Thickness | | Water Purqed |
| Well # | (feet) | <u>(feet)</u> ◆ | _(feet)◆_ | _(feet) | Sheen | (gallons) |
| | e | | | | | *************************************** |
| | (Moni | tored and Sam | pled on Dece | mber 24, | 1994) | |
| U-1 | 0.42 | 8.04 | 19.85 | 0 | No | 18 |
| Ծ-2 | 0.35 | 7.27 | 19.55 | 0 | No | 8 |
| U-3 | -0.30 | 11.28 | 19.79 | 0 | No | 6 |
| U-4 | 1.34 | 9.81 | 20.24 | 0 | No | 15 |
| Ŭ~5 | 0.55 | 6.43 | 20.07 | 0 | No | 36 |
| U-6 | 0.47 | 6.67 | 23.80 | 0 | No | 12 |
| | (Moni | tored and Sam | pled on Sept | ember 22, | 1994) | |
| U- 1 | -0.20 | 8.66 | 19.90 | 0 | No | 17 |
| U-2 | -0.31 | 7.93 | 19.58 | 0 | No | 10 |
| U-3 | -0.78 | 11.76 | 19.80 | Ö | No No | 12 |
| U-4 | 0.36 | 10.79 | 20.19 | ŏ | No | 20 |
| Ŭ-5 | 0.08 | 6.90 | 20.12 | ő | No | 35 |
| Ŭ-6 | -0.20 | 7.34 | 23.83 | Ö | No | 12 |
| | (Me | onitored and S | Sampled on Ju | une 22, 19 | 94) | |
| | | | _ | _ | | |
| U-1 | 0.07 | 8.39 | 19.84 | 0 | No | 17 |
| U-2 | 0.02 | 7.60 | 19.55 | 0 | No | 9.5 |
| U-3 | -0.66 | 11.64 | 19.80 | 0 | No | 9 |
| U-4 | 0.99 | 10.16 | 20.25 | 0 | No | 17 |
| U-5 | 0.15 | 6.83 | 20.08 | 0 | No | 34.5 |
| U-6 | 0.00 | 7.14 | 23.80 | 0 | No | 11.5 |
| | (Mon: | itored and San | mpled on Febr | ruary 16, | 1994) | |
| U-1 | -3.22 | 8.54 | 19.84 | 0 | No | 17 |
| U-2 | -3.20 | 7.73 | 19.53 | 0 | No | 10 |
| U-3 | -3.76 | 11.62 | 19.79 | 0 | No | 9 |

| Well Casing Elevation _(feet)* |
|--------------------------------------|
| 8.46 |
| 7.62 |
| 10.98 |
| 11.15 |
| 6.98 |
| 7.14 |
| |

TABLE 1 (Continued)

SUMMARY OF MONITORING DATA

- ◆ The depth to water level and total well depth measurements are taken from the top of the well casings.
- * The elevations of the top of the well casings are surveyed relative to City of Oakland benchmark, at the northeasterly corner of Weller and Cheney Avenue (elevation = 9.055', city datum; add 3.00' to U.S.G.S. datum). Prior to June 22, 1994, the well casing elevations were U-1 = 5.32', U2 = 4.53', and U-3 = 7.86' Mean Sea Level.

TABLE 2

RECORD OF THE TEMPERATURE, CONDUCTIVITY, AND pH VALUES
IN THE MONITORING WELLS DURING PURGING AND PRIOR TO SAMPLING

(Measured on December 24, 1994)

| | Gallons | | | Casing | Temper- | Conductivity | |
|--------|-------------------|-------------|--------------------------|---------------------------|------------------------------|------------------------------|------------------------------|
| Well # | per Casing Volume | <u>Time</u> | Gallons <u>Purged</u> | Volumes Purged | ature (°F) | ([μmhos/cm] x1000) | <u>Hq</u> |
| Ŭ-1 | 4.37 | 10:37 | 0 4.5 | 0 1.03 | 69.6 72.1 | 1.38 1.42 | 8.58 7.69 |
| | | 10:55 | 9 13.5 18 | 2.06 3.09 4.12 | 71.6 71.4 71.8 | 1.49 1.46 1.44 | 7.29 7.32 7.34 |
| U-2 | 4.54 | 13:00 | 0 | 0 | 72.1 | 1.49 | 7.65 |
| | | 13:07 | 4.5 8 WELL DEWA | 0.99 1.76 | 71.9 72.4 | 1.52 1.56 | 7.42 7.23 |
| TT 2 | 2 15 | 00.20 | | | 70 1 | 1 01 | 7 01 |
| U-3 | 3.15 | 09:30 | 0 | 0 0.95 | 72.1 72.6 | 1.21 1.18 | 7.91 7.63 |
| | | 09:36 | WELL DEWA | 1.90 ATERED | 72.2 | 1.24 | 7.42 |
| U-4 | 6.78 | 10:00 | 0 7 14 | 0 1.03 2.06 | 72.1 73.2 73.8 | 1.02 1.10 1.12 | 7.96 7.48 7.50 |
| | | 10:16 | 15 WELL DEWA | 2.21 | 66.2 | 1.09 | 7.33 |
| U-5 | 8.87 | 12:00 | 0 9 17 26 | 0 1.01 1.92 2.93 | 69.2 69.9 71.2 71.0 | 1.95 1.96 1.90 1.88 | 7.45 7.48 7.41 7.38 |
| | | 12:30 | 36 | 4.06 | 70.8 | 1.86 | 7.37 |
| Ŭ-6 | 2.91 | 11:15 | 0 3 6 9 | 0 1.03 2.06 3.09 | 70.8 71.2 72.1 72.4 | 1.57 1.62 1.65 1.65 | 7.81 7.62 7.51 7.46 |
| | | 13:25 | 12 | 4.12 | 72.4 | 1.64 | 7.39 |

TABLE 3
SUMMARY OF LABORATORY ANALYSES
WATER

| | | TPH as | | | Ethyl- | |
|-------------|------------|--------------------|---|----------------|----------------|----------------|
| <u>Date</u> | Well # | <u>Gasoline</u> | <u>Benzene</u> | <u>Toluene</u> | <u>benzene</u> | <u>Xylenes</u> |
| 12/24/94 | U-1 | 50,000 | 2,500 | 9,700 | 2,400 | 17,000 |
| 12/24/34 | U-2 | 32,000 | 1,500 | 890 | 1,300 | 5,000 |
| | U-3 | ND | ND | ND | ND | ND |
| | U-4 | ND | ND | ND | ND | ND |
| | บ-5 | 8,700 | 560 | 70 | 670 | 430 |
| | U-6 | 6,900 | 500 | . 5 59 | 600 | 380 |
| | | 0,000 | • | | | |
| 9/22/94 | U-1 | 6,100♦ | ND | ND | ND | ND |
| | U-2 | 8,500♦ | 29 | ND | ND | ND |
| | U-3 | ND | ND | ND | ND | ND |
| | U-4 | ND | 0.78 | 1.3 | ND | 1.4 |
| | U-5 | 170 | 8.4 | 10 | 8.5 | 18 |
| | U-6 | 130 | 1.3 | 0.80 | ND | 0.73 |
| 6/22/94 | U-1 | 200 | ND | ND | 5.9 | 21 |
| ·,, - | Ū-2 | 31,000 | 2,200 | 62 | 1,500 | 3,500 |
| | Ŭ-3 | ND | ND | ND | ND | ND |
| | U-4 | ND | ND | ND | ND | ND |
| | U-5 | 210 | 7.1 | 13 | 4.5 | 26 |
| | U-6 | ND | ND | ND | ND | ND |
| 2/16/94 | Մ-1 | 6,800♦♦ | ND | ND | ND | ND |
| 2, 20, 32 | U-2 | 980♦♦ | 49 | 13 | 2.7 | 40 |
| | U-3 | ND | ND | ND | ND | ND |
| 11/16/02 | TT 1 | C00A | NTO | ND | ND | ND |
| 11/16/93 | U-1 U-2 | 690 ♦ | ND ND | ND | ND | ND |
| | U-2 U-3 | 510 ♦ ND | ND | ND | ND | ND |
| | 0-3 | ND | IATA | ND | ND | 112 |
| 8/08/93 | U-1 | 4,900** | 79 | ND | 832 | 270 |
| & | U-2 | 5,600** | 420 | ND | 410 | 670 |
| 8/09/93 | U-3 | 210 | 5.0 | 9.7 | 0.7 | 4.1 |
| 5/07/93 | U-1 | 8,700 | 600 | 240 | 650 | 3,300 |
| , , | U-2 | 17,000 | 1,800 | 660 | 1,700 | 4,000 |
| | U-3 | ND | ND | ND | ND | ND |
| 2/22/93 | U-1 | 34,000 | 1,400 | 5,500 | 910 | 7,300 |
| _,, | Ŭ-2 | 3,400 | 2,400 | 2,100 | 1,200 | 5,800 |
| | U-3 | ND | ND | ND | ND | ND |
| | | | | | | |

TABLE 3 (Continued)

SUMMARY OF LABORATORY ANALYSES WATER

| | | mbrr 2 | | | Ethyl- | |
|-------------|--|---------------------------|----------------|----------------|------------|----------------|
| <u>Date</u> | Well # | TPH as <u>Gasoline</u> | <u>Benzene</u> | <u>Toluene</u> | benzene | <u>Xylenes</u> |
| - 1 1 | 200 ti 000 N-0000 100 ti 00 ti 0 | | | - A | <i>C</i> 5 | A 7 |
| 6/11/92 | U-1 | 1,000 | 80 | 1.4 | 6.7 | 41 37 |
| | U-2 | 620 | 17 | 2.1 | ND | ND |
| | U-3 | ND | ND | ND | ND | ND . |
| 8/20/92 | U-1 | 400* | 1 | ND | ND | 0.6 |
| | U-2 | 700 | 28 | 6.5 | 1.3 | 4.6 |
| | U-3 | ND | ND | ND | ND | ND |
| 5/05/92 | Ŭ-1 | 230 | 1.2 | ND | ND | ND |
| 5,00,52 | Ŭ-2 | 1,600 | 120 | 52 | 6.2 | 290 |
| | U-3 | ND | ND | ND | ND | ND |
| 0/10/00 | 77 7 | 252 | ND | ND | ND | ND |
| 2/12/92 | U-1 | 250 | | ND ND | 0.36 | 0.40 |
| | U-2 | 410 | 1.9 | | ND | ND |
| | U-3 | ND | ND | ND | ИД | ND |
| 10/09/91 | U-1 | ND | ND | ND | ND | ND |
| | U-2 | 230 | 7.1 | ND | ND | 11 |
| | U-3 | ND | ND | ND | ND | ND |
| 7/03/91 | U-1 | 140 | 21 | 4.3 | 0.36 | 17 |
| .,, | U-2 | 2,100 | 150 | 25 | 3.1 | 290 |
| | U-3 | ND | ND | ND | ND | ND |
| 4/01/91 | U-1 | 160 | 13 | 8.6 | 1.0 | 15 |
| 4/01/91 | บ-1 บ-2 | 1,700 | 250 | 89 | 34 | 190 |
| | U-2 U-3 | ND | 1.0 | 2.9 | 0.53 | 5.4 |
| | 0-3 | ND | 1.0 | 2.3 | 0.33 | 3.4 |
| 1/07/91 | U-1 | 250 | 22 | 16 | 4.2 | 17 |
| | U-2 | 1,900 | 67 | 5.8 | 58 | 69 |
| | U-3 | ND | ND | ND | ND | 1.8 |
| 8/10/90 | U-1 | 690 | 38 | 7 5 | 8.6 | 130 |
| | U-2 | 780 | 27 | 46 | 15 | 130 |
| | U-3 | ND | ND | ND | ND | ND |
| | | | | | | |

TABLE 3 (Continued)


SUMMARY OF LABORATORY ANALYSES WATER

- Sequoia Analytical Laboratory reported that the hydrocarbons detected did not appear to be gasoline.
- ♦♦ Sequoia Analytical Laboratory reported that the hydrocarbons detected appeared to be a gasoline and non-gasoline mixture.
- * The positive result for gasoline does not appear to have a typical gasoline pattern.
- ** The concentration reported as gasoline is primarily due to the presence of a combination of gasoline and a discrete peak not indicative of gasoline.

ND = Non-detectable.

Results are in micrograms per liter ($\mu g/L$), unless otherwise indicated.

Note: Laboratory analyses data prior to November 16, 1993, were provided by GeoStrategies, Inc.




Base modified from 7.5 minute U.S.G.S. Oakland East and West Quadrangles (both photorevised 1980) O 2000 4000


Approx. scale feet



UNOCAL SERVICE STATION #5325 3220 LAKESHORE AVENUE OAKLAND, CALIFORNIA

LOCATION MAP





LEGEND

- Monitoring well

() Concentration of TPH as gasoline in $\mu g/L$

[] Concentration of benzene in µg/L

ND = Non-detectable



PETROLEUM HYDROCARBON CONCENTRATIONS IN GROUND WATER ON DECEMBER 24, 1994



UNOCAL SERVICE STATION #5325 3220 LAKESHORE AVENUE OAKLAND, CALIFORNIA FIGURE

2



680 Chesapeake Drive 1900 Bates Avenue, Suite L. Concord, CA 94520 819 Striker Avenue, Suite 8

Redwood City, CA 94063 Sacramento, CA 95834

(415) 364-9600 (510) 686-9600 (916) 921-9600 FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services 2401 Stanwell Dr., Ste. 400

Concord, CA 94520 Attention: Avo Avedissian Client Project ID:

Unocal #5325, 3220 Lakeshore, Oakland

Sampled:

Dec 24, 1995

Matrix Descript: Analysis Method:

Water EPA 5030/8015/8020 Received: Reported:

Dec 27, 1995 Jan 12, 1995

First Sample #:

412-1885

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

| Sample Number | Sample Description | Purgeable Hydrocarbons μg/L | Benzene μg/L | Toluene μg/L | Ethyl Benzene μg/L | Total Xylenes μg/L |
|------------------|-----------------------|-----------------------------------|------------------------|------------------------|--------------------------|--------------------------|
| 412-1885 | U-1 | 50,000 | 2,500 | 9,700 | 2,400 | 17,000 |
| 412-1886 | U-2 | 32,000 | 1,500 | 890 | 1,300 | 5,000 |
| 412-1887 | U-3 | ND | ND | ND | ND | ND |
| 412-1888 | U-4 | ND | ND | ND | ND | ND |
| 412-1889 | U-5 | 8,700 | 560 | 70 | 670 | 430 |
| 412-1890 | U-6 | 6,900 | 500 | 59 | 600 | 380 |

| Detection Limits: | 50 | 0.50 | 0.50 | 0.50 | 0.50 | |
|-------------------|----|--------------|------|------|------|--|
| | | <u></u> 0.00 | 0.00 | 0.00 | 0.50 | |

Total Purgeable Petroleum Hydrocarbons are quantitated against a fresh gasoline standard. Analytes reported as ND were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp Project Manager





680 Chesapeake Drive 1900 Bates Avenue, Suite L Concord, CA 94520 819 Striker Avenue, Suite 8 Sacramento, CA 95834

Redwood City, CA 94063

(415) 364-9600 (510) 686-9600 (916) 921-9600

FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services 2401 Stanwell Dr., Ste. 400 Concord, CA 94520

Client Project ID: Matrix Descript:

Sampled:

Dec 24, 19954 Dec 27, 1995

Attention: Avo Avedissian

Analysis Method:

EPA 5030/8015/8020

Received: Reported:

Jan 12, 1995

First Sample #:

412-1885

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Water

| Sample Number | Sample Description | Chromatogram Pattern | DL Mult. Factor | Date Analyzed | Instrument ID | Surrogate Recovery, % QC Limits: 70-130 |
|------------------|-----------------------|-------------------------|--------------------|------------------|------------------|--|
| 412-1885 | U-1 | Gasoline | 100 | 1/8/95 | HP-2 | 103 |
| 412-1886 | U-2 | Gasoline | 100 | 1/8/95 | HP-2 | 99 |
| 412-1887 | U-3 | | 1.0 | 1/7/95 | HP-5 | 95 |
| 412-1888 | U-4 | | 1.0 | 1/7/95 | HP-5 | 97 |
| 412-1889 | U-5 | Gasoline | 20 | 1/7/95 | HP-5 | 94 |
| 412-1890 | U-6 | Gasoline | 10 | 1/7/95 | HP-5 | 82 |

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp Project Manager





680 Chesapeake Drive 1900 Bates Avenue, Suite L 819 Striker Avenue, Suite 8 Redwood City, CA 94063 Concord, CA 94520 Sacramento, CA 95834 (415) 364-9600 (510) 686-9600 (916) 921-9600 FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services

2401 Stanwell Dr., Ste. 400 Concord, CA 94520

Client Project ID:

Unocal #5325, 3220 Lakeshore, Oakland

Matrix: Liquid

Attention: Avo Avedissian

QC Sample Group: 4121885-890

Reported:

Jan 13, 1995

QUALITY CONTROL DATA REPORT

| ANALYTE | Benzene | Toluene | Ethod | Xylenes | |
|------------------|-----------|----------|---------------------|----------|--|
| ANALIIL | Delizelle | roluerie | Ethyl | Aylelles | |
| | | | Benzene | | |
| Method: | EPA 8020 | EPA 8020 | EPA 8020 | EPA 8020 | |
| Analyst: | A. Tuzon | A. Tuzon | A, Tuzon | A, Tuzon | |
| MS/MSD | | | | | |
| Batch#: | 4121808 | 4121808 | 4121808 | 4121808 | |
| | | | | | |
| Date Prepared: | 1/8/95 | 1/8/95 | 1/8/95 | 1/8/95 | |
| Date Analyzed: | 1/8/95 | 1/8/95 | 1/8/95 | 1/8/95 | |
| nstrument I.D.#: | HP-2 | HP-2 | HP-2 | HP-2 | |
| Conc. Spiked: | 20 μg/L | 20 μg/L | $20\mu\mathrm{g/L}$ | 60 μg/L | |
| Matrix Spike | | | | | |
| % Recovery: | 95 | 100 | 100 | 105 | |
| Market Couling | | | | | |
| Matrix Spike | | | | | |
| Duplicate % | | | | | |
| Recovery: | 100 | 105 | 110 | 110 | |
| Relative % | | | | | |
| Difference: | 5.1 | 4.7 | 9.5 | 4.7 | |

| LCS Batch#: | LCS010895 | LCS010895 | LCS010895 | LCS010895 |
|-------------------|-----------|-----------|-------------|-----------|
| Date Prepared: | 1/8/95 | 1/8/95 | 1/8/95 | 1/8/95 |
| Date Analyzed: | 1/8/95 | 1/8/95 | 1/8/95 | 1/8/95 |
| Instrument I.D.#: | HP-2 | HP-2 | HP-2 | HP-2 |
| LCS % | | | | |
| Recovery: | 97 | 99 | 107 | 105 |
| % Recovery | 0.1 | | | |
| Control Limits: | 71-133 | 72-128 | 72-130 | 71-120 |

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp Project Manager Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.





680 Chesapeake Drive 1900 Bates Avenue, Suite L 819 Striker Avenue, Suite 8 Redwood City, CA 94063 Concord, CA 94520 Sacramento, CA 95834 (415) 364-9600 (510) 686-9600 (916) 921-9600 FAX (415) 364-9233 FAX (510) 686-9689 FAX (916) 921-0100

MPDS Services

2401 Stanwell Dr., Ste. 400 Concord, CA 94520

Client Project ID:

Unocal #5325, 3220 Lakeshore, Oakland

Matrix: Liquid

Attention: Avo Avedissian

QC Sample Group: 4121885-890

Reported:

Jan 13, 1995

QUALITY CONTROL DATA REPORT

| ANALYTE | Benzene | Toluene | Ethyl | Xylenes |
|--------------------------|----------------------|----------|----------|-----------------------|
| ANALTIL | Denzene | roluene | - | Aylenes |
| | | | Benzene | |
| Method: | EPA 8020 | EPA 8020 | EPA 8020 | EPA 8020 |
| Analyst: | A. Tuzon | A. Tuzon | A. Tuzon | A. Tuzon |
| MS/MSD | | | | |
| Batch#: | 4121882 | 4121882 | 4121882 | 4121882 |
| Data Brananali | 4 /= 10 = | 4 /- / | . /= /=- | |
| Date Prepared: | 1/7/95 | 1/7/95 | 1/7/95 | 1/7/95 |
| Date Analyzed: | 1/7/95 | 1/7/95 | 1/7/95 | 1/7/95 |
| Instrument I.D.#: | HP-5 | HP-5 | HP-5 | HP-5 |
| Conc. Spiked: | $20\mu \mathrm{g/L}$ | 20 μg/L | 20 μg/L | $60~\mu \mathrm{g/L}$ |
| Matrix Spike | | | | |
| % Recovery: | 100 | 105 | 105 | 107 |
| Matrix Spike | | | | |
| Duplicate % Recovery: | 100 | 105 | 105 | 105 |
| necovery. | 100 | 103 | 103 | 105 |
| Relative % | | | | |
| Difference: | 0.0 | 0.0 | 0.0 | 1.9 |
| | | | | |

| LCS Batch#: | 3LCS010795 | 3LCS010795 | 3LCS010795 | 3LCS010795 |
|-------------------|------------|------------|------------|------------|
| Date Prepared: | 1/7/95 | 1/7/95 | 1/7/95 | 1/7/95 |
| Date Analyzed: | 1/7/95 | 1/7/95 | 1/7/95 | 1/7/95 |
| Instrument I.D.#: | HP-5 | HP-5 | HP-5 | HP-5 |
| LCS % | | | | |
| Recovery: | 96 | 100 | 100 | 99 |
| % Recovery | | | | |
| Control Limits: | 71-133 | 72-128 | 72-130 | 71-120 |

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp Project Manager Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

M P D S Services, Inc.

2401 Stanwell Drive, Suite 400, Concord, CA 94520 Tel: (610) 602-5120 Fax: (510) 689-1918

CHAIN OF CUSTODY

| | | | ADDRESS: 3220 Lakeshore | | | | | ANALYSES REQUESTED | | | | | | | | TURN AROUND TIME: |
|-------------------------|----------|---------------|-------------------------|-----|------|---------------|----------------------|--|------------|-----|------|-----|-------|-------------|-----|-------------------|
| | | | | | | | | TPH-GAS BTEX | TPH-DIESEL | g | 01 | | | | | Regular |
| SAMPLE ID NO. | DATE | TIME | WATEH | GAB | COMP | NO OF CONT | SAMPLING LOCATION | TPH BTE | H | T0G | 8010 | | | | | REMARKS |
| U-1 | 12-24-44 | 11:03 A.W | 1 | 1 | | 2(VOA) | Wells | y . | | | | | 1121 | 985 | A.B | NoA-s preserval |
| U-2 | | 113B | 1 | , | | 1, | " | V | | | | , | 1121 | 3 88 | | |
| U-3 | " | 9:50 A.W | / | / | | ,, | 4 | ./ | | | | | 1121 | AR7 | | |
| U-4 | 9 | 10:25 A.W. | | | | 11 | 1, | 1 | | | | | 1121 | 888 | | |
| U-5 | 1, | 12:42 Pim | / | _ | | ′, | 1, | / | | | | | 4121 | 889 | | |
| U-6 | 1/ | 11:35 A.M. | / | _ | | , | <i>c</i> / | 1 | | , | | | 171 | 890 | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | _ | | | | | | | |
| | | | | | | | , | | | | | | | | |] |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| RELINQUISHED BY: | | | DATE/TIME | | | RECEIVED BY: | | THE FOLLOWING MUST BE COMPLETED BY THE LABORATORY ACCEPTING SAMPLES FOR ANALYSES: 1. HAVE ALL SAMPLES RECEIVED FOR ANALYSIS BEEN STORED ON ICE? | | | | | | | | |
| ISIGNATUREI See Seui > | | | 12-27-94 | | | α | | 2. WILL SAMPLES REMAIN REFRIGERATED UNTIL ANALYZED? 3. DIO MY SAMPLES RECEIVED FOR ANALYSIS HAVE HEAD SPACE? | | | | | | | | |
| 11, indol | | | 128/9A : (0) 8:00 AM | | | ISIGNATUREI 1 | | no | | | | | | | | |
| ISIGNATURE | | | 12:28 | | | | | 4. WERE SAMPLES IN APPROPRIATE CONTAINERS AND PROPERLY PACKAGED? SIGNATURE: DATE: DATE: 12/27/9X | | | | | | | | |
| (SIGNATURE) | | | | | | (SIGNATURE) | | SIGNATI | JRE:→ | | > | Ana | Ock : | ł | D | ATE: 14/27/9X |