



ROZS

76 Broadway  
Sacramento, CA 95818  
phone 916.558.7676  
fax 916.558.7639

July 20, 2005

Mr. Don Hwang  
Alameda County Health Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502

Alameda County  
AUG 01 2005  
Environmental Health

Re: **Document Transmittal**  
Fuel Leak Case  
76 Station #5325  
3200 Lakeshore Avenue  
Oakland, CA

Dear Mr. Hwang:

Please find attached TRC's *Quarterly Status Report, dated 7/22/05*, and TRC's *Quarterly Monitoring Report, dated 7/14/05* for the above referenced site. I declare, under penalty of perjury, that to the best of my knowledge the information and/or recommendations contained in the attached proposal or report are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely,

Thomas H. Kosel  
Site Manger, Risk Management and Remediation  
ConocoPhillips  
76 Broadway, Sacramento, CA 95818

Attachment

cc: Roger Batra, TRC



Customer-Focused Solutions

July 22, 2005

TRC Project No. 42013704

Mr. Don Hwang  
Alameda County Health Services  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577

**RE: Quarterly Status Report - Second Quarter 2005**  
**76 Service Station #5325, 3220 Lakeshore Avenue, Oakland, California**  
**Alameda County**

Dear Mr. Hwang:

On behalf of ConocoPhillips Company (ConocoPhillips), TRC is submitting the Second Quarter 2005 Quarterly Status Report for the subject site, shown on the attached Figures 3 through 5.

#### **PREVIOUS ASSESSMENTS**

The site is an operating ConocoPhillips (76) Service Station located on the southeast corner of the intersection of Lakeshore Avenue and Lake Park Avenue in Oakland, California. The site is bounded to the north by Lakeshore Avenue, to the west and southwest by Lake Park Avenue, to the southeast by a supermarket parking lot, and to the east by a pharmacy. Current site facilities consist of the service station building with three service bays, three product dispenser islands, and two 12,000-gallon double-wall fiberglass gasoline underground storage tanks (USTs).

May 1990: Three exploratory soil borings (U-A, U-B, and U-C) were advanced adjacent to the UST complex to depths ranging from 10 to 12.5 feet below ground surface (bgs). Soil samples collected were analyzed for total petroleum hydrocarbons as gasoline (TPH-g) and benzene, toluene, ethylbenzene, and xylenes (BTEX). The samples contained TPH-g concentrations ranging from 2 to 7,500 parts per million (ppm) and benzene concentrations ranging from 0.14 to 13 ppm (GSI, June, 1990).

June 1990: Two 10,000-gallon gasoline USTs, one 550-gallon waste oil UST, and related product dispensers were replaced. Soil samples collected from the UST excavation sidewalls and bottom and product line trenches were reported to contain TPH-g and benzene at concentrations ranging from 12 to 2,800 ppm and 0.008 to 11 ppm, respectively. Approximately 250 cubic yards of soil and backfill material were aerated onsite to reduce concentrations to below 100 ppm TPH-g, then transported to an appropriate soil disposal facility. Groundwater was encountered at approximately 7.5 feet bgs (GSI, August, 1990).

September 1990: Monitoring wells U-1, U-2, and U-3 were installed. TPH-g was detected in soil samples collected from the capillary fringe in well borings U-1 and U-2 at concentrations of 110 and 480 ppm, respectively. Benzene was detected in the soil sample from well boring U-1 at a concentration of 4.5 ppm. Petroleum hydrocarbons were not detected in soil or groundwater

samples from U-3. Groundwater samples collected from wells U-1 and U-2 were reported to contain 690 and 38 parts per billion (ppb) TPH-g and 780 and 27 ppb benzene, respectively (GSI, December, 1990).

June 1990: Monitoring wells U-4, U-5, and U-6 were installed. TPH-g and benzene were detected in the capillary fringe soil sample collected from boring U-5 at concentrations of 400 and 1.9 ppm, respectively. TPH-g and benzene were not detected in soil samples collected from borings U-4 and U-6. Groundwater levels stabilized at depths between 8.8 and 9.2 feet bgs (GSI, August, 1994).

November 1996: One 550-gallon waste oil UST was removed and the product lines and dispensers were replaced. A soil sample collected from the sidewall of the waste oil UST excavation contained 1.5-ppm total petroleum hydrocarbons as diesel (TPH-d) and 78 ppm total oil and grease (TOG). TPH-g, benzene, methyl tertiary butyl ether (MTBE), halogenated volatile organic compounds (HVOCs), and semivolatile organic compounds (SVOCs) were not detected. Product line trench excavation and over excavation samples were reported to contain petroleum hydrocarbon concentrations ranging from non-detect to 880 ppm TPH-g, non-detect to 3.6 ppm benzene, and non-detect to 23 ppm MTBE. Approximately 276 tons of excavated soil was transported to an appropriate disposal facility (GSI, January, 1997).

October 2003: Site environmental consulting responsibilities were transferred to TRC.

## **SENSITIVE RECEPTORS**

Lake Merritt is located approximately 0.3 miles down gradient. No domestic wells are located within 1 mile of the site.

## **MONITORING AND SAMPLING**

Currently, five onsite and one offsite wells are monitored quarterly. All six wells were sampled this quarter. The groundwater gradient and flow direction were 0.03 foot/foot to the northwest.

## **CHARACTERIZATION STATUS**

Total purgeable petroleum hydrocarbons (TPPH) were detected in three of six wells sampled, with a maximum concentration of 3,900 micrograms per liter ( $\mu\text{g/l}$ ) in onsite monitoring well U-1.

Benzene was detected in one of six wells, with a maximum concentration of 0.75  $\mu\text{g/l}$  in onsite monitoring well U-2. This is consistent with recent historical data.

Methyl tertiary butyl ether (MTBE) was detected in four of the six wells sampled, with a maximum concentration of 2,400  $\mu\text{g/l}$  in onsite monitoring well U-2. These levels were consistent with recent historical data.

QSR – Second Quarter 2005  
76 Service Station #5325, Oakland, California  
July 22, 2005  
Page 3

## **REMEDIATION STATUS**

Remediation is not currently being conducted at the site.

## **RECENT CORRESPONDENCE**

No correspondence this quarter.

## **CURRENT QUARTER ACTIVITIES**

June 14, 2005: TRC performed groundwater monitoring and sampling. Wastewater generated from well purging and equipment cleaning was stored at TRC's groundwater monitoring facility in Concord, California, and transported by Onyx to the ConocoPhillips Refinery in Rodeo, California, for treatment and disposal.

## **NEXT QUARTER ACTIVITIES**


Implement Work Plan for Interim Remedial Measure/Feasibility Study after approval is received from Alameda County Environmental Health Services (ACEHS). The Work Plan was submitted to ACEHS on August 30, 2004.

Continue quarterly monitoring and sampling to assess plume stability and concentration trends at key wells.

If you have any questions regarding this report, please call me at (925) 688-2466.

Sincerely,

TRC



Roger Batra  
Senior Project Manager

QSR – Second Quarter 2005  
76 Service Station #5325, Oakland, California  
July 22, 2005  
Page 4


Attachments:

Figure 3 – Dissolved-Phase TPPH Concentration Map, June 14, 2005, from Quarterly Monitoring Report, January through March 2005, dated July 14, 2005 by TRC.

Figure 4 – Dissolved-Phase Benzene Concentration Map, June 14, 2005, from Quarterly Monitoring Report, January through March 2005, dated July 14, 2005 by TRC.

Figure 5 – Dissolved-Phase MTBE Concentration Map, June 14, 2005, from Quarterly Monitoring Report, January through March 2005, dated July 14, 2005 by TRC.

cc: Thomas Kosel, ConocoPhillips (hard copy and electronic upload)



**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TPH = total purgeable petroleum hydrocarbons. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.

**LEGEND**

U-6 ⊕ Monitoring Well with Dissolved-Phase TPH Concentration (µg/l)

-1,000- Dissolved-Phase TPH Contour (µg/l)



**DISSOLVED-PHASE TPH CONCENTRATION MAP**  
June 14, 2005


76 Station 5325  
3220 Lakeshore Avenue  
Oakland, California

**FIGURE 3**

PS=1:1 5325-003

LAKESHORE AVENUE

U-6  
ND<1.0




**NOTES:**

µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report.  
UST = underground storage tank.

**LEGEND**

U-6 Monitoring Well with Dissolved-Phase Benzene Concentration (µg/l)




**DISSOLVED-PHASE BENZENE  
CONCENTRATION MAP  
June 14, 2005**

76 Station 5325  
3220 Lakeshore Avenue  
Oakland, California

**FIGURE 4**


PS=1:1 5325-003




**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.

**LEGEND**


U-6  Monitoring Well with Dissolved-Phase MTBE Concentration (µg/l)

 1,000 Dissolved-Phase MTBE Contour (µg/l)

**DISSOLVED-PHASE MTBE CONCENTRATION MAP**  
June 14, 2005

76 Station 5325  
3220 Lakeshore Avenue  
Oakland, California

**FIGURE 5**



PS=1:1 5325-003







Customer-Focused Solutions

July 14, 2005

ConocoPhillips Company  
76 Broadway  
Sacramento, CA 95818

ATTN: MR. THOMAS H. KOSEL  
  
SITE: 76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA  
  
RE: QUARTERLY MONITORING REPORT  
APRIL THROUGH JUNE 2005

Alameda County  
AUG 01 2005  
Environmental Health

Dear Mr. Kosel:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5325, located at 3220 Lakeshore Avenue, Oakland, California. If you have any questions regarding this report, please call us at (949) 753-0101.

Sincerely,

TRC

Anju Farfan  
QMS Operations Manager

CC: Mr. Roger Batra, TRC (2 copies)

Enclosures  
20-0400/5325R07.QMS



Customer-Focused Solutions

**QUARTERLY MONITORING REPORT  
APRIL THROUGH JUNE 2005**

76 Station 5325  
3200 Lakeshore Avenue  
Oakland, California

Prepared For:

Mr. Thomas H. Kosel  
CONOCOPHILLIPS COMPANY  
76 Broadway  
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations  
July 13, 2005

### LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Table 1: Current Fluid Levels and Selected Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 3: Additional Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Groundwater Sampling Field Notes
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

**Summary of Gauging and Sampling Activities**  
**April 2005 through June 2005**  
**76 Station 5325**  
**3220 Lakeshore Avenue**  
**Oakland, CA**

Project Coordinator: **Thomas H. Kosel**  
Telephone: **916-558-7666**

Water Sampling Contractor: **TRC**  
Compiled by: **Tim Simpkins**

Date(s) of Gauging/Sampling Event: **06/14/05**

**Sample Points**

Groundwater wells: **5** onsite, **1** offsite      Wells gauged: **6**      Wells sampled: **6**  
Purging method: **Diaphragm pump**  
Purge water disposal: **Onyx/Rodeo Unit 100**  
Other Sample Points: **0**      Type: **n/a**

**Liquid Phase Hydrocarbons (LPH)**

Wells with LPH: **0**      Maximum thickness (feet): **n/a**  
LPH removal frequency: **n/a**      Method: **n/a**  
Treatment or disposal of water/LPH: **n/a**

**Hydrogeologic Parameters**

Depth to groundwater (below TOC):      Minimum: **7.05 feet**      Maximum: **10.75 feet**  
Average groundwater elevation (relative to available local datum): **0.36 feet**  
Average change in groundwater elevation since previous event: **-0.90 feet**  
Interpreted groundwater gradient and flow direction:  
    Current event: **0.03 ft/ft, northwest**  
    Previous event: **0.03 ft/ft, northwest (03/28/05)**

**Selected Laboratory Results**

Wells with detected **Benzene**: **1**      Wells above MCL (1.0 µg/l): **0**  
    Maximum reported benzene concentration: **0.75 µg/l (U-2)**

Wells with **TPPH 8260B**      **3**      Maximum: **3,900 µg/l (U-1)**  
Wells with **MTBE**      **4**      Maximum: **2,400 µg/l (U-2)**

**Notes:**

## TABLE KEY

### STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
µg/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

### ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TPPH	=	total purgeable petroleum hydrocarbons
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

### NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation - Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

### REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5325 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

**Table 1**  
**CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**June 14, 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-1</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
06/14/05	8.46	8.91	0.00	-0.45	-0.81	--	3900	ND<0.50	ND<0.50	48	68	--	60	
<b>U-2</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
06/14/05	7.62	7.05	0.00	0.57	-0.81	--	2000	0.75	ND<0.50	3.7	1.1	--	2400	
<b>U-3</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
06/14/05	10.98	10.75	0.00	0.23	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.2	--	ND<0.50	
<b>U-4</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
06/14/05	11.15	8.10	0.00	3.05	-1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-5</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
06/14/05	6.98	7.46	0.00	-0.48	-0.24	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	400	
<b>U-6</b>		<b>(Screen Interval in feet: 5.0-24.0)</b>												
06/14/05	7.14	7.88	0.00	-0.74	-0.81	--	ND<100	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	20	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-1 (Screen Interval in feet: 5.0-20.0)</b>														
08/10/90	--	--	--	--	--	690	--	38	75	8.6	130	--	--	
01/07/91	--	--	--	--	--	250	--	22	16	4.2	17	--	--	
04/01/91	--	--	--	--	--	160	--	13	8.6	1.0	15	--	--	
07/03/91	--	--	--	--	--	140	--	21	4.3	0.36	17	--	--	
10/09/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/92	--	--	--	--	--	250	--	ND	ND	ND	ND	--	--	
05/05/92	--	--	--	--	--	230	--	1.2	ND	ND	ND	--	--	
06/11/92	--	--	--	--	--	1000	--	80	1.4	6.7	41	--	--	
08/20/92	--	--	--	--	--	400	--	1.0	ND	ND	0.6	--	--	
02/22/93	--	--	--	--	--	34000	--	1400	5500	910	7300	--	--	
05/07/93	--	--	--	--	--	8700	--	600	240	650	3300	--	--	
08/08/93	--	--	--	--	--	4900	--	79	ND	832	270	--	--	
11/16/93	5.32	8.61	0.00	-3.29	--	690	--	ND	ND	ND	ND	--	--	
02/16/94	5.32	8.54	0.00	-3.22	0.07	6800	--	ND	ND	ND	ND	--	--	
06/22/94	8.46	8.39	0.00	0.07	3.29	200	--	ND	ND	5.9	21	--	--	
09/22/94	8.46	8.66	0.00	-0.20	-0.27	6100	--	ND	ND	ND	ND	--	--	
12/24/94	8.46	8.04	0.00	0.42	0.62	50000	--	2500	9700	2400	17000	--	--	
03/25/95	8.46	7.72	0.37	1.02	0.60	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/21/95	8.46	9.30	0.20	-0.69	-1.71	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
09/19/95	8.46	9.29	0.40	-0.53	0.16	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/19/95	8.46	8.98	0.03	-0.50	0.03	--	--	--	--	--	--	--	--	Not sampled due to LPH in well

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-1 continued</b>														
03/18/96	8.46	8.25	0.00	0.21	-0.71	27000	--	ND	2300	1400	11000	4900	--	
06/27/96	8.46	7.92	0.00	0.54	0.33	120000	--	540	4300	2600	26000	ND	--	
09/26/96	8.46	9.10	0.02	-0.63	-1.17	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/09/96	8.46	6.88	0.03	1.60	2.23	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
03/14/97	8.46	9.02	0.55	-0.15	-1.75	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/30/97	8.46	8.41	0.02	0.07	0.21	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
09/19/97	8.46	8.56	0.02	-0.09	-0.15	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/12/97	8.46	8.58	0.01	-0.11	-0.03	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
03/03/98	8.46	8.23	0.04	0.26	0.37	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/15/98	8.46	8.37	0.00	0.09	-0.17	52000	--	ND	900	1800	13000	ND	--	Sheen
09/30/98	8.46	8.94	0.00	-0.48	-0.57	1000000	--	ND	2600	13000	83000	4800	--	Sheen
12/28/98	8.46	8.57	0.00	-0.11	0.37	1100000	--	ND	1600	8600	71000	5700	--	
03/22/99	8.46	8.18	0.00	0.28	0.39	130000	--	470	1100	2000	28000	5700	--	Sheen
06/09/99	8.46	9.37	0.00	-0.91	-1.19	40000	--	230	640	590	13000	3500	2100	
09/08/99	8.46	9.53	0.00	-1.07	-0.16	55000	--	217	202	745	14300	6890	6690	
12/07/99	8.46	9.67	0.00	-1.21	-0.14	41200	--	89.3	ND	385	6930	15800	14700	
03/13/00	8.46	8.44	0.00	0.02	1.23	48000	--	490	610	2400	10000	22000	23000	
06/21/00	8.46	9.45	0.00	-0.99	-1.01	37000	--	200	ND	1200	7200	15000	20000	
09/27/00	8.46	9.29	0.00	-0.83	0.16	15000	--	92	ND	540	2800	74000	83000	
12/12/00	8.46	9.37	0.00	-0.91	-0.08	50000	--	ND	ND	250	1900	12000	15000	



**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-1 continued</b>														
03/07/01	8.46	8.45	0.00	0.01	0.92	6220	--	29.8	10.4	96.3	638	11200	11800	
06/06/01	8.46	9.29	0.00	-0.83	-0.84	5200	--	17	ND	69	420	6500	8700	
09/24/01	8.46	9.39	0.00	-0.93	-0.10	4300	--	36	ND<25	65	590	4400	4400	
12/10/01	8.46	9.17	0.00	-0.71	0.22	11000	--	220	ND<100	380	1500	5100	5100	
03/11/02	8.46	9.44	0.00	-0.98	-0.27	5500	--	28	ND<20	360	690	6400	6300	
06/04/02	8.46	8.32	0.00	0.14	1.12	4600	--	31	ND<10	240	180	6500	--	
09/03/02	8.46	9.36	0.00	-0.90	-1.04	2300	--	ND<12	ND<12	ND<12	68	3500	4700	
12/03/02	8.46	8.18	0.00	0.28	1.18	--	ND<5000	ND<50	ND<50	ND<50	<100	--	4700	
03/04/03	8.46	8.29	0.00	0.17	-0.11	--	8900	26	ND<25	400	130	--	5500	
06/18/03	8.46	7.58	0.00	0.88	0.71	--	8300	ND<25	ND<25	ND<25	ND<50	--	10000	
09/24/03	8.46	8.18	0.00	--	--	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	11000	
12/02/03	8.46	8.90	0.00	-0.44	--	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	11000	
03/30/04	8.46	8.38	0.00	0.08	0.52	--	12000	ND<100	ND<100	190	ND<200	--	13000	
06/07/04	8.46	10.35	0.00	-1.89	-1.97	--	13000	ND<100	ND<100	ND<100	ND<200	--	12000	
09/09/04	8.46	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/20/04	8.46	9.00	0.00	-0.54	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.2	
03/28/05	8.46	8.10	0.00	0.36	0.90	--	37000	ND<10	ND<10	1500	5300	--	460	
06/14/05	8.46	8.91	0.00	-0.45	-0.81	--	3900	ND<0.50	ND<0.50	48	68	--	60	
<b>U-2 (Screen Interval in feet: 5.0-20.0)</b>														
08/10/90	--	--	--	--	--	780	--	27	46	15	130	--	--	
01/07/91	--	--	--	--	--	1900	--	67	5.8	58	69	--	--	
04/01/91	--	--	--	--	--	1700	--	250	89	34	190	--	--	
07/03/91	--	--	--	--	--	2100	--	150	25	3.1	290	--	--	
10/09/91	--	--	--	--	--	230	--	7.1	ND	ND	11	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (fcct)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-2 continued</b>														
02/12/92	--	--	--	--	--	410	--	1.9	ND	0.36	0.4	--	--	
05/05/92	--	--	--	--	--	1600	--	120	52	6.2	290	--	--	
06/11/92	--	--	--	--	--	620	--	17	2.1	ND	37	--	--	
08/20/92	--	--	--	--	--	700	--	28	6.5	1.3	4.6	--	--	
02/22/93	--	--	--	--	--	3400	--	2400	2100	1200	5800	--	--	
05/07/93	--	--	--	--	--	17000	--	1800	660	1700	4000	--	--	
08/08/93	--	--	--	--	--	5600	--	420	ND	410	670	--	--	
11/16/93	4.53	8.17	0.00	-3.64	--	510	--	ND	ND	ND	ND	--	--	
02/16/94	4.53	7.73	0.00	-3.20	0.44	980	--	49	13	2.7	40	--	--	
06/22/94	7.62	7.60	0.00	0.02	3.22	31000	--	2200	62	1500	3500	--	--	
09/22/94	7.62	7.93	0.00	-0.31	-0.33	8500	--	29	ND	ND	ND	--	--	
12/24/94	7.62	7.27	0.00	0.35	0.66	32000	--	1500	890	1300	5000	--	--	
03/25/95	7.62	7.01	0.00	0.61	0.26	170000	--	1900	21000	4800	33000	--	--	
06/21/95	7.62	6.98	0.00	0.64	0.03	16000	--	2100	ND	1800	1700	--	--	
09/19/95	7.62	7.70	0.00	-0.08	-0.72	3000	--	610	ND	78	240	--	--	
12/19/95	7.62	7.30	0.00	0.32	0.40	1600	--	140	55	52	270	--	--	
03/18/96	7.62	6.45	0.00	1.17	0.85	12000	--	2200	ND	1200	2200	22000	--	
06/27/96	7.62	7.41	0.00	0.21	-0.96	28000	--	3400	ND	2800	3100	3000	--	
09/26/96	7.62	7.90	0.00	-0.28	-0.49	5900	--	750	ND	ND	ND	18000	--	
12/09/96	7.62	6.76	0.00	0.86	1.14	13000	--	5100	290	980	370	2700	--	
03/14/97	7.62	7.12	0.03	0.52	-0.34	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/30/97	7.62	6.19	0.00	1.43	0.91	--	--	--	--	--	--	--	--	Not sampled due to LPH in well

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-2 continued</b>														
09/19/97	7.62	7.31	0.00	0.31	-1.12	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/12/97	7.62	6.75	0.00	0.87	0.56	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
03/03/98	7.62	6.36	0.00	1.26	0.39	80000	--	3000	1100	820	16000	16000	--	Sheen
06/15/98	7.62	6.51	0.00	1.11	-0.15	48000	--	1800	330	470	7900	20000	--	Sheen
09/30/98	7.62	7.17	0.00	0.45	-0.66	60000	--	1300	ND	500	9700	19000	--	Sheen
12/28/98	7.62	7.06	0.00	0.56	0.11	63000	--	590	160	320	5600	16000	--	
03/22/99	7.62	6.82	0.00	0.80	0.24	28000	--	1100	ND	360	2900	25000	--	
06/09/99	7.62	7.51	0.00	0.11	-0.69	21000	--	110	190	310	2600	7900	7800	
09/08/99	7.62	8.16	0.00	-0.54	-0.65	23300	--	477	138	286	4110	16400	15300	
12/07/99	7.62	8.31	0.00	-0.69	-0.15	4840	--	17.2	ND	ND	157	14900	15600	
03/13/00	7.62	6.69	0.00	0.93	1.62	11000	--	380	160	ND	2100	22000	26000	
06/21/00	7.62	7.67	0.00	-0.05	-0.98	9100	--	22	ND	ND	800	16000	22000	
09/27/00	7.62	7.44	0.00	0.18	0.23	2900	--	43	ND	ND	39	20000	26000	
12/12/00	7.62	7.51	0.00	0.11	-0.07	3600	--	17	ND	ND	87	8000	7800	
03/07/01	7.62	7.15	0.00	0.47	0.36	1670	--	51.0	ND	7.20	19.5	5930	7900	
06/06/01	7.62	7.57	0.00	0.05	-0.42	1100	--	14	ND	9.3	35	9200	10000	
09/24/01	7.62	7.63	0.00	-0.01	-0.06	1000	--	25	ND<2.5	12	100	9800	11000	
12/10/01	7.62	6.78	0.00	0.84	0.85	83	--	14	0.55	3.4	6.8	2500	2500	
03/11/02	7.62	7.12	0.00	0.50	-0.34	ND<1000	--	28	ND<10	40	31	11000	11000	
06/04/02	7.62	7.18	0.00	0.44	-0.06	7700	--	32	ND<25	33	48	14000	--	
09/03/02	7.62	7.58	0.00	0.04	-0.40	5200	--	ND<25	ND<25	ND<25	ND<25	11000	15000	
12/03/02	7.62	7.68	0.00	-0.06	-0.10	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	3200	
03/04/03	7.62	7.77	0.00	-0.15	-0.09	--	8100	ND<50	ND<50	ND<50	ND<100	--	7800	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-2 continued</b>														
06/18/03	7.62	6.87	0.00	0.75	0.90	--	11000	ND<50	ND<50	ND<50	ND<100	--	16000	
09/24/03	7.62	7.49	0.00	0.13	-0.62	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	10000	
12/02/03	7.62	7.95	0.00	-0.33	-0.46	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	10000	
03/30/04	7.62	7.07	0.00	0.55	0.88	--	12000	ND<100	ND<100	ND<100	ND<200	--	11000	
06/07/04	7.62	7.75	0.00	-0.13	-0.68	--	14000	ND<100	ND<100	ND<100	ND<200	--	13000	
09/09/04	7.62	8.65	0.00	-1.03	-0.90	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	9500	
12/20/04	7.62	7.73	0.00	-0.11	0.92	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	11000	
03/28/05	7.62	6.24	0.00	1.38	1.49	--	12000	ND<50	ND<50	160	120	--	7000	
06/14/05	7.62	7.05	0.00	0.57	-0.81	--	2000	0.75	ND<0.50	3.7	1.1	--	2400	
<b>U-3 (Screen Interval in feet: 5.0-20.0)</b>														
08/10/90	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
01/07/91	--	--	--	--	--	ND	--	ND	ND	ND	1.8	--	--	
04/01/91	--	--	--	--	--	ND	--	1.0	2.9	0.53	5.4	--	--	
07/03/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
10/09/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
05/05/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
06/11/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/20/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/22/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
05/07/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/08/93	--	--	--	--	--	210	--	5.0	9.7	0.7	4.1	--	--	
11/16/93	7.86	11.82	0.00	-3.96	--	ND	--	ND	ND	ND	ND	--	--	
02/16/94	7.86	11.62	0.00	-3.76	0.20	ND	--	ND	ND	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-3 continued</b>														
06/22/94	10.98	11.64	0.00	-0.66	3.10	ND	--	ND	ND	ND	ND	--	--	
09/22/94	10.98	11.76	0.00	-0.78	-0.12	ND	--	ND	ND	ND	ND	--	--	
12/24/94	10.98	11.28	0.00	-0.30	0.48	ND	--	ND	ND	ND	ND	--	--	
03/25/95	10.98	10.96	0.00	0.02	0.32	ND	--	ND	ND	ND	ND	--	--	
06/21/95	10.98	11.37	0.00	-0.39	-0.41	ND	--	ND	ND	ND	ND	--	--	
09/19/95	10.98	11.55	0.00	-0.57	-0.18	ND	--	ND	ND	ND	ND	--	--	
12/19/95	10.98	11.45	0.00	-0.47	0.10	ND	--	ND	ND	ND	ND	--	--	
03/18/96	10.98	11.10	0.00	-0.12	0.35	ND	--	ND	ND	ND	ND	--	--	
06/27/96	10.98	11.16	0.00	-0.18	-0.06	440	--	49	50	51	140	50	--	
09/26/96	10.98	11.55	0.00	-0.57	-0.39	ND	--	ND	ND	ND	ND	ND	--	
12/09/96	10.98	10.12	0.00	0.86	1.43	ND	--	ND	ND	ND	ND	29	--	
03/14/97	10.98	10.87	0.00	0.11	-0.75	ND	--	ND	ND	ND	ND	ND	--	
06/30/97	10.98	11.08	0.00	-0.10	-0.21	ND	--	ND	ND	ND	ND	ND	--	
09/19/97	10.98	11.05	0.00	-0.07	0.03	ND	--	ND	ND	ND	ND	ND	--	
12/12/97	10.98	10.58	0.00	0.40	0.47	ND	--	ND	ND	ND	ND	ND	--	
03/03/98	10.98	9.84	0.00	1.14	0.74	ND	--	ND	ND	ND	ND	ND	--	
06/15/98	10.98	10.56	0.00	0.42	-0.72	ND	--	ND	ND	ND	ND	ND	--	
09/30/98	10.98	11.12	0.00	-0.14	-0.56	ND	--	ND	ND	ND	ND	ND	--	
12/28/98	10.98	10.96	0.00	0.02	0.16	ND	--	ND	ND	ND	ND	ND	--	
03/22/99	10.98	9.46	0.00	1.52	1.50	ND	--	ND	ND	ND	ND	ND	--	
06/09/99	10.98	11.01	0.00	-0.03	-1.55	ND	--	ND	ND	ND	ND	ND	--	
09/08/99	10.98	11.31	0.00	-0.33	-0.30	ND	--	ND	ND	ND	ND	ND	--	
12/07/99	10.98	11.26	0.00	-0.28	0.05	ND	--	ND	ND	ND	ND	ND	--	
03/13/00	10.98	8.28	0.00	2.70	2.98	ND	--	ND	ND	ND	ND	ND	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-3 continued</b>														
06/21/00	10.98	11.12	0.00	-0.14	-2.84	ND	--	ND	ND	ND	ND	ND	--	
09/27/00	10.98	11.07	0.00	-0.09	0.05	ND	--	ND	ND	ND	ND	ND	--	
12/12/00	10.98	10.94	0.00	0.04	0.13	ND	--	ND	ND	ND	ND	ND	--	
03/07/01	10.98	8.32	0.00	2.66	2.62	ND	--	ND	ND	ND	ND	ND	--	
06/06/01	10.98	10.94	0.00	0.04	-2.62	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	10.98	11.03	0.00	-0.05	-0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/10/01	10.98	8.16	0.00	2.82	2.87	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
03/11/02	10.98	7.82	0.00	3.16	0.34	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/04/02	10.98	10.58	0.00	0.40	-2.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	10.98	10.94	0.00	0.04	-0.36	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/03/02	10.98	10.66	0.00	0.32	0.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/04/03	10.98	10.76	0.00	0.22	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
06/18/03	10.98	10.26	0.00	0.72	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/03	10.98	10.88	0.00	0.10	-0.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/02/03	10.98	11.00	0.00	-0.02	-0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/30/04	10.98	10.64	0.00	0.34	0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/07/04	10.98	11.00	0.00	-0.02	-0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/09/04	10.98	11.31	0.00	-0.33	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/20/04	10.98	10.79	0.00	0.19	0.52	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/28/05	10.98	9.80	0.00	1.18	0.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/14/05	10.98	10.75	0.00	0.23	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.2	--	ND<0.50	
<b>U-4 (Screen Interval in feet: 5.0-20.0)</b>														
06/22/94	11.15	10.16	0.00	0.99	--	ND	--	ND	ND	ND	ND	--	--	
09/22/94	11.15	10.79	0.00	0.36	-0.63	ND	--	0.78	1.3	ND	1.4	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-4 continued</b>														
12/24/94	11.15	9.81	0.00	1.34	0.98	ND	--	ND	ND	ND	ND	--	--	
03/25/95	11.15	9.51	0.00	1.64	0.30	ND	--	ND	ND	ND	ND	--	--	
06/21/95	11.15	9.54	0.00	1.61	-0.03	ND	--	ND	ND	ND	ND	--	--	
09/19/95	11.15	10.17	0.00	0.98	-0.63	ND	--	ND	ND	ND	ND	--	--	
12/19/95	11.15	9.98	0.00	1.17	0.19	ND	--	ND	ND	ND	ND	--	--	
03/18/96	11.15	9.66	0.00	1.49	0.32	ND	--	ND	ND	ND	ND	--	--	
06/27/96	11.15	9.74	0.00	1.41	-0.08	ND	--	ND	ND	ND	ND	ND	--	
09/26/96	11.15	10.14	0.00	1.01	-0.40	ND	--	ND	ND	ND	ND	ND	--	
12/09/96	11.15	8.67	0.00	2.48	1.47	ND	--	ND	ND	ND	ND	33	--	
03/14/97	11.15	9.35	0.00	1.80	-0.68	ND	--	ND	ND	ND	ND	ND	--	
06/30/97	11.15	9.89	0.00	1.26	-0.54	ND	--	ND	ND	ND	ND	ND	--	
09/19/97	11.15	9.96	0.00	1.19	-0.07	ND	--	ND	ND	ND	ND	ND	--	
12/12/97	11.15	8.56	0.00	2.59	1.40	ND	--	ND	ND	ND	ND	ND	--	
03/03/98	11.15	7.85	0.00	3.30	0.71	ND	--	ND	ND	ND	ND	ND	--	
06/15/98	11.15	9.08	0.00	2.07	-1.23	ND	--	ND	ND	ND	ND	ND	--	
09/30/98	11.15	9.75	0.00	1.40	-0.67	ND	--	ND	ND	ND	ND	ND	--	
12/28/98	11.15	9.59	0.00	1.56	0.16	ND	--	ND	ND	ND	ND	ND	--	
03/22/99	11.15	8.34	0.00	2.81	1.25	ND	--	ND	ND	ND	ND	ND	--	
06/09/99	11.15	9.39	0.00	1.76	-1.05	ND	--	ND	ND	ND	ND	ND	--	
09/08/99	11.15	9.90	0.00	1.25	-0.51	ND	--	ND	ND	ND	ND	ND	--	
12/07/99	11.15	10.05	0.00	1.10	-0.15	ND	--	ND	ND	ND	ND	ND	--	
03/13/00	11.15	7.24	0.00	3.91	2.81	ND	--	ND	ND	ND	ND	ND	--	
06/21/00	11.15	9.48	0.00	1.67	-2.24	ND	--	ND	ND	ND	ND	ND	--	
09/27/00	11.15	9.42	0.00	1.73	0.06	ND	--	ND	ND	ND	ND	ND	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-4 continued</b>														
12/12/00	11.15	9.50	0.00	1.65	-0.08	ND	--	ND	ND	ND	ND	ND	--	
03/07/01	11.15	6.88	0.00	4.27	2.62	ND	--	ND	ND	ND	ND	ND	--	
06/06/01	11.15	9.18	0.00	1.97	-2.30	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	11.15	9.21	0.00	1.94	-0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/10/01	11.15	7.32	0.00	3.83	1.89	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
03/11/02	11.15	6.92	0.00	4.23	0.40	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/04/02	11.15	7.58	0.00	3.57	-0.66	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	11.15	9.17	0.00	1.98	-1.59	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/03/02	11.15	9.20	0.00	1.95	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/04/03	11.15	9.32	0.00	1.83	-0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
06/18/03	11.15	7.65	0.00	3.50	1.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/03	11.15	8.26	0.00	2.89	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/02/03	11.15	9.16	0.00	1.99	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/30/04	11.15	7.47	0.00	3.68	1.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/07/04	11.15	8.93	0.00	2.22	-1.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/09/04	11.15	9.83	0.00	1.32	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/20/04	11.15	8.28	0.00	2.87	1.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/28/05	11.15	6.35	0.00	4.80	1.93	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/14/05	11.15	8.10	0.00	3.05	-1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>U-5 (Screen Interval in feet: 5.0-20.0)</b>														
06/22/94	6.98	6.83	0.00	0.15	--	210	--	7.1	13	4.5	26	--	--	
09/22/94	6.98	6.90	0.00	0.08	-0.07	170	--	8.4	10	8.5	18	--	--	
12/24/94	6.98	6.43	0.00	0.55	0.47	8700	--	560	70	670	430	--	--	
03/25/95	6.98	6.35	0.00	0.63	0.08	44000	--	390	960	1500	7600	--	--	



**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-5 continued</b>														
06/21/95	6.98	7.11	0.00	-0.13	-0.76	400	--	2.3	ND	9.1	3.5	--	--	
09/19/95	6.98	6.99	0.00	-0.01	0.12	850	--	14	7.1	13	66	--	--	
12/19/95	6.98	7.17	0.00	-0.19	-0.18	ND	--	ND	ND	ND	ND	--	--	
03/18/96	6.98	6.65	0.00	0.33	0.52	100	--	0.67	0.5	0.51	5.4	--	--	
06/27/96	6.98	6.49	0.00	0.49	0.16	16000	--	280	150	1400	4600	530	--	
09/26/96	6.98	7.13	0.00	-0.15	-0.64	ND	--	ND	0.57	ND	0.96	ND	--	
12/09/96	6.98	5.90	0.00	1.08	1.23	1300	--	29	46	ND	140	97	--	
03/14/97	6.98	6.99	0.00	-0.01	-1.09	ND	--	ND	ND	ND	ND	14	--	
06/30/97	6.98	7.08	0.00	-0.10	-0.09	4200	--	74	51	180	980	270	--	
09/19/97	6.98	6.78	0.00	0.20	0.30	6300	--	160	13	370	1000	480	--	
12/12/97	6.98	6.94	0.00	0.04	-0.16	60	--	1.3	ND	1.6	2.1	47	--	
03/03/98	6.98	6.50	0.00	0.48	0.44	1700	--	29	ND	150	190	330	--	
06/15/98	6.98	6.85	0.00	0.13	-0.35	1500	--	32	ND	91	83	330	--	
09/30/98	6.98	7.31	0.00	-0.33	-0.46	1700	--	44	ND	39	150	60	--	
12/28/98	6.98	7.25	0.00	-0.27	0.06	1400	--	59	ND	13	27	150	--	
03/22/99	6.98	6.86	0.00	0.12	0.39	780	--	8.9	ND	0.76	4.5	350	--	
06/09/99	6.98	7.28	0.00	-0.30	-0.42	1000	--	ND	ND	10	35	280	350	
09/08/99	6.98	7.52	0.00	-0.54	-0.24	2620	--	26.2	ND	32.2	157	280	239	
12/07/99	6.98	7.67	0.00	-0.69	-0.15	949	--	9.26	ND	11.2	22.7	235	301	
03/13/00	6.98	6.73	0.00	0.25	0.94	880	--	12	1.0	5.6	8.7	46	37	
06/21/00	6.98	7.39	0.00	-0.41	-0.66	700	--	4.0	ND	0.99	4.0	120	140	
09/27/00	6.98	7.45	0.00	-0.47	-0.06	400	--	1.9	ND	ND	1.5	160	250	
12/12/00	6.98	7.68	0.00	-0.70	-0.23	770	--	3.2	ND	ND	ND	27	13	
03/07/01	6.98	6.83	0.00	0.15	0.85	623	--	5.15	ND	ND	0.669	35.7	43.4	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-5 continued</b>														
06/06/01	6.98	7.42	0.00	-0.44	-0.59	110	--	ND	ND	ND	ND	ND	--	
09/24/01	6.98	7.50	0.00	-0.52	-0.08	270	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	40	42	
12/10/01	6.98	6.65	0.00	0.33	0.85	420	--	13	0.60	0.66	ND<0.50	ND<2.5	--	
03/11/02	6.98	7.00	0.00	-0.02	-0.35	260	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	42	47	
06/04/02	6.98	6.71	0.00	0.27	0.29	170	--	ND<0.50	0.77	0.87	0.69	29	--	
09/03/02	6.98	7.47	0.00	-0.49	-0.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	37	53	
12/03/02	6.98	6.64	0.00	0.34	0.83	--	320	ND<0.50	ND<0.50	5.7	ND<1.0	--	11	
03/04/03	6.98	6.75	0.00	0.23	-0.11	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	44	
06/18/03	6.98	6.25	0.00	0.73	0.50	--	51	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	36	
09/24/03	6.98	6.86	0.00	0.12	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/02/03	6.98	7.12	0.00	-0.14	-0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	24	
03/30/04	6.98	6.88	0.00	0.10	0.24	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	130	
06/07/04	6.98	8.53	0.00	-1.55	-1.65	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	160	
09/09/04	6.98	12.28	0.00	-5.30	-3.75	--	340	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	260	
12/20/04	6.98	7.51	0.00	-0.53	4.77	--	130	ND<0.50	ND<0.50	1.9	2.0	--	120	
03/28/05	6.98	7.22	0.00	-0.24	0.29	--	670	ND<2.0	ND<2.0	ND<2.0	ND<4.0	--	230	
06/14/05	6.98	7.46	0.00	-0.48	-0.24	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	400	
<b>U-6 (Screen Interval in feet: 5.0-24.0)</b>														
06/22/94	7.14	7.14	0.00	0.00	--	ND	--	ND	ND	ND	ND	--	--	
09/22/94	7.14	7.34	0.00	-0.20	-0.20	130	--	1.3	0.8	ND	0.73	--	--	
12/24/94	7.14	6.67	0.00	0.47	0.67	6900	--	500	59	600	380	--	--	
03/25/95	7.14	6.29	0.00	0.85	0.38	47000	--	450	1300	1700	8200	--	--	
06/21/95	7.14	7.60	0.00	-0.46	-1.31	ND	--	ND	ND	ND	ND	--	--	
09/19/95	7.14	7.70	0.00	-0.56	-0.10	ND	--	ND	ND	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-6 continued</b>														
12/19/95	7.14	7.75	0.00	-0.61	-0.05	210	--	2.5	1.0	2.9	17	--	--	
03/18/96	7.14	6.86	0.00	0.28	0.89	ND	--	ND	ND	ND	ND	--	--	
06/27/96	7.14	6.52	0.00	0.62	0.34	ND	--	ND	ND	ND	ND	510	--	
09/26/96	7.14	7.62	0.00	-0.48	-1.10	ND	--	ND	ND	ND	ND	1400	--	
12/09/96	7.14	5.88	0.00	1.26	1.74	1200	--	29	48	6.4	140	58	--	
03/14/97	7.14	7.30	0.00	-0.16	-1.42	ND	--	ND	ND	ND	ND	1500	--	
06/30/97	7.14	7.35	0.00	-0.21	-0.05	ND	--	ND	ND	ND	ND	990	--	
09/19/97	7.14	7.25	0.00	-0.11	0.10	ND	--	ND	ND	ND	ND	1400	--	
12/12/97	7.14	7.29	0.00	-0.15	-0.04	ND	--	ND	ND	ND	ND	680	--	
03/03/98	7.14	7.00	0.00	0.14	0.29	ND	--	ND	ND	ND	ND	1600	--	
06/15/98	7.14	7.18	0.00	-0.04	-0.18	ND	--	ND	ND	ND	ND	1000	--	
09/30/98	7.14	7.90	0.00	-0.76	-0.72	ND	--	ND	ND	ND	ND	1200	--	
12/28/98	7.14	7.79	0.00	-0.65	0.11	ND	--	ND	ND	ND	ND	730	--	
03/22/99	7.14	7.47	0.00	-0.33	0.32	ND	--	ND	ND	ND	ND	1800	--	
06/09/99	7.14	7.73	0.00	-0.59	-0.26	ND	--	ND	ND	ND	ND	1000	850	
09/08/99	7.14	7.95	0.00	-0.81	-0.22	ND	--	ND	ND	ND	ND	851	1040	
12/07/99	7.14	8.10	0.00	-0.96	-0.15	ND	--	ND	ND	ND	ND	1140	1150	
03/13/00	7.14	6.95	0.00	0.19	1.15	ND	--	ND	ND	ND	ND	560	670	
06/21/00	7.14	7.84	0.00	-0.70	-0.89	ND	--	ND	ND	ND	ND	400	590	
09/27/00	7.14	7.68	0.00	-0.54	0.16	ND	--	ND	ND	ND	ND	2500	2800	
12/12/00	7.14	7.74	0.00	-0.60	-0.06	ND	--	ND	ND	ND	ND	590	580	
03/07/01	7.14	7.27	0.00	-0.13	0.47	ND	--	ND	ND	ND	ND	310	321	
06/06/01	7.14	7.80	0.00	-0.66	-0.53	ND	--	ND	ND	ND	ND	250	330	
09/24/01	7.14	7.82	0.00	-0.68	-0.02	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	530	660	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through June 2005**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
<b>U-6 continued</b>														
12/10/01	7.14	7.15	0.00	-0.01	0.67	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	220	220	
03/11/02	7.14	7.32	0.00	-0.18	-0.17	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	720	760	
06/04/02	7.14	7.18	0.00	-0.04	0.14	250	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0	470	--	
09/03/02	7.14	7.72	0.00	-0.58	-0.54	420	--	ND<2.5	ND<2.5	ND<2.5	4.7	860	1200	
12/03/02	7.14	6.92	0.00	0.22	0.80	--	ND<500	ND<5.0	ND<5.0	ND<5.0	ND<10	--	870	
03/04/03	7.14	7.01	0.00	0.13	-0.09	--	2300	ND<10	ND<10	ND<10	ND<20	--	2700	
06/18/03	7.14	6.60	0.00	0.54	0.41	--	1300	ND<10	ND<10	ND<10	ND<20	--	1700	
09/24/03	7.14	7.24	0.00	-0.10	-0.64	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	1500	
12/02/03	7.14	7.80	0.00	-0.66	-0.56	--	1300	ND<10	ND<10	ND<10	ND<20	--	1800	
03/30/04	7.14	7.32	0.00	-0.18	0.48	--	1200	ND<10	ND<10	ND<10	ND<20	--	1700	
06/07/04	7.14	9.35	0.00	-2.21	-2.03	--	1700	ND<10	ND<10	ND<10	ND<20	--	1800	
09/09/04	7.14	12.81	0.00	-5.67	-3.46	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	1400	
12/20/04	7.14	7.96	0.00	-0.82	4.85	--	320	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	65	
03/28/05	7.14	7.07	0.00	0.07	0.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	150	
06/14/05	7.14	7.88	0.00	-0.74	-0.81	--	ND<100	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	20	

**Table 3**  
**ADDITIONAL ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	EDC (µg/l)	EDB (µg/l)	Pre-Purge DO (mg/l)	Post Purge DO (mg/l)	NO3 (mg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Fe+2 (mg/l)	ORP (mV)	Acenaph- thylene (µg/l)	ortho- Phosphate (mg/l)	Phosphate (mg/l)	Ethanol 8260B (µg/l)
U-1															
06/15/98	--	--	--	--	ND	--	--	--	--	39	382	--	--	ND	--
09/30/98	--	--	--	--	ND	--	--	--	--	17	366	--	--	ND	--
12/28/98	--	--	--	--	6.30	--	--	--	--	4.30	298	--	--	28	--
03/22/99	--	--	--	--	ND	--	--	--	--	4.90	320	--	--	3.5	--
06/09/99	--	--	--	--	ND	--	--	--	--	1.2	260	--	--	ND	--
09/08/99	--	--	--	--	ND	--	--	--	--	1.80	85	--	--	ND	--
12/07/99	--	--	1.36	--	ND	--	--	--	--	5.70	404	--	--	17.0	--
03/13/00	--	--	--	--	0.18	--	--	--	--	8.0	262	--	--	ND	--
06/21/00	--	--	1.53	--	ND	--	--	--	--	9.3	148	--	--	ND	--
09/27/00	--	ND	1.63	--	ND	ND	ND	ND	ND	2.8	119	--	--	18.4	--
12/12/00	--	--	1.48	--	ND	--	--	--	--	0.49	131	--	--	16.0	--
03/07/01	--	ND	1.91	--	2.64	ND	ND	ND	ND	0.483	125	--	--	6.89	--
06/06/01	--	ND	1.77	--	ND	ND	ND	ND	ND	1.0	141	--	--	2.7	--
09/24/01	ND<1000	ND<1000	1.64	--	0.45	ND<1000	ND<20000	ND<1000	ND<1000	ND<0.10	125	--	--	--	ND<400000
12/10/01	ND<100	ND<100	1.82	--	ND<0.50	ND<100	ND<4000	ND<100	ND<100	14	141	--	--	2.2	ND<8000
03/11/02	ND<100	ND<100	2.21	--	ND<0.50	ND<100	ND<5000	ND<100	ND<100	15	132	--	--	0.11	ND<25000
06/04/02	--	--	1.88	--	ND<0.50	--	--	--	--	ND<0.50	117	--	--	ND<0.10	--
09/03/02	ND<200	ND<200	1.62	--	ND<0.50	ND<200	ND<10000	ND<200	ND<200	ND<0.50	94	--	--	ND<0.10	ND<50000
12/03/02	ND<200	ND<200	1.71	--	ND<1.0	ND<200	ND<10000	ND<200	ND<200	9.6	72	--	--	ND<1.0	ND<50000
03/04/03	ND<100	ND<100	0.30	--	ND<1.0	ND<100	ND<5000	ND<100	ND<100	36	-125	--	--	ND<1.0	ND<25000
06/18/03	ND<100	ND<100	--	1.7	ND<1.0	ND<100	ND<5000	ND<100	ND<100	16	-48	--	--	ND<1.0	ND<25000
09/24/03	ND<400	ND<400	0.40	--	ND<1.0	ND<400	ND<20000	ND<400	ND<400	15	-36	--	--	ND<1.0	ND<100000
12/02/03	--	--	--	--	--	--	--	--	--	4.0	--	--	--	--	ND<100000
03/30/04	ND<100	ND<100	--	--	ND<1.0	ND<100	3100	ND<200	ND<100	12	--	--	--	ND<1.0	ND<10000
06/07/04	ND<100	ND<100	--	--	ND<0.50	ND<100	3300	ND<200	ND<100	0.66	--	--	--	6.8	ND<10000
12/20/04	ND<0.50	ND<0.50	--	--	ND<1.0	ND<0.50	11	ND<1.0	ND<0.50	0.015	--	--	--	ND<1.0	ND<50

**Table 3**  
**ADDITIONAL ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	EDC (µg/l)	EDB (µg/l)	Pre-Purge DO (mg/l)	Post Purge DO (mg/l)	NO3 (mg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Fe+2 (mg/l)	ORP (mV)	Acenaph- thylene (µg/l)	ortho- Phosphate (mg/l)	Phosphate (mg/l)	Ethanol 8260B (µg/l)
<b>U-1 continued</b>															
03/28/05	--	--	--	--	ND<1.0	--	--	--	--	16	--	--	ND<1.0	--	ND<1000
06/14/05	ND<10	ND<10	--	--	ND<1.0	ND<10	4400	ND<10	ND<10	7.1	--	--	--	12	ND<1000
<b>U-2</b>															
03/03/98	--	--	--	--	ND	--	--	--	--	25	369	--	--	ND	--
06/15/98	--	--	--	--	ND	--	--	--	--	42	341	--	--	ND	--
09/30/98	--	--	--	--	ND	--	--	--	--	25	354	--	--	ND	--
12/28/98	--	--	--	--	ND	--	--	--	--	28	276	--	--	ND	--
03/22/99	--	--	--	--	ND	--	--	--	--	0.68	320	--	--	2.3	--
06/09/99	--	--	--	--	ND	--	--	--	--	0.50	290	--	--	ND	--
09/08/99	--	--	--	--	ND	--	--	--	--	1.90	235	--	--	ND	--
12/07/99	--	--	2.28	--	ND	--	--	--	--	0.250	389	--	--	ND	--
03/13/00	--	--	--	--	0.31	--	--	--	--	4.3	184	--	--	ND	--
06/21/00	--	--	1.96	--	ND	--	--	--	--	0.26	136	--	--	ND	--
09/27/00	--	--	2.12	--	ND	--	--	--	--	0.64	142	--	--	10.5	--
12/12/00	--	--	2.35	--	ND	--	--	--	--	2.7	155	--	--	ND	--
03/07/01	ND	ND	2.21	--	2.24	ND	ND	ND	ND	0.677	148	--	--	3.02	ND
06/06/01	ND	ND	2.67	--	ND	ND	ND	ND	ND	0.80	163	--	--	2.8	ND
09/24/01	ND<1000	ND<1000	2.10	--	0.49	ND<1000	ND<20000	ND<1000	ND<1000	ND<0.10	151	--	--	--	ND<400000
12/10/01	ND<50	ND<50	2.81	--	ND<0.50	ND<50	ND<2000	ND<50	ND<50	ND<0.10	171	--	--	0.20	ND<4000
03/11/02	ND<200	ND<200	2.77	--	ND<0.50	ND<200	ND<10000	ND<200	ND<200	ND<0.10	156	--	--	0.65	ND<50000
06/04/02	--	--	3.14	--	ND<0.50	--	--	--	--	ND<0.10	144	--	--	ND<0.10	--
09/03/02	ND<1000	ND<1000	2.85	--	ND<0.50	ND<1000	ND<50000	ND<1000	ND<1000	ND<0.25	151	--	--	0.26	ND<250000
12/03/02	ND<200	ND<200	1.97	--	ND<1.0	ND<200	ND<10000	ND<200	ND<200	9.9	94	--	--	ND<1.0	ND<50000
03/04/03	ND<200	ND<200	0.40	--	ND<1.0	ND<200	ND<10000	ND<200	ND<200	8.6	-147	--	--	ND<1.0	ND<50000
06/18/03	ND<200	ND<200	--	3.2	ND<1.0	ND<200	ND<10000	ND<200	ND<200	5.5	-8	--	--	3.1	ND<50000
09/24/03	ND<400	ND<400	0.20	--	ND<1.0	ND<400	ND<20000	ND<400	ND<400	14	-10	--	--	ND<1.0	ND<100000

**Table 3**  
**ADDITIONAL ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	EDC (µg/l)	EDB (µg/l)	Pre-Purge DO (mg/l)	Post Purge DO (mg/l)	NO3 (mg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Fe+2 (mg/l)	ORP (mV)	Acenaph- thylene (µg/l)	ortho- Phosphate (mg/l)	Phosphate (mg/l)	Ethanol 8260B (µg/l)
<b>U-2 continued</b>															
12/02/03	--	--	--	--	--	--	--	--	--	2.7	--	--	--	--	ND<100000
03/30/04	ND<100	ND<100	--	--	ND<1.0	ND<100	2400	ND<200	ND<100	ND<0.20	--	--	--	2.9	ND<10000
06/07/04	ND<100	ND<100	--	--	ND<0.50	ND<100	2600	ND<200	ND<100	0.21	--	--	--	2.4	ND<10000
09/09/04	ND<100	ND<100	--	--	ND<1.0	ND<100	2700	ND<200	ND<100	0.93	--	--	--	5.9	ND<10000
12/20/04	ND<50	ND<50	--	--	ND<1.0	ND<50	3500	ND<100	ND<50	0.87	--	--	--	ND<1.0	ND<5000
03/28/05	ND<50	ND<50	--	--	ND<1.0	ND<0.50	830	ND<50	ND<50	4.0	--	--	ND<1.0	--	ND<5000
06/14/05	ND<20	ND<20	--	--	ND<1.0	ND<20	10000	ND<20	ND<20	3.4	--	--	--	ND<1.0	ND<2000
<b>U-3</b>															
06/30/97	--	--	4.10	--	21	--	--	--	--	1.4	190	--	--	0.86	--
09/19/97	--	--	4.20	--	19	--	--	--	--	0.57	75	--	--	ND	--
12/12/97	--	--	2.97	--	23	--	--	--	--	1.9	390	--	--	0.85	--
03/03/98	--	--	2.63	--	36	--	--	--	--	0.013	358	--	--	ND	--
06/15/98	--	--	2.93	--	33	--	--	--	--	0.16	318	--	--	ND	--
09/30/98	--	--	3.11	--	31	--	--	--	--	0.040	295	--	--	ND	--
12/28/98	--	--	3.59	--	29	--	--	--	--	ND	281	--	--	ND	--
03/22/99	--	--	4.02	--	30	--	--	--	--	0.015	310	--	--	0.14	--
06/09/99	--	--	3.70	--	26	--	--	--	--	ND	350	--	--	1.2	--
09/08/99	--	--	3.96	--	32.90	--	--	--	--	ND	417	--	--	ND	--
12/07/99	--	--	4.21	--	27.90	--	--	--	--	0.0520	437	--	--	ND	--
03/13/00	--	--	--	--	33	--	--	--	--	0.15	307	--	--	ND	--
06/21/00	--	--	4.27	--	32	--	--	--	--	0.20	225	--	--	ND	--
09/27/00	--	--	4.67	--	34	--	--	--	--	ND	211	307	--	15.7	--
12/12/00	--	--	4.79	--	31	--	--	--	--	ND	246	--	--	ND	--
03/07/01	--	--	5.16	--	36.5	--	--	--	--	ND	251	--	--	0.443	--
06/06/01	--	--	4.79	--	8.0	--	--	--	--	ND	214	--	--	0.18	--
09/24/01	--	--	4.27	--	23.0	--	--	--	--	ND<0.10	198	--	--	ND	--

**Table 3**  
**ADDITIONAL ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	EDC (µg/l)	EDB (µg/l)	Pre-Purge DO (mg/l)	Post Purge DO (mg/l)	NO3 (mg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Fe+2 (mg/l)	ORP (mV)	Acenaph- thylene (µg/l)	ortho- Phosphate (mg/l)	Phosphate (mg/l)	Ethanol 8260B (µg/l)
<b>U-3 continued</b>															
12/10/01	--	--	4.66	--	21	--	--	--	--	ND<0.10	188	--	--	0.11	--
03/11/02	--	--	5.06	--	30	--	--	--	--	ND<0.10	166	--	--	0.14	--
06/04/02	--	--	5.79	--	18	--	--	--	--	ND<0.10	151	--	--	ND<0.10	--
09/03/02	--	--	6.04	--	28	--	--	--	--	ND<0.10	143	--	--	ND<0.10	--
12/03/02	--	--	5.58	--	20	--	--	--	--	ND<0.20	154	--	--	ND<1.0	--
03/04/03	--	--	0.20	--	18	--	--	--	--	ND<0.20	-136	--	--	ND<1.0	--
06/18/03	--	--	--	3.5	17	--	--	--	--	ND<0.20	333	--	--	ND<1.0	--
09/24/03	--	--	0.60	--	18	--	--	--	--	ND<0.20	-50	--	--	1.4	ND<500
12/02/03	--	--	--	--	--	--	--	--	--	ND<0.20	--	--	--	--	ND<500
03/30/04	--	--	--	--	16	--	--	--	--	ND<0.20	--	--	--	ND<1.0	ND<50
06/07/04	--	--	--	--	17	--	--	--	--	ND<0.20	--	--	--	ND<0.20	ND<50
09/09/04	--	--	--	--	16	--	--	--	--	ND<0.010	--	--	--	1.2	ND<50
12/20/04	--	--	--	--	17	--	--	--	--	ND<0.010	--	--	--	ND<1.0	ND<50
03/28/05	--	--	--	--	17	--	--	--	--	ND<0.050	--	--	ND<1.0	--	ND<50
06/14/05	--	--	--	--	18	--	--	--	--	ND<0.050	--	--	--	ND<1.0	ND<50
<b>U-4</b>															
06/30/97	--	--	5.40	--	35	--	--	--	--	0.13	200	--	--	0.52	--
09/19/97	--	--	5.10	--	30	--	--	--	--	0.35	45	--	--	ND	--
12/12/97	--	--	3.11	--	31	--	--	--	--	0.68	380	--	--	0.73	--
03/03/98	--	--	2.94	--	3.2	--	--	--	--	0.018	284	--	--	ND	--
06/15/98	--	--	3.08	--	33	--	--	--	--	0.14	256	--	--	ND	--
09/30/98	--	--	4.05	--	31	--	--	--	--	0.049	276	--	--	ND	--
12/28/98	--	--	4.57	--	31	--	--	--	--	0.36	280	--	--	ND	--
03/22/99	--	--	4.26	--	30	--	--	--	--	ND	320	--	--	0.14	--
06/09/99	--	--	3.61	--	35	--	--	--	--	ND	340	--	--	0.91	--
09/08/99	--	--	3.75	--	24	--	--	--	--	ND	391	--	--	ND	--



**Table 3**  
**ADDITIONAL ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	EDC (µg/l)	EDB (µg/l)	Pre-Purge DO (mg/l)	Post Purge DO (mg/l)	NO3 (mg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Fe+2 (mg/l)	ORP (mV)	Acenaphthylene (µg/l)	ortho-Phosphate (mg/l)	Phosphate (mg/l)	Ethanol 8260B (µg/l)
<b>U-4 continued</b>															
12/07/99	--	--	4.03	--	27.7	--	--	--	--	ND	478	--	--	ND	--
03/13/00	--	--	--	--	33	--	--	--	--	ND	244	--	--	ND	--
06/21/00	--	--	4.89	--	32	--	--	--	--	0.034	248	--	--	ND	--
09/27/00	--	--	5.09	--	28	--	--	--	--	ND	198	--	--	ND	--
12/12/00	--	--	4.86	--	30	--	--	--	--	ND	210	--	--	ND	--
03/07/01	--	--	4.97	--	33.9	--	--	--	--	ND	233	--	--	0.226	--
06/06/01	--	--	5.12	--	7.4	--	--	--	--	ND	248	--	--	0.21	--
09/24/01	--	--	4.86	--	24	--	--	--	--	ND<0.10	262	--	--	--	--
12/10/01	--	--	5.05	--	19	--	--	--	--	ND<0.10	242	--	--	0.10	--
03/11/02	--	--	4.83	--	31	--	--	--	--	ND<0.10	195	--	--	0.14	--
06/04/02	--	--	5.58	--	27	--	--	--	--	ND<0.10	169	--	--	ND<0.10	--
09/03/02	--	--	5.94	--	28	--	--	--	--	ND<0.10	126	--	--	0.27	--
12/03/02	--	--	5.82	--	20	--	--	--	--	ND<0.20	133	--	--	ND<1.0	--
03/04/03	--	--	0.30	--	26	--	--	--	--	ND<0.20	-148	--	--	ND<1.0	--
06/18/03	--	--	--	3.6	31	--	--	--	--	ND<0.20	250	--	--	ND<1.0	--
09/24/03	--	--	0.20	--	17	--	--	--	--	ND<0.20	-24	--	--	1.5	ND<500
12/02/03	--	--	--	--	--	--	--	--	--	ND<0.20	--	--	--	--	ND<500
03/30/04	--	--	--	--	25	--	--	--	--	ND<0.20	--	--	--	ND<1.0	ND<50
06/07/04	--	--	--	--	24	--	--	--	--	ND<0.20	--	--	--	ND<0.20	ND<50
09/09/04	--	--	--	--	22	--	--	--	--	ND<0.010	--	--	--	ND<1.0	ND<50
12/20/04	--	--	--	--	20	--	--	--	--	ND<0.010	--	--	--	ND<1.0	ND<50
03/28/05	--	--	--	--	31	--	--	--	--	0.060	--	--	ND<1.0	--	ND<50
06/14/05	--	--	--	--	32	--	--	--	--	ND<0.050	--	--	--	ND<1.0	ND<50
<b>U-5</b>															
06/30/97	--	--	3.40	--	ND	--	--	--	--	16	160	--	--	ND	--
09/19/97	--	--	0.60	--	ND	--	--	--	--	0.22	63	--	--	ND	--

**Table 3**  
**ADDITIONAL ANALYTICAL RESULTS**  
**76 Station 5325**


Date Sampled	EDC (µg/l)	EDB (µg/l)	Pre-Purge DO (mg/l)	Post Purge DO (mg/l)	NO3 (mg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Fe+2 (mg/l)	ORP (mV)	Acenaphthylene (µg/l)	ortho-Phosphate (mg/l)	Phosphate (mg/l)	Ethanol 8260B (µg/l)
<b>U-5 continued</b>															
12/12/97	--	--	1.75	--	ND	--	--	--	--	6.7	400	--	--	ND	--
03/03/98	--	--	2.36	--	3.1	--	--	--	--	18	345	--	--	ND	--
06/15/98	--	--	2.55	--	ND	--	--	--	--	17	333	--	--	ND	--
09/30/98	--	--	1.93	--	ND	--	--	--	--	17	318	--	--	ND	--
12/28/98	--	--	1.64	--	6.6	--	--	--	--	17	305	--	--	ND	--
03/22/99	--	--	1.99	--	ND	--	--	--	--	0.12	340	--	--	2.4	--
06/09/99	--	--	2.10	--	ND	--	--	--	--	0.23	320	--	--	ND	--
09/08/99	--	--	2.21	--	ND	--	--	--	--	2.10	335	--	--	ND	--
12/07/99	--	--	2.66	--	ND	--	--	--	--	0.310	408	--	--	ND	--
03/13/00	--	--	--	--	0.16	--	--	--	--	0.33	264	--	--	ND	--
06/21/00	--	--	3.42	--	ND	--	--	--	--	0.15	159	--	--	ND	--
09/27/00	--	--	3.85	--	ND	--	--	--	--	0.33	136	--	--	ND	--
12/12/00	--	--	3.53	--	ND	--	--	--	--	0.086	122	--	--	ND	--
03/07/01	ND	ND	2.98	--	3.02	ND	ND	ND	ND	1.07	141	--	--	4.00	ND
06/06/01	--	--	2.67	--	ND	--	--	--	--	ND	112	--	--	1.2	--
09/24/01	ND<10	ND<10	3.15	--	0.77	ND<10	ND<200	ND<10	ND<10	ND<0.10	146	--	--	--	ND<4000
12/10/01	--	--	2.85	--	ND<0.50	--	--	--	--	3.7	96	--	--	2.6	--
03/11/02	ND<2.0	ND<2.0	3.15	--	ND<0.50	ND<2.0	ND<100	ND<2.0	ND<2.0	0.10	108	--	--	0.52	ND<500
06/04/02	--	--	3.46	--	ND<0.50	--	--	--	--	ND<0.25	118	--	--	ND<0.10	--
09/03/02	ND<2.0	ND<2.0	2.85	--	ND<0.50	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<0.25	87	--	--	ND<0.10	ND<500
12/03/02	ND<2.0	ND<2.0	2.71	--	ND<1.0	ND<2.0	ND<100	ND<2.0	ND<2.0	22	104	--	--	ND<1.0	ND<500
03/04/03	ND<2.0	ND<2.0	0.20	--	ND<1.0	ND<2.0	ND<100	ND<2.0	ND<2.0	19	-166	--	--	ND<1.0	ND<500
06/18/03	ND<2.0	ND<2.0	--	2.4	ND<1.0	ND<2.0	ND<100	ND<2.0	ND<2.0	11	-10	--	--	ND<1.0	ND<500
09/24/03	--	--	0.30	--	18	--	--	--	--	ND<0.20	-28	--	--	1.8	ND<500
12/02/03	--	--	--	--	--	--	--	--	--	9.4	--	--	--	--	ND<500
03/30/04	ND<0.50	ND<0.50	--	--	ND<1.0	ND<0.50	52	ND<1.0	ND<0.50	5.9	--	--	--	ND<1.0	ND<50

**Table 3**  
**ADDITIONAL ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	EDC (µg/l)	EDB (µg/l)	Pre-Purge DO (mg/l)	Post Purge DO (mg/l)	NO3 (mg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Fe+2 (mg/l)	ORP (mV)	Acenaph- thylene (µg/l)	ortho- Phosphate (mg/l)	Phosphate (mg/l)	Ethanol 8260B (µg/l)
<b>U-5 continued</b>															
06/07/04	ND<0.5	ND<0.5	--	--	ND<0.50	ND<0.5	69	ND<1.0	ND<0.5	3.8	--	--	--	ND<0.20	ND<50
09/09/04	ND<0.50	ND<0.50	--	--	ND<1.0	ND<0.50	130	ND<1.0	ND<0.50	4.1	--	--	--	ND<1.0	ND<50
12/20/04	--	--	--	--	ND<1.0	--	--	--	--	5.0	--	--	--	ND<1.0	ND<50
03/28/05	ND<0.50	ND<0.50	--	--	ND<1.0	ND<0.50	150	ND<0.50	ND<0.50	6.5	--	--	ND<1.0	--	ND<50
06/14/05	ND<0.50	ND<0.50	--	--	3.6	ND<0.50	160	ND<0.50	ND<0.50	7.4	--	--	--	ND<1.0	ND<100
<b>U-6</b>															
06/30/97	--	--	0.30	--	0.80	--	--	--	--	88	190	--	--	ND	--
09/19/97	--	--	0.60	--	1.80	--	--	--	--	2.9	ND	--	--	ND	--
12/12/97	--	--	2.70	--	ND	--	--	--	--	51	380	--	--	ND	--
03/03/98	--	--	2.18	--	3.5	--	--	--	--	60	327	--	--	ND	--
06/15/98	--	--	2.48	--	4.8	--	--	--	--	590	315	--	--	ND	--
09/30/98	--	--	3.06	--	ND	--	--	--	--	33	345	--	--	ND	--
12/28/98	--	--	3.42	--	7.2	--	--	--	--	83	297	--	--	ND	--
03/22/99	--	--	3.88	--	ND	--	--	--	--	2.1	330	--	--	0.98	--
06/09/99	--	--	3.29	--	0.20	--	--	--	--	0.47	320	--	--	ND	--
09/08/99	--	--	3.12	--	5.59	--	--	--	--	0.140	305	--	--	ND	--
12/07/99	--	--	3.44	--	ND	--	--	--	--	0.260	443	--	--	ND	--
03/13/00	--	--	--	--	0.26	--	--	--	--	0.79	222	--	--	ND	--
06/21/00	--	--	3.27	--	ND	--	--	--	--	1.9	159	--	--	ND	--
09/27/00	--	--	3.49	--	ND	--	--	--	--	2.6	170	--	--	ND	--
12/12/00	--	--	3.06	--	2.7	--	--	--	--	ND	128	--	--	ND	--
03/07/01	ND	ND	--	--	--	ND	ND	ND	ND	--	--	--	--	--	ND
06/06/01	ND	ND	2.46	--	0.15	ND	ND	ND	ND	0.47	97	--	--	0.70	ND
09/24/01	ND<100	ND<100	3.10	--	0.58	ND<100	ND<2000	ND<100	ND<100	ND<0.10	123	--	--	--	ND<40000
12/10/01	ND<5.0	ND<5.0	2.57	--	0.50	ND<5.0	ND<200	ND<5.0	ND<5.0	0.99	112	--	--	2.0	ND<400
03/11/02	ND<8.0	ND<8.0	3.03	--	ND<0.50	ND<8.0	ND<400	ND<8.0	ND<8.0	1.2	128	--	--	0.089	ND<2000

**Table 3**  
**ADDITIONAL ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	EDC (µg/l)	EDB (µg/l)	Pre-Purge DO (mg/l)	Post Purge DO (mg/l)	NO3 (mg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Fe+2 (mg/l)	ORP (mV)	Acenaph- thylene (µg/l)	ortho- Phosphate (mg/l)	Phosphate (mg/l)	Ethanol 8260B (µg/l)
<b>U-6 continued</b>															
06/04/02	--	--	2.84	--	ND<0.50	--	--	--	--	ND<0.10	97	--	--	ND<1.0	--
09/03/02	ND<40	ND<40	3.12	--	0.58	ND<40	ND<2000	ND<40	ND<40	ND<0.10	110	--	--	1.1	ND<10000
12/03/02	ND<20	ND<20	2.96	--	ND<1.0	ND<20	ND<1000	ND<20	ND<20	1.2	95	--	--	2.6	ND<5000
03/04/03	ND<40	ND<40	0.30	--	ND<1.0	ND<40	ND<2000	ND<40	ND<40	20	-112	--	--	ND<1.0	ND<10000
06/18/03	ND<40	ND<40	--	3.2	ND<1.0	ND<40	ND<2000	ND<40	ND<40	3.2	-15	--	--	2.0	ND<10000
09/24/03	ND<400	ND<400	0.30	--	ND<1.0	ND<400	ND<20000	ND<400	ND<400	1.4	-12	--	--	4.6	ND<100000
12/02/03	--	--	--	--	--	--	--	--	--	1.4	--	--	--	--	ND<10000
03/30/04	ND<10	ND<10	--	--	ND<1.0	ND<10	770	ND<20	ND<10	2.6	--	--	--	ND<1.0	ND<1000
06/07/04	ND<10	ND<10	--	--	0.8	ND<10	110	ND<20	ND<10	2.1	--	--	--	ND<0.20	ND<1000
09/09/04	ND<10	ND<10	--	--	ND<1.0	ND<10	1900	ND<20	ND<10	0.87	--	--	--	3.8	ND<1000
12/20/04	ND<2.5	ND<2.5	--	--	ND<1.0	ND<2.5	5000	ND<5.0	ND<2.5	2.5	--	--	--	ND<1.0	ND<250
03/28/05	ND<0.50	ND<2.5	--	--	ND<1.0	ND<0.50	990	ND<0.50	ND<0.50	3.4	--	--	ND<1.0	--	ND<50
06/14/05	ND<0.5	ND<0.5	--	--	3.8	ND<0.50	ND<5.0	ND<0.50	ND<0.50	4.1	--	--	--	ND<1.0	ND<100



SCALE 1:24,000



QUADRANGLE LOCATION

**VICINITY MAP**

76 Station 5325  
3220 Lakeshore Avenue  
Oakland, California

**SOURCE:**


United States Geological Survey  
7.5 Minute Topographic Map:  
Oakland West Quadrangle

**TRC**

**FIGURE 1**

PS = 1:1

LAKESHORE AVENUE



**NOTES:**

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level.  
UST = underground storage tank.

**LEGEND**

- U-6 Monitoring Well with Groundwater Elevation (feet)
- 3.00 Groundwater Elevation Contour
- General Direction of Groundwater Flow

**GROUNDWATER ELEVATION CONTOUR MAP**  
June 14, 2005

76 Station 5325  
3220 Lakeshore Avenue  
Oakland, California




**FIGURE 2**

PS=1:1 5325-003







**NOTES:**  
 Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
 TPPH = total purgeable petroleum hydrocarbons.  
 µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report.  
 UST = underground storage tank. Results obtained using EPA Method 8260B.

**LEGEND**

U-6 ⊕ Monitoring Well with Dissolved-Phase TPPH Concentration (µg/l)

-1,000- Dissolved-Phase TPPH Contour (µg/l)

**DISSOLVED-PHASE TPPH CONCENTRATION MAP**  
 June 14, 2005


76 Station 5325  
 3220 Lakeshore Avenue  
 Oakland, California



PS=1:1 5325-003

**FIGURE 3**


LAKESHORE AVENUE



**NOTES:**

µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.

**LEGEND**

U-6  Monitoring Well with Dissolved-Phase Benzene Concentration (µg/l)

**DISSOLVED-PHASE BENZENE CONCENTRATION MAP**  
June 14, 2005


76 Station 5325  
3220 Lakeshore Avenue  
Oakland, California



**FIGURE 4**

PS=1:1 5325-003







**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.

**LEGEND**

U-6  Monitoring Well with Dissolved-Phase MTBE Concentration (µg/l)

 1,000 Dissolved-Phase MTBE Contour (µg/l)

**DISSOLVED-PHASE MTBE  
CONCENTRATION MAP  
June 14, 2005**


76 Station 5325  
3220 Lakeshore Avenue  
Oakland, California



**FIGURE 5**

PS=1:1 5325-003

Groundwater Elevations vs. Time  
76 Station 5325





## GENERAL FIELD PROCEDURES

### Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

### Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

### Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

## **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

## **Sequence of Gauging, Purging and Sampling**

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

## **Decontamination**

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

## **Exceptions**

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.



# GROUNDWATER SAMPLING FIELD NOTES

Technician: AUX

Site: 5825

Project No.: 71050001

Date: 06-14-05

Well No.: U-4

Purge Method: DIA

Depth to Water (feet): 8.10

Depth to Product (feet): 6

Total Depth (feet): 19.95

LPH & Water Recovered (gallons): 6

Water Column (feet): 11.85

Casing Diameter (Inches): 4"

80% Recharge Depth (feet): 10.47

1 Well Volume (gallons): 8

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. °C)	pH	Turbidity ORP	D.O.
0622			8	1191	15.1	7.46	78	3.02
			14	1184	15.7	7.39	93	3.79
	0632		24	1226	15.4	7.67	88	3.09
Static at Time Sampled			Total Gallons Purged		Time Sampled			
15.52			24		0903			
Comments: <u>DO NOT RECOVER IN 2HRS.</u>								

Well No.: U-3

Purge Method: DIA

Depth to Water (feet): 10.75

Depth to Product (feet): 6

Total Depth (feet): 19.35

LPH & Water Recovered (gallons): 6

Water Column (feet): 8.60

Casing Diameter (Inches): 3"

80% Recharge Depth (feet): 12.47

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. °C)	pH	Turbidity ORP	D.O.
0638			3	1010	14.3	7.13	90	2.82
			6	1002	14.1	7.16	92	3.23
	0644		9	1014	13.9	7.22	84	2.97
Static at Time Sampled			Total Gallons Purged		Time Sampled			
11.15			9		0818			
Comments:								

GROUNDWATER SAMPLING FIELD NOTES

Technician: AMX

Site: 5325

Project No.: 41050001

Date: 06-14-05

Well No.: D-6

Purge Method: DIA

Depth to Water (feet): 7.88

Depth to Product (feet): 6

Total Depth (feet): 23.70

LPH & Water Recovered (gallons): 0

Water Column (feet): 15.82

Casing Diameter (Inches): 2 1/2

80% Recharge Depth (feet): 11.04

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temperature (F. °C)	pH	Turbidity <u>0.05</u>	D.O.
0652			3	3.28 ms	12.9	6.71	-158	4.20
			4	3.27 ms	13.0	6.79	-170	3.88
	0657		9	3.31 ms	13.6	6.85	-175	4.02
Static at Time Sampled		Total Gallons Purged			Time Sampled			
8:17		9			0831			
Comments:								

Well No.: U-5

Purge Method: PIA

Depth to Water (feet): 7.46

Depth to Product (feet): 6

Total Depth (feet): 20.02

LPH & Water Recovered (gallons): 0

Water Column (feet): 12.56

Casing Diameter (Inches): 4 1/4

80% Recharge Depth (feet): 9.97

1 Well Volume (gallons): 8

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temperature (F. °C)	pH	Turbidity <u>0.05</u>	D.O.
0707			8	5.40 ms	14.2	6.92	-163	2.02
			16	5.41 ms	14.3	6.90	-150	2.47
	0714		24	5.31 ms	14.4	6.93	-168	2.38
Static at Time Sampled		Total Gallons Purged			Time Sampled			
9:30		24			0848			
Comments:								



GROUNDWATER SAMPLING FIELD NOTES

Site: 5325 Technician: Alx  
 Project No.: 41050001 Date: 06-14-05  
 Well No.: U-1 Purge Method: PM  
 Depth to Water (feet): 8.9 Depth to Product (feet): 2  
 Total Depth (feet): 13.2 LPH & Water Recovered (gallons): 2  
 Water Column (feet): 4.3 Casing Diameter (Inches): 3"  
 80% Recharge Depth (feet): 9.74 1 Well Volume (gallons): 2

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	Turbidity	D.O.
0722			2	1792	14.2	6.76	-145	4.52
			4	1223	14.7	6.64	-156	4.18
	0728		4	1375	14.1	6.88	-177	3.95
Static at Time Sampled		Total Gallons Purged			Time Sampled			
9.21		0			0915			
Comments:								

Well No.: U-2 Purge Method: DIA  
 Depth to Water (feet): 7.05 Depth to Product (feet): 2  
 Total Depth (feet): 19.75 LPH & Water Recovered (gallons): 2  
 Water Column (feet): 12.70 Casing Diameter (Inches): 3"  
 80% Recharge Depth (feet): 9.59 1 Well Volume (gallons): 5

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	Turbidity ORP	D.O.
0734			5	2.97 ms	15.2	6.84	-155	3.28
	0742		10	4.20 ms	14.8	7.52	-206	3.99
			15	-	-	-	-	-
Static at Time Sampled		Total Gallons Purged			Time Sampled			
15.18		10			0945			
Comments: <u>DRY @ 10 GAL. STAGE @ 16.42 DID NOT RECOVER IN 45 MIN. DID NOT RECOVER IN 2 HRS.</u>								

**TRC Alton Geoscience- Irvine**

June 30, 2005

21 Technology Drive  
Irvine, CA 92718

Attn.: Anju Farfan

Project#: 41050001/FA20

Project: Conoco Phillips #5325

Site: 3220 Lakeshore Ave., Oakland

Attached is our report for your samples received on 06/14/2005 12:52  
This report has been reviewed and approved for release. Reproduction of this report  
is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after  
07/29/2005 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,  
please call me at (925) 484-1919.

You can also contact me via email. My email address is: [dsharma@stl-inc.com](mailto:dsharma@stl-inc.com)

Sincerely,



Dimple Sharma  
Project Manager

**Misc Anions by Ion Chromatograph**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

**Samples Reported**

Sample Name	Date Sampled	Matrix	Lab #
U-3	06/14/2005 08:18	Water	1
U-4	06/14/2005 09:03	Water	2
U-6	06/14/2005 08:31	Water	3
U-5	06/14/2005 08:48	Water	4
U-1	06/14/2005 09:15	Water	5
U-2	06/14/2005 09:45	Water	6

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

06/15/2005 13:01

**Misc Anions by Ion Chromatograph**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	300.0/9056	Test(s):	300.0/9056
Sample ID:	U-3	Lab ID:	2005-06-0367 - 1
Sampled:	06/14/2005 08:18	Extracted:	6/14/2005 19:10
Matrix:	Water	QC Batch#:	2005/06/14-01.41

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Nitrate	18	1.0	mg/L	5.00	06/14/2005 19:10	
Orthophosphate	ND	1.0	mg/L	5.00	06/14/2005 19:10	

**Misc Anions by Ion Chromatograph**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	300.0/9056	Test(s):	300.0/9056
Sample ID:	U-4	Lab ID:	2005-06-0367 - 2
Sampled:	06/14/2005 09:03	Extracted:	6/14/2005 19:26
Matrix:	Water	QC Batch#:	2005/06/14-01.41

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Nitrate	32	1.0	mg/L	5.00	06/14/2005 19:26	
Orthophosphate	ND	1.0	mg/L	5.00	06/14/2005 19:26	

**Misc Anions by Ion Chromatograph**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s): 300.0/9056	Test(s): 300.0/9056
Sample ID: U-6	Lab ID: 2005-06-0367 - 3
Sampled: 06/14/2005 08:31	Extracted: 6/14/2005 19:41
Matrix: Water	QC Batch#: 2005/06/14-01.41

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Nitrate	3.8	1.0	mg/L	5.00	06/14/2005 19:41	
Orthophosphate	ND	1.0	mg/L	5.00	06/14/2005 19:41	

**Misc Anions by Ion Chromatograph**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	300.0/9056	Test(s):	300.0/9056
Sample ID:	U-5	Lab ID:	2005-06-0367 - 4
Sampled:	06/14/2005 08:48	Extracted:	6/14/2005 19:57
Matrix:	Water	QC Batch#:	2005/06/14-01.41

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Nitrate	3.6	1.0	mg/L	5.00	06/14/2005 19:57	
Orthophosphate	ND	1.0	mg/L	5.00	06/14/2005 19:57	

**Misc Anions by Ion Chromatograph**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s): 300.0/9056	Test(s): 300.0/9056
Sample ID: U-1	Lab ID: 2005-06-0367 - 5
Sampled: 06/14/2005 09:15	Extracted: 6/14/2005 20:13
Matrix: Water	QC Batch#: 2005/06/14-01.41

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Nitrate	ND	1.0	mg/L	5.00	06/14/2005 20:13	
Orthophosphate	12	1.0	mg/L	5.00	06/14/2005 20:13	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

06/15/2005 13:01



**Misc Anions by Ion Chromatograph**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111  
Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	300.0/9056	Test(s):	300.0/9056
Sample ID:	U-2	Lab ID:	2005-06-0367 - 6
Sampled:	06/14/2005 09:45	Extracted:	6/14/2005 20:28
Matrix:	Water	QC Batch#:	2005/06/14-01.41

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Nitrate	ND	1.0	mg/L	5.00	06/14/2005 20:28	
Orthophosphate	ND	1.0	mg/L	5.00	06/14/2005 20:28	

**Misc Anions by Ion Chromatograph**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report		
Prep(s): 300.0/9056		Test(s): 300.0/9056
Method Blank	Water	QC Batch # 2005/06/14-01.41
MB: 2005/06/14-01.41-001		Date Extracted: 06/14/2005 10:05

Compound	Conc.	RL	Unit	Analyzed	Flag
Nitrate	ND	1	mg/L	06/14/2005 10:05	
Orthophosphate	ND	1	mg/L	06/14/2005 10:05	

**Misc Anions by Ion Chromatograph**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report										
Prep(s): 300.0/9056						Test(s): 300.0/9056				
<b>Laboratory Control Spike</b>			<b>Water</b>			<b>QC Batch # 2005/06/14-01.41</b>				
LCS	2005/06/14-01.41-002		Extracted: 06/14/2005			Analyzed: 06/14/2005 10:21				
LCSD	2005/06/14-01.41-003		Extracted: 06/14/2005			Analyzed: 06/14/2005 10:36				
Compound	Conc. mg/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Nitrate	26.9	26.9	26.7	100.7	100.7	0.0	80-120	20		
Orthophosphate	30.1	30.0	30.6	98.4	98.0	0.4	80-120	20		

**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

**Samples Reported**

Sample Name	Date Sampled	Matrix	Lab #
U-3	06/14/2005 08:18	Water	1
U-4	06/14/2005 09:03	Water	2
U-6	06/14/2005 08:31	Water	3
U-5	06/14/2005 08:48	Water	4
U-1	06/14/2005 09:15	Water	5
U-2	06/14/2005 09:45	Water	6

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

06/27/2005 18:14

**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	3500 Fe B	Test(s):	SM 3500-Fe B
Sample ID:	U-3	Lab ID:	2005-06-0367 - 1
Sampled:	06/14/2005 08:18	Extracted:	6/14/2005 18:00
Matrix:	Water	QC Batch#:	2005/06/14-01.72

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Ferrous Iron	ND	0.050	mg/L	1.00	06/14/2005 18:10	

**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111  
Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	3500 Fe B	Test(s):	SM 3500-Fe B
Sample ID:	U-4	Lab ID:	2005-06-0367 - 2
Sampled:	06/14/2005 09:03	Extracted:	6/14/2005 18:00
Matrix:	Water	QC Batch#:	2005/06/14-01.72

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Ferrous Iron	ND	0.050	mg/L	1.00	06/14/2005 18:10	

**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	3500 Fe B	Test(s):	SM 3500-Fe B
Sample ID:	U-6	Lab ID:	2005-06-0367 - 3
Sampled:	06/14/2005 08:31	Extracted:	6/14/2005 18:00
Matrix:	Water	QC Batch#:	2005/06/14-01.72

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Ferrous Iron	4.1	0.050	mg/L	1.00	06/14/2005 18:10	

**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	3500 Fe B	Test(s):	SM 3500-Fe B
Sample ID:	U-5	Lab ID:	2005-06-0367 - 4
Sampled:	06/14/2005 08:48	Extracted:	6/14/2005 18:00
Matrix:	Water	QC Batch#:	2005/06/14-01.72

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Ferrous Iron	7.4	0.50	mg/L	10.00	06/14/2005 18:10	



**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	3500 Fe B	Test(s):	SM 3500-Fe B
Sample ID:	U-1	Lab ID:	2005-06-0367 - 5
Sampled:	06/14/2005 09:15	Extracted:	6/14/2005 18:00
Matrix:	Water	QC Batch#:	2005/06/14-01.72

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Ferrous Iron	7.1	0.50	mg/L	10.00	06/14/2005 18:10	

**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	3500 Fe B	Test(s):	SM 3500-Fe B
Sample ID:	U-2	Lab ID:	2005-06-0367 - 6
Sampled:	06/14/2005 09:45	Extracted:	6/14/2005 18:00
Matrix:	Water	QC Batch#:	2005/06/14-01.72

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Ferrous Iron	3.4	0.050	mg/L	1.00	06/14/2005 18:10	

**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report					
Prep(s): 3500 Fe B		Water		Test(s): SM 3500-Fe B	
Method Blank				QC Batch # 2005/06/14-01.72	
MB: 2005/06/14-01.72-001				Date Extracted: 06/14/2005 18:00	
Compound	Conc.	RL	Unit	Analyzed	Flag
Ferrous Iron	ND	0.05	mg/L	06/14/2005 18:10	

**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111  
Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report										
Prep(s): 3500 Fe B					Test(s): SM 3500-Fe B					
Laboratory Control Spike			Water			QC Batch # 2005/06/14-01.72				
LCS	2005/06/14-01.72-002		Extracted: 06/14/2005			Analyzed: 06/14/2005 18:10				
LCSD	2005/06/14-01.72-003		Extracted: 06/14/2005			Analyzed: 06/14/2005 18:10				
Compound	Conc. mg/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Ferrous Iron	1.01	1.01	1	101.0	101.0	0.0	80-120	20		

**Ferrous Iron by SM 3500-Fe B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report					
Prep(s):	3500-Fe B			Test(s):	SM 3500-Fe B
<b>Matrix Spike ( MS / MSD )</b>	<b>Water</b>			<b>QC Batch # 2005/06/14-01.72</b>	
U-2 >> MS				Lab ID:	2005-06-0367 - 006
MS: 2005/06/14-01.72-004	Extracted: 06/14/2005		Analyzed:	06/14/2005 18:10	
			Dilution:	1.00	
MSD: 2005/06/14-01.72-005	Extracted: 06/14/2005		Analyzed:	06/14/2005 18:10	
			Dilution:	1.00	

Compound	Conc. mg/L			Spk.Level	Recovery %			Limits %		Flags	
	MS	MSD	Sample		mg/L	MS	MSD	RPD	Rec.	RPD	MS
Ferrous Iron	4.33	4.25	3.4266	1	90.3	82.4	9.1	80-120	20		

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

**Samples Reported**

Sample Name	Date Sampled	Matrix	Lab #
U-3	06/14/2005 08:18	Water	1
U-4	06/14/2005 09:03	Water	2
U-6	06/14/2005 08:31	Water	3
U-5	06/14/2005 08:48	Water	4
U-1	06/14/2005 09:15	Water	5
U-2	06/14/2005 09:45	Water	6

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	U-3	Lab ID:	2005-06-0367 - 1
Sampled:	06/14/2005 08:18	Extracted:	6/24/2005 03:37
Matrix:	Water	QC Batch#:	2005/06/23-2C 64
pH:	<2		

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
GRO (C6-C12)	ND	50	ug/L	1.00	06/24/2005 03:37	
Benzene	ND	0.50	ug/L	1.00	06/24/2005 03:37	
Toluene	ND	0.50	ug/L	1.00	06/24/2005 03:37	
Ethylbenzene	ND	0.50	ug/L	1.00	06/24/2005 03:37	
Total xylenes	1.2	1.0	ug/L	1.00	06/24/2005 03:37	
Methyl tert-butyl ether (MTBE)	ND	0.50	ug/L	1.00	06/24/2005 03:37	
Ethanol	ND	50	ug/L	1.00	06/24/2005 03:37	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	87.9	73-130	%	1.00	06/24/2005 03:37	
Toluene-d8	91.8	81-114	%	1.00	06/24/2005 03:37	

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: U-4	Lab ID: 2005-06-0367 - 2
Sampled: 06/14/2005 09:03	Extracted: 6/24/2005 04:01
Matrix: Water	QC Batch#: 2005/06/23-2C.64
pH: <2	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
GRO (C6-C12)	ND	50	ug/L	1.00	06/24/2005 04:01	
Benzene	ND	0.50	ug/L	1.00	06/24/2005 04:01	
Toluene	ND	0.50	ug/L	1.00	06/24/2005 04:01	
Ethylbenzene	ND	0.50	ug/L	1.00	06/24/2005 04:01	
Total xylenes	ND	1.0	ug/L	1.00	06/24/2005 04:01	
Methyl tert-butyl ether (MTBE)	ND	0.50	ug/L	1.00	06/24/2005 04:01	
Ethanol	ND	50	ug/L	1.00	06/24/2005 04:01	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	93.8	73-130	%	1.00	06/24/2005 04:01	
Toluene-d8	83.6	81-114	%	1.00	06/24/2005 04:01	



**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: U-6	Lab ID: 2005-06-0367 - 3
Sampled: 06/14/2005 08:31	Extracted: 6/26/2005 17:02
Matrix: Water	QC Batch#: 2005/06/26-1A.62
Analysis Flag: L2, pH: <2 ( See Legend and Note Section )	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
GRO (C6-C12)	ND	100	ug/L	2.00	06/26/2005 17:02	
Benzene	ND	1.0	ug/L	2.00	06/26/2005 17:02	
Toluene	ND	1.0	ug/L	2.00	06/26/2005 17:02	
Ethylbenzene	ND	1.0	ug/L	2.00	06/26/2005 17:02	
Total xylenes	ND	2.0	ug/L	2.00	06/26/2005 17:02	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	2.00	06/26/2005 17:02	
Methyl tert-butyl ether (MTBE)	20	1.0	ug/L	2.00	06/26/2005 17:02	
Di-isopropyl Ether (DIPE)	ND	0.5	ug/L	2.00	06/26/2005 17:02	
Ethyl tert-butyl ether (ETBE)	ND	0.5	ug/L	2.00	06/26/2005 17:02	
tert-Amyl methyl ether (TAME)	ND	0.5	ug/L	2.00	06/26/2005 17:02	
1,2-DCA	ND	0.5	ug/L	2.00	06/26/2005 17:02	
EDB	ND	0.5	ug/L	2.00	06/26/2005 17:02	
Ethanol	ND	100	ug/L	2.00	06/26/2005 17:02	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	113.0	73-130	%	2.00	06/26/2005 17:02	
Toluene-d8	96.2	81-114	%	2.00	06/26/2005 17:02	

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	U-5	Lab ID:	2005-06-0367 - 4
Sampled:	06/14/2005 08:48	Extracted:	6/27/2005 09:06 6/28/2005 16:27
Matrix:	Water	QC Batch#:	2005/06/27-1B.64 2005/06/28-1B.69
Analysis Flag: L2 ( See Legend and Note Section )			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
GRO (C6-C12)	160	100	ug/L	2.00	06/27/2005 09:06	
Benzene	ND	0.50	ug/L	1.00	06/28/2005 16:27	
Toluene	ND	0.50	ug/L	1.00	06/28/2005 16:27	
Ethylbenzene	ND	0.50	ug/L	1.00	06/28/2005 16:27	
Total xylenes	ND	1.0	ug/L	1.00	06/28/2005 16:27	
tert-Butyl alcohol (TBA)	160	5.0	ug/L	1.00	06/28/2005 16:27	
Methyl tert-butyl ether (MTBE)	400	1.0	ug/L	2.00	06/27/2005 09:06	
Di-isopropyl Ether (DIPE)	ND	0.5	ug/L	1.00	06/28/2005 16:27	
Ethyl tert-butyl ether (ETBE)	ND	0.5	ug/L	1.00	06/28/2005 16:27	
tert-Amyl methyl ether (TAME)	ND	0.5	ug/L	1.00	06/28/2005 16:27	
1,2-DCA	ND	0.5	ug/L	1.00	06/28/2005 16:27	
EDB	ND	0.5	ug/L	1.00	06/28/2005 16:27	
Ethanol	ND	100	ug/L	2.00	06/27/2005 09:06	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	109.8	73-130	%	1.00	06/28/2005 16:27	
1,2-Dichloroethane-d4	115.4	73-130	%	2.00	06/27/2005 09:06	
Toluene-d8	98.6	81-114	%	1.00	06/28/2005 16:27	
Toluene-d8	76.1	81-114	%	2.00	06/27/2005 09:06	S6

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

06/30/2005 11:13

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	U-1	Lab ID:	2005-06-0367 - 5
Sampled:	06/14/2005 09:15	Extracted:	6/25/2005 15:45 6/28/2005 02:36 6/28/2005 16:45
Matrix:	Water	QC Batch#:	2005/06/25-1A.64 2005/06/27-2B.69 2005/06/28-1B.69
Analysis Flag: L2. ( See Legend and Note Section )			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
GRO (C6-C12)	3900	1000	ug/L	20.00	06/25/2005 15:45	
Benzene	ND	0.50	ug/L	1.00	06/28/2005 16:45	
Toluene	ND	0.50	ug/L	1.00	06/28/2005 16:45	
Ethylbenzene	48	0.50	ug/L	1.00	06/28/2005 16:45	
Total xylenes	68	1.0	ug/L	1.00	06/28/2005 16:45	
tert-Butyl alcohol (TBA)	4400	100	ug/L	20.00	06/28/2005 02:36	
Methyl tert-butyl ether (MTBE)	60	10	ug/L	20.00	06/25/2005 15:45	
Di-isopropyl Ether (DIPE)	ND	10	ug/L	20.00	06/25/2005 15:45	
Ethyl tert-butyl ether (ETBE)	ND	10	ug/L	20.00	06/25/2005 15:45	
tert-Amyl methyl ether (TAME)	ND	10	ug/L	20.00	06/25/2005 15:45	
1,2-DCA	ND	10	ug/L	20.00	06/25/2005 15:45	
EDB	ND	10	ug/L	20.00	06/25/2005 15:45	
Ethanol	ND	1000	ug/L	20.00	06/25/2005 15:45	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	92.3	73-130	%	20.00	06/25/2005 15:45	
1,2-Dichloroethane-d4	110.4	73-130	%	1.00	06/28/2005 16:45	
Toluene-d8	98.0	81-114	%	1.00	06/28/2005 16:45	
Toluene-d8	88.4	81-114	%	20.00	06/25/2005 15:45	

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: U-2	Lab ID: 2005-06-0367 - 6
Sampled: 06/14/2005 09:45	Extracted: 6/25/2005 14:31 6/28/2005 02:54 6/28/2005 17:03
Matrix: Water	QC Batch#: 2005/06/25-1A.64 2005/06/27-2B.69 2005/06/28-1B.69
Analysis Flag: L2 ( See Legend and Note Section )	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
GRO (C6-C12)	2000	2000	ug/L	40.00	06/25/2005 14:31	
Benzene	0.75	0.50	ug/L	1.00	06/28/2005 17:03	
Toluene	ND	0.50	ug/L	1.00	06/28/2005 17:03	
Ethylbenzene	3.7	0.50	ug/L	1.00	06/28/2005 17:03	
Total xylenes	1.1	1.0	ug/L	1.00	06/28/2005 17:03	
tert-Butyl alcohol (TBA)	10000	200	ug/L	40.00	06/28/2005 02:54	
Methyl tert-butyl ether (MTBE)	2400	20	ug/L	40.00	06/25/2005 14:31	
Di-isopropyl Ether (DIPE)	ND	20	ug/L	40.00	06/25/2005 14:31	
Ethyl tert-butyl ether (ETBE)	ND	20	ug/L	40.00	06/25/2005 14:31	
tert-Amyl methyl ether (TAME)	ND	20	ug/L	40.00	06/25/2005 14:31	
1,2-DCA	ND	20	ug/L	40.00	06/25/2005 14:31	
EDB	ND	20	ug/L	40.00	06/25/2005 14:31	
Ethanol	ND	2000	ug/L	40.00	06/25/2005 14:31	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	109.9	73-130	%	1.00	06/28/2005 17:03	
1,2-Dichloroethane-d4	94.2	73-130	%	40.00	06/25/2005 14:31	
Toluene-d8	89.0	81-114	%	40.00	06/25/2005 14:31	
Toluene-d8	96.5	81-114	%	1.00	06/28/2005 17:03	

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report					
Prep(s): 5030B		Water		Test(s): 8260B	
Method Blank				QC Batch # 2005/06/23-2C.64	
MB: 2005/06/23-2C.64-034				Date Extracted: 06/23/2005 21:34	
Compound	Conc.	RL	Unit	Analyzed	Flag
GRO (C6-C12)	ND	50	ug/L	06/23/2005 21:34	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	06/23/2005 21:34	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	06/23/2005 21:34	
Di-isopropyl Ether (DIPE)	ND	0.5	ug/L	06/23/2005 21:34	
Ethyl tert-butyl ether (ETBE)	ND	0.5	ug/L	06/23/2005 21:34	
tert-Amyl methyl ether (TAME)	ND	0.5	ug/L	06/23/2005 21:34	
1,2-DCA	ND	0.5	ug/L	06/23/2005 21:34	
EDB	ND	0.5	ug/L	06/23/2005 21:34	
Benzene	ND	0.5	ug/L	06/23/2005 21:34	
Toluene	ND	0.5	ug/L	06/23/2005 21:34	
Ethylbenzene	ND	0.5	ug/L	06/23/2005 21:34	
Total xylenes	ND	1.0	ug/L	06/23/2005 21:34	
Ethanol	ND	50	ug/L	06/23/2005 21:34	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	89.0	73-130	%	06/23/2005 21:34	
Toluene-d8	85.2	81-114	%	06/23/2005 21:34	

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report		
Prep(s): 5030B		Test(s): 8260B
Method Blank	Water	QC Batch # 2005/06/25-1A.64
MB: 2005/06/25-1A.64-049		Date Extracted: 06/25/2005 06:49

Compound	Conc.	RL	Unit	Analyzed	Flag
GRO (C6-C12)	ND	50	ug/L	06/25/2005 06:49	
Benzene	ND	0.5	ug/L	06/25/2005 06:49	
Toluene	ND	0.5	ug/L	06/25/2005 06:49	
Ethylbenzene	ND	0.5	ug/L	06/25/2005 06:49	
Total xylenes	ND	1.0	ug/L	06/25/2005 06:49	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	06/25/2005 06:49	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	06/25/2005 06:49	
Di-isopropyl Ether (DIPE)	ND	0.5	ug/L	06/25/2005 06:49	
Ethyl tert-butyl ether (ETBE)	ND	0.5	ug/L	06/25/2005 06:49	
tert-Amyl methyl ether (TAME)	ND	0.5	ug/L	06/25/2005 06:49	
1,2-DCA	ND	0.5	ug/L	06/25/2005 06:49	
EDB	ND	0.5	ug/L	06/25/2005 06:49	
Ethanol	ND	50	ug/L	06/25/2005 06:49	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	90.6	73-130	%	06/25/2005 06:49	
Toluene-d8	97.8	81-114	%	06/25/2005 06:49	

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Received: 06/14/2005 12:52

Project: 41050001/FA20  
Conoco Phillips #5325

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report		
Prep(s): 5030B		Test(s): 8260B
Method Blank	Water	QC Batch # 2005/06/26-1A.62
MB: 2005/06/26-1A.62-061		Date Extracted: 06/26/2005 08:29

Compound	Conc.	RL	Unit	Analyzed	Flag
GRO (C6-C12)	ND	50	ug/L	06/26/2005 08:29	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	06/26/2005 08:29	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	06/26/2005 08:29	
Di-isopropyl Ether (DIPE)	ND	0.5	ug/L	06/26/2005 08:29	
Ethyl tert-butyl ether (ETBE)	ND	0.5	ug/L	06/26/2005 08:29	
tert-Amyl methyl ether (TAME)	ND	0.5	ug/L	06/26/2005 08:29	
1,2-DCA	ND	0.5	ug/L	06/26/2005 08:29	
EDB	ND	0.5	ug/L	06/26/2005 08:29	
Benzene	ND	0.5	ug/L	06/26/2005 08:29	
Toluene	ND	0.5	ug/L	06/26/2005 08:29	
Ethylbenzene	ND	0.5	ug/L	06/26/2005 08:29	
Total xylenes	ND	1.0	ug/L	06/26/2005 08:29	
Ethanol	ND	50	ug/L	06/26/2005 08:29	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	101.0	73-130	%	06/26/2005 08:29	
Toluene-d8	95.4	81-114	%	06/26/2005 08:29	

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report		
Prep(s): 5030B		Test(s): 8260B
Method Blank	Water	QC Batch # 2005/06/27-1B.64
MB: 2005/06/27-1B.64-002		Date Extracted: 06/27/2005 08:02

Compound	Conc.	RL	Unit	Analyzed	Flag
GRO (C6-C12)	ND	50	ug/L	06/27/2005 08:02	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	06/27/2005 08:02	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	06/27/2005 08:02	
Di-isopropyl Ether (DIPE)	ND	0.5	ug/L	06/27/2005 08:02	
Ethyl tert-butyl ether (ETBE)	ND	0.5	ug/L	06/27/2005 08:02	
tert-Amyl methyl ether (TAME)	ND	0.5	ug/L	06/27/2005 08:02	
1,2-DCA	ND	0.5	ug/L	06/27/2005 08:02	
EDB	ND	0.5	ug/L	06/27/2005 08:02	
Benzene	ND	0.5	ug/L	06/27/2005 08:02	
Toluene	ND	0.5	ug/L	06/27/2005 08:02	
Ethylbenzene	ND	0.5	ug/L	06/27/2005 08:02	
Total xylenes	ND	1.0	ug/L	06/27/2005 08:02	
Ethanol	ND	50	ug/L	06/27/2005 08:02	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	92.4	73-130	%	06/27/2005 08:02	
Toluene-d8	84.6	81-114	%	06/27/2005 08:02	



**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

**Batch QC Report**

Prep(s): 5030B

Method Blank

MB: 2005/06/27-2B.69-057

Water

Test(s): 8260B

QC Batch # 2005/06/27-2B.69

Date Extracted: 06/27/2005 19:57

Compound	Conc.	RL	Unit	Analyzed	Flag
GRO (C6-C12)	ND	50	ug/L	06/27/2005 19:57	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	06/27/2005 19:57	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	06/27/2005 19:57	
Di-isopropyl Ether (DIPE)	ND	0.5	ug/L	06/27/2005 19:57	
Ethyl tert-butyl ether (ETBE)	ND	0.5	ug/L	06/27/2005 19:57	
tert-Amyl methyl ether (TAME)	ND	0.5	ug/L	06/27/2005 19:57	
1,2-DCA	ND	0.5	ug/L	06/27/2005 19:57	
EDB	ND	0.5	ug/L	06/27/2005 19:57	
Benzene	ND	0.5	ug/L	06/27/2005 19:57	
Toluene	ND	0.5	ug/L	06/27/2005 19:57	
Ethylbenzene	ND	0.5	ug/L	06/27/2005 19:57	
Total xylenes	ND	1.0	ug/L	06/27/2005 19:57	
Ethanol	ND	50	ug/L	06/27/2005 19:57	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	100.4	73-130	%	06/27/2005 19:57	
Toluene-d8	101.2	81-114	%	06/27/2005 19:57	

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report					
Prep(s): 5030B				Test(s): 8260B	
Method Blank		Water		QC Batch # 2005/06/28-1B.69	
MB: 2005/06/28-1B.69-051				Date Extracted: 06/28/2005 11:51	

Compound	Conc.	RL	Unit	Analyzed	Flag
GRO (C6-C12)	ND	50	ug/L	06/28/2005 11:51	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	06/28/2005 11:51	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	06/28/2005 11:51	
Di-isopropyl Ether (DIPE)	ND	0.5	ug/L	06/28/2005 11:51	
Ethyl tert-butyl ether (ETBE)	ND	0.5	ug/L	06/28/2005 11:51	
tert-Amyl methyl ether (TAME)	ND	0.5	ug/L	06/28/2005 11:51	
1,2-DCA	ND	0.5	ug/L	06/28/2005 11:51	
EDB	ND	0.5	ug/L	06/28/2005 11:51	
Benzene	ND	0.5	ug/L	06/28/2005 11:51	
Toluene	ND	0.5	ug/L	06/28/2005 11:51	
Ethylbenzene	ND	0.5	ug/L	06/28/2005 11:51	
Total xylenes	ND	1.0	ug/L	06/28/2005 11:51	
Ethanol	ND	50	ug/L	06/28/2005 11:51	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	103.6	73-130	%	06/28/2005 11:51	
Toluene-d8	97.5	81-114	%	06/28/2005 11:51	

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report									
Prep(s): 5030B							Test(s): 8260B		
Laboratory Control Spike				Water		QC Batch # 2005/06/23-2C.64			
LCS		2005/06/23-2C.64-010		Extracted: 06/23/2005		Analyzed: 06/23/2005 21:10			
LCSD									

Compound	Conc. ug/L		Exp. Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	25.5		25	102.0			65-165	20		
Benzene	20.9		25	83.6			69-129	20		
Toluene	26.4		25	105.6			70-130	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	419		500	83.8			73-130			
Toluene-d8	470		500	94.0			81-114			

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report			
Prep(s): 5030B		Test(s): 8260B	
Laboratory Control Spike		Water	QC Batch # 2005/06/25-1A.64
LCS	2005/06/25-1A.64-025	Extracted: 06/25/2005	Analyzed: 06/25/2005 06:25
LCSD			

Compound	Conc. ug/L		Exp. Conc.	Recovery %		RPD	Ctrl. Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	25.8		25	103.2			65-165	20		
Benzene	20.3		25	81.2			69-129	20		
Toluene	24.9		25	99.6			70-130	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	420		500	84.0			73-130			
Toluene-d8	422		500	84.4			81-114			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484-1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

06/30/2005 11:13

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report									
Prep(s): 5030B					Test(s): 8260B				
Laboratory Control Spike			Water			QC Batch # 2005/06/26-1A.62			
LCS	2005/06/26-1A.62-060		Extracted: 06/26/2005			Analyzed: 06/26/2005 08:03			
LCSD									

Compound	Conc. ug/L		Exp. Conc.	Recovery %		RPD	Ctrl. Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	23.1		125	92.4			65-165	20		
Benzene	22.9		125	91.6			69-129	20		
Toluene	22.7		125	90.8			70-130	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	481		500	96.2			73-130			
Toluene-d8	477		500	95.4			81-114			

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report			
Prep(s): 5030B			Test(s): 8260B
Laboratory Control Spike	Water		QC Batch # 2005/06/27-1B.64
LCS 2005/06/27-1B 64-038	Extracted: 06/27/2005		Analyzed: 06/27/2005 07:38
LCSD			

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	33.3		25	133.2			65-165	20		
Benzene	27.3		25	109.2			69-129	20		
Toluene	29.8		25	119.2			70-130	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	429		500	85.8			73-130			
Toluene-d8	482		500	96.4			81-114			

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report									
Prep(s): 5030B					Test(s): 8260B				
Laboratory Control Spike			Water			QC Batch # 2005/06/27-2B.69			
LCS	2005/06/27-2B.69-038		Extracted: 06/27/2005			Analyzed: 06/27/2005 19:38			
LCSD									

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	21.0		25	84.0			65-165	20		
Benzene	21.5		25	86.0			69-129	20		
Toluene	22.3		25	89.2			70-130	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	450		500	90.0			73-130			
Toluene-d8	495		500	99.0			81-114			

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report			
Prep(s): 5030B		Test(s): 8260B	
Laboratory Control Spike		Water	QC Batch # 2005/06/28-1B.69
LCS	2005/06/28-1B.69-052	Extracted: 06/28/2005	Analyzed: 06/28/2005 11:33
LCSD			

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	22.9		25	91.6			65-165	20		
Benzene	22.4		25	89.6			69-129	20		
Toluene	23.9		25	95.6			70-130	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	511		500	102.2			73-130			
Toluene-d8	490		500	98.0			81-114			



**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report			
Prep(s):	5030B	Test(s):	8260B
<b>Matrix Spike ( MS / MSD )</b>		<b>Water</b>	<b>QC Batch # 2005/06/23-2C.64</b>
MS/MSD		Lab ID:	2005-06-0421 - 001
MS:	2005/06/23-2C.64-024	Extracted:	06/24/2005 00:24
		Dilution:	1.00
MSD:	2005/06/23-2C.64-048	Extracted:	06/24/2005 00:48
		Dilution:	1.00

Compound	Conc. ug/L			Spk.Level	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Benzene	20.5	18.4	ND	25	82.0	73.6	10.8	69-129	20		
Toluene	24.6	21.5	ND	25	98.4	86.0	13.4	70-130	20		
Methyl tert-butyl ether	53.9	48.9	26	25	111.6	91.6	19.7	65-165	20		
<b>Surrogate(s)</b>											
1,2-Dichloroethane-d4	470	456		500	94.0	91.2		73-130			
Toluene-d8	428	443		500	85.6	88.6		81-114			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

06/30/2005 11:13

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report			
Prep(s):	5030B	Test(s):	8260B
<b>Matrix Spike ( MS / MSD )</b>		<b>Water</b>	<b>QC Batch # 2005/06/25-1A.64</b>
MS/MSD		Lab ID:	2005-06-0429 - 001
MS:	2005/06/25-1A.64-002	Extracted:	06/25/2005 08:02
		Dilution:	1.00
MSD:	2005/06/25-1A.64-026	Extracted:	06/25/2005 08:26
		Dilution:	1.00

Compound	Conc. ug/L			Spk.Level	Recovery %			Limits %		Flags	
	MS	MSD	Sample		ug/L	MS	MSD	RPD	Rec.	RPD	MS
Methyl tert-butyl ether	22.6	21.9	ND	25	90.4	87.6	3.1	65-165	20		
Benzene	17.8	19.6	ND	25	71.2	78.4	9.6	69-129	20		
Toluene	21.8	23.9	ND	25	87.2	95.6	9.2	70-130	20		
<b>Surrogate(s)</b>											
1,2-Dichloroethane-d4	431	450		500	86.2	90.0		73-130			
Toluene-d8	412	481		500	82.5	96.2		81-114			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

06/30/2005 11:13

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report		
Prep(s): 5030B		Test(s): 8260B
<b>Matrix Spike ( MS / MSD )</b>	<b>Water</b>	<b>QC Batch # 2005/06/26-1A.62</b>
MS/MSD		Lab ID: 2005-06-0379 - 010
MS: 2005/06/26-1A.62-059	Extracted: 06/26/2005	Analyzed: 06/26/2005 09:59
		Dilution: 5.00
MSD: 2005/06/26-1A.62-025	Extracted: 06/26/2005	Analyzed: 06/26/2005 10:25
		Dilution: 5.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	84.0	84.3	ND	125	67.2	67.4	0.3	65-165	20		
Benzene	58.4	71.0	2.77	125	44.5	56.8	24.3	69-129	20	M5	R1,M5
Toluene	56.1	69.8	ND	125	44.9	55.8	21.6	70-130	20	M5	R1,M5
<b>Surrogate(s)</b>											
1,2-Dichloroethane-d4	535	496		500	107.0	99.2		73-130			
Toluene-d8	489	503		500	97.8	100.6		81-114			

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine  
Attn.: Anju Farfan

21 Technology Drive  
Irvine, CA 92718  
Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20  
Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report			
Prep(s): 5030B			Test(s): 8260B
<b>Matrix Spike ( MS / MSD )</b>	<b>Water</b>		<b>QC Batch # 2005/06/27-1B.64</b>
MS/MSD			Lab ID: 2005-06-0499 - 001
MS: 2005/06/27-1B.64-054	Extracted: 06/27/2005	Analyzed: 06/27/2005 09:54	
		Dilution: 1.00	
MSD: 2005/06/27-1B.64-018	Extracted: 06/27/2005	Analyzed: 06/27/2005 10:18	
		Dilution: 1.00	

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	24.0	28.3	ND	25	96.0	113.2	16.4	65-165	20		
Benzene	22.8	26.4	ND	25	91.2	105.6	14.6	69-129	20		
Toluene	24.2	27.5	ND	25	96.8	110.0	12.8	70-130	20		
<b>Surrogate(s)</b>											
1,2-Dichloroethane-d4	426	422		500	85.2	84.4		73-130			
Toluene-d8	429	439		500	85.8	87.8		81-114			

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

**Batch QC Report**

Prep(s): 5030B	Test(s): 8260B	
<b>Matrix Spike ( MS / MSD )</b>	<b>Water</b>	<b>QC Batch # 2005/06/27-2B.69</b>
MS/MSD	Lab ID: 2005-06-0507 - 001	
MS: 2005/06/27-2B.69-049	Extracted: 06/27/2005	Analyzed: 06/27/2005 20:49
		Dilution: 1.00
MSD: 2005/06/27-2B.69-008	Extracted: 06/27/2005	Analyzed: 06/27/2005 21:08
		Dilution: 1.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	38.7	35.3	9.35	25	117.4	103.8	12.3	65-165	20		
Benzene	28.4	25.2	ND	25	113.6	100.8	11.9	69-129	20		
Toluene	30.5	26.9	ND	25	122.0	107.6	12.5	70-130	20		
<b>Surrogate(s)</b>											
1,2-Dichloroethane-d4	533	515		500	106.6	103.0		73-130			
Toluene-d8	503	503		500	100.7	100.5		81-114			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

06/30/2005 11:13

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

Batch QC Report			
Prep(s):	5030B	Test(s):	8260B
<b>Matrix Spike ( MS / MSD )</b>		<b>Water</b>	<b>QC Batch # 2005/06/28-1B.69</b>
<b>MS/MSD</b>		Lab ID:	2005-06-0507 - 004
MS:	2005/06/28-1B.69-019	Extracted:	06/28/2005
		Analyzed:	06/28/2005 14:19
		Dilution:	1.00
MSD:	2005/06/28-1B.69-037	Extracted:	06/28/2005
		Analyzed:	06/28/2005 14:37
		Dilution:	1.00

Compound	Conc. ug/L		Spk.Level	Recovery %			Limits %		Flags		
	MS	MSD		Sample	ug/L	MS	MSD	RPD	Rec.	RPD	MS
Methyl tert-butyl ether	21.5	22.3	ND	25	86.0	89.2	3.7	65-165	20		
Benzene	22.3	22.7	ND	25	89.2	90.8	1.8	69-129	20		
Toluene	23.3	23.8	ND	25	93.2	95.2	2.1	70-130	20		
<b>Surrogate(s)</b>											
1,2-Dichloroethane-d4	489	476		500	97.9	95.2		73-130			
Toluene-d8	495	504		500	99.0	100.7		81-114			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

06/30/2005 11:13

**Gas/BTEX Fuel Oxygenates by 8260B**

TRC Alton Geoscience- Irvine

Attn.: Anju Farfan

21 Technology Drive

Irvine, CA 92718

Phone: (949) 341-7440 Fax: (949) 753-0111

Project: 41050001/FA20

Conoco Phillips #5325

Received: 06/14/2005 12:52

Site: 3220 Lakeshore Ave., Oakland

**Legend and Notes**

**Analysis Flag**

L2

Reporting limits were raised due to high level of analyte present in the sample.

**Result Flag**

M5

MS/MSD spike recoveries were below acceptance limits.  
See blank spike (LCS).

R1

Analyte RPD was out of QC limits.

S6

Surrogate recoveries lower than acceptance limits.  
Matrix interference suspected

STL-San Francisco

1220 Quarry Lane

Pleasanton, CA 94566

(925) 484-1919 (925) 484-1096 fax

# ConocoPhillips Chain Of Custody Record

116561

ConocoPhillips Site Manager:

INVOICE REMITTANCE ADDRESS:

CONOCOPHILLIPS  
Attn: Dee Hutchinson  
1511 South Harbor, Suite 200  
Irvine, CA 92614

ConocoPhillips Work Order Number

1394TRC 501

DATE 06-14-05

ConocoPhillips Cost Object

PAGE 1 of 1

## 2005-06-0367

SAMPLING COMPANY: <b>TRC</b>		Valid Value ID:	CONOCOPHILLIPS SITE NUMBER: <b>5325</b>	GLOBAL ID NO: <b>70600101463</b>
ADDRESS: <b>21 Technology Drive, Irvine CA 92618</b>		SITE ADDRESS (Street and City): <b>3220 LAKESHORE AVE. OAKLAND</b>		CONOCOPHILLIPS SITE MANAGER: <b>THOMAS H. ROSEN</b>
PROJECT CONTACT (Name and Phone Number): <b>Anju Farfan</b>		EPC DELIVERABLE TO (Name and Phone Number): <b>Peter Thomson, TRC</b>		LAB USE ONLY
TELEPHONE: <b>949-341-7440</b>	FAX: <b>949-753-0111</b>	E-MAIL: <b>afarfan@trcsolutions.com</b>		
SAMPLER NAME(S) (P/N): <b>ALX</b>		CONSULTANT PROJECT NUMBER: <b>41050001FA30</b>		

TURNAROUND TIME (CALENDAR DAYS):  
 14 DAYS  7 DAYS  72 HOURS  48 HOURS  24 HOURS  LESS THAN 24 HOURS

**SHORT HOLDING TIME**

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EEO IS NEEDED:   
**= RUN 8 AXES BY 8:00 ON ALL  
 MTRB TRAS**

\* Field Point name only required if different from Sample ID

LAP USE ONLY	Sample Identification/Field Point Name*	SAMPLING		MATRIX	NO. OF CONT.	8015M - TPHd Extractable	8280B - TPHg/BTEX/MISE	8280S - TPHg/BTEX/TE Oxygenates	8280B - TPHg/BTEX/TE Oxygenates + methanol (8015M)	8280S - Full Scan VOCs (does not include oxygenates)	9270C - Semi-Volatiles	8015M/8021B - TPHg/BTEX/MISE	Lead DTOTAL DTSLC DTCLP	TPH BY 8:00B	BTEX/MISE BY 8:00S	ETHANOL BY 8:00S	NITRATE, PHOSPHATE	FERRIC IRON	TEMPERATURE ON RECEIPT (°F)	
		DATE	TIME																	
	U-3	06-14-05	0818	GW	5															7
	U-4		0903																	
	U-6		0831																	
	U-5		0848																	
	U-1		0915																	
	U-2		0945																	

Requested by (Signature): <i>[Signature]</i>	Received by (Signature): <i>[Signature]</i>	Date: 06-14-05	Time: 12:52
Requested by (Signature):	Received by (Signature):	Date:	Time:
Requested by (Signature):	Received by (Signature):	Date:	Time:

**FIELD NOTES:**  
 Container/Preservative or PID Readings or Laboratory Notes

U-3 100ml w/ H<sub>2</sub>O  
 1 500ml amber 1/2 size  
 1 500ml pbly 1/2 size



## **STATEMENTS**

### **Purge Water Disposal**

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by Onyx Transportation, Inc., to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures - Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water containing a significant amount of liquid-phase hydrocarbons was accumulated separately in drums for transportation and disposal by Filter Recycling, Inc.

### **Limitations**

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.