



RECEIVED

2:33 pm, Aug 01, 2007

Alameda County
Environmental Health

ConocoPhillips Company
76 Broadway
Sacramento, CA 95818
phone 916-558-7600
fax 916-558-7639

July 30, 2007

Ms. Donna Drogos
Supervising Hazardous Materials Specialist
Alameda County Environmental Health Services
1131 Harbor Bay Parkway
Alameda, California 94502

RE: Quarterly Status Report - Second Quarter 2007

76 Service Station #5325
3220 Lakeshore Avenue
Oakland, California

Dear Ms. Drogos,

I declare under the penalty of perjury that to the best of my knowledge the information and / or recommendations in the attached report is / are true and correct.

Please feel free to contact me if you have any questions or require additional information.

Respectfully,

Bill Borgh

Bill Borgh
Site Manager – Risk Management and Remediation

Attachment



1590 Solano Way
#A
Concord, CA 94520

925.688.1200 PHONE
925.688.0388 FAX

www.TRCsolutions.com

July 31, 2007

TRC Project No. 125856

Mr. Donna Drogos
Supervising Hazardous Materials Specialist
Alameda County Health Care Services
1131 Harbor Bay Parkway
Alameda, CA 94502-6577

**RE: Quarterly Status Report - Second Quarter 2007
76 Service Station #5325, 3220 Lakeshore Avenue, Oakland, California
Alameda County**

Dear Ms. Donna Drogos:

On behalf of ConocoPhillips Company (ConocoPhillips), TRC is submitting the Second Quarter 2007 Status Report for the subject site, an operating ConocoPhillips (76) Service Station located on the southeast corner of the intersection of Lakeshore Avenue and Lake Park Avenue in Oakland, California. The site is bounded to the north by Lakeshore Avenue, to the west and southwest by Lake Park Avenue, to the southeast by a supermarket parking lot, and to the east by a pharmacy. Current site facilities consist of the service station building with three service bays, three product dispenser islands, and two 12,000-gallon double-wall fiberglass gasoline underground storage tanks (USTs).

PREVIOUS ASSESSMENTS

May 1990: Three exploratory soil borings (U-A, U-B, and U-C) were advanced adjacent to the UST complex to depths ranging from 10 to 12.5 feet below ground surface (bgs). Soil samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-g) and benzene, toluene, ethylbenzene, and xylenes (BTEX). The samples contained TPH-g concentrations ranging from 2 to 7,500 parts per million (ppm) and benzene concentrations ranging from 0.14 to 13 ppm (GSI, June, 1990).

June 1990: Two 10,000-gallon gasoline USTs, one 550-gallon waste oil UST, and related product dispensers were replaced. Soil samples from the UST excavation sidewalls and bottom and product line trenches were reported to contain TPH-g and benzene at concentrations ranging from 12 to 2,800 ppm and 0.008 to 11 ppm, respectively. Approximately 250 cubic yards of soil and backfill material were aerated onsite to reduce concentrations to below 100 ppm TPH-g, then transported to an appropriate soil disposal facility. Groundwater was encountered at approximately 7.5 feet bgs (GSI, August, 1990).

September 1990: Monitoring wells U-1, U-2, and U-3 were installed. TPH-g was detected in soil samples collected from the capillary fringe in well borings U-1 and U-2 at levels of 110 and 480 ppm, respectively. Benzene was detected in the soil sample from well boring U-1 at a level of 4.5 ppm. Petroleum hydrocarbons were not detected in soil or groundwater samples from U-3. Groundwater samples collected from wells U-1 and U-2 were reported to contain 690 and 38 parts per billion (ppb) TPH-g and 780 and 27 ppb benzene, respectively (GSI, December, 1990).

June 1990: Monitoring wells U-4, U-5, and U-6 were installed. TPH-g and benzene were detected in the capillary fringe soil sample collected from boring U-5 at levels of 400 ppm and 1.9 ppm, respectively. TPH-g and benzene were not detected in soil samples collected from borings U-4 and U-6. Groundwater levels stabilized at depths between 8.8 and 9.2 feet bgs (GSI, August, 1994).

November 1996: One 550-gallon waste oil UST was removed and the product lines and dispensers were replaced. A soil sample collected from the sidewall of the waste oil UST excavation contained 1.5 ppm total petroleum hydrocarbons as diesel (TPH-d) and 78 ppm total oil and grease (TOG). TPH-g, benzene, methyl tertiary butyl ether (MTBE), halogenated volatile organic compounds (HVOCs), and semivolatile organic compounds (SVOCs) were not detected. Product line trench excavation and over excavation samples were reported to contain petroleum hydrocarbon levels ranging from non-detect to 880 ppm TPH-g, non-detect to 3.6 ppm benzene, and non-detect to 23 ppm MTBE. Approximately 276 tons of excavated soil was transported to an appropriate disposal facility (GSI, January, 1997).

October 2003: Site environmental consulting responsibilities were transferred to TRC.

April 2006: Three ozone sparge wells (C-1 through C-3) were installed by TRC in the vicinity of U-2 for the purpose of an ozone pilot study. Total purgeable petroleum hydrocarbons (TPPH) were detected at a maximum of 4,600 milligrams per kilograms (mg/kg) in the five feet below grade (fbg) soil sample collected from C-1.

SENSITIVE RECEPTORS

Lake Merritt is located approximately 0.3 miles down gradient. No domestic wells are located within a one mile radius of the site.

MONITORING AND SAMPLING

Currently, five onsite wells and one offsite well are monitored quarterly. Five wells were gauged and sampled this quarter. The groundwater flow direction is toward the southwest at a calculated hydraulic gradient of 0.03 feet per foot. A graph of historical groundwater flow directions is included in this report.

CHARACTERIZATION STATUS

Total petroleum hydrocarbons as gasoline (TPH-g) were detected in three of the five wells sampled at a maximum concentration of 13,000 micrograms per liter ($\mu\text{g/l}$) in onsite monitoring well U-1. Benzene was detected in two of the five wells sampled at a concentration of 94 $\mu\text{g/l}$ in onsite monitoring well U-2. Methyl tertiary butyl ether (MTBE) was detected in three of the five wells sampled at a maximum concentration of 1,100 $\mu\text{g/l}$ in onsite monitoring well U-2. Tertiary butyl alcohol (TBA) was detected in all three wells analyzed for TBA at a maximum concentration of 3,000 $\mu\text{g/l}$ in onsite monitoring well U-2.

REMEDIATION STATUS

A 3-month ozone sparge event was completed from June through August 2006. TRC completed two quarters of post-remedial groundwater monitoring and is currently preparing the Ozone Sparge Pilot Study Report documenting the results of ozone sparge pilot study.

RECENT CORRESPONDENCE

No correspondence this quarter.

CURRENT QUARTER ACTIVITIES

June 27, 2007: TRC performed groundwater monitoring and sampling. Wastewater generated from well purging and equipment cleaning was stored at TRC's groundwater monitoring facility in Concord, California, and transported by Onyx to the ConocoPhillips Refinery in Rodeo, California, for treatment and disposal.

CONCLUSIONS AND RECOMMENDATIONS

TRC is currently preparing the Ozone Sparge Pilot Study Report documenting the results of the 3-month ozone injection event and two quarters of post-remedial groundwater monitoring. The report will be submitted under separate cover during the third quarter 2007. TRC recently completed a file review of the former Shell Station previously located on Rand Avenue, across Lakeshore Avenue from the site. Information obtained during the file review will be included in the forthcoming Ozone Sparge Pilot Study Report.

TRC will continue to evaluate access issues related to potential proposed offsite boring/well locations for additional groundwater assessment; however, suitable boring and/or well locations may not be feasible immediately downgradient of the site due to the high volume of traffic along the busy intersection of Lake Park and Lake Shore Avenues. The intersection is also located at the terminus of the off ramp from Interstate 580, making traffic control more problematic.

TRC recommends continuing quarterly monitoring and sampling to assess plume stability and concentration trends at key wells to monitor the progress of remediation.

If you have any questions regarding this report, please call me at (925) 688-2488.

Sincerely,



Ted Moise
Senior Project Manager



Keith Woodburne, P.G.
Senior Project Manager




Attachment:

Quarterly Monitoring Report, April through June 2007 (TRC, July 20, 2007)
Historical Groundwater Flow Directions – March 2000 through June 2007

cc: William Borgh, ConocoPhillips (electronic upload only)

**Historical Groundwater Flow Directions
for Tosco (76) Service Station No. 5325**
March 2000 through June 2007





21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCsolutions.com

DATE: July 20, 2007

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: 76 STATION 5325
3220 LAKESHORE AVENUE
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
APRIL THROUGH JUNE 2007

Dear Mr. Borgh:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5325, located at 3220 Lakeshore Avenue, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Keith Woodburne, TRC (2 copies)

Enclosures
20-0400/5325R016.QMS



**QUARTERLY MONITORING REPORT
APRIL THROUGH JUNE 2007**

76 STATION 5325
3200 Lakeshore Avenue
Oakland, California

Prepared For:

Mr. Bill Borgh
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



Dennis E. Jensen
Senior Project Geologist, Irvine Operations
July 19, 2007

LIST OF ATTACHMENTS	
Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results Table 2b: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 6/27/07 Groundwater Sampling Field Notes – 6/27/07 Statement of Non-Completion – 6/27/07
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
April 2007 through June 2007
76 Station 5325
3220 Lakeshore Avenue
Oakland, CA

Project Coordinator: **Bill Borgh**
Telephone: **916-558-7612** Water Sampling Contractor: **TRC**
Date(s) of Gauging/Sampling Event: **06/27/07** Compiled by: **Daniel Lee**

Sample Points

Groundwater wells: **5** onsite, **1** offsite Wells gauged: **5** Wells sampled: **5**
Purging method: **Diaphragm pump**
Purge water disposal: **Onyx/Rodeo Unit 100**
Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Wells with LPH: **0** Maximum thickness (feet): **n/a**
LPH removal frequency: **n/a** Method: **n/a**
Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **4.41 feet** Maximum: **10.93 feet**
Average groundwater elevation (relative to available local datum): **2.18 feet**
Average change in groundwater elevation since previous event: **0.17 feet**
Interpreted groundwater gradient and flow direction:

Current event: **0.03 ft/ft, southwest**
Previous event: **0.01 ft/ft, west (03/28/07)**

Selected Laboratory Results

Wells with detected **Benzene**: **2** Wells above MCL (1.0 µg/l): **2**
Maximum reported benzene concentration: **94 µg/l (U-2)**

Wells with **TPH-G by GC/MS** **3** Maximum: **13,000 µg/l (U-1)**
Wells with **MTBE 8260B** **3** Maximum: **1,100 µg/l (U-2)**

Notes:

U-6=Inaccessible - dumpster over well,

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
$\mu\text{g/l}$	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethylene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethylene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation – Measured Depth to Water + (D_p x LPH Thickness), where D_p is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5325 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 5325

Current Event

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 27, 2007
76 Station 5325

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-1 (Screen Interval in feet: 5.0-20.0)														
06/27/07	8.46	5.39	0.00	3.07	0.78	--	13000	2.8	ND<2.5	960	1300	--	79	
U-2 (Screen Interval in feet: 5.0-20.0)														
06/27/07	7.62	4.80	0.00	2.82	0.25	--	5100	94	ND<5.0	640	7.1	--	1100	
U-3 (Screen Interval in feet: 5.0-20.0)														
06/27/07	10.98	10.93	0.00	0.05	-0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
U-4 (Screen Interval in feet: 5.0-20.0)														
06/27/07	11.15	8.78	0.00	2.37	-0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
U-5 (Screen Interval in feet: 5.0-20.0)														
06/27/07	6.98	4.41	0.00	2.57	0.71	--	210	ND<0.50	ND<0.50	2.4	ND<0.50	--	18	
U-6 (Screen Interval in feet: 5.0-24.0)														Inaccessible - dumpster over well
06/27/07	7.14	--	--	--	--	--	--	--	--	--	--	--	--	

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Iron Ferrous ($\mu\text{g/l}$)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)
U-1 06/27/07	1500	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	35000	ND<0.10	0.065	3.87	-106
U-2 06/27/07	3000	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	9000	ND<0.10	ND<0.050	4.72	-105
U-3 06/27/07	--	ND<250	--	--	--	--	--	ND<100	4.5	0.64	8.72	111
U-4 06/27/07	--	ND<250	--	--	--	--	--	ND<100	5.3	0.34	10.42	115
U-5 06/27/07	220	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	10000	ND<0.10	ND<0.050	3.52	-101

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-1 (Screen Interval in feet: 5.0-20.0)														
08/10/90	--	--	--	--	--	690	--	38	75	8.6	130	--	--	
01/07/91	--	--	--	--	--	250	--	22	16	4.2	17	--	--	
04/01/91	--	--	--	--	--	160	--	13	8.6	1.0	15	--	--	
07/03/91	--	--	--	--	--	140	--	21	4.3	0.36	17	--	--	
10/09/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/92	--	--	--	--	--	250	--	ND	ND	ND	ND	--	--	
05/05/92	--	--	--	--	--	230	--	1.2	ND	ND	ND	--	--	
06/11/92	--	--	--	--	--	1000	--	80	1.4	6.7	41	--	--	
08/20/92	--	--	--	--	--	400	--	1.0	ND	ND	0.6	--	--	
02/22/93	--	--	--	--	--	34000	--	1400	5500	910	7300	--	--	
05/07/93	--	--	--	--	--	8700	--	600	240	650	3300	--	--	
08/08/93	--	--	--	--	--	4900	--	79	ND	832	270	--	--	
11/16/93	5.32	8.61	0.00	-3.29	--	690	--	ND	ND	ND	ND	--	--	
02/16/94	5.32	8.54	0.00	-3.22	0.07	6800	--	ND	ND	ND	ND	--	--	
06/22/94	8.46	8.39	0.00	0.07	3.29	200	--	ND	ND	5.9	21	--	--	
09/22/94	8.46	8.66	0.00	-0.20	-0.27	6100	--	ND	ND	ND	ND	--	--	
12/24/94	8.46	8.04	0.00	0.42	0.62	50000	--	2500	9700	2400	17000	--	--	
03/25/95	8.46	7.72	0.37	1.02	0.60	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/21/95	8.46	9.30	0.20	-0.69	-1.71	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
09/19/95	8.46	9.29	0.40	-0.53	0.16	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/19/95	8.46	8.98	0.03	-0.50	0.03	--	--	--	--	--	--	--	--	Not sampled due to LPH in well

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-1 continued														
03/18/96	8.46	8.25	0.00	0.21	0.71	27000	--	ND	2300	1400	11000	4900	--	
06/27/96	8.46	7.92	0.00	0.54	0.33	120000	--	540	4300	2600	26000	ND	--	
09/26/96	8.46	9.10	0.02	-0.63	-1.17	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/09/96	8.46	6.88	0.03	1.60	2.23	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
03/14/97	8.46	9.02	0.55	-0.15	-1.75	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/30/97	8.46	8.41	0.02	0.07	0.21	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
09/19/97	8.46	8.56	0.02	-0.09	-0.15	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/12/97	8.46	8.58	0.01	-0.11	-0.03	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
03/03/98	8.46	8.23	0.04	0.26	0.37	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/15/98	8.46	8.37	0.00	0.09	-0.17	52000	--	ND	900	1800	13000	ND	--	Sheen
09/30/98	8.46	8.94	0.00	-0.48	-0.57	1000000	--	ND	2600	13000	83000	4800	--	Sheen
12/28/98	8.46	8.57	0.00	-0.11	0.37	1100000	--	ND	1600	8600	71000	5700	--	
03/22/99	8.46	8.18	0.00	0.28	0.39	130000	--	470	1100	2000	28000	5700	--	Sheen
06/09/99	8.46	9.37	0.00	-0.91	-1.19	40000	--	230	640	590	13000	3500	2100	
09/08/99	8.46	9.53	0.00	-1.07	-0.16	55000	--	217	202	745	14300	6890	6690	
12/07/99	8.46	9.67	0.00	-1.21	-0.14	41200	--	89.3	ND	385	6930	15800	14700	
03/13/00	8.46	8.44	0.00	0.02	1.23	48000	--	490	610	2400	10000	22000	23000	
06/21/00	8.46	9.45	0.00	-0.99	-1.01	37000	--	200	ND	1200	7200	15000	20000	
09/27/00	8.46	9.29	0.00	-0.83	0.16	15000	--	92	ND	540	2800	74000	83000	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-1 continued														
12/12/00	8.46	9.37	0.00	-0.91	-0.08	50000	--	ND	ND	250	1900	12000	15000	
03/07/01	8.46	8.45	0.00	0.01	0.92	6220	--	29.8	10.4	96.3	638	11200	11800	
06/06/01	8.46	9.29	0.00	-0.83	-0.84	5200	--	17	ND	69	420	6500	8700	
09/24/01	8.46	9.39	0.00	-0.93	-0.10	4300	--	36	ND<25	65	590	4400	4400	
12/10/01	8.46	9.17	0.00	-0.71	0.22	11000	--	220	ND<100	380	1500	5100	5100	
03/11/02	8.46	9.44	0.00	-0.98	-0.27	5500	--	28	ND<20	360	690	6400	6300	
06/04/02	8.46	8.32	0.00	0.14	1.12	4600	--	31	ND<10	240	180	6500	--	
09/03/02	8.46	9.36	0.00	-0.90	-1.04	2300	--	ND<12	ND<12	ND<12	68	3500	4700	
12/03/02	8.46	8.18	0.00	0.28	1.18	--	ND<5000	ND<50	ND<50	ND<50	<100	--	4700	
03/04/03	8.46	8.29	0.00	0.17	-0.11	--	8900	26	ND<25	400	130	--	5500	
06/18/03	8.46	7.58	0.00	0.88	0.71	--	8300	ND<25	ND<25	ND<25	ND<50	--	10000	
09/24/03	8.46	8.18	0.00	0.28	-0.60	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	11000	
12/02/03	8.46	8.90	0.00	-0.44	-0.72	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	11000	
03/30/04	8.46	8.38	0.00	0.08	0.52	--	12000	ND<100	ND<100	190	ND<200	--	13000	
06/07/04	8.46	10.35	0.00	-1.89	-1.97	--	13000	ND<100	ND<100	ND<100	ND<200	--	12000	
09/09/04	8.46	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/20/04	8.46	9.00	0.00	-0.54	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.2	
03/28/05	8.46	8.10	0.00	0.36	0.90	--	37000	ND<10	ND<10	1500	5300	--	460	
06/14/05	8.46	8.91	0.00	-0.45	-0.81	--	3900	ND<0.50	ND<0.50	48	68	--	60	
09/28/05	8.46	11.35	0.00	-2.89	-2.44	--	560	ND<0.50	0.60	3.0	26	--	18	
12/29/05	8.46	8.58	0.00	-0.12	2.77	--	510	0.77	ND<0.50	27	63	--	62	
03/27/06	8.46	7.20	0.00	1.26	1.38	--	29000	ND<25	ND<25	1500	4900	--	300	
06/12/06	8.46	7.81	0.00	0.65	-0.61	--	3200	ND<0.50	ND<0.50	42	15	--	56	
09/21/06	8.46	8.04	0.00	0.42	-0.23	--	2600	ND<12	ND<12	ND<12	ND<12	--	30	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethylbenzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-1 continued														
12/21/06	8.46	8.32	0.00	0.14	-0.28	--	2000	ND<0.50	ND<0.50	13	2.2	--	53	
03/28/07	8.46	6.17	0.00	2.29	2.15	--	12000	ND<2.5	ND<2.5	690	1900	--	110	
06/27/07	8.46	5.39	0.00	3.07	0.78	--	13000	2.8	ND<2.5	960	1300	--	79	
U-2 (Screen Interval in feet: 5.0-20.0)														
08/10/90	--	--	--	--	--	780	--	27	46	15	130	--	--	
01/07/91	--	--	--	--	--	1900	--	67	5.8	58	69	--	--	
04/01/91	--	--	--	--	--	1700	--	250	89	34	190	--	--	
07/03/91	--	--	--	--	--	2100	--	150	25	3.1	290	--	--	
10/09/91	--	--	--	--	--	230	--	7.1	ND	ND	11	--	--	
02/12/92	--	--	--	--	--	410	--	1.9	ND	0.36	0.4	--	--	
05/05/92	--	--	--	--	--	1600	--	120	52	6.2	290	--	--	
06/11/92	--	--	--	--	--	620	--	17	2.1	ND	37	--	--	
08/20/92	--	--	--	--	--	700	--	28	6.5	1.3	4.6	--	--	
02/22/93	--	--	--	--	--	3400	--	2400	2100	1200	5800	--	--	
05/07/93	--	--	--	--	--	17000	--	1800	660	1700	4000	--	--	
08/08/93	--	--	--	--	--	5600	--	420	ND	410	670	--	--	
11/16/93	4.53	8.17	0.00	-3.64	--	510	--	ND	ND	ND	ND	--	--	
02/16/94	4.53	7.73	0.00	-3.20	0.44	980	--	49	13	2.7	40	--	--	
06/22/94	7.62	7.60	0.00	0.02	3.22	31000	--	2200	62	1500	3500	--	--	
09/22/94	7.62	7.93	0.00	-0.31	-0.33	8500	--	29	ND	ND	ND	--	--	
12/24/94	7.62	7.27	0.00	0.35	0.66	32000	--	1500	890	1300	5000	--	--	
03/25/95	7.62	7.01	0.00	0.61	0.26	170000	--	1900	21000	4800	33000	--	--	
06/21/95	7.62	6.98	0.00	0.64	0.03	16000	--	2100	ND	1800	1700	--	--	
09/19/95	7.62	7.70	0.00	-0.08	-0.72	3000	--	610	ND	78	240	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethylbenzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-2 continued														
12/19/95	7.62	7.30	0.00	0.32	0.40	1600	--	140	55	52	270	--	--	
03/18/96	7.62	6.45	0.00	1.17	0.85	12000	--	2200	ND	1200	2200	22000	--	
06/27/96	7.62	7.41	0.00	0.21	-0.96	28000	--	3400	ND	2800	3100	3000	--	
09/26/96	7.62	7.90	0.00	-0.28	-0.49	5900	--	750	ND	ND	ND	18000	--	
12/09/96	7.62	6.76	0.00	0.86	1.14	13000	--	5100	290	980	370	2700	--	
03/14/97	7.62	7.12	0.03	0.52	-0.34	--	--	--	--	--	--	--	Not sampled due to LPH in well	
06/30/97	7.62	6.19	0.00	1.43	0.91	--	--	--	--	--	--	--	Not sampled due to LPH in well	
09/19/97	7.62	7.31	0.00	0.31	-1.12	--	--	--	--	--	--	--	Not sampled due to LPH in well	
12/12/97	7.62	6.75	0.00	0.87	0.56	--	--	--	--	--	--	--	Not sampled due to LPH in well	
03/03/98	7.62	6.36	0.00	1.26	0.39	80000	--	3000	1100	820	16000	16000	--	
06/15/98	7.62	6.51	0.00	1.11	-0.15	48000	--	1800	330	470	7900	20000	--	
09/30/98	7.62	7.17	0.00	0.45	-0.66	60000	--	1300	ND	500	9700	19000	--	
12/28/98	7.62	7.06	0.00	0.56	0.11	63000	--	590	160	320	5600	16000	--	
03/22/99	7.62	6.82	0.00	0.80	0.24	28000	--	1100	ND	360	2900	25000	--	
06/09/99	7.62	7.51	0.00	0.11	-0.69	21000	--	110	190	310	2600	7900	7800	
09/08/99	7.62	8.16	0.00	-0.54	-0.65	23300	--	477	138	286	4110	16400	15300	
12/07/99	7.62	8.31	0.00	-0.69	-0.15	4840	--	17.2	ND	ND	157	14900	15600	
03/13/00	7.62	6.69	0.00	0.93	1.62	11000	--	380	160	ND	2100	22000	26000	
06/21/00	7.62	7.67	0.00	-0.05	-0.98	9100	--	22	ND	ND	800	16000	22000	
09/27/00	7.62	7.44	0.00	0.18	0.23	2900	--	43	ND	ND	39	20000	26000	
12/12/00	7.62	7.51	0.00	0.11	-0.07	3600	--	17	ND	ND	87	8000	7800	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-2 continued														
03/07/01	7.62	7.15	0.00	0.47	0.36	1670	--	51.0	ND	7.20	19.5	5930	7900	
06/06/01	7.62	7.57	0.00	0.05	-0.42	1100	--	14	ND	9.3	35	9200	10000	
09/24/01	7.62	7.63	0.00	-0.01	-0.06	1000	--	25	ND<2.5	12	100	9800	11000	
12/10/01	7.62	6.78	0.00	0.84	0.85	83	--	14	0.55	3.4	6.8	2500	2500	
03/11/02	7.62	7.12	0.00	0.50	-0.34	ND<1000	--	28	ND<10	40	31	11000	11000	
06/04/02	7.62	7.18	0.00	0.44	-0.06	7700	--	32	ND<25	33	48	14000	--	
09/03/02	7.62	7.58	0.00	0.04	-0.40	5200	--	ND<25	ND<25	ND<25	ND<25	11000	15000	
12/03/02	7.62	7.68	0.00	-0.06	-0.10	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	3200	
03/04/03	7.62	7.77	0.00	-0.15	-0.09	--	8100	ND<50	ND<50	ND<50	ND<100	--	7800	
06/18/03	7.62	6.87	0.00	0.75	0.90	--	11000	ND<50	ND<50	ND<50	ND<100	--	16000	
09/24/03	7.62	7.49	0.00	0.13	-0.62	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	10000	
12/02/03	7.62	7.95	0.00	-0.33	-0.46	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	10000	
03/30/04	7.62	7.07	0.00	0.55	0.88	--	12000	ND<100	ND<100	ND<100	ND<200	--	11000	
06/07/04	7.62	7.75	0.00	-0.13	-0.68	--	14000	ND<100	ND<100	ND<100	ND<200	--	13000	
09/09/04	7.62	8.65	0.00	-1.03	-0.90	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	9500	
12/20/04	7.62	7.73	0.00	-0.11	0.92	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	11000	
03/28/05	7.62	6.24	0.00	1.38	1.49	--	12000	ND<50	ND<50	160	120	--	7000	
06/14/05	7.62	7.05	0.00	0.57	-0.81	--	2000	0.75	ND<0.50	3.7	1.1	--	2400	
09/28/05	7.62	8.00	0.00	-0.38	-0.95	--	320	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	80	
12/29/05	7.62	7.23	0.00	0.39	0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	35	
03/27/06	7.62	5.31	0.00	2.31	1.92	--	2400	31	0.73	120	15	--	1400	
06/12/06	7.62	6.25	0.00	1.37	-0.94	--	ND<1200	ND<12	ND<12	17	ND<25	--	490	
09/21/06	7.62	6.00	0.00	1.62	0.25	--	440	6.1	ND<0.50	1.7	ND<0.50	--	1100	
12/21/06	7.62	6.08	0.00	1.54	-0.08	--	670	10	ND<0.50	52	1.2	--	730	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethylbenzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-2 continued														
03/28/07	7.62	5.05	0.00	2.57	1.03	--	3300	36	ND<5.0	200	6.8	--	1200	
06/27/07	7.62	4.80	0.00	2.82	0.25	--	5100	94	ND<5.0	640	7.1	--	1100	
U-3 (Screen Interval in feet: 5.0-20.0)														
08/10/90	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
01/07/91	--	--	--	--	--	ND	--	ND	ND	ND	1.8	--	--	
04/01/91	--	--	--	--	--	ND	--	1.0	2.9	0.53	5.4	--	--	
07/03/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
10/09/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
05/05/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
06/11/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/20/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/22/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
05/07/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/08/93	--	--	--	--	--	210	--	5.0	9.7	0.7	4.1	--	--	
11/16/93	7.86	11.82	0.00	-3.96	--	ND	--	ND	ND	ND	ND	--	--	
02/16/94	7.86	11.62	0.00	-3.76	0.20	ND	--	ND	ND	ND	ND	--	--	
06/22/94	10.98	11.64	0.00	-0.66	3.10	ND	--	ND	ND	ND	ND	--	--	
09/22/94	10.98	11.76	0.00	-0.78	-0.12	ND	--	ND	ND	ND	ND	--	--	
12/24/94	10.98	11.28	0.00	-0.30	0.48	ND	--	ND	ND	ND	ND	--	--	
03/25/95	10.98	10.96	0.00	0.02	0.32	ND	--	ND	ND	ND	ND	--	--	
06/21/95	10.98	11.37	0.00	-0.39	-0.41	ND	--	ND	ND	ND	ND	--	--	
09/19/95	10.98	11.55	0.00	-0.57	-0.18	ND	--	ND	ND	ND	ND	--	--	
12/19/95	10.98	11.45	0.00	-0.47	0.10	ND	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethylbenzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-3 continued														
03/18/96	10.98	11.10	0.00	-0.12	0.35	ND	--	ND	ND	ND	ND	--	--	
06/27/96	10.98	11.16	0.00	-0.18	-0.06	440	--	49	50	51	140	50	--	
09/26/96	10.98	11.55	0.00	-0.57	-0.39	ND	--	ND	ND	ND	ND	ND	--	
12/09/96	10.98	10.12	0.00	0.86	1.43	ND	--	ND	ND	ND	ND	29	--	
03/14/97	10.98	10.87	0.00	0.11	-0.75	ND	--	ND	ND	ND	ND	ND	--	
06/30/97	10.98	11.08	0.00	-0.10	-0.21	ND	--	ND	ND	ND	ND	ND	--	
09/19/97	10.98	11.05	0.00	-0.07	0.03	ND	--	ND	ND	ND	ND	ND	--	
12/12/97	10.98	10.58	0.00	0.40	0.47	ND	--	ND	ND	ND	ND	ND	--	
03/03/98	10.98	9.84	0.00	1.14	0.74	ND	--	ND	ND	ND	ND	ND	--	
06/15/98	10.98	10.56	0.00	0.42	-0.72	ND	--	ND	ND	ND	ND	ND	--	
09/30/98	10.98	11.12	0.00	-0.14	-0.56	ND	--	ND	ND	ND	ND	ND	--	
12/28/98	10.98	10.96	0.00	0.02	0.16	ND	--	ND	ND	ND	ND	ND	--	
03/22/99	10.98	9.46	0.00	1.52	1.50	ND	--	ND	ND	ND	ND	ND	--	
06/09/99	10.98	11.01	0.00	-0.03	-1.55	ND	--	ND	ND	ND	ND	ND	--	
09/08/99	10.98	11.31	0.00	-0.33	-0.30	ND	--	ND	ND	ND	ND	ND	--	
12/07/99	10.98	11.26	0.00	-0.28	0.05	ND	--	ND	ND	ND	ND	ND	--	
03/13/00	10.98	8.28	0.00	2.70	2.98	ND	--	ND	ND	ND	ND	ND	--	
06/21/00	10.98	11.12	0.00	-0.14	-2.84	ND	--	ND	ND	ND	ND	ND	--	
09/27/00	10.98	11.07	0.00	-0.09	0.05	ND	--	ND	ND	ND	ND	ND	--	
12/12/00	10.98	10.94	0.00	0.04	0.13	ND	--	ND	ND	ND	ND	ND	--	
03/07/01	10.98	8.32	0.00	2.66	2.62	ND	--	ND	ND	ND	ND	ND	--	
06/06/01	10.98	10.94	0.00	0.04	-2.62	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	10.98	11.03	0.00	-0.05	-0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/10/01	10.98	8.16	0.00	2.82	2.87	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethylbenzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-3 continued														
03/11/02	10.98	7.82	0.00	3.16	0.34	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/04/02	10.98	10.58	0.00	0.40	-2.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	10.98	10.94	0.00	0.04	-0.36	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/03/02	10.98	10.66	0.00	0.32	0.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/04/03	10.98	10.76	0.00	0.22	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
06/18/03	10.98	10.26	0.00	0.72	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/03	10.98	10.88	0.00	0.10	-0.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/02/03	10.98	11.00	0.00	-0.02	-0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/30/04	10.98	10.64	0.00	0.34	0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/07/04	10.98	11.00	0.00	-0.02	-0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/09/04	10.98	11.31	0.00	-0.33	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/20/04	10.98	10.79	0.00	0.19	0.52	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/28/05	10.98	9.80	0.00	1.18	0.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/14/05	10.98	10.75	0.00	0.23	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.2	--	ND<0.50	
09/28/05	10.98	11.16	0.00	-0.18	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/05	10.98	10.41	0.00	0.57	0.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	10.98	10.16	0.00	0.82	0.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/12/06	10.98	9.94	0.00	1.04	0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/21/06	10.98	11.01	0.00	-0.03	-1.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/21/06	10.98	10.92	0.00	0.06	0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/28/07	10.98	10.84	0.00	0.14	0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/27/07	10.98	10.93	0.00	0.05	-0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
U-4 (Screen Interval in feet: 5.0-20.0)														
06/22/94	11.15	10.16	0.00	0.99	--	ND	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-4 continued														
09/22/94	11.15	10.79	0.00	0.36	-0.63	ND	--	0.78	1.3	ND	1.4	--	--	
12/24/94	11.15	9.81	0.00	1.34	0.98	ND	--	ND	ND	ND	ND	--	--	
03/25/95	11.15	9.51	0.00	1.64	0.30	ND	--	ND	ND	ND	ND	--	--	
06/21/95	11.15	9.54	0.00	1.61	-0.03	ND	--	ND	ND	ND	ND	--	--	
09/19/95	11.15	10.17	0.00	0.98	-0.63	ND	--	ND	ND	ND	ND	--	--	
12/19/95	11.15	9.98	0.00	1.17	0.19	ND	--	ND	ND	ND	ND	--	--	
03/18/96	11.15	9.66	0.00	1.49	0.32	ND	--	ND	ND	ND	ND	--	--	
06/27/96	11.15	9.74	0.00	1.41	-0.08	ND	--	ND	ND	ND	ND	ND	--	
09/26/96	11.15	10.14	0.00	1.01	-0.40	ND	--	ND	ND	ND	ND	ND	--	
12/09/96	11.15	8.67	0.00	2.48	1.47	ND	--	ND	ND	ND	ND	33	--	
03/14/97	11.15	9.35	0.00	1.80	-0.68	ND	--	ND	ND	ND	ND	ND	--	
06/30/97	11.15	9.89	0.00	1.26	-0.54	ND	--	ND	ND	ND	ND	ND	--	
09/19/97	11.15	9.96	0.00	1.19	-0.07	ND	--	ND	ND	ND	ND	ND	--	
12/12/97	11.15	8.56	0.00	2.59	1.40	ND	--	ND	ND	ND	ND	ND	--	
03/03/98	11.15	7.85	0.00	3.30	0.71	ND	--	ND	ND	ND	ND	ND	--	
06/15/98	11.15	9.08	0.00	2.07	-1.23	ND	--	ND	ND	ND	ND	ND	--	
09/30/98	11.15	9.75	0.00	1.40	-0.67	ND	--	ND	ND	ND	ND	ND	--	
12/28/98	11.15	9.59	0.00	1.56	0.16	ND	--	ND	ND	ND	ND	ND	--	
03/22/99	11.15	8.34	0.00	2.81	1.25	ND	--	ND	ND	ND	ND	ND	--	
06/09/99	11.15	9.39	0.00	1.76	-1.05	ND	--	ND	ND	ND	ND	ND	--	
09/08/99	11.15	9.90	0.00	1.25	-0.51	ND	--	ND	ND	ND	ND	ND	--	
12/07/99	11.15	10.05	0.00	1.10	-0.15	ND	--	ND	ND	ND	ND	ND	--	
03/13/00	11.15	7.24	0.00	3.91	2.81	ND	--	ND	ND	ND	ND	ND	--	
06/21/00	11.15	9.48	0.00	1.67	-2.24	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-4 continued														
09/27/00	11.15	9.42	0.00	1.73	0.06	ND	--	ND	ND	ND	ND	ND	--	
12/12/00	11.15	9.50	0.00	1.65	-0.08	ND	--	ND	ND	ND	ND	ND	--	
03/07/01	11.15	6.88	0.00	4.27	2.62	ND	--	ND	ND	ND	ND	ND	--	
06/06/01	11.15	9.18	0.00	1.97	-2.30	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	11.15	9.21	0.00	1.94	-0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/10/01	11.15	7.32	0.00	3.83	1.89	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
03/11/02	11.15	6.92	0.00	4.23	0.40	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/04/02	11.15	7.58	0.00	3.57	-0.66	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	11.15	9.17	0.00	1.98	-1.59	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/03/02	11.15	9.20	0.00	1.95	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/04/03	11.15	9.32	0.00	1.83	-0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
06/18/03	11.15	7.65	0.00	3.50	1.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/03	11.15	8.26	0.00	2.89	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/02/03	11.15	9.16	0.00	1.99	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/30/04	11.15	7.47	0.00	3.68	1.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/07/04	11.15	8.93	0.00	2.22	-1.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/09/04	11.15	9.83	0.00	1.32	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/20/04	11.15	8.28	0.00	2.87	1.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/28/05	11.15	6.35	0.00	4.80	1.93	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/14/05	11.15	8.10	0.00	3.05	-1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/28/05	11.15	9.59	0.00	1.56	-1.49	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/05	11.15	7.13	0.00	4.02	2.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	11.15	6.27	0.00	4.88	0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/12/06	11.15	8.45	0.00	2.70	-2.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethylbenzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-4 continued														
09/21/06	11.15	9.63	0.00	1.52	-1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/21/06	11.15	8.50	0.00	2.65	1.13	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/28/07	11.15	8.00	0.00	3.15	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/27/07	11.15	8.78	0.00	2.37	-0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
U-5 (Screen Interval in feet: 5.0-20.0)														
06/22/94	6.98	6.83	0.00	0.15	--	210	--	7.1	13	4.5	26	--	--	
09/22/94	6.98	6.90	0.00	0.08	-0.07	170	--	8.4	10	8.5	18	--	--	
12/24/94	6.98	6.43	0.00	0.55	0.47	8700	--	560	70	670	430	--	--	
03/25/95	6.98	6.35	0.00	0.63	0.08	44000	--	390	960	1500	7600	--	--	
06/21/95	6.98	7.11	0.00	-0.13	-0.76	400	--	2.3	ND	9.1	3.5	--	--	
09/19/95	6.98	6.99	0.00	-0.01	0.12	850	--	14	7.1	13	66	--	--	
12/19/95	6.98	7.17	0.00	-0.19	-0.18	ND	--	ND	ND	ND	ND	--	--	
03/18/96	6.98	6.65	0.00	0.33	0.52	100	--	0.67	0.5	0.51	5.4	--	--	
06/27/96	6.98	6.49	0.00	0.49	0.16	16000	--	280	150	1400	4600	530	--	
09/26/96	6.98	7.13	0.00	-0.15	-0.64	ND	--	ND	0.57	ND	0.96	ND	--	
12/09/96	6.98	5.90	0.00	1.08	1.23	1300	--	29	46	ND	140	97	--	
03/14/97	6.98	6.99	0.00	-0.01	-1.09	ND	--	ND	ND	ND	ND	14	--	
06/30/97	6.98	7.08	0.00	-0.10	-0.09	4200	--	74	51	180	980	270	--	
09/19/97	6.98	6.78	0.00	0.20	0.30	6300	--	160	13	370	1000	480	--	
12/12/97	6.98	6.94	0.00	0.04	-0.16	60	--	1.3	ND	1.6	2.1	47	--	
03/03/98	6.98	6.50	0.00	0.48	0.44	1700	--	29	ND	150	190	330	--	
06/15/98	6.98	6.85	0.00	0.13	-0.35	1500	--	32	ND	91	83	330	--	
09/30/98	6.98	7.31	0.00	-0.33	-0.46	1700	--	44	ND	39	150	60	--	
12/28/98	6.98	7.25	0.00	-0.27	0.06	1400	--	59	ND	13	27	150	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethylbenzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-5 continued														
03/22/99	6.98	6.86	0.00	0.12	0.39	780	--	8.9	ND	0.76	4.5	350	--	
06/09/99	6.98	7.28	0.00	-0.30	-0.42	1000	--	ND	ND	10	35	280	350	
09/08/99	6.98	7.52	0.00	-0.54	-0.24	2620	--	26.2	ND	32.2	157	280	239	
12/07/99	6.98	7.67	0.00	-0.69	-0.15	949	--	9.26	ND	11.2	22.7	235	301	
03/13/00	6.98	6.73	0.00	0.25	0.94	880	--	12	1.0	5.6	8.7	46	37	
06/21/00	6.98	7.39	0.00	-0.41	-0.66	700	--	4.0	ND	0.99	4.0	120	140	
09/27/00	6.98	7.45	0.00	-0.47	-0.06	400	--	1.9	ND	ND	1.5	160	250	
12/12/00	6.98	7.68	0.00	-0.70	-0.23	770	--	3.2	ND	ND	ND	27	13	
03/07/01	6.98	6.83	0.00	0.15	0.85	623	--	5.15	ND	ND	0.669	35.7	43.4	
06/06/01	6.98	7.42	0.00	-0.44	-0.59	110	--	ND	ND	ND	ND	ND	--	
09/24/01	6.98	7.50	0.00	-0.52	-0.08	270	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	40	42	
12/10/01	6.98	6.65	0.00	0.33	0.85	420	--	13	0.60	0.66	ND<0.50	ND<2.5	--	
03/11/02	6.98	7.00	0.00	-0.02	-0.35	260	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	42	47	
06/04/02	6.98	6.71	0.00	0.27	0.29	170	--	ND<0.50	0.77	0.87	0.69	29	--	
09/03/02	6.98	7.47	0.00	-0.49	-0.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	37	53	
12/03/02	6.98	6.64	0.00	0.34	0.83	--	320	ND<0.50	ND<0.50	5.7	ND<1.0	--	11	
03/04/03	6.98	6.75	0.00	0.23	-0.11	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	44	
06/18/03	6.98	6.25	0.00	0.73	0.50	--	51	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	36	
09/24/03	6.98	6.86	0.00	0.12	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/02/03	6.98	7.12	0.00	-0.14	-0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	24	
03/30/04	6.98	6.88	0.00	0.10	0.24	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	130	
06/07/04	6.98	8.53	0.00	-1.55	-1.65	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	160	
09/09/04	6.98	12.28	0.00	-5.30	-3.75	--	340	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	260	
12/20/04	6.98	7.51	0.00	-0.53	4.77	--	130	ND<0.50	ND<0.50	1.9	2.0	--	120	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-5 continued														
03/28/05	6.98	7.22	0.00	-0.24	0.29	--	670	ND<2.0	ND<2.0	ND<2.0	ND<4.0	--	230	
06/14/05	6.98	7.46	0.00	-0.48	-0.24	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	400	
09/28/05	6.98	9.59	0.00	-2.61	-2.13	--	460	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	370	
12/29/05	6.98	7.53	0.00	-0.55	2.06	--	150	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	190	
03/27/06	6.98	6.29	0.00	0.69	1.24	--	450	ND<0.50	ND<0.50	8.3	ND<1.0	--	70	
06/12/06	6.98	6.45	0.00	0.53	-0.16	--	370	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	61	
09/21/06	6.98	6.60	0.00	0.38	-0.15	--	130	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	35	
12/21/06	6.98	6.92	0.00	0.06	-0.32	--	230	ND<0.50	ND<0.50	0.58	ND<0.50	--	11	
03/28/07	6.98	5.12	0.00	1.86	1.80	--	400	ND<0.50	ND<0.50	5.4	ND<0.50	--	13	
06/27/07	6.98	4.41	0.00	2.57	0.71	--	210	ND<0.50	ND<0.50	2.4	ND<0.50	--	18	
U-6 (Screen Interval in feet: 5.0-24.0)														
06/22/94	7.14	7.14	0.00	0.00	--	ND	--	ND	ND	ND	ND	--	--	
09/22/94	7.14	7.34	0.00	-0.20	-0.20	130	--	1.3	0.8	ND	0.73	--	--	
12/24/94	7.14	6.67	0.00	0.47	0.67	6900	--	500	59	600	380	--	--	
03/25/95	7.14	6.29	0.00	0.85	0.38	47000	--	450	1300	1700	8200	--	--	
06/21/95	7.14	7.60	0.00	-0.46	-1.31	ND	--	ND	ND	ND	ND	--	--	
09/19/95	7.14	7.70	0.00	-0.56	-0.10	ND	--	ND	ND	ND	ND	--	--	
12/19/95	7.14	7.75	0.00	-0.61	-0.05	210	--	2.5	1.0	2.9	17	--	--	
03/18/96	7.14	6.86	0.00	0.28	0.89	ND	--	ND	ND	ND	ND	--	--	
06/27/96	7.14	6.52	0.00	0.62	0.34	ND	--	ND	ND	ND	ND	510	--	
09/26/96	7.14	7.62	0.00	-0.48	-1.10	ND	--	ND	ND	ND	ND	1400	--	
12/09/96	7.14	5.88	0.00	1.26	1.74	1200	--	29	48	6.4	140	58	--	
03/14/97	7.14	7.30	0.00	-0.16	-1.42	ND	--	ND	ND	ND	ND	1500	--	
06/30/97	7.14	7.35	0.00	-0.21	-0.05	ND	--	ND	ND	ND	ND	990	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-6 continued														
09/19/97	7.14	7.25	0.00	-0.11	0.10	ND	--	ND	ND	ND	ND	1400	--	
12/12/97	7.14	7.29	0.00	-0.15	-0.04	ND	--	ND	ND	ND	ND	680	--	
03/03/98	7.14	7.00	0.00	0.14	0.29	ND	--	ND	ND	ND	ND	1600	--	
06/15/98	7.14	7.18	0.00	-0.04	-0.18	ND	--	ND	ND	ND	ND	1000	--	
09/30/98	7.14	7.90	0.00	-0.76	-0.72	ND	--	ND	ND	ND	ND	1200	--	
12/28/98	7.14	7.79	0.00	-0.65	0.11	ND	--	ND	ND	ND	ND	730	--	
03/22/99	7.14	7.47	0.00	-0.33	0.32	ND	--	ND	ND	ND	ND	1800	--	
06/09/99	7.14	7.73	0.00	-0.59	-0.26	ND	--	ND	ND	ND	ND	1000	850	
09/08/99	7.14	7.95	0.00	-0.81	-0.22	ND	--	ND	ND	ND	ND	851	1040	
12/07/99	7.14	8.10	0.00	-0.96	-0.15	ND	--	ND	ND	ND	ND	1140	1150	
03/13/00	7.14	6.95	0.00	0.19	1.15	ND	--	ND	ND	ND	ND	560	670	
06/21/00	7.14	7.84	0.00	-0.70	-0.89	ND	--	ND	ND	ND	ND	400	590	
09/27/00	7.14	7.68	0.00	-0.54	0.16	ND	--	ND	ND	ND	ND	2500	2800	
12/12/00	7.14	7.74	0.00	-0.60	-0.06	ND	--	ND	ND	ND	ND	590	580	
03/07/01	7.14	7.27	0.00	-0.13	0.47	ND	--	ND	ND	ND	ND	310	321	
06/06/01	7.14	7.80	0.00	-0.66	-0.53	ND	--	ND	ND	ND	ND	250	330	
09/24/01	7.14	7.82	0.00	-0.68	-0.02	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	530	660	
12/10/01	7.14	7.15	0.00	-0.01	0.67	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	220	220	
03/11/02	7.14	7.32	0.00	-0.18	-0.17	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	720	760	
06/04/02	7.14	7.18	0.00	-0.04	0.14	250	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0	470	--	
09/03/02	7.14	7.72	0.00	-0.58	-0.54	420	--	ND<2.5	ND<2.5	ND<2.5	4.7	860	1200	
12/03/02	7.14	6.92	0.00	0.22	0.80	--	ND<500	ND<5.0	ND<5.0	ND<5.0	ND<10	--	870	
03/04/03	7.14	7.01	0.00	0.13	-0.09	--	2300	ND<10	ND<10	ND<10	ND<20	--	2700	
06/18/03	7.14	6.60	0.00	0.54	0.41	--	1300	ND<10	ND<10	ND<10	ND<20	--	1700	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2007
76 Station 5325

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-6 continued														
09/24/03	7.14	7.24	0.00	-0.10	-0.64	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	1500	
12/02/03	7.14	7.80	0.00	-0.66	-0.56	--	1300	ND<10	ND<10	ND<10	ND<20	--	1800	
03/30/04	7.14	7.32	0.00	-0.18	0.48	--	1200	ND<10	ND<10	ND<10	ND<20	--	1700	
06/07/04	7.14	9.35	0.00	-2.21	-2.03	--	1700	ND<10	ND<10	ND<10	ND<20	--	1800	
09/09/04	7.14	12.81	0.00	-5.67	-3.46	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	1400	
12/20/04	7.14	7.96	0.00	-0.82	4.85	--	320	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	65	
03/28/05	7.14	7.07	0.00	0.07	0.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	150	
06/14/05	7.14	7.88	0.00	-0.74	-0.81	--	ND<100	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	20	
09/28/05	7.14	10.44	0.00	-3.30	-2.56	--	150	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.6	
12/29/05	7.14	7.63	0.00	-0.49	2.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	13	
03/27/06	7.14	6.16	0.00	0.98	1.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.1	
06/12/06	7.14	6.59	0.00	0.55	-0.43	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.9	
09/21/06	7.14	6.90	0.00	0.24	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.1	
12/21/06	7.14	7.36	0.00	-0.22	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.2	
03/28/07	7.14	3.48	0.00	3.66	3.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/27/07	7.14	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - dumpster over well

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaphthylene (µg/l)	Iron Ferrous (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
U-1															
06/15/98	--	--	--	--	--	--	--	--	39000	ND	--	ND	382	--	--
09/30/98	--	--	--	--	--	--	--	--	17000	ND	--	ND	366	--	--
12/28/98	--	--	--	--	--	--	--	--	4300	6.30	--	28	298	--	--
03/22/99	--	--	--	--	--	--	--	--	4900	ND	--	3.5	320	--	--
06/09/99	--	--	--	--	--	--	--	--	1200	ND	--	ND	260	--	--
09/08/99	--	--	--	--	--	--	--	--	1800	ND	--	ND	85	--	--
12/07/99	--	--	--	--	--	--	--	--	5700	ND	--	17.0	404	--	1.36
03/13/00	--	--	--	--	--	--	--	--	8000	0.18	--	ND	262	--	--
06/21/00	--	--	--	--	--	--	--	--	9300	ND	--	ND	148	--	1.53
09/27/00	ND	--	ND	--	ND	ND	ND	--	2800	ND	--	18.4	119	--	1.63
12/12/00	--	--	--	--	--	--	--	--	490	ND	--	16.0	131	--	1.48
03/07/01	ND	--	ND	--	ND	ND	ND	--	483	2.64	--	6.89	125	--	1.91
06/06/01	ND	--	ND	--	ND	ND	ND	--	1000	ND	--	2.7	141	--	1.77
09/24/01	ND<20000	ND<400000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	ND<100	0.45	--	--	125	--	1.64
12/10/01	ND<4000	ND<8000	ND<100	ND<100	ND<100	ND<100	ND<100	--	14000	ND<0.50	--	2.2	141	--	1.82
03/11/02	ND<5000	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	--	15000	ND<0.50	--	0.11	132	--	2.21
06/04/02	--	--	--	--	--	--	--	--	ND<500	ND<0.50	--	ND<0.10	117	--	1.88
09/03/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	ND<500	ND<0.50	--	ND<0.10	94	--	1.62
12/03/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	9600	ND<1.0	--	ND<1.0	72	--	1.71
03/04/03	ND<5000	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	--	36000	ND<1.0	--	ND<1.0	-125	--	0.30
06/18/03	ND<5000	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	--	16000	ND<1.0	--	ND<1.0	-48	1.7	--
09/24/03	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	15	ND<1.0	--	ND<1.0	-36	--	0.40
12/02/03	--	ND<100000	--	--	--	--	--	--	4000	--	--	--	--	6.46	2.05
03/30/04	3100	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	12000	ND<1.0	ND<1.0	--	--	1.08	3.05
06/07/04	3300	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	660	ND<0.50	6.8	--	--	1.62	2.30
12/20/04	11	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	0.015	ND<1.0	ND<1.0	--	--	1.35	5.55

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrous	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	($\mu\text{g/l}$)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
U-1 continued															
03/28/05	--	ND<1000	--	--	--	--	--	--	16	ND<1.0	ND<1.0	--	--	4.32	3.26
06/14/05	4400	ND<1000	ND<10	ND<10	ND<10	ND<10	ND<10	--	7100	ND<1.0	12	--	--	3.95	4.52
09/28/05	5500	ND<250	ND<10	ND<10	ND<10	ND<10	ND<10	--	7300	ND<0.10	39	--	--	7.13	2.59
12/29/05	3900	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	9500	ND<0.10	21	--	--	3.74	2.81
03/27/06	--	ND<12000	--	--	--	--	--	--	8500	ND<0.10	ND<0.050	--	--	--	1.95
06/12/06	--	ND<250	--	--	--	--	--	--	25000	ND<0.10	0.64	--	--	--	1.20
09/21/06	--	ND<6200	--	--	--	--	--	--	16000	ND<0.10	1.5	--	--	--	1.28
12/21/06	--	ND<250	--	--	--	--	--	--	22000	ND<0.10	1.0	--	--	--	--
03/28/07	1600	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	20000	ND<0.10	ND<0.050	--	--	--	6.75
06/27/07	1500	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	35000	ND<0.10	0.065	--	--	--	3.87
U-2															
03/03/98	--	--	--	--	--	--	--	--	25000	ND	--	ND	369	--	--
06/15/98	--	--	--	--	--	--	--	--	42000	ND	--	ND	341	--	--
09/30/98	--	--	--	--	--	--	--	--	25000	ND	--	ND	354	--	--
12/28/98	--	--	--	--	--	--	--	--	28000	ND	--	ND	276	--	--
03/22/99	--	--	--	--	--	--	--	--	680	ND	--	2.3	320	--	--
06/09/99	--	--	--	--	--	--	--	--	500	ND	--	ND	290	--	--
09/08/99	--	--	--	--	--	--	--	--	1900	ND	--	ND	235	--	--
12/07/99	--	--	--	--	--	--	--	--	250	ND	--	ND	389	--	2.28
03/13/00	--	--	--	--	--	--	--	--	4300	0.31	--	ND	184	--	--
06/21/00	--	--	--	--	--	--	--	--	260	ND	--	ND	136	--	1.96
09/27/00	--	--	--	--	--	--	--	--	640	ND	--	10.5	142	--	2.12
12/12/00	--	--	--	--	--	--	--	--	2700	ND	--	ND	155	--	2.35
03/07/01	ND	ND	ND	ND	ND	ND	ND	--	677	2.24	--	3.02	148	--	2.21
06/06/01	ND	ND	ND	ND	ND	ND	ND	--	800	ND	--	2.8	163	--	2.67
09/24/01	ND<20000	ND<400000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	ND<100	0.49	--	--	151	--	2.10

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaphthylene (µg/l)	Iron Ferrous (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
U-2 continued															
12/10/01	ND<2000	ND<4000	ND<50	ND<50	ND<50	ND<50	ND<50	--	ND<100	ND<0.50	--	0.20	171	--	2.81
03/11/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	ND<100	ND<0.50	--	0.65	156	--	2.77
06/04/02	--	--	--	--	--	--	--	--	ND<100	ND<0.50	--	ND<0.10	144	--	3.14
09/03/02	ND<50000	ND<250000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	ND<250	ND<0.50	--	0.26	151	--	2.85
12/03/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	9900	ND<1.0	--	ND<1.0	94	--	1.97
03/04/03	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	8600	ND<1.0	--	ND<1.0	-147	--	0.40
06/18/03	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	5500	ND<1.0	--	3.1	-8	3.2	--
09/24/03	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	14	ND<1.0	--	ND<1.0	-10	--	0.20
12/02/03	--	ND<100000	--	--	--	--	--	--	2700	--	--	--	--	1.81	1.70
03/30/04	2400	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	ND<200	ND<1.0	2.9	--	--	--	2.40
06/07/04	2600	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	210	ND<0.50	2.4	--	--	3.29	3.10
09/09/04	2700	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	930	ND<1.0	5.9	--	--	3.10	3.12
12/20/04	3500	ND<5000	ND<50	ND<50	ND<100	ND<50	ND<50	--	0.87	ND<1.0	ND<1.0	--	--	6.54	.41
03/28/05	830	ND<5000	ND<50	ND<50	ND<50	ND<50	ND<0.50	--	4.0	ND<1.0	ND<1.0	--	--	4.30	3.76
06/14/05	10000	ND<2000	ND<20	ND<20	ND<20	ND<20	ND<20	--	3400	ND<1.0	ND<1.0	--	--	3.99	3.28
09/28/05	13000	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	4000	ND<0.20	7.5	--	--	6.62	2.87
12/29/05	1000000000	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	2200	ND<0.20	4.6	--	--	5.71	1.76
03/27/06	--	ND<250	--	--	--	--	--	--	1100	ND<0.10	ND<0.050	--	--	--	0.95
06/12/06	--	ND<6200	--	--	--	--	--	--	1500	ND<0.10	ND<0.050	--	--	--	19.82
09/21/06	--	ND<250	--	--	--	--	--	--	100	33	0.36	--	--	--	3.15
12/21/06	--	ND<250	--	--	--	--	--	--	770	ND<0.20	0.21	--	--	--	--
03/28/07	4000	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	8600	ND<0.10	ND<0.050	--	--	--	8.80
06/27/07	3000	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	9000	ND<0.10	ND<0.050	--	--	--	4.72
U-3															
06/30/97	--	--	--	--	--	--	--	--	1400	21	--	0.86	190	--	4.10
09/19/97	--	--	--	--	--	--	--	--	570	19	--	ND	75	--	4.20

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph-thylene (µg/l)	Iron Ferrous (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
U-3 continued															
12/12/97	--	--	--	--	--	--	--	--	1900	23	--	0.85	390	--	2.97
03/03/98	--	--	--	--	--	--	--	--	13	36	--	ND	358	--	2.63
06/15/98	--	--	--	--	--	--	--	--	160	33	--	ND	318	--	2.93
09/30/98	--	--	--	--	--	--	--	--	40	31	--	ND	295	--	3.11
12/28/98	--	--	--	--	--	--	--	--	ND	29	--	ND	281	--	3.59
03/22/99	--	--	--	--	--	--	--	--	15	30	--	0.14	310	--	4.02
06/09/99	--	--	--	--	--	--	--	--	ND	26	--	1.2	350	--	3.70
09/08/99	--	--	--	--	--	--	--	--	ND	32.90	--	ND	417	--	3.96
12/07/99	--	--	--	--	--	--	--	--	52	27.90	--	ND	437	--	4.21
03/13/00	--	--	--	--	--	--	--	--	150	33	--	ND	307	--	--
06/21/00	--	--	--	--	--	--	--	--	200	32	--	ND	225	--	4.27
09/27/00	--	--	--	--	--	--	--	307	ND	34	--	15.7	211	--	4.67
12/12/00	--	--	--	--	--	--	--	--	ND	31	--	ND	246	--	4.79
03/07/01	--	--	--	--	--	--	--	--	ND	36.5	--	0.443	251	--	5.16
06/06/01	--	--	--	--	--	--	--	--	ND	8.0	--	0.18	214	--	4.79
09/24/01	--	--	--	--	--	--	--	--	ND<100	23.0	--	ND	198	--	4.27
12/10/01	--	--	--	--	--	--	--	--	ND<100	21	--	0.11	188	--	4.66
03/11/02	--	--	--	--	--	--	--	--	ND<100	30	--	0.14	166	--	5.06
06/04/02	--	--	--	--	--	--	--	--	ND<100	18	--	ND<0.10	151	--	5.79
09/03/02	--	--	--	--	--	--	--	--	ND<100	28	--	ND<0.10	143	--	6.04
12/03/02	--	--	--	--	--	--	--	--	ND<200	20	--	ND<1.0	154	--	5.58
03/04/03	--	--	--	--	--	--	--	--	ND<200	18	--	ND<1.0	-136	--	0.20
06/18/03	--	--	--	--	--	--	--	--	ND<200	17	--	ND<1.0	333	3.5	--
09/24/03	--	ND<500	--	--	--	--	--	--	ND<0.20	18	--	1.4	-50	--	0.60
12/02/03	--	ND<500	--	--	--	--	--	--	ND<200	--	--	--	--	4.28	4.30
03/30/04	--	ND<50	--	--	--	--	--	--	ND<200	16	ND<1.0	--	--	7.75	2.80

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaphthylene (µg/l)	Iron Ferrous (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
U-3 continued															
06/07/04	--	ND<50	--	--	--	--	--	--	ND<200	17	ND<0.20	--	--	4.19	4.70
09/09/04	--	ND<50	--	--	--	--	--	--	ND<10	16	1.2	--	--	4.68	4.75
12/20/04	--	ND<50	--	--	--	--	--	--	ND<0.010	17	ND<1.0	--	--	6.70	3.28
03/28/05	--	ND<50	--	--	--	--	--	--	ND<0.050	17	ND<1.0	--	--	4.21	3.32
06/14/05	--	ND<50	--	--	--	--	--	--	ND<50	18	ND<1.0	--	--	2.97	2.82
09/28/05	--	ND<250	--	--	--	--	--	--	ND<100	4.3	0.66	--	--	6.99	4.96
12/29/05	--	ND<250	--	--	--	--	--	--	ND<100	4.3	0.65	--	--	4.57	3.35
03/27/06	--	ND<250	--	--	--	--	--	--	ND<100	4.5	0.66	--	--	--	2.67
06/12/06	--	ND<250	--	--	--	--	--	--	ND<100	4.4	0.64	--	--	--	3.97
09/21/06	--	ND<250	--	--	--	--	--	--	170	4.4	0.69	--	--	--	2.64
12/21/06	--	ND<250	--	--	--	--	--	--	ND<100	4.5	0.68	--	--	--	--
03/28/07	--	ND<250	--	--	--	--	--	--	ND<100	4.7	0.67	--	--	--	8.10
06/27/07	--	ND<250	--	--	--	--	--	--	ND<100	4.5	0.64	--	--	--	8.72
U-4															
06/30/97	--	--	--	--	--	--	--	--	130	35	--	0.52	200	--	5.40
09/19/97	--	--	--	--	--	--	--	--	350	30	--	ND	45	--	5.10
12/12/97	--	--	--	--	--	--	--	--	680	31	--	0.73	380	--	3.11
03/03/98	--	--	--	--	--	--	--	--	18	3.2	--	ND	284	--	2.94
06/15/98	--	--	--	--	--	--	--	--	140	33	--	ND	256	--	3.08
09/30/98	--	--	--	--	--	--	--	--	49	31	--	ND	276	--	4.05
12/28/98	--	--	--	--	--	--	--	--	360	31	--	ND	280	--	4.57
03/22/99	--	--	--	--	--	--	--	--	ND	30	--	0.14	320	--	4.26
06/09/99	--	--	--	--	--	--	--	--	ND	35	--	0.91	340	--	3.61
09/08/99	--	--	--	--	--	--	--	--	ND	24	--	ND	391	--	3.75
12/07/99	--	--	--	--	--	--	--	--	ND	27.7	--	ND	478	--	4.03
03/13/00	--	--	--	--	--	--	--	--	ND	33	--	ND	244	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaph-thylene	Iron Ferrous	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
U-4 continued															
06/21/00	--	--	--	--	--	--	--	--	34	32	--	ND	248	--	4.89
09/27/00	--	--	--	--	--	--	--	--	ND	28	--	ND	198	--	5.09
12/12/00	--	--	--	--	--	--	--	--	ND	30	--	ND	210	--	4.86
03/07/01	--	--	--	--	--	--	--	--	ND	33.9	--	0.226	233	--	4.97
06/06/01	--	--	--	--	--	--	--	--	ND	7.4	--	0.21	248	--	5.12
09/24/01	--	--	--	--	--	--	--	--	ND<100	24	--	--	262	--	4.86
12/10/01	--	--	--	--	--	--	--	--	ND<100	19	--	0.10	242	--	5.05
03/11/02	--	--	--	--	--	--	--	--	ND<100	31	--	0.14	195	--	4.83
06/04/02	--	--	--	--	--	--	--	--	ND<100	27	--	ND<0.10	169	--	5.58
09/03/02	--	--	--	--	--	--	--	--	ND<100	28	--	0.27	126	--	5.94
12/03/02	--	--	--	--	--	--	--	--	ND<200	20	--	ND<1.0	133	--	5.82
03/04/03	--	--	--	--	--	--	--	--	ND<200	26	--	ND<1.0	-148	--	0.30
06/18/03	--	--	--	--	--	--	--	--	ND<200	31	--	ND<1.0	250	3.6	--
09/24/03	--	ND<500	--	--	--	--	--	--	ND<0.20	17	--	1.5	-24	--	0.20
12/02/03	--	ND<500	--	--	--	--	--	--	ND<200	--	--	--	--	3.45	3.57
03/30/04	--	ND<50	--	--	--	--	--	--	ND<200	25	ND<1.0	--	--	3.84	4.29
06/07/04	--	ND<50	--	--	--	--	--	--	ND<200	24	ND<0.20	--	--	4.02	4.56
09/09/04	--	ND<50	--	--	--	--	--	--	ND<10	22	ND<1.0	--	--	4.09	4.20
12/20/04	--	ND<50	--	--	--	--	--	--	ND<0.010	20	ND<1.0	--	--	6.19	5.11
03/28/05	--	ND<50	--	--	--	--	--	--	0.060	31	ND<1.0	--	--	4.66	4.54
06/14/05	--	ND<50	--	--	--	--	--	--	ND<50	32	ND<1.0	--	--	3.09	3.02
09/28/05	--	ND<250	--	--	--	--	--	--	190	6.8	0.45	--	--	6.59	5.02
12/29/05	--	ND<250	--	--	--	--	--	--	ND<100	5.3	0.37	--	--	5.09	5.03
03/27/06	--	ND<250	--	--	--	--	--	--	ND<100	6.4	0.41	--	--	--	5.51
06/12/06	--	ND<250	--	--	--	--	--	--	2200	6.8	0.39	--	--	--	4.33
09/21/06	--	ND<250	--	--	--	--	--	--	360	5.7	0.43	--	--	--	3.51

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Acenaphthylene ($\mu\text{g/l}$)	Iron Ferrous ($\mu\text{g/l}$)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
U-4 continued															
12/21/06	--	ND<250	--	--	--	--	--	--	ND<100	5.6	0.41	--	--	--	
03/28/07	--	ND<250	--	--	--	--	--	--	ND<100	5.5	0.49	--	--	12.16	
06/27/07	--	ND<250	--	--	--	--	--	--	ND<100	5.3	0.34	--	--	10.42	
U-5															
06/30/97	--	--	--	--	--	--	--	--	16000	ND	--	ND	160	--	3.40
09/19/97	--	--	--	--	--	--	--	--	220	ND	--	ND	63	--	0.60
12/12/97	--	--	--	--	--	--	--	--	6700	ND	--	ND	400	--	1.75
03/03/98	--	--	--	--	--	--	--	--	18000	3.1	--	ND	345	--	2.36
06/15/98	--	--	--	--	--	--	--	--	17000	ND	--	ND	333	--	2.55
09/30/98	--	--	--	--	--	--	--	--	17000	ND	--	ND	318	--	1.93
12/28/98	--	--	--	--	--	--	--	--	17000	6.6	--	ND	305	--	1.64
03/22/99	--	--	--	--	--	--	--	--	120	ND	--	2.4	340	--	1.99
06/09/99	--	--	--	--	--	--	--	--	230	ND	--	ND	320	--	2.10
09/08/99	--	--	--	--	--	--	--	--	2100	ND	--	ND	335	--	2.21
12/07/99	--	--	--	--	--	--	--	--	310	ND	--	ND	408	--	2.66
03/13/00	--	--	--	--	--	--	--	--	330	0.16	--	ND	264	--	--
06/21/00	--	--	--	--	--	--	--	--	150	ND	--	ND	159	--	3.42
09/27/00	--	--	--	--	--	--	--	--	330	ND	--	ND	136	--	3.85
12/12/00	--	--	--	--	--	--	--	--	86	ND	--	ND	122	--	3.53
03/07/01	ND	ND	ND	ND	ND	ND	ND	--	1070	3.02	--	4.00	141	--	2.98
06/06/01	--	--	--	--	--	--	--	--	ND	ND	--	1.2	112	--	2.67
09/24/01	ND<200	ND<4000	ND<10	ND<10	ND<10	ND<10	ND<10	--	ND<100	0.77	--	--	146	--	3.15
12/10/01	--	--	--	--	--	--	--	--	3700	ND<0.50	--	2.6	96	--	2.85
03/11/02	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	100	ND<0.50	--	0.52	108	--	3.15
06/04/02	--	--	--	--	--	--	--	--	ND<250	ND<0.50	--	ND<0.10	118	--	3.46
09/03/02	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	ND<250	ND<0.50	--	ND<0.10	87	--	2.85

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaph-thylene	Iron Ferrous	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
U-5 continued															
12/03/02	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	22000	ND<1.0	--	ND<1.0	104	--	2.71
03/04/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	19000	ND<1.0	--	ND<1.0	-166	--	0.20
06/18/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	11000	ND<1.0	--	ND<1.0	-10	2.4	--
09/24/03	--	ND<500	--	--	--	--	--	--	ND<0.20	18	--	1.8	-28	--	0.30
12/02/03	--	ND<500	--	--	--	--	--	--	9400	--	--	--	--	2.22	2.15
03/30/04	52	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	5900	ND<1.0	ND<1.0	--	--	1.89	1.88
06/07/04	69	ND<50	ND<0.5	ND<0.5	ND<1.0	ND<0.5	ND<0.5	--	3800	ND<0.50	ND<0.20	--	--	1.88	1.92
09/09/04	130	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	4100	ND<1.0	ND<1.0	--	--	2.38	2.58
12/20/04	--	ND<50	--	--	--	--	--	--	5.0	ND<1.0	ND<1.0	--	--	.71	2.01
03/28/05	150	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	6.5	ND<1.0	ND<1.0	--	--	2.02	1.06
06/14/05	160	ND<100	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7400	3.6	ND<1.0	--	--	2.38	2.02
09/28/05	220	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7300	ND<0.50	0.10	--	--	6.94	4.58
12/29/05	280	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7300	ND<0.50	ND<0.050	--	--	2.17	1.99
03/27/06	--	ND<250	--	--	--	--	--	--	6300	ND<0.50	ND<0.050	--	--	--	2.69
06/12/06	--	ND<250	--	--	--	--	--	--	8700	ND<0.20	ND<0.050	--	--	--	2.32
09/21/06	--	ND<250	--	--	--	--	--	--	6800	ND<0.50	ND<0.050	--	--	--	1.37
12/21/06	--	ND<250	--	--	--	--	--	--	15000	ND<0.50	ND<0.050	--	--	--	--
03/28/07	870	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	10000	ND<0.20	ND<0.050	--	--	--	9.09
06/27/07	220	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	10000	ND<0.10	ND<0.050	--	--	--	3.52
U-6															
06/30/97	--	--	--	--	--	--	--	--	88000	0.80	--	ND	190	--	0.30
09/19/97	--	--	--	--	--	--	--	--	2900	1.80	--	ND	ND	--	0.60
12/12/97	--	--	--	--	--	--	--	--	51000	ND	--	ND	380	--	2.70
03/03/98	--	--	--	--	--	--	--	--	60000	3.5	--	ND	327	--	2.18
06/15/98	--	--	--	--	--	--	--	--	590000	4.8	--	ND	315	--	2.48
09/30/98	--	--	--	--	--	--	--	--	33000	ND	--	ND	345	--	3.06

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaph-thylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
U-6 continued															
12/28/98	--	--	--	--	--	--	--	--	83000	7.2	--	ND	297	--	3.42
03/22/99	--	--	--	--	--	--	--	--	2100	ND	--	0.98	330	--	3.88
06/09/99	--	--	--	--	--	--	--	--	470	0.20	--	ND	320	--	3.29
09/08/99	--	--	--	--	--	--	--	--	140	5.59	--	ND	305	--	3.12
12/07/99	--	--	--	--	--	--	--	--	260	ND	--	ND	443	--	3.44
03/13/00	--	--	--	--	--	--	--	--	790	0.26	--	ND	222	--	--
06/21/00	--	--	--	--	--	--	--	--	1900	ND	--	ND	159	--	3.27
09/27/00	--	--	--	--	--	--	--	--	2600	ND	--	ND	170	--	3.49
12/12/00	--	--	--	--	--	--	--	--	ND	2.7	--	ND	128	--	3.06
03/07/01	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--
06/06/01	ND	ND	ND	ND	ND	ND	ND	--	470	0.15	--	0.70	97	--	2.46
09/24/01	ND<2000	ND<40000	ND<100	ND<100	ND<100	ND<100	ND<100	--	ND<100	0.58	--	--	123	--	3.10
12/10/01	ND<200	ND<400	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	990	0.50	--	2.0	112	--	2.57
03/11/02	ND<400	ND<2000	ND<8.0	ND<8.0	ND<8.0	ND<8.0	ND<8.0	--	1200	ND<0.50	--	0.089	128	--	3.03
06/04/02	--	--	--	--	--	--	--	--	ND<100	ND<0.50	--	ND<1.0	97	--	2.84
09/03/02	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	ND<100	0.58	--	1.1	110	--	3.12
12/03/02	ND<1000	ND<5000	ND<20	ND<20	ND<20	ND<20	ND<20	--	1200	ND<1.0	--	2.6	95	--	2.96
03/04/03	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	20000	ND<1.0	--	ND<1.0	-112	--	0.30
06/18/03	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	3200	ND<1.0	--	2.0	-15	3.2	--
09/24/03	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	1.4	ND<1.0	--	4.6	-12	--	0.30
12/02/03	--	ND<10000	--	--	--	--	--	--	1400	--	--	--	--	3.10	2.53
03/30/04	770	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	--	2600	ND<1.0	ND<1.0	--	--	3.61	1.88
06/07/04	110	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	--	2100	0.8	ND<0.20	--	--	2.43	2.90
09/09/04	1900	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	--	870	ND<1.0	3.8	--	--	2.84	2.96
12/20/04	5000	ND<250	ND<2.5	ND<2.5	ND<5.0	ND<2.5	ND<2.5	--	2.5	ND<1.0	ND<1.0	--	--	--	--
03/28/05	990	--	ND<2.5	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.4	ND<1.0	ND<1.0	--	--	3.18	2.57

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph-thylene (µg/l)	Iron Ferrou (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
U-6 continued															
06/14/05	ND<5.0	ND<100	ND<0.5	ND<0.5	ND<0.50	ND<0.50	ND<0.50	--	4100	3.8	ND<1.0	--	--	4.02	4.20
09/28/05	3800	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	21000	ND<0.20	3.4	--	--	7.93	6.82
12/29/05	1100	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	8300	0.48	ND<0.050	--	--	1.49	3.56
03/27/06	--	ND<250	--	--	--	--	--	--	8800	0.37	0.19	--	--	--	1.33
06/12/06	--	ND<250	--	--	--	--	--	--	8500	0.23	ND<0.050	--	--	--	1.32
09/21/06	--	ND<250	--	--	--	--	--	--	2900	0.19	0.31	--	--	--	2.07
12/21/06	--	ND<250	--	--	--	--	--	--	11000	0.36	0.41	--	--	--	--
03/28/07	--	ND<250	--	--	--	--	--	--	ND<100	0.55	0.31	--	--	--	7.37

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	Pre-purge ORP (mV)	Post-purge ORP (mV)
U-1		
12/02/03	-72	-73
03/30/04	-40	-54
06/07/04	-32	-48
12/20/04	--	32
03/28/05	124	138
06/14/05	-145	-177
09/28/05	-065	-160
12/29/05	-310	-508
03/27/06	-667	--
06/12/06	-229	--
09/21/06	-110	--
12/21/06	-102	--
03/28/07	-93	--
06/27/07	-106	--
U-2		
12/02/03	-29	-67
03/30/04	-6	--
06/07/04	-8	7
09/09/04	-74	-79
12/20/04	-84	-72
03/28/05	118	140
06/14/05	-155	-206
09/28/05	-100	-179
12/29/05	-578	-484
03/27/06	-1334	--
06/12/06	-130	--

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	Pre-purge ORP (mV)	Post-purge ORP (mV)
U-2 continued		
09/21/06	-18	--
12/21/06	-92	--
03/28/07	-97	--
06/27/07	-105	--
U-3		
12/02/03	97	105
03/30/04	-38	12
06/07/04	23	42
09/09/04	14	21
12/20/04	45	32
03/28/05	145	137
06/14/05	90	86
09/28/05	-068	-060
12/29/05	-802	-1132
03/27/06	-1588	--
06/12/06	77	--
09/21/06	-33	--
12/21/06	85	--
03/28/07	-10	--
06/27/07	111	--
U-4		
12/02/03	107	102
03/30/04	19	42
06/07/04	27	15
09/09/04	-26	-8
12/20/04	84	77


Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	Pre-purge ORP	Post-purge ORP
	(mV)	(mV)
U-4 continued		
03/28/05	163	130
06/14/05	78	88
09/28/05	099	082
12/29/05	-628	-632
03/27/06	-1000	--
06/12/06	102	--
09/21/06	152	--
12/21/06	90	--
03/28/07	144	--
06/27/07	115	--
U-5		
12/02/03	-39	-39
03/30/04	-19	-37
06/07/04	-15	-31
09/09/04	-41	-67
12/20/04	-65	-72
03/28/05	132	133
06/14/05	-163	-168
09/28/05	-126	-125
12/29/05	-416	-411
03/27/06	-585	--
06/12/06	-236	--
09/21/06	-125	--
12/21/06	-109	--
03/28/07	-97	--
06/27/07	-101	--

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

Date Sampled	Pre-purge ORP (mV)	Post-purge ORP (mV)
U-6		
12/02/03	-99	-74
03/30/04	-28	-33
06/07/04	-32	-62
09/09/04	-89	--
03/28/05	84	96
06/14/05	-158	-175
09/28/05	-028	-141
12/29/05	-480	-548
03/27/06	-953	--
06/12/06	-234	--
09/21/06	-113	--
12/21/06	-132	--
03/28/07	-36	--

FIGURES



0 1/4 1/2 3/4 1 MILE

SCALE 1:24,000



SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
Oakland West Quadrangle



QUADRANGLE LOCATION

PROJECT: 125703

FACILITY:

76 STATION 5325
3220 LAKESHORE AVENUE
OAKLAND, CALIFORNIA

VICINITY MAP




FIGURE 1

LEGEND

U-6 Monitoring Well with Groundwater Elevation (feet)

3.00 — Groundwater Elevation Contour

→ General Direction of Groundwater Flow



NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells.
Elevations are in feet above mean sea level. NA = not analyzed, measured, or collected.
UST = underground storage tank.


SCALE (FEET)



LEGEND

U-6 Monitoring Well with Dissolved-Phase
TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)

—10,000— Dissolved-Phase TPH-G (GC/MS)
Contour ($\mu\text{g/l}$)



NOTES:


Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. () = representative historical value. UST = underground storage tank.

SCALE (FEET)



LEGEND


- U-6 Monitoring Well with
Dissolved-Phase Benzene
Concentration ($\mu\text{g/l}$)
- 10 — Dissolved-Phase Benzene
Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
() = representative historical value. UST = underground storage tank.

SCALE (FEET)



PROJECT: 125703

FACILITY:
76 STATION 5325
3220 LAKESHORE AVENUE
OAKLAND, CALIFORNIA


DISSOLVED-PHASE BENZENE
CONCENTRATION MAP
June 27, 2007

FIGURE 4

LEGEND

U-6 Monitoring Well with
Dissolved-Phase MTBE
Concentration ($\mu\text{g/l}$)

— 1,000 — Dissolved-Phase MTBE
Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
MTBE = methyl tertiary butyl ether. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit
indicated on official laboratory report. () = representative historical value. UST = underground
storage tank. Results obtained using EPA Method 8260B.

SCALE (FEET)



DISSOLVED-PHASE MTBE
CONCENTRATION MAP
June 27, 2007




PROJECT: 125703

FACILITY:
76 STATION 5325
3220 LAKESHORE AVENUE
OAKLAND, CALIFORNIA

FIGURE 5


GRAPHS

Groundwater Elevations vs. Time
76 Station 5325




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5325



Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 5325



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRS are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: Chris

Job #/Task #: 126703

Date: 6-2707

Site # 5325

Project Manager Keith Woodburne

Page 1 of 1

FIELD DATA COMPLETE

9A/9C

606

WELL BOX CONDITION SHEETS

WTI CERTIFICATE

MANIFEST

~~DRUM INVENTORY~~

TRAFFIC CONTROL

GROUNDWATER SAMPLING FIELD NOTES

Technician: Chris

Site: 5325

Project No.: 125703

Date: 6-27-07

Well No. U-3

Purge Method: DIA

Depth to Water (feet): 10.93

Depth to Product (feet): _____

Total Depth (feet) 19.36

LPH & Water Recovered (gallons): _____

Water Column (feet): 8.43

Casing Diameter (Inches): 3"

80% Recharge Depth(feet): 12.61

1 Well Volume (gallons): 3

Well No. U-4

Purge Method: DIA

Depth to Water (feet) 8.78

Depth to Product (feet): _____

Total Depth (feet) 14,56

LPH & Water Recovered (gallons): _____

80% Recharge Depth(feet) 10.93

1 Well Volume (gallons): 7

GROUNDWATER SAMPLING FIELD NOTES

Technician: Chm's

Site: 5325

Project No.: 4 125703

Date: 6-27-07

Well No. V-5

Purge Method: DIA

Depth to Water (feet): 441

Depth to Product (feet) _____

Total Depth (feet) 20.06

LPH & Water Recovered (gallons)

Water Column (feet): 15.65

Casing Diameter (Inches): 4¹/₂

80% Recharge Depth(feet) 7.54

1 Well Volume (gallons): 10

Well No. V-1

Purge Method: DIA

Depth to Water (feet): 5.39

Depth to Product (feet): _____

Total Depth (feet) 13.2

LPH & Water Recovered (gallons): _____

Water Column (feet) 2.82

Casing Diameter (Inches) 3

GROUNDWATER SAMPLING FIELD NOTES

Technician: Chris

Site: 5325

Project No.: 125703

Date: 6-27-07

Well No. U-2

Purge Method: DIA

Depth to Water (feet): 4.80

Depth to Product (feet): —

Total Depth (feet) 19.98

LPH & Water Recovered (gallons): —

Water Column (feet) 15.18

Casing Diameter (Inches): 3"

80% Recharge Depth(feet) 7.83

1 Well Volume (gallons): 6

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
1020			6	1343	20.8	6.46	4.72	-105	
1024			12	1466	20.6	6.58	4.08	-107	
			18						
Static at Time Sampled			Total Gallons Purged			Sample Time			
12.25			13			1227			

Comments: Pumped out ~~from~~ in order Does not recover in 2 hours. Dry cut 13 gal.
1115-13:41 did not recover in 45 min. Didn't recover in 2 hrs.

Well No. _____

Purge Method: _____

Depth to Water (feet): _____

Depth to Product (feet): _____

Total Depth (feet) _____

LPH & Water Recovered (gallons): _____

Water Column (feet): _____

Casing Diameler (Inches): _____

80% Recharge Depth(feet): _____

1 Well Volume (gallons): _____

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
Static at Time Sampled			Total Gallons Purged			Sample Time			

Comments: _____

STATEMENT OF NON-COMPLETION OF JOB

DATE OF EVENT: 6-27-07 STATION NUMBER: 5325

NAME OF TECH: Chris CALLED GORDON: _____

CALLED PM: X NAME OF PM CALLED: A. Collins

WELL NUMBER: U-6 STATEMENT FROM PM _____ OR TECH X

Dumpster over well in meter parking spots

WELL NUMBER: _____ STATEMENT FROM PM _____ OR TECH _____

WELL NUMBER: _____ STATEMENT FROM PM _____ OR TECH _____

WELL NUMBER: _____ STATEMENT FROM PM _____ OR TECH _____



LABORATORIES, INC.

Date of Report: 07/16/2007

Anju Farfan


TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

RE: 5325

BC Work Order: 0707359

Enclosed are the results of analyses for samples received by the laboratory on 06/27/2007 21:10. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Contact Person: Vanessa Hooker
Client Service Rep

A horizontal line intended for an authorized signature. A handwritten signature is present at the end of the line.

Authorized Signature



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information				
0707359-01	COC Number: --- Project Number: 5325 Sampling Location: U-5 Sampling Point: U-5 Sampled By: Chris of TRCI	Receive Date: 06/27/2007 21:10 Sampling Date: 06/27/2007 11:10 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101463 Matrix: W Samle QC Type (SACode): CS Cooler ID:		
0707359-02	COC Number: --- Project Number: 5325 Sampling Location: U-3 Sampling Point: U-3 Sampled By: Chris of TRCI	Receive Date: 06/27/2007 21:10 Sampling Date: 06/27/2007 11:22 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101463 Matrix: W Samle QC Type (SACode): CS Cooler ID:		
0707359-03	COC Number: --- Project Number: 5325 Sampling Location: U-4 Sampling Point: U-4 Sampled By: Chris of TRCI	Receive Date: 06/27/2007 21:10 Sampling Date: 06/27/2007 12:18 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101463 Matrix: W Samle QC Type (SACode): CS Cooler ID:		
0707359-04	COC Number: --- Project Number: 5325 Sampling Location: U-1 Sampling Point: U-1 Sampled By: Chris of TRCI	Receive Date: 06/27/2007 21:10 Sampling Date: 06/27/2007 11:35 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101463 Matrix: W Samle QC Type (SACode): CS Cooler ID:		
0707359-05	COC Number: --- Project Number: 5325 Sampling Location: U-2 Sampling Point: U-2 Sampled By: TRCI	Receive Date: 06/27/2007 21:10 Sampling Date: 06/27/2007 12:27 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101463 Matrix: W Samle QC Type (SACode): CS Cooler ID:		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0707359-01	Client Sample Name: 5325, U-5, U-5, 6/27/2007 11:10:00AM, Chris										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Benzene	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
Ethylbenzene	2.4	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
Methyl t-butyl ether	18	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
Toluene	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
Total Xylenes	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
t-Butyl alcohol	220	ug/L	10		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
Ethanol	ND	ug/L	250		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
Total Purgeable Petroleum Hydrocarbons	210	ug/L	50		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	ND
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	
4-Bromofluorobenzene (Surrogate)	104	%	86 - 115 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 14:05	DKC	MS-V12	1	BQG0076	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Water Analysis (General Chemistry)

BCL Sample ID:	Client Sample Name: 5325, U-5, U-5, 6/27/2007 11:10:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Instr-	QC	MB	Lab	
						Date	Date/Time	ment ID				Quals
Nitrate as N	ND	mg/L	0.10	EPA-300.0	06/28/07	06/28/07 10:54	LMB	IC1	1	BQF1338	ND	
Iron (II) Species	10000	ug/L	500	SM-3500-Fe	06/28/07	06/28/07 13:30	SLC	SPEC05	5	BQF1425	ND	A01
ortho-Phosphate	ND	mg/L	0.050	EPA-365.1	06/28/07	06/28/07 09:46	TDC	KONE-1	1	BQG0094	ND	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	Client Sample Name: 5325, U-3, U-3, 6/27/2007 11:22:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	MB Batch ID	Lab Quals	
Benzene	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	ND
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	ND
Toluene	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	ND
Total Xylenes	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	ND
Ethanol	ND	ug/L	250		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	ND
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	
Toluene-d8 (Surrogate)	99.2	%	88 - 110 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 14:29	DKC	MS-V12	1	BQG0076	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Water Analysis (General Chemistry)

BCL Sample ID:	Client Sample Name: 5325, U-3, U-3, 6/27/2007 11:22:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Nitrate as N	4.5	mg/L	0.10		EPA-300.0	06/28/07	06/28/07 11:08	LMB	IC1	1	BQF1339	ND
Iron (II) Species	ND	ug/L	100		SM-3500-F _e	06/28/07	06/28/07 13:30	SLC	SPEC05	1	BQF1425	ND
ortho-Phosphate	0.64	mg/L	0.050		EPA-365.1	06/28/07	06/28/07 09:46	TDC	KONE-1	1	BQG0094	ND



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0707359-03	Client Sample Name: 5325, U-4, U-4, 6/27/2007 12:18:00PM, Chris										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	QC	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	ND
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	ND
Toluene	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	ND
Total Xylenes	ND	ug/L	0.50		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	ND
Ethanol	ND	ug/L	250		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	ND
1,2-Dichloroethane-d4 (Surrogate)	100	%	76 - 114 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	
Toluene-d8 (Surrogate)	99.0	%	88 - 110 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 14:53	DKC	MS-V12	1	BQG0076	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Water Analysis (General Chemistry)

BCL Sample ID:		Client Sample Name: 5325, U-4, U-4, 6/27/2007 12:18:00PM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	MB Batch ID	Lab Bias	Quals	
Nitrate as N	5.3	mg/L	0.10		EPA-300.0	06/28/07	06/28/07 11:23	LMB	IC1	1	BQF1339	ND	
Iron (II) Species	ND	ug/L	100		SM-3500-Fe	06/28/07	06/28/07 13:30	SLC	SPEC05	1	BQF1425	ND	
ortho-Phosphate	0.34	mg/L	0.050		EPA-365.1	06/28/07	06/28/07 09:46	TDC	KONE-1	1	BQG0094	ND	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0707359-04	Client Sample Name: 5325, U-1, U-1, 6/27/2007 11:35:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Benzene	2.8	ug/L	2.5		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
1,2-Dibromoethane	ND	ug/L	2.5		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
1,2-Dichloroethane	ND	ug/L	2.5		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
Ethylbenzene	960	ug/L	5.0		EPA-8260	07/02/07	07/03/07 11:05	DKC	MS-V12	10	BQG0076	ND	A01
Methyl t-butyl ether	79	ug/L	2.5		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
Toluene	ND	ug/L	2.5		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
Total Xylenes	1300	ug/L	5.0		EPA-8260	07/02/07	07/03/07 11:05	DKC	MS-V12	10	BQG0076	ND	A01
t-Amyl Methyl ether	ND	ug/L	2.5		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
t-Butyl alcohol	1500	ug/L	50		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
Diisopropyl ether	ND	ug/L	2.5		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
Ethanol	ND	ug/L	1200		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
Ethyl t-butyl ether	ND	ug/L	2.5		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076	ND	A01
Total Purgeable Petroleum Hydrocarbons	13000	ug/L	500		EPA-8260	07/02/07	07/03/07 11:05	DKC	MS-V12	10	BQG0076	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076		
1,2-Dichloroethane-d4 (Surrogate)	96.6	%	76 - 114 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 11:05	DKC	MS-V12	10	BQG0076		
Toluene-d8 (Surrogate)	99.0	%	88 - 110 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 11:05	DKC	MS-V12	10	BQG0076		
Toluene-d8 (Surrogate)	97.4	%	88 - 110 (LCL - UCL)		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076		
4-Bromofluorobenzene (Surrogate)	98.3	%	86 - 115 (LCL - UCL)		EPA-8260	07/02/07	07/04/07 17:57	DKC	MS-V12	5	BQG0076		
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	07/02/07	07/03/07 11:05	DKC	MS-V12	10	BQG0076		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Water Analysis (General Chemistry)

BCL Sample ID:	Client Sample Name: 5325, U-1, U-1, 6/27/2007 11:35:00AM, Chris											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Quals	
Nitrate as N	ND	mg/L	0.10		EPA-300.0	06/28/07	06/28/07 11:37	LMB	IC1	1	BQF1339	ND
Iron (II) Species	35000	ug/L	1000		SM-3500-Fe	06/28/07	06/28/07 13:30	SLC	SPEC05	10	BQF1425	ND
ortho-Phosphate	0.065	mg/L	0.050		EPA-365.1	06/28/07	06/28/07 09:46	TDC	KONE-1	1	BQG0094	ND



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	Client Sample Name: 5325, U-2, U-2, 6/27/2007 12:27:00PM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Benzene	94	ug/L	5.0		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
1,2-Dibromoethane	ND	ug/L	5.0		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
1,2-Dichloroethane	ND	ug/L	5.0		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
Ethylbenzene	640	ug/L	5.0		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
Methyl t-butyl ether	1100	ug/L	10		EPA-8260	07/02/07	07/06/07 08:39	DKC	MS-V12	20	BQG0076	ND A01
Toluene	ND	ug/L	5.0		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
Total Xylenes	7.1	ug/L	5.0		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
t-Amyl Methyl ether	ND	ug/L	5.0		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
t-Butyl alcohol	3000	ug/L	100		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
Diisopropyl ether	ND	ug/L	5.0		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
Ethanol	ND	ug/L	2500		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
Ethyl t-butyl ether	ND	ug/L	5.0		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
Total Purgeable Petroleum Hydrocarbons	5100	ug/L	500		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	ND A01
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	07/02/07	07/06/07 08:39	DKC	MS-V12	20	BQG0076	
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	07/02/07	07/06/07 08:39	DKC	MS-V12	20	BQG0076	
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	07/02/07	07/06/07 08:39	DKC	MS-V12	20	BQG0076	
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	07/02/07	07/04/07 17:09	DKC	MS-V12	10	BQG0076	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Water Analysis (General Chemistry)

BCL Sample ID:	Client Sample Name: 5325, U-2, U-2, 6/27/2007 12:27:00PM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Nitrate as N	ND	mg/L	0.10		EPA-300.0	06/28/07	06/28/07 11:51	LMB	IC1	1	BQF1339	ND
Iron (II) Species	9000	ug/L	200		SM-3500-Fe	06/28/07	06/28/07 13:30	SLC	SPEC05	2	BQF1425	ND
ortho-Phosphate	ND	mg/L	0.050		EPA-365.1	06/28/07	06/28/07 09:46	TDC	KONE-1	1	BQG0094	ND



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Benzene	BQG0076	Matrix Spike	0706047-51	0	28.210	25.000	ug/L	113	70 - 130	20	70 - 130
		Matrix Spike Duplicate	0706047-51	0	27.680	25.000	ug/L	1.8	111		
Toluene	BQG0076	Matrix Spike	0706047-51	0	29.030	25.000	ug/L	116	70 - 130	20	70 - 130
		Matrix Spike Duplicate	0706047-51	0	28.480	25.000	ug/L	1.7	114		
1,2-Dichloroethane-d4 (Surrogate)	BQG0076	Matrix Spike	0706047-51	ND	9.8100	10.000	ug/L	98.1	76 - 114	20	76 - 114
		Matrix Spike Duplicate	0706047-51	ND	9.7000	10.000	ug/L	97.0	76 - 114		
Toluene-d8 (Surrogate)	BQG0076	Matrix Spike	0706047-51	ND	10.040	10.000	ug/L	100	88 - 110	20	88 - 110
		Matrix Spike Duplicate	0706047-51	ND	10.090	10.000	ug/L	101	88 - 110		
4-Bromofluorobenzene (Surrogate)	BQG0076	Matrix Spike	0706047-51	ND	9.9700	10.000	ug/L	99.7	86 - 115	20	86 - 115
		Matrix Spike Duplicate	0706047-51	ND	10.000	10.000	ug/L	100	86 - 115		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Water Analysis (General Chemistry)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Nitrate as N	BQF1338	Duplicate	0707339-01	9.7560	9.7930		mg/L	0.4	100	10	80 - 120
		Matrix Spike	0707339-01	9.7560	14.827	5.0505	mg/L	0.8	99.2	10	80 - 120
		Matrix Spike Duplicate	0707339-01	9.7560	14.765	5.0505	mg/L	3.7	99.5	10	80 - 120
Nitrate as N	BQF1339	Duplicate	0707354-01	0.068000	ND		mg/L		100	10	80 - 120
		Matrix Spike	0707354-01	0.068000	4.9101	5.0505	mg/L		95.9	10	80 - 120
		Matrix Spike Duplicate	0707354-01	0.068000	5.0929	5.0505	mg/L	0	100	10	80 - 120
Iron (II) Species	BQF1425	Duplicate	0707281-01	234.04	234.04		ug/L	0	100	10	
ortho-Phosphate	BQG0094	Duplicate	0707332-11	2.1058	2.0900		mg/L	0.8	101	10	A01
		Matrix Spike	0707332-11	2.1058	5.3603	3.2274	mg/L	0	101	10	A01
		Matrix Spike Duplicate	0707332-11	2.1058	5.3676	3.2274	mg/L	0	101	10	A01



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Control Limits				
								Percent Recovery	RPD	Percent Recovery	RPD	Lab Quals
Benzene	BQG0076	BQG0076-BS1	LCS	25.720	25.000	0.50	ug/L	103		70 - 130		
Toluene	BQG0076	BQG0076-BS1	LCS	25.430	25.000	0.50	ug/L	102		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BQG0076	BQG0076-BS1	LCS	10.140	10.000		ug/L	101		76 - 114		
Toluene-d8 (Surrogate)	BQG0076	BQG0076-BS1	LCS	10.060	10.000		ug/L	101		88 - 110		
4-Bromofluorobenzene (Surrogate)	BQG0076	BQG0076-BS1	LCS	10.210	10.000		ug/L	102		86 - 115		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Water Analysis (General Chemistry)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Control Limits			
								Percent Recovery	RPD	Percent Recovery	RPD
Nitrate as N	BQF1338	BQF1338-BS1	LCS	5.0150	5.0000	2.0	mg/L	100		90 - 110	
Nitrate as N	BQF1339	BQF1339-BS1	LCS	4.9960	5.0000	2.0	mg/L	99.9		90 - 110	
Iron (II) Species	BQF1425	BQF1425-BS1	LCS	1994.2	2000.0	100	ug/L	99.7		90 - 110	
ortho-Phosphate	BQG0094	BQG0094-BS1	LCS	0.58488	0.61320	0.050	mg/L	95.4		90 - 110	



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
Ethylbenzene	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
Toluene	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
Total Xylenes	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
t-Amyl Methyl ether	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BQG0076	BQG0076-BLK1	ND	ug/L	10		
Diisopropyl ether	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
Ethanol	BQG0076	BQG0076-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BQG0076	BQG0076-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BQG0076	BQG0076-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BQG0076	BQG0076-BLK1	96.2	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BQG0076	BQG0076-BLK1	98.1	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BQG0076	BQG0076-BLK1	98.6	%	86 - 115 (LCL - UCL)		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Water Analysis (General Chemistry)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Nitrate as N	BQF1338	BQF1338-BLK1	ND	mg/L	2.0		
Nitrate as N	BQF1339	BQF1339-BLK1	ND	mg/L	2.0		
Iron (II) Species	BQF1425	BQF1425-BLK1	ND	ug/L	100		
ortho-Phosphate	BQG0094	BQG0094-BLK1	ND	mg/L	0.050		



LABORATORIES, INC.

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5325
Project Number: [none]
Project Manager: Anju Farfan

Reported: 07/16/2007 13:06

Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A01	PQL's and MDL's are raised due to sample dilution.

Submission #: 07-07359 Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER

Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____Custody Seals Ice Chest Containers None Comments:
 Intact? Yes No Intact? Yes No All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No COC Received
 YES NOIce Chest ID B10
 Temperature: 3.6 °C
 Thermometer ID: #48Emissivity 0.98
 Container PtfeDate/Time 6/27/07
 Analyst Init OTO

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED	C	C	C	C	C					
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PtA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK	A3	A3	A3	A3	A3	()	()	()	()	()
40ml VOA VIAL										
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 801SM										
QT QA/QC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG	B	B	B	B	B					
FERROUS IRON										
ENCORE										

Comments: _____

Sample Numbering Completed By: OTO Date/Time: 6/27/07 2300 [H:\DOCS\WP80\LAB_DOCS\FORMS\SAMREC2.WPD]

SHORT HOLDING TIME			
Cr ⁺⁶	NO ₂	NO ₃	OP SS
DO	Cl ₂	BOD	MBAS COT

CHK BY	DISTRIBUTION
<i>fine</i>	<i>NRK/BS</i>
SUB-OUT	

BC LABORATORIES, INC.

4100 Atlas Court □ Bakersfield, CA 93308
(661) 327-4911 □ FAX (661) 327-1918

Page 1 of 1

CHAIN OF CUSTODY

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015 TPH GAS by 8015M TPH DIESEL by 8015	8260 full list w/ oxygenates BTEX/MTBE BY 8260B ETHANOL by 8260B TPH -G by GC/MS	Nitrate, Ortho-Phosphate, Ferrous Iron	Turnaround Time Requested					
Address: <i>3220 Lakeshore Ave</i>		21 Techology Drive Irvine, CA 92618-2302 Attn: Anju Farfan											
City: Oakland		4-digit site#: 5325											
State: CA Zip:		Workorder #: <i>01914-4507923077</i>											
Conoco Phillips Mgr: <i>Eric Hetrick</i>		Project #: <i>125703/00FA20</i>											
Sampler Name: <i>Chris</i>													
Lab#	Sample Description	Field Point Name	Date & Time Sampled										
-1	U-6		06-27-07 1110										
-2	U-3												
-3	U-4												
-4	U-1												
-5	U-2												

Comments: "Run 8 OXYS by 8260 on all MTBE hits"

GLOBAL ID: *T0600101463*

Relinquished by: (Signature)

Relinquished by: (Signature)

Relinquished by: (Signature)

Received by:

Rosie Dickey

Received by:

Rosie Dickey

Received by:

Rosie Dickey

Date & Time

06/27/07 1300

Date & Time

06/27/07 1430

Date & Time

06/27/07 1800

(A) = ANALYSIS

(C) = CONTAINER

(P) = PRESERVATIVE

Rosie Dickey 6/27/07 2110

Teni Obaten 6/27/07 2110

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.