



76 Broadway  
Sacramento, California 95818

RECEIVED

1:56 pm, Apr 01, 2009

Alameda County  
Environmental Health

March 28, 2008

Ms. Donna Drogos  
Alameda County Health Agency  
1131 Harbor Bay Parkway  
Alameda, California 94502

Re: Quarterly Summary Report – 4<sup>th</sup> Quarter 2007  
76 Service Station #5325  
3220 Lakeshore Avenue  
Oakland, California

Dear Ms. Drogos:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at (916) 558-7612.

Sincerely,

A handwritten signature in black ink that reads "Bill Borgh".

Bill Borgh  
Site Manager – Risk Management and Remediation

Attachment

March 3, 2008

Ms. Donna Drogos  
Supervising Hazardous Materials Specialist  
Alameda County Health Care Services  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577

**Re: Quarterly Summary Report – Fourth Quarter 2007**  
76 Service Station No. 5325  
3220 Lakeshore Avenue  
Oakland, California



Dear Ms. Drogos,

On behalf of ConocoPhillips Company (ConocoPhillips), Delta Consultants (Delta) is submitting the subject report and forwarding a copy of TRC's *Quarterly Monitoring Report October through December 2007* dated January 18, 2008 for the above site. TRC has uploaded a copy of their report to the GeoTracker database.


Please contact me at (916) 503-1260 if you have questions.

Sincerely,  
**Delta Consultants**

A handwritten signature in black ink, appearing to read "Daniel J. Davis".

Daniel J. Davis, R.G.  
Senior Project Manager

Enclosure



cc: Mr. Bill Borgh- ConocoPhillips (electronic copy only)

a member of:



**QUARTERLY SUMMARY REPORT**  
**Fourth Quarter 2007**

76 Service Station No. 5325  
3220 Lakeshore Avenue  
Oakland, California

County: Alameda

**SITE DESCRIPTION**

The site, an operating 76 Service Station located on the southeast corner of the intersection of Lakeshore Avenue and Lake Park Avenue in Oakland, California. The site is bounded to the north by Lakeshore Avenue, to the west and southwest by Lake Park Avenue, to the southeast by a supermarket parking lot, and to the east by a pharmacy. Current site facilities consist of the service station building with three service bays, three product dispenser islands, and two 12,000-gallon double-wall fiberglass gasoline underground storage tanks (USTs).

**SITE BACKGROUND AND ACTIVITY**

May 1990: Three exploratory soil borings (U-A, U-B, and U-C) were advanced adjacent to the UST complex to depths ranging from 10 to 12.5 feet below ground surface (bgs). Soil samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-G) and benzene, toluene, ethylbenzene, and xylenes (BTEX). The samples contained TPH-G concentrations ranging from 2 to 7,500 parts per million (ppm) and benzene concentrations ranging from 0.14 to 13 ppm.

June 1990: Two 10,000-gallon gasoline USTs, one 550-gallon waste oil UST, and related product dispensers were replaced. Soil samples from the UST excavation sidewalls and bottom and product line trenches were reported to contain TPH-G and benzene at concentrations ranging from 12 to 2,800 ppm and 0.008 to 11 ppm, respectively. Approximately 250 cubic yards of soil and backfill material were aerated onsite to reduce concentrations to below 100 ppm TPH-G, then transported to an appropriate soil disposal facility. Groundwater was encountered at approximately 7.5 feet bgs.

September 1990: Monitoring wells U-1, U-2, and U-3 were installed. TPH-G was detected in soil samples collected from the capillary fringe in well borings U-1 and U-2 at levels of 110 and 480 ppm, respectively. Benzene was detected in the soil sample from well boring U-1 at a level of 4.5 ppm. Petroleum hydrocarbons were not detected in soil or groundwater samples from U-3. Groundwater samples collected from wells U-1 and U-2 were reported to contain 690 and 38 parts per billion (ppb) TPH-G and 780 and 27 ppb benzene, respectively.

June 1990: Monitoring wells U-4, U-5, and U-6 were installed. TPH-G and benzene were detected in the capillary fringe soil sample collected from boring U-5 at levels of 400 ppm and 1.9 ppm, respectively. TPH-G and benzene were not detected in soil samples collected from borings U-4 and U-6. Groundwater levels stabilized at depths between 8.8 and 9.2 feet bgs.

November 1996: One 550-gallon waste oil UST was removed and the product lines and dispensers were replaced. A soil sample collected from the sidewall of the waste oil UST excavation contained 1.5 ppm total petroleum hydrocarbons as diesel (TPH-D) and 78 ppm total oil and grease (TOG). TPH-G, benzene, methyl tertiary butyl ether (MTBE), halogenated volatile organic compounds (HVOCs), and semivolatile organic compounds (SVOCs) were not detected. Product line trench excavation and over excavation samples were reported to contain petroleum hydrocarbon levels ranging from non-detect to 880 ppm TPH-G, non-detect to 3.6 ppm benzene, and non-detect to 23 ppm MTBE. Approximately 276 tons of excavated soil was transported to an appropriate disposal facility.

June 1997: Two exploratory borings (U-D and U-E) and one UST observation well were installed. U-D was advanced offsite on Lakeshore Avenue. TPH-G, BTEX, and MTBE were detected in one or all of the soil samples collected at the capillary fringe from the soil borings. TPH-G and MTBE were detected at a maximum of 450 ppm and 1.1 ppm, respectively, in U-D.

October 2003: Site environmental consulting responsibilities were transferred to TRC.

April 2006: Three ozone sparge wells (C-1 through C-3) were installed by TRC in the vicinity of U-2 for the purpose of an ozone pilot study. Total purgeable petroleum hydrocarbons (TPPH) were detected at a maximum of 4,600 milligrams per kilograms (mg/kg) in the five feet below grade (fbg) soil sample collected from C-1.

October 2007: Site environmental consulting responsibilities were transferred to Delta Consultants.

## **SENSITIVE RECEPTORS**

Lake Merritt is located approximately 0.3 miles down gradient. No domestic wells are located within a one mile radius of the site.

## **GROUNDWATER MONITORING AND SAMPLING**

The groundwater monitoring well network, consisting of five onsite and one offsite monitoring wells, has been monitored and sampled on a quarterly basis since August 1990. During the most recent groundwater sampling event conducted on December 27, 2007, reported depth to groundwater ranged from 5.8 feet (U-2) to 10.93 feet (U-3) below top of casing (TOC).

The groundwater flow direction was reported northwest at a gradient of 0.02. This is inconsistent with a gradient of 0.02 southwest during the previous sampling event (September 26, 2007). Reported historical groundwater flow direction has been primarily to the northwest.

Dissolved groundwater concentrations are reported as follows.

**TPH-G** Detected in three of the six sampled wells with a maximum concentration of 5,900 µg/L in well U-1. This is a decrease from a maximum concentration of 6,900 µg/L in well U-1 during the previous sampling event.

**Benzene** Detected in one of the six sampled wells with a maximum concentration of 21 µg/L in well U-2. This is a decrease from a maximum concentration of 54 µg/L in well U-2 during the previous sampling event.

**MTBE** Detected in five of the six sampled wells with a maximum concentration of 470 µg/l in well U-2. This is a decrease from a maximum concentration of 670 µg/l in well U-2 during the previous sampling event.

### **REMEDIATION STATUS**

A 3-month ozone sparge event was completed from June through August 2006. TRC completed two quarters of post-remedial groundwater monitoring and is currently preparing the Ozone Sparge Pilot Study Report documenting the results of ozone sparge pilot study.

### **CHARACTERIZATION STATUS**

Maximum TPH-G, benzene and MTBE soil concentrations were reported at 480 ppm, 4.5 ppm, and 1.1 ppm, repectively.

TPH-G, benzene, and MTBE were detected during the most recent groundwater sampling event at 5,900 µg/L (U-1), 21 µg/L (U-2), and 470 µg/L (U-2), respectively.

### **RECENT CORRESPONDENCE**

No regulatory correspondence were received or sent during the fourth quarter 2007.


### **THIS QUARTER ACTIVITIES (Fourth Quarter 2007)**

- Monitoring and sampling of the groundwater monitoring well network was conducted by TRC on December 27, 2007.
- TRC prepared the *Quarterly Monitoring Report, October through December 2007* dated January 18, 2008.

### **NEXT QUARTER ACTIVITIES (First Quarter 2008)**

- TRC will perform the first quarter 2008 groundwater monitoring and sampling event and will prepare a quarterly monitoring report.

**CONSULTANT:** Delta Consultants



21 Technology Drive  
Irvine, CA 92618

949.727.9336 PHONE  
949.727.7399 FAX

[www.TRCsolutions.com](http://www.TRCsolutions.com)

DATE: January 18, 2008

TO: ConocoPhillips Company  
76 Broadway  
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: 76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT  
OCTOBER THROUGH DECEMBER 2007

Dear Mr. Borgh:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5325, located at 3220 Lakeshore Avenue, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan  
Groundwater Program Operations Manager

CC: Mr. Daniel Davis, Delta Consultants (2 copies)

Enclosures  
20-0400/5325R018.QMS

**QUARTERLY MONITORING REPORT  
OCTOBER THROUGH DECEMBER 2007**

76 STATION 5325  
3200 Lakeshore Avenue  
Oakland, California

Prepared For:

Mr. Bill Borgh  
CONOCOPHILLIPS COMPANY  
76 Broadway  
Sacramento, California 95818

By:



---

Senior Project Geologist, Irvine Operations

Date: 1/18/08

| LIST OF ATTACHMENTS |   |
|---------------------|---|
| Summary Sheet       | Summary of Gauging and Sampling Activities  |
| Tables              | Table Key<br>Contents of Tables<br>Table 1: Current Fluid Levels and Selected Analytical Results<br>Table 1a: Additional Current Analytical Results<br>Table 2: Historic Fluid Levels and Selected Analytical Results<br>Table 2a: Additional Historic Analytical Results<br>Table 2b: Additional Historic Analytical Results |
| Figures             | Figure 1: Vicinity Map<br>Figure 2: Groundwater Elevation Contour Map<br>Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map<br>Figure 4: Dissolved-Phase Benzene Concentration Map<br>Figure 5: Dissolved-Phase MTBE Concentration Map   |
| Graphs              | Groundwater Elevations vs. Time<br>Benzene Concentrations vs. Time  |
| Field Activities    | General Field Procedures<br>Field Monitoring Data Sheet – 12/27/07<br>Groundwater Sampling Field Notes – 12/27/07   |
| Laboratory Reports  | Official Laboratory Reports<br>Quality Control Reports<br>Chain of Custody Records  |
| Statements          | Purge Water Disposal<br>Limitations   |

**Summary of Gauging and Sampling Activities**  
**October 2007 through December 2007**  
**76 Station 5325**  
**3220 Lakeshore Avenue**  
**Oakland, CA**

Project Coordinator: **Bill Borgh**  
Telephone: **916-558-7612**

Water Sampling Contractor: **TRC**  
Compiled by: **Daniel Lee**

Date(s) of Gauging/Sampling Event: **12/27/07**

**Sample Points**

Groundwater wells: **5** onsite, **1** offsite      Wells gauged: **6**      Wells sampled: **6**

Purging method: **Diaphragm pump**

Purge water disposal: **Onyx/Rodeo Unit 100**

Other Sample Points: **0**      Type: **n/a**

**Liquid Phase Hydrocarbons (LPH)**

Wells with LPH: **0**      Maximum thickness (feet): **n/a**

LPH removal frequency: **n/a**      Method: **n/a**

Treatment or disposal of water/LPH: **n/a**

**Hydrogeologic Parameters**

Depth to groundwater (below TOC):      Minimum: **5.8 feet**      Maximum: **10.93 feet**

Average groundwater elevation (relative to available local datum): **0.85 feet**

Average change in groundwater elevation since previous event: **-1.61 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.02 ft/ft, northwest**

Previous event: **0.02 ft/ft, southwest (9/26/07)**

**Selected Laboratory Results**

Wells with detected **Benzene**: **1**      Wells above MCL (1.0 µg/l): **1**

Maximum reported benzene concentration: **21 µg/l (U-2)**

Wells with **TPH-G by GC/MS**      **3**      Maximum: **5,900 µg/l (U-1)**

Wells with **MTBE 8260B**      **5**      Maximum: **470 µg/l (U-2)**

**Notes:**

# TABLES

## TABLE KEY

### STANDARD ABBREVIATIONS

|       |   |
|-------|---|
| -     | = not analyzed, measured, or collected                                |
| LPH   | = liquid-phase hydrocarbons   |
| Trace | = less than 0.01 foot of LPH in well                                  |
| □g/l  | = micrograms per liter (approx. equivalent to parts per billion, ppb) |
| mg/l  | = milligrams per liter (approx. equivalent to parts per million, ppm) |
| ND<   | = not detected at or above laboratory detection limit                 |
| TOC   | = top of casing (surveyed reference elevation)                        |

### ANALYTES

|               |   |
|---------------|---|
| BTEX          | = benzene, toluene, ethylbenzene, and (total) xylenes                               |
| DIPE          | = di-isopropyl ether  |
| ETBE          | = ethyl tertiary butyl ether  |
| MTBE          | = methyl tertiary butyl ether   |
| PCB           | = polychlorinated biphenyls   |
| PCE           | = tetrachloroethene   |
| TBA           | = tertiary butyl alcohol  |
| TCA           | = trichloroethane   |
| TCE           | = trichloroethylene   |
| TPH-G         | = total petroleum hydrocarbons with gasoline distinction                            |
| TPH-G (GC/MS) | = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B |
| TPH-D         | = total petroleum hydrocarbons with diesel distinction                              |
| TRPH          | = total recoverable petroleum hydrocarbons  |
| TAME          | = tertiary amyl methyl ether  |
| 1,1-DCA       | = 1,1-dichloroethane  |
| 1,2-DCA       | = 1,2-dichloroethane (same as EDC, ethylene dichloride)                             |
| 1,1-DCE       | = 1,1-dichloroethene  |
| 1,2-DCE       | = 1,2-dichloroethylene (cis- and trans-)  |

### NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation - Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

### REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5325 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

## **Contents of Tables 1 and 2**

**Site: 76 Station 5325**

## Current Event

**Table 1** Well/ Depth to LPH Ground- Change in TPH-G TPH-G Benzene Toluene Ethyl- Total MTBE MTBE Comments Date Water Thickness water Elevation (8015M) (GC/MS) Xylenes (8021B) (8260B)

| <b>Table 1a</b> | Well/<br>Date | Ethanol<br>(8260B) | Iron<br>Ferrous | Nitrate | Phosphate<br>(ortho) | Pre-purge<br>Dissolved<br>Oxygen | Pre-purge<br>ORP |
|-----------------|---------------|--------------------|-----------------|---------|----------------------|----------------------------------|------------------|
|-----------------|---------------|--------------------|-----------------|---------|----------------------|----------------------------------|------------------|

## Historic Data

**Table 2** Well/ Depth to, LPH Ground- Change in TPH-G TPH-G Benzene Toluene Ethyl- Total MTBE MTBE Comments Date Water Thickness water Elevation (8015M) (GC/MS) Xylenes (8021B) (8260B)

**Table 2a** Well/ Date TBA Ethanol (8260B) Ethylene-dibromide (EDB) 1,2-DCA (EDC) DIPE ETBE TAME Acenaphthylene Iron Ferrous Nitrate Phosphate (ortho) Phosphate (total) Redox Potential (ORP-Lab) Post-purge Dissolved Oxygen Pre-purge Dissolved Oxygen

**Table 2b** Well/ Pre-purge Post-purge  
Date ORP ORP

**Table 1**  
**CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 27, 2007**  
**76 Station 5325**

| Date Sampled | TOC Elevation                              | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|--------------|--|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
|              | (feet)                                     | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-1</b>   | <b>(Screen Interval in feet: 5.0-20.0)</b> |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 12/27/07     | 8.46                                       | 8.12           | 0.00          | 0.34                   | -2.80               | --            | 5900          | ND<2.5  | ND<2.5  | 290           | 130           | --           | 42           |          |
| <b>U-2</b>   | <b>(Screen Interval in feet: 5.0-20.0)</b> |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 12/27/07     | 7.62                                       | 5.80           | 0.00          | 1.82                   | -1.07               | --            | 2200          | 21      | ND<5.0  | 77            | 16            | --           | 470          |          |
| <b>U-3</b>   | <b>(Screen Interval in feet: 5.0-20.0)</b> |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 12/27/07     | 10.98                                      | 10.93          | 0.00          | 0.05                   | 0.08                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 0.63         |          |
| <b>U-4</b>   | <b>(Screen Interval in feet: 5.0-20.0)</b> |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 12/27/07     | 11.15                                      | 8.63           | 0.00          | 2.52                   | 0.45                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| <b>U-5</b>   | <b>(Screen Interval in feet: 5.0-20.0)</b> |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 12/27/07     | 6.98                                       | 6.77           | 0.00          | 0.21                   | -2.06               | --            | 180           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 18           |          |
| <b>U-6</b>   | <b>(Screen Interval in feet: 5.0-24.0)</b> |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 12/27/07     | 7.14                                       | 6.96           | 0.00          | 0.18                   | -4.25               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 2.4          |          |

**Table 1 a**  
**ADDITIONAL CURRENT ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled | Ethanol (8260B)     | Iron Ferrous        | Nitrate           | Phosphate (ortho) | Pre-purge Dissolved Oxygen | Pre-purge ORP |     |
|--------------|---------------------|---------------------|-------------------|-------------------|----------------------------|---------------|-----|
|              | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ )          | (mV)          |     |
| <b>U-1</b>   | 12/27/07            | ND<1200             | 25000             | ND<0.10           | ND<0.050                   | 2.36          | -60 |
| <b>U-2</b>   | 12/27/07            | ND<2500             | 7600              | ND<0.10           | ND<0.050                   | 2.81          | -64 |
| <b>U-3</b>   | 12/27/07            | ND<250              | 130               | 4.6               | 0.75                       | 1.78          | -72 |
| <b>U-4</b>   | 12/27/07            | ND<250              | ND<100            | 5.3               | 0.43                       | 3.74          | 33  |
| <b>U-5</b>   | 12/27/07            | ND<250              | 5900              | ND<0.10           | ND<0.050                   | 1.63          | -83 |
| <b>U-6</b>   | 12/27/07            | ND<250              | 7700              | ND<0.10           | 1.0                        | 2.55          | -5  |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled | TOC Elevation                              | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments                       |
|--------------|--|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|--------------------------------|
|              | (feet)                                     | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)       | (µg/l)        | (µg/l)       | (µg/l)       |                                |
| <b>U-1</b>   | <b>(Screen Interval in feet: 5.0-20.0)</b> |                |               |                        |                     |               |               |         |         |              |               |              |              |                                |
| 8/10/90      | --   | --             | --            | --                     | --                  | 690           | --            | 38      | 75      | 8.6          | 130           | --           | --           |                                |
| 1/7/91       | --   | --             | --            | --                     | --                  | 250           | --            | 22      | 16      | 4.2          | 17            | --           | --           |                                |
| 4/1/91       | --   | --             | --            | --                     | --                  | 160           | --            | 13      | 8.6     | 1.0          | 15            | --           | --           |                                |
| 7/3/91       | --   | --             | --            | --                     | --                  | 140           | --            | 21      | 4.3     | 0.36         | 17            | --           | --           |                                |
| 10/9/91      | --   | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |                                |
| 2/12/92      | --   | --             | --            | --                     | --                  | 250           | --            | ND      | ND      | ND           | ND            | --           | --           |                                |
| 5/5/92       | --   | --             | --            | --                     | --                  | 230           | --            | 1.2     | ND      | ND           | ND            | --           | --           |                                |
| 6/11/92      | --   | --             | --            | --                     | --                  | 1000          | --            | 80      | 1.4     | 6.7          | 41            | --           | --           |                                |
| 8/20/92      | --   | --             | --            | --                     | --                  | 400           | --            | 1.0     | ND      | ND           | 0.6           | --           | --           |                                |
| 2/22/93      | --   | --             | --            | --                     | --                  | 34000         | --            | 1400    | 5500    | 910          | 7300          | --           | --           |                                |
| 5/7/93       | --   | --             | --            | --                     | --                  | 8700          | --            | 600     | 240     | 650          | 3300          | --           | --           |                                |
| 8/8/93       | --   | --             | --            | --                     | --                  | 4900          | --            | 79      | ND      | 832          | 270           | --           | --           |                                |
| 11/16/93     | 5.32                                       | 8.61           | 0.00          | -3.29                  | --                  | 690           | --            | ND      | ND      | ND           | ND            | --           | --           |                                |
| 2/16/94      | 5.32                                       | 8.54           | 0.00          | -3.22                  | 0.07                | 6800          | --            | ND      | ND      | ND           | ND            | --           | --           |                                |
| 6/22/94      | 8.46                                       | 8.39           | 0.00          | 0.07                   | 3.29                | 200           | --            | ND      | ND      | 5.9          | 21            | --           | --           |                                |
| 9/22/94      | 8.46                                       | 8.66           | 0.00          | -0.20                  | -0.27               | 6100          | --            | ND      | ND      | ND           | ND            | --           | --           |                                |
| 12/24/94     | 8.46                                       | 8.04           | 0.00          | 0.42                   | 0.62                | 50000         | --            | 2500    | 9700    | 2400         | 17000         | --           | --           |                                |
| 3/25/95      | 8.46                                       | 7.72           | 0.37          | 1.02                   | 0.60                | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 6/21/95      | 8.46                                       | 9.30           | 0.20          | -0.69                  | -1.71               | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 9/19/95      | 8.46                                       | 9.29           | 0.40          | -0.53                  | 0.16                | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 12/19/95     | 8.46                                       | 8.98           | 0.03          | -0.50                  | 0.03                | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments                       |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|--------------------------------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)       | (µg/l)        | (µg/l)       | (µg/l)       |                                |
| <b>U-1 continued</b> |               |                |               |                        |                     |               |               |         |         |              |               |              |              |                                |
| 3/18/96              | 8.46          | 8.25           | 0.00          | 0.21                   | 0.71                | 27000         | --            | ND      | 2300    | 1400         | 11000         | 4900         | --           |                                |
| 6/27/96              | 8.46          | 7.92           | 0.00          | 0.54                   | 0.33                | 120000        | --            | 540     | 4300    | 2600         | 26000         | ND           | --           |                                |
| 9/26/96              | 8.46          | 9.10           | 0.02          | -0.63                  | -1.17               | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 12/9/96              | 8.46          | 6.88           | 0.03          | 1.60                   | 2.23                | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 3/14/97              | 8.46          | 9.02           | 0.55          | -0.15                  | -1.75               | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 6/30/97              | 8.46          | 8.41           | 0.02          | 0.07                   | 0.21                | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 9/19/97              | 8.46          | 8.56           | 0.02          | -0.09                  | -0.15               | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 12/12/97             | 8.46          | 8.58           | 0.01          | -0.11                  | -0.03               | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 3/3/98               | 8.46          | 8.23           | 0.04          | 0.26                   | 0.37                | --            | --            | --      | --      | --           | --            | --           | --           | Not sampled due to LPH in well |
| 6/15/98              | 8.46          | 8.37           | 0.00          | 0.09                   | -0.17               | 52000         | --            | ND      | 900     | 1800         | 13000         | ND           | --           | Sheen                          |
| 9/30/98              | 8.46          | 8.94           | 0.00          | -0.48                  | -0.57               | 1000000       | --            | ND      | 2600    | 13000        | 83000         | 4800         | --           | Sheen                          |
| 12/28/98             | 8.46          | 8.57           | 0.00          | -0.11                  | 0.37                | 1100000       | --            | ND      | 1600    | 8600         | 71000         | 5700         | --           |                                |
| 3/22/99              | 8.46          | 8.18           | 0.00          | 0.28                   | 0.39                | 130000        | --            | 470     | 1100    | 2000         | 28000         | 5700         | --           | Sheen                          |
| 6/9/99               | 8.46          | 9.37           | 0.00          | -0.91                  | -1.19               | 40000         | --            | 230     | 640     | 590          | 13000         | 3500         | 2100         |                                |
| 9/8/99               | 8.46          | 9.53           | 0.00          | -1.07                  | -0.16               | 55000         | --            | 217     | 202     | 745          | 14300         | 6890         | 6690         |                                |
| 12/7/99              | 8.46          | 9.67           | 0.00          | -1.21                  | -0.14               | 41200         | --            | 89.3    | ND      | 385          | 6930          | 15800        | 14700        |                                |
| 3/13/00              | 8.46          | 8.44           | 0.00          | 0.02                   | 1.23                | 48000         | --            | 490     | 610     | 2400         | 10000         | 22000        | 23000        |                                |
| 6/21/00              | 8.46          | 9.45           | 0.00          | -0.99                  | -1.01               | 37000         | --            | 200     | ND      | 1200         | 7200          | 15000        | 20000        |                                |
| 9/27/00              | 8.46          | 9.29           | 0.00          | -0.83                  | 0.16                | 15000         | --            | 92      | ND      | 540          | 2800          | 74000        | 83000        |                                |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC    | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|----------------------|--------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|----------|
|                      | (feet) | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)       | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-1 continued</b> |        |                |               |                        |                     |               |               |         |         |              |               |              |              |          |
| 12/12/00             | 8.46   | 9.37           | 0.00          | -0.91                  | -0.08               | 50000         | --            | ND      | ND      | 250          | 1900          | 12000        | 15000        |          |
| 3/7/01               | 8.46   | 8.45           | 0.00          | 0.01                   | 0.92                | 6220          | --            | 29.8    | 10.4    | 96.3         | 638           | 11200        | 11800        |          |
| 6/6/01               | 8.46   | 9.29           | 0.00          | -0.83                  | -0.84               | 5200          | --            | 17      | ND      | 69           | 420           | 6500         | 8700         |          |
| 9/24/01              | 8.46   | 9.39           | 0.00          | -0.93                  | -0.10               | 4300          | --            | 36      | ND<25   | 65           | 590           | 4400         | 4400         |          |
| 12/10/01             | 8.46   | 9.17           | 0.00          | -0.71                  | 0.22                | 11000         | --            | 220     | ND<100  | 380          | 1500          | 5100         | 5100         |          |
| 3/11/02              | 8.46   | 9.44           | 0.00          | -0.98                  | -0.27               | 5500          | --            | 28      | ND<20   | 360          | 690           | 6400         | 6300         |          |
| 6/4/02               | 8.46   | 8.32           | 0.00          | 0.14                   | 1.12                | 4600          | --            | 31      | ND<10   | 240          | 180           | 6500         | --           |          |
| 9/3/02               | 8.46   | 9.36           | 0.00          | -0.90                  | -1.04               | 2300          | --            | ND<12   | ND<12   | ND<12        | 68            | 3500         | 4700         |          |
| 12/3/02              | 8.46   | 8.18           | 0.00          | 0.28                   | 1.18                | --            | ND<5000       | ND<50   | ND<50   | ND<50        | <100          | --           | 4700         |          |
| 3/4/03               | 8.46   | 8.29           | 0.00          | 0.17                   | -0.11               | --            | 8900          | 26      | ND<25   | 400          | 130           | --           | 5500         |          |
| 6/18/03              | 8.46   | 7.58           | 0.00          | 0.88                   | 0.71                | --            | 8300          | ND<25   | ND<25   | ND<25        | ND<50         | --           | 10000        |          |
| 9/24/03              | 8.46   | 8.18           | 0.00          | 0.28                   | -0.60               | --            | ND<10000      | ND<100  | ND<100  | ND<100       | ND<200        | --           | 11000        |          |
| 12/2/03              | 8.46   | 8.90           | 0.00          | -0.44                  | -0.72               | --            | ND<10000      | ND<100  | ND<100  | ND<100       | ND<200        | --           | 11000        |          |
| 3/30/04              | 8.46   | 8.38           | 0.00          | 0.08                   | 0.52                | --            | 12000         | ND<100  | ND<100  | 190          | ND<200        | --           | 13000        |          |
| 6/7/04               | 8.46   | 10.35          | 0.00          | -1.89                  | -1.97               | --            | 13000         | ND<100  | ND<100  | ND<100       | ND<200        | --           | 12000        |          |
| 9/9/04               | 8.46   | --             | --            | --                     | --                  | --            | --            | --      | --      | --           | --            | --           | --           | Dry well |
| 12/20/04             | 8.46   | 9.00           | 0.00          | -0.54                  | --                  | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | 8.2          |          |
| 3/28/05              | 8.46   | 8.10           | 0.00          | 0.36                   | 0.90                | --            | 37000         | ND<10   | ND<10   | 1500         | 5300          | --           | 460          |          |
| 6/14/05              | 8.46   | 8.91           | 0.00          | -0.45                  | -0.81               | --            | 3900          | ND<0.50 | ND<0.50 | 48           | 68            | --           | 60           |          |
| 9/28/05              | 8.46   | 11.35          | 0.00          | -2.89                  | -2.44               | --            | 560           | ND<0.50 | 0.60    | 3.0          | 26            | --           | 18           |          |
| 12/29/05             | 8.46   | 8.58           | 0.00          | -0.12                  | 2.77                | --            | 510           | 0.77    | ND<0.50 | 27           | 63            | --           | 62           |          |
| 3/27/06              | 8.46   | 7.20           | 0.00          | 1.26                   | 1.38                | --            | 29000         | ND<25   | ND<25   | 1500         | 4900          | --           | 300          |          |
| 6/12/06              | 8.46   | 7.81           | 0.00          | 0.65                   | -0.61               | --            | 3200          | ND<0.50 | ND<0.50 | 42           | 15            | --           | 56           |          |
| 9/21/06              | 8.46   | 8.04           | 0.00          | 0.42                   | -0.23               | --            | 2600          | ND<12   | ND<12   | ND<12        | ND<12         | --           | 30           |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled                                   | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|--|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
|  | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-1 continued</b>                           |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 12/21/06                                       | 8.46          | 8.32           | 0.00          | 0.14                   | -0.28               | --            | 2000          | ND<0.50 | ND<0.50 | 13            | 2.2           | --           | 53           |          |
| 3/28/07  | 8.46          | 6.17           | 0.00          | 2.29                   | 2.15                | --            | 12000         | ND<2.5  | ND<2.5  | 690           | 1900          | --           | 110          |          |
| 6/27/07  | 8.46          | 5.39           | 0.00          | 3.07                   | 0.78                | --            | 13000         | 2.8     | ND<2.5  | 960           | 1300          | --           | 79           |          |
| 9/26/07  | 8.46          | 5.32           | 0.00          | 3.14                   | 0.07                | --            | 6900          | 2.6     | ND<2.5  | 310           | 680           | --           | 44           |          |
| 12/27/07                                       | 8.46          | 8.12           | 0.00          | 0.34                   | -2.80               | --            | 5900          | ND<2.5  | ND<2.5  | 290           | 130           | --           | 42           |          |
| <b>U-2</b> (Screen Interval in feet: 5.0-20.0) |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 8/10/90  | --            | --             | --            | --                     | --                  | 780           | --            | 27      | 46      | 15            | 130           | --           | --           |          |
| 1/7/91   | --            | --             | --            | --                     | --                  | 1900          | --            | 67      | 5.8     | 58            | 69            | --           | --           |          |
| 4/1/91   | --            | --             | --            | --                     | --                  | 1700          | --            | 250     | 89      | 34            | 190           | --           | --           |          |
| 7/3/91   | --            | --             | --            | --                     | --                  | 2100          | --            | 150     | 25      | 3.1           | 290           | --           | --           |          |
| 10/9/91  | --            | --             | --            | --                     | --                  | 230           | --            | 7.1     | ND      | ND            | 11            | --           | --           |          |
| 2/12/92  | --            | --             | --            | --                     | --                  | 410           | --            | 1.9     | ND      | 0.36          | 0.4           | --           | --           |          |
| 5/5/92   | --            | --             | --            | --                     | --                  | 1600          | --            | 120     | 52      | 6.2           | 290           | --           | --           |          |
| 6/11/92  | --            | --             | --            | --                     | --                  | 620           | --            | 17      | 2.1     | ND            | 37            | --           | --           |          |
| 8/20/92  | --            | --             | --            | --                     | --                  | 700           | --            | 28      | 6.5     | 1.3           | 4.6           | --           | --           |          |
| 2/22/93  | --            | --             | --            | --                     | --                  | 3400          | --            | 2400    | 2100    | 1200          | 5800          | --           | --           |          |
| 5/7/93   | --            | --             | --            | --                     | --                  | 17000         | --            | 1800    | 660     | 1700          | 4000          | --           | --           |          |
| 8/8/93   | --            | --             | --            | --                     | --                  | 5600          | --            | 420     | ND      | 410           | 670           | --           | --           |          |
| 11/16/93                                       | 4.53          | 8.17           | 0.00          | -3.64                  | --                  | 510           | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 2/16/94  | 4.53          | 7.73           | 0.00          | -3.20                  | 0.44                | 980           | --            | 49      | 13      | 2.7           | 40            | --           | --           |          |
| 6/22/94  | 7.62          | 7.60           | 0.00          | 0.02                   | 3.22                | 31000         | --            | 2200    | 62      | 1500          | 3500          | --           | --           |          |
| 9/22/94  | 7.62          | 7.93           | 0.00          | -0.31                  | -0.33               | 8500          | --            | 29      | ND      | ND            | ND            | --           | --           |          |
| 12/24/94                                       | 7.62          | 7.27           | 0.00          | 0.35                   | 0.66                | 32000         | --            | 1500    | 890     | 1300          | 5000          | --           | --           |          |
| 3/25/95  | 7.62          | 7.01           | 0.00          | 0.61                   | 0.26                | 170000        | --            | 1900    | 21000   | 4800          | 33000         | --           | --           |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments                       |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|--------------------------------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |                                |
| <b>U-2 continued</b> |               |                |               |                        |                     |               |               |         |         |               |               |              |              |                                |
| 6/21/95              | 7.62          | 6.98           | 0.00          | 0.64                   | 0.03                | 16000         | --            | 2100    | ND      | 1800          | 1700          | --           | --           |                                |
| 9/19/95              | 7.62          | 7.70           | 0.00          | -0.08                  | -0.72               | 3000          | --            | 610     | ND      | 78            | 240           | --           | --           |                                |
| 12/19/95             | 7.62          | 7.30           | 0.00          | 0.32                   | 0.40                | 1600          | --            | 140     | 55      | 52            | 270           | --           | --           |                                |
| 3/18/96              | 7.62          | 6.45           | 0.00          | 1.17                   | 0.85                | 12000         | --            | 2200    | ND      | 1200          | 2200          | 22000        | --           |                                |
| 6/27/96              | 7.62          | 7.41           | 0.00          | 0.21                   | -0.96               | 28000         | --            | 3400    | ND      | 2800          | 3100          | 3000         | --           |                                |
| 9/26/96              | 7.62          | 7.90           | 0.00          | -0.28                  | -0.49               | 5900          | --            | 750     | ND      | ND            | ND            | 18000        | --           |                                |
| 12/9/96              | 7.62          | 6.76           | 0.00          | 0.86                   | 1.14                | 13000         | --            | 5100    | 290     | 980           | 370           | 2700         | --           |                                |
| 3/14/97              | 7.62          | 7.12           | 0.03          | 0.52                   | -0.34               | --            | --            | --      | --      | --            | --            | --           | --           | Not sampled due to LPH in well |
| 6/30/97              | 7.62          | 6.19           | 0.00          | 1.43                   | 0.91                | --            | --            | --      | --      | --            | --            | --           | --           | Not sampled due to LPH in well |
| 9/19/97              | 7.62          | 7.31           | 0.00          | 0.31                   | -1.12               | --            | --            | --      | --      | --            | --            | --           | --           | Not sampled due to LPH in well |
| 12/12/97             | 7.62          | 6.75           | 0.00          | 0.87                   | 0.56                | --            | --            | --      | --      | --            | --            | --           | --           | Not sampled due to LPH in well |
| 3/3/98               | 7.62          | 6.36           | 0.00          | 1.26                   | 0.39                | 80000         | --            | 3000    | 1100    | 820           | 16000         | 16000        | --           | Sheen                          |
| 6/15/98              | 7.62          | 6.51           | 0.00          | 1.11                   | -0.15               | 48000         | --            | 1800    | 330     | 470           | 7900          | 20000        | --           | Sheen                          |
| 9/30/98              | 7.62          | 7.17           | 0.00          | 0.45                   | -0.66               | 60000         | --            | 1300    | ND      | 500           | 9700          | 19000        | --           | Sheen                          |
| 12/28/98             | 7.62          | 7.06           | 0.00          | 0.56                   | 0.11                | 63000         | --            | 590     | 160     | 320           | 5600          | 16000        | --           |                                |
| 3/22/99              | 7.62          | 6.82           | 0.00          | 0.80                   | 0.24                | 28000         | --            | 1100    | ND      | 360           | 2900          | 25000        | --           |                                |
| 6/9/99               | 7.62          | 7.51           | 0.00          | 0.11                   | -0.69               | 21000         | --            | 110     | 190     | 310           | 2600          | 7900         | 7800         |                                |
| 9/8/99               | 7.62          | 8.16           | 0.00          | -0.54                  | -0.65               | 23300         | --            | 477     | 138     | 286           | 4110          | 16400        | 15300        |                                |
| 12/7/99              | 7.62          | 8.31           | 0.00          | -0.69                  | -0.15               | 4840          | --            | 17.2    | ND      | ND            | 157           | 14900        | 15600        |                                |
| 3/13/00              | 7.62          | 6.69           | 0.00          | 0.93                   | 1.62                | 11000         | --            | 380     | 160     | ND            | 2100          | 22000        | 26000        |                                |
| 6/21/00              | 7.62          | 7.67           | 0.00          | -0.05                  | -0.98               | 9100          | --            | 22      | ND      | ND            | 800           | 16000        | 22000        |                                |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-2 continued</b> |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 9/27/00              | 7.62          | 7.44           | 0.00          | 0.18                   | 0.23                | 2900          | --            | 43      | ND      | ND            | 39            | 20000        | 26000        |          |
| 12/12/00             | 7.62          | 7.51           | 0.00          | 0.11                   | -0.07               | 3600          | --            | 17      | ND      | ND            | 87            | 8000         | 7800         |          |
| 3/7/01               | 7.62          | 7.15           | 0.00          | 0.47                   | 0.36                | 1670          | --            | 51.0    | ND      | 7.20          | 19.5          | 5930         | 7900         |          |
| 6/6/01               | 7.62          | 7.57           | 0.00          | 0.05                   | -0.42               | 1100          | --            | 14      | ND      | 9.3           | 35            | 9200         | 10000        |          |
| 9/24/01              | 7.62          | 7.63           | 0.00          | -0.01                  | -0.06               | 1000          | --            | 25      | ND<2.5  | 12            | 100           | 9800         | 11000        |          |
| 12/10/01             | 7.62          | 6.78           | 0.00          | 0.84                   | 0.85                | 83            | --            | 14      | 0.55    | 3.4           | 6.8           | 2500         | 2500         |          |
| 3/11/02              | 7.62          | 7.12           | 0.00          | 0.50                   | -0.34               | ND<1000       | --            | 28      | ND<10   | 40            | 31            | 11000        | 11000        |          |
| 6/4/02               | 7.62          | 7.18           | 0.00          | 0.44                   | -0.06               | 7700          | --            | 32      | ND<25   | 33            | 48            | 14000        | --           |          |
| 9/3/02               | 7.62          | 7.58           | 0.00          | 0.04                   | -0.40               | 5200          | --            | ND<25   | ND<25   | ND<25         | ND<25         | ND<25        | 11000        | 15000    |
| 12/3/02              | 7.62          | 7.68           | 0.00          | -0.06                  | -0.10               | --            | ND<5000       | ND<50   | ND<50   | ND<50         | ND<100        | --           | 3200         |          |
| 3/4/03               | 7.62          | 7.77           | 0.00          | -0.15                  | -0.09               | --            | 8100          | ND<50   | ND<50   | ND<50         | ND<50         | ND<100       | --           | 7800     |
| 6/18/03              | 7.62          | 6.87           | 0.00          | 0.75                   | 0.90                | --            | 11000         | ND<50   | ND<50   | ND<50         | ND<100        | --           | 16000        |          |
| 9/24/03              | 7.62          | 7.49           | 0.00          | 0.13                   | -0.62               | --            | ND<10000      | ND<100  | ND<100  | ND<100        | ND<200        | --           | 10000        |          |
| 12/2/03              | 7.62          | 7.95           | 0.00          | -0.33                  | -0.46               | --            | ND<10000      | ND<100  | ND<100  | ND<100        | ND<200        | --           | 10000        |          |
| 3/30/04              | 7.62          | 7.07           | 0.00          | 0.55                   | 0.88                | --            | 12000         | ND<100  | ND<100  | ND<100        | ND<200        | --           | 11000        |          |
| 6/7/04               | 7.62          | 7.75           | 0.00          | -0.13                  | -0.68               | --            | 14000         | ND<100  | ND<100  | ND<100        | ND<200        | --           | 13000        |          |
| 9/9/04               | 7.62          | 8.65           | 0.00          | -1.03                  | -0.90               | --            | ND<10000      | ND<100  | ND<100  | ND<100        | ND<200        | --           | 9500         |          |
| 12/20/04             | 7.62          | 7.73           | 0.00          | -0.11                  | 0.92                | --            | ND<5000       | ND<50   | ND<50   | ND<50         | ND<100        | --           | 11000        |          |
| 3/28/05              | 7.62          | 6.24           | 0.00          | 1.38                   | 1.49                | --            | 12000         | ND<50   | ND<50   | 160           | 120           | --           | 7000         |          |
| 6/14/05              | 7.62          | 7.05           | 0.00          | 0.57                   | -0.81               | --            | 2000          | 0.75    | ND<0.50 | 3.7           | 1.1           | --           | 2400         |          |
| 9/28/05              | 7.62          | 8.00           | 0.00          | -0.38                  | -0.95               | --            | 320           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 80           |          |
| 12/29/05             | 7.62          | 7.23           | 0.00          | 0.39                   | 0.77                | --            | ND<50         | ND<50   | ND<50   | ND<50         | ND<1.0        | --           | 35           |          |
| 3/27/06              | 7.62          | 5.31           | 0.00          | 2.31                   | 1.92                | --            | 2400          | 31      | 0.73    | 120           | 15            | --           | 1400         |          |
| 6/12/06              | 7.62          | 6.25           | 0.00          | 1.37                   | -0.94               | --            | ND<1200       | ND<12   | ND<12   | 17            | ND<25         | --           | 490          |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled                                   | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|--|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|----------|
|  | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)       | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-2 continued</b>                           |               |                |               |                        |                     |               |               |         |         |              |               |              |              |          |
| 9/21/06  | 7.62          | 6.00           | 0.00          | 1.62                   | 0.25                | --            | 440           | 6.1     | ND<0.50 | 1.7          | ND<0.50       | --           | 1100         |          |
| 12/21/06                                       | 7.62          | 6.08           | 0.00          | 1.54                   | -0.08               | --            | 670           | 10      | ND<0.50 | 52           | 1.2           | --           | 730          |          |
| 3/28/07  | 7.62          | 5.05           | 0.00          | 2.57                   | 1.03                | --            | 3300          | 36      | ND<5.0  | 200          | 6.8           | --           | 1200         |          |
| 6/27/07  | 7.62          | 4.80           | 0.00          | 2.82                   | 0.25                | --            | 5100          | 94      | ND<5.0  | 640          | 7.1           | --           | 1100         |          |
| 9/26/07  | 7.62          | 4.73           | 0.00          | 2.89                   | 0.07                | --            | 3900          | 54      | ND<5.0  | 240          | 240           | --           | 670          |          |
| 12/27/07                                       | 7.62          | 5.80           | 0.00          | 1.82                   | -1.07               | --            | 2200          | 21      | ND<5.0  | 77           | 16            | --           | 470          |          |
| <b>U-3 (Screen Interval in feet: 5.0-20.0)</b> |               |                |               |                        |                     |               |               |         |         |              |               |              |              |          |
| 8/10/90  | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 1/7/91   | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | 1.8           | --           | --           |          |
| 4/1/91   | --            | --             | --            | --                     | --                  | ND            | --            | 1.0     | 2.9     | 0.53         | 5.4           | --           | --           |          |
| 7/3/91   | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 10/9/91  | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 2/12/92  | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 5/5/92   | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 6/11/92  | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 8/20/92  | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 2/22/93  | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 5/7/93   | --            | --             | --            | --                     | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 8/8/93   | --            | --             | --            | --                     | --                  | 210           | --            | 5.0     | 9.7     | 0.7          | 4.1           | --           | --           |          |
| 11/16/93                                       | 7.86          | 11.82          | 0.00          | -3.96                  | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 2/16/94  | 7.86          | 11.62          | 0.00          | -3.76                  | 0.20                | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 6/22/94  | 10.98         | 11.64          | 0.00          | -0.66                  | 3.10                | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 9/22/94  | 10.98         | 11.76          | 0.00          | -0.78                  | -0.12               | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 12/24/94                                       | 10.98         | 11.28          | 0.00          | -0.30                  | 0.48                | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-3 continued</b> |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 3/25/95              | 10.98         | 10.96          | 0.00          | 0.02                   | 0.32                | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 6/21/95              | 10.98         | 11.37          | 0.00          | -0.39                  | -0.41               | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 9/19/95              | 10.98         | 11.55          | 0.00          | -0.57                  | -0.18               | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 12/19/95             | 10.98         | 11.45          | 0.00          | -0.47                  | 0.10                | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 3/18/96              | 10.98         | 11.10          | 0.00          | -0.12                  | 0.35                | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 6/27/96              | 10.98         | 11.16          | 0.00          | -0.18                  | -0.06               | 440           | --            | 49      | 50      | 51            | 140           | 50           | --           |          |
| 9/26/96              | 10.98         | 11.55          | 0.00          | -0.57                  | -0.39               | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 12/9/96              | 10.98         | 10.12          | 0.00          | 0.86                   | 1.43                | ND            | --            | ND      | ND      | ND            | ND            | 29           | --           |          |
| 3/14/97              | 10.98         | 10.87          | 0.00          | 0.11                   | -0.75               | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 6/30/97              | 10.98         | 11.08          | 0.00          | -0.10                  | -0.21               | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 9/19/97              | 10.98         | 11.05          | 0.00          | -0.07                  | 0.03                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 12/12/97             | 10.98         | 10.58          | 0.00          | 0.40                   | 0.47                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 3/3/98               | 10.98         | 9.84           | 0.00          | 1.14                   | 0.74                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 6/15/98              | 10.98         | 10.56          | 0.00          | 0.42                   | -0.72               | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 9/30/98              | 10.98         | 11.12          | 0.00          | -0.14                  | -0.56               | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 12/28/98             | 10.98         | 10.96          | 0.00          | 0.02                   | 0.16                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 3/22/99              | 10.98         | 9.46           | 0.00          | 1.52                   | 1.50                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 6/9/99               | 10.98         | 11.01          | 0.00          | -0.03                  | -1.55               | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 9/8/99               | 10.98         | 11.31          | 0.00          | -0.33                  | -0.30               | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 12/7/99              | 10.98         | 11.26          | 0.00          | -0.28                  | 0.05                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 3/13/00              | 10.98         | 8.28           | 0.00          | 2.70                   | 2.98                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 6/21/00              | 10.98         | 11.12          | 0.00          | -0.14                  | -2.84               | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 9/27/00              | 10.98         | 11.07          | 0.00          | -0.09                  | 0.05                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 12/12/00             | 10.98         | 10.94          | 0.00          | 0.04                   | 0.13                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-3 continued</b> |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 3/7/01               | 10.98         | 8.32           | 0.00          | 2.66                   | 2.62                | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 6/6/01               | 10.98         | 10.94          | 0.00          | 0.04                   | -2.62               | ND            | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 9/24/01              | 10.98         | 11.03          | 0.00          | -0.05                  | -0.09               | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | ND<2.5       | --           |          |
| 12/10/01             | 10.98         | 8.16           | 0.00          | 2.82                   | 2.87                | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | ND<2.5       | --           |          |
| 3/11/02              | 10.98         | 7.82           | 0.00          | 3.16                   | 0.34                | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | ND<5.0       | --           |          |
| 6/4/02               | 10.98         | 10.58          | 0.00          | 0.40                   | -2.76               | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | ND<2.5       | --           |          |
| 9/3/02               | 10.98         | 10.94          | 0.00          | 0.04                   | -0.36               | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | ND<2.5       | --           |          |
| 12/3/02              | 10.98         | 10.66          | 0.00          | 0.32                   | 0.28                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<2.0       |          |
| 3/4/03               | 10.98         | 10.76          | 0.00          | 0.22                   | -0.10               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<2.0       |          |
| 6/18/03              | 10.98         | 10.26          | 0.00          | 0.72                   | 0.50                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<2.0       |          |
| 9/24/03              | 10.98         | 10.88          | 0.00          | 0.10                   | -0.62               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<2.0       |          |
| 12/2/03              | 10.98         | 11.00          | 0.00          | -0.02                  | -0.12               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<2.0       |          |
| 3/30/04              | 10.98         | 10.64          | 0.00          | 0.34                   | 0.36                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 6/7/04               | 10.98         | 11.00          | 0.00          | -0.02                  | -0.36               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 9/9/04               | 10.98         | 11.31          | 0.00          | -0.33                  | -0.31               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 12/20/04             | 10.98         | 10.79          | 0.00          | 0.19                   | 0.52                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 3/28/05              | 10.98         | 9.80           | 0.00          | 1.18                   | 0.99                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 6/14/05              | 10.98         | 10.75          | 0.00          | 0.23                   | -0.95               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | 1.2           | --           | ND<0.50      |          |
| 9/28/05              | 10.98         | 11.16          | 0.00          | -0.18                  | -0.41               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 12/29/05             | 10.98         | 10.41          | 0.00          | 0.57                   | 0.75                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 3/27/06              | 10.98         | 10.16          | 0.00          | 0.82                   | 0.25                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 6/12/06              | 10.98         | 9.94           | 0.00          | 1.04                   | 0.22                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 9/21/06              | 10.98         | 11.01          | 0.00          | -0.03                  | -1.07               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | --           | ND<0.50      |          |
| 12/21/06             | 10.98         | 10.92          | 0.00          | 0.06                   | 0.09                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | --           | ND<0.50      |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled  | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|---|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|----------|
|   | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)       | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-3 continued</b>                                  |               |                |               |                        |                     |               |               |         |         |              |               |              |              |          |
| 3/28/07   | 10.98         | 10.84          | 0.00          | 0.14                   | 0.08                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | --           | ND<0.50      |          |
| 6/27/07   | 10.98         | 10.93          | 0.00          | 0.05                   | -0.09               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | --           | ND<0.50      |          |
| 9/26/07   | 10.98         | 11.01          | 0.00          | -0.03                  | -0.08               | --            | 770           | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | --           | 18           |          |
| 12/27/07  | 10.98         | 10.93          | 0.00          | 0.05                   | 0.08                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | 0.63         |          |
| <b>U-4</b> <b>(Screen Interval in feet: 5.0-20.0)</b> |               |                |               |                        |                     |               |               |         |         |              |               |              |              |          |
| 6/22/94   | 11.15         | 10.16          | 0.00          | 0.99                   | --                  | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 9/22/94   | 11.15         | 10.79          | 0.00          | 0.36                   | -0.63               | ND            | --            | 0.78    | 1.3     | ND           | 1.4           | --           | --           |          |
| 12/24/94  | 11.15         | 9.81           | 0.00          | 1.34                   | 0.98                | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 3/25/95   | 11.15         | 9.51           | 0.00          | 1.64                   | 0.30                | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 6/21/95   | 11.15         | 9.54           | 0.00          | 1.61                   | -0.03               | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 9/19/95   | 11.15         | 10.17          | 0.00          | 0.98                   | -0.63               | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 12/19/95  | 11.15         | 9.98           | 0.00          | 1.17                   | 0.19                | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 3/18/96   | 11.15         | 9.66           | 0.00          | 1.49                   | 0.32                | ND            | --            | ND      | ND      | ND           | ND            | --           | --           |          |
| 6/27/96   | 11.15         | 9.74           | 0.00          | 1.41                   | -0.08               | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 9/26/96   | 11.15         | 10.14          | 0.00          | 1.01                   | -0.40               | ND            | --            | ND      | ND      | ND           | ND            | ND           | ND           |          |
| 12/9/96   | 11.15         | 8.67           | 0.00          | 2.48                   | 1.47                | ND            | --            | ND      | ND      | ND           | ND            | 33           | --           |          |
| 3/14/97   | 11.15         | 9.35           | 0.00          | 1.80                   | -0.68               | ND            | --            | ND      | ND      | ND           | ND            | ND           | ND           |          |
| 6/30/97   | 11.15         | 9.89           | 0.00          | 1.26                   | -0.54               | ND            | --            | ND      | ND      | ND           | ND            | ND           | ND           |          |
| 9/19/97   | 11.15         | 9.96           | 0.00          | 1.19                   | -0.07               | ND            | --            | ND      | ND      | ND           | ND            | ND           | ND           |          |
| 12/12/97  | 11.15         | 8.56           | 0.00          | 2.59                   | 1.40                | ND            | --            | ND      | ND      | ND           | ND            | ND           | ND           |          |
| 3/3/98  | 11.15         | 7.85           | 0.00          | 3.30                   | 0.71                | ND            | --            | ND      | ND      | ND           | ND            | ND           | ND           |          |
| 6/15/98   | 11.15         | 9.08           | 0.00          | 2.07                   | -1.23               | ND            | --            | ND      | ND      | ND           | ND            | ND           | ND           |          |
| 9/30/98   | 11.15         | 9.75           | 0.00          | 1.40                   | -0.67               | ND            | --            | ND      | ND      | ND           | ND            | ND           | ND           |          |
| 12/28/98  | 11.15         | 9.59           | 0.00          | 1.56                   | 0.16                | ND            | --            | ND      | ND      | ND           | ND            | ND           | ND           |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|----------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)       | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-4 continued</b> |               |                |               |                        |                     |               |               |         |         |              |               |              |              |          |
| 3/22/99              | 11.15         | 8.34           | 0.00          | 2.81                   | 1.25                | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 6/9/99               | 11.15         | 9.39           | 0.00          | 1.76                   | -1.05               | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 9/8/99               | 11.15         | 9.90           | 0.00          | 1.25                   | -0.51               | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 12/7/99              | 11.15         | 10.05          | 0.00          | 1.10                   | -0.15               | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 3/13/00              | 11.15         | 7.24           | 0.00          | 3.91                   | 2.81                | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 6/21/00              | 11.15         | 9.48           | 0.00          | 1.67                   | -2.24               | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 9/27/00              | 11.15         | 9.42           | 0.00          | 1.73                   | 0.06                | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 12/12/00             | 11.15         | 9.50           | 0.00          | 1.65                   | -0.08               | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 3/7/01               | 11.15         | 6.88           | 0.00          | 4.27                   | 2.62                | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 6/6/01               | 11.15         | 9.18           | 0.00          | 1.97                   | -2.30               | ND            | --            | ND      | ND      | ND           | ND            | ND           | --           |          |
| 9/24/01              | 11.15         | 9.21           | 0.00          | 1.94                   | -0.03               | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | ND<2.5       | --           |          |
| 12/10/01             | 11.15         | 7.32           | 0.00          | 3.83                   | 1.89                | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | ND<2.5       | --           |          |
| 3/11/02              | 11.15         | 6.92           | 0.00          | 4.23                   | 0.40                | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | ND<5.0       | --           |          |
| 6/4/02               | 11.15         | 7.58           | 0.00          | 3.57                   | -0.66               | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | ND<2.5       | --           |          |
| 9/3/02               | 11.15         | 9.17           | 0.00          | 1.98                   | -1.59               | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | ND<2.5       | --           |          |
| 12/3/02              | 11.15         | 9.20           | 0.00          | 1.95                   | -0.03               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | ND<2.0       |          |
| 3/4/03               | 11.15         | 9.32           | 0.00          | 1.83                   | -0.12               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | ND<2.0       |          |
| 6/18/03              | 11.15         | 7.65           | 0.00          | 3.50                   | 1.67                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | ND<2.0       |          |
| 9/24/03              | 11.15         | 8.26           | 0.00          | 2.89                   | -0.61               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | ND<2.0       |          |
| 12/2/03              | 11.15         | 9.16           | 0.00          | 1.99                   | -0.90               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | ND<2.0       |          |
| 3/30/04              | 11.15         | 7.47           | 0.00          | 3.68                   | 1.69                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | ND<0.50      |          |
| 6/7/04               | 11.15         | 8.93           | 0.00          | 2.22                   | -1.46               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | ND<0.50      |          |
| 9/9/04               | 11.15         | 9.83           | 0.00          | 1.32                   | -0.90               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | ND<0.50      |          |
| 12/20/04             | 11.15         | 8.28           | 0.00          | 2.87                   | 1.55                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | ND<0.50      |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled  | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|---|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
|   | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-4 continued</b>                                  |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 3/28/05   | 11.15         | 6.35           | 0.00          | 4.80                   | 1.93                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 6/14/05   | 11.15         | 8.10           | 0.00          | 3.05                   | -1.75               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 9/28/05   | 11.15         | 9.59           | 0.00          | 1.56                   | -1.49               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 12/29/05  | 11.15         | 7.13           | 0.00          | 4.02                   | 2.46                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 3/27/06   | 11.15         | 6.27           | 0.00          | 4.88                   | 0.86                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 6/12/06   | 11.15         | 8.45           | 0.00          | 2.70                   | -2.18               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| 9/21/06   | 11.15         | 9.63           | 0.00          | 1.52                   | -1.18               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | --           | ND<0.50      |          |
| 12/21/06  | 11.15         | 8.50           | 0.00          | 2.65                   | 1.13                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | --           | ND<0.50      |          |
| 3/28/07   | 11.15         | 8.00           | 0.00          | 3.15                   | 0.50                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | --           | ND<0.50      |          |
| 6/27/07   | 11.15         | 8.78           | 0.00          | 2.37                   | -0.78               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | --           | ND<0.50      |          |
| 9/26/07   | 11.15         | 9.08           | 0.00          | 2.07                   | -0.30               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | --           | ND<0.50      |          |
| 12/27/07  | 11.15         | 8.63           | 0.00          | 2.52                   | 0.45                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<0.50      |          |
| <b>U-5</b> <b>(Screen Interval in feet: 5.0-20.0)</b> |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 6/22/94   | 6.98          | 6.83           | 0.00          | 0.15                   | --                  | 210           | --            | 7.1     | 13      | 4.5           | 26            | --           | --           |          |
| 9/22/94   | 6.98          | 6.90           | 0.00          | 0.08                   | -0.07               | 170           | --            | 8.4     | 10      | 8.5           | 18            | --           | --           |          |
| 12/24/94  | 6.98          | 6.43           | 0.00          | 0.55                   | 0.47                | 8700          | --            | 560     | 70      | 670           | 430           | --           | --           |          |
| 3/25/95   | 6.98          | 6.35           | 0.00          | 0.63                   | 0.08                | 44000         | --            | 390     | 960     | 1500          | 7600          | --           | --           |          |
| 6/21/95   | 6.98          | 7.11           | 0.00          | -0.13                  | -0.76               | 400           | --            | 2.3     | ND      | 9.1           | 3.5           | --           | --           |          |
| 9/19/95   | 6.98          | 6.99           | 0.00          | -0.01                  | 0.12                | 850           | --            | 14      | 7.1     | 13            | 66            | --           | --           |          |
| 12/19/95  | 6.98          | 7.17           | 0.00          | -0.19                  | -0.18               | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 3/18/96   | 6.98          | 6.65           | 0.00          | 0.33                   | 0.52                | 100           | --            | 0.67    | 0.5     | 0.51          | 5.4           | --           | --           |          |
| 6/27/96   | 6.98          | 6.49           | 0.00          | 0.49                   | 0.16                | 16000         | --            | 280     | 150     | 1400          | 4600          | 530          | --           |          |
| 9/26/96   | 6.98          | 7.13           | 0.00          | -0.15                  | -0.64               | ND            | --            | ND      | 0.57    | ND            | 0.96          | ND           | --           |          |
| 12/9/96   | 6.98          | 5.90           | 0.00          | 1.08                   | 1.23                | 1300          | --            | 29      | 46      | ND            | 140           | 97           | --           |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-5 continued</b> |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 3/14/97              | 6.98          | 6.99           | 0.00          | -0.01                  | -1.09               | ND            | --            | ND      | ND      | ND            | ND            | 14           | --           |          |
| 6/30/97              | 6.98          | 7.08           | 0.00          | -0.10                  | -0.09               | 4200          | --            | 74      | 51      | 180           | 980           | 270          | --           |          |
| 9/19/97              | 6.98          | 6.78           | 0.00          | 0.20                   | 0.30                | 6300          | --            | 160     | 13      | 370           | 1000          | 480          | --           |          |
| 12/12/97             | 6.98          | 6.94           | 0.00          | 0.04                   | -0.16               | 60            | --            | 1.3     | ND      | 1.6           | 2.1           | 47           | --           |          |
| 3/3/98               | 6.98          | 6.50           | 0.00          | 0.48                   | 0.44                | 1700          | --            | 29      | ND      | 150           | 190           | 330          | --           |          |
| 6/15/98              | 6.98          | 6.85           | 0.00          | 0.13                   | -0.35               | 1500          | --            | 32      | ND      | 91            | 83            | 330          | --           |          |
| 9/30/98              | 6.98          | 7.31           | 0.00          | -0.33                  | -0.46               | 1700          | --            | 44      | ND      | 39            | 150           | 60           | --           |          |
| 12/28/98             | 6.98          | 7.25           | 0.00          | -0.27                  | 0.06                | 1400          | --            | 59      | ND      | 13            | 27            | 150          | --           |          |
| 3/22/99              | 6.98          | 6.86           | 0.00          | 0.12                   | 0.39                | 780           | --            | 8.9     | ND      | 0.76          | 4.5           | 350          | --           |          |
| 6/9/99               | 6.98          | 7.28           | 0.00          | -0.30                  | -0.42               | 1000          | --            | ND      | ND      | 10            | 35            | 280          | 350          |          |
| 9/8/99               | 6.98          | 7.52           | 0.00          | -0.54                  | -0.24               | 2620          | --            | 26.2    | ND      | 32.2          | 157           | 280          | 239          |          |
| 12/7/99              | 6.98          | 7.67           | 0.00          | -0.69                  | -0.15               | 949           | --            | 9.26    | ND      | 11.2          | 22.7          | 235          | 301          |          |
| 3/13/00              | 6.98          | 6.73           | 0.00          | 0.25                   | 0.94                | 880           | --            | 12      | 1.0     | 5.6           | 8.7           | 46           | 37           |          |
| 6/21/00              | 6.98          | 7.39           | 0.00          | -0.41                  | -0.66               | 700           | --            | 4.0     | ND      | 0.99          | 4.0           | 120          | 140          |          |
| 9/27/00              | 6.98          | 7.45           | 0.00          | -0.47                  | -0.06               | 400           | --            | 1.9     | ND      | ND            | 1.5           | 160          | 250          |          |
| 12/12/00             | 6.98          | 7.68           | 0.00          | -0.70                  | -0.23               | 770           | --            | 3.2     | ND      | ND            | ND            | 27           | 13           |          |
| 3/7/01               | 6.98          | 6.83           | 0.00          | 0.15                   | 0.85                | 623           | --            | 5.15    | ND      | ND            | 0.669         | 35.7         | 43.4         |          |
| 6/6/01               | 6.98          | 7.42           | 0.00          | -0.44                  | -0.59               | 110           | --            | ND      | ND      | ND            | ND            | ND           | --           |          |
| 9/24/01              | 6.98          | 7.50           | 0.00          | -0.52                  | -0.08               | 270           | --            | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | 40           | 42           |          |
| 12/10/01             | 6.98          | 6.65           | 0.00          | 0.33                   | 0.85                | 420           | --            | 13      | 0.60    | 0.66          | ND<0.50       | ND<2.5       | --           |          |
| 3/11/02              | 6.98          | 7.00           | 0.00          | -0.02                  | -0.35               | 260           | --            | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | 42           | 47           |          |
| 6/4/02               | 6.98          | 6.71           | 0.00          | 0.27                   | 0.29                | 170           | --            | ND<0.50 | 0.77    | 0.87          | 0.69          | 29           | --           |          |
| 9/3/02               | 6.98          | 7.47           | 0.00          | -0.49                  | -0.76               | ND<50         | --            | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | 37           | 53           |          |
| 12/3/02              | 6.98          | 6.64           | 0.00          | 0.34                   | 0.83                | 320           | --            | ND<0.50 | ND<0.50 | 5.7           | ND<1.0        | --           | 11           |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled                                   | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|--|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
|  | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-5 continued</b>                           |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 3/4/03   | 6.98          | 6.75           | 0.00          | 0.23                   | -0.11               | --            | 100           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 44           |          |
| 6/18/03  | 6.98          | 6.25           | 0.00          | 0.73                   | 0.50                | --            | 51            | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 36           |          |
| 9/24/03  | 6.98          | 6.86           | 0.00          | 0.12                   | -0.61               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | ND<2.0       |          |
| 12/2/03  | 6.98          | 7.12           | 0.00          | -0.14                  | -0.26               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 24           |          |
| 3/30/04  | 6.98          | 6.88           | 0.00          | 0.10                   | 0.24                | --            | 100           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 130          |          |
| 6/7/04   | 6.98          | 8.53           | 0.00          | -1.55                  | -1.65               | --            | 250           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 160          |          |
| 9/9/04   | 6.98          | 12.28          | 0.00          | -5.30                  | -3.75               | --            | 340           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 260          |          |
| 12/20/04                                       | 6.98          | 7.51           | 0.00          | -0.53                  | 4.77                | --            | 130           | ND<0.50 | ND<0.50 | 1.9           | 2.0           | --           | 120          |          |
| 3/28/05  | 6.98          | 7.22           | 0.00          | -0.24                  | 0.29                | --            | 670           | ND<2.0  | ND<2.0  | ND<2.0        | ND<4.0        | --           | 230          |          |
| 6/14/05  | 6.98          | 7.46           | 0.00          | -0.48                  | -0.24               | --            | 160           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 400          |          |
| 9/28/05  | 6.98          | 9.59           | 0.00          | -2.61                  | -2.13               | --            | 460           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 370          |          |
| 12/29/05                                       | 6.98          | 7.53           | 0.00          | -0.55                  | 2.06                | --            | 150           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 190          |          |
| 3/27/06  | 6.98          | 6.29           | 0.00          | 0.69                   | 1.24                | --            | 450           | ND<0.50 | ND<0.50 | 8.3           | ND<1.0        | --           | 70           |          |
| 6/12/06  | 6.98          | 6.45           | 0.00          | 0.53                   | -0.16               | --            | 370           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 61           |          |
| 9/21/06  | 6.98          | 6.60           | 0.00          | 0.38                   | -0.15               | --            | 130           | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | --           | 35           |          |
| 12/21/06                                       | 6.98          | 6.92           | 0.00          | 0.06                   | -0.32               | --            | 230           | ND<0.50 | ND<0.50 | 0.58          | ND<0.50       | --           | 11           |          |
| 3/28/07  | 6.98          | 5.12           | 0.00          | 1.86                   | 1.80                | --            | 400           | ND<0.50 | ND<0.50 | 5.4           | ND<0.50       | --           | 13           |          |
| 6/27/07  | 6.98          | 4.41           | 0.00          | 2.57                   | 0.71                | --            | 210           | ND<0.50 | ND<0.50 | 2.4           | ND<0.50       | --           | 18           |          |
| 9/26/07  | 6.98          | 4.71           | 0.00          | 2.27                   | -0.30               | --            | 740           | ND<0.50 | ND<0.50 | ND<0.50       | ND<0.50       | --           | 18           |          |
| 12/27/07                                       | 6.98          | 6.77           | 0.00          | 0.21                   | -2.06               | --            | 180           | ND<0.50 | ND<0.50 | ND<0.50       | ND<1.0        | --           | 18           |          |
| <b>U-6</b> (Screen Interval in feet: 5.0-24.0) |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 6/22/94  | 7.14          | 7.14           | 0.00          | 0.00                   | --                  | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 9/22/94  | 7.14          | 7.34           | 0.00          | -0.20                  | -0.20               | 130           | --            | 1.3     | 0.8     | ND            | 0.73          | --           | --           |          |
| 12/24/94                                       | 7.14          | 6.67           | 0.00          | 0.47                   | 0.67                | 6900          | --            | 500     | 59      | 600           | 380           | --           | --           |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)        | (µg/l)        | (µg/l)       | (µg/l)       |          |
| <b>U-6 continued</b> |               |                |               |                        |                     |               |               |         |         |               |               |              |              |          |
| 3/25/95              | 7.14          | 6.29           | 0.00          | 0.85                   | 0.38                | 47000         | --            | 450     | 1300    | 1700          | 8200          | --           | --           |          |
| 6/21/95              | 7.14          | 7.60           | 0.00          | -0.46                  | -1.31               | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 9/19/95              | 7.14          | 7.70           | 0.00          | -0.56                  | -0.10               | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 12/19/95             | 7.14          | 7.75           | 0.00          | -0.61                  | -0.05               | 210           | --            | 2.5     | 1.0     | 2.9           | 17            | --           | --           |          |
| 3/18/96              | 7.14          | 6.86           | 0.00          | 0.28                   | 0.89                | ND            | --            | ND      | ND      | ND            | ND            | --           | --           |          |
| 6/27/96              | 7.14          | 6.52           | 0.00          | 0.62                   | 0.34                | ND            | --            | ND      | ND      | ND            | ND            | 510          | --           |          |
| 9/26/96              | 7.14          | 7.62           | 0.00          | -0.48                  | -1.10               | ND            | --            | ND      | ND      | ND            | ND            | 1400         | --           |          |
| 12/9/96              | 7.14          | 5.88           | 0.00          | 1.26                   | 1.74                | 1200          | --            | 29      | 48      | 6.4           | 140           | 58           | --           |          |
| 3/14/97              | 7.14          | 7.30           | 0.00          | -0.16                  | -1.42               | ND            | --            | ND      | ND      | ND            | ND            | 1500         | --           |          |
| 6/30/97              | 7.14          | 7.35           | 0.00          | -0.21                  | -0.05               | ND            | --            | ND      | ND      | ND            | ND            | 990          | --           |          |
| 9/19/97              | 7.14          | 7.25           | 0.00          | -0.11                  | 0.10                | ND            | --            | ND      | ND      | ND            | ND            | 1400         | --           |          |
| 12/12/97             | 7.14          | 7.29           | 0.00          | -0.15                  | -0.04               | ND            | --            | ND      | ND      | ND            | ND            | 680          | --           |          |
| 3/3/98               | 7.14          | 7.00           | 0.00          | 0.14                   | 0.29                | ND            | --            | ND      | ND      | ND            | ND            | 1600         | --           |          |
| 6/15/98              | 7.14          | 7.18           | 0.00          | -0.04                  | -0.18               | ND            | --            | ND      | ND      | ND            | ND            | 1000         | --           |          |
| 9/30/98              | 7.14          | 7.90           | 0.00          | -0.76                  | -0.72               | ND            | --            | ND      | ND      | ND            | ND            | 1200         | --           |          |
| 12/28/98             | 7.14          | 7.79           | 0.00          | -0.65                  | 0.11                | ND            | --            | ND      | ND      | ND            | ND            | 730          | --           |          |
| 3/22/99              | 7.14          | 7.47           | 0.00          | -0.33                  | 0.32                | ND            | --            | ND      | ND      | ND            | ND            | 1800         | --           |          |
| 6/9/99               | 7.14          | 7.73           | 0.00          | -0.59                  | -0.26               | ND            | --            | ND      | ND      | ND            | ND            | 1000         | 850          |          |
| 9/8/99               | 7.14          | 7.95           | 0.00          | -0.81                  | -0.22               | ND            | --            | ND      | ND      | ND            | ND            | 851          | 1040         |          |
| 12/7/99              | 7.14          | 8.10           | 0.00          | -0.96                  | -0.15               | ND            | --            | ND      | ND      | ND            | ND            | 1140         | 1150         |          |
| 3/13/00              | 7.14          | 6.95           | 0.00          | 0.19                   | 1.15                | ND            | --            | ND      | ND      | ND            | ND            | 560          | 670          |          |
| 6/21/00              | 7.14          | 7.84           | 0.00          | -0.70                  | -0.89               | ND            | --            | ND      | ND      | ND            | ND            | 400          | 590          |          |
| 9/27/00              | 7.14          | 7.68           | 0.00          | -0.54                  | 0.16                | ND            | --            | ND      | ND      | ND            | ND            | 2500         | 2800         |          |
| 12/12/00             | 7.14          | 7.74           | 0.00          | -0.60                  | -0.06               | ND            | --            | ND      | ND      | ND            | ND            | 590          | 580          |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M)       | TPH-G (GC/MS)       | Benzene             | Toluene             | Ethyl-benzene       | Total Xylenes       | MTBE (8021B)        | MTBE (8260B)        | Comments |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|----------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | ( $\mu\text{g/l}$ ) |          |
| <b>U-6 continued</b> |               |                |               |                        |                     |                     |                     |                     |                     |                     |                     |                     |                     |          |
| 3/7/01               | 7.14          | 7.27           | 0.00          | -0.13                  | 0.47                | ND                  | --                  | ND                  | ND                  | ND                  | ND                  | 310                 | 321                 |          |
| 6/6/01               | 7.14          | 7.80           | 0.00          | -0.66                  | -0.53               | ND                  | --                  | ND                  | ND                  | ND                  | ND                  | 250                 | 330                 |          |
| 9/24/01              | 7.14          | 7.82           | 0.00          | -0.68                  | -0.02               | ND<50               | --                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | 530                 | 660                 |          |
| 12/10/01             | 7.14          | 7.15           | 0.00          | -0.01                  | 0.67                | ND<50               | --                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | 220                 | 220                 |          |
| 3/11/02              | 7.14          | 7.32           | 0.00          | -0.18                  | -0.17               | ND<50               | --                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | 720                 | 760                 |          |
| 6/4/02               | 7.14          | 7.18           | 0.00          | -0.04                  | 0.14                | 250                 | --                  | ND<1.0              | ND<1.0              | ND<1.0              | ND<1.0              | 470                 | --                  |          |
| 9/3/02               | 7.14          | 7.72           | 0.00          | -0.58                  | -0.54               | 420                 | --                  | ND<2.5              | ND<2.5              | ND<2.5              | 4.7                 | 860                 | 1200                |          |
| 12/3/02              | 7.14          | 6.92           | 0.00          | 0.22                   | 0.80                | --                  | ND<500              | ND<5.0              | ND<5.0              | ND<5.0              | ND<10               | --                  | 870                 |          |
| 3/4/03               | 7.14          | 7.01           | 0.00          | 0.13                   | -0.09               | --                  | 2300                | ND<10               | ND<10               | ND<10               | ND<20               | --                  | 2700                |          |
| 6/18/03              | 7.14          | 6.60           | 0.00          | 0.54                   | 0.41                | --                  | 1300                | ND<10               | ND<10               | ND<10               | ND<20               | --                  | 1700                |          |
| 9/24/03              | 7.14          | 7.24           | 0.00          | -0.10                  | -0.64               | --                  | ND<10000            | ND<100              | ND<100              | ND<100              | ND<200              | --                  | 1500                |          |
| 12/2/03              | 7.14          | 7.80           | 0.00          | -0.66                  | -0.56               | --                  | 1300                | ND<10               | ND<10               | ND<10               | ND<20               | --                  | 1800                |          |
| 3/30/04              | 7.14          | 7.32           | 0.00          | -0.18                  | 0.48                | --                  | 1200                | ND<10               | ND<10               | ND<10               | ND<20               | --                  | 1700                |          |
| 6/7/04               | 7.14          | 9.35           | 0.00          | -2.21                  | -2.03               | --                  | 1700                | ND<10               | ND<10               | ND<10               | ND<20               | --                  | 1800                |          |
| 9/9/04               | 7.14          | 12.81          | 0.00          | -5.67                  | -3.46               | --                  | ND<1000             | ND<10               | ND<10               | ND<10               | ND<20               | --                  | 1400                |          |
| 12/20/04             | 7.14          | 7.96           | 0.00          | -0.82                  | 4.85                | --                  | 320                 | ND<2.5              | ND<2.5              | ND<2.5              | ND<5.0              | --                  | 65                  |          |
| 3/28/05              | 7.14          | 7.07           | 0.00          | 0.07                   | 0.89                | --                  | ND<50               | ND<0.50             | ND<0.50             | ND<0.50             | ND<1.0              | --                  | 150                 |          |
| 6/14/05              | 7.14          | 7.88           | 0.00          | -0.74                  | -0.81               | --                  | ND<100              | ND<1.0              | ND<1.0              | ND<1.0              | ND<2.0              | --                  | 20                  |          |
| 9/28/05              | 7.14          | 10.44          | 0.00          | -3.30                  | -2.56               | --                  | 150                 | ND<0.50             | ND<0.50             | ND<0.50             | ND<1.0              | --                  | 4.6                 |          |
| 12/29/05             | 7.14          | 7.63           | 0.00          | -0.49                  | 2.81                | --                  | ND<50               | ND<0.50             | ND<0.50             | ND<0.50             | ND<1.0              | --                  | 13                  |          |
| 3/27/06              | 7.14          | 6.16           | 0.00          | 0.98                   | 1.47                | --                  | ND<50               | ND<0.50             | ND<0.50             | ND<0.50             | ND<1.0              | --                  | 8.1                 |          |
| 6/12/06              | 7.14          | 6.59           | 0.00          | 0.55                   | -0.43               | --                  | ND<50               | ND<0.50             | ND<0.50             | ND<0.50             | ND<1.0              | --                  | 6.9                 |          |
| 9/21/06              | 7.14          | 6.90           | 0.00          | 0.24                   | -0.31               | --                  | ND<50               | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 3.1                 |          |
| 12/21/06             | 7.14          | 7.36           | 0.00          | -0.22                  | -0.46               | --                  | ND<50               | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 1.2                 |          |

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through December 2007**  
**76 Station 5325**

| Date Sampled         | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments                          |
|----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|-----------------------------------|
|                      | (feet)        | (feet)         | (feet)        | (feet)                 | (feet)              | (µg/l)        | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)       | (µg/l)        | (µg/l)       | (µg/l)       |                                   |
| <b>U-6 continued</b> |               |                |               |                        |                     |               |               |         |         |              |               |              |              |                                   |
| 3/28/07              | 7.14          | 3.48           | 0.00          | 3.66                   | 3.88                | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | --           | ND<0.50      |                                   |
| 6/27/07              | 7.14          | --             | --            | --                     | --                  | --            | --            | --      | --      | --           | --            | --           | --           | Inaccessible - dumpster over well |
| 9/26/07              | 7.14          | 2.71           | 0.00          | 4.43                   | --                  | --            | 54            | ND<0.50 | ND<0.50 | ND<0.50      | ND<0.50       | --           | ND<0.50      |                                   |
| 12/27/07             | 7.14          | 6.96           | 0.00          | 0.18                   | -4.25               | --            | ND<50         | ND<0.50 | ND<0.50 | ND<0.50      | ND<1.0        | --           | 2.4          |                                   |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled | TBA      | Ethanol (8260B) | Ethylene-dibromide (EDB) | 1,2-DCA (EDC) | DIPE    | ETBE    | TAME    | Acenaphthylene | Iron Ferrou | Nitrate | Phosphate (ortho) | Phosphate (total) | Redox Potential (ORP-Lab) | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen |
|--------------|----------|-----------------|--------------------------|---------------|---------|---------|---------|----------------|-------------|---------|-------------------|-------------------|---------------------------|-----------------------------|----------------------------|
|              | (µg/l)   | (µg/l)          | (µg/l)                   | (µg/l)        | (µg/l)  | (µg/l)  | (µg/l)  | (µg/l)         | (µg/l)      | (mg/l)  | (mg/l)            | (mg/l)            | (mV)                      | (mg/l)                      | (mg/l)                     |
| <b>U-1</b>   |          |                 |                          |               |         |         |         |                |             |         |                   |                   |                           |                             |                            |
| 6/15/98      | --       | --              | --                       | --            | --      | --      | --      | --             | 39000       | ND      | --                | ND                | 382                       | --                          | --                         |
| 9/30/98      | --       | --              | --                       | --            | --      | --      | --      | --             | 17000       | ND      | --                | ND                | 366                       | --                          | --                         |
| 12/28/98     | --       | --              | --                       | --            | --      | --      | --      | --             | 4300        | 6.30    | --                | 28                | 298                       | --                          | --                         |
| 3/22/99      | --       | --              | --                       | --            | --      | --      | --      | --             | 4900        | ND      | --                | 3.5               | 320                       | --                          | --                         |
| 6/9/99       | --       | --              | --                       | --            | --      | --      | --      | --             | 1200        | ND      | --                | ND                | 260                       | --                          | --                         |
| 9/8/99       | --       | --              | --                       | --            | --      | --      | --      | --             | 1800        | ND      | --                | ND                | 85                        | --                          | --                         |
| 12/7/99      | --       | --              | --                       | --            | --      | --      | --      | --             | 5700        | ND      | --                | 17.0              | 404                       | --                          | 1.36                       |
| 3/13/00      | --       | --              | --                       | --            | --      | --      | --      | --             | 8000        | 0.18    | --                | ND                | 262                       | --                          | --                         |
| 6/21/00      | --       | --              | --                       | --            | --      | --      | --      | --             | 9300        | ND      | --                | ND                | 148                       | --                          | 1.53                       |
| 9/27/00      | ND       | --              | ND                       | --            | ND      | ND      | ND      | --             | 2800        | ND      | --                | 18.4              | 119                       | --                          | 1.63                       |
| 12/12/00     | --       | --              | --                       | --            | --      | --      | --      | --             | 490         | ND      | --                | 16.0              | 131                       | --                          | 1.48                       |
| 3/7/01       | ND       | --              | ND                       | --            | ND      | ND      | ND      | --             | 483         | 2.64    | --                | 6.89              | 125                       | --                          | 1.91                       |
| 6/6/01       | ND       | --              | ND                       | --            | ND      | ND      | ND      | --             | 1000        | ND      | --                | 2.7               | 141                       | --                          | 1.77                       |
| 9/24/01      | ND<20000 | ND<400000       | ND<1000                  | ND<1000       | ND<1000 | ND<1000 | ND<1000 | --             | ND<100      | 0.45    | --                | --                | 125                       | --                          | 1.64                       |
| 12/10/01     | ND<4000  | ND<8000         | ND<100                   | ND<100        | ND<100  | ND<100  | ND<100  | --             | 14000       | ND<0.50 | --                | 2.2               | 141                       | --                          | 1.82                       |
| 3/11/02      | ND<5000  | ND<25000        | ND<100                   | ND<100        | ND<100  | ND<100  | ND<100  | --             | 15000       | ND<0.50 | --                | 0.11              | 132                       | --                          | 2.21                       |
| 6/4/02       | --       | --              | --                       | --            | --      | --      | --      | --             | ND<500      | ND<0.50 | --                | ND<0.10           | 117                       | --                          | 1.88                       |
| 9/3/02       | ND<10000 | ND<50000        | ND<200                   | ND<200        | ND<200  | ND<200  | ND<200  | --             | ND<500      | ND<0.50 | --                | ND<0.10           | 94                        | --                          | 1.62                       |
| 12/3/02      | ND<10000 | ND<50000        | ND<200                   | ND<200        | ND<200  | ND<200  | ND<200  | --             | 9600        | ND<1.0  | --                | ND<1.0            | 72                        | --                          | 1.71                       |
| 3/4/03       | ND<5000  | ND<25000        | ND<100                   | ND<100        | ND<100  | ND<100  | ND<100  | --             | 36000       | ND<1.0  | --                | ND<1.0            | -125                      | --                          | 0.30                       |
| 6/18/03      | ND<5000  | ND<25000        | ND<100                   | ND<100        | ND<100  | ND<100  | ND<100  | --             | 16000       | ND<1.0  | --                | ND<1.0            | -48                       | 1.7                         | --                         |
| 9/24/03      | ND<20000 | ND<100000       | ND<400                   | ND<400        | ND<400  | ND<400  | ND<400  | --             | 15          | ND<1.0  | --                | ND<1.0            | -36                       | --                          | 0.40                       |
| 12/2/03      | --       | ND<100000       | --                       | --            | --      | --      | --      | --             | 4000        | --      | --                | --                | --                        | 6.46                        | 2.05                       |
| 3/30/04      | 3100     | ND<10000        | ND<100                   | ND<100        | ND<200  | ND<100  | ND<100  | --             | 12000       | ND<1.0  | ND<1.0            | --                | --                        | 1.08                        | 3.05                       |
| 6/7/04       | 3300     | ND<10000        | ND<100                   | ND<100        | ND<200  | ND<100  | ND<100  | --             | 660         | ND<0.50 | 6.8               | --                | --                        | 1.62                        | 2.30                       |
| 12/20/04     | 11       | ND<50           | ND<0.50                  | ND<0.50       | ND<1.0  | ND<0.50 | ND<0.50 | --             | 0.015       | ND<1.0  | ND<1.0            | --                | --                        | 1.35                        | 5.55                       |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled         | TBA                 | Ethanol (8260B)     | Ethylene-dibromide (EDB) | 1,2-DCA (EDC)       | DIPE                | ETBE                | TAME                | Acenaphthylene      | Iron Ferrous      | Nitrate           | Phosphate (ortho) | Phosphate (total) | Redox Potential (ORP-Lab) | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen |
|----------------------|---------------------|---------------------|--------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------------|-------------------|-------------------|-------------------|---------------------------|-----------------------------|----------------------------|
|                      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ )      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | (mV)                      | ( $\text{mg/l}$ )           | ( $\text{mg/l}$ )          |
| <b>U-1 continued</b> |                     |                     |                          |                     |                     |                     |                     |                     |                   |                   |                   |                   |                           |                             |                            |
| 3/28/05              | --                  | ND<1000             | --                       | --                  | --                  | --                  | --                  | --                  | 16                | ND<1.0            | ND<1.0            | --                | --                        | 4.32                        | 3.26                       |
| 6/14/05              | 4400                | ND<1000             | ND<10                    | ND<10               | ND<10               | ND<10               | ND<10               | --                  | 7100              | ND<1.0            | 12                | --                | --                        | 3.95                        | 4.52                       |
| 9/28/05              | 5500                | ND<250              | ND<10                    | ND<10               | ND<10               | ND<10               | ND<10               | --                  | 7300              | ND<0.10           | 39                | --                | --                        | 7.13                        | 2.59                       |
| 12/29/05             | 3900                | ND<250              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 9500              | ND<0.10           | 21                | --                | --                        | 3.74                        | 2.81                       |
| 3/27/06              | --                  | ND<12000            | --                       | --                  | --                  | --                  | --                  | --                  | 8500              | ND<0.10           | ND<0.050          | --                | --                        | --                          | 1.95                       |
| 6/12/06              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 25000             | ND<0.10           | 0.64              | --                | --                        | --                          | 1.20                       |
| 9/21/06              | --                  | ND<6200             | --                       | --                  | --                  | --                  | --                  | --                  | 16000             | ND<0.10           | 1.5               | --                | --                        | --                          | 1.28                       |
| 12/21/06             | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 22000             | ND<0.10           | 1.0               | --                | --                        | --                          | --                         |
| 3/28/07              | 1600                | ND<1200             | ND<2.5                   | ND<2.5              | ND<2.5              | ND<2.5              | ND<2.5              | --                  | 20000             | ND<0.10           | ND<0.050          | --                | --                        | --                          | 6.75                       |
| 6/27/07              | 1500                | ND<1200             | ND<2.5                   | ND<2.5              | ND<2.5              | ND<2.5              | ND<2.5              | --                  | 35000             | ND<0.10           | 0.065             | --                | --                        | --                          | 3.87                       |
| 9/26/07              | --                  | ND<1200             | --                       | --                  | --                  | --                  | --                  | --                  | 27000             | ND<0.10           | 0.11              | --                | --                        | --                          | 2.39                       |
| 12/27/07             | --                  | ND<1200             | --                       | --                  | --                  | --                  | --                  | --                  | 25000             | ND<0.10           | ND<0.050          | --                | --                        | --                          | 2.36                       |
| <b>U-2</b>           |                     |                     |                          |                     |                     |                     |                     |                     |                   |                   |                   |                   |                           |                             |                            |
| 3/3/98               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 25000             | ND                | --                | ND                | 369                       | --                          | --                         |
| 6/15/98              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 42000             | ND                | --                | ND                | 341                       | --                          | --                         |
| 9/30/98              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 25000             | ND                | --                | ND                | 354                       | --                          | --                         |
| 12/28/98             | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 28000             | ND                | --                | ND                | 276                       | --                          | --                         |
| 3/22/99              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 680               | ND                | --                | 2.3               | 320                       | --                          | --                         |
| 6/9/99               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 500               | ND                | --                | ND                | 290                       | --                          | --                         |
| 9/8/99               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 1900              | ND                | --                | ND                | 235                       | --                          | --                         |
| 12/7/99              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 250               | ND                | --                | ND                | 389                       | --                          | 2.28                       |
| 3/13/00              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 4300              | 0.31              | --                | ND                | 184                       | --                          | --                         |
| 6/21/00              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 260               | ND                | --                | ND                | 136                       | --                          | 1.96                       |
| 9/27/00              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 640               | ND                | --                | 10.5              | 142                       | --                          | 2.12                       |
| 12/12/00             | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 2700              | ND                | --                | ND                | 155                       | --                          | 2.35                       |
| 3/7/01               | ND                  | ND                  | ND                       | ND                  | ND                  | ND                  | ND                  | --                  | 677               | 2.24              | --                | 3.02              | 148                       | --                          | 2.21                       |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled         | TBA                 | Ethanol (8260B)     | Ethylene-dibromide (EDB) | 1,2-DCA (EDC)       | DIPE                | ETBE                | TAME                | Acenaphthylene      | Iron Ferrous        | Nitrate           | Phosphate (ortho) | Phosphate (total) | Redox Potential (ORP-Lab) | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen |
|----------------------|---------------------|---------------------|--------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------------|-------------------|-------------------|---------------------------|-----------------------------|----------------------------|
|                      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ )      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | (mV)                      | ( $\text{mg/l}$ )           | ( $\text{mg/l}$ )          |
| <b>U-2 continued</b> |                     |                     |                          |                     |                     |                     |                     |                     |                     |                   |                   |                   |                           |                             |                            |
| 6/6/01               | ND                  | ND                  | ND                       | ND                  | ND                  | ND                  | ND                  | --                  | 800                 | ND                | --                | 2.8               | 163                       | --                          | 2.67                       |
| 9/24/01              | ND<20000            | ND<400000           | ND<1000                  | ND<1000             | ND<1000             | ND<1000             | ND<1000             | --                  | ND<100              | 0.49              | --                | --                | 151                       | --                          | 2.10                       |
| 12/10/01             | ND<2000             | ND<4000             | ND<50                    | ND<50               | ND<50               | ND<50               | ND<50               | --                  | ND<100              | ND<0.50           | --                | 0.20              | 171                       | --                          | 2.81                       |
| 3/11/02              | ND<10000            | ND<50000            | ND<200                   | ND<200              | ND<200              | ND<200              | ND<200              | --                  | ND<100              | ND<0.50           | --                | 0.65              | 156                       | --                          | 2.77                       |
| 6/4/02               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | ND<100              | ND<0.50           | --                | ND<0.10           | 144                       | --                          | 3.14                       |
| 9/3/02               | ND<50000            | ND<250000           | ND<1000                  | ND<1000             | ND<1000             | ND<1000             | ND<1000             | --                  | ND<250              | ND<0.50           | --                | 0.26              | 151                       | --                          | 2.85                       |
| 12/3/02              | ND<10000            | ND<50000            | ND<200                   | ND<200              | ND<200              | ND<200              | ND<200              | --                  | 9900                | ND<1.0            | --                | ND<1.0            | 94                        | --                          | 1.97                       |
| 3/4/03               | ND<10000            | ND<50000            | ND<200                   | ND<200              | ND<200              | ND<200              | ND<200              | --                  | 8600                | ND<1.0            | --                | ND<1.0            | -147                      | --                          | 0.40                       |
| 6/18/03              | ND<10000            | ND<50000            | ND<200                   | ND<200              | ND<200              | ND<200              | ND<200              | --                  | 5500                | ND<1.0            | --                | 3.1               | -8                        | 3.2                         | --                         |
| 9/24/03              | ND<20000            | ND<100000           | ND<400                   | ND<400              | ND<400              | ND<400              | ND<400              | --                  | 14                  | ND<1.0            | --                | ND<1.0            | -10                       | --                          | 0.20                       |
| 12/2/03              | --                  | ND<100000           | --                       | --                  | --                  | --                  | --                  | --                  | 2700                | --                | --                | --                | --                        | 1.81                        | 1.70                       |
| 3/30/04              | 2400                | ND<10000            | ND<100                   | ND<100              | ND<200              | ND<100              | ND<100              | --                  | ND<200              | ND<1.0            | 2.9               | --                | --                        | --                          | 2.40                       |
| 6/7/04               | 2600                | ND<10000            | ND<100                   | ND<100              | ND<200              | ND<100              | ND<100              | --                  | 210                 | ND<0.50           | 2.4               | --                | --                        | 3.29                        | 3.10                       |
| 9/9/04               | 2700                | ND<10000            | ND<100                   | ND<100              | ND<200              | ND<100              | ND<100              | --                  | 930                 | ND<1.0            | 5.9               | --                | --                        | 3.10                        | 3.12                       |
| 12/20/04             | 3500                | ND<5000             | ND<50                    | ND<50               | ND<100              | ND<50               | ND<50               | --                  | 0.87                | ND<1.0            | ND<1.0            | --                | --                        | 6.54                        | .41                        |
| 3/28/05              | 830                 | ND<5000             | ND<50                    | ND<50               | ND<50               | ND<50               | ND<50               | --                  | 4.0                 | ND<1.0            | ND<1.0            | --                | --                        | 4.30                        | 3.76                       |
| 6/14/05              | 10000               | ND<2000             | ND<20                    | ND<20               | ND<20               | ND<20               | ND<20               | --                  | 3400                | ND<1.0            | ND<1.0            | --                | --                        | 3.99                        | 3.28                       |
| 9/28/05              | 13000               | ND<250              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 4000                | ND<0.20           | 7.5               | --                | --                        | 6.62                        | 2.87                       |
| 12/29/05             | 1000000000          | ND<250              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 2200                | ND<0.20           | 4.6               | --                | --                        | 5.71                        | 1.76                       |
| 3/27/06              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 1100                | ND<0.10           | ND<0.050          | --                | --                        | --                          | 0.95                       |
| 6/12/06              | --                  | ND<6200             | --                       | --                  | --                  | --                  | --                  | --                  | 1500                | ND<0.10           | ND<0.050          | --                | --                        | --                          | 19.82                      |
| 9/21/06              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 100                 | 33                | 0.36              | --                | --                        | --                          | 3.15                       |
| 12/21/06             | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 770                 | ND<0.20           | 0.21              | --                | --                        | --                          | --                         |
| 3/28/07              | 4000                | ND<2500             | ND<5.0                   | ND<5.0              | ND<5.0              | ND<5.0              | ND<5.0              | --                  | 8600                | ND<0.10           | ND<0.050          | --                | --                        | --                          | 8.80                       |
| 6/27/07              | 3000                | ND<2500             | ND<5.0                   | ND<5.0              | ND<5.0              | ND<5.0              | ND<5.0              | --                  | 9000                | ND<0.10           | ND<0.050          | --                | --                        | --                          | 4.72                       |
| 9/26/07              | --                  | ND<2500             | --                       | --                  | --                  | --                  | --                  | --                  | 22000               | ND<0.10           | 0.10              | --                | --                        | --                          | 1.84                       |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled         | TBA<br>(µg/l) | Ethanol<br>(8260B)<br>(µg/l) | Ethylene-dibromide<br>(EDB)<br>(µg/l) | 1,2-DCA<br>(EDC)<br>(µg/l) | DIPE<br>(µg/l) | ETBE<br>(µg/l) | TAME<br>(µg/l) | Acenaphthylene<br>(µg/l) | Iron Ferrous<br>(µg/l) | Nitrate<br>(mg/l) | Phosphate<br>(ortho)<br>(mg/l) | Phosphate<br>(total)<br>(mg/l) | Redox Potential<br>(ORP-Lab)<br>(mV) | Post-purge Dissolved Oxygen<br>(mg/l) | Pre-purge Dissolved Oxygen<br>(mg/l) |
|----------------------|---------------|------------------------------|---------------------------------------|----------------------------|----------------|----------------|----------------|--------------------------|------------------------|-------------------|--------------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|
| <b>U-2 continued</b> |               |                              |                                       |                            |                |                |                |                          |                        |                   |                                |                                |                                      |                                       |                                      |
| 12/27/07             | --            | ND<2500                      | --                                    | --                         | --             | --             | --             | --                       | 7600                   | ND<0.10           | ND<0.050                       | --                             | --                                   | --                                    | 2.81                                 |
| <b>U-3</b>           |               |                              |                                       |                            |                |                |                |                          |                        |                   |                                |                                |                                      |                                       |                                      |
| 6/30/97              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 1400                   | 21                | --                             | 0.86                           | 190                                  | --                                    | 4.10                                 |
| 9/19/97              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 570                    | 19                | --                             | ND                             | 75                                   | --                                    | 4.20                                 |
| 12/12/97             | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 1900                   | 23                | --                             | 0.85                           | 390                                  | --                                    | 2.97                                 |
| 3/3/98               | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 13                     | 36                | --                             | ND                             | 358                                  | --                                    | 2.63                                 |
| 6/15/98              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 160                    | 33                | --                             | ND                             | 318                                  | --                                    | 2.93                                 |
| 9/30/98              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 40                     | 31                | --                             | ND                             | 295                                  | --                                    | 3.11                                 |
| 12/28/98             | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND                     | 29                | --                             | ND                             | 281                                  | --                                    | 3.59                                 |
| 3/22/99              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 15                     | 30                | --                             | 0.14                           | 310                                  | --                                    | 4.02                                 |
| 6/9/99               | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND                     | 26                | --                             | 1.2                            | 350                                  | --                                    | 3.70                                 |
| 9/8/99               | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND                     | 32.90             | --                             | ND                             | 417                                  | --                                    | 3.96                                 |
| 12/7/99              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 52                     | 27.90             | --                             | ND                             | 437                                  | --                                    | 4.21                                 |
| 3/13/00              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 150                    | 33                | --                             | ND                             | 307                                  | --                                    | --                                   |
| 6/21/00              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | 200                    | 32                | --                             | ND                             | 225                                  | --                                    | 4.27                                 |
| 9/27/00              | --            | --                           | --                                    | --                         | --             | --             | --             | 307                      | ND                     | 34                | --                             | 15.7                           | 211                                  | --                                    | 4.67                                 |
| 12/12/00             | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND                     | 31                | --                             | ND                             | 246                                  | --                                    | 4.79                                 |
| 3/7/01               | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND                     | 36.5              | --                             | 0.443                          | 251                                  | --                                    | 5.16                                 |
| 6/6/01               | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND                     | 8.0               | --                             | 0.18                           | 214                                  | --                                    | 4.79                                 |
| 9/24/01              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND<100                 | 23.0              | --                             | ND                             | 198                                  | --                                    | 4.27                                 |
| 12/10/01             | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND<100                 | 21                | --                             | 0.11                           | 188                                  | --                                    | 4.66                                 |
| 3/11/02              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND<100                 | 30                | --                             | 0.14                           | 166                                  | --                                    | 5.06                                 |
| 6/4/02               | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND<100                 | 18                | --                             | ND<0.10                        | 151                                  | --                                    | 5.79                                 |
| 9/3/02               | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND<100                 | 28                | --                             | ND<0.10                        | 143                                  | --                                    | 6.04                                 |
| 12/3/02              | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND<200                 | 20                | --                             | ND<1.0                         | 154                                  | --                                    | 5.58                                 |
| 3/4/03               | --            | --                           | --                                    | --                         | --             | --             | --             | --                       | ND<200                 | 18                | --                             | ND<1.0                         | -136                                 | --                                    | 0.20                                 |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled         | TBA | Ethanol (8260B) | Ethylene-dibromide (EDB) | 1,2-DCA (EDC) | DIPE   | ETBE   | TAME   | Acenaphthylene | Iron Ferrous | Nitrate | Phosphate (ortho) | Phosphate (total) | Redox Potential (ORP-Lab) | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen |
|----------------------|-----|-----------------|--------------------------|---------------|--------|--------|--------|----------------|--------------|---------|-------------------|-------------------|---------------------------|-----------------------------|----------------------------|
|                      |     | (µg/l)          | (µg/l)                   | (µg/l)        | (µg/l) | (µg/l) | (µg/l) | (µg/l)         | (µg/l)       | (mg/l)  | (mg/l)            | (mg/l)            | (mV)                      | (mg/l)                      | (mg/l)                     |
| <b>U-3 continued</b> |     |                 |                          |               |        |        |        |                |              |         |                   |                   |                           |                             |                            |
| 6/18/03              | --  | --              | --                       | --            | --     | --     | --     | --             | ND<200       | 17      | --                | ND<1.0            | 333                       | 3.5                         | --                         |
| 9/24/03              | --  | ND<500          | --                       | --            | --     | --     | --     | --             | ND<0.20      | 18      | --                | 1.4               | -50                       | --                          | 0.60                       |
| 12/2/03              | --  | ND<500          | --                       | --            | --     | --     | --     | --             | ND<200       | --      | --                | --                | --                        | 4.28                        | 4.30                       |
| 3/30/04              | --  | ND<50           | --                       | --            | --     | --     | --     | --             | ND<200       | 16      | ND<1.0            | --                | --                        | 7.75                        | 2.80                       |
| 6/7/04               | --  | ND<50           | --                       | --            | --     | --     | --     | --             | ND<200       | 17      | ND<0.20           | --                | --                        | 4.19                        | 4.70                       |
| 9/9/04               | --  | ND<50           | --                       | --            | --     | --     | --     | --             | ND<10        | 16      | 1.2               | --                | --                        | 4.68                        | 4.75                       |
| 12/20/04             | --  | ND<50           | --                       | --            | --     | --     | --     | --             | ND<0.010     | 17      | ND<1.0            | --                | --                        | 6.70                        | 3.28                       |
| 3/28/05              | --  | ND<50           | --                       | --            | --     | --     | --     | --             | ND<0.050     | 17      | ND<1.0            | --                | --                        | 4.21                        | 3.32                       |
| 6/14/05              | --  | ND<50           | --                       | --            | --     | --     | --     | --             | ND<50        | 18      | ND<1.0            | --                | --                        | 2.97                        | 2.82                       |
| 9/28/05              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 4.3     | 0.66              | --                | --                        | 6.99                        | 4.96                       |
| 12/29/05             | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 4.3     | 0.65              | --                | --                        | 4.57                        | 3.35                       |
| 3/27/06              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 4.5     | 0.66              | --                | --                        | --                          | 2.67                       |
| 6/12/06              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 4.4     | 0.64              | --                | --                        | --                          | 3.97                       |
| 9/21/06              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | 170          | 4.4     | 0.69              | --                | --                        | --                          | 2.64                       |
| 12/21/06             | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 4.5     | 0.68              | --                | --                        | --                          | --                         |
| 3/28/07              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 4.7     | 0.67              | --                | --                        | --                          | 8.10                       |
| 6/27/07              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 4.5     | 0.64              | --                | --                        | --                          | 8.72                       |
| 9/26/07              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | 9900         | ND<0.10 | ND<0.050          | --                | --                        | --                          | 3.49                       |
| 12/27/07             | --  | ND<250          | --                       | --            | --     | --     | --     | --             | 130          | 4.6     | 0.75              | --                | --                        | --                          | 1.78                       |
| <b>U-4</b>           |     |                 |                          |               |        |        |        |                |              |         |                   |                   |                           |                             |                            |
| 6/30/97              | --  | --              | --                       | --            | --     | --     | --     | --             | 130          | 35      | --                | 0.52              | 200                       | --                          | 5.40                       |
| 9/19/97              | --  | --              | --                       | --            | --     | --     | --     | --             | 350          | 30      | --                | ND                | 45                        | --                          | 5.10                       |
| 12/12/97             | --  | --              | --                       | --            | --     | --     | --     | --             | 680          | 31      | --                | 0.73              | 380                       | --                          | 3.11                       |
| 3/3/98               | --  | --              | --                       | --            | --     | --     | --     | --             | 18           | 3.2     | --                | ND                | 284                       | --                          | 2.94                       |
| 6/15/98              | --  | --              | --                       | --            | --     | --     | --     | --             | 140          | 33      | --                | ND                | 256                       | --                          | 3.08                       |
| 9/30/98              | --  | --              | --                       | --            | --     | --     | --     | --             | 49           | 31      | --                | ND                | 276                       | --                          | 4.05                       |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled         | TBA<br>(µg/l) | Ethanol<br>(8260B)<br>(µg/l) | Ethylene-dibromide<br>(EDB)<br>(µg/l) | 1,2-DCA<br>(EDC)<br>(µg/l) | DIPE<br>(µg/l) | ETBE<br>(µg/l) | TAME<br>(µg/l) | Acenaph-thylene<br>(µg/l) | Iron Ferrou<br>(µg/l) | Nitrate<br>(mg/l) | Phosphate<br>(ortho)<br>(mg/l) | Phosphate<br>(total)<br>(mg/l) | Redox Potential<br>(ORP-Lab)<br>(mV) | Post-purge Dissolved Oxygen<br>(mg/l) | Pre-purge Dissolved Oxygen<br>(mg/l) |
|----------------------|---------------|------------------------------|---------------------------------------|----------------------------|----------------|----------------|----------------|---------------------------|-----------------------|-------------------|--------------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|
| <b>U-4 continued</b> |               |                              |                                       |                            |                |                |                |                           |                       |                   |                                |                                |                                      |                                       |                                      |
| 12/28/98             | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | 360                   | 31                | --                             | ND                             | 280                                  | --                                    | 4.57                                 |
| 3/22/99              | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND                    | 30                | --                             | 0.14                           | 320                                  | --                                    | 4.26                                 |
| 6/9/99               | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND                    | 35                | --                             | 0.91                           | 340                                  | --                                    | 3.61                                 |
| 9/8/99               | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND                    | 24                | --                             | ND                             | 391                                  | --                                    | 3.75                                 |
| 12/7/99              | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND                    | 27.7              | --                             | ND                             | 478                                  | --                                    | 4.03                                 |
| 3/13/00              | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND                    | 33                | --                             | ND                             | 244                                  | --                                    | --                                   |
| 6/21/00              | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | 34                    | 32                | --                             | ND                             | 248                                  | --                                    | 4.89                                 |
| 9/27/00              | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND                    | 28                | --                             | ND                             | 198                                  | --                                    | 5.09                                 |
| 12/12/00             | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND                    | 30                | --                             | ND                             | 210                                  | --                                    | 4.86                                 |
| 3/7/01               | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND                    | 33.9              | --                             | 0.226                          | 233                                  | --                                    | 4.97                                 |
| 6/6/01               | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND                    | 7.4               | --                             | 0.21                           | 248                                  | --                                    | 5.12                                 |
| 9/24/01              | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND<100                | 24                | --                             | --                             | 262                                  | --                                    | 4.86                                 |
| 12/10/01             | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND<100                | 19                | --                             | 0.10                           | 242                                  | --                                    | 5.05                                 |
| 3/11/02              | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND<100                | 31                | --                             | 0.14                           | 195                                  | --                                    | 4.83                                 |
| 6/4/02               | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND<100                | 27                | --                             | ND<0.10                        | 169                                  | --                                    | 5.58                                 |
| 9/3/02               | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND<100                | 28                | --                             | 0.27                           | 126                                  | --                                    | 5.94                                 |
| 12/3/02              | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND<200                | 20                | --                             | ND<1.0                         | 133                                  | --                                    | 5.82                                 |
| 3/4/03               | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND<200                | 26                | --                             | ND<1.0                         | -148                                 | --                                    | 0.30                                 |
| 6/18/03              | --            | --                           | --                                    | --                         | --             | --             | --             | --                        | ND<200                | 31                | --                             | ND<1.0                         | 250                                  | 3.6                                   | --                                   |
| 9/24/03              | --            | ND<500                       | --                                    | --                         | --             | --             | --             | --                        | ND<0.20               | 17                | --                             | 1.5                            | -24                                  | --                                    | 0.20                                 |
| 12/2/03              | --            | ND<500                       | --                                    | --                         | --             | --             | --             | --                        | ND<200                | --                | --                             | --                             | --                                   | 3.45                                  | 3.57                                 |
| 3/30/04              | --            | ND<50                        | --                                    | --                         | --             | --             | --             | --                        | ND<200                | 25                | ND<1.0                         | --                             | --                                   | 3.84                                  | 4.29                                 |
| 6/7/04               | --            | ND<50                        | --                                    | --                         | --             | --             | --             | --                        | ND<200                | 24                | ND<0.20                        | --                             | --                                   | 4.02                                  | 4.56                                 |
| 9/9/04               | --            | ND<50                        | --                                    | --                         | --             | --             | --             | --                        | ND<10                 | 22                | ND<1.0                         | --                             | --                                   | 4.09                                  | 4.20                                 |
| 12/20/04             | --            | ND<50                        | --                                    | --                         | --             | --             | --             | --                        | ND<0.010              | 20                | ND<1.0                         | --                             | --                                   | 6.19                                  | 5.11                                 |
| 3/28/05              | --            | ND<50                        | --                                    | --                         | --             | --             | --             | --                        | 0.060                 | 31                | ND<1.0                         | --                             | --                                   | 4.66                                  | 4.54                                 |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled         | TBA | Ethanol (8260B) | Ethylene-dibromide (EDB) | 1,2-DCA (EDC) | DIPE   | ETBE   | TAME   | Acenaphthylene | Iron Ferrous | Nitrate | Phosphate (ortho) | Phosphate (total) | Redox Potential (ORP-Lab) | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen |
|----------------------|-----|-----------------|--------------------------|---------------|--------|--------|--------|----------------|--------------|---------|-------------------|-------------------|---------------------------|-----------------------------|----------------------------|
|                      |     | (µg/l)          | (µg/l)                   | (µg/l)        | (µg/l) | (µg/l) | (µg/l) | (µg/l)         | (µg/l)       | (mg/l)  | (mg/l)            | (mg/l)            | (mV)                      | (mg/l)                      | (mg/l)                     |
| <b>U-4 continued</b> |     |                 |                          |               |        |        |        |                |              |         |                   |                   |                           |                             |                            |
| 6/14/05              | --  | ND<50           | --                       | --            | --     | --     | --     | --             | ND<50        | 32      | ND<1.0            | --                | --                        | 3.09                        | 3.02                       |
| 9/28/05              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | 190          | 6.8     | 0.45              | --                | --                        | 6.59                        | 5.02                       |
| 12/29/05             | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 5.3     | 0.37              | --                | --                        | 5.09                        | 5.03                       |
| 3/27/06              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 6.4     | 0.41              | --                | --                        | --                          | 5.51                       |
| 6/12/06              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | 2200         | 6.8     | 0.39              | --                | --                        | --                          | 4.33                       |
| 9/21/06              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | 360          | 5.7     | 0.43              | --                | --                        | --                          | 3.51                       |
| 12/21/06             | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 5.6     | 0.41              | --                | --                        | --                          | --                         |
| 3/28/07              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 5.5     | 0.49              | --                | --                        | --                          | 12.16                      |
| 6/27/07              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 5.3     | 0.34              | --                | --                        | --                          | 10.42                      |
| 9/26/07              | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 5.4     | 0.40              | --                | --                        | --                          | 4.27                       |
| 12/27/07             | --  | ND<250          | --                       | --            | --     | --     | --     | --             | ND<100       | 5.3     | 0.43              | --                | --                        | --                          | 3.74                       |
| <b>U-5</b>           |     |                 |                          |               |        |        |        |                |              |         |                   |                   |                           |                             |                            |
| 6/30/97              | --  | --              | --                       | --            | --     | --     | --     | --             | 16000        | ND      | --                | ND                | 160                       | --                          | 3.40                       |
| 9/19/97              | --  | --              | --                       | --            | --     | --     | --     | --             | 220          | ND      | --                | ND                | 63                        | --                          | 0.60                       |
| 12/12/97             | --  | --              | --                       | --            | --     | --     | --     | --             | 6700         | ND      | --                | ND                | 400                       | --                          | 1.75                       |
| 3/3/98               | --  | --              | --                       | --            | --     | --     | --     | --             | 18000        | 3.1     | --                | ND                | 345                       | --                          | 2.36                       |
| 6/15/98              | --  | --              | --                       | --            | --     | --     | --     | --             | 17000        | ND      | --                | ND                | 333                       | --                          | 2.55                       |
| 9/30/98              | --  | --              | --                       | --            | --     | --     | --     | --             | 17000        | ND      | --                | ND                | 318                       | --                          | 1.93                       |
| 12/28/98             | --  | --              | --                       | --            | --     | --     | --     | --             | 17000        | 6.6     | --                | ND                | 305                       | --                          | 1.64                       |
| 3/22/99              | --  | --              | --                       | --            | --     | --     | --     | --             | 120          | ND      | --                | 2.4               | 340                       | --                          | 1.99                       |
| 6/9/99               | --  | --              | --                       | --            | --     | --     | --     | --             | 230          | ND      | --                | ND                | 320                       | --                          | 2.10                       |
| 9/8/99               | --  | --              | --                       | --            | --     | --     | --     | --             | 2100         | ND      | --                | ND                | 335                       | --                          | 2.21                       |
| 12/7/99              | --  | --              | --                       | --            | --     | --     | --     | --             | 310          | ND      | --                | ND                | 408                       | --                          | 2.66                       |
| 3/13/00              | --  | --              | --                       | --            | --     | --     | --     | --             | 330          | 0.16    | --                | ND                | 264                       | --                          | --                         |
| 6/21/00              | --  | --              | --                       | --            | --     | --     | --     | --             | 150          | ND      | --                | ND                | 159                       | --                          | 3.42                       |
| 9/27/00              | --  | --              | --                       | --            | --     | --     | --     | --             | 330          | ND      | --                | ND                | 136                       | --                          | 3.85                       |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled         | TBA                 | Ethanol (8260B)     | Ethylene-dibromide (EDB) | 1,2-DCA (EDC)       | DIPE                | ETBE                | TAME                | Acenaphthylene      | Iron Ferrous        | Nitrate | Phosphate (ortho) | Phosphate (total) | Redox Potential (ORP-Lab) | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen |
|----------------------|---------------------|---------------------|--------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------|-------------------|-------------------|---------------------------|-----------------------------|----------------------------|
|                      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ )      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | (mg/l)  | (mg/l)            | (mg/l)            | (mV)                      | (mg/l)                      | (mg/l)                     |
| <b>U-5 continued</b> |                     |                     |                          |                     |                     |                     |                     |                     |                     |         |                   |                   |                           |                             |                            |
| 12/12/00             | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 86                  | ND      | --                | ND                | 122                       | --                          | 3.53                       |
| 3/7/01               | ND                  | ND                  | ND                       | ND                  | ND                  | ND                  | ND                  | --                  | 1070                | 3.02    | --                | 4.00              | 141                       | --                          | 2.98                       |
| 6/6/01               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | ND                  | ND      | --                | 1.2               | 112                       | --                          | 2.67                       |
| 9/24/01              | ND<200              | ND<4000             | ND<10                    | ND<10               | ND<10               | ND<10               | ND<10               | --                  | ND<100              | 0.77    | --                | --                | 146                       | --                          | 3.15                       |
| 12/10/01             | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 3700                | ND<0.50 | --                | 2.6               | 96                        | --                          | 2.85                       |
| 3/11/02              | ND<100              | ND<500              | ND<2.0                   | ND<2.0              | ND<2.0              | ND<2.0              | ND<2.0              | --                  | 100                 | ND<0.50 | --                | 0.52              | 108                       | --                          | 3.15                       |
| 6/4/02               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | ND<250              | ND<0.50 | --                | ND<0.10           | 118                       | --                          | 3.46                       |
| 9/3/02               | ND<100              | ND<500              | ND<2.0                   | ND<2.0              | ND<2.0              | ND<2.0              | ND<2.0              | --                  | ND<250              | ND<0.50 | --                | ND<0.10           | 87                        | --                          | 2.85                       |
| 12/3/02              | ND<100              | ND<500              | ND<2.0                   | ND<2.0              | ND<2.0              | ND<2.0              | ND<2.0              | --                  | 22000               | ND<1.0  | --                | ND<1.0            | 104                       | --                          | 2.71                       |
| 3/4/03               | ND<100              | ND<500              | ND<2.0                   | ND<2.0              | ND<2.0              | ND<2.0              | ND<2.0              | --                  | 19000               | ND<1.0  | --                | ND<1.0            | -166                      | --                          | 0.20                       |
| 6/18/03              | ND<100              | ND<500              | ND<2.0                   | ND<2.0              | ND<2.0              | ND<2.0              | ND<2.0              | --                  | 11000               | ND<1.0  | --                | ND<1.0            | -10                       | 2.4                         | --                         |
| 9/24/03              | --                  | ND<500              | --                       | --                  | --                  | --                  | --                  | --                  | ND<0.20             | 18      | --                | 1.8               | -28                       | --                          | 0.30                       |
| 12/2/03              | --                  | ND<500              | --                       | --                  | --                  | --                  | --                  | --                  | 9400                | --      | --                | --                | --                        | 2.22                        | 2.15                       |
| 3/30/04              | 52                  | ND<50               | ND<0.50                  | ND<0.50             | ND<1.0              | ND<0.50             | ND<0.50             | --                  | 5900                | ND<1.0  | ND<1.0            | --                | --                        | 1.89                        | 1.88                       |
| 6/7/04               | 69                  | ND<50               | ND<0.5                   | ND<0.5              | ND<1.0              | ND<0.5              | ND<0.5              | --                  | 3800                | ND<0.50 | ND<0.20           | --                | --                        | 1.88                        | 1.92                       |
| 9/9/04               | 130                 | ND<50               | ND<0.50                  | ND<0.50             | ND<1.0              | ND<0.50             | ND<0.50             | --                  | 4100                | ND<1.0  | ND<1.0            | --                | --                        | 2.38                        | 2.58                       |
| 12/20/04             | --                  | ND<50               | --                       | --                  | --                  | --                  | --                  | --                  | 5.0                 | ND<1.0  | ND<1.0            | --                | --                        | .71                         | 2.01                       |
| 3/28/05              | 150                 | ND<50               | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 6.5                 | ND<1.0  | ND<1.0            | --                | --                        | 2.02                        | 1.06                       |
| 6/14/05              | 160                 | ND<100              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 7400                | 3.6     | ND<1.0            | --                | --                        | 2.38                        | 2.02                       |
| 9/28/05              | 220                 | ND<250              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 7300                | ND<0.50 | 0.10              | --                | --                        | 6.94                        | 4.58                       |
| 12/29/05             | 280                 | ND<250              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 7300                | ND<0.50 | ND<0.050          | --                | --                        | 2.17                        | 1.99                       |
| 3/27/06              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 6300                | ND<0.50 | ND<0.050          | --                | --                        | --                          | 2.69                       |
| 6/12/06              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 8700                | ND<0.20 | ND<0.050          | --                | --                        | --                          | 2.32                       |
| 9/21/06              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 6800                | ND<0.50 | ND<0.050          | --                | --                        | --                          | 1.37                       |
| 12/21/06             | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 15000               | ND<0.50 | ND<0.050          | --                | --                        | --                          | --                         |
| 3/28/07              | 870                 | ND<250              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 10000               | ND<0.20 | ND<0.050          | --                | --                        | --                          | 9.09                       |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled         | TBA                 | Ethanol (8260B)     | Ethylene-dibromide (EDB) | 1,2-DCA (EDC)       | DIPE                | ETBE                | TAME                | Acenaphthylene      | Iron Ferrou         | Nitrate           | Phosphate (ortho) | Phosphate (total) | Redox Potential (ORP-Lab) | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen |
|----------------------|---------------------|---------------------|--------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------------|-------------------|-------------------|---------------------------|-----------------------------|----------------------------|
|                      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ )      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | (mV)                      | ( $\text{mg/l}$ )           | ( $\text{mg/l}$ )          |
| <b>U-5 continued</b> |                     |                     |                          |                     |                     |                     |                     |                     |                     |                   |                   |                   |                           |                             |                            |
| 6/27/07              | 220                 | ND<250              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 10000               | ND<0.10           | ND<0.050          | --                | --                        | --                          | 3.52                       |
| 9/26/07              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 9200                | ND<0.10           | ND<0.050          | --                | --                        | --                          | 2.66                       |
| 12/27/07             | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 5900                | ND<0.10           | ND<0.050          | --                | --                        | --                          | 1.63                       |
| <b>U-6</b>           |                     |                     |                          |                     |                     |                     |                     |                     |                     |                   |                   |                   |                           |                             |                            |
| 6/30/97              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 88000               | 0.80              | --                | ND                | 190                       | --                          | 0.30                       |
| 9/19/97              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 2900                | 1.80              | --                | ND                | ND                        | --                          | 0.60                       |
| 12/12/97             | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 51000               | ND                | --                | ND                | 380                       | --                          | 2.70                       |
| 3/3/98               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 60000               | 3.5               | --                | ND                | 327                       | --                          | 2.18                       |
| 6/15/98              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 590000              | 4.8               | --                | ND                | 315                       | --                          | 2.48                       |
| 9/30/98              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 33000               | ND                | --                | ND                | 345                       | --                          | 3.06                       |
| 12/28/98             | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 83000               | 7.2               | --                | ND                | 297                       | --                          | 3.42                       |
| 3/22/99              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 2100                | ND                | --                | 0.98              | 330                       | --                          | 3.88                       |
| 6/9/99               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 470                 | 0.20              | --                | ND                | 320                       | --                          | 3.29                       |
| 9/8/99               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 140                 | 5.59              | --                | ND                | 305                       | --                          | 3.12                       |
| 12/7/99              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 260                 | ND                | --                | ND                | 443                       | --                          | 3.44                       |
| 3/13/00              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 790                 | 0.26              | --                | ND                | 222                       | --                          | --                         |
| 6/21/00              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 1900                | ND                | --                | ND                | 159                       | --                          | 3.27                       |
| 9/27/00              | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | 2600                | ND                | --                | ND                | 170                       | --                          | 3.49                       |
| 12/12/00             | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | ND                  | 2.7               | --                | ND                | 128                       | --                          | 3.06                       |
| 3/7/01               | ND                  | ND                  | ND                       | ND                  | ND                  | ND                  | ND                  | --                  | --                  | --                | --                | --                | --                        | --                          | --                         |
| 6/6/01               | ND                  | ND                  | ND                       | ND                  | ND                  | ND                  | ND                  | --                  | 470                 | 0.15              | --                | 0.70              | 97                        | --                          | 2.46                       |
| 9/24/01              | ND<2000             | ND<40000            | ND<100                   | ND<100              | ND<100              | ND<100              | ND<100              | --                  | ND<100              | 0.58              | --                | --                | 123                       | --                          | 3.10                       |
| 12/10/01             | ND<200              | ND<400              | ND<5.0                   | ND<5.0              | ND<5.0              | ND<5.0              | ND<5.0              | --                  | 990                 | 0.50              | --                | 2.0               | 112                       | --                          | 2.57                       |
| 3/11/02              | ND<400              | ND<2000             | ND<8.0                   | ND<8.0              | ND<8.0              | ND<8.0              | ND<8.0              | --                  | 1200                | ND<0.50           | --                | 0.089             | 128                       | --                          | 3.03                       |
| 6/4/02               | --                  | --                  | --                       | --                  | --                  | --                  | --                  | --                  | ND<100              | ND<0.50           | --                | ND<1.0            | 97                        | --                          | 2.84                       |
| 9/3/02               | ND<2000             | ND<10000            | ND<40                    | ND<40               | ND<40               | ND<40               | ND<40               | --                  | ND<100              | 0.58              | --                | 1.1               | 110                       | --                          | 3.12                       |

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled         | TBA                 | Ethanol (8260B)     | Ethylene-dibromide (EDB) | 1,2-DCA (EDC)       | DIPE                | ETBE                | TAME                | Acenaphthylene      | Iron Ferrous      | Nitrate           | Phosphate (ortho) | Phosphate (total) | Redox Potential (ORP-Lab) | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen |
|----------------------|---------------------|---------------------|--------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------------|-------------------|-------------------|-------------------|---------------------------|-----------------------------|----------------------------|
|                      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ )      | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\mu\text{g/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | ( $\text{mg/l}$ ) | (mV)                      | ( $\text{mg/l}$ )           | ( $\text{mg/l}$ )          |
| <b>U-6 continued</b> |                     |                     |                          |                     |                     |                     |                     |                     |                   |                   |                   |                   |                           |                             |                            |
| 12/3/02              | ND<1000             | ND<5000             | ND<20                    | ND<20               | ND<20               | ND<20               | ND<20               | --                  | 1200              | ND<1.0            | --                | 2.6               | 95                        | --                          | 2.96                       |
| 3/4/03               | ND<2000             | ND<10000            | ND<40                    | ND<40               | ND<40               | ND<40               | ND<40               | --                  | 20000             | ND<1.0            | --                | ND<1.0            | -112                      | --                          | 0.30                       |
| 6/18/03              | ND<2000             | ND<10000            | ND<40                    | ND<40               | ND<40               | ND<40               | ND<40               | --                  | 3200              | ND<1.0            | --                | 2.0               | -15                       | 3.2                         | --                         |
| 9/24/03              | ND<20000            | ND<100000           | ND<400                   | ND<400              | ND<400              | ND<400              | ND<400              | --                  | 1.4               | ND<1.0            | --                | 4.6               | -12                       | --                          | 0.30                       |
| 12/2/03              | --                  | ND<10000            | --                       | --                  | --                  | --                  | --                  | --                  | 1400              | --                | --                | --                | --                        | 3.10                        | 2.53                       |
| 3/30/04              | 770                 | ND<1000             | ND<10                    | ND<10               | ND<20               | ND<10               | ND<10               | --                  | 2600              | ND<1.0            | ND<1.0            | --                | --                        | 3.61                        | 1.88                       |
| 6/7/04               | 110                 | ND<1000             | ND<10                    | ND<10               | ND<20               | ND<10               | ND<10               | --                  | 2100              | 0.8               | ND<0.20           | --                | --                        | 2.43                        | 2.90                       |
| 9/9/04               | 1900                | ND<1000             | ND<10                    | ND<10               | ND<20               | ND<10               | ND<10               | --                  | 870               | ND<1.0            | 3.8               | --                | --                        | 2.84                        | 2.96                       |
| 12/20/04             | 5000                | ND<250              | ND<2.5                   | ND<2.5              | ND<5.0              | ND<2.5              | ND<2.5              | --                  | 2.5               | ND<1.0            | ND<1.0            | --                | --                        | --                          | --                         |
| 3/28/05              | 990                 | --                  | ND<2.5                   | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 3.4               | ND<1.0            | ND<1.0            | --                | --                        | 3.18                        | 2.57                       |
| 6/14/05              | ND<5.0              | ND<100              | ND<0.5                   | ND<0.5              | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 4100              | 3.8               | ND<1.0            | --                | --                        | 4.02                        | 4.20                       |
| 9/28/05              | 3800                | ND<250              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 21000             | ND<0.20           | 3.4               | --                | --                        | 7.93                        | 6.82                       |
| 12/29/05             | 1100                | ND<250              | ND<0.50                  | ND<0.50             | ND<0.50             | ND<0.50             | ND<0.50             | --                  | 8300              | 0.48              | ND<0.050          | --                | --                        | 1.49                        | 3.56                       |
| 3/27/06              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 8800              | 0.37              | 0.19              | --                | --                        | --                          | 1.33                       |
| 6/12/06              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 8500              | 0.23              | ND<0.050          | --                | --                        | --                          | 1.32                       |
| 9/21/06              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 2900              | 0.19              | 0.31              | --                | --                        | --                          | 2.07                       |
| 12/21/06             | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 11000             | 0.36              | 0.41              | --                | --                        | --                          | --                         |
| 3/28/07              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | ND<100            | 0.55              | 0.31              | --                | --                        | --                          | 7.37                       |
| 9/26/07              | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | ND<100            | 0.41              | 0.34              | --                | --                        | --                          | 3.92                       |
| 12/27/07             | --                  | ND<250              | --                       | --                  | --                  | --                  | --                  | --                  | 7700              | ND<0.10           | 1.0               | --                | --                        | --                          | 2.55                       |

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date Sampled | Pre-purge ORP<br>(mV) | Post-purge ORP<br>(mV) |
|--------------|-----------------------|------------------------|
| <b>U-1</b>   |                       |                        |
| 12/2/03      | -72                   | -73                    |
| 3/30/04      | -40                   | -54                    |
| 6/7/04       | -32                   | -48                    |
| 12/20/04     | --                    | 32                     |
| 3/28/05      | 124                   | 138                    |
| 6/14/05      | -145                  | -177                   |
| 9/28/05      | -065                  | -160                   |
| 12/29/05     | -310                  | -508                   |
| 3/27/06      | -667                  | --                     |
| 6/12/06      | -229                  | --                     |
| 9/21/06      | -110                  | --                     |
| 12/21/06     | -102                  | --                     |
| 3/28/07      | -93                   | --                     |
| 6/27/07      | -106                  | --                     |
| 9/26/07      | -60                   | --                     |
| 12/27/07     | -60                   | --                     |
| <b>U-2</b>   |                       |                        |
| 12/2/03      | -29                   | -67                    |
| 3/30/04      | -6                    | --                     |
| 6/7/04       | -8                    | 7                      |
| 9/9/04       | -74                   | -79                    |
| 12/20/04     | -84                   | -72                    |
| 3/28/05      | 118                   | 140                    |
| 6/14/05      | -155                  | -206                   |
| 9/28/05      | -100                  | -179                   |
| 12/29/05     | -578                  | -484                   |

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date<br>Sampled      | Pre-purge<br>ORP<br>(mV) | Post-purge<br>ORP<br>(mV) |
|----------------------|--------------------------|---------------------------|
| <b>U-2 continued</b> |                          |                           |
| 3/27/06              | -1334                    | --                        |
| 6/12/06              | -130                     | --                        |
| 9/21/06              | -18                      | --                        |
| 12/21/06             | -92                      | --                        |
| 3/28/07              | -97                      | --                        |
| 6/27/07              | -105                     | --                        |
| 9/26/07              | -25                      | --                        |
| 12/27/07             | -64                      | --                        |
| <b>U-3</b>           |                          |                           |
| 12/2/03              | 97                       | 105                       |
| 3/30/04              | -38                      | 12                        |
| 6/7/04               | 23                       | 42                        |
| 9/9/04               | 14                       | 21                        |
| 12/20/04             | 45                       | 32                        |
| 3/28/05              | 145                      | 137                       |
| 6/14/05              | 90                       | 86                        |
| 9/28/05              | -068                     | -060                      |
| 12/29/05             | -802                     | -1132                     |
| 3/27/06              | -1588                    | --                        |
| 6/12/06              | 77                       | --                        |
| 9/21/06              | -33                      | --                        |
| 12/21/06             | 85                       | --                        |
| 3/28/07              | -10                      | --                        |
| 6/27/07              | 111                      | --                        |
| 9/26/07              | 72                       | --                        |
| 12/27/07             | -72                      | --                        |

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**


| Date Sampled | Pre-purge ORP<br>(mV) | Post-purge ORP<br>(mV) |
|--------------|-----------------------|------------------------|
| <b>U-4</b>   |                       |                        |
| 12/2/03      | 107                   | 102                    |
| 3/30/04      | 19                    | 42                     |
| 6/7/04       | 27                    | 15                     |
| 9/9/04       | -26                   | -8                     |
| 12/20/04     | 84                    | 77                     |
| 3/28/05      | 163                   | 130                    |
| 6/14/05      | 78                    | 88                     |
| 9/28/05      | 099                   | 082                    |
| 12/29/05     | -628                  | -632                   |
| 3/27/06      | -1000                 | --                     |
| 6/12/06      | 102                   | --                     |
| 9/21/06      | 152                   | --                     |
| 12/21/06     | 90                    | --                     |
| 3/28/07      | 144                   | --                     |
| 6/27/07      | 115                   | --                     |
| 9/26/07      | 98                    | --                     |
| 12/27/07     | 33                    | --                     |
| <b>U-5</b>   |                       |                        |
| 12/2/03      | -39                   | -39                    |
| 3/30/04      | -19                   | -37                    |
| 6/7/04       | -15                   | -31                    |
| 9/9/04       | -41                   | -67                    |
| 12/20/04     | -65                   | -72                    |
| 3/28/05      | 132                   | 133                    |
| 6/14/05      | -163                  | -168                   |
| 9/28/05      | -126                  | -125                   |

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

| Date<br>Sampled | Pre-purge<br>ORP<br>(mV) | Post-purge<br>ORP<br>(mV) |
|-----------------|--------------------------|---------------------------|
|-----------------|--------------------------|---------------------------|

| <b>U-5 continued</b> |                          |                           |
|----------------------|--------------------------|---------------------------|
| Date<br>Sampled      | Pre-purge<br>ORP<br>(mV) | Post-purge<br>ORP<br>(mV) |
| 12/29/05             | -416                     | -411                      |
| 3/27/06              | -585                     | --                        |
| 6/12/06              | -236                     | --                        |
| 9/21/06              | -125                     | --                        |
| 12/21/06             | -109                     | --                        |
| 3/28/07              | -97                      | --                        |
| 6/27/07              | -101                     | --                        |
| 9/26/07              | -80                      | --                        |
| 12/27/07             | -83                      | --                        |
| <b>U-6</b>           |                          |                           |
| 12/2/03              | -99                      | -74                       |
| 3/30/04              | -28                      | -33                       |
| 6/7/04               | -32                      | -62                       |
| 9/9/04               | -89                      | --                        |
| 3/28/05              | 84                       | 96                        |
| 6/14/05              | -158                     | -175                      |
| 9/28/05              | -028                     | -141                      |
| 12/29/05             | -480                     | -548                      |
| 3/27/06              | -953                     | --                        |
| 6/12/06              | -234                     | --                        |
| 9/21/06              | -113                     | --                        |
| 12/21/06             | -132                     | --                        |
| 3/28/07              | -36                      | --                        |
| 9/26/07              | 64                       | --                        |
| 12/27/07             | -5                       | --                        |

# **FIGURES**



0 1/4 1/2 3/4 1 MILE

SCALE 1:24,000



SOURCE:

United States Geological Survey  
7.5 Minute Topographic Map:  
Oakland West Quadrangle



PROJECT: 154771

FACILITY:

76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA


VICINITY MAP



FIGURE 1

## LEGEND

- U-6 Monitoring Well with Groundwater Elevation (feet)
- 2.50 — Groundwater Elevation Contour
- General Direction of Groundwater Flow



## NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells.  
Elevations are in feet above mean sea level. UST = underground storage tank.

SCALE (FEET)



PROJECT: 154771

FACILITY:


76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA

GROUNDWATER ELEVATION  
CONTOUR MAP  
December 27, 2007

**FIGURE 2**

### LEGEND

- U-6 Monitoring Well with Dissolved-Phase  
TPH-G (GC/MS) Concentration ( $\mu\text{g/l}$ )
- 1,000 — Dissolved-Phase TPH-G (GC/MS)  
Contour ( $\mu\text{g/l}$ )



### NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method  
8260B.  $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory  
report. UST = underground storage tank.

SCALE (FEET)



0 40



PROJECT: 154771

FACILITY:

76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA


**DISSOLVED-PHASE TPH-G (GC/MS)  
CONCENTRATION MAP**  
December 27, 2007

**FIGURE 3**

LEGEND

U-6 Monitoring Well with  
Dissolved-Phase Benzene  
Concentration ( $\mu\text{g/l}$ )

10 Dissolved-Phase Benzene  
Contour ( $\mu\text{g/l}$ )



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
 $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report.  
Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank.

SCALE (FEET)



PROJECT: 154771

FACILITY:  
76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA


DISSOLVED-PHASE BENZENE  
CONCENTRATION MAP  
December 27, 2007

FIGURE 4

**LEGEND**

U-6 Monitoring Well with  
Dissolved-Phase MTBE  
Concentration ( $\mu\text{g/l}$ )

100 Dissolved-Phase MTBE  
Contour ( $\mu\text{g/l}$ )

**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
MTBE = methyl tertiary butyl ether.  $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit  
indicated on official laboratory report. UST = underground storage tank. Results obtained using  
EPA Method 8260B.

SCALE (FEET)



PROJECT: 154771

FACILITY:


76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA

DISSOLVED-PHASE MTBE  
CONCENTRATION MAP  
December 27, 2007

**FIGURE 5**


# GRAPHS

Groundwater Elevations vs. Time  
76 Station 5325




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time  
76 Station 5325



Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time  
76 Station 5325



## GENERAL FIELD PROCEDURES

### Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

### Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

### Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

## **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable,  $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

## **Sequence of Gauging, Purging and Sampling**

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

## **Decontamination**

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

## **Exceptions**

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

## FIELD MONITORING DATA SHEET

Technician: Andrew Vanders

Job #/Task #: 154771 / FA20

Date: 12/27/01

Site # 5325

Project Manager A. Collins

Page 1 of 1

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew V. Davis

Site: 5325

Project No.: 154771

Date: 12/27/07

Well No. U-6

Purge Method: DIA

Depth to Water (feet): 6.96

Depth to Product (feet): —

Total Depth (feet) 23.72

LPH & Water Recovered (gallons): —

Water Column (feet): 16.76

Casing Diameter (Inches): 2

80% Recharge Depth(feet) 10.31 10.31

1 Well Volume (gallons): 3

| Time Start             | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH          | D.O. | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|------|-----|-----------|
| 0616                   |           |                       | 3                       | 905.0                | 12.6               | 7.40        | 2.55 | -5  |           |
|                        | 6 AM      |                       | 6                       | 810.8                | 14.5               | 6.90        | 2.06 | -10 |           |
|                        | 0619      |                       | 9                       | 751.8                | 15.7               | 6.68        | 1.61 | -6  |           |
|                        |           |                       |                         |                      |                    |             |      |     |           |
| Static at Time Sampled |           |                       | Total Gallons Purged    |                      |                    | Sample Time |      |     |           |
| 10.31                  |           |                       | 9                       |                      |                    | 0633        |      |     |           |
| Comments:              |           |                       |                         |                      |                    |             |      |     |           |

Well No. U-4

Purge Method: DIA

Depth to Water (feet): 9.63

Depth to Product (feet): —

Total Depth (feet) 19.46

LPH & Water Recovered (gallons): —

Water Column (feet): 10.43

Casing Diameter (Inches): 4

80% Recharge Depth(feet): 10.80

1 Well Volume (gallons): 7

| Time Start                          | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH          | D.O. | ORP | Turbidity |
|-------------------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|------|-----|-----------|
| 0643                                | 7 AM      | 7                     | 952.8                   | 13.4                 | 6.91               | 3.74        | 33   |     |           |
|                                     | 7 1/2 AM  | 14                    | 1026                    | 15.9                 | 6.75               | 3.49        | 41   |     |           |
|                                     | 0649      | 7 1/2 AM              | 21                      | 1035                 | 16.6               | 6.86        | 4.36 | 44  |           |
|                                     |           |                       |                         |                      |                    |             |      |     |           |
| Static at Time Sampled              |           |                       | Total Gallons Purged    |                      |                    | Sample Time |      |     |           |
| 14.95                               |           |                       | 21                      |                      |                    | 0853        |      |     |           |
| Comments: Did not recover in 2 Hrs. |           |                       |                         |                      |                    |             |      |     |           |

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidner S.

Site: 5325

Project No.: 154771

Date: 12/27/07

Well No. U-5

Depth to Water (feet): 6.77

Total Depth (feet) 20.12

Water Column (feet) 13.35

80% Recharge Depth(feet): 9.44

Purge Method: DIA

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 4

1 Well Volume (gallons): 9

| Time Start             | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH          | D.O. | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|------|-----|-----------|
| 0706                   |           |                       | 9                       | 1470                 | 13.4               | 6.93        | 1.63 | -83 |           |
|                        |           |                       | 18                      | 2320                 | 16.3               | 6.61        | 1.44 | -99 |           |
| 0713                   |           |                       | 27                      | 2123                 | 17.0               | 6.52        | 1.38 | -92 |           |
| Static at Time Sampled |           |                       | Total Gallons Purged    |                      |                    | Sample Time |      |     |           |
| 8.86                   |           |                       | 27                      |                      |                    | 0830        |      |     |           |
| Comments:              |           |                       |                         |                      |                    |             |      |     |           |

Well No. U-3

Purge Method: DIA

Depth to Water (feet): 10.93

Depth to Product (feet): —

Total Depth (feet) 19.41

LPH & Water Recovered (gallons): —

Water Column (feet): 8.44

Casing Diameter (Inches): 3

80% Recharge Depth(feet): 12.63

1 Well Volume (gallons): 3

| Time Start             | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH          | D.O. | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|------|-----|-----------|
| 0726                   |           |                       | 3                       | 1143                 | 14.3               | 7.06        | 4.63 | -72 |           |
|                        |           |                       | 6                       | 1010                 | 15.3               | 6.99        | 4.21 | -57 |           |
| 0726                   |           |                       | 9                       | 956.1                | 15.9               | 7.04        | 5.71 | -46 |           |
| Static at Time Sampled |           |                       | Total Gallons Purged    |                      |                    | Sample Time |      |     |           |
| 11.47                  |           |                       | 9                       |                      |                    | 0943        |      |     |           |
| Comments:              |           |                       |                         |                      |                    |             |      |     |           |

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidmers

Site: 5325

Project No.: 154771

Date: 12/27/07

Well No. U-1

Depth to Water (feet): 8.12

Total Depth (feet) 13.26

Water Column (feet) 5.14

80% Recharge Depth(feet): 9.15

Purge Method: DIA

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 3

1 Well Volume (gallons): 2

| Time Start             | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH          | D.O. | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|------|-----|-----------|
| 0734                   |           |                       | 2                       | 1067                 | 15.5               | 6.97        | 2.36 | -60 |           |
|                        |           |                       | 4                       | 1072                 | 16.4               | 6.80        | 3.01 | -95 |           |
| 0741                   |           |                       | 6                       | 1076                 | 16.8               | 6.69        | 5.22 | -89 |           |
| Static at Time Sampled |           |                       | Total Gallons Purged    |                      |                    | Sample Time |      |     |           |
| 8.42                   |           |                       | 6                       |                      |                    | 0910        |      |     |           |
| Comments:              |           |                       |                         |                      |                    |             |      |     |           |

Well No. U-2

Depth to Water (feet): 5.40

Total Depth (feet) 19.99

Water Column (feet): 14.19

80% Recharge Depth(feet): 8.64

Purge Method: DIA

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 3

1 Well Volume (gallons): 5

| Time Start                          | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH          | D.O. | ORP | Turbidity |
|-------------------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|------|-----|-----------|
| 0753                                |           |                       | 5                       | 1541                 | 14.7               | 6.53        | 2.81 | -64 |           |
|                                     |           |                       | 10                      | 1545                 | 16.9               | 6.36        | 4.22 | -55 |           |
| 0757                                |           |                       | 15                      | 1520                 | 17.4               | 6.46        | 4.44 | -87 |           |
| Static at Time Sampled              |           |                       | Total Gallons Purged    |                      |                    | Sample Time |      |     |           |
| 14.41                               |           |                       | 15                      |                      |                    | 0957        |      |     |           |
| Comments: DIA not running in 2 hrs. |           |                       |                         |                      |                    |             |      |     |           |



LABORATORIES, INC.

Date of Report: 01/11/2008

Anju Farfan

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

RE: 5325

BC Work Order: 0715387

Enclosed are the results of analyses for samples received by the laboratory on 12/28/2007 10:25. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Contact Person: Molly Meyers  
Client Service Rep



Authorized Signature



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information  | Receive Date:    | Sampling Date:   | Sample Depth: | Sample Matrix: | Delivery Work Order:<br>Global ID: | Matrix: | Samle QC Type (SACode): | Cooler ID: |
|------------|--|------------------|------------------|---------------|----------------|------------------------------------|---------|-------------------------|------------|
| 0715387-01 | COC Number: ---<br>Project Number: 5325<br>Sampling Location: U-6<br>Sampling Point: U-6<br>Sampled By: TRCI | 12/28/2007 10:25 | 12/27/2007 06:33 | ---           | Water          | T0600101463                        | W       | CS                      |            |
| 0715387-02 | COC Number: ---<br>Project Number: 5325<br>Sampling Location: U-4<br>Sampling Point: U-4<br>Sampled By: TRCI | 12/28/2007 10:25 | 12/27/2007 08:53 | ---           | Water          | T0600101463                        | W       | CS                      |            |
| 0715387-03 | COC Number: ---<br>Project Number: 5325<br>Sampling Location: U-5<br>Sampling Point: U-5<br>Sampled By: TRCI | 12/28/2007 10:25 | 12/27/2007 08:30 | ---           | Water          | T0600101463                        | W       | CS                      |            |
| 0715387-04 | COC Number: ---<br>Project Number: 5325<br>Sampling Location: U-3<br>Sampling Point: U-3<br>Sampled By: TRCI | 12/28/2007 10:25 | 12/27/2007 08:43 | ---           | Water          | T0600101463                        | W       | CS                      |            |
| 0715387-05 | COC Number: ---<br>Project Number: 5325<br>Sampling Location: U-1<br>Sampling Point: U-1<br>Sampled By: TRCI | 12/28/2007 10:25 | 12/27/2007 09:10 | ---           | Water          | T0600101463                        | W       | CS                      |            |



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information  |  |   |
|------------|--|--|---|
| 0715387-06 | COC Number: ---<br>Project Number: 5325<br>Sampling Location: U-2<br>Sampling Point: U-2<br>Sampled By: TRCI | Receive Date: 12/28/2007 10:25<br>Sampling Date: 12/27/2007 09:57<br>Sample Depth: ---<br>Sample Matrix: Water | Delivery Work Order:<br>Global ID: T0600101463<br>Matrix: W<br>Samle QC Type (SACode): CS<br>Cooler ID: |

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID:                         | 0715387-01 | Client Sample Name: 5325, U-6, U-6, 12/27/2007 6:33:00AM |                      |     |          |           |                |               |          |             |         |           |
|--|------------|--|----------------------|-----|----------|-----------|----------------|---------------|----------|-------------|---------|-----------|
| Constituent                            | Result     | Units  | PQL                  | MDL | Method   | Prep Date | Run Date/Time  | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene                                | ND         | ug/L   | 0.50                 |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Ethylbenzene                           | ND         | ug/L   | 0.50                 |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Methyl t-butyl ether                   | 2.4        | ug/L   | 0.50                 |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Toluene                                | ND         | ug/L   | 0.50                 |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Total Xylenes                          | ND         | ug/L   | 1.0                  |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Ethanol                                | ND         | ug/L   | 250                  |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Total Purgeable Petroleum Hydrocarbons | ND         | ug/L   | 50                   |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| 1,2-Dichloroethane-d4 (Surrogate)      | 103        | %  | 76 - 114 (LCL - UCL) |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 |           |
| Toluene-d8 (Surrogate)                 | 103        | %  | 88 - 110 (LCL - UCL) |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 |           |
| 4-Bromofluorobenzene (Surrogate)       | 103        | %  | 86 - 115 (LCL - UCL) |     | EPA-8260 | 01/03/08  | 01/03/08 21:20 | SDU           | MS-V10   | 1           | BRA0115 |           |



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

| BCL Sample ID:    | 0715387-01 | Client Sample Name: 5325, U-6, U-6, 12/27/2007 6:33:00AM |       |     |            |           |                |               |             |          |         |           |
|-------------------|------------|--|-------|-----|------------|-----------|----------------|---------------|-------------|----------|---------|-----------|
| Constituent       | Result     | Units  | PQL   | MDL | Method     | Prep Date | Run Date/Time  | Instrument ID | QC Dilution | Batch ID | MB Bias | Lab Quals |
| Nitrate as N      | ND         | mg/L   | 0.10  |     | EPA-300.0  | 12/28/07  | 12/28/07 22:25 | FAD           | IC1         | 1        | BQL1577 | ND        |
| Iron (II) Species | 7700       | ug/L   | 200   |     | SM-3500-Ft | 12/31/07  | 12/31/07 01:30 | MRM           | SPEC05      | 2        | BQL1588 | ND        |
| ortho-Phosphate   | 1.0        | mg/L   | 0.050 |     | EPA-365.1  | 12/28/07  | 12/28/07 15:04 | TDC           | KONE-1      | 1        | BQL1599 | ND        |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID:                         | 0715387-02 | Client Sample Name: 5325, U-4, U-4, 12/27/2007 8:53:00AM |                      |          |          |                |                |         |               |          |             |         |           |
|--|------------|--|----------------------|----------|----------|----------------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent                            | Result     | Units  | PQL                  | MDL      | Method   | Prep Date      | Run Date/Time  | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene                                | ND         | ug/L   | 0.50                 |          | EPA-8260 | 01/03/08       | 01/03/08 21:38 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Ethylbenzene                           | ND         | ug/L   | 0.50                 |          | EPA-8260 | 01/03/08       | 01/03/08 21:38 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Methyl t-butyl ether                   | ND         | ug/L   | 0.50                 |          | EPA-8260 | 01/03/08       | 01/03/08 21:38 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Toluene                                | ND         | ug/L   | 0.50                 |          | EPA-8260 | 01/03/08       | 01/03/08 21:38 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Total Xylenes                          | ND         | ug/L   | 1.0                  |          | EPA-8260 | 01/03/08       | 01/03/08 21:38 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Ethanol                                | ND         | ug/L   | 250                  |          | EPA-8260 | 01/03/08       | 01/03/08 21:38 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Total Purgeable Petroleum Hydrocarbons | ND         | ug/L   | 50                   |          | EPA-8260 | 01/03/08       | 01/03/08 21:38 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| 1,2-Dichloroethane-d4 (Surrogate)      | 104        | %  | 76 - 114 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 21:38 | SDU            | MS-V10  | 1             | BRA0115  |             |         |           |
| Toluene-d8 (Surrogate)                 | 127        | %  | 88 - 110 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 21:38 | SDU            | MS-V10  | 1             | BRA0115  |             | S09     |           |
| 4-Bromofluorobenzene (Surrogate)       | 103        | %  | 86 - 115 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 21:38 | SDU            | MS-V10  | 1             | BRA0115  |             |         |           |



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

| BCL Sample ID:    | 0715387-02 | Client Sample Name: 5325, U-4, U-4, 12/27/2007 8:53:00AM |       |     |            |           |                |               |             |             |          |       |
|-------------------|------------|--|-------|-----|------------|-----------|----------------|---------------|-------------|-------------|----------|-------|
| Constituent       | Result     | Units  | PQL   | MDL | Method     | Prep Date | Run Date/Time  | Instrument ID | QC Dilution | MB Batch ID | Lab Bias | Quals |
| Nitrate as N      | 5.3        | mg/L   | 0.10  |     | EPA-300.0  | 12/28/07  | 12/28/07 22:40 | FAD           | IC1         | 1           | BQL1577  | ND    |
| Iron (II) Species | ND         | ug/L   | 100   |     | SM-3500-Ft | 12/31/07  | 12/31/07 01:30 | MRM           | SPEC05      | 1           | BQL1588  | ND    |
| ortho-Phosphate   | 0.43       | mg/L   | 0.050 |     | EPA-365.1  | 12/28/07  | 12/28/07 15:04 | TDC           | KONE-1      | 1           | BQL1599  | ND    |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID:                         | Client Sample Name: 5325, U-5, U-5, 12/27/2007 8:30:00AM |       |                      |          |          |                |                |               |          |             |         |           |
|--|--|-------|----------------------|----------|----------|----------------|----------------|---------------|----------|-------------|---------|-----------|
| Constituent                            | Result   | Units | PQL                  | MDL      | Method   | Prep Date      | Run Date/Time  | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene                                | ND   | ug/L  | 0.50                 |          | EPA-8260 | 01/03/08       | 01/03/08 21:55 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Ethylbenzene                           | ND   | ug/L  | 0.50                 |          | EPA-8260 | 01/03/08       | 01/03/08 21:55 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Methyl t-butyl ether                   | 18   | ug/L  | 0.50                 |          | EPA-8260 | 01/03/08       | 01/03/08 21:55 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Toluene                                | ND   | ug/L  | 0.50                 |          | EPA-8260 | 01/03/08       | 01/03/08 21:55 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Total Xylenes                          | ND   | ug/L  | 1.0                  |          | EPA-8260 | 01/03/08       | 01/03/08 21:55 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Ethanol                                | ND   | ug/L  | 250                  |          | EPA-8260 | 01/03/08       | 01/03/08 21:55 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| Total Purgeable Petroleum Hydrocarbons | 180  | ug/L  | 50                   |          | EPA-8260 | 01/03/08       | 01/03/08 21:55 | SDU           | MS-V10   | 1           | BRA0115 | ND        |
| 1,2-Dichloroethane-d4 (Surrogate)      | 119  | %     | 76 - 114 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 21:55 | SDU            | MS-V10        | 1        | BRA0115     |         | S09       |
| Toluene-d8 (Surrogate)                 | 94.4   | %     | 88 - 110 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 21:55 | SDU            | MS-V10        | 1        | BRA0115     |         |           |
| 4-Bromofluorobenzene (Surrogate)       | 89.2   | %     | 86 - 115 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 21:55 | SDU            | MS-V10        | 1        | BRA0115     |         |           |

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

| BCL Sample ID:    | 0715387-03 | Client Sample Name: 5325, U-5, U-5, 12/27/2007 8:30:00AM |       |     |           |           |                |               |          |             |         |           |
|-------------------|------------|--|-------|-----|-----------|-----------|----------------|---------------|----------|-------------|---------|-----------|
| Constituent       | Result     | Units  | PQL   | MDL | Method    | Prep Date | Run Date/Time  | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Nitrate as N      | ND         | mg/L   | 0.10  |     | EPA-300.0 | 12/28/07  | 12/28/07 23:41 | FAD           | IC1      | 1           | BQL1577 | ND        |
| Iron (II) Species | 5900       | ug/L   | 200   |     | SM-3500-F | 12/31/07  | 12/31/07 01:30 | MRM           | SPEC05   | 2           | BQL1588 | ND A01    |
| ortho-Phosphate   | ND         | mg/L   | 0.050 |     | EPA-365.1 | 12/28/07  | 12/28/07 15:04 | TDC           | KONE-1   | 1           | BQL1599 | ND        |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID:                         | 0715387-04 | Client Sample Name: 5325, U-3, U-3, 12/27/2007 8:43:00AM |                      |     |          |           |                |         |               |          |             |         |           |
|--|------------|--|----------------------|-----|----------|-----------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent                            | Result     | Units  | PQL                  | MDL | Method   | Prep Date | Run Date/Time  | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene                                | ND         | ug/L   | 0.50                 |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Ethylbenzene                           | ND         | ug/L   | 0.50                 |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Methyl t-butyl ether                   | 0.63       | ug/L   | 0.50                 |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Toluene                                | ND         | ug/L   | 0.50                 |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Total Xylenes                          | ND         | ug/L   | 1.0                  |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Ethanol                                | ND         | ug/L   | 250                  |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| Total Purgeable Petroleum Hydrocarbons | ND         | ug/L   | 50                   |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     | ND      |           |
| 1,2-Dichloroethane-d4 (Surrogate)      | 108        | %  | 76 - 114 (LCL - UCL) |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     |         |           |
| Toluene-d8 (Surrogate)                 | 98.2       | %  | 88 - 110 (LCL - UCL) |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     |         |           |
| 4-Bromofluorobenzene (Surrogate)       | 101        | %  | 86 - 115 (LCL - UCL) |     | EPA-8260 | 01/03/08  | 01/03/08 22:13 | SDU     | MS-V10        | 1        | BRA0115     |         |           |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

| BCL Sample ID:    | 0715387-04 | Client Sample Name: 5325, U-3, U-3, 12/27/2007 8:43:00AM |       |     |           |           |                |               |             |             |          |       |
|-------------------|------------|--|-------|-----|-----------|-----------|----------------|---------------|-------------|-------------|----------|-------|
| Constituent       | Result     | Units  | PQL   | MDL | Method    | Prep Date | Run Date/Time  | Instrument ID | QC Dilution | MB Batch ID | Lab Bias | Quals |
| Nitrate as N      | 4.6        | mg/L   | 0.10  |     | EPA-300.0 | 12/28/07  | 12/28/07 23:56 | FAD           | IC1         | 1           | BQL1577  | ND    |
| Iron (II) Species | 130        | ug/L   | 100   |     | SM-3500-F | 12/31/07  | 12/31/07 01:30 | MRM           | SPEC05      | 1           | BQL1588  | ND    |
| ortho-Phosphate   | 0.75       | mg/L   | 0.050 |     | EPA-365.1 | 12/28/07  | 12/28/07 15:04 | TDC           | KONE-1      | 1           | BQL1599  | ND    |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID:                         | 0715387-05 | Client Sample Name: 5325, U-1, U-1, 12/27/2007 9:10:00AM |                      |          |          |                |               |               |          |             |         |           |  |
|--|------------|--|----------------------|----------|----------|----------------|---------------|---------------|----------|-------------|---------|-----------|--|
| Constituent                            | Result     | Units  | PQL                  | MDL      | Method   | Prep Date      | Run Date/Time | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |  |
| Benzene                                | ND         | ug/L   | 2.5                  | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     | ND      | A01       |  |
| Ethylbenzene                           | 290        | ug/L   | 2.5                  | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     | ND      | A01       |  |
| Methyl t-butyl ether                   | 42         | ug/L   | 2.5                  | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     | ND      | A01       |  |
| Toluene                                | ND         | ug/L   | 2.5                  | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     | ND      | A01       |  |
| Total Xylenes                          | 130        | ug/L   | 5.0                  | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     | ND      | A01       |  |
| Ethanol                                | ND         | ug/L   | 1200                 | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     | ND      | A01       |  |
| Total Purgeable Petroleum Hydrocarbons | 5900       | ug/L   | 250                  | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     | ND      | A01       |  |
| 1,2-Dichloroethane-d4 (Surrogate)      | 104        | %  | 76 - 114 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     |         |           |  |
| Toluene-d8 (Surrogate)                 | 100        | %  | 88 - 110 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     |         |           |  |
| 4-Bromofluorobenzene (Surrogate)       | 95.1       | %  | 86 - 115 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 22:31 | SDU           | MS-V10        | 5        | BRA0115     |         |           |  |



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

| BCL Sample ID:    | 0715387-05 | Client Sample Name: 5325, U-1, U-1, 12/27/2007 9:10:00AM |       |            |          |                |           |         |    |         |     |       |
|-------------------|------------|--|-------|------------|----------|----------------|-----------|---------|----|---------|-----|-------|
| Constituent       | Result     | Units  | PQL   | MDL        | Method   | Prep           | Run       | Instru- | QC | MB      | Lab |       |
|                   |            |  |       |            |          | Date           | Date/Time | ment ID |    |         |     | Quals |
| Nitrate as N      | ND         | mg/L   | 0.10  | EPA-300.0  | 12/28/07 | 12/29/07 00:11 | FAD       | IC1     | 1  | BQL1577 | ND  |       |
| Iron (II) Species | 25000      | ug/L   | 500   | SM-3500-Ft | 12/31/07 | 12/31/07 01:30 | MRM       | SPEC05  | 5  | BQL1588 | ND  | A01   |
| ortho-Phosphate   | ND         | mg/L   | 0.050 | EPA-365.1  | 12/28/07 | 12/28/07 15:04 | TDC       | KONE-1  | 1  | BQL1599 | ND  |       |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID:                         | 0715387-06 | Client Sample Name: 5325, U-2, U-2, 12/27/2007 9:57:00AM |                      |          |          |                |                |         |               |          |             |         |           |
|--|------------|--|----------------------|----------|----------|----------------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent                            | Result     | Units  | PQL                  | MDL      | Method   | Prep Date      | Run Date/Time  | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene                                | 21         | ug/L   | 5.0                  |          | EPA-8260 | 01/03/08       | 01/03/08 22:49 | SDU     | MS-V10        | 10       | BRA0115     | ND      | A01       |
| Ethylbenzene                           | 77         | ug/L   | 5.0                  |          | EPA-8260 | 01/03/08       | 01/03/08 22:49 | SDU     | MS-V10        | 10       | BRA0115     | ND      | A01       |
| Methyl t-butyl ether                   | 470        | ug/L   | 5.0                  |          | EPA-8260 | 01/03/08       | 01/03/08 22:49 | SDU     | MS-V10        | 10       | BRA0115     | ND      | A01       |
| Toluene                                | ND         | ug/L   | 5.0                  |          | EPA-8260 | 01/03/08       | 01/03/08 22:49 | SDU     | MS-V10        | 10       | BRA0115     | ND      | A01       |
| Total Xylenes                          | 16         | ug/L   | 10                   |          | EPA-8260 | 01/03/08       | 01/03/08 22:49 | SDU     | MS-V10        | 10       | BRA0115     | ND      | A01       |
| Ethanol                                | ND         | ug/L   | 2500                 |          | EPA-8260 | 01/03/08       | 01/03/08 22:49 | SDU     | MS-V10        | 10       | BRA0115     | ND      | A01       |
| Total Purgeable Petroleum Hydrocarbons | 2200       | ug/L   | 500                  |          | EPA-8260 | 01/03/08       | 01/03/08 22:49 | SDU     | MS-V10        | 10       | BRA0115     | ND      | A01       |
| 1,2-Dichloroethane-d4 (Surrogate)      | 87.8       | %  | 76 - 114 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 22:49 | SDU            | MS-V10  | 10            | BRA0115  |             |         |           |
| Toluene-d8 (Surrogate)                 | 103        | %  | 88 - 110 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 22:49 | SDU            | MS-V10  | 10            | BRA0115  |             |         |           |
| 4-Bromofluorobenzene (Surrogate)       | 102        | %  | 86 - 115 (LCL - UCL) | EPA-8260 | 01/03/08 | 01/03/08 22:49 | SDU            | MS-V10  | 10            | BRA0115  |             |         |           |



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

| BCL Sample ID:    | Client Sample Name: 5325, U-2, U-2, 12/27/2007 9:57:00AM |       |       |     |           |           |                |               |             |             |          |       |
|-------------------|--|-------|-------|-----|-----------|-----------|----------------|---------------|-------------|-------------|----------|-------|
| Constituent       | Result   | Units | PQL   | MDL | Method    | Prep Date | Run Date/Time  | Instrument ID | QC Dilution | MB Batch ID | Lab Bias | Quals |
| Nitrate as N      | ND   | mg/L  | 0.10  |     | EPA-300.0 | 12/28/07  | 12/29/07 00:57 | FAD           | IC1         | 1           | BQL1577  | ND    |
| Iron (II) Species | 7600   | ug/L  | 200   |     | SM-3500-F | 12/31/07  | 12/31/07 01:30 | MRM           | SPEC05      | 2           | BQL1588  | ND    |
| ortho-Phosphate   | ND   | mg/L  | 0.050 |     | EPA-365.1 | 12/28/07  | 12/28/07 15:07 | TDC           | KONE-1      | 1           | BQL1599  | ND    |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Precision & Accuracy

| Constituent                       | Batch ID | QC Sample Type         | Source Sample ID | Source Result | Result | Spike Added | Units | RPD  | Control Limits   |     |                            |
|-----------------------------------|----------|------------------------|------------------|---------------|--------|-------------|-------|------|------------------|-----|----------------------------|
|                                   |          |                        |                  |               |        |             |       |      | Percent Recovery | RPD | Percent Recovery Lab Quals |
| Benzene                           | BRA0115  | Matrix Spike           | 0714775-36       | 0             | 30.690 | 25.000      | ug/L  | 123  | 70 - 130         |     |                            |
|                                   |          | Matrix Spike Duplicate | 0714775-36       | 0             | 26.240 | 25.000      | ug/L  | 15.8 | 105              | 20  | 70 - 130                   |
| Toluene                           | BRA0115  | Matrix Spike           | 0714775-36       | 0.10000       | 28.940 | 25.000      | ug/L  | 115  | 70 - 130         |     |                            |
|                                   |          | Matrix Spike Duplicate | 0714775-36       | 0.10000       | 27.240 | 25.000      | ug/L  | 5.4  | 109              | 20  | 70 - 130                   |
| 1,2-Dichloroethane-d4 (Surrogate) | BRA0115  | Matrix Spike           | 0714775-36       | ND            | 10.160 | 10.000      | ug/L  | 102  | 76 - 114         |     |                            |
|                                   |          | Matrix Spike Duplicate | 0714775-36       | ND            | 10.270 | 10.000      | ug/L  | 103  | 76 - 114         |     |                            |
| Toluene-d8 (Surrogate)            | BRA0115  | Matrix Spike           | 0714775-36       | ND            | 9.9300 | 10.000      | ug/L  | 99.3 | 88 - 110 S09     |     |                            |
|                                   |          | Matrix Spike Duplicate | 0714775-36       | ND            | 9.8300 | 10.000      | ug/L  | 98.3 | 88 - 110 S09     |     |                            |
| 4-Bromofluorobenzene (Surrogate)  | BRA0115  | Matrix Spike           | 0714775-36       | ND            | 10.390 | 10.000      | ug/L  | 104  | 86 - 115         |     |                            |
|                                   |          | Matrix Spike Duplicate | 0714775-36       | ND            | 10.040 | 10.000      | ug/L  | 100  | 86 - 115         |     |                            |



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

### Quality Control Report - Precision & Accuracy

| Constituent       | Batch ID | QC Sample Type         | Source Sample ID | Source Result | Result  | Spike Added | Units | RPD | Control Limits   |     |                            |
|-------------------|----------|------------------------|------------------|---------------|---------|-------------|-------|-----|------------------|-----|----------------------------|
|                   |          |                        |                  |               |         |             |       |     | Percent Recovery | RPD | Percent Recovery Lab Quals |
| Nitrate as N      | BQL1577  | Duplicate              | 0715387-02       | 5.2600        | 5.2700  |             | mg/L  | 0.2 | 98.0             | 10  | 80 - 120                   |
|                   |          | Matrix Spike           | 0715387-02       | 5.2600        | 10.211  | 5.0505      | mg/L  | 1.6 | 99.6             | 10  | 80 - 120                   |
|                   |          | Matrix Spike Duplicate | 0715387-02       | 5.2600        | 10.289  | 5.0505      | mg/L  | 1.6 | 99.6             | 10  | 80 - 120                   |
| Iron (II) Species | BQL1588  | Duplicate              | 0715387-01       | 7742.9        | 7742.9  |             | ug/L  | 0   | 101              | 10  | A01                        |
| ortho-Phosphate   | BQL1599  | Duplicate              | 0715387-04       | 0.75331       | 0.75418 |             | mg/L  | 0.1 | 101              | 10  | 90 - 110                   |
|                   |          | Matrix Spike           | 0715387-04       | 0.75331       | 1.4035  | 0.64547     | mg/L  | 2.5 | 98.5             | 10  | 90 - 110                   |
|                   |          | Matrix Spike Duplicate | 0715387-04       | 0.75331       | 1.3889  | 0.64547     | mg/L  | 2.5 | 98.5             | 10  | 90 - 110                   |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Laboratory Control Sample

| Constituent                       | Batch ID | QC Sample ID | QC Type | Result | Spike Level | PQL  | Units | Control Limits   |     |                  |     |
|-----------------------------------|----------|--------------|---------|--------|-------------|------|-------|------------------|-----|------------------|-----|
|                                   |          |              |         |        |             |      |       | Percent Recovery | RPD | Percent Recovery | RPD |
| Benzene                           | BRA0115  | BRA0115-BS1  | LCS     | 26.180 | 25.000      | 0.50 | ug/L  | 105              |     | 70 - 130         |     |
| Toluene                           | BRA0115  | BRA0115-BS1  | LCS     | 27.410 | 25.000      | 0.50 | ug/L  | 110              |     | 70 - 130         |     |
| 1,2-Dichloroethane-d4 (Surrogate) | BRA0115  | BRA0115-BS1  | LCS     | 10.450 | 10.000      |      | ug/L  | 104              |     | 76 - 114         |     |
| Toluene-d8 (Surrogate)            | BRA0115  | BRA0115-BS1  | LCS     | 10.110 | 10.000      |      | ug/L  | 101              |     | 88 - 110         |     |
| 4-Bromofluorobenzene (Surrogate)  | BRA0115  | BRA0115-BS1  | LCS     | 10.170 | 10.000      |      | ug/L  | 102              |     | 86 - 115         |     |



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

### Quality Control Report - Laboratory Control Sample

| Constituent       | Batch ID | QC Sample ID | QC Type | Result  | Spike Level | PQL   | Units | Percent Recovery | Control Limits   |     |     |           |
|-------------------|----------|--------------|---------|---------|-------------|-------|-------|------------------|------------------|-----|-----|-----------|
|                   |          |              |         |         |             |       |       |                  | Percent Recovery | RPD | RPD | Lab Quals |
| Nitrate as N      | BQL1577  | BQL1577-BS1  | LCS     | 4.8790  | 5.0000      | 0.10  | mg/L  | 97.6             | 90 - 110         |     |     |           |
| Iron (II) Species | BQL1588  | BQL1588-BS1  | LCS     | 1932.1  | 2000.0      | 100   | ug/L  | 96.6             | 90 - 110         |     |     |           |
| ortho-Phosphate   | BQL1599  | BQL1599-BS1  | LCS     | 0.60785 | 0.61320     | 0.050 | mg/L  | 99.1             | 90 - 110         |     |     |           |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Method Blank Analysis

| Constituent                            | Batch ID | QC Sample ID | MB Result | Units | PQL                  | MDL | Lab Quals |
|--|----------|--------------|-----------|-------|----------------------|-----|-----------|
| Benzene                                | BRA0115  | BRA0115-BLK1 | ND        | ug/L  | 0.50                 |     |           |
| Ethylbenzene                           | BRA0115  | BRA0115-BLK1 | ND        | ug/L  | 0.50                 |     |           |
| Methyl t-butyl ether                   | BRA0115  | BRA0115-BLK1 | ND        | ug/L  | 0.50                 |     |           |
| Toluene                                | BRA0115  | BRA0115-BLK1 | ND        | ug/L  | 0.50                 |     |           |
| Total Xylenes                          | BRA0115  | BRA0115-BLK1 | ND        | ug/L  | 1.0                  |     |           |
| Ethanol                                | BRA0115  | BRA0115-BLK1 | ND        | ug/L  | 250                  |     |           |
| Total Purgeable Petroleum Hydrocarbons | BRA0115  | BRA0115-BLK1 | ND        | ug/L  | 50                   |     |           |
| 1,2-Dichloroethane-d4 (Surrogate)      | BRA0115  | BRA0115-BLK1 | 104       | %     | 76 - 114 (LCL - UCL) |     |           |
| Toluene-d8 (Surrogate)                 | BRA0115  | BRA0115-BLK1 | 97.7      | %     | 88 - 110 (LCL - UCL) |     |           |
| 4-Bromofluorobenzene (Surrogate)       | BRA0115  | BRA0115-BLK1 | 103       | %     | 86 - 115 (LCL - UCL) |     |           |



LABORATORIES, INC.

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

## Water Analysis (General Chemistry)

### Quality Control Report - Method Blank Analysis

| Constituent       | Batch ID | QC Sample ID | MB Result | Units | PQL   | MDL | Lab Quals |
|-------------------|----------|--------------|-----------|-------|-------|-----|-----------|
| Nitrate as N      | BQL1577  | BQL1577-BLK1 | ND        | mg/L  | 0.10  |     |           |
| Iron (II) Species | BQL1588  | BQL1588-BLK1 | ND        | ug/L  | 100   |     |           |
| ortho-Phosphate   | BQL1599  | BQL1599-BLK1 | ND        | mg/L  | 0.050 |     |           |



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 01/11/2008 11:12

### Notes And Definitions

|     |   |
|-----|---|
| MDL | Method Detection Limit  |
| ND  | Analyte Not Detected at or above the reporting limit                                      |
| PQL | Practical Quantitation Limit  |
| RPD | Relative Percent Difference   |
| A01 | PQL's and MDL's are raised due to sample dilution.  |
| S09 | The surrogate recovery on the sample for this compound was not within the control limits. |

BC LABORATORIES INC 0715387

## SAMPLE RECEIPT FORM

Rev. No. 10 01/21/04 Page 10

Submission #: 0715384 Project Code:

TB Batch #

## SHIPPING INFORMATION

Federal Express  UPS  Hand Delivery   
 BC Lab Field Service  Other  (Specify): GSO

## SHIPPING CONTAINER

Ice Chest  None   
 Box  Other  (Specify)

Refrigerant: Ice  Blue Ice  None  Other  Comments:Custody Seals: Ice Chest  Container  None  Comments:All samples received? Yes  No  All samples containers intact? Yes  No  Description(s) match COC? Yes  No 

**COC Received**  
 YES  NO

Ice Chest ID: 44 °C  
 Temperature: 44 °C  
 Thermometer ID: #MX

Emissivity  
 Container: 0.95  
 DTP2

Date/Time: 12/28/07  
 Analyst Init: KJ 10/28

| SAMPLE CONTAINERS                     | SAMPLE NUMBERS |          |          |          |          |          |          |          |          |          |
|---------------------------------------|----------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                                       | 1              | 2        | 3        | 4        | 5        | 6        | 7        | 8        | 9        | 10       |
| QT GENERAL MINERAL / GENERAL PHYSICAL |                |          |          |          |          |          |          |          |          |          |
| PT PE UNPRESERVED X44                 | C              | C        | C        | C        | C        | C        |          |          |          |          |
| QT INORGANIC CHEMICAL METALS          |                |          |          |          |          |          |          |          |          |          |
| PT INORGANIC CHEMICAL METALS          |                |          |          |          |          |          |          |          |          |          |
| PT CYANIDE                            |                |          |          |          |          |          |          |          |          |          |
| PT NITROGEN FORMS                     |                |          |          |          |          |          |          |          |          |          |
| PT TOTAL SULFIDE                      |                |          |          |          |          |          |          |          |          |          |
| 2oz NITRATE / NITRITE                 |                |          |          |          |          |          |          |          |          |          |
| 100ml TOTAL ORGANIC CARBON            |                |          |          |          |          |          |          |          |          |          |
| QT TOX                                |                |          |          |          |          |          |          |          |          |          |
| PT CHEMICAL OXYGEN DEMAND             |                |          |          |          |          |          |          |          |          |          |
| PtA PHENOLICS                         |                |          |          |          |          |          |          |          |          |          |
| 40ml VOA VIAL TRAVEL BLANK            |                |          |          |          |          |          |          |          |          |          |
| 40ml VOA VIAL 096                     | 9.3            | 9.3      | 9.3      | 9.3      | 9.3      | 9.3      | 9.3      | 9.3      | 9.3      | 9.3      |
| QT EPA 413.1, 413.2, 418.1            |                |          |          |          |          |          |          |          |          |          |
| PT ODOR                               |                |          |          |          |          |          |          |          |          |          |
| RADIOLOGICAL                          |                |          |          |          |          |          |          |          |          |          |
| BACTERIOLOGICAL                       |                |          |          |          |          |          |          |          |          |          |
| 40 ml VOA VIAL - 504                  |                |          |          |          |          |          |          |          |          |          |
| QT EPA 508/608/8080                   |                |          |          |          |          |          |          |          |          |          |
| QT EPA 515.1/8150                     |                |          |          |          |          |          |          |          |          |          |
| QT EPA 525                            |                |          |          |          |          |          |          |          |          |          |
| QT EPA 525 TRAVEL BLANK               |                |          |          |          |          |          |          |          |          |          |
| 100ml EPA 547                         |                |          |          |          |          |          |          |          |          |          |
| 100ml EPA 531.1                       |                |          |          |          |          |          |          |          |          |          |
| QT EPA 548                            |                |          |          |          |          |          |          |          |          |          |
| QT EPA 549                            |                |          |          |          |          |          |          |          |          |          |
| QT EPA 632                            |                |          |          |          |          |          |          |          |          |          |
| QT EPA 8015M                          |                |          |          |          |          |          |          |          |          |          |
| QT QA/QC                              |                |          |          |          |          |          |          |          |          |          |
| QT AMBER                              |                |          |          |          |          |          |          |          |          |          |
| 8 OZ. JAR                             |                |          |          |          |          |          |          |          |          |          |
| 32 OZ. JAR                            |                |          |          |          |          |          |          |          |          |          |
| SOIL SLEEVE                           |                |          |          |          |          |          |          |          |          |          |
| PCB VIAL                              | 12/27/07       | 12/28/07 | 12/28/07 | 12/28/07 | 12/28/07 | 12/28/07 | 12/28/07 | 12/28/07 | 12/28/07 | 12/28/07 |
| PLASTIC BAG                           | 201            | 201      | 201      | 201      | 201      | 201      | 201      | 201      | 201      | 201      |
| FERROUS IRON                          | TB             | GB       |
| ENCORE                                | 5              |          |          |          |          |          |          |          |          |          |

Comments: -5 7 voci do not match description on COC

Sample Numbering Completed By: GBC Date/Time: 12/28/07 - 11:05

*07153847* *PNL 12/26/06*  
**BC LABORATORIES, INC.**

4100 Atlas Court  
(661) 327-4911

|            |                   |
|------------|-------------------|
| CHK BY     | DISTRIBUTION      |
| <i>PNL</i> | <i>DKR/LB/SLC</i> |
| SUB OUT    |                   |

Bakersfield, CA 93308  
FAX (661) 327-1918

| SHORT HOLDING TIME |                 |                 |      |     |  |
|--------------------|-----------------|-----------------|------|-----|--|
| Cr <sup>+3</sup>   | NO <sub>2</sub> | NO <sub>3</sub> | OP   | SS  |  |
| DO                 | Cl <sub>2</sub> | BOD             | MBAS | COT |  |

## CHAIN OF CUSTODY

### Analysis Requested

| Bill to: Conoco Phillips/ TRC   |                    | Consultant Firm: TRC  |                     | MATRIX<br>(GW)<br>Ground-water<br>(S)<br>Soil<br>(WW)<br>Waste-water<br>(SL)<br>Sludge | BTEX/MTBE by 8021B, Gas by 8015 | TPH GAS by 8015M | TPH DIESEL by 8015 | 8260 full list w/ oxygenates | BTEX/MTBE/OXYS BY 8260B | ETHANOL by 8260B | TPH -G by GC/MS | BTEX/MTBE by 8260B | Nitrate, Ortho-Phosphate | Ferrous iron | Turnaround Time Requested |
|---------------------------------|--------------------|---|---------------------|--|---------------------------------|------------------|--------------------|------------------------------|-------------------------|------------------|-----------------|--------------------|--------------------------|--------------|---------------------------|
| Address: 3220 Lakeshore Ave     |                    | 21 Technology Drive<br>Irvine, CA 92618-2302<br>Attn: Anju Farfan |                     |  |                                 |                  |                    |                              |                         |                  |                 |                    |                          |              |                           |
| City: Oakland                   |                    | 4-digit site#: 5325   |                     |  |                                 |                  |                    |                              |                         |                  |                 |                    |                          |              |                           |
| State: CA Zip:                  |                    | Workorder # 01394.00-4509117920                                   |                     |  |                                 |                  |                    |                              |                         |                  |                 |                    |                          |              |                           |
| Conoco Phillips Mgr: Bill Borgh |                    | Project #: 154771   |                     |  |                                 |                  |                    |                              |                         |                  |                 |                    |                          |              |                           |
| Lab#                            | Sample Description | Field Point Name  | Date & Time Sampled |  |                                 |                  |                    |                              |                         |                  |                 |                    |                          |              |                           |
| X                               |                    | U-6 -1  | 12/27/07 0633       | GW   | X                               | X                | X                  | X                            | X                       | X                | X               | X                  | X                        | STD          |                           |
| X                               |                    | U-4 -2  | 0853                |  | X                               | X                | X                  | X                            | X                       | X                | X               | X                  | X                        |              |                           |
| X                               |                    | U-5 -3  | 0830                |  | X                               | X                | X                  | X                            | X                       | X                | X               | X                  | X                        |              |                           |
| X                               |                    | U-3 -4  | 0843                |  | X                               | X                | X                  | X                            | X                       | X                | X               | X                  | X                        |              |                           |
| X                               |                    | U-1 -5  | 0910                |  | X                               | X                | X                  | X                            | X                       | X                | X               | X                  | X                        |              |                           |
| X                               |                    | U-2 -6  | 0957                | V  | X                               | X                | X                  | X                            | X                       | X                | X               | X                  | X                        |              |                           |

|   |                              |                                     |                            |
|---|------------------------------|-------------------------------------|----------------------------|
| Comments: Run 8 OXYS by 8260 on all MTBE hits | Relinquished by: (Signature) | Received by: stored in refrigerator | Date & Time 12/27/07 1115  |
| GLOBAL ID: T0600101463                        | Relinquished by: (Signature) | Received by: P.BINS BCL             | Date & Time 12/27/07 1515  |
|   | Relinquished by: (Signature) | Received by: Jhsy Blaum             | Date & Time 12/28/07 10:25 |

## **STATEMENTS**

### **Purge Water Disposal**

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

### **Limitations**

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.