

RECEIVED

2:23 pm, Jul 31, 2009

Alameda County
Environmental Health

The logo for ConocoPhillips, featuring the word "ConocoPhillips" in a bold, sans-serif font. A stylized bird or wing icon is positioned above the letter "o" in "Phillips".

76 Broadway
Sacramento, California 95818

July 21, 2009

Barbara Jakub
Alameda County Health Agency
1131 Harbor Bay parkway, Suite250
Alameda, California 94502-577


Re: ***Quarterly Summary Report—Second Quarter 2009***
76 Service Station # 5325 RO # 0229
3220 Lakeshore Ave.
Oakland, CA

Dear Ms. Jakub:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely,

A handwritten signature in black ink, appearing to read "Terry L. Grayson". The signature is fluid and cursive, with a large, sweeping underline that extends across the width of the signature.

Terry L. Grayson
Site Manager
Risk Management & Remediation

July 30, 2009

Ms. Barbara Jakub
Alameda County Health Care Services
1131 Harbor Bay Parkway
Alameda, CA 94502-6577

**Re: Quarterly Summary Report –
Second Quarter 2009**

76 Service Station No. 5325
3220 Lakeshore Avenue
Oakland, California
RO#0229



Dear Ms. Jakub,


On behalf of ConocoPhillips Company (ConocoPhillips), Delta Consultants (Delta) is submitting the subject report and forwarding a copy of TRC's *Quarterly Monitoring Report April through June 2009*, dated July 16, 2009 for the above site. TRC has uploaded a copy of their report to the GeoTracker database.

Please contact me at (916) 503-1260 if you have questions.

Sincerely,

Sincerely,
Delta Consultants

Tony Perini
Senior Project Engineer



Jay Badiei, PG
Sr. Project Geologist
CA Registration #6744

cc: Terry Grayson – ConocoPhillips (electronic copy only)

Enclosure

QUARTERLY SUMMARY REPORT Second Quarter 2009

76 Service Station No. 5325
RO#0229
3220 Lakeshore Avenue
Oakland, California
County: Alameda

SITE DESCRIPTION

The site, an operating 76 Service Station is located on the southeast corner of the intersection of Lakeshore Avenue and Lake Park Avenue in Oakland, California. The site is bounded to the north by Lakeshore Avenue; to the west and southwest by Lake Park Avenue; to the southeast by a supermarket parking lot; and to the east by a pharmacy. Current site improvements consist of the service station building with three service bays, three product dispenser islands, and two 12,000-gallon double-wall fiberglass gasoline underground storage tanks (USTs).

SITE BACKGROUND AND ACTIVITY

May 1990 Three exploratory soil borings were advanced adjacent to the UST complex to depths ranging from 10 to 12.5 feet below ground surface (bgs). Soil samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-G) and benzene, toluene, ethylbenzene, and xylenes (BTEX). The samples contained TPH-G concentrations ranging from 2 to 7,500 parts per million (ppm) and benzene concentrations ranging from 0.14 to 13 ppm.

June 1990 Two 10,000-gallon gasoline USTs, one 550-gallon waste oil UST, and related product dispensers were replaced. Soil samples from the UST excavation sidewalls and bottom and product line trenches were reported to contain TPH-G and benzene at concentrations ranging from 12 to 2,800 ppm and 0.008 to 11 ppm, respectively. Approximately 250 cubic yards of soil and backfill material were aerated onsite to reduce concentrations to below 100 ppm TPH-G, then transported to an appropriate soil disposal facility. Groundwater was encountered at approximately 7.5 feet bgs.

September 1990 Monitoring wells U-1, U-2, and U-3 were installed. TPH-G was detected in soil samples collected from the capillary fringe in well borings U-1 and U-2 at levels of 110 and 480 ppm, respectively. Benzene was detected in the soil sample from well boring U-1 at a level of 4.5 ppm. Petroleum hydrocarbons were not detected in soil or groundwater samples from U-3. Groundwater samples collected from wells U-1 and U-2 were reported to contain 690 and 38 parts per billion (ppb) TPH-G and 780 and 27 ppb benzene, respectively.

June 1990 Monitoring wells U-4, U-5, and U-6 were installed. TPH-G and benzene were detected in the capillary fringe soil sample collected from boring U-5 at levels of 400 ppm and 1.9 ppm, respectively. TPH-G and benzene were not detected in soil

samples collected from borings U-4 and U-6. Groundwater levels stabilized at depths between 8.8 and 9.2 feet bgs.

November 1996 One 550-gallon waste oil UST was removed and the product lines and dispensers were replaced. A soil sample collected from the sidewall of the waste oil UST excavation contained 1.5 ppm total petroleum hydrocarbons as diesel (TPH-D) and 78 ppm total oil and grease (TOG). TPH-G, benzene, methyl tertiary butyl ether (MTBE), halogenated volatile organic compounds (HVOCs), and semi-volatile organic compounds (SVOCs) were not detected. Product line trench excavation and over excavation samples were reported to contain petroleum hydrocarbon levels ranging from non-detect to 880 ppm of TPH-G, non-detect to 3.6 ppm of benzene, and non-detect to 23 ppm of MTBE. Approximately 276 tons of excavated soil was transported to an appropriate disposal facility.

June 1997 Two exploratory borings (U-D and U-E) and one UST observation well were installed. U-D was advanced offsite on Lakeshore Avenue. TPH-G, BTEX, and MTBE were detected in one or all of the soil samples collected at the capillary fringe from the soil borings. TPH-G and MTBE were detected at a maximum of 450 ppm and 1.1 ppm, respectively, in U-D.

October 2003 Site environmental consulting responsibilities were transferred to TRC.

April 2006 Three ozone sparge wells (C-1 through C-3) were installed by TRC in the vicinity of U-2 for the purpose of an ozone pilot study. Total purgeable petroleum hydrocarbons (TPPH) were detected at a maximum of 4,600 milligrams per kilograms (mg/kg) in the five feet below grade (fbg) soil sample collected from C-1.

October 2007 Site environmental consulting responsibilities were transferred to Delta Consultants.

SENSITIVE RECEPTORS

Lake Merritt is located approximately 0.3 miles downgradient. No domestic water wells are located within a one mile distance of the site.

GROUNDWATER MONITORING AND SAMPLING

The groundwater monitoring well network, consisting of five onsite and one offsite monitoring wells. During the most recent groundwater sampling event conducted on June 23, 2009, reported depth to groundwater ranged from 4.80 feet (U-6) to 10.40 feet (U-3) below top of casing (TOC).

The groundwater flow direction was reported to the east and west at a gradient of 0.05 feet per foot (ft/ft). The flow direction is consistent with the previous event in March 26, 2009, however, the groundwater gradient slightly increased from the previous 0.03 ft/ft observed in the March 2009 event.

Groundwater concentrations are reported as follows.

TPH-G was reported in three of the six sampled wells with a maximum concentration of 4,000 µg/L in well U-1. This is a decrease from a maximum concentration of 5,700 µg/L reported at well U-1 in the March 2009 sampling event. TPH-G was reported at wells U-2 and U-5 at 2,900 µg/L and 80 µg/L, respectively, during the Second Quarter 2009 sampling event.

Benzene was reported in one of the six sampled wells with a maximum concentration of 11 µg/L in well U-2. This is a slight increase from a maximum concentration of 8.9 µg/L at well U-2 during the March 2009 sampling event.

MTBE was reported in four of the six sampled wells with a maximum concentration of 150 µg/L in well U-2. MtBE remained at well U-2 during both the March and May sampling events.

REMEDIATION STATUS

A 3-month ozone sparge event was completed from June through August 2006. TRC completed two quarters of post-remedial groundwater monitoring.

CHARACTERIZATION STATUS

Site assessment appears complete along the southern section of the site where groundwater concentrations were at low to non-detectable levels at wells U-3 and U-4. Based on the Second Quarter 2009 sampling event, the majority of the plume appears to be concentrated in the northern section of the site at wells U-1 and U-2.

Localized hydrogen peroxide at wells U-1 and U-2 may be a viable groundwater option for remediation at these well locations.

RECENT CORRESPONDENCE

No regulatory correspondence were received or sent during the second quarter 2009.

THIS QUARTER ACTIVITIES (Second Quarter 2009)

- TRC prepared the *Quarterly Monitoring Report, January through March 2009*, dated April 17, 2009.
- Delta prepared the *Quarterly Status Report - First Quarter 2009*, dated April 20, 2009.
- Monitoring and sampling of the groundwater monitoring well network was conducted by TRC on June 23, 2009.

NEXT QUARTER ACTIVITIES (Third Quarter 2009)

- TRC prepared the *Semi-Annual Monitoring Report, January through June 2009*, dated July 16, 2009.
- Delta to prepare and submit the *Quarterly Status Report - Second Quarter 2009*.
- Delta to initiate development on wells U-1 and U-3 and replacement of well U-2.

CONSULTANT: Delta Consultants



21 Technology Drive
Irvine, CA 92618

949 727.9336 PHONE
949 727.7399 FAX

www TRCsolutions.com

DATE: July 16, 2009

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. TERRY GRAYSON

SITE: 76 STATION 5325
3220 LAKESHORE AVENUE
OAKLAND, CALIFORNIA

RE: SEMI-ANNUAL MONITORING REPORT
JANUARY THROUGH JUNE 2009

Dear Mr. Grayson,

Please find enclosed our Semi-Annual Monitoring Report for 76 Station 5325, located at 3220 Lakeshore Avenue, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Anju Farfan", written over a circular stamp or mark.

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Tony Perini, Delta Consultants (2 copies)

Enclosures
20-0400/5325R23 QMS



**SEMI-ANNUAL MONITORING REPORT
JANUARY THROUGH JUNE 2009**

76 STATION 5325
3220 Lakeshore Avenue
Oakland, California

Prepared For:

Mr. Terry Grayson
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 7/16/09



LIST OF ATTACHMENTS

| | |
|--------------------|---|
| Summary Sheet | Summary of Gauging and Sampling Activities |
| Tables | Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results Table 2b: Additional Historic Analytical Results |
| Figures | Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map |
| Graphs | Groundwater Elevations vs. Time TPH-G Concentrations vs. Time Benzene Concentrations vs. Time MTBE Concentrations vs. Time |
| Field Activities | General Field Procedures Field Monitoring Data Sheet – 6/23/09 Groundwater Sampling Field Notes – 6/23/09 |
| Laboratory Reports | Official Laboratory Reports Quality Control Reports Chain of Custody Records |
| Statements | Purge Water Disposal Limitations |

Summary of Gauging and Sampling Activities
January 2009 through June 2009
76 Station 5325
3220 Lakeshore Avenue
Oakland, CA

Project Coordinator: **Terry Grayson**
Telephone: **916-558-7666**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **06/23/09**

Sample Points

Groundwater wells: **5** onsite, **1** offsite Points gauged: **6** Points sampled: **6**

Purging method: **Submersible pump**

Purge water disposal: **Veolia/Rodeo Unit 100**

Other Sample Points: **0** Type: --

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): --

LPH removal frequency: -- Method: --

Treatment or disposal of water/LPH: --

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **4.8 feet** Maximum: **10.4 feet**

Average groundwater elevation (relative to available local datum): **1.92 feet**

Average change in groundwater elevation since previous event: **0.36 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.05 ft/ft, east and west**

Previous event: **0.03 ft/ft, east and west (03/26/09)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **1** Sample Points above MCL (1.0 µg/l): **1**

Maximum reported benzene concentration: **11 µg/l (U-2)**

Sample Points with **TPH-G by GC/MS** **3** Maximum: **4,000 µg/l (U-1)**

Sample Points with **MTBE 8260B** **4** Maximum: **150 µg/l (U-2)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

| | | |
|-------|---|---|
| -- | = | not analyzed, measured, or collected |
| LPH | = | liquid-phase hydrocarbons |
| Trace | = | less than 0.01 foot of LPH in well |
| µg/l | = | micrograms per liter (approx. equivalent to parts per billion, ppb) |
| mg/l | = | milligrams per liter (approx. equivalent to parts per million, ppm) |
| ND< | = | not detected at or above laboratory detection limit |
| TOC | = | top of casing (surveyed reference elevation) |
| D | = | duplicate |
| P | = | no-purge sample |

ANALYTES

| | | |
|---------------|---|---|
| BTEX | = | benzene, toluene, ethylbenzene, and (total) xylenes |
| DIPE | = | di-isopropyl ether |
| ETBE | = | ethyl tertiary butyl ether |
| MTBE | = | methyl tertiary butyl ether |
| PCB | = | polychlorinated biphenyls |
| PCE | = | tetrachloroethene |
| TBA | = | tertiary butyl alcohol |
| TCA | = | trichloroethane |
| TCE | = | trichloroethene |
| TPH-G | = | total petroleum hydrocarbons with gasoline distinction |
| TPH-G (GC/MS) | = | total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B |
| TPH-D | = | total petroleum hydrocarbons with diesel distinction |
| TRPH | = | total recoverable petroleum hydrocarbons |
| TAME | = | tertiary amyl methyl ether |
| 1,1-DCA | = | 1,1-dichloroethane |
| 1,2-DCA | = | 1,2-dichloroethane (same as EDC, ethylene dichloride) |
| 1,1-DCE | = | 1,1-dichloroethene |
| 1,2-DCE | = | 1,2-dichloroethene (cis- and trans-) |

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$, where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5325 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 5325

Current Event

| Table 1 | Well/ Date | Depth to Water | LPH Thickness | Ground- water Elevation | Change in Elevation | TPH-G 8015 | TPH-G (GC/MS) | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) |
|---------|---------------|-------------------|------------------|-------------------------------|------------------------|---------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|
|---------|---------------|-------------------|------------------|-------------------------------|------------------------|---------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|

| Table 1a | Well/ Date | Ethanol (8260B) | Iron Ferrous | Nitrate | Phosphate (ortho) | Pre-purge Dissolved Oxygen | Pre-purge ORP |
|----------|---------------|--------------------|-----------------|---------|----------------------|----------------------------------|------------------|
|----------|---------------|--------------------|-----------------|---------|----------------------|----------------------------------|------------------|

Historic Data

| Table 2 | Well/ Date | Depth to Water | LPH Thickness | Ground- water Elevation | Change in Elevation | TPH-G 8015 | TPH-G (GC/MS) | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) |
|---------|---------------|-------------------|------------------|-------------------------------|------------------------|---------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|
|---------|---------------|-------------------|------------------|-------------------------------|------------------------|---------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|

| Table 2a | Well/ Date | TBA | Ethanol (8260B) | Ethylene- dibromide (EDB) | 1,2-DCA (EDC) | DIPE | ETBE | TAME | Acenaph- thylene | Iron Ferrous | Nitrate | Phosphate (ortho) | Phosphate (total) |
|----------|---------------|-----|--------------------|---------------------------------|------------------|------|------|------|---------------------|-----------------|---------|----------------------|----------------------|
|----------|---------------|-----|--------------------|---------------------------------|------------------|------|------|------|---------------------|-----------------|---------|----------------------|----------------------|

| Table 2b | Well/ Date | Redox Potential (ORP-Lab) | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen | Pre-purge ORP | Post-purge ORP |
|----------|---------------|---------------------------------|-----------------------------------|----------------------------------|------------------|-------------------|
|----------|---------------|---------------------------------|-----------------------------------|----------------------------------|------------------|-------------------|

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 23, 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments | |
|--------------|-------------------------|--------------------------|-------------------------|--|-------------------------------|----------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|--|
| U-1 | | | | (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | |
| 06/23/09 | 8.46 | 6.80 | 0.00 | 1.66 | 0.75 | -- | 4000 | ND<2.5 | ND<2.5 | 41 | ND<5.0 | -- | 10 | | |
| U-2 | | | | (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | |
| 06/23/09 | 7.62 | 4.90 | 0.00 | 2.72 | 0.27 | -- | 2900 | 11 | ND<2.5 | 140 | 7.2 | -- | 150 | | |
| U-3 | | | | (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | |
| 06/23/09 | 10.98 | 10.40 | 0.00 | 0.58 | 0.30 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.65 | | |
| U-4 | | | | (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | |
| 06/23/09 | 11.15 | 8.40 | 0.00 | 2.75 | -1.19 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |
| U-5 | | | | (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | |
| 06/23/09 | 6.98 | 5.50 | 0.00 | 1.48 | 0.70 | -- | 80 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 7.1 | | |
| U-6 | | | | (Screen Interval in feet: 5.0-24.0) | | | | | | | | | | | |
| 06/23/09 | 7.14 | 4.80 | 0.00 | 2.34 | 1.30 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Ethanol (8260B) (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) |
|-----------------|------------------------|---------------------|----------------|--------------------------|-----------------------------------|--------------------|
| U-1 06/23/09 | ND<1200 | 23000 | ND<0.10 | 0.077 | 0.62 | -27 |
| U-2 06/23/09 | ND<1200 | 9500 | ND<0.10 | 0.052 | 0.38 | -16 |
| U-3 06/23/09 | ND<250 | ND<100 | 4.4 | 0.67 | 0.33 | -51 |
| U-4 06/23/09 | ND<250 | ND<100 | 4.2 | 0.37 | 1.92 | -19 |
| U-5 06/23/09 | ND<250 | 7000 | 0.17 | 0.076 | 0.31 | -35 |
| U-6 06/23/09 | ND<250 | 12000 | 0.26 | 0.68 | 0.08 | -32 |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|--------------------------------|
| U-1 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | | | | |
| 08/10/90 | -- | -- | -- | -- | -- | 690 | -- | 38 | 75 | 8.6 | 130 | -- | -- | |
| 01/07/91 | -- | -- | -- | -- | -- | 250 | -- | 22 | 16 | 4.2 | 17 | -- | -- | |
| 04/01/91 | -- | -- | -- | -- | -- | 160 | -- | 13 | 8.6 | 1.0 | 15 | -- | -- | |
| 07/03/91 | -- | -- | -- | -- | -- | 140 | -- | 21 | 4.3 | 0.36 | 17 | -- | -- | |
| 10/09/91 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 02/12/92 | -- | -- | -- | -- | -- | 250 | -- | ND | ND | ND | ND | -- | -- | |
| 05/05/92 | -- | -- | -- | -- | -- | 230 | -- | 1.2 | ND | ND | ND | -- | -- | |
| 06/11/92 | -- | -- | -- | -- | -- | 1000 | -- | 80 | 1.4 | 6.7 | 41 | -- | -- | |
| 08/20/92 | -- | -- | -- | -- | -- | 400 | -- | 1.0 | ND | ND | 0.6 | -- | -- | |
| 02/22/93 | -- | -- | -- | -- | -- | 34000 | -- | 1400 | 5500 | 910 | 7300 | -- | -- | |
| 05/07/93 | -- | -- | -- | -- | -- | 8700 | -- | 600 | 240 | 650 | 3300 | -- | -- | |
| 08/08/93 | -- | -- | -- | -- | -- | 4900 | -- | 79 | ND | 832 | 270 | -- | -- | |
| 11/16/93 | 5.32 | 8.61 | 0.00 | -3.29 | -- | 690 | -- | ND | ND | ND | ND | -- | -- | |
| 02/16/94 | 5.32 | 8.54 | 0.00 | -3.22 | 0.07 | 6800 | -- | ND | ND | ND | ND | -- | -- | |
| 06/22/94 | 8.46 | 8.39 | 0.00 | 0.07 | 3.29 | 200 | -- | ND | ND | 5.9 | 21 | -- | -- | |
| 09/22/94 | 8.46 | 8.66 | 0.00 | -0.20 | -0.27 | 6100 | -- | ND | ND | ND | ND | -- | -- | |
| 12/24/94 | 8.46 | 8.04 | 0.00 | 0.42 | 0.62 | 50000 | -- | 2500 | 9700 | 2400 | 17000 | -- | -- | |
| 03/25/95 | 8.46 | 7.72 | 0.37 | 1.02 | 0.60 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 06/21/95 | 8.46 | 9.30 | 0.20 | -0.69 | -1.71 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 09/19/95 | 8.46 | 9.29 | 0.40 | -0.53 | 0.16 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|--------------------------------|
| U-1 continued | | | | | | | | | | | | | | |
| 12/19/95 | 8.46 | 8.98 | 0.03 | -0.50 | 0.03 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 03/18/96 | 8.46 | 8.25 | 0.00 | 0.21 | 0.71 | 27000 | -- | ND | 2300 | 1400 | 11000 | 4900 | -- | |
| 06/27/96 | 8.46 | 7.92 | 0.00 | 0.54 | 0.33 | 120000 | -- | 540 | 4300 | 2600 | 26000 | ND | -- | |
| 09/26/96 | 8.46 | 9.10 | 0.02 | -0.63 | -1.17 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 12/09/96 | 8.46 | 6.88 | 0.03 | 1.60 | 2.23 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 03/14/97 | 8.46 | 9.02 | 0.55 | -0.15 | -1.75 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 06/30/97 | 8.46 | 8.41 | 0.02 | 0.07 | 0.21 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 09/19/97 | 8.46 | 8.56 | 0.02 | -0.09 | -0.15 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 12/12/97 | 8.46 | 8.58 | 0.01 | -0.11 | -0.03 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 03/03/98 | 8.46 | 8.23 | 0.04 | 0.26 | 0.37 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 06/15/98 | 8.46 | 8.37 | 0.00 | 0.09 | -0.17 | 52000 | -- | ND | 900 | 1800 | 13000 | ND | -- | Sheen |
| 09/30/98 | 8.46 | 8.94 | 0.00 | -0.48 | -0.57 | 1000000 | -- | ND | 2600 | 13000 | 83000 | 4800 | -- | Sheen |
| 12/28/98 | 8.46 | 8.57 | 0.00 | -0.11 | 0.37 | 1100000 | -- | ND | 1600 | 8600 | 71000 | 5700 | -- | |
| 03/22/99 | 8.46 | 8.18 | 0.00 | 0.28 | 0.39 | 130000 | -- | 470 | 1100 | 2000 | 28000 | 5700 | -- | Sheen |
| 06/09/99 | 8.46 | 9.37 | 0.00 | -0.91 | -1.19 | 40000 | -- | 230 | 640 | 590 | 13000 | 3500 | 2100 | |
| 09/08/99 | 8.46 | 9.53 | 0.00 | -1.07 | -0.16 | 55000 | -- | 217 | 202 | 745 | 14300 | 6890 | 6690 | |
| 12/07/99 | 8.46 | 9.67 | 0.00 | -1.21 | -0.14 | 41200 | -- | 89.3 | ND | 385 | 6930 | 15800 | 14700 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|----------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| U-1 continued | | | | | | | | | | | | | | |
| 03/13/00 | 8.46 | 8.44 | 0.00 | 0.02 | 1.23 | 48000 | -- | 490 | 610 | 2400 | 10000 | 22000 | 23000 | |
| 06/21/00 | 8.46 | 9.45 | 0.00 | -0.99 | -1.01 | 37000 | -- | 200 | ND | 1200 | 7200 | 15000 | 20000 | |
| 09/27/00 | 8.46 | 9.29 | 0.00 | -0.83 | 0.16 | 15000 | -- | 92 | ND | 540 | 2800 | 74000 | 83000 | |
| 12/12/00 | 8.46 | 9.37 | 0.00 | -0.91 | -0.08 | 50000 | -- | ND | ND | 250 | 1900 | 12000 | 15000 | |
| 03/07/01 | 8.46 | 8.45 | 0.00 | 0.01 | 0.92 | 6220 | -- | 29.8 | 10.4 | 96.3 | 638 | 11200 | 11800 | |
| 06/06/01 | 8.46 | 9.29 | 0.00 | -0.83 | -0.84 | 5200 | -- | 17 | ND | 69 | 420 | 6500 | 8700 | |
| 09/24/01 | 8.46 | 9.39 | 0.00 | -0.93 | -0.10 | 4300 | -- | 36 | ND<25 | 65 | 590 | 4400 | 4400 | |
| 12/10/01 | 8.46 | 9.17 | 0.00 | -0.71 | 0.22 | 11000 | -- | 220 | ND<100 | 380 | 1500 | 5100 | 5100 | |
| 03/11/02 | 8.46 | 9.44 | 0.00 | -0.98 | -0.27 | 5500 | -- | 28 | ND<20 | 360 | 690 | 6400 | 6300 | |
| 06/04/02 | 8.46 | 8.32 | 0.00 | 0.14 | 1.12 | 4600 | -- | 31 | ND<10 | 240 | 180 | 6500 | -- | |
| 09/03/02 | 8.46 | 9.36 | 0.00 | -0.90 | -1.04 | 2300 | -- | ND<12 | ND<12 | ND<12 | 68 | 3500 | 4700 | |
| 12/03/02 | 8.46 | 8.18 | 0.00 | 0.28 | 1.18 | -- | ND<5000 | ND<50 | ND<50 | ND<50 | <100 | -- | 4700 | |
| 03/04/03 | 8.46 | 8.29 | 0.00 | 0.17 | -0.11 | -- | 8900 | 26 | ND<25 | 400 | 130 | -- | 5500 | |
| 06/18/03 | 8.46 | 7.58 | 0.00 | 0.88 | 0.71 | -- | 8300 | ND<25 | ND<25 | ND<25 | ND<50 | -- | 10000 | |
| 09/24/03 | 8.46 | 8.18 | 0.00 | 0.28 | -0.60 | -- | ND<10000 | ND<100 | ND<100 | ND<100 | ND<200 | -- | 11000 | |
| 12/02/03 | 8.46 | 8.90 | 0.00 | -0.44 | -0.72 | -- | ND<10000 | ND<100 | ND<100 | ND<100 | ND<200 | -- | 11000 | |
| 03/30/04 | 8.46 | 8.38 | 0.00 | 0.08 | 0.52 | -- | 12000 | ND<100 | ND<100 | 190 | ND<200 | -- | 13000 | |
| 06/07/04 | 8.46 | 10.35 | 0.00 | -1.89 | -1.97 | -- | 13000 | ND<100 | ND<100 | ND<100 | ND<200 | -- | 12000 | |
| 09/09/04 | 8.46 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 12/20/04 | 8.46 | 9.00 | 0.00 | -0.54 | -- | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 8.2 | |
| 03/28/05 | 8.46 | 8.10 | 0.00 | 0.36 | 0.90 | -- | 37000 | ND<10 | ND<10 | 1500 | 5300 | -- | 460 | |
| 06/14/05 | 8.46 | 8.91 | 0.00 | -0.45 | -0.81 | -- | 3900 | ND<0.50 | ND<0.50 | 48 | 68 | -- | 60 | |
| 09/28/05 | 8.46 | 11.35 | 0.00 | -2.89 | -2.44 | -- | 560 | ND<0.50 | 0.60 | 3.0 | 26 | -- | 18 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|----------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| U-1 continued | | | | | | | | | | | | | | |
| 12/29/05 | 8.46 | 8.58 | 0.00 | -0.12 | 2.77 | -- | 510 | 0.77 | ND<0.50 | 27 | 63 | -- | 62 | |
| 03/27/06 | 8.46 | 7.20 | 0.00 | 1.26 | 1.38 | -- | 29000 | ND<25 | ND<25 | 1500 | 4900 | -- | 300 | |
| 06/12/06 | 8.46 | 7.81 | 0.00 | 0.65 | -0.61 | -- | 3200 | ND<0.50 | ND<0.50 | 42 | 15 | -- | 56 | |
| 09/21/06 | 8.46 | 8.04 | 0.00 | 0.42 | -0.23 | -- | 2600 | ND<12 | ND<12 | ND<12 | ND<12 | -- | 30 | |
| 12/21/06 | 8.46 | 8.32 | 0.00 | 0.14 | -0.28 | -- | 2000 | ND<0.50 | ND<0.50 | 13 | 2.2 | -- | 53 | |
| 03/28/07 | 8.46 | 6.17 | 0.00 | 2.29 | 2.15 | -- | 12000 | ND<2.5 | ND<2.5 | 690 | 1900 | -- | 110 | |
| 06/27/07 | 8.46 | 5.39 | 0.00 | 3.07 | 0.78 | -- | 13000 | 2.8 | ND<2.5 | 960 | 1300 | -- | 79 | |
| 09/26/07 | 8.46 | 5.32 | 0.00 | 3.14 | 0.07 | -- | 6900 | 2.6 | ND<2.5 | 310 | 680 | -- | 44 | |
| 12/27/07 | 8.46 | 8.12 | 0.00 | 0.34 | -2.80 | -- | 5900 | ND<2.5 | ND<2.5 | 290 | 130 | -- | 42 | |
| 03/26/08 | 8.46 | 7.84 | 0.00 | 0.62 | 0.28 | -- | 3500 | ND<2.5 | ND<2.5 | 100 | 18 | -- | 30 | |
| 06/18/08 | 8.46 | 7.04 | 0.00 | 1.42 | 0.80 | -- | 8400 | ND<5.0 | ND<5.0 | 230 | 86 | -- | 26 | |
| 09/24/08 | 8.46 | 6.90 | 0.00 | 1.56 | 0.14 | -- | 6000 | 3.3 | ND<2.5 | 170 | 86 | -- | 78 | |
| 12/22/08 | 8.46 | 7.70 | 0.00 | 0.76 | -0.80 | -- | 6400 | 0.64 | ND<0.50 | 95 | 7.0 | -- | 12 | |
| 03/26/09 | 8.46 | 7.55 | 0.00 | 0.91 | 0.15 | -- | 5700 | ND<2.5 | ND<2.5 | 72 | 6.5 | -- | 10 | |
| 06/23/09 | 8.46 | 6.80 | 0.00 | 1.66 | 0.75 | -- | 4000 | ND<2.5 | ND<2.5 | 41 | ND<5.0 | -- | 10 | |
| U-2 (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | | | | |
| 08/10/90 | -- | -- | -- | -- | -- | 780 | -- | 27 | 46 | 15 | 130 | -- | -- | |
| 01/07/91 | -- | -- | -- | -- | -- | 1900 | -- | 67 | 5.8 | 58 | 69 | -- | -- | |
| 04/01/91 | -- | -- | -- | -- | -- | 1700 | -- | 250 | 89 | 34 | 190 | -- | -- | |
| 07/03/91 | -- | -- | -- | -- | -- | 2100 | -- | 150 | 25 | 3.1 | 290 | -- | -- | |
| 10/09/91 | -- | -- | -- | -- | -- | 230 | -- | 7.1 | ND | ND | 11 | -- | -- | |
| 02/12/92 | -- | -- | -- | -- | -- | 410 | -- | 1.9 | ND | 0.36 | 0.4 | -- | -- | |
| 05/05/92 | -- | -- | -- | -- | -- | 1600 | -- | 120 | 52 | 6.2 | 290 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|--------------------------------|
| U-2 continued | | | | | | | | | | | | | | |
| 06/11/92 | -- | -- | -- | -- | -- | 620 | -- | 17 | 2.1 | ND | 37 | -- | -- | |
| 08/20/92 | -- | -- | -- | -- | -- | 700 | -- | 28 | 6.5 | 1.3 | 4.6 | -- | -- | |
| 02/22/93 | -- | -- | -- | -- | -- | 3400 | -- | 2400 | 2100 | 1200 | 5800 | -- | -- | |
| 05/07/93 | -- | -- | -- | -- | -- | 17000 | -- | 1800 | 660 | 1700 | 4000 | -- | -- | |
| 08/08/93 | -- | -- | -- | -- | -- | 5600 | -- | 420 | ND | 410 | 670 | -- | -- | |
| 11/16/93 | 4.53 | 8.17 | 0.00 | -3.64 | -- | 510 | -- | ND | ND | ND | ND | -- | -- | |
| 02/16/94 | 4.53 | 7.73 | 0.00 | -3.20 | 0.44 | 980 | -- | 49 | 13 | 2.7 | 40 | -- | -- | |
| 06/22/94 | 7.62 | 7.60 | 0.00 | 0.02 | 3.22 | 31000 | -- | 2200 | 62 | 1500 | 3500 | -- | -- | |
| 09/22/94 | 7.62 | 7.93 | 0.00 | -0.31 | -0.33 | 8500 | -- | 29 | ND | ND | ND | -- | -- | |
| 12/24/94 | 7.62 | 7.27 | 0.00 | 0.35 | 0.66 | 32000 | -- | 1500 | 890 | 1300 | 5000 | -- | -- | |
| 03/25/95 | 7.62 | 7.01 | 0.00 | 0.61 | 0.26 | 170000 | -- | 1900 | 21000 | 4800 | 33000 | -- | -- | |
| 06/21/95 | 7.62 | 6.98 | 0.00 | 0.64 | 0.03 | 16000 | -- | 2100 | ND | 1800 | 1700 | -- | -- | |
| 09/19/95 | 7.62 | 7.70 | 0.00 | -0.08 | -0.72 | 3000 | -- | 610 | ND | 78 | 240 | -- | -- | |
| 12/19/95 | 7.62 | 7.30 | 0.00 | 0.32 | 0.40 | 1600 | -- | 140 | 55 | 52 | 270 | -- | -- | |
| 03/18/96 | 7.62 | 6.45 | 0.00 | 1.17 | 0.85 | 12000 | -- | 2200 | ND | 1200 | 2200 | 22000 | -- | |
| 06/27/96 | 7.62 | 7.41 | 0.00 | 0.21 | -0.96 | 28000 | -- | 3400 | ND | 2800 | 3100 | 3000 | -- | |
| 09/26/96 | 7.62 | 7.90 | 0.00 | -0.28 | -0.49 | 5900 | -- | 750 | ND | ND | ND | 18000 | -- | |
| 12/09/96 | 7.62 | 6.76 | 0.00 | 0.86 | 1.14 | 13000 | -- | 5100 | 290 | 980 | 370 | 2700 | -- | |
| 03/14/97 | 7.62 | 7.12 | 0.03 | 0.52 | -0.34 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 06/30/97 | 7.62 | 6.19 | 0.00 | 1.43 | 0.91 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 09/19/97 | 7.62 | 7.31 | 0.00 | 0.31 | -1.12 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|--------------------------------|
| U-2 continued | | | | | | | | | | | | | | |
| 12/12/97 | 7.62 | 6.75 | 0.00 | 0.87 | 0.56 | -- | -- | -- | -- | -- | -- | -- | -- | Not sampled due to LPH in well |
| 03/03/98 | 7.62 | 6.36 | 0.00 | 1.26 | 0.39 | 80000 | -- | 3000 | 1100 | 820 | 16000 | 16000 | -- | Sheen |
| 06/15/98 | 7.62 | 6.51 | 0.00 | 1.11 | -0.15 | 48000 | -- | 1800 | 330 | 470 | 7900 | 20000 | -- | Sheen |
| 09/30/98 | 7.62 | 7.17 | 0.00 | 0.45 | -0.66 | 60000 | -- | 1300 | ND | 500 | 9700 | 19000 | -- | Sheen |
| 12/28/98 | 7.62 | 7.06 | 0.00 | 0.56 | 0.11 | 63000 | -- | 590 | 160 | 320 | 5600 | 16000 | -- | |
| 03/22/99 | 7.62 | 6.82 | 0.00 | 0.80 | 0.24 | 28000 | -- | 1100 | ND | 360 | 2900 | 25000 | -- | |
| 06/09/99 | 7.62 | 7.51 | 0.00 | 0.11 | -0.69 | 21000 | -- | 110 | 190 | 310 | 2600 | 7900 | 7800 | |
| 09/08/99 | 7.62 | 8.16 | 0.00 | -0.54 | -0.65 | 23300 | -- | 477 | 138 | 286 | 4110 | 16400 | 15300 | |
| 12/07/99 | 7.62 | 8.31 | 0.00 | -0.69 | -0.15 | 4840 | -- | 17.2 | ND | ND | 157 | 14900 | 15600 | |
| 03/13/00 | 7.62 | 6.69 | 0.00 | 0.93 | 1.62 | 11000 | -- | 380 | 160 | ND | 2100 | 22000 | 26000 | |
| 06/21/00 | 7.62 | 7.67 | 0.00 | -0.05 | -0.98 | 9100 | -- | 22 | ND | ND | 800 | 16000 | 22000 | |
| 09/27/00 | 7.62 | 7.44 | 0.00 | 0.18 | 0.23 | 2900 | -- | 43 | ND | ND | 39 | 20000 | 26000 | |
| 12/12/00 | 7.62 | 7.51 | 0.00 | 0.11 | -0.07 | 3600 | -- | 17 | ND | ND | 87 | 8000 | 7800 | |
| 03/07/01 | 7.62 | 7.15 | 0.00 | 0.47 | 0.36 | 1670 | -- | 51.0 | ND | 7.20 | 19.5 | 5930 | 7900 | |
| 06/06/01 | 7.62 | 7.57 | 0.00 | 0.05 | -0.42 | 1100 | -- | 14 | ND | 9.3 | 35 | 9200 | 10000 | |
| 09/24/01 | 7.62 | 7.63 | 0.00 | -0.01 | -0.06 | 1000 | -- | 25 | ND<2.5 | 12 | 100 | 9800 | 11000 | |
| 12/10/01 | 7.62 | 6.78 | 0.00 | 0.84 | 0.85 | 83 | -- | 14 | 0.55 | 3.4 | 6.8 | 2500 | 2500 | |
| 03/11/02 | 7.62 | 7.12 | 0.00 | 0.50 | -0.34 | ND<1000 | -- | 28 | ND<10 | 40 | 31 | 11000 | 11000 | |
| 06/04/02 | 7.62 | 7.18 | 0.00 | 0.44 | -0.06 | 7700 | -- | 32 | ND<25 | 33 | 48 | 14000 | -- | |
| 09/03/02 | 7.62 | 7.58 | 0.00 | 0.04 | -0.40 | 5200 | -- | ND<25 | ND<25 | ND<25 | ND<25 | 11000 | 15000 | |
| 12/03/02 | 7.62 | 7.68 | 0.00 | -0.06 | -0.10 | -- | ND<5000 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 3200 | |
| 03/04/03 | 7.62 | 7.77 | 0.00 | -0.15 | -0.09 | -- | 8100 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 7800 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|----------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| U-2 continued | | | | | | | | | | | | | | |
| 06/18/03 | 7.62 | 6.87 | 0.00 | 0.75 | 0.90 | -- | 11000 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 16000 | |
| 09/24/03 | 7.62 | 7.49 | 0.00 | 0.13 | -0.62 | -- | ND<10000 | ND<100 | ND<100 | ND<100 | ND<200 | -- | 10000 | |
| 12/02/03 | 7.62 | 7.95 | 0.00 | -0.33 | -0.46 | -- | ND<10000 | ND<100 | ND<100 | ND<100 | ND<200 | -- | 10000 | |
| 03/30/04 | 7.62 | 7.07 | 0.00 | 0.55 | 0.88 | -- | 12000 | ND<100 | ND<100 | ND<100 | ND<200 | -- | 11000 | |
| 06/07/04 | 7.62 | 7.75 | 0.00 | -0.13 | -0.68 | -- | 14000 | ND<100 | ND<100 | ND<100 | ND<200 | -- | 13000 | |
| 09/09/04 | 7.62 | 8.65 | 0.00 | -1.03 | -0.90 | -- | ND<10000 | ND<100 | ND<100 | ND<100 | ND<200 | -- | 9500 | |
| 12/20/04 | 7.62 | 7.73 | 0.00 | -0.11 | 0.92 | -- | ND<5000 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 11000 | |
| 03/28/05 | 7.62 | 6.24 | 0.00 | 1.38 | 1.49 | -- | 12000 | ND<50 | ND<50 | 160 | 120 | -- | 7000 | |
| 06/14/05 | 7.62 | 7.05 | 0.00 | 0.57 | -0.81 | -- | 2000 | 0.75 | ND<0.50 | 3.7 | 1.1 | -- | 2400 | |
| 09/28/05 | 7.62 | 8.00 | 0.00 | -0.38 | -0.95 | -- | 320 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 80 | |
| 12/29/05 | 7.62 | 7.23 | 0.00 | 0.39 | 0.77 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 35 | |
| 03/27/06 | 7.62 | 5.31 | 0.00 | 2.31 | 1.92 | -- | 2400 | 31 | 0.73 | 120 | 15 | -- | 1400 | |
| 06/12/06 | 7.62 | 6.25 | 0.00 | 1.37 | -0.94 | -- | ND<1200 | ND<12 | ND<12 | 17 | ND<25 | -- | 490 | |
| 09/21/06 | 7.62 | 6.00 | 0.00 | 1.62 | 0.25 | -- | 440 | 6.1 | ND<0.50 | 1.7 | ND<0.50 | -- | 1100 | |
| 12/21/06 | 7.62 | 6.08 | 0.00 | 1.54 | -0.08 | -- | 670 | 10 | ND<0.50 | 52 | 1.2 | -- | 730 | |
| 03/28/07 | 7.62 | 5.05 | 0.00 | 2.57 | 1.03 | -- | 3300 | 36 | ND<5.0 | 200 | 6.8 | -- | 1200 | |
| 06/27/07 | 7.62 | 4.80 | 0.00 | 2.82 | 0.25 | -- | 5100 | 94 | ND<5.0 | 640 | 7.1 | -- | 1100 | |
| 09/26/07 | 7.62 | 4.73 | 0.00 | 2.89 | 0.07 | -- | 3900 | 54 | ND<5.0 | 240 | 240 | -- | 670 | |
| 12/27/07 | 7.62 | 5.80 | 0.00 | 1.82 | -1.07 | -- | 2200 | 21 | ND<5.0 | 77 | 16 | -- | 470 | |
| 03/26/08 | 7.62 | 5.62 | 0.00 | 2.00 | 0.18 | -- | 4300 | 45 | ND<2.5 | 210 | 77 | -- | 580 | |
| 06/18/08 | 7.62 | 5.30 | 0.00 | 2.32 | 0.32 | -- | 5400 | 31 | ND<5.0 | 270 | 38 | -- | 250 | |
| 09/24/08 | 7.62 | 5.10 | 0.00 | 2.52 | 0.20 | -- | 4400 | 24 | ND<0.50 | 190 | 24 | -- | 300 | |
| 12/22/08 | 7.62 | 4.98 | 0.00 | 2.64 | 0.12 | -- | 6200 | 24 | ND<0.50 | 160 | 31 | -- | 160 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground- water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl- benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------------|-----------------------------|----------------------------|---|-------------------------------------|-------------------------|----------------------------|-------------------|-------------------|-----------------------------|----------------------------|---------------------------|---------------------------|----------|
| U-2 continued | | | | | | | | | | | | | | |
| 03/26/09 | 7.62 | 5.17 | 0.00 | 2.45 | -0.19 | -- | 5200 | 8.9 | ND<2.5 | 47 | 22 | -- | 150 | |
| 06/23/09 | 7.62 | 4.90 | 0.00 | 2.72 | 0.27 | -- | 2900 | 11 | ND<2.5 | 140 | 7.2 | -- | 150 | |
| U-3 (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | | | | |
| 08/10/90 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 01/07/91 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | 1.8 | -- | -- | |
| 04/01/91 | -- | -- | -- | -- | -- | ND | -- | 1.0 | 2.9 | 0.53 | 5.4 | -- | -- | |
| 07/03/91 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/09/91 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 02/12/92 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/05/92 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/11/92 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 08/20/92 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 02/22/93 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/07/93 | -- | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 08/08/93 | -- | -- | -- | -- | -- | 210 | -- | 5.0 | 9.7 | 0.7 | 4.1 | -- | -- | |
| 11/16/93 | 7.86 | 11.82 | 0.00 | -3.96 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 02/16/94 | 7.86 | 11.62 | 0.00 | -3.76 | 0.20 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/22/94 | 10.98 | 11.64 | 0.00 | -0.66 | 3.10 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/22/94 | 10.98 | 11.76 | 0.00 | -0.78 | -0.12 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/24/94 | 10.98 | 11.28 | 0.00 | -0.30 | 0.48 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/25/95 | 10.98 | 10.96 | 0.00 | 0.02 | 0.32 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/21/95 | 10.98 | 11.37 | 0.00 | -0.39 | -0.41 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/19/95 | 10.98 | 11.55 | 0.00 | -0.57 | -0.18 | ND | -- | ND | ND | ND | ND | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| U-3 continued | | | | | | | | | | | | | | |
| 12/19/95 | 10.98 | 11.45 | 0.00 | -0.47 | 0.10 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/18/96 | 10.98 | 11.10 | 0.00 | -0.12 | 0.35 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/27/96 | 10.98 | 11.16 | 0.00 | -0.18 | -0.06 | 440 | -- | 49 | 50 | 51 | 140 | 50 | -- | |
| 09/26/96 | 10.98 | 11.55 | 0.00 | -0.57 | -0.39 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/09/96 | 10.98 | 10.12 | 0.00 | 0.86 | 1.43 | ND | -- | ND | ND | ND | ND | 29 | -- | |
| 03/14/97 | 10.98 | 10.87 | 0.00 | 0.11 | -0.75 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/30/97 | 10.98 | 11.08 | 0.00 | -0.10 | -0.21 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/19/97 | 10.98 | 11.05 | 0.00 | -0.07 | 0.03 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/12/97 | 10.98 | 10.58 | 0.00 | 0.40 | 0.47 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/03/98 | 10.98 | 9.84 | 0.00 | 1.14 | 0.74 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/15/98 | 10.98 | 10.56 | 0.00 | 0.42 | -0.72 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/30/98 | 10.98 | 11.12 | 0.00 | -0.14 | -0.56 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/28/98 | 10.98 | 10.96 | 0.00 | 0.02 | 0.16 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/22/99 | 10.98 | 9.46 | 0.00 | 1.52 | 1.50 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/09/99 | 10.98 | 11.01 | 0.00 | -0.03 | -1.55 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/08/99 | 10.98 | 11.31 | 0.00 | -0.33 | -0.30 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/07/99 | 10.98 | 11.26 | 0.00 | -0.28 | 0.05 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/13/00 | 10.98 | 8.28 | 0.00 | 2.70 | 2.98 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/21/00 | 10.98 | 11.12 | 0.00 | -0.14 | -2.84 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/00 | 10.98 | 11.07 | 0.00 | -0.09 | 0.05 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/12/00 | 10.98 | 10.94 | 0.00 | 0.04 | 0.13 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/07/01 | 10.98 | 8.32 | 0.00 | 2.66 | 2.62 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/06/01 | 10.98 | 10.94 | 0.00 | 0.04 | -2.62 | ND | -- | ND | ND | ND | ND | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| U-3 continued | | | | | | | | | | | | | | |
| 09/24/01 | 10.98 | 11.03 | 0.00 | -0.05 | -0.09 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 12/10/01 | 10.98 | 8.16 | 0.00 | 2.82 | 2.87 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 03/11/02 | 10.98 | 7.82 | 0.00 | 3.16 | 0.34 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 06/04/02 | 10.98 | 10.58 | 0.00 | 0.40 | -2.76 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 09/03/02 | 10.98 | 10.94 | 0.00 | 0.04 | -0.36 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 12/03/02 | 10.98 | 10.66 | 0.00 | 0.32 | 0.28 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/04/03 | 10.98 | 10.76 | 0.00 | 0.22 | -0.10 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 06/18/03 | 10.98 | 10.26 | 0.00 | 0.72 | 0.50 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/03 | 10.98 | 10.88 | 0.00 | 0.10 | -0.62 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 12/02/03 | 10.98 | 11.00 | 0.00 | -0.02 | -0.12 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/30/04 | 10.98 | 10.64 | 0.00 | 0.34 | 0.36 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/07/04 | 10.98 | 11.00 | 0.00 | -0.02 | -0.36 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/09/04 | 10.98 | 11.31 | 0.00 | -0.33 | -0.31 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 12/20/04 | 10.98 | 10.79 | 0.00 | 0.19 | 0.52 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/28/05 | 10.98 | 9.80 | 0.00 | 1.18 | 0.99 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/14/05 | 10.98 | 10.75 | 0.00 | 0.23 | -0.95 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.2 | -- | ND<0.50 | |
| 09/28/05 | 10.98 | 11.16 | 0.00 | -0.18 | -0.41 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 12/29/05 | 10.98 | 10.41 | 0.00 | 0.57 | 0.75 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 10.98 | 10.16 | 0.00 | 0.82 | 0.25 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/12/06 | 10.98 | 9.94 | 0.00 | 1.04 | 0.22 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/21/06 | 10.98 | 11.01 | 0.00 | -0.03 | -1.07 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 12/21/06 | 10.98 | 10.92 | 0.00 | 0.06 | 0.09 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 03/28/07 | 10.98 | 10.84 | 0.00 | 0.14 | 0.08 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|----------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| U-3 continued | | | | | | | | | | | | | | |
| 06/27/07 | 10.98 | 10.93 | 0.00 | 0.05 | -0.09 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 09/26/07 | 10.98 | 11.01 | 0.00 | -0.03 | -0.08 | -- | 770 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 18 | |
| 12/27/07 | 10.98 | 10.93 | 0.00 | 0.05 | 0.08 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.63 | |
| 03/26/08 | 10.98 | 10.84 | 0.00 | 0.14 | 0.09 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/18/08 | 10.98 | 10.89 | 0.00 | 0.09 | -0.05 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/24/08 | 10.98 | 10.90 | 0.00 | 0.08 | -0.01 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.87 | |
| 12/22/08 | 10.98 | 10.93 | 0.00 | 0.05 | -0.03 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/26/09 | 10.98 | 10.70 | 0.00 | 0.28 | 0.23 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/23/09 | 10.98 | 10.40 | 0.00 | 0.58 | 0.30 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.65 | |
| U-4 (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | | | | |
| 06/22/94 | 11.15 | 10.16 | 0.00 | 0.99 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/22/94 | 11.15 | 10.79 | 0.00 | 0.36 | -0.63 | ND | -- | 0.78 | 1.3 | ND | 1.4 | -- | -- | |
| 12/24/94 | 11.15 | 9.81 | 0.00 | 1.34 | 0.98 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/25/95 | 11.15 | 9.51 | 0.00 | 1.64 | 0.30 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/21/95 | 11.15 | 9.54 | 0.00 | 1.61 | -0.03 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/19/95 | 11.15 | 10.17 | 0.00 | 0.98 | -0.63 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/19/95 | 11.15 | 9.98 | 0.00 | 1.17 | 0.19 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/18/96 | 11.15 | 9.66 | 0.00 | 1.49 | 0.32 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/27/96 | 11.15 | 9.74 | 0.00 | 1.41 | -0.08 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/26/96 | 11.15 | 10.14 | 0.00 | 1.01 | -0.40 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/09/96 | 11.15 | 8.67 | 0.00 | 2.48 | 1.47 | ND | -- | ND | ND | ND | ND | 33 | -- | |
| 03/14/97 | 11.15 | 9.35 | 0.00 | 1.80 | -0.68 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/30/97 | 11.15 | 9.89 | 0.00 | 1.26 | -0.54 | ND | -- | ND | ND | ND | ND | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| U-4 continued | | | | | | | | | | | | | | |
| 09/19/97 | 11.15 | 9.96 | 0.00 | 1.19 | -0.07 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/12/97 | 11.15 | 8.56 | 0.00 | 2.59 | 1.40 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/03/98 | 11.15 | 7.85 | 0.00 | 3.30 | 0.71 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/15/98 | 11.15 | 9.08 | 0.00 | 2.07 | -1.23 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/30/98 | 11.15 | 9.75 | 0.00 | 1.40 | -0.67 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/28/98 | 11.15 | 9.59 | 0.00 | 1.56 | 0.16 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/22/99 | 11.15 | 8.34 | 0.00 | 2.81 | 1.25 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/09/99 | 11.15 | 9.39 | 0.00 | 1.76 | -1.05 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/08/99 | 11.15 | 9.90 | 0.00 | 1.25 | -0.51 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/07/99 | 11.15 | 10.05 | 0.00 | 1.10 | -0.15 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/13/00 | 11.15 | 7.24 | 0.00 | 3.91 | 2.81 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/21/00 | 11.15 | 9.48 | 0.00 | 1.67 | -2.24 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/00 | 11.15 | 9.42 | 0.00 | 1.73 | 0.06 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/12/00 | 11.15 | 9.50 | 0.00 | 1.65 | -0.08 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/07/01 | 11.15 | 6.88 | 0.00 | 4.27 | 2.62 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 06/06/01 | 11.15 | 9.18 | 0.00 | 1.97 | -2.30 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/24/01 | 11.15 | 9.21 | 0.00 | 1.94 | -0.03 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 12/10/01 | 11.15 | 7.32 | 0.00 | 3.83 | 1.89 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 03/11/02 | 11.15 | 6.92 | 0.00 | 4.23 | 0.40 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 06/04/02 | 11.15 | 7.58 | 0.00 | 3.57 | -0.66 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 09/03/02 | 11.15 | 9.17 | 0.00 | 1.98 | -1.59 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 12/03/02 | 11.15 | 9.20 | 0.00 | 1.95 | -0.03 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/04/03 | 11.15 | 9.32 | 0.00 | 1.83 | -0.12 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground- water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl- benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|--------------------------------|---------------------------------|--------------------------------|---|---|-----------------------------|--------------------------------|-----------------------|-----------------------|---------------------------------|--------------------------------|-------------------------------|-------------------------------|----------|
| U-4 continued | | | | | | | | | | | | | | |
| 06/18/03 | 11.15 | 7.65 | 0.00 | 3.50 | 1.67 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/03 | 11.15 | 8.26 | 0.00 | 2.89 | -0.61 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 12/02/03 | 11.15 | 9.16 | 0.00 | 1.99 | -0.90 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/30/04 | 11.15 | 7.47 | 0.00 | 3.68 | 1.69 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/07/04 | 11.15 | 8.93 | 0.00 | 2.22 | -1.46 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/09/04 | 11.15 | 9.83 | 0.00 | 1.32 | -0.90 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 12/20/04 | 11.15 | 8.28 | 0.00 | 2.87 | 1.55 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/28/05 | 11.15 | 6.35 | 0.00 | 4.80 | 1.93 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/14/05 | 11.15 | 8.10 | 0.00 | 3.05 | -1.75 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/28/05 | 11.15 | 9.59 | 0.00 | 1.56 | -1.49 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 12/29/05 | 11.15 | 7.13 | 0.00 | 4.02 | 2.46 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 11.15 | 6.27 | 0.00 | 4.88 | 0.86 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/12/06 | 11.15 | 8.45 | 0.00 | 2.70 | -2.18 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/21/06 | 11.15 | 9.63 | 0.00 | 1.52 | -1.18 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 12/21/06 | 11.15 | 8.50 | 0.00 | 2.65 | 1.13 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 03/28/07 | 11.15 | 8.00 | 0.00 | 3.15 | 0.50 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 06/27/07 | 11.15 | 8.78 | 0.00 | 2.37 | -0.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 09/26/07 | 11.15 | 9.08 | 0.00 | 2.07 | -0.30 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 12/27/07 | 11.15 | 8.63 | 0.00 | 2.52 | 0.45 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/26/08 | 11.15 | 7.86 | 0.00 | 3.29 | 0.77 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/18/08 | 11.15 | 8.83 | 0.00 | 2.32 | -0.97 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/24/08 | 11.15 | 9.50 | 0.00 | 1.65 | -0.67 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 12/22/08 | 11.15 | 8.55 | 0.00 | 2.60 | 0.95 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|----------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| U-4 continued | | | | | | | | | | | | | | |
| 03/26/09 | 11.15 | 7.21 | 0.00 | 3.94 | 1.34 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 06/23/09 | 11.15 | 8.40 | 0.00 | 2.75 | -1.19 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| U-5 (Screen Interval in feet: 5.0-20.0) | | | | | | | | | | | | | | |
| 06/22/94 | 6.98 | 6.83 | 0.00 | 0.15 | -- | 210 | -- | 7.1 | 13 | 4.5 | 26 | -- | -- | |
| 09/22/94 | 6.98 | 6.90 | 0.00 | 0.08 | -0.07 | 170 | -- | 8.4 | 10 | 8.5 | 18 | -- | -- | |
| 12/24/94 | 6.98 | 6.43 | 0.00 | 0.55 | 0.47 | 8700 | -- | 560 | 70 | 670 | 430 | -- | -- | |
| 03/25/95 | 6.98 | 6.35 | 0.00 | 0.63 | 0.08 | 44000 | -- | 390 | 960 | 1500 | 7600 | -- | -- | |
| 06/21/95 | 6.98 | 7.11 | 0.00 | -0.13 | -0.76 | 400 | -- | 2.3 | ND | 9.1 | 3.5 | -- | -- | |
| 09/19/95 | 6.98 | 6.99 | 0.00 | -0.01 | 0.12 | 850 | -- | 14 | 7.1 | 13 | 66 | -- | -- | |
| 12/19/95 | 6.98 | 7.17 | 0.00 | -0.19 | -0.18 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/18/96 | 6.98 | 6.65 | 0.00 | 0.33 | 0.52 | 100 | -- | 0.67 | 0.5 | 0.51 | 5.4 | -- | -- | |
| 06/27/96 | 6.98 | 6.49 | 0.00 | 0.49 | 0.16 | 16000 | -- | 280 | 150 | 1400 | 4600 | 530 | -- | |
| 09/26/96 | 6.98 | 7.13 | 0.00 | -0.15 | -0.64 | ND | -- | ND | 0.57 | ND | 0.96 | ND | -- | |
| 12/09/96 | 6.98 | 5.90 | 0.00 | 1.08 | 1.23 | 1300 | -- | 29 | 46 | ND | 140 | 97 | -- | |
| 03/14/97 | 6.98 | 6.99 | 0.00 | -0.01 | -1.09 | ND | -- | ND | ND | ND | ND | 14 | -- | |
| 06/30/97 | 6.98 | 7.08 | 0.00 | -0.10 | -0.09 | 4200 | -- | 74 | 51 | 180 | 980 | 270 | -- | |
| 09/19/97 | 6.98 | 6.78 | 0.00 | 0.20 | 0.30 | 6300 | -- | 160 | 13 | 370 | 1000 | 480 | -- | |
| 12/12/97 | 6.98 | 6.94 | 0.00 | 0.04 | -0.16 | 60 | -- | 1.3 | ND | 1.6 | 2.1 | 47 | -- | |
| 03/03/98 | 6.98 | 6.50 | 0.00 | 0.48 | 0.44 | 1700 | -- | 29 | ND | 150 | 190 | 330 | -- | |
| 06/15/98 | 6.98 | 6.85 | 0.00 | 0.13 | -0.35 | 1500 | -- | 32 | ND | 91 | 83 | 330 | -- | |
| 09/30/98 | 6.98 | 7.31 | 0.00 | -0.33 | -0.46 | 1700 | -- | 44 | ND | 39 | 150 | 60 | -- | |
| 12/28/98 | 6.98 | 7.25 | 0.00 | -0.27 | 0.06 | 1400 | -- | 59 | ND | 13 | 27 | 150 | -- | |
| 03/22/99 | 6.98 | 6.86 | 0.00 | 0.12 | 0.39 | 780 | -- | 8.9 | ND | 0.76 | 4.5 | 350 | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| U-5 continued | | | | | | | | | | | | | | |
| 06/09/99 | 6.98 | 7.28 | 0.00 | -0.30 | -0.42 | 1000 | -- | ND | ND | 10 | 35 | 280 | 350 | |
| 09/08/99 | 6.98 | 7.52 | 0.00 | -0.54 | -0.24 | 2620 | -- | 26.2 | ND | 32.2 | 157 | 280 | 239 | |
| 12/07/99 | 6.98 | 7.67 | 0.00 | -0.69 | -0.15 | 949 | -- | 9.26 | ND | 11.2 | 22.7 | 235 | 301 | |
| 03/13/00 | 6.98 | 6.73 | 0.00 | 0.25 | 0.94 | 880 | -- | 12 | 1.0 | 5.6 | 8.7 | 46 | 37 | |
| 06/21/00 | 6.98 | 7.39 | 0.00 | -0.41 | -0.66 | 700 | -- | 4.0 | ND | 0.99 | 4.0 | 120 | 140 | |
| 09/27/00 | 6.98 | 7.45 | 0.00 | -0.47 | -0.06 | 400 | -- | 1.9 | ND | ND | 1.5 | 160 | 250 | |
| 12/12/00 | 6.98 | 7.68 | 0.00 | -0.70 | -0.23 | 770 | -- | 3.2 | ND | ND | ND | 27 | 13 | |
| 03/07/01 | 6.98 | 6.83 | 0.00 | 0.15 | 0.85 | 623 | -- | 5.15 | ND | ND | 0.669 | 35.7 | 43.4 | |
| 06/06/01 | 6.98 | 7.42 | 0.00 | -0.44 | -0.59 | 110 | -- | ND | ND | ND | ND | ND | -- | |
| 09/24/01 | 6.98 | 7.50 | 0.00 | -0.52 | -0.08 | 270 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 40 | 42 | |
| 12/10/01 | 6.98 | 6.65 | 0.00 | 0.33 | 0.85 | 420 | -- | 13 | 0.60 | 0.66 | ND<0.50 | ND<2.5 | -- | |
| 03/11/02 | 6.98 | 7.00 | 0.00 | -0.02 | -0.35 | 260 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 42 | 47 | |
| 06/04/02 | 6.98 | 6.71 | 0.00 | 0.27 | 0.29 | 170 | -- | ND<0.50 | 0.77 | 0.87 | 0.69 | 29 | -- | |
| 09/03/02 | 6.98 | 7.47 | 0.00 | -0.49 | -0.76 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 37 | 53 | |
| 12/03/02 | 6.98 | 6.64 | 0.00 | 0.34 | 0.83 | -- | 320 | ND<0.50 | ND<0.50 | 5.7 | ND<1.0 | -- | 11 | |
| 03/04/03 | 6.98 | 6.75 | 0.00 | 0.23 | -0.11 | -- | 100 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 44 | |
| 06/18/03 | 6.98 | 6.25 | 0.00 | 0.73 | 0.50 | -- | 51 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 36 | |
| 09/24/03 | 6.98 | 6.86 | 0.00 | 0.12 | -0.61 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 12/02/03 | 6.98 | 7.12 | 0.00 | -0.14 | -0.26 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 24 | |
| 03/30/04 | 6.98 | 6.88 | 0.00 | 0.10 | 0.24 | -- | 100 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 130 | |
| 06/07/04 | 6.98 | 8.53 | 0.00 | -1.55 | -1.65 | -- | 250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 160 | |
| 09/09/04 | 6.98 | 12.28 | 0.00 | -5.30 | -3.75 | -- | 340 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 260 | |
| 12/20/04 | 6.98 | 7.51 | 0.00 | -0.53 | 4.77 | -- | 130 | ND<0.50 | ND<0.50 | 1.9 | 2.0 | -- | 120 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|----------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| U-5 continued | | | | | | | | | | | | | | |
| 03/28/05 | 6.98 | 7.22 | 0.00 | -0.24 | 0.29 | -- | 670 | ND<2.0 | ND<2.0 | ND<2.0 | ND<4.0 | -- | 230 | |
| 06/14/05 | 6.98 | 7.46 | 0.00 | -0.48 | -0.24 | -- | 160 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 400 | |
| 09/28/05 | 6.98 | 9.59 | 0.00 | -2.61 | -2.13 | -- | 460 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 370 | |
| 12/29/05 | 6.98 | 7.53 | 0.00 | -0.55 | 2.06 | -- | 150 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 190 | |
| 03/27/06 | 6.98 | 6.29 | 0.00 | 0.69 | 1.24 | -- | 450 | ND<0.50 | ND<0.50 | 8.3 | ND<1.0 | -- | 70 | |
| 06/12/06 | 6.98 | 6.45 | 0.00 | 0.53 | -0.16 | -- | 370 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 61 | |
| 09/21/06 | 6.98 | 6.60 | 0.00 | 0.38 | -0.15 | -- | 130 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 35 | |
| 12/21/06 | 6.98 | 6.92 | 0.00 | 0.06 | -0.32 | -- | 230 | ND<0.50 | ND<0.50 | 0.58 | ND<0.50 | -- | 11 | |
| 03/28/07 | 6.98 | 5.12 | 0.00 | 1.86 | 1.80 | -- | 400 | ND<0.50 | ND<0.50 | 5.4 | ND<0.50 | -- | 13 | |
| 06/27/07 | 6.98 | 4.41 | 0.00 | 2.57 | 0.71 | -- | 210 | ND<0.50 | ND<0.50 | 2.4 | ND<0.50 | -- | 18 | |
| 09/26/07 | 6.98 | 4.71 | 0.00 | 2.27 | -0.30 | -- | 740 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 18 | |
| 12/27/07 | 6.98 | 6.77 | 0.00 | 0.21 | -2.06 | -- | 180 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 18 | |
| 03/26/08 | 6.98 | 6.41 | 0.00 | 0.57 | 0.36 | -- | 310 | ND<0.50 | 0.64 | 1.3 | 1.0 | -- | 27 | |
| 06/18/08 | 6.98 | 5.71 | 0.00 | 1.27 | 0.70 | -- | 790 | ND<0.50 | ND<0.50 | 2.4 | ND<1.0 | -- | 22 | |
| 09/24/08 | 6.98 | 5.45 | 0.00 | 1.53 | 0.26 | -- | 860 | 1.2 | ND<0.50 | 3.2 | 3.7 | -- | 16 | |
| 12/22/08 | 6.98 | 6.83 | 0.00 | 0.15 | -1.38 | -- | 620 | ND<0.50 | ND<0.50 | 0.54 | 1.3 | -- | 13 | |
| 03/26/09 | 6.98 | 6.20 | 0.00 | 0.78 | 0.63 | -- | 310 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 9.4 | |
| 06/23/09 | 6.98 | 5.50 | 0.00 | 1.48 | 0.70 | -- | 80 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 7.1 | |
| U-6 (Screen Interval in feet: 5.0-24.0) | | | | | | | | | | | | | | |
| 06/22/94 | 7.14 | 7.14 | 0.00 | 0.00 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/22/94 | 7.14 | 7.34 | 0.00 | -0.20 | -0.20 | 130 | -- | 1.3 | 0.8 | ND | 0.73 | -- | -- | |
| 12/24/94 | 7.14 | 6.67 | 0.00 | 0.47 | 0.67 | 6900 | -- | 500 | 59 | 600 | 380 | -- | -- | |
| 03/25/95 | 7.14 | 6.29 | 0.00 | 0.85 | 0.38 | 47000 | -- | 450 | 1300 | 1700 | 8200 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|----------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| U-6 continued | | | | | | | | | | | | | | |
| 06/21/95 | 7.14 | 7.60 | 0.00 | -0.46 | -1.31 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/19/95 | 7.14 | 7.70 | 0.00 | -0.56 | -0.10 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/19/95 | 7.14 | 7.75 | 0.00 | -0.61 | -0.05 | 210 | -- | 2.5 | 1.0 | 2.9 | 17 | -- | -- | |
| 03/18/96 | 7.14 | 6.86 | 0.00 | 0.28 | 0.89 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/27/96 | 7.14 | 6.52 | 0.00 | 0.62 | 0.34 | ND | -- | ND | ND | ND | ND | 510 | -- | |
| 09/26/96 | 7.14 | 7.62 | 0.00 | -0.48 | -1.10 | ND | -- | ND | ND | ND | ND | 1400 | -- | |
| 12/09/96 | 7.14 | 5.88 | 0.00 | 1.26 | 1.74 | 1200 | -- | 29 | 48 | 6.4 | 140 | 58 | -- | |
| 03/14/97 | 7.14 | 7.30 | 0.00 | -0.16 | -1.42 | ND | -- | ND | ND | ND | ND | 1500 | -- | |
| 06/30/97 | 7.14 | 7.35 | 0.00 | -0.21 | -0.05 | ND | -- | ND | ND | ND | ND | 990 | -- | |
| 09/19/97 | 7.14 | 7.25 | 0.00 | -0.11 | 0.10 | ND | -- | ND | ND | ND | ND | 1400 | -- | |
| 12/12/97 | 7.14 | 7.29 | 0.00 | -0.15 | -0.04 | ND | -- | ND | ND | ND | ND | 680 | -- | |
| 03/03/98 | 7.14 | 7.00 | 0.00 | 0.14 | 0.29 | ND | -- | ND | ND | ND | ND | 1600 | -- | |
| 06/15/98 | 7.14 | 7.18 | 0.00 | -0.04 | -0.18 | ND | -- | ND | ND | ND | ND | 1000 | -- | |
| 09/30/98 | 7.14 | 7.90 | 0.00 | -0.76 | -0.72 | ND | -- | ND | ND | ND | ND | 1200 | -- | |
| 12/28/98 | 7.14 | 7.79 | 0.00 | -0.65 | 0.11 | ND | -- | ND | ND | ND | ND | 730 | -- | |
| 03/22/99 | 7.14 | 7.47 | 0.00 | -0.33 | 0.32 | ND | -- | ND | ND | ND | ND | 1800 | -- | |
| 06/09/99 | 7.14 | 7.73 | 0.00 | -0.59 | -0.26 | ND | -- | ND | ND | ND | ND | 1000 | 850 | |
| 09/08/99 | 7.14 | 7.95 | 0.00 | -0.81 | -0.22 | ND | -- | ND | ND | ND | ND | 851 | 1040 | |
| 12/07/99 | 7.14 | 8.10 | 0.00 | -0.96 | -0.15 | ND | -- | ND | ND | ND | ND | 1140 | 1150 | |
| 03/13/00 | 7.14 | 6.95 | 0.00 | 0.19 | 1.15 | ND | -- | ND | ND | ND | ND | 560 | 670 | |
| 06/21/00 | 7.14 | 7.84 | 0.00 | -0.70 | -0.89 | ND | -- | ND | ND | ND | ND | 400 | 590 | |
| 09/27/00 | 7.14 | 7.68 | 0.00 | -0.54 | 0.16 | ND | -- | ND | ND | ND | ND | 2500 | 2800 | |
| 12/12/00 | 7.14 | 7.74 | 0.00 | -0.60 | -0.06 | ND | -- | ND | ND | ND | ND | 590 | 580 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| U-6 continued | | | | | | | | | | | | | | |
| 03/07/01 | 7.14 | 7.27 | 0.00 | -0.13 | 0.47 | ND | -- | ND | ND | ND | ND | 310 | 321 | |
| 06/06/01 | 7.14 | 7.80 | 0.00 | -0.66 | -0.53 | ND | -- | ND | ND | ND | ND | 250 | 330 | |
| 09/24/01 | 7.14 | 7.82 | 0.00 | -0.68 | -0.02 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 530 | 660 | |
| 12/10/01 | 7.14 | 7.15 | 0.00 | -0.01 | 0.67 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 220 | 220 | |
| 03/11/02 | 7.14 | 7.32 | 0.00 | -0.18 | -0.17 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 720 | 760 | |
| 06/04/02 | 7.14 | 7.18 | 0.00 | -0.04 | 0.14 | 250 | -- | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 470 | -- | |
| 09/03/02 | 7.14 | 7.72 | 0.00 | -0.58 | -0.54 | 420 | -- | ND<2.5 | ND<2.5 | ND<2.5 | 4.7 | 860 | 1200 | |
| 12/03/02 | 7.14 | 6.92 | 0.00 | 0.22 | 0.80 | -- | ND<500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<10 | -- | 870 | |
| 03/04/03 | 7.14 | 7.01 | 0.00 | 0.13 | -0.09 | -- | 2300 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 2700 | |
| 06/18/03 | 7.14 | 6.60 | 0.00 | 0.54 | 0.41 | -- | 1300 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 1700 | |
| 09/24/03 | 7.14 | 7.24 | 0.00 | -0.10 | -0.64 | -- | ND<10000 | ND<100 | ND<100 | ND<100 | ND<200 | -- | 1500 | |
| 12/02/03 | 7.14 | 7.80 | 0.00 | -0.66 | -0.56 | -- | 1300 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 1800 | |
| 03/30/04 | 7.14 | 7.32 | 0.00 | -0.18 | 0.48 | -- | 1200 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 1700 | |
| 06/07/04 | 7.14 | 9.35 | 0.00 | -2.21 | -2.03 | -- | 1700 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 1800 | |
| 09/09/04 | 7.14 | 12.81 | 0.00 | -5.67 | -3.46 | -- | ND<1000 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 1400 | |
| 12/20/04 | 7.14 | 7.96 | 0.00 | -0.82 | 4.85 | -- | 320 | ND<2.5 | ND<2.5 | ND<2.5 | ND<5.0 | -- | 65 | |
| 03/28/05 | 7.14 | 7.07 | 0.00 | 0.07 | 0.89 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 150 | |
| 06/14/05 | 7.14 | 7.88 | 0.00 | -0.74 | -0.81 | -- | ND<100 | ND<1.0 | ND<1.0 | ND<1.0 | ND<2.0 | -- | 20 | |
| 09/28/05 | 7.14 | 10.44 | 0.00 | -3.30 | -2.56 | -- | 150 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 4.6 | |
| 12/29/05 | 7.14 | 7.63 | 0.00 | -0.49 | 2.81 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 13 | |
| 03/27/06 | 7.14 | 6.16 | 0.00 | 0.98 | 1.47 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 8.1 | |
| 06/12/06 | 7.14 | 6.59 | 0.00 | 0.55 | -0.43 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 6.9 | |
| 09/21/06 | 7.14 | 6.90 | 0.00 | 0.24 | -0.31 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 3.1 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 1990 Through June 2009
76 Station 5325

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|----------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|-----------------------------------|
| U-6 continued | | | | | | | | | | | | | | |
| 12/21/06 | 7.14 | 7.36 | 0.00 | -0.22 | -0.46 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 1.2 | |
| 03/28/07 | 7.14 | 3.48 | 0.00 | 3.66 | 3.88 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 06/27/07 | 7.14 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible - dumpster over well |
| 09/26/07 | 7.14 | 2.71 | 0.00 | 4.43 | -- | -- | 54 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 12/27/07 | 7.14 | 6.96 | 0.00 | 0.18 | -4.25 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.4 | |
| 03/26/08 | 7.14 | 6.56 | 0.00 | 0.58 | 0.40 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.3 | |
| 06/18/08 | 7.14 | 6.71 | 0.00 | 0.43 | -0.15 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.59 | |
| 09/24/08 | 7.14 | 5.50 | 0.00 | 1.64 | 1.21 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 12/22/08 | 7.14 | 6.48 | 0.00 | 0.66 | -0.98 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/26/09 | 7.14 | 6.10 | 0.00 | 1.04 | 0.38 | -- | ND<250 | ND<2.5 | ND<2.5 | ND<2.5 | ND<5.0 | -- | ND<2.5 | |
| 06/23/09 | 7.14 | 4.80 | 0.00 | 2.34 | 1.30 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|--------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-1 | | | | | | | | | | | | |
| 06/15/98 | -- | -- | -- | -- | -- | -- | -- | -- | 39000 | ND | -- | ND |
| 09/30/98 | -- | -- | -- | -- | -- | -- | -- | -- | 17000 | ND | -- | ND |
| 12/28/98 | -- | -- | -- | -- | -- | -- | -- | -- | 4300 | 6.30 | -- | 28 |
| 03/22/99 | -- | -- | -- | -- | -- | -- | -- | -- | 4900 | ND | -- | 3.5 |
| 06/09/99 | -- | -- | -- | -- | -- | -- | -- | -- | 1200 | ND | -- | ND |
| 09/08/99 | -- | -- | -- | -- | -- | -- | -- | -- | 1800 | ND | -- | ND |
| 12/07/99 | -- | -- | -- | -- | -- | -- | -- | -- | 5700 | ND | -- | 17.0 |
| 03/13/00 | -- | -- | -- | -- | -- | -- | -- | -- | 8000 | 0.18 | -- | ND |
| 06/21/00 | -- | -- | -- | -- | -- | -- | -- | -- | 9300 | ND | -- | ND |
| 09/27/00 | ND | -- | ND | -- | ND | ND | ND | -- | 2800 | ND | -- | 18.4 |
| 12/12/00 | -- | -- | -- | -- | -- | -- | -- | -- | 490 | ND | -- | 16.0 |
| 03/07/01 | ND | -- | ND | -- | ND | ND | ND | -- | 483 | 2.64 | -- | 6.89 |
| 06/06/01 | ND | -- | ND | -- | ND | ND | ND | -- | 1000 | ND | -- | 2.7 |
| 09/24/01 | ND<20000 | ND<400000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | -- | ND<100 | 0.45 | -- | -- |
| 12/10/01 | ND<4000 | ND<8000 | ND<100 | ND<100 | ND<100 | ND<100 | ND<100 | -- | 14000 | ND<0.50 | -- | 2.2 |
| 03/11/02 | ND<5000 | ND<25000 | ND<100 | ND<100 | ND<100 | ND<100 | ND<100 | -- | 15000 | ND<0.50 | -- | 0.11 |
| 06/04/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<500 | ND<0.50 | -- | ND<0.10 |
| 09/03/02 | ND<10000 | ND<50000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | ND<500 | ND<0.50 | -- | ND<0.10 |
| 12/03/02 | ND<10000 | ND<50000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | 9600 | ND<1.0 | -- | ND<1.0 |
| 03/04/03 | ND<5000 | ND<25000 | ND<100 | ND<100 | ND<100 | ND<100 | ND<100 | -- | 36000 | ND<1.0 | -- | ND<1.0 |
| 06/18/03 | ND<5000 | ND<25000 | ND<100 | ND<100 | ND<100 | ND<100 | ND<100 | -- | 16000 | ND<1.0 | -- | ND<1.0 |
| 09/24/03 | ND<20000 | ND<100000 | ND<400 | ND<400 | ND<400 | ND<400 | ND<400 | -- | 15 | ND<1.0 | -- | ND<1.0 |
| 12/02/03 | -- | ND<100000 | -- | -- | -- | -- | -- | -- | 4000 | -- | -- | -- |
| 03/30/04 | 3100 | ND<10000 | ND<100 | ND<100 | ND<200 | ND<100 | ND<100 | -- | 12000 | ND<1.0 | ND<1.0 | -- |
| 06/07/04 | 3300 | ND<10000 | ND<100 | ND<100 | ND<200 | ND<100 | ND<100 | -- | 660 | ND<0.50 | 6.8 | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-1 continued | | | | | | | | | | | | |
| 12/20/04 | 11 | ND<50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | -- | 0.015 | ND<1.0 | ND<1.0 | -- |
| 03/28/05 | -- | ND<1000 | -- | -- | -- | -- | -- | -- | 16 | ND<1.0 | ND<1.0 | -- |
| 06/14/05 | 4400 | ND<1000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | -- | 7100 | ND<1.0 | 12 | -- |
| 09/28/05 | 5500 | ND<250 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | -- | 7300 | ND<0.10 | 39 | -- |
| 12/29/05 | 3900 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 9500 | ND<0.10 | 21 | -- |
| 03/27/06 | -- | ND<12000 | -- | -- | -- | -- | -- | -- | 8500 | ND<0.10 | ND<0.050 | -- |
| 06/12/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 25000 | ND<0.10 | 0.64 | -- |
| 09/21/06 | -- | ND<6200 | -- | -- | -- | -- | -- | -- | 16000 | ND<0.10 | 1.5 | -- |
| 12/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 22000 | ND<0.10 | 1.0 | -- |
| 03/28/07 | 1600 | ND<1200 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | 20000 | ND<0.10 | ND<0.050 | -- |
| 06/27/07 | 1500 | ND<1200 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | 35000 | ND<0.10 | 0.065 | -- |
| 09/26/07 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 27000 | ND<0.10 | 0.11 | -- |
| 12/27/07 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 25000 | ND<0.10 | ND<0.050 | -- |
| 03/26/08 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 23000 | ND<0.10 | 0.12 | -- |
| 06/18/08 | -- | ND<2500 | -- | -- | -- | -- | -- | -- | 30000 | ND<0.10 | 0.059 | -- |
| 09/24/08 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 5000 | ND<0.10 | 0.061 | -- |
| 12/22/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 23000 | ND<0.10 | ND<0.050 | -- |
| 03/26/09 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 2400 | ND<0.10 | 0.11 | -- |
| 06/23/09 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 23000 | ND<0.10 | 0.077 | -- |
| U-2 | | | | | | | | | | | | |
| 03/03/98 | -- | -- | -- | -- | -- | -- | -- | -- | 25000 | ND | -- | ND |
| 06/15/98 | -- | -- | -- | -- | -- | -- | -- | -- | 42000 | ND | -- | ND |
| 09/30/98 | -- | -- | -- | -- | -- | -- | -- | -- | 25000 | ND | -- | ND |
| 12/28/98 | -- | -- | -- | -- | -- | -- | -- | -- | 28000 | ND | -- | ND |
| 03/22/99 | -- | -- | -- | -- | -- | -- | -- | -- | 680 | ND | -- | 2.3 |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-2 continued | | | | | | | | | | | | |
| 06/09/99 | -- | -- | -- | -- | -- | -- | -- | -- | 500 | ND | -- | ND |
| 09/08/99 | -- | -- | -- | -- | -- | -- | -- | -- | 1900 | ND | -- | ND |
| 12/07/99 | -- | -- | -- | -- | -- | -- | -- | -- | 250 | ND | -- | ND |
| 03/13/00 | -- | -- | -- | -- | -- | -- | -- | -- | 4300 | 0.31 | -- | ND |
| 06/21/00 | -- | -- | -- | -- | -- | -- | -- | -- | 260 | ND | -- | ND |
| 09/27/00 | -- | -- | -- | -- | -- | -- | -- | -- | 640 | ND | -- | 10.5 |
| 12/12/00 | -- | -- | -- | -- | -- | -- | -- | -- | 2700 | ND | -- | ND |
| 03/07/01 | ND | ND | ND | ND | ND | ND | ND | -- | 677 | 2.24 | -- | 3.02 |
| 06/06/01 | ND | ND | ND | ND | ND | ND | ND | -- | 800 | ND | -- | 2.8 |
| 09/24/01 | ND<20000 | ND<400000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | -- | ND<100 | 0.49 | -- | -- |
| 12/10/01 | ND<2000 | ND<4000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | -- | ND<100 | ND<0.50 | -- | 0.20 |
| 03/11/02 | ND<10000 | ND<50000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | ND<100 | ND<0.50 | -- | 0.65 |
| 06/04/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | ND<0.50 | -- | ND<0.10 |
| 09/03/02 | ND<50000 | ND<250000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | -- | ND<250 | ND<0.50 | -- | 0.26 |
| 12/03/02 | ND<10000 | ND<50000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | 9900 | ND<1.0 | -- | ND<1.0 |
| 03/04/03 | ND<10000 | ND<50000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | 8600 | ND<1.0 | -- | ND<1.0 |
| 06/18/03 | ND<10000 | ND<50000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | 5500 | ND<1.0 | -- | 3.1 |
| 09/24/03 | ND<20000 | ND<100000 | ND<400 | ND<400 | ND<400 | ND<400 | ND<400 | -- | 14 | ND<1.0 | -- | ND<1.0 |
| 12/02/03 | -- | ND<100000 | -- | -- | -- | -- | -- | -- | 2700 | -- | -- | -- |
| 03/30/04 | 2400 | ND<10000 | ND<100 | ND<100 | ND<200 | ND<100 | ND<100 | -- | ND<200 | ND<1.0 | 2.9 | -- |
| 06/07/04 | 2600 | ND<10000 | ND<100 | ND<100 | ND<200 | ND<100 | ND<100 | -- | 210 | ND<0.50 | 2.4 | -- |
| 09/09/04 | 2700 | ND<10000 | ND<100 | ND<100 | ND<200 | ND<100 | ND<100 | -- | 930 | ND<1.0 | 5.9 | -- |
| 12/20/04 | 3500 | ND<5000 | ND<50 | ND<50 | ND<100 | ND<50 | ND<50 | -- | 0.87 | ND<1.0 | ND<1.0 | -- |
| 03/28/05 | 830 | ND<5000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<0.50 | -- | 4.0 | ND<1.0 | ND<1.0 | -- |
| 06/14/05 | 10000 | ND<2000 | ND<20 | ND<20 | ND<20 | ND<20 | ND<20 | -- | 3400 | ND<1.0 | ND<1.0 | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-2 continued | | | | | | | | | | | | |
| 09/28/05 | 13000 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 4000 | ND<0.20 | 7.5 | -- |
| 12/29/05 | 1000000000 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 2200 | ND<0.20 | 4.6 | -- |
| 03/27/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 1100 | ND<0.10 | ND<0.050 | -- |
| 06/12/06 | -- | ND<6200 | -- | -- | -- | -- | -- | -- | 1500 | ND<0.10 | ND<0.050 | -- |
| 09/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 100 | 33 | 0.36 | -- |
| 12/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 770 | ND<0.20 | 0.21 | -- |
| 03/28/07 | 4000 | ND<2500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | 8600 | ND<0.10 | ND<0.050 | -- |
| 06/27/07 | 3000 | ND<2500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | 9000 | ND<0.10 | ND<0.050 | -- |
| 09/26/07 | -- | ND<2500 | -- | -- | -- | -- | -- | -- | 22000 | ND<0.10 | 0.10 | -- |
| 12/27/07 | -- | ND<2500 | -- | -- | -- | -- | -- | -- | 7600 | ND<0.10 | ND<0.050 | -- |
| 03/26/08 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 11000 | ND<0.10 | ND<0.050 | -- |
| 06/18/08 | -- | ND<2500 | -- | -- | -- | -- | -- | -- | 16000 | ND<0.10 | ND<0.050 | -- |
| 09/24/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 4600 | ND<0.20 | ND<0.050 | -- |
| 12/22/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 13000 | ND<0.10 | ND<0.050 | -- |
| 03/26/09 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 2600 | ND<0.10 | ND<0.050 | -- |
| 06/23/09 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 9500 | ND<0.10 | 0.052 | -- |
| U-3 | | | | | | | | | | | | |
| 06/30/97 | -- | -- | -- | -- | -- | -- | -- | -- | 1400 | 21 | -- | 0.86 |
| 09/19/97 | -- | -- | -- | -- | -- | -- | -- | -- | 570 | 19 | -- | ND |
| 12/12/97 | -- | -- | -- | -- | -- | -- | -- | -- | 1900 | 23 | -- | 0.85 |
| 03/03/98 | -- | -- | -- | -- | -- | -- | -- | -- | 13 | 36 | -- | ND |
| 06/15/98 | -- | -- | -- | -- | -- | -- | -- | -- | 160 | 33 | -- | ND |
| 09/30/98 | -- | -- | -- | -- | -- | -- | -- | -- | 40 | 31 | -- | ND |
| 12/28/98 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 29 | -- | ND |
| 03/22/99 | -- | -- | -- | -- | -- | -- | -- | -- | 15 | 30 | -- | 0.14 |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-3 continued | | | | | | | | | | | | |
| 06/09/99 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 26 | -- | 1.2 |
| 09/08/99 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 32.90 | -- | ND |
| 12/07/99 | -- | -- | -- | -- | -- | -- | -- | -- | 52 | 27.90 | -- | ND |
| 03/13/00 | -- | -- | -- | -- | -- | -- | -- | -- | 150 | 33 | -- | ND |
| 06/21/00 | -- | -- | -- | -- | -- | -- | -- | -- | 200 | 32 | -- | ND |
| 09/27/00 | -- | -- | -- | -- | -- | -- | -- | 307 | ND | 34 | -- | 15.7 |
| 12/12/00 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 31 | -- | ND |
| 03/07/01 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 36.5 | -- | 0.443 |
| 06/06/01 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 8.0 | -- | 0.18 |
| 09/24/01 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 23.0 | -- | ND |
| 12/10/01 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 21 | -- | 0.11 |
| 03/11/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 30 | -- | 0.14 |
| 06/04/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 18 | -- | ND<0.10 |
| 09/03/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 28 | -- | ND<0.10 |
| 12/03/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<200 | 20 | -- | ND<1.0 |
| 03/04/03 | -- | -- | -- | -- | -- | -- | -- | -- | ND<200 | 18 | -- | ND<1.0 |
| 06/18/03 | -- | -- | -- | -- | -- | -- | -- | -- | ND<200 | 17 | -- | ND<1.0 |
| 09/24/03 | -- | ND<500 | -- | -- | -- | -- | -- | -- | ND<0.20 | 18 | -- | 1.4 |
| 12/02/03 | -- | ND<500 | -- | -- | -- | -- | -- | -- | ND<200 | -- | -- | -- |
| 03/30/04 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<200 | 16 | ND<1.0 | -- |
| 06/07/04 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<200 | 17 | ND<0.20 | -- |
| 09/09/04 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<10 | 16 | 1.2 | -- |
| 12/20/04 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<0.010 | 17 | ND<1.0 | -- |
| 03/28/05 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<0.050 | 17 | ND<1.0 | -- |
| 06/14/05 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<50 | 18 | ND<1.0 | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-3 continued | | | | | | | | | | | | |
| 09/28/05 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.3 | 0.66 | -- |
| 12/29/05 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.3 | 0.65 | -- |
| 03/27/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.5 | 0.66 | -- |
| 06/12/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.4 | 0.64 | -- |
| 09/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 170 | 4.4 | 0.69 | -- |
| 12/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.5 | 0.68 | -- |
| 03/28/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.7 | 0.67 | -- |
| 06/27/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.5 | 0.64 | -- |
| 09/26/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 9900 | ND<0.10 | ND<0.050 | -- |
| 12/27/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 130 | 4.6 | 0.75 | -- |
| 03/26/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 190 | 5.1 | 0.64 | -- |
| 06/18/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.9 | 0.64 | -- |
| 09/24/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 150 | 4.7 | 0.73 | -- |
| 12/22/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.8 | 0.73 | -- |
| 03/26/09 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.8 | 0.66 | -- |
| 06/23/09 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.4 | 0.67 | -- |
| U-4 | | | | | | | | | | | | |
| 06/30/97 | -- | -- | -- | -- | -- | -- | -- | -- | 130 | 35 | -- | 0.52 |
| 09/19/97 | -- | -- | -- | -- | -- | -- | -- | -- | 350 | 30 | -- | ND |
| 12/12/97 | -- | -- | -- | -- | -- | -- | -- | -- | 680 | 31 | -- | 0.73 |
| 03/03/98 | -- | -- | -- | -- | -- | -- | -- | -- | 18 | 3.2 | -- | ND |
| 06/15/98 | -- | -- | -- | -- | -- | -- | -- | -- | 140 | 33 | -- | ND |
| 09/30/98 | -- | -- | -- | -- | -- | -- | -- | -- | 49 | 31 | -- | ND |
| 12/28/98 | -- | -- | -- | -- | -- | -- | -- | -- | 360 | 31 | -- | ND |
| 03/22/99 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 30 | -- | 0.14 |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-4 continued | | | | | | | | | | | | |
| 06/09/99 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 35 | -- | 0.91 |
| 09/08/99 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 24 | -- | ND |
| 12/07/99 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 27.7 | -- | ND |
| 03/13/00 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 33 | -- | ND |
| 06/21/00 | -- | -- | -- | -- | -- | -- | -- | -- | 34 | 32 | -- | ND |
| 09/27/00 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 28 | -- | ND |
| 12/12/00 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 30 | -- | ND |
| 03/07/01 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 33.9 | -- | 0.226 |
| 06/06/01 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 7.4 | -- | 0.21 |
| 09/24/01 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 24 | -- | -- |
| 12/10/01 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 19 | -- | 0.10 |
| 03/11/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 31 | -- | 0.14 |
| 06/04/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 27 | -- | ND<0.10 |
| 09/03/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | 28 | -- | 0.27 |
| 12/03/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<200 | 20 | -- | ND<1.0 |
| 03/04/03 | -- | -- | -- | -- | -- | -- | -- | -- | ND<200 | 26 | -- | ND<1.0 |
| 06/18/03 | -- | -- | -- | -- | -- | -- | -- | -- | ND<200 | 31 | -- | ND<1.0 |
| 09/24/03 | -- | ND<500 | -- | -- | -- | -- | -- | -- | ND<0.20 | 17 | -- | 1.5 |
| 12/02/03 | -- | ND<500 | -- | -- | -- | -- | -- | -- | ND<200 | -- | -- | -- |
| 03/30/04 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<200 | 25 | ND<1.0 | -- |
| 06/07/04 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<200 | 24 | ND<0.20 | -- |
| 09/09/04 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<10 | 22 | ND<1.0 | -- |
| 12/20/04 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<0.010 | 20 | ND<1.0 | -- |
| 03/28/05 | -- | ND<50 | -- | -- | -- | -- | -- | -- | 0.060 | 31 | ND<1.0 | -- |
| 06/14/05 | -- | ND<50 | -- | -- | -- | -- | -- | -- | ND<50 | 32 | ND<1.0 | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-4 continued | | | | | | | | | | | | |
| 09/28/05 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 190 | 6.8 | 0.45 | -- |
| 12/29/05 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 5.3 | 0.37 | -- |
| 03/27/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 6.4 | 0.41 | -- |
| 06/12/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 2200 | 6.8 | 0.39 | -- |
| 09/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 360 | 5.7 | 0.43 | -- |
| 12/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 5.6 | 0.41 | -- |
| 03/28/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 5.5 | 0.49 | -- |
| 06/27/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 5.3 | 0.34 | -- |
| 09/26/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 5.4 | 0.40 | -- |
| 12/27/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 5.3 | 0.43 | -- |
| 03/26/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 160 | 5.6 | 0.38 | -- |
| 06/18/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 5.6 | 0.39 | -- |
| 09/24/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 250 | 5.1 | 0.34 | -- |
| 12/22/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 140 | 4.8 | 0.39 | -- |
| 03/26/09 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.4 | 0.37 | -- |
| 06/23/09 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 4.2 | 0.37 | -- |
| U-5 | | | | | | | | | | | | |
| 06/30/97 | -- | -- | -- | -- | -- | -- | -- | -- | 16000 | ND | -- | ND |
| 09/19/97 | -- | -- | -- | -- | -- | -- | -- | -- | 220 | ND | -- | ND |
| 12/12/97 | -- | -- | -- | -- | -- | -- | -- | -- | 6700 | ND | -- | ND |
| 03/03/98 | -- | -- | -- | -- | -- | -- | -- | -- | 18000 | 3.1 | -- | ND |
| 06/15/98 | -- | -- | -- | -- | -- | -- | -- | -- | 17000 | ND | -- | ND |
| 09/30/98 | -- | -- | -- | -- | -- | -- | -- | -- | 17000 | ND | -- | ND |
| 12/28/98 | -- | -- | -- | -- | -- | -- | -- | -- | 17000 | 6.6 | -- | ND |
| 03/22/99 | -- | -- | -- | -- | -- | -- | -- | -- | 120 | ND | -- | 2.4 |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-5 continued | | | | | | | | | | | | |
| 06/09/99 | -- | -- | -- | -- | -- | -- | -- | -- | 230 | ND | -- | ND |
| 09/08/99 | -- | -- | -- | -- | -- | -- | -- | -- | 2100 | ND | -- | ND |
| 12/07/99 | -- | -- | -- | -- | -- | -- | -- | -- | 310 | ND | -- | ND |
| 03/13/00 | -- | -- | -- | -- | -- | -- | -- | -- | 330 | 0.16 | -- | ND |
| 06/21/00 | -- | -- | -- | -- | -- | -- | -- | -- | 150 | ND | -- | ND |
| 09/27/00 | -- | -- | -- | -- | -- | -- | -- | -- | 330 | ND | -- | ND |
| 12/12/00 | -- | -- | -- | -- | -- | -- | -- | -- | 86 | ND | -- | ND |
| 03/07/01 | ND | ND | ND | ND | ND | ND | ND | -- | 1070 | 3.02 | -- | 4.00 |
| 06/06/01 | -- | -- | -- | -- | -- | -- | -- | -- | ND | ND | -- | 1.2 |
| 09/24/01 | ND<200 | ND<4000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | -- | ND<100 | 0.77 | -- | -- |
| 12/10/01 | -- | -- | -- | -- | -- | -- | -- | -- | 3700 | ND<0.50 | -- | 2.6 |
| 03/11/02 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | 100 | ND<0.50 | -- | 0.52 |
| 06/04/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<250 | ND<0.50 | -- | ND<0.10 |
| 09/03/02 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | ND<250 | ND<0.50 | -- | ND<0.10 |
| 12/03/02 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | 22000 | ND<1.0 | -- | ND<1.0 |
| 03/04/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | 19000 | ND<1.0 | -- | ND<1.0 |
| 06/18/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | 11000 | ND<1.0 | -- | ND<1.0 |
| 09/24/03 | -- | ND<500 | -- | -- | -- | -- | -- | -- | ND<0.20 | 18 | -- | 1.8 |
| 12/02/03 | -- | ND<500 | -- | -- | -- | -- | -- | -- | 9400 | -- | -- | -- |
| 03/30/04 | 52 | ND<50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | -- | 5900 | ND<1.0 | ND<1.0 | -- |
| 06/07/04 | 69 | ND<50 | ND<0.5 | ND<0.5 | ND<1.0 | ND<0.5 | ND<0.5 | -- | 3800 | ND<0.50 | ND<0.20 | -- |
| 09/09/04 | 130 | ND<50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | -- | 4100 | ND<1.0 | ND<1.0 | -- |
| 12/20/04 | -- | ND<50 | -- | -- | -- | -- | -- | -- | 5.0 | ND<1.0 | ND<1.0 | -- |
| 03/28/05 | 150 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 6.5 | ND<1.0 | ND<1.0 | -- |
| 06/14/05 | 160 | ND<100 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 7400 | 3.6 | ND<1.0 | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-5 continued | | | | | | | | | | | | |
| 09/28/05 | 220 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 7300 | ND<0.50 | 0.10 | -- |
| 12/29/05 | 280 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 7300 | ND<0.50 | ND<0.050 | -- |
| 03/27/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 6300 | ND<0.50 | ND<0.050 | -- |
| 06/12/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 8700 | ND<0.20 | ND<0.050 | -- |
| 09/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 6800 | ND<0.50 | ND<0.050 | -- |
| 12/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 15000 | ND<0.50 | ND<0.050 | -- |
| 03/28/07 | 870 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 10000 | ND<0.20 | ND<0.050 | -- |
| 06/27/07 | 220 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 10000 | ND<0.10 | ND<0.050 | -- |
| 09/26/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 9200 | ND<0.10 | ND<0.050 | -- |
| 12/27/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 5900 | ND<0.10 | ND<0.050 | -- |
| 03/26/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 10000 | ND<0.20 | ND<0.050 | -- |
| 06/18/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 6700 | 0.12 | ND<0.050 | -- |
| 09/24/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 7900 | ND<0.10 | ND<0.050 | -- |
| 12/22/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 9200 | ND<0.10 | ND<0.050 | -- |
| 03/26/09 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 990 | ND<0.10 | ND<0.050 | -- |
| 06/23/09 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 7000 | 0.17 | 0.076 | -- |
| U-6 | | | | | | | | | | | | |
| 06/30/97 | -- | -- | -- | -- | -- | -- | -- | -- | 88000 | 0.80 | -- | ND |
| 09/19/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2900 | 1.80 | -- | ND |
| 12/12/97 | -- | -- | -- | -- | -- | -- | -- | -- | 51000 | ND | -- | ND |
| 03/03/98 | -- | -- | -- | -- | -- | -- | -- | -- | 60000 | 3.5 | -- | ND |
| 06/15/98 | -- | -- | -- | -- | -- | -- | -- | -- | 590000 | 4.8 | -- | ND |
| 09/30/98 | -- | -- | -- | -- | -- | -- | -- | -- | 33000 | ND | -- | ND |
| 12/28/98 | -- | -- | -- | -- | -- | -- | -- | -- | 83000 | 7.2 | -- | ND |
| 03/22/99 | -- | -- | -- | -- | -- | -- | -- | -- | 2100 | ND | -- | 0.98 |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-6 continued | | | | | | | | | | | | |
| 06/09/99 | -- | -- | -- | -- | -- | -- | -- | -- | 470 | 0.20 | -- | ND |
| 09/08/99 | -- | -- | -- | -- | -- | -- | -- | -- | 140 | 5.59 | -- | ND |
| 12/07/99 | -- | -- | -- | -- | -- | -- | -- | -- | 260 | ND | -- | ND |
| 03/13/00 | -- | -- | -- | -- | -- | -- | -- | -- | 790 | 0.26 | -- | ND |
| 06/21/00 | -- | -- | -- | -- | -- | -- | -- | -- | 1900 | ND | -- | ND |
| 09/27/00 | -- | -- | -- | -- | -- | -- | -- | -- | 2600 | ND | -- | ND |
| 12/12/00 | -- | -- | -- | -- | -- | -- | -- | -- | ND | 2.7 | -- | ND |
| 03/07/01 | ND | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | -- |
| 06/06/01 | ND | ND | ND | ND | ND | ND | ND | -- | 470 | 0.15 | -- | 0.70 |
| 09/24/01 | ND<2000 | ND<40000 | ND<100 | ND<100 | ND<100 | ND<100 | ND<100 | -- | ND<100 | 0.58 | -- | -- |
| 12/10/01 | ND<200 | ND<400 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | 990 | 0.50 | -- | 2.0 |
| 03/11/02 | ND<400 | ND<2000 | ND<8.0 | ND<8.0 | ND<8.0 | ND<8.0 | ND<8.0 | -- | 1200 | ND<0.50 | -- | 0.089 |
| 06/04/02 | -- | -- | -- | -- | -- | -- | -- | -- | ND<100 | ND<0.50 | -- | ND<1.0 |
| 09/03/02 | ND<2000 | ND<10000 | ND<40 | ND<40 | ND<40 | ND<40 | ND<40 | -- | ND<100 | 0.58 | -- | 1.1 |
| 12/03/02 | ND<1000 | ND<5000 | ND<20 | ND<20 | ND<20 | ND<20 | ND<20 | -- | 1200 | ND<1.0 | -- | 2.6 |
| 03/04/03 | ND<2000 | ND<10000 | ND<40 | ND<40 | ND<40 | ND<40 | ND<40 | -- | 20000 | ND<1.0 | -- | ND<1.0 |
| 06/18/03 | ND<2000 | ND<10000 | ND<40 | ND<40 | ND<40 | ND<40 | ND<40 | -- | 3200 | ND<1.0 | -- | 2.0 |
| 09/24/03 | ND<20000 | ND<100000 | ND<400 | ND<400 | ND<400 | ND<400 | ND<400 | -- | 1.4 | ND<1.0 | -- | 4.6 |
| 12/02/03 | -- | ND<10000 | -- | -- | -- | -- | -- | -- | 1400 | -- | -- | -- |
| 03/30/04 | 770 | ND<1000 | ND<10 | ND<10 | ND<20 | ND<10 | ND<10 | -- | 2600 | ND<1.0 | ND<1.0 | -- |
| 06/07/04 | 110 | ND<1000 | ND<10 | ND<10 | ND<20 | ND<10 | ND<10 | -- | 2100 | 0.8 | ND<0.20 | -- |
| 09/09/04 | 1900 | ND<1000 | ND<10 | ND<10 | ND<20 | ND<10 | ND<10 | -- | 870 | ND<1.0 | 3.8 | -- |
| 12/20/04 | 5000 | ND<250 | ND<2.5 | ND<2.5 | ND<5.0 | ND<2.5 | ND<2.5 | -- | 2.5 | ND<1.0 | ND<1.0 | -- |
| 03/28/05 | 990 | -- | ND<2.5 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 3.4 | ND<1.0 | ND<1.0 | -- |
| 06/14/05 | ND<5.0 | ND<100 | ND<0.5 | ND<0.5 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 4100 | 3.8 | ND<1.0 | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Iron Ferrous (µg/l) | Nitrate (mg/l) | Phosphate (ortho) (mg/l) | Phosphate (total) (mg/l) |
|----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|---------------------------|-------------------|--------------------------------|--------------------------------|
| U-6 continued | | | | | | | | | | | | |
| 09/28/05 | 3800 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 21000 | ND<0.20 | 3.4 | -- |
| 12/29/05 | 1100 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 8300 | 0.48 | ND<0.050 | -- |
| 03/27/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 8800 | 0.37 | 0.19 | -- |
| 06/12/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 8500 | 0.23 | ND<0.050 | -- |
| 09/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 2900 | 0.19 | 0.31 | -- |
| 12/21/06 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 11000 | 0.36 | 0.41 | -- |
| 03/28/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 0.55 | 0.31 | -- |
| 09/26/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | ND<100 | 0.41 | 0.34 | -- |
| 12/27/07 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 7700 | ND<0.10 | 1.0 | -- |
| 03/26/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 19000 | ND<0.10 | 1.2 | -- |
| 06/18/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 2100000 | ND<0.10 | 0.076 | -- |
| 09/24/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 220000 | ND<0.10 | 0.28 | -- |
| 12/22/08 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 290000 | ND<0.10 | 0.39 | -- |
| 03/26/09 | -- | ND<1200 | -- | -- | -- | -- | -- | -- | 540000 | ND<0.10 | 0.28 | -- |
| 06/23/09 | -- | ND<250 | -- | -- | -- | -- | -- | -- | 12000 | 0.26 | 0.68 | -- |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|--------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-1 | | | | | |
| 06/15/98 | 382 | -- | -- | -- | -- |
| 09/30/98 | 366 | -- | -- | -- | -- |
| 12/28/98 | 298 | -- | -- | -- | -- |
| 03/22/99 | 320 | -- | -- | -- | -- |
| 06/09/99 | 260 | -- | -- | -- | -- |
| 09/08/99 | 85 | -- | -- | -- | -- |
| 12/07/99 | 404 | -- | 1.36 | -- | -- |
| 03/13/00 | 262 | -- | -- | -- | -- |
| 06/21/00 | 148 | -- | 1.53 | -- | -- |
| 09/27/00 | 119 | -- | 1.63 | -- | -- |
| 12/12/00 | 131 | -- | 1.48 | -- | -- |
| 03/07/01 | 125 | -- | 1.91 | -- | -- |
| 06/06/01 | 141 | -- | 1.77 | -- | -- |
| 09/24/01 | 125 | -- | 1.64 | -- | -- |
| 12/10/01 | 141 | -- | 1.82 | -- | -- |
| 03/11/02 | 132 | -- | 2.21 | -- | -- |
| 06/04/02 | 117 | -- | 1.88 | -- | -- |
| 09/03/02 | 94 | -- | 1.62 | -- | -- |
| 12/03/02 | 72 | -- | 1.71 | -- | -- |
| 03/04/03 | -125 | -- | 0.30 | -- | -- |
| 06/18/03 | -48 | 1.7 | -- | -- | -- |
| 09/24/03 | -36 | -- | 0.40 | -- | -- |
| 12/02/03 | -- | 6.46 | 2.05 | -72 | -73 |
| 03/30/04 | -- | 1.08 | 3.05 | -40 | -54 |
| 06/07/04 | -- | 1.62 | 2.30 | -32 | -48 |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-1 continued | | | | | |
| 12/20/04 | -- | 1.35 | 5.55 | -- | 32 |
| 03/28/05 | -- | 4.32 | 3.26 | 124 | 138 |
| 06/14/05 | -- | 3.95 | 4.52 | -145 | -177 |
| 09/28/05 | -- | 7.13 | 2.59 | -065 | -160 |
| 12/29/05 | -- | 3.74 | 2.81 | -310 | -508 |
| 03/27/06 | -- | -- | 1.95 | -667 | -- |
| 06/12/06 | -- | -- | 1.20 | -229 | -- |
| 09/21/06 | -- | -- | 1.28 | -110 | -- |
| 12/21/06 | -- | -- | -- | -102 | -- |
| 03/28/07 | -- | -- | 6.75 | -93 | -- |
| 06/27/07 | -- | -- | 3.87 | -106 | -- |
| 09/26/07 | -- | -- | 2.39 | -60 | -- |
| 12/27/07 | -- | -- | 2.36 | -60 | -- |
| 03/26/08 | -- | -- | 3.41 | -63 | -- |
| 06/18/08 | -- | -- | 2.67 | -20 | -- |
| 09/24/08 | -- | -- | 0.80 | -38 | -- |
| 12/22/08 | -- | -- | 2.47 | -99 | -- |
| 06/23/09 | -- | -- | 0.62 | -27 | -- |
| U-2 | | | | | |
| 03/03/98 | 369 | -- | -- | -- | -- |
| 06/15/98 | 341 | -- | -- | -- | -- |
| 09/30/98 | 354 | -- | -- | -- | -- |
| 12/28/98 | 276 | -- | -- | -- | -- |
| 03/22/99 | 320 | -- | -- | -- | -- |
| 06/09/99 | 290 | -- | -- | -- | -- |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-2 continued | | | | | |
| 09/08/99 | 235 | -- | -- | -- | -- |
| 12/07/99 | 389 | -- | 2.28 | -- | -- |
| 03/13/00 | 184 | -- | -- | -- | -- |
| 06/21/00 | 136 | -- | 1.96 | -- | -- |
| 09/27/00 | 142 | -- | 2.12 | -- | -- |
| 12/12/00 | 155 | -- | 2.35 | -- | -- |
| 03/07/01 | 148 | -- | 2.21 | -- | -- |
| 06/06/01 | 163 | -- | 2.67 | -- | -- |
| 09/24/01 | 151 | -- | 2.10 | -- | -- |
| 12/10/01 | 171 | -- | 2.81 | -- | -- |
| 03/11/02 | 156 | -- | 2.77 | -- | -- |
| 06/04/02 | 144 | -- | 3.14 | -- | -- |
| 09/03/02 | 151 | -- | 2.85 | -- | -- |
| 12/03/02 | 94 | -- | 1.97 | -- | -- |
| 03/04/03 | -147 | -- | 0.40 | -- | -- |
| 06/18/03 | -8 | 3.2 | -- | -- | -- |
| 09/24/03 | -10 | -- | 0.20 | -- | -- |
| 12/02/03 | -- | 1.81 | 1.70 | -29 | -67 |
| 03/30/04 | -- | -- | 2.40 | -6 | -- |
| 06/07/04 | -- | 3.29 | 3.10 | -8 | 7 |
| 09/09/04 | -- | 3.10 | 3.12 | -74 | -79 |
| 12/20/04 | -- | 6.54 | .41 | -84 | -72 |
| 03/28/05 | -- | 4.30 | 3.76 | 118 | 140 |
| 06/14/05 | -- | 3.99 | 3.28 | -155 | -206 |
| 09/28/05 | -- | 6.62 | 2.87 | -100 | -179 |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-2 continued | | | | | |
| 12/29/05 | -- | 5.71 | 1.76 | -578 | -484 |
| 03/27/06 | -- | -- | 0.95 | -1334 | -- |
| 06/12/06 | -- | -- | 19.82 | -130 | -- |
| 09/21/06 | -- | -- | 3.15 | -18 | -- |
| 12/21/06 | -- | -- | --- | -92 | -- |
| 03/28/07 | -- | -- | 8.80 | -97 | -- |
| 06/27/07 | -- | -- | 4.72 | -105 | -- |
| 09/26/07 | -- | -- | 1.84 | -25 | -- |
| 12/27/07 | -- | -- | 2.81 | -64 | -- |
| 03/26/08 | -- | -- | 3.41 | -65 | -- |
| 06/18/08 | -- | -- | 2.46 | -49 | -- |
| 09/24/08 | -- | -- | 0.47 | -56 | -- |
| 12/22/08 | -- | -- | 1.38 | -97 | -- |
| 03/26/09 | -- | -- | 1.56 | -73 | -- |
| 06/23/09 | -- | -- | 0.38 | -16 | -- |
| U-3 | | | | | |
| 06/30/97 | 190 | -- | 4.10 | -- | -- |
| 09/19/97 | 75 | -- | 4.20 | -- | -- |
| 12/12/97 | 390 | -- | 2.97 | -- | -- |
| 03/03/98 | 358 | -- | 2.63 | -- | -- |
| 06/15/98 | 318 | -- | 2.93 | -- | -- |
| 09/30/98 | 295 | -- | 3.11 | -- | -- |
| 12/28/98 | 281 | -- | 3.59 | -- | -- |
| 03/22/99 | 310 | -- | 4.02 | -- | -- |
| 06/09/99 | 350 | -- | 3.70 | -- | -- |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-3 continued | | | | | |
| 09/08/99 | 417 | -- | 3.96 | -- | -- |
| 12/07/99 | 437 | -- | 4.21 | -- | -- |
| 03/13/00 | 307 | -- | -- | -- | -- |
| 06/21/00 | 225 | -- | 4.27 | -- | -- |
| 09/27/00 | 211 | -- | 4.67 | -- | -- |
| 12/12/00 | 246 | -- | 4.79 | -- | -- |
| 03/07/01 | 251 | -- | 5.16 | -- | -- |
| 06/06/01 | 214 | -- | 4.79 | -- | -- |
| 09/24/01 | 198 | -- | 4.27 | -- | -- |
| 12/10/01 | 188 | -- | 4.66 | -- | -- |
| 03/11/02 | 166 | -- | 5.06 | -- | -- |
| 06/04/02 | 151 | -- | 5.79 | -- | -- |
| 09/03/02 | 143 | -- | 6.04 | -- | -- |
| 12/03/02 | 154 | -- | 5.58 | -- | -- |
| 03/04/03 | -136 | -- | 0.20 | -- | -- |
| 06/18/03 | 333 | 3.5 | -- | -- | -- |
| 09/24/03 | -50 | -- | 0.60 | -- | -- |
| 12/02/03 | -- | 4.28 | 4.30 | 97 | 105 |
| 03/30/04 | -- | 7.75 | 2.80 | -38 | 12 |
| 06/07/04 | -- | 4.19 | 4.70 | 23 | 42 |
| 09/09/04 | -- | 4.68 | 4.75 | 14 | 21 |
| 12/20/04 | -- | 6.70 | 3.28 | 45 | 32 |
| 03/28/05 | -- | 4.21 | 3.32 | 145 | 137 |
| 06/14/05 | -- | 2.97 | 2.82 | 90 | 86 |
| 09/28/05 | -- | 6.99 | 4.96 | -068 | -060 |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-3 continued | | | | | |
| 12/29/05 | -- | 4.57 | 3.35 | -802 | -1132 |
| 03/27/06 | -- | -- | 2.67 | -1588 | -- |
| 06/12/06 | -- | -- | 3.97 | 77 | -- |
| 09/21/06 | -- | -- | 2.64 | -33 | -- |
| 12/21/06 | -- | -- | -- | 85 | -- |
| 03/28/07 | -- | -- | 8.10 | -10 | -- |
| 06/27/07 | -- | -- | 8.72 | 111 | -- |
| 09/26/07 | -- | -- | 3.49 | 72 | -- |
| 12/27/07 | -- | -- | 1.78 | -72 | -- |
| 03/26/08 | -- | -- | 1.32 | 97 | -- |
| 06/18/08 | -- | -- | 1.73 | 113 | -- |
| 09/24/08 | -- | -- | 1.95 | 90 | -- |
| 12/22/08 | -- | -- | 1.81 | 42 | -- |
| 03/26/09 | -- | -- | 1.98 | 59 | -- |
| 06/23/09 | -- | -- | 0.33 | -51 | -- |
| U-4 | | | | | |
| 06/30/97 | 200 | -- | 5.40 | -- | -- |
| 09/19/97 | 45 | -- | 5.10 | -- | -- |
| 12/12/97 | 380 | -- | 3.11 | -- | -- |
| 03/03/98 | 284 | -- | 2.94 | -- | -- |
| 06/15/98 | 256 | -- | 3.08 | -- | -- |
| 09/30/98 | 276 | -- | 4.05 | -- | -- |
| 12/28/98 | 280 | -- | 4.57 | -- | -- |
| 03/22/99 | 320 | -- | 4.26 | -- | -- |
| 06/09/99 | 340 | -- | 3.61 | -- | -- |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-4 continued | | | | | |
| 09/08/99 | 391 | -- | 3.75 | -- | -- |
| 12/07/99 | 478 | -- | 4.03 | -- | -- |
| 03/13/00 | 244 | -- | -- | -- | -- |
| 06/21/00 | 248 | -- | 4.89 | -- | -- |
| 09/27/00 | 198 | -- | 5.09 | -- | -- |
| 12/12/00 | 210 | -- | 4.86 | -- | -- |
| 03/07/01 | 233 | -- | 4.97 | -- | -- |
| 06/06/01 | 248 | -- | 5.12 | -- | -- |
| 09/24/01 | 262 | -- | 4.86 | -- | -- |
| 12/10/01 | 242 | -- | 5.05 | -- | -- |
| 03/11/02 | 195 | -- | 4.83 | -- | -- |
| 06/04/02 | 169 | -- | 5.58 | -- | -- |
| 09/03/02 | 126 | -- | 5.94 | -- | -- |
| 12/03/02 | 133 | -- | 5.82 | -- | -- |
| 03/04/03 | -148 | -- | 0.30 | -- | -- |
| 06/18/03 | 250 | 3.6 | -- | -- | -- |
| 09/24/03 | -24 | -- | 0.20 | -- | -- |
| 12/02/03 | -- | 3.45 | 3.57 | 107 | 102 |
| 03/30/04 | -- | 3.84 | 4.29 | 19 | 42 |
| 06/07/04 | -- | 4.02 | 4.56 | 27 | 15 |
| 09/09/04 | -- | 4.09 | 4.20 | -26 | -8 |
| 12/20/04 | -- | 6.19 | 5.11 | 84 | 77 |
| 03/28/05 | -- | 4.66 | 4.54 | 163 | 130 |
| 06/14/05 | -- | 3.09 | 3.02 | 78 | 88 |
| 09/28/05 | -- | 6.59 | 5.02 | 099 | 082 |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-4 continued | | | | | |
| 12/29/05 | -- | 5.09 | 5.03 | -628 | -632 |
| 03/27/06 | -- | -- | 5.51 | -1000 | -- |
| 06/12/06 | -- | -- | 4.33 | 102 | -- |
| 09/21/06 | -- | -- | 3.51 | 152 | -- |
| 12/21/06 | -- | -- | -- | 90 | -- |
| 03/28/07 | -- | -- | 12.16 | 144 | -- |
| 06/27/07 | -- | -- | 10.42 | 115 | -- |
| 09/26/07 | -- | -- | 4.27 | 98 | -- |
| 12/27/07 | -- | -- | 3.74 | 33 | -- |
| 03/26/08 | -- | -- | 2.87 | 97 | -- |
| 06/18/08 | -- | -- | 3.43 | 101 | -- |
| 09/24/08 | -- | -- | 3.15 | 71 | -- |
| 12/22/08 | -- | -- | 3.45 | 0 | -- |
| 03/26/09 | -- | -- | 2.96 | 17 | -- |
| 06/23/09 | -- | -- | 1.92 | -19 | -- |
| U-5 | | | | | |
| 06/30/97 | 160 | -- | 3.40 | -- | -- |
| 09/19/97 | 63 | -- | 0.60 | -- | -- |
| 12/12/97 | 400 | -- | 1.75 | -- | -- |
| 03/03/98 | 345 | -- | 2.36 | -- | -- |
| 06/15/98 | 333 | -- | 2.55 | -- | -- |
| 09/30/98 | 318 | -- | 1.93 | -- | -- |
| 12/28/98 | 305 | -- | 1.64 | -- | -- |
| 03/22/99 | 340 | -- | 1.99 | -- | -- |
| 06/09/99 | 320 | -- | 2.10 | -- | -- |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-5 continued | | | | | |
| 09/08/99 | 335 | -- | 2.21 | -- | -- |
| 12/07/99 | 408 | -- | 2.66 | -- | -- |
| 03/13/00 | 264 | -- | -- | -- | -- |
| 06/21/00 | 159 | -- | 3.42 | -- | -- |
| 09/27/00 | 136 | -- | 3.85 | -- | -- |
| 12/12/00 | 122 | -- | 3.53 | -- | -- |
| 03/07/01 | 141 | -- | 2.98 | -- | -- |
| 06/06/01 | 112 | -- | 2.67 | -- | -- |
| 09/24/01 | 146 | -- | 3.15 | -- | -- |
| 12/10/01 | 96 | -- | 2.85 | -- | -- |
| 03/11/02 | 108 | -- | 3.15 | -- | -- |
| 06/04/02 | 118 | -- | 3.46 | -- | -- |
| 09/03/02 | 87 | -- | 2.85 | -- | -- |
| 12/03/02 | 104 | -- | 2.71 | -- | -- |
| 03/04/03 | -166 | -- | 0.20 | -- | -- |
| 06/18/03 | -10 | 2.4 | -- | -- | -- |
| 09/24/03 | -28 | -- | 0.30 | -- | -- |
| 12/02/03 | -- | 2.22 | 2.15 | -39 | -39 |
| 03/30/04 | -- | 1.89 | 1.88 | -19 | -37 |
| 06/07/04 | -- | 1.88 | 1.92 | -15 | -31 |
| 09/09/04 | -- | 2.38 | 2.58 | -41 | -67 |
| 12/20/04 | -- | .71 | 2.01 | -65 | -72 |
| 03/28/05 | -- | 2.02 | 1.06 | 132 | 133 |
| 06/14/05 | -- | 2.38 | 2.02 | -163 | -168 |
| 09/28/05 | -- | 6.94 | 4.58 | -126 | -125 |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-5 continued | | | | | |
| 12/29/05 | -- | 2.17 | 1.99 | -416 | -411 |
| 03/27/06 | -- | -- | 2.69 | -585 | -- |
| 06/12/06 | -- | -- | 2.32 | -236 | -- |
| 09/21/06 | -- | -- | 1.37 | -125 | -- |
| 12/21/06 | -- | -- | --- | -109 | -- |
| 03/28/07 | -- | -- | 9.09 | -97 | -- |
| 06/27/07 | -- | -- | 3.52 | -101 | -- |
| 09/26/07 | -- | -- | 2.66 | -80 | -- |
| 12/27/07 | -- | -- | 1.63 | -83 | -- |
| 03/26/08 | -- | -- | 2.32 | -9 | -- |
| 06/18/08 | -- | -- | 3.29 | -14 | -- |
| 09/24/08 | -- | -- | 2.97 | -8 | -- |
| 12/22/08 | -- | -- | 0.69 | -78 | -- |
| 03/26/09 | -- | -- | 0.39 | -88 | -- |
| 06/23/09 | -- | -- | 0.31 | -35 | -- |
| U-6 | | | | | |
| 06/30/97 | 190 | -- | 0.30 | -- | -- |
| 09/19/97 | ND | -- | 0.60 | -- | -- |
| 12/12/97 | 380 | -- | 2.70 | -- | -- |
| 03/03/98 | 327 | -- | 2.18 | -- | -- |
| 06/15/98 | 315 | -- | 2.48 | -- | -- |
| 09/30/98 | 345 | -- | 3.06 | -- | -- |
| 12/28/98 | 297 | -- | 3.42 | -- | -- |
| 03/22/99 | 330 | -- | 3.88 | -- | -- |
| 06/09/99 | 320 | -- | 3.29 | -- | -- |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325


| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-6 continued | | | | | |
| 09/08/99 | 305 | -- | 3.12 | -- | -- |
| 12/07/99 | 443 | -- | 3.44 | -- | -- |
| 03/13/00 | 222 | -- | -- | -- | -- |
| 06/21/00 | 159 | -- | 3.27 | -- | -- |
| 09/27/00 | 170 | -- | 3.49 | -- | -- |
| 12/12/00 | 128 | -- | 3.06 | -- | -- |
| 06/06/01 | 97 | -- | 2.46 | -- | -- |
| 09/24/01 | 123 | -- | 3.10 | -- | -- |
| 12/10/01 | 112 | -- | 2.57 | -- | -- |
| 03/11/02 | 128 | -- | 3.03 | -- | -- |
| 06/04/02 | 97 | -- | 2.84 | -- | -- |
| 09/03/02 | 110 | -- | 3.12 | -- | -- |
| 12/03/02 | 95 | -- | 2.96 | -- | -- |
| 03/04/03 | -112 | -- | 0.30 | -- | -- |
| 06/18/03 | -15 | 3.2 | -- | -- | -- |
| 09/24/03 | -12 | -- | 0.30 | -- | -- |
| 12/02/03 | -- | 3.10 | 2.53 | -99 | -74 |
| 03/30/04 | -- | 3.61 | 1.88 | -28 | -33 |
| 06/07/04 | -- | 2.43 | 2.90 | -32 | -62 |
| 09/09/04 | -- | 2.84 | 2.96 | -89 | -- |
| 03/28/05 | -- | 3.18 | 2.57 | 84 | 96 |
| 06/14/05 | -- | 4.02 | 4.20 | -158 | -175 |
| 09/28/05 | -- | 7.93 | 6.82 | -028 | -141 |
| 12/29/05 | -- | 1.49 | 3.56 | -480 | -548 |
| 03/27/06 | -- | -- | 1.33 | -953 | -- |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5325

| Date Sampled | Redox Potential (ORP-Lab) (mV) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) | Pre-purge ORP (mV) | Post-purge ORP (mV) |
|----------------------|--------------------------------|------------------------------------|-----------------------------------|--------------------|---------------------|
| U-6 continued | | | | | |
| 06/12/06 | -- | -- | 1.32 | -234 | -- |
| 09/21/06 | -- | -- | 2.07 | -113 | -- |
| 12/21/06 | -- | -- | --- | -132 | -- |
| 03/28/07 | -- | -- | 7.37 | -36 | -- |
| 09/26/07 | -- | -- | 3.92 | 64 | -- |
| 12/27/07 | -- | -- | 2.55 | -5 | -- |
| 03/26/08 | -- | -- | 2.74 | 115 | -- |
| 06/18/08 | -- | -- | 1.11 | 167 | -- |
| 09/24/08 | -- | -- | 3.85 | 59 | -- |
| 12/22/08 | -- | -- | 1.57 | 60 | -- |
| 03/26/09 | -- | -- | 1.67 | 39 | -- |
| 06/23/09 | -- | -- | 0.08 | -32 | -- |

FIGURES

PS=1:1 L:\QMS VICINITY M A P S\5325VM.DWG Jan 20, 2009 - 12:26pm cakers



SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
Oakland West Quadrangle

0 1/4 1/2 3/4 1 MILE



SCALE 1: 24,000



QUADRANGLE
LOCATION




FACILITY:

76 STATION 5325
3220 LAKESHORE AVENUE
OAKLAND, CALIFORNIA


VICINITY MAP


FIGURE 1

LEGEND

U-6  Monitoring Well with Groundwater Elevation (feet)

2.75  Groundwater Elevation Contour

 General Direction of Groundwater Flow



NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. UST = underground storage tank

SCALE (FEET)



L:\Graphics\COMS NORTH-SOUTH-HX-5000\5325\15325\COMS(NEW).DWG .jul 15, 2009 - 8:47am bscmidt

MS=1:40 5325-003



PROJECT: 165521
 FACILITY:
 76 STATION 5325
 3220 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA


**GROUNDWATER ELEVATION
 CONTOUR MAP
 June 23, 2009**

FIGURE 2

LEGEND

U-6 ⊕ Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration (µg/l)

—1,000— Dissolved-Phase TPH-G (GC/MS) Contour (µg/l)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.

SCALE (FEET)



L:\Graphics\QMS NORTH-SOUTH\5325-15325-QMS(NEW).DWG Jul 15, 2009 - 7:55am bschmidt

MS-1:40 5325-003





PROJECT: 165521
 FACILITY:
 76 STATION 5325
 3220 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA


**DISSOLVED-PHASE TPH-G (GC/MS)
 CONCENTRATION MAP**
 June 23, 2009

FIGURE 3

LEGEND

U-6  Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)


 10 Dissolved-Phase Benzene Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit UST = underground storage tank

SCALE (FEET)



L:\Graphics\QMS NORTH-SOUTH\5325-000\5325-QMS(NEW).DWG Jul 15, 2009 - 8:10am bschmidt

MS=1:40 5325-003




PROJECT: 165521

FACILITY:
76 STATION 5325
3220 LAKESHORE AVENUE
OAKLAND, CALIFORNIA


**DISSOLVED-PHASE BENZENE
CONCENTRATION MAP**
June 23, 2009

FIGURE 4

LEGEND

U-6  Monitoring Well with Dissolved-Phase MTBE Concentration (µg/l)


 100 Dissolved-Phase MTBE Contour (µg/l)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.

SCALE (FEET)



L:\Graphics\QMS NORTH-SOUTH\165325-16325QMS(NEW).DWG Jul 15, 2009 - 8:15am bschmidt

MS-1:40 5325-003




PROJECT: 165521
 FACILITY:
 76 STATION 5325
 3220 LAKESHORE AVENUE
 OAKLAND, CALIFORNIA

**DISSOLVED-PHASE MTBE
 CONCENTRATION MAP
 June 23, 2009**

FIGURE 5


GRAPHS

Groundwater Elevations vs. Time
76 Station 5325









Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5325









Elevations may have been corrected for apparent changes due to resurvey







TPH-G Concentrations vs Time
76 Station 5325



Benzene Concentrations vs Time
76 Station 5325



MTBE Concentrations vs Time
76 Station 5325



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: Basilio Job #/Task #: 165521 FA20 Date: 6-23-09
 Site # 5325 Project Manager A. Collins Page 1 of 1

| Well # | TOC | Time Gauged | Total Depth | Depth to Water | Depth to Product | Product Thickness (feet) | Time Sampled | Misc. Well Notes |
|--------|-----|-------------|-------------|----------------|------------------|--------------------------|--------------|------------------|
| U-6 | ✓ | 0540 | 21.70 | 4.80 | — | — | 0700 | 2" |
| U-3 | ✓ | 0546 | 19.40 | 10.40 | — | — | 0850 | 3" |
| U-4 | ✓ | 0552 | 19.40 | 8.40 | — | — | 0927 | 4" |
| U-5 | ✓ | 0557 | 20.10 | 5.50 | — | — | 0940 | 4" |
| U-1 | ✓ | 0601 | 13.30 | 6.80 | — | — | 1000 | 3" |
| U-2 | ✓ | 0610 | 19.80 | 4.90 | — | — | 1020 | 3" |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

FIELD DATA COMPLETE QA/QC COC WELL BOX CONDITION SHEETS
 MANIFEST DRUM INVENTORY TRAFFIC CONTROL



GROUNDWATER SAMPLING FIELD NOTES

Technician: Basilio

Site: 5325

Project No: 165521

Date: 6-23-09

Well No. U-6

Purge Method: SuS

Depth to Water (feet): 4.80

Depth to Product (feet): —

Total Depth (feet): 21.70

LPH & Water Recovered (gallons): —

Water Column (feet): 16.90

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 8.18

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|---------------------|-------------|--------------|------------|-----------|
| Pre-Purge | | | | | | | | | |
| <u>0641</u> | | | <u>3</u> | <u>506.8</u> | <u>15.9</u> | <u>7.80</u> | <u>0.08</u> | <u>-32</u> | |
| | | | <u>6</u> | <u>191.7</u> | <u>17.1</u> | <u>7.56</u> | <u>0.02</u> | <u>-60</u> | |
| | <u>0649</u> | | <u>9</u> | <u>294.3</u> | <u>17.5</u> | <u>7.10</u> | <u>-0.04</u> | <u>-69</u> | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| <u>8.18</u> | | | <u>9</u> | | | <u>0700</u> | | | |
| Comments: | | | | | | | | | |
| | | | | | | | | | |

Well No. U-3

Purge Method: SuS

Depth to Water (feet): 10.40

Depth to Product (feet): —

Total Depth (feet): 19.40

LPH & Water Recovered (gallons): —

Water Column (feet): 9.00

Casing Diameter (Inches): 3

80% Recharge Depth(feet): 12.20

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|---|-------------|-----------------------|-------------------------|----------------------|---------------------|-------------|-------------|------------|-----------|
| Pre-Purge | | | | | | | | | |
| <u>0706</u> | | | <u>4</u> | <u>924.8</u> | <u>16.8</u> | <u>7.39</u> | <u>0.33</u> | <u>-51</u> | |
| | <u>0711</u> | | <u>8</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | |
| | | | <u>12</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| <u>11.83</u> | | | <u>5</u> | | | <u>0850</u> | | | |
| Comments: | | | | | | | | | |
| <u>Dry at 8.5. Did not recover after 45 min</u> | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: Basilio

Site: 5325

Project No.: 165521

Date: 6-23-09

Well No. U-4

Purge Method: Sub

Depth to Water (feet): 8.40

Depth to Product (feet): —

Total Depth (feet): 19.40

LPH & Water Recovered (gallons): —

Water Column (feet): 11.00

Casing Diameter (Inches): 4

80% Recharge Depth(feet): 10.60

1 Well Volume (gallons): 8

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity | |
|---|-------------|------------------------|-------------------------|----------------------|---------------------|-------------|-------------|------------|-----------|--|
| Pre-Purge | | | | | | | | | | |
| <u>0718</u> | | | <u>8</u> | <u>998.7</u> | <u>19.2</u> | <u>7.20</u> | <u>1.92</u> | <u>-19</u> | | |
| | <u>0727</u> | | <u>16</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | | |
| | | | <u>24</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | | |
| | | Static at Time Sampled | | Total Gallons Purged | | | Sample Time | | | |
| | | <u>13.50</u> | | <u>15</u> | | | <u>0927</u> | | | |
| Comments: <u>Dry at 15 gals, did not recover in 2 hrs.</u> | | | | | | | | | | |

Well No. U-5

Purge Method: Sub

Depth to Water (feet): 5.50

Depth to Product (feet): —

Total Depth (feet): 20.10

LPH & Water Recovered (gallons): —

Water Column (feet): 14.60

Casing Diameter (Inches): 4

80% Recharge Depth(feet): 8.42

1 Well Volume (gallons): 10

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity | |
|------------------|-------------|------------------------|-------------------------|----------------------|---------------------|-------------|-------------|------------|-----------|--|
| Pre-Purge | | | | | | | | | | |
| <u>0739</u> | | | <u>10</u> | <u>458.7</u> | <u>20.6</u> | <u>6.60</u> | <u>0.31</u> | <u>-35</u> | | |
| | | | <u>20</u> | <u>687.7</u> | <u>20.1</u> | <u>6.56</u> | <u>0.15</u> | <u>-39</u> | | |
| | <u>0756</u> | | <u>30</u> | <u>923.2</u> | <u>19.5</u> | <u>6.63</u> | <u>0.25</u> | <u>-36</u> | | |
| | | Static at Time Sampled | | Total Gallons Purged | | | Sample Time | | | |
| | | <u>8.39</u> | | <u>30</u> | | | <u>0940</u> | | | |
| Comments: | | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: Basilio

Site: 5325

Project No.: 165521

Date: 6-23-09

Well No. U-1

Purge Method: Sub

Depth to Water (feet): 6.80

Depth to Product (feet): —

Total Depth (feet): 13.30

LPH & Water Recovered (gallons): —

Water Column (feet): 6.50

Casing Diameter (Inches): 3

80% Recharge Depth(feet): 8.10

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|--|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|------------|-----------|
| Pre-Purge | | | | | | | | | |
| <u>0802</u> | <u>0805</u> | | <u>3</u> | <u>852.8</u> | <u>19.2</u> | <u>6.52</u> | <u>0.62</u> | <u>-27</u> | |
| | | | <u>6</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | |
| | | | <u>9</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| <u>7.90</u> | | | <u>4</u> | | | <u>1000</u> | | | |
| Comments: <u>Dry at 4 gals. Did not recover in 45 min.</u> | | | | | | | | | |

Well No. U-2

Purge Method: Sub

Depth to Water (feet): 4.90

Depth to Product (feet): —

Total Depth (feet): 19.80

LPH & Water Recovered (gallons): —

Water Column (feet): 14.90

Casing Diameter (Inches): 3

80% Recharge Depth(feet): 7.88

1 Well Volume (gallons): 6

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|---|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|------------|-----------|
| Pre-Purge | | | | | | | | | |
| <u>0814</u> | <u>0819</u> | | <u>6</u> | <u>1182</u> | <u>19.8</u> | <u>6.39</u> | <u>0.38</u> | <u>-16</u> | |
| | | | <u>12</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | |
| | | | <u>18</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | <u>—</u> | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| <u>12.60</u> | | | <u>8</u> | | | <u>1020</u> | | | |
| Comments: <u>Dry at 8 gals. Did not recover in 2 hrs.</u> | | | | | | | | | |



Laboratories, Inc.

Environmental Testing Laboratory Since 1949



Date of Report: 07/07/2009

Anju Farfan

TRC

21 Technology Drive
Irvine, CA 92618

RE: 5325

BC Work Order: 0908212

Invoice ID: B064530

Enclosed are the results of analyses for samples received by the laboratory on 6/23/2009. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers
Client Service Rep

Authorized Signature

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | | Receive Date: | Sampling Date: | Sample Depth: | Sample Matrix: | Delivery Work Order: | Global ID: | Location ID (FieldPoint): | Matrix: | Sample QC Type (SACode): | Cooler ID: |
|------------|---------------------------|------|--|------------------|------------------|---------------|----------------|----------------------|-------------|---------------------------|---------|--------------------------|------------|
| 0908212-01 | COC Number: | --- | | 06/23/2009 20:55 | 06/23/2009 07:00 | --- | Water | | T0600101463 | U-6 | W | CS | |
| | Project Number: | 5325 | | | | | | | | | | | |
| | Sampling Location: | --- | | | | | | | | | | | |
| | Sampling Point: | U-6 | | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | | |
| 0908212-02 | COC Number: | --- | | 06/23/2009 20:55 | 06/23/2009 08:50 | --- | Water | | T0600101463 | U-3 | W | CS | |
| | Project Number: | 5325 | | | | | | | | | | | |
| | Sampling Location: | --- | | | | | | | | | | | |
| | Sampling Point: | U-3 | | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | | |
| 0908212-03 | COC Number: | --- | | 06/23/2009 20:55 | 06/23/2009 09:27 | --- | Water | | T0600101463 | U-4 | W | CS | |
| | Project Number: | 5325 | | | | | | | | | | | |
| | Sampling Location: | --- | | | | | | | | | | | |
| | Sampling Point: | U-4 | | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | | |
| 0908212-04 | COC Number: | --- | | 06/23/2009 20:55 | 06/23/2009 09:40 | --- | Water | | T0600101463 | U-5 | W | CS | |
| | Project Number: | 5325 | | | | | | | | | | | |
| | Sampling Location: | --- | | | | | | | | | | | |
| | Sampling Point: | U-5 | | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | | |




TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Fartan

Reported: 07/07/2009 8:29

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | | | | |
|------------|---------------------------|------|--|----------------|------------------|-------------------------------|
| 0908212-05 | COC Number: | --- | | Receive Date: | 06/23/2009 20:55 | Delivery Work Order: |
| | Project Number: | 5325 | | Sampling Date: | 06/23/2009 10:00 | Global ID: T0600101463 |
| | Sampling Location: | --- | | Sample Depth: | --- | Location ID (FieldPoint): U-1 |
| | Sampling Point: | U-1 | | Sample Matrix: | Water | Matrix: W |
| | Sampled By: | TRCI | | | | Sample QC Type (SACode): CS |
| | | | | | | Cooler ID: |
| 0908212-06 | COC Number: | --- | | Receive Date: | 06/23/2009 20:55 | Delivery Work Order: |
| | Project Number: | 5325 | | Sampling Date: | 06/23/2009 10:20 | Global ID: T0600101463 |
| | Sampling Location: | --- | | Sample Depth: | --- | Location ID (FieldPoint): U-2 |
| | Sampling Point: | U-2 | | Sample Matrix: | Water | Matrix: W |
| | Sampled By: | TRCI | | | | Sample QC Type (SACode): CS |
| | | | | | | Cooler ID: |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan


Reported: 07/07/2009 8:29

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0908212-01 | | Client Sample Name: 5325, U-6, 6/23/2009 7:00:00AM | | | | | | | | | | | |
|--|--------|--|----------------------|-----|------------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | i | BSF1905 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | i | BSF1905 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Ethanol | ND | ug/L | 250 | | EPA-8260 | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | Luft-GC/MS | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 91.8 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | i | BSF1905 | | |
| Toluene-d8 (Surrogate) | 91.8 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | i | BSF1905 | | |
| 4-Bromofluorobenzene (Surrogate) | 103 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 16:42 | SDU | MS-V10 | 1 | BSF1905 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Fartan

Reported: 07/07/2009 8:29

Water Analysis (General Chemistry)

| | | | | | | | | | | | | | |
|-----------------------|---------------|----------------------------|--------------------------------|------------|---------------|------------------|----------------------|----------------|-----------------------|-----------------|--------------------|----------------|------------------|
| BCL Sample ID: | 0908212-01 | Client Sample Name: | 5325, U-6, 6/23/2009 7:00:00AM | | | | | | | | | | |
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Nitrate as N | 0.26 | mg/L | 0.10 | | EPA-300.0 | 06/23/09 | 06/24/09 05:49 | CRR | IC2 | 1 | BSF1668 | ND | |
| Iron (II) Species | 12000 | ug/L | 500 | | SM-3500-FeC | 06/24/09 | 06/24/09 00:30 | MRM | SPEC05 | 5 | BSF1605 | ND | A01 |
| ortho-Phosphate | 0.68 | mg/L | 0.050 | | EPA-365.1 | 06/24/09 | 06/24/09 07:57 | TDC | KONE-1 | 1 | BSF1650 | ND | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



BC Laboratories, Inc.

Environmental Testing Laboratory Since 1949



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan


Reported: 07/07/2009 8:29

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0908212-02 | | Client Sample Name: 5325, U-3, 6/23/2009 8:50:00AM | | | | | | | | | | | |
|--|-------------|--|----------------------|-----|-----------------|-----------------|-----------------------|------------|----------------|----------|----------------|-----------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Methyl t-butyl ether | 0.65 | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | i | BSF1905 | ND | |
| Ethanol | ND | ug/L | 250 | | EPA-8260 | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | i | BSF1905 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | Luft-GC/MS | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | i | BSF1905 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 98.5 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | 1 | BSF1905 | | |
| Toluene-d8 (Surrogate) | 94.4 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | 1 | BSF1905 | | |
| 4-Bromofluorobenzene (Surrogate) | 102 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 16:59 | SDU | MS-V10 | 1 | BSF1905 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29

Water Analysis (General Chemistry)

| BCL Sample ID: 0908212-02 | | Client Sample Name: 5325, U-3, 6/23/2009 8:50:00AM | | | | | | | | | | | | |
|---------------------------|--------|--|-------|-----|-------------|----------|-----------|---------|--------------------|----------|----------|---------|-------|--|
| Constituent | Result | Units | PQL | MDL | Method | Prep | Run | | Instru- ment ID | Dilution | QC | MB | Lab | |
| | | | | | | Date | Date/Time | Analyst | | | Batch ID | Bias | Quals | |
| Nitrate as N | 4.4 | mg/L | 0.10 | | EPA-300.0 | 06/23/09 | 06/24/09 | 06:43 | CRR | IC2 | 1 | BSF1668 | ND | |
| Iron (II) Species | ND | ug/L | 100 | | SM-3500-FeI | 06/24/09 | 06/24/09 | 00:30 | MRM | SPEC05 | 1 | BSF1605 | ND | |
| ortho-Phosphate | 0.67 | mg/L | 0.050 | | EPA-365.1 | 06/24/09 | 06/24/09 | 07:57 | TDC | KONE-1 | 1 | BSF1650 | ND | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Fartan

Reported: 07/07/2009 8:29

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0908212-03 | | Client Sample Name: 5325, U-4, 6/23/2009 9:27:00AM | | | | | | | | | | | |
|--|--------|--|----------------------|-----|------------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Ethanol | ND | ug/L | 250 | | EPA-8260 | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | Luft-GC/MS | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 93.2 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | | |
| Toluene-d8 (Surrogate) | 98.4 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | | |
| 4-Bromofluorobenzene (Surrogate) | 107 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 17:17 | SDU | MS-V10 | 1 | BSF1905 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29

Water Analysis (General Chemistry)


| BCL Sample ID: 0908212-03 | | Client Sample Name: 5325, U-4, 6/23/2009 9:27:00AM | | | | | | | | | | | |
|---------------------------|--------|--|-------|-----|-------------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quafs |
| Nitrate as N | 4.2 | mg/L | 0.10 | | EPA-300.0 | 06/23/09 | 06/24/09 06:57 | CRR | IC2 | 1 | BSF1668 | ND | |
| Iron (II) Species | ND | ug/L | 100 | | SM-3500-FeI | 06/24/09 | 06/24/09 00:30 | MRM | SPEC05 | 1 | BSF1605 | ND | |
| ortho-Phosphate | 0.37 | mg/L | 0.050 | | EPA-365.1 | 06/24/09 | 06/24/09 07:57 | TDC | KONE-1 | 1 | BSF1650 | ND | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



BC Laboratories, Inc.

Environmental Testing Laboratory Since 1949



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0908212-04 | | Client Sample Name: 5325, U-5, 6/23/2009 9:40:00AM | | | | | | | | | | | |
|---|------------|--|----------------------|-----|-------------------|-----------------|-----------------------|------------|----------------|----------|----------------|-----------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | i | BSF1905 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | i | BSF1905 | ND | |
| Methyl t-butyl ether | 7.1 | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | i | BSF1905 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Ethanol | ND | ug/L | 250 | | EPA-8260 | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| Total Purgeable Petroleum Hydrocarbons | 80 | ug/L | 50 | | Luft-GC/MS | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | 1 | BSF1905 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 101 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | 1 | BSF1905 | | |
| Toluene-d8 (Surrogate) | 95.2 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | 1 | BSF1905 | | |
| 4-Bromofluorobenzene (Surrogate) | 104 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 06/26/09 | 07/01/09 17:35 | SDU | MS-V10 | 1 | BSF1905 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anu Fartan


Reported: 07/07/2009 8:29

Water Analysis (General Chemistry)

| BCL Sample ID: 0908212-04 | | Client Sample Name: 5325, U-5, 6/23/2009 9:40:00AM | | | | | | | | | | | |
|---------------------------|--------|--|-------|-----|-------------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Nitrate as N | 0.17 | mg/L | 0.10 | | EPA-300.0 | 06/23/09 | 06/24/09 07:11 | CRR | IC2 | 1 | BSF1668 | ND | |
| Iron (II) Species | 7000 | ug/L | 200 | | SM-3500-FeI | 06/24/09 | 06/24/09 00:30 | MRM | SPEC05 | 2 | BSF1605 | ND | A01 |
| ortho-Phosphate | 0.076 | mg/L | 0.050 | | EPA-365.1 | 06/24/09 | 06/24/09 07:57 | TDC | KONE-1 | 1 | BSF1650 | ND | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29


Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0908212-05 | | Client Sample Name: 5325, U-1, 6/23/2009 10:00:00AM | | | | | | | | | | | |
|---|-------------|---|----------------------|-----|-------------------|-----------------|-----------------------|------------|----------------|----------|----------------|-----------|------------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 2.5 | | EPA-8260 | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 |
| Ethylbenzene | 41 | ug/L | 2.5 | | EPA-8260 | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 |
| Methyl t-butyl ether | 10 | ug/L | 2.5 | | EPA-8260 | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 |
| Toluene | ND | ug/L | 2.5 | | EPA-8260 | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 |
| Total Xylenes | ND | ug/L | 5.0 | | EPA-8260 | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 |
| Ethanol | ND | ug/L | 1200 | | EPA-8260 | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 |
| Total Purgeable Petroleum Hydrocarbons | 4000 | ug/L | 250 | | Luft-GC/MS | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 |
| 1,2-Dichloroethane-d4 (Surrogate) | 105 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | | |
| Toluene-d8 (Surrogate) | 84.9 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | | S09 |
| 4-Bromofluorobenzene (Surrogate) | 98.4 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 06/29/09 | 07/01/09 09:52 | SDU | MS-V10 | 5 | BSF1906 | | |



Laboratories, Inc.

Environmental Testing Laboratory Since 1949



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan


Reported: 07/07/2009 8:29

Water Analysis (General Chemistry)

| BCL Sample ID: 0908212-05 | | Client Sample Name: 5325, U-1, 6/23/2009 10:00:00AM | | | | | | | | | | | |
|---------------------------|--------|---|-------|-----|-------------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Nitrate as N | ND | mg/L | 0.10 | | EPA-300.0 | 06/23/09 | 06/24/09 07:24 | CRR | IC2 | 1 | BSF1668 | ND | |
| Iron (II) Species | 23000 | ug/L | 1000 | | SM-3500-FeC | 06/24/09 | 06/24/09 00:30 | MRM | SPEC05 | 10 | BSF1605 | ND | A01 |
| ortho-Phosphate | 0.077 | mg/L | 0.050 | | EPA-365.1 | 06/24/09 | 06/24/09 07:57 | TDC | KONE-1 | 1 | BSF1650 | ND | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan


Reported: 07/07/2009 8:29

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0908212-06 | | Client Sample Name: 5325, U-2, 6/23/2009 10:20:00AM | | | | | | | | | | | | |
|--|--------|---|----------------------|-----|------------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|--|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals | |
| Benzene | 11 | ug/L | 2.5 | | EPA-8260 | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 | |
| Ethylbenzene | 140 | ug/L | 2.5 | | EPA-8260 | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 | |
| Methyl t-butyl ether | 150 | ug/L | 2.5 | | EPA-8260 | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 | |
| Toluene | ND | ug/L | 2.5 | | EPA-8260 | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 | |
| Total Xylenes | 7.2 | ug/L | 5.0 | | EPA-8260 | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 | |
| Ethanol | ND | ug/L | 1200 | | EPA-8260 | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 | |
| Total Purgeable Petroleum Hydrocarbons | 2900 | ug/L | 250 | | Luft-GC/MS | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | ND | A01 | |
| 1,2-Dichloroethane-d4 (Surrogate) | 104 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | | | |
| Toluene-d8 (Surrogate) | 96.3 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | | | |
| 4-Bromofluorobenzene (Surrogate) | 96.0 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 06/29/09 | 07/02/09 03:16 | SDU | MS-V10 | 5 | BSF1906 | | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A




TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29

Water Analysis (General Chemistry)

| | | | | | | | | | | | | | |
|-----------------------|---------------|--------------|--|------------|---------------|------------------|----------------------|----------------|-----------------------|-----------------|--------------------|----------------|------------------|
| BCL Sample ID: | 0908212-06 | | Client Sample Name: 5325, U-2, 6/23/2009 10:20:00AM | | | | | | | | | | |
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Nitrate as N | ND | mg/L | 0.10 | | EPA-300.0 | 06/23/09 | 06/24/09 07:38 | CRR | IC2 | 1 | BSF1668 | ND | |
| Iron (II) Species | 9500 | ug/L | 500 | | SM-3500-FeC | 06/24/09 | 06/24/09 00:30 | MRM | SPEC05 | 5 | BSF1605 | ND | A01 |
| ortho-Phosphate | 0.052 | mg/L | 0.050 | | EPA-365.1 | 06/24/09 | 06/24/09 07:59 | TDC | KONE-1 | 1 | BSF1650 | ND | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

| Constituent | Batch ID | QC Sample Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Percent Recovery | Control Limits | | Lab Quals |
|-----------------------------------|----------|------------------------|------------------|---------------|--------|-------------|-------|-----|------------------|----------------|------------------|-----------|
| | | | | | | | | | | RPD | Percent Recovery | |
| Benzene | BSF1905 | Matrix Spike | 0908078-10 | 0 | 23.010 | 25.000 | ug/L | | 92.0 | | 70 - 130 | |
| | | Matrix Spike Duplicate | 0908078-10 | 0 | 23.560 | 25.000 | ug/L | 2.4 | 94.2 | 20 | 70 - 130 | |
| Toluene | BSF1905 | Matrix Spike | 0908078-10 | 0 | 23.400 | 25.000 | ug/L | | 93.6 | | 70 - 130 | |
| | | Matrix Spike Duplicate | 0908078-10 | 0 | 23.250 | 25.000 | ug/L | 0.6 | 93.0 | 20 | 70 - 130 | |
| 1,2-Dichloroethane-d4 (Surrogate) | BSF1905 | Matrix Spike | 0908078-10 | ND | 9.9700 | 10.000 | ug/L | | 99.7 | | 76 - 114 | |
| | | Matrix Spike Duplicate | 0908078-10 | ND | 10.100 | 10.000 | ug/L | | 101 | | 76 - 114 | |
| Toluene-d8 (Surrogate) | BSF1905 | Matrix Spike | 0908078-10 | ND | 9.9700 | 10.000 | ug/L | | 99.7 | | 88 - 110 | |
| | | Matrix Spike Duplicate | 0908078-10 | ND | 9.8100 | 10.000 | ug/L | | 98.1 | | 88 - 110 | |
| 4-Bromofluorobenzene (Surrogate) | BSF1905 | Matrix Spike | 0908078-10 | ND | 9.9900 | 10.000 | ug/L | | 99.9 | | 86 - 115 | |
| | | Matrix Spike Duplicate | 0908078-10 | ND | 10.120 | 10.000 | ug/L | | 101 | | 86 - 115 | |
| Benzene | BSF1906 | Matrix Spike | 0908002-33 | 0 | 24.120 | 25.000 | ug/L | | 96.5 | | 70 - 130 | |
| | | Matrix Spike Duplicate | 0908002-33 | 0 | 23.890 | 25.000 | ug/L | 0.9 | 95.6 | 20 | 70 - 130 | |
| Toluene | BSF1906 | Matrix Spike | 0908002-33 | 0 | 23.490 | 25.000 | ug/L | | 94.0 | | 70 - 130 | |
| | | Matrix Spike Duplicate | 0908002-33 | 0 | 23.340 | 25.000 | ug/L | 0.6 | 93.4 | 20 | 70 - 130 | |
| 1,2-Dichloroethane-d4 (Surrogate) | BSF1906 | Matrix Spike | 0908002-33 | ND | 10.210 | 10.000 | ug/L | | 102 | | 76 - 114 | |
| | | Matrix Spike Duplicate | 0908002-33 | ND | 10.070 | 10.000 | ug/L | | 101 | | 76 - 114 | |
| Toluene-d8 (Surrogate) | BSF1906 | Matrix Spike | 0908002-33 | ND | 10.180 | 10.000 | ug/L | | 102 | | 88 - 110 | |
| | | Matrix Spike Duplicate | 0908002-33 | ND | 9.9400 | 10.000 | ug/L | | 99.4 | | 88 - 110 | |
| 4-Bromofluorobenzene (Surrogate) | BSF1906 | Matrix Spike | 0908002-33 | ND | 9.9700 | 10.000 | ug/L | | 99.7 | | 86 - 115 | |
| | | Matrix Spike Duplicate | 0908002-33 | ND | 9.8800 | 10.000 | ug/L | | 98.8 | | 86 - 115 | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618


Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29

Water Analysis (General Chemistry)

Quality Control Report - Precision & Accuracy

| Constituent | Batch ID | QC Sample Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Percent Recovery | Control Limits | | Lab Quals |
|-------------------|----------|------------------------|---------------------|------------------|---------|----------------|-------|-----|---------------------|----------------|---------------------|-----------|
| | | | | | | | | | | RPD | Percent Recovery | |
| Iron (II) Species | BSF1605 | Duplicate | 0908212-01 | 12149 | 12105 | | ug/L | 0.4 | | 10 | | |
| ortho-Phosphate | BSF1650 | Duplicate | 0908212-01 | 0.67849 | 0.66986 | | mg/L | 1.3 | | 10 | | |
| | | Matrix Spike | 0908212-01 | 0.67849 | 1.3322 | 0.64547 | mg/L | | 101 | | 90 - 110 | |
| | | Matrix Spike Duplicate | 0908212-01 | 0.67849 | 1.3212 | 0.64547 | mg/L | 1.4 | 99.6 | 10 | 90 - 110 | |
| Nitrate as N | BSF1668 | Duplicate | 0908212-01 | 0.25900 | 0.26800 | | mg/L | 3.4 | | 10 | | |
| | | Matrix Spike | 0908212-01 | 0.25900 | 5.2525 | 5.0505 | mg/L | | 98.9 | | 80 - 120 | |
| | | Matrix Spike Duplicate | 0908212-01 | 0.25900 | 5.2606 | 5.0505 | mg/L | 0.1 | 99.0 | 10 | 80 - 120 | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Fartan

Reported: 07/07/2009 8:29

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

| Constituent | Batch ID | QC Sample ID | QC Type | Result | Spike Level | PQL | Units | Percent Recovery | RPD | Control Limits | | Lab Quals |
|-----------------------------------|----------|--------------|---------|--------|-------------|------|-------|------------------|-----|------------------|-----|-----------|
| | | | | | | | | | | Percent Recovery | RPD | |
| Benzene | BSF1905 | BSF1905-BS1 | LCS | 23.060 | 25.000 | 0.50 | ug/L | 92.2 | | 70 - 130 | | |
| Toluene | BSF1905 | BSF1905-BS1 | LCS | 23.580 | 25.000 | 0.50 | ug/L | 94.3 | | 70 - 130 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BSF1905 | BSF1905-BS1 | LCS | 9.9500 | 10.000 | | ug/L | 99.5 | | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BSF1905 | BSF1905-BS1 | LCS | 10.200 | 10.000 | | ug/L | 102 | | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BSF1905 | BSF1905-BS1 | LCS | 10.090 | 10.000 | | ug/L | 101 | | 86 - 115 | | |
| Benzene | BSF1906 | BSF1906-BS1 | LCS | 23.220 | 25.000 | 0.50 | ug/L | 92.9 | | 70 - 130 | | |
| Toluene | BSF1906 | BSF1906-BS1 | LCS | 23.320 | 25.000 | 0.50 | ug/L | 93.3 | | 70 - 130 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BSF1906 | BSF1906-BS1 | LCS | 10.150 | 10.000 | | ug/L | 102 | | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BSF1906 | BSF1906-BS1 | LCS | 10.050 | 10.000 | | ug/L | 100 | | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BSF1906 | BSF1906-BS1 | LCS | 9.7400 | 10.000 | | ug/L | 97.4 | | 86 - 115 | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Fartan

Reported: 07/07/2009 8:29

Water Analysis (General Chemistry)

Quality Control Report - Laboratory Control Sample

| Constituent | Batch ID | QC Sample ID | QC Type | Result | Spike Level | PQL | Units | Percent Recovery | RPD | Control Limits | | Lab Quals |
|-------------------|----------|--------------|---------|---------|-------------|-------|-------|------------------|-----|------------------|-----|-----------|
| | | | | | | | | | | Percent Recovery | RPD | |
| Iron (II) Species | BSF1605 | BSF1605-BS1 | LCS | 2062.1 | 2000.0 | 100 | ug/L | 103 | | 90 - 110 | | |
| ortho-Phosphate | BSF1650 | BSF1650-BS1 | LCS | 0.62437 | 0.61320 | 0.050 | mg/L | 102 | | 90 - 110 | | |
| Nitrate as N | BSF1668 | BSF1668-BS1 | LCS | 4.7560 | 5.0000 | 0.10 | mg/L | 95.1 | | 90 - 110 | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

| Constituent | Batch ID | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|--|----------|--------------|-----------|-------|----------------------|-----|-----------|
| Benzene | BSF1905 | BSF1905-BLK1 | ND | ug/L | 0.50 | | |
| Ethylbenzene | BSF1905 | BSF1905-BLK1 | ND | ug/L | 0.50 | | |
| Methyl t-butyl ether | BSF1905 | BSF1905-BLK1 | ND | ug/L | 0.50 | | |
| Toluene | BSF1905 | BSF1905-BLK1 | ND | ug/L | 0.50 | | |
| Total Xylenes | BSF1905 | BSF1905-BLK1 | ND | ug/L | 1.0 | | |
| Ethanol | BSF1905 | BSF1905-BLK1 | ND | ug/L | 250 | | |
| Total Purgeable Petroleum Hydrocarbons | BSF1905 | BSF1905-BLK1 | ND | ug/L | 50 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BSF1905 | BSF1905-BLK1 | 99.4 | % | 76 - 114 (LCL - UCL) | | |
| Toluene-d8 (Surrogate) | BSF1905 | BSF1905-BLK1 | 96.6 | % | 88 - 110 (LCL - UCL) | | |
| 4-Bromofluorobenzene (Surrogate) | BSF1905 | BSF1905-BLK1 | 99.7 | % | 86 - 115 (LCL - UCL) | | |
| Benzene | BSF1906 | BSF1906-BLK1 | ND | ug/L | 0.50 | | |
| Ethylbenzene | BSF1906 | BSF1906-BLK1 | ND | ug/L | 0.50 | | |
| Methyl t-butyl ether | BSF1906 | BSF1906-BLK1 | ND | ug/L | 0.50 | | |
| Toluene | BSF1906 | BSF1906-BLK1 | ND | ug/L | 0.50 | | |
| Total Xylenes | BSF1906 | BSF1906-BLK1 | ND | ug/L | 1.0 | | |
| Ethanol | BSF1906 | BSF1906-BLK1 | ND | ug/L | 250 | | |
| Total Purgeable Petroleum Hydrocarbons | BSF1906 | BSF1906-BLK1 | ND | ug/L | 50 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BSF1906 | BSF1906-BLK1 | 99.4 | % | 76 - 114 (LCL - UCL) | | |
| Toluene-d8 (Surrogate) | BSF1906 | BSF1906-BLK1 | 101 | % | 88 - 110 (LCL - UCL) | | |
| 4-Bromofluorobenzene (Surrogate) | BSF1906 | BSF1906-BLK1 | 100 | % | 86 - 115 (LCL - UCL) | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Fartan

Reported: 07/07/2009 8:29


Water Analysis (General Chemistry)

Quality Control Report - Method Blank Analysis

| Constituent | Batch ID | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|-------------------|----------|--------------|-----------|-------|-------|-----|-----------|
| Iron (II) Species | BSF1605 | BSF1605-BLK1 | ND | ug/L | 100 | | |
| ortho-Phosphate | BSF1650 | BSF1650-BLK1 | ND | mg/L | 0.050 | | |
| Nitrate as N | BSF1668 | BSF1668-BLK1 | ND | mg/L | 0.10 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5325
Project Number: 4511030514
Project Manager: Anju Farfan

Reported: 07/07/2009 8:29

Notes And Definitions

- MDL Method Detection Limit
- ND Analyte Not Detected at or above the reporting limit
- PQL Practical Quantitation Limit
- RPD Relative Percent Difference
- A01 PQL's and MDL's are raised due to sample dilution.
- S09 The surrogate recovery on the sample for this compound was not within the control limits.

Submission #: 09-8212

| | |
|--|---|
| SHIPPING INFORMATION Federal Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____ | SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____ |
|--|---|

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals Ice Chest Containers None Comments: _____
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received
 YES NO

Emissivity: 0.98 Container: VOA Thermometer ID: Inie3 Date/Time 10/23/09 ²⁰⁵³
 Temperature: A 0.9 °C / C 0.0 °C Analyst Init JDW

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
|--------------------------------------|----------------|-----|-----|-----|-----|------|-----|-----|-----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| QT GENERAL MINERAL/ GENERAL PHYSICAL | | | | | | | | | | |
| PT PE UNPRESERVED | C | C | C | C | C | C | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| 2oz. NITRATE / NITRITE | | | | | | | | | | |
| PT TOTAL ORGANIC CARBON | | | | | | | | | | |
| PT TOX | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PIA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | |
| 40ml VOA VIAL | A.3 | A.3 | A.3 | A.3 | A.3 | D.O. | () | () | () | () |
| QT EPA 413.1, 413.2, 418.1 | | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | |
| QT EPA 508/608/8080 | | | | | | | | | | |
| QT EPA 515.1/8150 | | | | | | | | | | |
| QT EPA 525 | | | | | | | | | | |
| QT EPA 525 TRAVEL BLANK | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | |
| QT EPA 548 | | | | | | | | | | |
| QT EPA 549 | | | | | | | | | | |
| QT EPA 632 | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | |
| QT AMBER | | | | | | | | | | |
| 8 OZ. JAR | | | | | | | | | | |
| 32 OZ. JAR | | | | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | |
| FERROUS IRON | B | B | B | B | B | B | | | | |
| ENCORE | | | | | | | | | | |

CHK BY: [Signature] DISTRIBUTION: [Signature]
 SUB-OUT

SHORT HOLDING TIME
 OF NO. (NO) (NO) (NO) 55
 DO CL 200 MBAS COT

Comments: _____
 Sample Numbering Completed By: ALM Date/Time: 06-23-09 2205

A = Actual / C = Corrected

TO REORDER CALL PROFORMA SOLUTIONS FOR PRINTING (661) 633-1117 781488

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
 (661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

09-8212

Analysis Requested

| Bill to: Conoco Phillips/ TRC | | Consultant Firm: TRC | | MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge | BTEX/MTBE by 8021B, Gas by 8015 TPH GAS by 8015M TPH DIESEL by 8015 8260 full list w/ oxygenates BTEX/MTBE/ BY 8260B ETHANOL by 8260B TPH -G by GC/MS | Nitrate, Ortho-Phosphate Ferrous Iron | Turnaround Time Requested |
|---|--------------------|---|---------------------|--|--|--|---------------------------|
| Address: <i>3220 Lakeshore Ave.</i> | | 21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan | | | | | |
| City: <i>Oakland</i> | | 4-digit site#: <i>5325</i> | | | | | |
| State: CA Zip: | | Workorder # <i>01394-4511030514</i> | | | | | |
| Conoco Phillips Mgr: <i>Terry Grayson</i> | | Project #: <i>165521</i> | | | | | |
| Sampler Name: <i>Basilio Del Real</i> | | | | | | | |
| Lab# | Sample Description | Field Point Name | Date & Time Sampled | | | | |
| | <i>-1 U-6</i> | <i>U-6</i> | <i>6-23-09 0700</i> | <i>fw</i> | | | |
| | <i>-2 U-3</i> | <i>U-3</i> | <i>0850</i> | | | | |
| | <i>-3 U-4</i> | <i>U-4</i> | <i>0927</i> | | | | |
| | <i>-4 U-5</i> | <i>U-5</i> | <i>0940</i> | | | | |
| | <i>-5 U-1</i> | <i>U-1</i> | <i>1000</i> | | | | |
| | <i>-8 U-2</i> | <i>U-2</i> | <i>1020</i> | | | | |

| | | | |
|---|--|------------------|-------------------------------------|
| Comments: <i>"Run 80X45 by 8260 on all MTBE hits"</i> GLOBAL ID: <i>T0600101463</i> | Relinquished by: (Signature) | Received by: | Date & Time <i>6/23/09 1338</i> |
| | Relinquished by: (Signature) | Received by: | Date & Time <i>6-23-09 1740</i> |
| | Relinquished by: (Signature) <i>R. Grayson 6-23-09 2055</i> | Received by: | Date & Time <i>06-23-09 2055</i> |

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.