


Advanced GeoEnvironmental, Inc.



06 August 2012
AGE-NC Project No. 03-1101

RECEIVED

Mr. Reed Rinehart
Rino Pacific, LLC
2401 North State Street
Ukiah, California 95482

11:58 am, Aug 14, 2012

Alameda County
Environmental Health

Subject: **Semi-Annual Report - January to June 2012**
RINO PACIFIC/OAKLAND TRUCK STOP
ACEHS Fuel Leak Case No. RO0000234
1107 5th Street, Oakland, California

Dear Mr. Rinehart:

At your request, Advanced GeoEnvironmental, Inc. has prepared the enclosed semi-annual report for the above-referenced site. The scope of work for this period included semi-annual ground water monitoring and sampling, and preparation of this report. A Copy of the this report will be provided to Alameda County Environmental Health Services (ACEHS).

The opportunity to provide this service is greatly appreciated. If you have any questions or require further information, please contact our office at (800) 511-9300.

Sincerely,

Advanced GeoEnvironmental, Inc.



Brian W. Millman
Senior Project Geologist
California Professional Geologist No. 8574

cc: Mr. Jerry Wickham - ACEHS

Advanced GeoEnvironmental, Inc.



06 August 2012
AGE-NC Project No. 03-1101

Mr. Jerry Wickham
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Subject: **Semi-Annual Report - January to June 2012**
RINO PACIFIC/OAKLAND TRUCK STOP
ACEHS Fuel Leak Case No. RO0000234
1107 5th Street, Oakland, California

Dear Mr. Wickham:

At the request of Rino Pacific, LLC, Advanced GeoEnvironmental, Inc. has prepared the enclosed semi-annual report for the above-referenced site. The scope of work for this period included performance of the second quarter 2012 ground water monitoring and sampling event.

If you have any questions or require further information, please contact our office at (800) 511-9300.

Sincerely,

Advanced GeoEnvironmental, Inc.

Brian W. Millman
Senior Project Geologist
California Professional Geologist No. 8574


PERJURY STATEMENT

Subject: RINO PACIFIC/OAKLAND TRUCK STOP
ACEHS Fuel Leak Case No. RO0000234
1107 5th Street, Oakland, California

" I declare under penalty of perjury, that the information and/or recommendations in the attached document or report is true or correct to the best of my knowledge"



Mr. Reed Rinehart
Rino Pacific, LLC
2401 North State Street
Ukiah, California 95482



Date


Semi-Annual Report - January to June 2012
RINO PACIFIC/OAKLAND TRUCK STOP (ACHES Fuel Leak Case No. RO0000234)
1107 5th Street, Oakland, California

06 August 2012
AGE-NC Project No. 03-1101

PREPARED FOR:

Mr. Reed Rinehart
RINO PACIFIC, LLC

PREPARED BY:



Advanced GeoEnvironmental, Inc.


Stockton • Santa Rosa • Monterey • Brea • Spokane • Reno • Dallas

(800) 511-9300

www.advgeoenv.com

Semi-Annual Report - January to June 2012
RINO PACIFIC/OAKLAND TRUCK STOP (ACEHS Fuel Leak Case No. RO0000234)
1107 5th Street, Oakland, California

06 August 2012
AGE-NC Project No. 03-1101



Advanced GeoEnvironmental, Inc.
Stockton • Santa Rosa • Monterey • Brea • Spokane • Reno • Dallas
(800) 511-9300
www.advgeoenv.com

PREPARED BY:



Dennis Michael Delaney
Senior Environmental Professional

PROJECT MANAGER:


Brian W. Millman
Senior Project Geologist
California Professional Geologist No. 8574

REVIEWED BY:


William R. Little
Senior Project Geologist
California Professional Geologist No. 7473



Semi-Annual Report - January to June 2012
RINO PACIFIC/OAKLAND TRUCK STOP
1107 5th Street, Oakland, California

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
1.0. INTRODUCTION.....	1
2.0. GROUND WATER MONITORING AND SAMPLING.....	1
3.0. FINDINGS.....	1
5.1. GROUND WATER FLOW DIRECTION AND GRADIENT.....	2
5.2. GROUND WATER ANALYTICAL RESULTS.....	2
4.0. CONCLUSIONS.....	3
5.0. RECOMMENDATIONS.....	4
6.0. LIMITATIONS.....	4

FIGURES

Figure 1 - *Location Map*
Figure 2 - *Site Plan*
Figure 3 - *Ground Water Elevation*
Figure 4 - *Estimated Lateral Extent of Dissolved TPH-g*
Figure 5 - *Estimated Lateral Extent of Dissolved TPH-d*
Figure 6 - *Estimated Lateral Extent of Dissolved MTBE*

TABLES

Table 1 - *Well Construction Details*
Table 2 - *Ground Water Elevation Data*
Table 3 - *Analytical Results of Ground Water Samples*

Semi-Annual Report - January to June 2012
RINO PACIFIC/OAKLAND TRUCK STOP
1107 5th Street, Oakland, California

TABLE OF CONTENTS

APPENDICES

- Appendix A - *Site Background Information*
- Appendix B - *Monitoring and Sampling Procedures*
- Appendix C - *Field Logs*
- Appendix D - *Cal Tech Laboratory Report*
- Appendix E - *Trend Graphs for MW-4, MW-5, MW-7, MW-8 and MW-14*

Semi-Annual Report - January to June 2012
RINO PACIFIC/OAKLAND TRUCK STOP
1107 5th Street, Oakland, California

1.0. INTRODUCTION

At the request of Rino Pacific LLC, Advanced GeoEnvironmental, Inc. (AGE) has prepared this *Semi-Annual Report - 2012 (January to June)* for the site located at 1107 5th Street, Oakland, California. This report presents the results of the second quarter 2012 ground water monitoring and sampling event. The site and surrounding area are illustrated in Figure 1. On-site structures, soil borings, well locations and other features are illustrated in Figure 2. Site background information is provided in Appendix A.

The goals of the ground water monitoring program are to assess site ground water for seasonal variation of elevation, gradient, and flow direction, and to assess the impact of petroleum hydrocarbon compounds and fuel oxygenating compounds in shallow ground water beneath the site. This report has been prepared in accordance with the Regional Water Quality Control Board's (RWQCB) *Appendix A - Reports, Tri-Regional Board Staff Recommendations for Preliminary Investigation and Evaluation of Underground Tank Sites*.

2.0. GROUND WATER MONITORING AND SAMPLING

On 23 May 2012, a ground water monitoring and sampling event was conducted at the site. Depth to ground water was measured in wells MW-1, MW-3N, MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-11, MW-13R, MW-14 and MW-15. On 23 May 2012 wells MW-5, MW-7, MW-8, and MW-14 were purged and sampled in accordance with the ground water monitoring program approved by the ACEHS in an email, dated 20 March 2009. The ground water monitoring program and ground water sampling procedures are presented in Appendix B.

3.0. FINDINGS

Ground water elevation and flow direction at the site were determined from field data. Well construction details are presented in Table 1 and depth to ground water measurements are summarized in Table 2. The hydrocarbon impact to ground water was quantified by laboratory analysis of the ground water samples. Analytical results are summarized in Table 3.

3.1. GROUND WATER FLOW DIRECTION AND GRADIENT

The depth to ground water was calculated by subtracting the depth to water from the surveyed casing elevation. Ground water flow direction and gradient were inferred from the data collected.

On 23 May 2012, the depth to ground water ranged between 1.62 feet (MW-10) and 5.82 feet (MW-13R) below the top of casing (btoc). Ground water elevations at the site ranged between 5.59 feet (MW-4) and 7.80 feet (MW-9) above North American Vertical Datum 88 (NAVD88). The average ground water elevation during the 23 May 2012 monitoring event was approximately 6.30 feet above NAVD88. Ground water elevations have increased approximately 0.17 feet since the previous monitoring event in December 2011. The GeoTracker confirmation number of the submitted depth to water electronic deliverable format data (EDD) file number is 1204589784.

Generally, ground water was inferred to be flowing toward the north at an average hydraulic gradient of approximately 0.026 foot/foot (ft/ft) in the southern portion of the site and at gradients ranging between 0.003 ft/ft and 0.013 ft/ft in the northern portion of the site (Figure 3). Depth to water and ground water elevations are summarized in Table 2. Ground water monitoring field logs are included in Appendix C.

3.2. GROUND WATER ANALYTICAL RESULTS

The hydrocarbon-impact to ground water was quantified by laboratory analysis of ground water samples collected from wells MW-5, MW-7, MW-8, and MW-14 on 23 May 2012. The results are as follows:

- Total petroleum hydrocarbons quantified as gasoline (TPH-g) were detected in ground water samples collected from wells MW-5, MW-7, MW-8, and MW-14 at concentrations of 34,000 micrograms per liter ($\mu\text{g/l}$), 56,000 $\mu\text{g/l}$, 4,900 $\mu\text{g/l}$, and 1,000 $\mu\text{g/l}$, respectively. The estimated lateral extent of dissolved TPH-g is illustrated in Figure 4.
- Total petroleum hydrocarbons quantified as diesel (TPH-d) were detected in ground water samples collected from wells MW-5, MW-7, MW-8 and MW-14 at concentrations of 40,000 $\mu\text{g/l}$, 62,000 $\mu\text{g/l}$, 4,800 $\mu\text{g/l}$, and 880 $\mu\text{g/l}$, respectively. The estimated lateral extent of dissolved TPH-d is illustrated in Figure 5.
- Benzene was detected in ground water samples collected from wells MW-5, MW-7, and MW-14 at concentrations of 5.0 $\mu\text{g/l}$, 2,800 $\mu\text{g/l}$, and 54 $\mu\text{g/l}$, respectively.

- Toluene, ethylbenzene, and total xylenes were detected in ground water samples collected from wells MW-5, MW-7, and MW-14 at maximum concentrations of 31 µg/l, 180 µg/l, and 158 µg/l (MW-7).
- Methyl tertiary butyl ether (MTBE) was detected in ground water samples collected from wells MW-7, MW-8, and MW-14 at concentrations of 1,900 µg/l, 13 µg/l, and 300 µg/l, respectively. The estimated lateral extent of dissolved MTBE is illustrated in Figure 6.
- Tertiary-butyl alcohol (TBA) was detected in ground water samples collected from wells MW-5, MW-7 MW-8 and MW-14 at concentrations of 9,900 µg/l, 74,000 µg/l, 9,700 µg/l, and 290 µg/l, respectively.
- Tertiary-amyl methyl ether (TAME) was detected in ground water samples collected from wells MW-7 and MW-14 at respective concentrations of 35 µg/l and 2.2 µg/l.

No other analytes were reported in ground water samples collected during the May 2012 sampling event. Analytical results of ground water samples are summarized in Table 3. The laboratory report (Cal Tech Environmental Laboratories Project. No. CT214-1205159), quality assurance/quality control report, and chain-of-custody form are included in Appendix D. The electronic deliverable format (EDF) files were uploaded to the State GeoTracker database, the confirmation number is 5462753236.

4.0. CONCLUSIONS

Based upon the environmental activities completed, AGE concludes:

- TPH-g and TPH-d concentrations increased moderately in ground water samples collected from wells MW-5 and MW-7 and increased significantly in samples collected from wells MW-8 and MW-14 compared to the previous sampling event in December 2011; TPH-d concentrations were detected for the first time in well MW-14 since September 2009.
- BTEX compounds were detected for the first time in samples collected from well MW-14 and for the first time since 2008 in samples collected from well MW-5. BTEX compounds remained non-detect in samples collected from well MW-8, and increased moderately in samples collected from well MW-7 compared to the previous sampling event in December 2011.
- MTBE concentrations remained non-detect in samples collected from well MW-5, increased slightly in MW-8, and increased moderately in samples collected from wells MW-7 and MW-14 compared to the previous sampling event in December 2011.

- TBA concentrations increased in ground water samples collected from wells MW-5, MW-7, MW-8, and MW-14 compared to the previous sampling event in December 2011.
- TAME concentrations remained non-detect in samples collected from wells MW-5 and MW-8 and increased slightly in wells MW-7 and MW-14 compared to the previous sampling event in December 2011.
- Since the termination of ozone remediation at the site in January 2011, petroleum hydrocarbon concentrations have slowly been increasing (Table 3). However, similar fluctuations in hydrocarbon concentrations were observed between September 2005 and January 2011 during operation of the ozone remediation systems. Trend graphs depicting petroleum hydrocarbon concentrations versus time for wells MW-4, MW-5, MW-7, MW-8, and MW-14 are presented in Appendix E.

5.0. RECOMMENDATIONS


Based upon a review of the data collected at the site, AGE recommends:

- Continuation of the reduced, semi-annual ground water monitoring schedule. The next semi-annual monitoring event will be scheduled for November 2012.
- Immediate initiation of the pilot test proposed in the AGE-prepared, *Revised Remediation Feasibility Study Report* dated 07 May 2012 upon approval from the ACEHS.

6.0. LIMITATIONS

Our professional services were performed using that degree of care and skill ordinarily exercised by environmental consultants practicing in this or similar localities. The findings were based upon field measurements and analytical results provided by an independent laboratory. Evaluations of the hydrogeologic conditions at the site for the purpose of this investigation are made from a limited number of available data points (i.e. ground water samples) and subsurface conditions may vary away from these data points. No other warranty, expressed or implied, is made as to the professional interpretations, opinions and recommendations contained in this report.

FIGURES



OAKLAND WEST QUADRANGLE, CALIFORNIA
7.5 MINUTE SERIES (U.S. GEOLOGICAL SURVEY)

SCALE
0 2000 4000
FEET

LOCATION MAP
RINI PACIFIC/OAKLAND TRUCK STOP
1107 5TH STREET
OAKLAND, CALIFORNIA




Advanced
GeoEnvironmental, Inc.
www.advgeoenv.com

PROJECT NO.	FILE:	FIGURE:
AGE-NC-03-1101	LOCATION	1


DATE: DECEMBER 2011

DRAWN BY: MAC




NOTES
 NOACC: NO ACCESS TO WELL
 FT/FT: FOOT PER FOOT
 NAVD: NA Vertical Datum 88

23 MAY 2012




NOTES:
 NS: NOT SAMPLED
 TPH-G: TOTAL PETROLEUM HYDROCARBONS
 QUANTIFIED AS GASOLINE
 UG/L: MICROGRAMS PER LITER
 GROUND WATER SAMPLES COLLECTED FROM
 WELLS MW-1, MW-3N, MW-4, MW-9, MW-13R,
 AND MW15 IN DECEMBER 2011

23 MAY 2012




NOTES:
 NS: NOT SAMPLED
 TPH-D: TOTAL PETROLEUM HYDROCARBONS
 QUANTIFIED AS DIESEL
 UG/L: MICROGRAMS PER LITER
 GROUND WATER SAMPLES COLLECTED FROM
 WELLS MW-1, MW-3N, MW-4, MW-9, MW-13R,
 AND MW15 IN DECEMBER 2011

23 MAY 2012



NOTES:
 NS: NOT SAMPLED
 MTBE: METHYL TERTIARY BUTYL ETHER
 UG/L: MICROGRAMS PER LITER
 GROUND WATER SAMPLES COLLECTED FROM
 WELLS MW-1, MW-3N, MW-4, MW-9, MW-13R,
 AND MW15 IN DECEMBER 2011

23 MAY 2012



TABLES

TABLE 1
WELL CONSTRUCTION DETAILS
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California

Well ID	Installation Date	Borehole Diameter (inch)	Total Depth (feet)	Casing Diameter (inch)	Casing Material	Slot Size (inch)	Filter Pack	Casing Elevation (feet MSL) ¹	Screen Interval (feet bsg)	Filter Pack Interval (feet bsg)	Bentonite Interval (feet bsg)	Grout Interval (feet bsg)
GROUND WATER MONITORING WELLS												
MW-1	11-1996	8	-	2	PVC	-	-	10.02	10 to 20	-	-	-
MW-2	11-1996	8	-	2	PVC	-	-	-	12 to 17	-	-	-
MW-3	11-1996	8	-	2	PVC	-	-	-	8 to 13	-	-	-
MW-3N	05-2002	8	15	2	PVC	-	-	11.36	5 to 12	-	-	-
MW-4	08-2000	8	20	2	PVC	-	-	10.16	5 to 20	-	-	-
MW-5	08-2000	8	-	2	PVC	-	-	10.19	5 to 20	-	-	-
MW-6	08-2000	8	20	2	PVC	-	-	10.33	5 to 20	-	-	-
MW-7	08-2000	8	-	2	PVC	-	-	11.41	5 to 20	-	-	-
MW-8	08-2000	8	-	2	PVC	-	-	9.73	5 to 20	-	-	-
MW-9	08-2000	8	-	2	PVC	-	-	9.73	5 to 20	-	-	-
MW-10	05-2002	8	-	2	PVC	-	-	9.42	5 to 12	-	-	-
MW-11	05-2002	8	30	2	PVC	-	-	10.77	5 to 20	-	-	-
MW-12*	10-2004	8	20	2	PVC	0.020	#2/12	10.59	5 to 20	4 to 20	1.5 to 4	0.5 to 1.5
MW-13*	10-2004	8	20	2	PVC	0.020	#2/12	11.29	5 to 20	4 to 20	1.5 to 4	0.5 to 1.5
MW-14	10-2004	8	20	2	PVC	0.020	#2/12	11.39	5 to 20	4 to 20	1.5 to 4	0.5 to 1.5
MW-15	09-20-2007	8	20.5	2	PVC	0.010	#2/12	11.38	5 to 20	3 to 20.5	2 to 3	0.5 to 2
MW-16*	09-20-2007	8	20.5	2	PVC	0.010	#2/12	10.36	5 to 20	3 to 20.5	2 to 3	0.5 to 2
MW-13R	10-04-2011	8	20	2	PVC	0.020	#3	11.56	5 to 20	4 to 20	2 to 4	0.5 to 2

TABLE 1
WELL CONSTRUCTION DETAILS
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California

REMEDIALION WELLS											
Well ID	Installation Date	Borehole Diameter (inch)	Total Depth	Blank Casing Diameter (inch)	Casing Material	Micro-sparge diameter (inch)	Filter Pack	Sparge Interval	Filter Pack Interval (feet bsg)	Bentonite Interval (feet bsg)	Grout Interval (feet bsg)
OZ-1 thru OZ10	03-2004	8	12.5	1	PVC	2	#2/12	10 to 12	9 to 12.5	-	-
OZ-11 thru OZ20	10-2004	8	15	1	PVC	2	#2/12	11 to 13	9 to 15	7 to 9	1.5 to 7
OZ6R	7/19/2007	8	14	1	PVC	1	#3	11 to 13	9 to 14	6 to 9	1 to 6
OZ7R	7/19/2007	8	14	1	PVC	1	#3	11 to 13	9 to 14	6 to 9	1 to 6
OZ10R	7/19/2007	8	14	1	PVC	1	#3	11 to 13	9 to 14	6 to 9	1 to 6
OZ16R	7/19/2007	8	14	1	PVC	1	#3	11 to 13	9 to 14	6 to 9	1 to 6
OZ17R	7/19/2007	8	14	1	PVC	1	#3	11 to 13	9 to 14	6 to 9	1 to 6
DESTROYED WELLS											
Well ID	Date Destroyed										
MW-2	12-30-1998										
MW-3	02-15-2002										
OZ-6	04-2007										
OZ-7	04-2007										
OZ-10	04-2007										
OZ-16	04-2007										
OZ-17	04-2007										

Notes:

MSL: mean sea level

- : Indicates data is not known

bsg: below surface grade

MW: monitoring well

OZ: ozone sparge well

Casing elevations re-surveyed 02/02 2007.

MW-4, MW-15 and MW-16 surveyed on 30 November 2007. Performed by Morrow Surveying, Inc. relative to vertical datum NAVD 88 from GPS observations.

*: Well destroyed in 2011

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
10.34' MW-1 (10 - 20 ft bsg)	10/21/96	5.08	5.26
	11/04/96	3.02	7.32
	03/04/97	2.28	8.06
	06/12/97	4.80	5.54
	07/14/97	2.66	7.68
	09/09/97	2.45	7.89
	09/19/97	2.60	7.74
	02/13/98	2.76	7.58
	07/07/98	2.15	8.19
	10/01/98	3.63	6.71
	12/30/98	4.40	5.94
	03/21/00	2.62	7.72
	08/30/00	3.21	7.13
	11/06/00	3.10	7.24
	02/22/01	3.50	6.84
	05/07/01	2.94	7.40
	08/22/01	3.70	6.64
	11/04/01	3.89	6.45
	02/15/02	2.95	7.39
	05/20/02	3.39	7.05
	08/01/02	3.51	6.83
	11/11/02	4.00	6.34
	02/12/03	3.40	6.94
	05/12/03	3.65	6.69
	08/12/03	3.04	7.30
	01/09/04	4.64	5.70
	04/14/04	6.45	3.89
	07/21/04	3.55	6.79
	10/20/04	4.00	6.34
	03/19/05	2.54	7.80
	06/25/05	2.76	7.58
	09/17/05	3.88	6.46
	12/26/05	3.83	6.51
	03/26/06	4.09	6.25
	06/03/06	2.91	7.43
	08/30/06	3.62	6.72
	12/04/06	3.98	6.04

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
10.02** MW-1 (10 - 20 ft bsg)	02/28/07	2.90	7.12
	05/29/07	3.84	6.18
	08/20/07	4.21	5.81
	10/25/07	3.75	6.27
	01/25/08	3.60	6.42
	04/30/08	3.93	6.09
	07/30/08	4.19	5.83
	10/23/08	4.57	5.45
	03/26/09	3.64	6.38
	06/05/09	3.80	6.22
	09/09/09	noacc	-
	11/12/09	3.63	6.39
	02/18/10	3.20	6.82
	05/17/10	3.28	6.74
	11/23/10	3.11	6.91
	05/20/11	3.47	6.55
	12/01/11	4.18	5.84
	05/23/12	3.70	6.32

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
11.67'	05/20/02	3.91	7.76
	08/01/02	4.22	7.45
	11/11/02	4.42	7.25
	02/12/03	3.71	7.96
	05/12/03	3.49	8.18
	08/12/03	4.18	7.49
	01/09/04	3.78	7.89
	04/14/04	4.01	7.66
	07/21/04	4.90	6.77
	10/20/04	5.28	6.39
	03/19/05	3.10	8.57
	06/25/05	3.10	8.57
	06/25/05	3.83	7.84
	09/17/05	4.94	6.73
	12/26/05	3.64	8.03
	03/23/06	2.86	8.81
	06/03/06	3.45	8.22
	08/30/06	4.78	6.89
	12/04/06	4.90	6.46
	02/28/07	3.36	8.00
	05/29/07	4.55	6.81
	08/20/07	5.40	5.96
11.36*	10/25/07	4.97	6.39
	01/25/08	3.69	7.67
	04/30/08	4.69	6.67
	07/30/08	4.44	6.92
	10/23/08	5.98	5.38
	03/26/09	3.70	7.66
	06/05/09	4.68	6.68
	09/09/09	5.43	5.93
	11/12/09	4.66	6.70
	02/18/10	3.58	7.78
	05/17/10	4.01	7.35
	11/23/10	4.49	6.87
	05/20/11	4.30	7.06
	12/01/11	5.00	6.36
	05/23/12	4.22	7.14

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
10.46'	08/30/00	3.74	6.72
	11/06/00	3.85	6.61
	02/22/01	4.66	5.80
	05/07/01	2.66	7.80
	08/22/01	4.13	6.33
	11/04/01	4.53	5.93
	02/15/02	3.62	6.84
	05/20/02	3.65	6.81
	08/01/02	4.25	6.21
	11/11/02	4.85	5.61
	02/12/03	4.24	6.22
	05/12/03	4.20	6.26
	08/12/03	4.47	5.99
	01/09/04	3.92	6.54
	04/14/04	4.04	6.42
	07/21/04	4.55	5.91
	10/20/04	4.89	5.57
	03/19/05	3.51	6.95
	06/25/05	4.58	5.88
	09/17/05	4.54	5.92
	12/26/05	4.66	5.80
MW-4 (5 - 20 ft bsg)	03/23/06	3.80	6.66
	06/03/06	3.84	6.62
	08/30/06	4.75	5.71
	12/04/06	4.91	5.25
	02/28/07	4.18	5.98
	05/29/07	4.28	5.88
	08/20/07	4.82	5.34
	10/25/07	4.36	5.80
	01/25/08	3.75	6.41
	04/30/08	4.52	5.64
	07/30/08	4.76	5.40
	10/23/08	4.96	5.20
	03/26/09	4.39	5.77
	06/05/09	4.60	5.56
10.16*	09/09/09	4.74	5.42
	11/12/09	4.46	5.70
	02/18/10	4.15	6.01
	05/17/10	4.26	5.90
	11/23/10	5.56	4.60
	05/20/11	4.29	5.87
	12/01/11	4.50	5.43
	05/23/12	4.34	5.59
9.93**			

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
10.24' MW-5 (5 - 20 ft bsg)	08/30/00	3.01	7.23
	11/06/00	3.35	6.89
	02/22/01	3.00	7.24
	05/07/01	2.73	7.51
	08/22/01	3.88	6.36
	11/04/01	3.95	6.29
	02/15/02	2.84	7.40
	05/20/02	2.86	7.38
	08/01/02	3.21	7.03
	11/11/02	4.04	6.20
	02/12/03	3.12	7.12
	05/12/03	3.18	7.06
	08/12/03	3.75	6.49
	01/09/04	3.18	7.06
	04/14/04	3.15	7.09
	07/21/04	4.00	6.24
	10/20/04	4.49	5.75
	03/19/05	2.39	7.85
	06/25/05	2.77	7.47
	09/17/05	3.91	6.33
	12/26/05	3.46	6.78
	03/23/06	2.44	7.80
	06/03/06	2.55	7.69
	08/30/06	3.85	6.39
	12/04/06	4.37	5.82
	02/28/07	3.31	6.88
	05/29/07	4.45	5.74
	08/20/07	4.75	5.44
	10/25/07	4.21	5.98
	01/25/08	3.75	6.44
	04/30/08	4.33	5.86
	07/30/08	4.75	5.44
	10/23/08	5.01	5.18
	03/26/09	3.96	6.23
	06/05/09	4.34	5.85
	09/09/09	4.71	5.48
	11/12/09	4.35	5.84
	02/18/10	4.06	6.13
	05/17/10	4.08	6.11
	11/23/10	3.91	6.28
	05/20/11	4.13	6.06
	12/01/11	4.55	5.64
	05/23/12	4.24	5.95

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
10.62'	08/30/00	3.40	7.22
	11/06/00	3.72	6.90
	02/22/01	3.34	7.28
	05/07/01	3.08	7.54
	08/22/01	3.77	6.85
	11/04/01	4.33	6.29
	02/15/02	3.22	7.40
	05/20/02	3.24	7.38
	08/01/02	3.60	7.02
	11/11/02	4.41	6.21
	02/12/03	3.52	7.10
	05/12/03	3.34	7.28
	08/12/03	3.91	6.71
	01/09/04	3.35	7.27
	04/14/04	3.40	7.22
	07/21/04	4.21	6.41
	10/20/04	4.63	5.99
	03/19/05	2.54	8.08
	06/25/05	2.92	7.70
	09/17/05	4.06	6.56
	12/26/05	3.63	6.99
	03/23/06	2.60	8.02
	06/03/06	2.71	7.91
	08/30/06	4.02	6.60
MW-6 (5 - 20 ft bsg)	12/04/06	4.54	5.79
	02/28/07	3.49	6.84
	05/29/07	4.60	5.73
	08/20/07	4.90	5.58
	10/25/07	4.36	5.97
	01/25/08	3.92	6.41
	04/30/08	4.49	5.84
	07/30/08	4.87	5.46
	10/23/08	5.18	5.15
	03/26/09	4.08	6.25
	06/05/09	4.50	5.83
	09/09/09	4.87	5.46
	11/12/09	4.50	5.83
	02/18/10	3.95	6.38
10.33**	05/17/10	4.23	6.10
	05/20/11	4.30	6.03
	12/01/11	4.60	5.73
	05/23/12	4.41	5.92

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
11.69' MW-7 (5 - 20 ft bsg)	08/30/00	6.72	4.97
	11/06/00	6.85	4.84
	02/22/01	6.00	5.69
	05/07/01	6.35	5.34
	08/22/01	6.86	4.84
	11/04/01	6.66	5.03
	02/15/02	6.45	5.24
	05/20/02	6.59	5.10
	08/01/02	6.72	4.97
	11/11/02	6.61	5.08
	02/12/03	5.64	6.05
	05/12/03	5.68	6.01
	08/12/03	6.24	5.45
	01/09/04	5.65	6.04
	04/14/04	6.40	5.29
	07/21/04	6.31	5.38
	10/20/04	6.42	5.27
	03/19/05	5.48	6.21
	06/25/05	6.00	5.69
	09/17/05	6.55	5.14
	12/26/05	5.57	6.12
	03/23/06	5.47	6.22
	06/03/06	5.62	6.07
	08/30/06	6.17	5.52
	12/04/06	6.38	5.03
	02/28/07	6.11	5.30
	05/29/07	6.25	5.16
	08/20/07	6.65	4.76
11.41''*	10/25/07	6.55	4.86
	01/25/08	6.30	5.11
	04/30/08	6.54	4.87
	07/30/08	6.50	4.91
	10/23/08	6.67	4.74
	03/26/09	5.91	5.50
	06/05/09	6.35	5.06
	09/09/09	6.73	4.68
	11/12/09	6.47	4.94
	02/18/10	5.97	5.44
	05/17/10	5.74	5.67
	11/23/10	6.05	5.36
11.41''*	05/20/11	5.65	5.76
	12/01/11	6.54	4.87
	05/23/12	5.74	5.67

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
10.06'	08/30/00	3.06	7.00
	11/06/00	2.98	7.08
9.73''*	02/22/01	2.46	7.60
	05/07/01	2.76	7.30
	08/22/01	3.56	6.50
	11/04/01	3.76	6.30
	02/15/02	2.72	7.34
	05/20/02	2.82	7.24
	08/01/02	3.06	7.00
	11/11/02	3.54	6.52
	02/12/03	3.07	6.99
	05/12/03	2.69	7.37
	08/12/03	3.10	6.96
	01/09/04	2.85	7.21
	04/14/04	3.45	6.61
	07/21/04	4.56	5.50
	10/20/04	4.72	5.34
	03/19/05	3.31	6.75
	06/25/05	3.05	7.01
MW-8 (5 - 20 ft bsg)	09/17/05	4.22	5.84
	12/26/05	3.24	6.82
	03/23/06	2.67	7.39
	06/03/06	2.63	7.43
	08/30/06	3.56	6.50
	12/04/06*	3.81	5.92
	02/28/07	3.06	6.67
	05/29/07	3.77	5.96
	08/20/07	4.21	5.52
	10/25/07	3.96	5.77
	01/25/08	2.97	6.76
	04/30/08	3.85	5.88
	07/30/08	4.16	5.57
	10/23/08	4.48	5.25
	03/26/09	3.25	6.48
	06/05/09	3.70	6.03
	09/09/09	4.10	5.63
	11/12/09	3.79	5.94
	02/18/10	3.19	6.54
	05/17/10	3.30	6.43
	11/23/10	3.21	6.52
	05/20/11	3.45	6.28
	12/01/11	3.76	5.97
	05/23/12	3.40	6.33

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
10.03'	08/30/00	2.81	7.22
	11/06/00	2.68	7.35
	02/22/01	2.20	7.83
MW-9 (5 - 20 ft bsg)	05/07/01	2.75	7.28
	08/22/01	3.80	6.23
	11/04/01	3.61	6.42
	02/15/02	2.92	7.11
	05/20/02	2.38	7.65
	08/01/02	2.72	7.31
	11/11/02	2.87	7.16
	02/12/03	2.43	7.60
	05/12/03	2.41	7.62
	08/12/03	2.61	7.42
	01/09/04	2.87	7.16
	04/14/04	3.65	6.38
	07/21/04	3.70	6.33
	10/20/04	4.20	5.83
	03/19/05	3.75	6.28
	06/25/05	3.85	6.18
	09/17/05	3.38	6.65
	12/26/05	2.01	8.02
	03/23/06	2.50	7.53
	06/03/06	2.63	7.40
	08/30/06	3.35	6.68
	12/04/06	3.63	6.10
	02/28/07	2.61	7.12
	05/29/07	3.34	6.39
	08/20/07	3.82	5.91
	10/25/07	3.21	6.52
	01/25/08	2.62	7.11
	04/30/08	3.55	6.18
	07/30/08	4.05	5.68
	10/23/08	3.96	5.77
	03/26/09	3.21	6.52
	06/05/09	3.25	6.48
	09/09/09	noacc	-
	11/12/09	3.19	6.54
	02/18/10	2.82	6.91
	05/17/10	2.79	6.94
	11/23/10	2.81	6.92
	05/20/11	9.24	0.49
	12/01/11	3.20	6.53
	05/23/12	2.95	6.78

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
11.07'	05/20/02	4.54	6.53
	06/18/02	4.25	6.82
	08/01/02	1.80	9.27
	11/11/02	1.50	9.57
	02/12/03	1.07	10.00
	05/12/03	1.01	10.06
	08/12/03	1.44	9.63
	01/09/04	0.90	10.17
	04/14/04	2.05	9.02
	07/21/04	2.78	8.29
	10/20/04	1.05	10.02
	03/19/05	0.75	10.32
	06/25/05	1.91	9.16
	09/17/05	2.90	8.17
	12/26/05	0.32	10.75
	03/23/06	0.76	10.31
	06/03/06	1.65	9.42
	08/30/06	2.70	8.37
	12/04/06	2.41	7.01
	02/28/07	0.30	9.12
	05/29/07	2.17	7.25
	08/20/07	3.04	6.38
9.42''*	10/25/07	2.23	7.19
	01/25/08	0.58	8.84
	04/30/08	2.28	7.14
	07/30/08	3.07	6.35
	10/23/08	3.62	5.80
	03/26/09	1.30	8.12
	06/05/09	2.13	7.29
	09/09/09	2.87	6.55
	11/12/09	1.88	7.54
	02/18/10	1.25	8.17
	05/17/10	1.53	7.89
	11/23/10	noacc	-
	05/20/11	noacc	-
	12/01/11	noacc	-
	05/23/12	1.62	7.80

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
9.64'	05/20/02	0.84	8.80
	06/18/02	1.71	7.93
	08/01/02	4.88	4.76
	11/11/02	5.18	4.46
	02/12/03	3.85	5.79
	05/12/03	4.00	5.64
	08/12/03	4.31	5.33
	01/09/04	3.74	5.90
	04/14/04	5.73	3.91
	07/21/04	5.80	3.84
	10/20/04	--	--
MW-11 (5 - 20 ft bsg)	03/19/05	4.81	4.83
	06/25/05	4.56	5.08
	09/17/05	5.30	4.34
	12/26/05	5.11	4.53
	03/23/06	3.35	6.29
	06/03/06	3.65	5.99
	08/30/06	4.94	4.70
	12/04/06	5.43	5.34
	02/28/07	4.20	6.57
	05/29/07	4.75	6.02
	08/20/07	5.53	5.24
10.77**	10/25/07	5.64	5.06
	01/25/08	4.46	6.31
	04/30/08	4.82	5.95
	07/30/08	5.48	5.29
	10/23/08	6.02	4.75
	03/26/09	3.98	6.79
	06/05/09	4.19	6.58
	09/09/09	5.59	5.18
	11/12/09	5.05	5.72
	02/18/10	4.08	6.69
	05/17/10	3.61	7.16
	11/23/10	noacc	-
	05/20/11	3.89	6.88
	12/01/11	4.93	5.84
	05/23/12	3.96	6.81

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
10.59* MW-12 (5 - 20 ft bsg)	10/20/04	5.41	--
	03/19/05	5.74	--
	06/25/05	5.23	--
	09/17/05	5.74	--
	12/26/05	4.37	--
	03/23/06	4.36	--
	06/03/06	5.12	--
	08/30/06	5.67	--
	12/04/06	5.83	4.76
	02/28/07	4.80	5.79
	05/29/07	5.62	4.97
	08/20/07	5.88	4.71
	10/25/07	5.50	5.09
	01/25/08	4.74	5.85
	04/30/08	5.56	5.03
	07/30/08	5.73	4.86
	10/23/08	6.00	4.59
	03/26/09	4.71	5.88
	06/05/09	5.37	5.22
	09/09/09	5.81	4.78
	11/12/09	5.37	5.22
	02/18/10	4.57	6.02
	05/17/10	4.88	5.71
	11/23/10	noacc	-
	05/20/11	noacc	-
MW-12 destroyed on 04 October 2011			
11.29* MW-13 (5 - 20 ft bsg)	10/20/04	5.67	--
	03/19/05	4.82	--
	06/25/05	5.78	--
	09/17/05	6.21	--
	12/26/05	4.25	--
	03/23/06	4.57	--
	06/03/06	5.60	--
	08/30/06	6.20	--
	12/04/06	6.33	4.96
	02/28/07	4.95	6.34
	05/29/07	6.02	5.27
	08/20/07	6.42	4.87
	10/25/07	6.21	5.08
	01/25/08	5.23	6.06
	04/30/08	6.17	5.12
	07/30/08	6.32	4.97
	10/23/08	6.51	4.78
	03/26/09	5.42	5.87
	06/05/09	5.98	5.31
	09/09/09	6.45	4.84
	11/12/09	6.02	5.27
	02/18/10	5.07	6.22
	05/17/10	5.48	5.81
	11/23/10	noacc	-
	05/20/11	noacc	-
MW-13 destroyed on 04 October 2011			

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
MW-13R (5 - 20 ft bsg) 11.56**	12/01/11 05/23/12	6.31 5.82	5.25 5.74
11.39**	10/20/04 03/19/05 06/25/05 09/17/05 12/26/05 03/23/06 06/03/06 08/30/06 12/04/06 02/28/07 05/29/07 08/20/07 10/25/07 01/25/08 04/30/08 07/30/08 10/23/08 03/26/09 06/05/09 09/09/09 11/12/09 02/18/10 05/17/10 11/23/10 05/20/11 12/01/11 05/23/12	6.36 5.20 5.56 6.09 5.50 5.06 5.39 5.92 6.15 5.84 5.97 6.43 6.37 6.13 6.42 6.35 6.56 5.80 6.25 6.63 6.31 5.75 5.65 6.00 5.60 6.30 5.60	-- -- -- -- -- -- -- -- 5.24 5.55 5.42 4.96 5.02 5.26 4.97 5.04 4.83 5.59 5.14 4.76 5.08 5.64 5.74 5.39 5.79 5.09 5.79
MW-14 (5 - 20 ft bsg)			
11.38*	10/05/07 10/25/07 01/25/08 04/30/08 07/30/08 10/23/08 03/26/09 06/05/09 09/09/09 11/12/09 02/18/10 05/17/10 11/23/10 05/20/11 12/01/11 05/23/12	6.14 6.00 5.76 6.01 5.98 6.20 5.45 5.90 6.28 5.97 5.45 noacc noacc noacc 5.95 5.30	5.24 5.38 5.62 5.37 5.40 5.18 5.93 5.48 5.10 5.41 5.93 - - - 5.41 6.06
MW-15 (5 - 20 ft bsg)			
11.36**	12/01/11 05/23/12		

TABLE 2
GROUND WATER ELEVATION DATA
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(feet)

Well I.D. (Screen Interval) <i>Casing Elevation</i>	Date	Depth to Ground Water (ft btoc)	Ground Water Elevation (ft MSL)
10.36* MW-16 (5 - 20 ft bsg)	10/05/07	5.85	4.51
	10/25/07	5.51	4.85
	01/25/08	4.71	5.65
	04/30/08	5.70	4.66
	07/30/08	5.64	4.72
	10/23/08	5.90	4.46
	03/26/09	4.80	5.56
	06/05/09	5.42	4.94
	09/09/09	5.70	4.66
	11/12/09	5.34	5.02
	02/18/10	4.72	5.64
	05/17/10	4.97	5.39
	11/23/10	noacc	-
	05/20/11	noacc	-
MW-16 destroyed in 2011			

Notes:

bsg: below surface grade

-: information not available

*: Casing elevations re-surveyed 02/02 2007.

MW-4, MW-15 and MW-16 surveyed on
30 November 2007. Performed by Morrow
Surveying, Inc. relative to vertical datum
NAVD 88 from GPS observations.

**: Casing elevations re-surveyed 12/01 2011.
Performed by Morrow
Surveying, Inc. relative to vertical datum
NAVD 88 from GPS observations.

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B										8021
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-1	11/04/96	ND	220	-	ND	ND	ND	ND	-	-	-	-	-	-	-
	03/05/97	ND	230	-	ND	ND	ND	ND	-	-	-	-	-	-	-
	06/12/97	ND	290	-	ND	ND	ND	ND	-	-	-	-	-	-	-
	09/09/07	ND	180	-	ND	ND	ND	ND	-	-	-	-	-	-	-
	02/13/98	ND	590	-	ND	ND	ND	ND	-	-	-	-	-	-	-
	07/07/98	ND	1,400	2.7	ND	ND	ND	ND	-	-	-	-	-	-	-
	10/01/98	ND	1,100	1.8	ND	ND	ND	ND	-	-	-	-	-	-	-
	12/30/98	ND	1,700	2.3	ND	ND	ND	ND	-	-	-	-	-	-	-
	03/21/00	220	3,100	4,800	11	ND	ND	ND	-	-	-	-	-	-	-
	08/30/00	140	1,600	-	5.3	<0.5	<0.5	<0.5	-	-	-	-	-	-	2,900
	11/06/00	51	1,500	2,100	1	<0.5	<0.5	<0.5	<50	<50	<50	<250	<50	<50	1,700
	02/22/01	140	3,000	1,100	<0.5	<0.5	<0.5	<0.5	<20	<20	<20	<100	<20	<20	100
	05/07/01	<50	3,800	1,100	<0.5	<0.5	<0.5	<0.5	<20	<20	<20	<100	<20	<20	780
	08/22/01	<110	1,800	1,600	<0.5	<0.5	<0.5	<0.5	<25	<25	<25	<130	<25	<25	1,900
	11/04/01	<50	1,300	1,500	<0.5	<0.5	<0.5	<0.5	<50	<50	<50	<250	<50	<50	1,600
	02/15/02	<50	2,000	770	<0.5	<0.5	<0.5	<0.5	<20	<20	<20	<100	<20	<20	610
	05/20/02	<50	160	730	<0.5	<0.5	<0.5	<0.5	<10	<10	<10	<100	<10	<10	570
	08/01/02	<50	600	610	<0.5	<0.5	<0.5	<0.5	<10	<10	<10	<100	<10	<10	480
	11/11/02	<50	2,200	600	<0.5	<0.5	<0.5	<0.5	<10	<10	<10	<100	<10	<10	510
	02/12/03	<50	1,200	640	<0.5	<0.5	<0.5	<0.5	<10	<10	<10	<100	<10	<10	540
	05/12/03	<50	520	580	<0.5	<0.5	<0.5	<0.5	<10	<10	<10	<100	<10	<10	610
	08/11/03	<50	180	660	<0.5	<0.5	<0.5	<0.5	<12	<12	<12	<120	<12	<12	740

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M				8260B								8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-1	01/09/04	610	<50	590	<0.5	<0.5	<0.5	4.2	<1.0	<1.0	<1.0	<10	<1.0	<1.0	-
	04/14/04	730	<50	730	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<1.0	<1.0	-
	07/21/04	900	<50	620	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<1.0	<1.0	-
	10/20/04	<50	<50	60	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<1.0	<1.0	-
	03/19/05	100	<50	100	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<1.0	<1.0	-
	06/25/05	100	<50	100	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<1.0	<1.0	-
	09/17/05	100	<50	83	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<1.0	<1.0	-
	12/26/05	100	<50	86	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<1.0	<1.0	-
	03/23/06	<50	<50	13	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/03/06	<50	<50	16	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/30/06	<50	<50	7	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/04/06	<50	<50	63	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	62	<0.5	<0.5	-
	02/28/07	<50	<50	11	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	05/29/07	<50	<50	45	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/20/07	<50	<50	4.9	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/25/07	<50	<50	31	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	01/25/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/30/08	<50	8,800	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/30/08	<50	5,700	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/23/08	<50	3,300	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	11/12/09	<50	1,900	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	11/23/10	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/01/11	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	<10	-	-	-

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M				8260B									8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE	
MW-3N	05/20/02	<50	1,800	1,500	<0.5	<0.5	<0.5	<0.5	<25	<25	<25	<250	<25	<25	1,100	
	08/01/02	<50	2,900	540	<0.5	<0.5	<0.5	<0.5	<10	<10	14	<100	<10	<10	350	
	11/11/02	<50	1,100	270	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	7.1	<50	<5.0	<5.0	280	
	02/12/03	<50	1,300	410	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<5.0	<50	<5.0	<5.0	380	
	05/12/03	<50	1,500	360	<0.5	<0.5	<0.5	<0.5	<6.2	<6.2	<6.2	<62	<6.2	<6.2	330	
	08/11/03	<50	720	280	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<5.0	<50	<5.0	<5.0	250	
	01/09/04	230	<50	230	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	2.5	<10	<0.5	<0.5	-	
	04/14/04	230	<50	220	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	07/21/04	400	<50	370	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	4.4	<10	<0.5	<0.5	-	
	10/20/04	190	<50	180	3.5	<0.5	<0.5	5.2	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	03/19/05	300	<50	300	2.6	<0.5	<0.5	5.2	<1.0	<1.0	2.4	<10	<0.5	<0.5	-	
	06/25/05	1,200	<50	1,100	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	330	<0.5	<0.5	-	
	09/17/05	1,900	<50	1,100	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	770	<0.5	<0.5	-	
	12/26/05	1,500	<50	930	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	520	<0.5	<0.5	-	
	03/23/06	550	<50	110	<0.5	3.6	13	37.1	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	06/03/06	200	<50	150	<0.5	2.6	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	08/30/06	160	<50	130	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	12/04/06	900	<50	790	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	19	880	<0.5	<0.5	-	
	02/28/07	<50	<50	97	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	05/29/07	170	<50	160	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	08/20/07	<50	<50	21	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/25/07	<50	<50	40	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	01/25/08	<50	<50	18	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	04/30/08	120	<50	110	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	07/30/08	<50	<50	40	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/23/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	11/12/09	<50	-	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-	
	11/23/10	<50	-	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	12/01/11	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	<10	-	-	-	

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B										8021
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-4	08/30/00	1,300	390	-	64	63	9.7	110	-	-	-	-	-	-	210,000
	11/06/00	<3,300	170	120,000	80	<4.0	<5.0	<3.0	<2,500	<2,500	<2,500	<13,000	<2,500	<2,500	130,000
	11/06/00†	<3,300	-	120,000	86	<4.0	<7.0	<6.0	<2,500	<2,500	<2,500	<13,000	<2,500	<2,500	130,000
	02/22/01	<3,300	120	150,000	30	<3.0	<3.0	<3.0	<2,500	<2,500	<2,500	<13,000	<2,500	<2,500	120,000
	05/07/01	<4,200	240	200,000	<20	<10.0	<5.0	<5.0	<5,000	<5,000	<5,000	<25,000	<5,000	<5,000	150,000
	08/22/01	<5,400	300	190,000	<5.0	<5.0	<5.0	<5.0	<5,000	<5,000	<5,000	<25,000	<5,000	<5,000	160,000
	11/04/01	<5,000	210	170,000	<5.0	<5.0	<5.0	<5.0	<2,500	<2,500	<2,500	<13,000	<2,500	<2,500	130,000
	02/15/02	<5,000	340	160,000	<5.0	<5.0	<5.0	<10	<2,500	<2,500	<2,500	<12,500	<2,500	<2,500	160,000
	05/20/02	<2,500	200	130,000	<25	<25	<25	<25	<1,700	<1,700	<1,700	<17,000	<1,700	<1,700	98,000
	08/01/02	<2,500	200	100,000	<25	<25	<25	<25	<1,700	<1,700	<1,700	<17,000	<1,700	<1,700	89,000
	11/11/02	<3,000	200	84,000	<25	<25	<25	<25	<1,700	<1,700	<1,700	<17,000	<1,700	<1,700	99,000
	02/12/03	<2,500	88	70,000	<25	<25	<25	<25	<1,700	<1,700	<1,700	<17,000	<1,700	<1,700	78,000
	05/12/03	<2,500	88	86,000	<25	<25	<25	<25	<1,700	<1,700	<1,700	<17,000	<1,700	<1,700	88,000
	08/11/03	<2,500	66	74,000	<25	<25	<25	<25	<1,700	<1,700	<1,700	<17,000	<1,700	<1,700	77,000
	01/09/04	50,000	<50	50,000	120	<0.5	<0.5	<0.6	<1.0	<1.0	85	<10	<0.5	<0.5	-
	04/14/04	27,000	<50	27,000	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/21/04	27,000	<50	5,300	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	3.6	150,000	<0.5	<0.5	-
	10/20/04	22,000	<50	840	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	110,000	<0.5	<0.5	-
	03/19/05	3,500	<0.05	900	25	<0.5	<0.5	<0.6	<1.0	<1.0	4.6	2,900	<0.5	<0.5	-
	06/25/05	3,000	<0.05	620	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	54,000	<0.5	<0.5	-
	09/17/05	3,200	<0.05	370	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	180,000	<0.5	<0.5	-
09/24/05		In-situ Chemical Oxidation (Ozone injection) commences													

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B										8021
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-4	12/26/05	3,000	<50	730	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	76,000	<0.5	<0.5	-
	03/23/06	300	<50	21	4.2	<0.5	2.1	2.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/03/06	110	<50	33	3.9	2.2	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/30/06	<50	<50	7.7	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/04/06	1,100	<50	68	<0.5	<0.5	<0.5	<0.6	18	<1.0	<1.0	6,300	<0.5	<0.5	-
	02/28/07	320	<50	23	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	05/29/07	800	<50	330	48	9.4	9.2	15	<1.0	<1.0	18	<10	<0.5	<0.5	-
	08/20/07	400	<50	74	<0.5	<0.5	<0.5	2.3	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/25/07	340	<50	90	<0.5	<0.5	<0.5	1.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	01/29/08	220	<50	150	10	<0.5	1.6	2.0	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/30/08	<50	7,600	<1	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/30/08	<50	5,500	<1	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/23/08	120	3,200	110	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	11/12/09	120	-	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	11/23/10	22,000	-	86	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	120,000	<0.5	<0.5	-
	12/01/11	11,000	8,900	30	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	34,000	-	-	-

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B										8021
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-5	08/30/00	1,000	450	-	<5.0	<5.0	<5.0	<5.0	-	-	-	-	-	-	52,000
	11/06/00	<1,000	520	42,000	<1.0	<1.0	<1.0	<1.0	<1,000	<1,000	<1,000	<5,000	<1,000	<1,000	44,000
	02/22/01	<1,000	270	39,000	<1.0	<1.0	<1.0	<1.0	<500	<500	<500	<2,500	<500	<500	30,000
	05/07/01	<1,800	470	59,000	<5.0	<2.0	<2.0	<2.0	<1,000	<1,000	<1,000	<5,000	<1,000	<1,000	48,000
	08/22/01	<2,200	780	70,000	<3.0	<3.0	<3.0	<3.0	<1,000	<1,000	<1,000	<5,000	<1,000	<1,000	63,000
	11/04/01	<1,700	670	37,000	<2.0	<2.0	<2.0	<2.0	<1,000	<1,000	<1,000	<5,000	<1,000	<1,000	44,000
	02/15/02	<1,100	480	33,000	<1.0	<1.0	<1.0	<1.0	<1,250	<1,250	<1,250	<6,250	<1,250	<1,250	33,000
	05/20/02	<500	1,600	28,000	<5.0	<5.0	<5.0	<5.0	<500	<500	<500	<5,000	<500	<500	21,000
	08/01/02	<500	810	24,000	<5.0	<5.0	<5.0	<5.0	<500	<500	<500	<5,000	<500	<500	10,000
	11/11/02	<500	2,100	8,800	<5.0	<5.0	<5.0	<5.0	<200	<200	<200	10,000	<200	<200	3,700
	02/12/03	<170	2,900	3,200	30	<1.7	<1.7	<1.7	<100	<100	<100	4,100	<100	<100	19,000
	05/12/03	<500	1,500	21,000	13	<5.0	<5.0	<5.0	<500	<500	<500	5,200	<500	<500	1,500
	08/11/03	71	2,200	1,700	9.5	<0.5	<0.5	<0.5	<50	<50	<50	14,000	<50	<50	1,700
	01/09/04	1,500	<50	1,500	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/14/04	500	<50	430	20	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/21/04	2,000	<50	320	2.2	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	15,000	<0.5	<0.5	-
	10/20/04	1,900	<50	23	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	11,000	<0.5	<0.5	-
	03/19/05	1,000	860	71	2.3	<0.5	5	40	<1.0	<1.0	<1.0	500	<0.5	<0.5	-
	06/25/05	1,500	1,200	54	11	<0.5	3.6	37	<1.0	<1.0	<1.0	2,700	<0.5	<0.5	-
	09/17/05	2,500	1,600	16	42	<0.5	<0.5	10	<1.0	<1.0	<1.0	12,000	<0.5	<0.5	-
09/24/05		In-situ Chemical Oxidation (Ozone injection) commences													

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M				8260B									8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE	
MW-5	12/26/05	1,500	1,200	44	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	2,700	<0.5	<0.5	-	
	03/23/06	<50	850	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	06/03/06	400	900	280	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	08/30/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	12/04/06	1,200	<50	22	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	2,200	<0.5	<0.5	-	
	02/28/07	<50	<50	11	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	05/29/07	9,000	240,000	26	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	17	<10	<0.5	<0.5	-	
	08/20/07	11,000	280,000	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/25/07	14,000	300,000	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	01/25/08	11,000	260,000	<1.0	<0.5	<0.5	1.4	4.4	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	04/30/08	14,000	73,000	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	07/30/08	11,000	68,000	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/23/08	7,600	63,000	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	03/26/09	9,400	75,000	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	5,000	-	-	-	
	06/05/09	22,000	95,000	54	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-	
	09/09/09	20,000	91,000	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	5,900	-	-	-	
	11/12/09	6,900	20,000	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-	
	02/18/10	11,000	24,000	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-	
	05/17/10	8,200	19,000	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-	
	11/23/10	20,000	36,000	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	4,100	<0.5	<0.5	-	
	05/20/11	27,000	41,000	<1.0	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	7,700	-	-	-	
	12/01/11	20,000	33,000	<1.0	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	2,500	-	-	-	
	05/23/12	34,000	40,000	<1.0	5.0	9.0	3.4	17.5	-	-	<1.0	9,900	-	-	-	

TABLE 3
ANALYTICAL RESULTS OF GROUND WATER SAMPLES
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(µg/l)

Sample ID	Date	8015M			8260B									8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-6	08/30/00	1,300	1,300	-	55	<0.5	16	27	-	-	-	-	-	-	23,000
	11/06/00	<630	1,100	27,000	7	8.1	<3.0	5.2	<630	<630	<630	<3,200	<630	<630	26,000
	02/22/01	<200	420	8,000	<5.0	<5.0	<5.0	<5.0	<100	<100	<100	<500	<100	<100	6,500
	05/07/01	<1,000	900	40,000	<2.0	<2.0	<1.0	<1.0	<500	<500	<500	<2,500	<500	<500	37,000
	08/22/01	<350	520	8,800	<2.0	<1.0	<0.5	<0.5	<200	<200	<200	<1,000	<200	<200	8,600
	11/04/01	<500	420	17,000	<2.0	<2.0	<0.5	<0.5	<250	<250	<250	<1,300	<250	<250	12,000
	02/15/02	<960	910	26,000	2.6	4.5	<1.0	4.2	<1,000	<1,000	<1,000	<5,000	<1,000	<1,000	23,000
	05/20/02	<620	690	37,000	<6.2	<6.2	<6.2	<6.2	<500	<500	<500	<5,000	<500	<500	25,000
	08/01/02	<250	1,100	9,100	8	<2.5	<2.5	<2.5	<170	<170	<170	3,800	<170	<170	8,100
	11/11/02	<500	970	11,000	<5.0	<5.0	<5.0	<5.0	<250	<250	<250	8,600	<250	<250	11,000
	02/12/03	<250	2,100	8,300	<2.5	<2.5	<2.5	<2.5	<120	<120	<120	4,600	<120	<120	7,400
	05/12/03	<1,000	630	29,000	<10	<10	<10	<10	<500	<500	<500	8,700	<500	<500	32,000
	08/11/03	110	<50	2,300	6.8	<1.0	<1.0	<1.0	<100	<100	<100	27,000	<100	<100	2,800
	01/09/04	700	<50	690	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/14/04	200	<50	190	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/21/04	200	4.5	140	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	15,000	<0.5	<0.5	-
	10/20/04	7,700	1,300	3,400	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	77,000	<0.5	<0.5	-
	03/19/05	1,600	630	57	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	1,300	<0.5	<0.5	-
	06/25/05	400	630	58	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	3,600	<0.5	<0.5	-
	09/17/05	590	<50	28	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	5,300	<0.5	<0.5	-
	12/26/05	400	<50	92	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	4,500	<0.5	<0.5	-
	03/23/06	<50	<50	16	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/03/06	<50	<50	13	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/30/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/04/06	4,300	<50	84	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	30,000	<0.5	<0.5	-
	02/28/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	05/29/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/20/07	4,900	<50	120	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/25/07	5,000	4,200	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	01/25/08	<50	<50	5.8	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/23/08	540	<50	130	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B										8021
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-7	08/30/00	160,000	2,600	-	28,000	15,000	1,200	5,900	-	-	-	-	-	-	800,000
	11/06/00	80,000	1,700	920,000	23,000	12,000	1,200	5,000	<13,000	<13,000	<13,000	<63,000	<13,000	<13,000	540,000
	02/22/01	80,000	2,000	460,000	19,000	12,000	1,100	3,200	<5,000	<5,000	<5,000	<2,500	<5,000	<5,000	440,000
	02/22/01†	84,000	2,400	500,000	20,000	13,000	1,200	3,400	<5,000	<5,000	<5,000	<25,000	<5,000	<5,000	400,000
	05/07/01	100,000	7,600	520,000	25,000	16,000	1,700	6,600	<5,000	<5,000	<5,000	<2,500	<5,000	<5,000	460,000
	05/07/01†	100,000	8,200	500,000	25,000	17,000	1,700	6,700	<5,000	<5,000	<5,000	<25,000	<5,000	<5,000	530,000
	08/22/01	110,000	22,000	250,000	18,000	12,000	2,000	9,400	<5,000	<5,000	<5,000	<25,000	<5,000	<5,000	240,000
	11/04/01	85,000	6,500	180,000	17,000	2,700	2,100	9,700	<5,000	<5,000	<5,000	<13,000	<5,000	<5,000	150,000
	02/15/02	96,000	21,000	200,000	21,000	7,300	2,600	13,000	<5,000	<5,000	<5,000	<25,000	<5,000	<5,000	180,000
	02/15/02†	160,000	29,000	200,000	30,000	27,000	3,700	19,000	<5,000	<5,000	<5,000	<25,000	<5,000	<5,000	170,000
	05/20/02	140,000	310,000	220,000	24,000	21,000	3,800	20,000	<5,000	<5,000	<5,000	<50,000	<5,000	<5,000	180,000
	08/01/02	110,000	160,000	150,000	15,000	16,000	4,000	21,000	<2,500	<2,500	<2,500	<25,000	<2,500	<2,500	120,000
	11/11/02	110,000	240,000	77,000	14,000	11,000	4,100	19,000	<1,200	<1,200	<1,200	<12,000	<1,200	<1,200	74,000
	02/12/03	130,000	75,000	110,000	25,000	8,900	3,400	17,000	<1,700	<1,700	<1,700	<17,000	<1,700	<1,700	87,000
	05/12/03	98,000	7,100	220,000	25,000	520	2,600	12,000	<5,000	<5,000	<5,000	<5,000	<5,000	<5,000	140,000
	08/11/03	90,000	12,000	140,000	15,000	1,100	2,600	12,000	<5,000	<5,000	<5,000	<5,000	<5,000	<5,000	140,000
	01/09/04	130,000	18,000	120,000	9,500	340	190	3,700	<1.0	<1.0	900	<10	<0.5	420	-
	04/14/04	330,000	22	220,000	23,000	300	1,900	5,600	<1.0	<1.0	660	<10	<0.5	400	-
	07/21/04	120,000	14	71,000	11,000	730	1,000	1,250	<1.0	<1.0	370	<10	<0.5	300	-
	10/20/04	130,000	8.4	39,000	14,000	420	600	380	<1.0	<1.0	290	<10	<0.5	180	-
	03/19/05	130,000	22,000	40,000	23,000	1,400	2,200	6,800	<1.0	<1.0	17	290	<0.5	29	-
	06/25/05	1,100,000	45,000	49,000	31,000	31,000	7,500	32,000	<1.0	<1.0	93	400	<0.5	75	-
	09/17/05	100,000	38,000	28,000	31,000	16,000	8,500	31,000	<1.0	<1.0	<1.0	7,400	<0.5	<0.5	-
09/24/05 In-situ Chemical Oxidation (Ozone injection) commences															

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B										8021
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	
MW-7	12/26/05	99,000	33,000	14,000	20,000	6,000	1,700	11,900	<1.0	<1.0	<1.0	83,000	<0.5	<0.5	-
	03/23/06	160,000	48,000	2,400	23,000	22,000	13,000	43,000	<1.0	<1.0	44	14,000	<0.5	330	-
	06/03/06	170,000	44,000	9,000	48,000	5,200	5,600	23,200	<1.0	<1.0	55	4,800	<0.5	190	-
	08/30/06	240,000	62,000	3,600	77,000	12,000	30,000	63,000	<1.0	<1.0	77	300	<0.5	21	-
	12/04/06	110,000	44,000	3,300	7,200	490	950	2,800	20	<1.0	58	28,000	<0.5	86	-
	02/28/07	32,000	16,000	1,600	1,800	65	610	1,249	<1.0	<1.0	12	<10	<0.5	16	-
	05/29/07	29,000	64,000	1,700	920	18	180	272	<1.0	<1.0	15	<10	<0.5	28	-
	08/20/07	33,000	70,000	760	2,000	22	86	120	<1.0	<1.0	13	<10	<0.5	45	-
	10/25/07	41,000	83,000	1,300	3,800	53	380	1,521	<1.0	<1.0	18	<10	<0.5	65	-
	01/25/08	32,000	48,000	4,500	3,000	55	170	853	12	<1.0	56	<10	<0.5	96	-
	04/30/08	34,000	44,000	4,500	1,900	12	90	192.1	15	<1.0	61	<10	<0.5	61	-
	07/30/08	56,000	54,000	5,100	3,300	25	38	270	15	<1.0	67	<10	<0.5	84	-
	10/23/08	25,000	47,000	1,800	800	12	19	135	<1.0	<1.0	23	<10	<0.5	25	-
	03/26/09	64,000	62,000	5,000	4,300	48	21	266	-	-	58	65,000	-	-	-
	06/05/09	74,000	75,000	8,000	4,800	2.7	18	38	-	-	82	<10	-	-	-
	09/09/09	83,000	94,000	3,600	2,800	41	29	211	-	-	290	310,000	-	-	-
	11/12/09	25,000	32,000	1,500	2,000	16	24	141	-	-	11	<10	-	-	-
	02/18/10	39,000	38,000	2,200	2,800	24	47	101.5	-	-	49	36,000	-	-	-
	05/17/10	36,000	40,000	5,800	3,800	110	88	218	-	-	50	24,000	-	-	-
	11/23/10	48,000	51,000	4,200	1,600	77	34	371	<1.0	<1.0	13	78,000	<0.5	27	-
	05/20/11	42,000	50,000	680	280	12	2.2	36	-	-	5.0	12,000	-	-	-
	12/01/11	22,000	29,000	600	1,900	16	59	78.2	-	-	8.0	25,000	-	-	-
	05/23/12	56,000	62,000	1,900	2,800	31	180	158	-	-	35.0	74,000	-	-	-

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B										8021
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-8	08/30/00	<1,000	690	-	18	<2.0	<1.0	<1.0	-	-	-	-	-	-	28,000
	11/06/00	<3,300	810	76,000	<8.0	<5.0	<3.0	<7.0	<2,500	<2,500	<2,500	<13,000	<2,500	<2,500	120,000
	02/22/01	<2,500	1,100	130,000	53	<3.0	<3.0	<3.0	<2,000	<2,000	<2,000	<10,000	<2,000	<2,000	99,000
	05/07/01	<5,000	1,300	120,000	32	<10	<5.0	<5.0	<2,500	<2,500	<2,500	<13,000	<2,500	<2,500	110,000
	08/22/01	<4,000	1,200	86,000	<5.0	<5.0	<5.0	16	<1,700	<1,700	<1,700	<8,500	<1,700	<1,700	76,000
	11/04/01	590	1,100	49,000	6.9	<0.5	<0.5	<0.5	<2,500	<2,500	<2,500	<13,000	<2,500	<2,500	60,000
	02/15/02	<3,400	1,500	91,000	<5.0	<5.0	<5.0	<5.0	<2,500	<2,500	<2,500	<12,500	<2,500	<2,500	110,000
	05/20/02	<1,700	2,200	86,000	<17	<17	<17	<17	<1,000	<1,000	<1,000	<10,000	<1,000	<1,000	66,000
	08/01/02	<1,200	2,800	67,000	<12	<12	<12	<12	<1,000	<1,000	<1,000	<10,000	<1,000	<1,000	53,000
	11/11/02	<2,000	11,000	51,000	<10	18	<10	<10	<1,000	<1,000	<1,000	<10,000	<1,000	<1,000	48,000
	02/12/03	<1,700	5,800	51,000	<17	<17	<17	<17	<1,000	<1,000	<1,000	<10,000	<1,000	<1,000	49,000
	05/12/03	<2,500	4,500	60,000	94	<25	<25	<25	<1,000	<1,000	<1,000	<10,000	<1,000	<1,000	52,000
	08/11/03	<2,500	23,000	42,000	92	<25	<25	<25	<1,000	<1,000	<1,000	<10,000	<1,000	<1,000	42,000
	01/09/04	51,000	12,000	50,000	2.4	<0.5	<0.5	2.1	<1.0	<1.0	160	<10	<1.0	<1.0	-
	03/19/05	80,000	100,000	13,000	45	38	77	530	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/25/05	60,000	82,000	1,600	18	5.9	3	54	<1.0	<1.0	12	3,700	<0.5	<0.5	-
	09/17/05	80,000	89,000	1,400	23	2.7	<0.5	25	<1.0	<1.0	17	88,000	<0.5	<0.5	-
		In-situ Chemical Oxidation (Ozone injection) commences													

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M				8260B									8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE	
MW-8	12/26/05	24,000	37,000	180	270	65	14	127	<1.0	<1.0	<1.0	11,000	<0.5	<0.5	-	
	03/23/06	1,200	4,000	310	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	880	<0.5	<0.5	-	
	06/03/06	1,800	4,800	390	60	9.9	7.3	11.6	<1.0	<1.0	3	2,100	<0.5	<0.5	-	
	08/30/06	6,000	6,200	<1.0	36	6.1	12	29.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	12/04/06	400	2,800	31	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	2,400	<0.5	<0.5	-	
	02/28/07	3,100	5,200	83	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	05/29/07	6,000	39,000	54	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	08/20/07	11,000	50,000	11	<0.5	<0.5	<0.5	3	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/25/07	8,200	44,000	7.2	<0.5	<0.5	<0.5	3.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	01/25/08	7,400	41,000	<1.0	<0.5	<0.5	<0.5	3.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	04/30/08	8,000	2,900	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	07/30/08	14,000	4,000	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/23/08	20,000	8,500	88	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	03/26/09	11,000	5,900	36	<0.5	<0.5	<0.5	<0.6	-	-	11	14,000	-	-	-	
	06/05/09	20,000	18,000	65	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-	
	09/09/09	14,000	17,000	29	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	9,200	-	-	-	
	11/12/09	5,400	6,800	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-	
	02/18/10	4,400	6,000	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	15,000	-	-	-	
	05/17/10	4,400	6,800	22	5.3	<0.5	<0.5	<0.6	-	-	<1.0	11,000	-	-	-	
	11/23/10	16,000	22,000	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	3,800	-	-	-	
	05/20/11	2,800	5,900	<1.0	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	<10	-	-	-	
	12/01/11	140	1,700	8.8	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	2,000	-	-	-	
	05/23/12	4,900	4,800	13.0	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	9,700	-	-	-	

TABLE 3
ANALYTICAL RESULTS OF GROUND WATER SAMPLES
Rino Pacific/Oakland Truck Stop
1107 5th Street, Oakland, California
(µg/l)

Sample ID	Date	8015M				8260B								8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-9	08/30/00	<50	770	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	97
	11/06/00	<50	390	220	<0.5	<0.5	<0.5	<0.5	<25	<25	<25	<125	<5.0	<5.0	190
	02/22/01	<50	240	160	<0.5	<0.5	<0.5	<0.5	<2.0	<2.0	<2.0	<1.0	<2.0	<2.0	120
	05/07/01	<50	190	150	<0.5	<0.5	<0.5	<0.5	<2.5	<2.5	<2.5	<13	<2.5	<2.5	120
	08/22/01	<50	120	120	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<5.0	<25	<5.0	<5.0	120
	11/04/01	<50	160	120	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<5.0	<25	<5.0	<5.0	130
	02/15/02	<50	150	98	<0.5	<0.5	<0.5	<0.5	<2.5	<2.5	<2.5	<12.5	<2.5	<2.5	92
	05/20/02	<50	380	85	<0.5	<0.5	<0.5	<0.5	<2.5	<2.5	<2.5	<25	<2.5	<2.5	79
	08/01/02	<50	320	84	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<1.0	<1.0	74
	11/11/02	<50	150	61	<0.5	<0.5	<0.5	<0.5	<2.5	<2.5	<2.5	<25	<2.5	<2.5	76
	02/12/03	<50	350	50	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<1.0	<1.0	55
	05/12/03	<50	380	45	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<1.0	<1.0	45
	08/11/03	<50	88	42	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<1.0	<1.0	36
	01/09/04	200	<50	140	<0.5	<0.5	<0.5	4.7	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/14/04	180	<50	180	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/21/04	<50	<50	24	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/20/04	80	<50	78	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	03/19/05	100	<50	87	10	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/25/05	100	<50	92	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	09/17/05	100	<50	85	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/26/05	<50	<50	19	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	03/23/06	<50	<50	19	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/03/06	<50	<50	<1.0	7.7	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/30/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/04/06	<50	<50	34	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	02/28/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	05/29/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/20/07	<50	<50	3.8	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/25/07	<50	<50	8.9	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	01/25/08	<50	<50	3.5	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/23/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	11/12/09	<50	-	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	11/23/10	<50	-	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/01/11	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	<10	-	-	-

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M				8260B									8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE	
MW-10	08/01/02	<50	720	1.1	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	<5.0	
	11/11/02	<50	100	0.7	0.72	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	<5.0	
	02/12/03	<50	71	<0.5	0.63	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	<5.0	
	05/12/03	<50	96	0.59	0.56	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	<5.0	
	08/11/03	<50	110	0.73	0.93	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	<5.0	
	01/09/04	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	04/14/04	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	07/21/04	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/20/04	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	03/19/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	06/25/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	09/17/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	12/26/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	03/23/06	<50	<50	<1.0	8.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	06/03/06	<50	<50	<1.0	3.9	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	08/30/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	12/04/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	02/28/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	05/29/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	08/20/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/25/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	01/25/08	<50	<50	<1.0	3.2	<0.5	1.2	1.3	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	04/30/08	600	<50	<1.0	<0.5	2.4	<0.5	40	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	07/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/23/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M				8260B								8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-11	05/20/02	<50	95	310	1.5	3	<0.5	1.4	<5.0	<5.0	<5.0	<50	<5.0	<5.0	260
	08/01/02	<50	190	65	<0.5	1.9	0.6	<0.5	<1.0	<1.0	<1.0	<10	<1.0	<1.0	52
	11/11/02	<50	140	15	<0.5	2.1	1.1	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	23
	02/12/03	<50	86	2.6	<0.5	1.7	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	<5.0
	05/12/03	<50	62	2.3	<0.5	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	<5.0
	08/11/03	<50	72	2.3	<0.5	0.66	<0.5	<0.5	<1.0	<1.0	<1.0	<5.0	<0.5	<0.5	<5.0
	01/09/04	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/14/04	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/21/04	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/20/04	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	-
	03/19/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/25/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	09/17/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/26/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	03/23/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/03/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/30/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/04/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	02/28/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	05/29/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/20/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/25/07	110	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	01/25/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/23/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 ($\mu\text{g/l}$)

Sample ID	Date	8015M				8260B									8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE	
MW-12	10/20/04	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	03/19/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	06/25/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	09/17/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	12/26/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	03/23/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	06/03/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	08/30/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	12/04/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	02/28/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	05/29/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	08/20/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/25/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	01/25/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	04/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	07/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	10/23/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-	
	11/12/09	<50	-	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-	
	11/23/10	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	

MW-12 destroyed on 04 October 2011

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B										8021
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-13	10/20/04	100	<50	99	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	03/19/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/25/05	<50	<50	31	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	09/17/05	<50	<50	40	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/26/05	<50	<50	17	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	03/23/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/03/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/30/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/04/06	<50	<50	63	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	02/28/07	<50	<50	6.5	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	05/29/07	<50	<50	41	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/20/07	<50	<50	6.7	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/25/07	<50	<50	15	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	01/25/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/23/08	<50	<50	64	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	-	-	-
	11/12/09	<50	<50	25	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	11/23/10	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC

MW-13 destroyed on 04 October 2011

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B									8021	
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-13R	12/01/11	<50	<50	20	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	<10	-	-	-
	10/20/04	490	<50	90	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	03/19/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/25/05	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	09/17/05	<50	<50	12	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	09/24/05	In-situ Chemical Oxidation (Ozone injection) commences													
MW-14	12/26/05	<50	<50	6.1	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	03/23/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	06/03/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/30/06	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	12/04/06	<50	<50	36	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	02/28/07	<50	<50	8.7	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	05/29/07	<50	<50	59	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	08/20/07	<50	<50	10	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/25/07	150	<50	140	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	01/25/08	<50	<50	120	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/30/08	220	<50	210	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/30/08	<50	<50	41	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/23/08	<50	<50	36	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	03/26/09	<50	<50	26	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	06/05/09	500	1,200	40	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	09/09/09	390	1,800	160	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	11/12/09	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	02/18/10	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	05/17/10	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	11/23/10	140	<50	49	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	110	<0.5	<0.5	-
	05/20/11	120	<50	100	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	<10	-	-	-
	05/23/12	1,000	880	300	54	2.3	3.6	5.7	-	-	2.2	290	-	-	-

TABLE 3
 ANALYTICAL RESULTS OF GROUND WATER SAMPLES
 Rino Pacific/Oakland Truck Stop
 1107 5th Street, Oakland, California
 (µg/l)

Sample ID	Date	8015M			8260B										8021
		TPH-g	TPH-d	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	DIPE	ETBE	TAME	TBA	EDB	1,2-DCA	MTBE
MW-15	10/25/07	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	01/25/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	04/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	07/30/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	10/23/08	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.6	<1.0	<1.0	<1.0	<10	<0.5	<0.5	-
	11/12/09	<50	-	<1.0	<0.5	<0.5	<0.5	<0.6	-	-	<1.0	<10	-	-	-
	11/23/10	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC	NOACC
	12/01/11	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	-	-	<1.0	<10	-	-	-
MW-16 destroyed in 2011															

Notes:

µg/l: micrograms per liter

†: duplicate sample

- : not analyzed

TPH-d: total petroleum hydrocarbons quantified as diesel

TPH-g: total petroleum hydrocarbons quantified as gasoline

EDB: 1,2-dibromoethane

1,2-DCA: 1,2-dichloroethane

ND: Non-detect above minimum laboratory detection

levels

MTBE: methyl tertiary-butyl ether

NOACC No Access

DIPE: di-isopropyl ether

ETBE: ethyl tertiary-butyl ether

TAME: tertiary-amyl methyl ether

TBA: tertiary-butyl alcohol

APPENDIX A

Site Background Information

APPENDIX A

HISTORICAL BACKGROUND

Rino Pacific - Oakland Truck Stop
1107 5th Street, Oakland, California

A.1. BACKGROUND

The site is located at 1107 5th Street in a commercial and industrial area of west Oakland, California (Figure 1). The property contains a service station building, four fuel dispenser islands, a truck scale, scale house, and two underground storage tanks (USTs). The site has been operating as a truck stop for the past 40 years.

A.2. REGIONAL GEOLOGIC/HYDROGEOLOGIC SETTING

The site is situated within the Coast Range Geomorphic Province of California. This geomorphic province contains coastal foothills and mountains and extends from the Tehachapi Mountains in the south to the Klamath Mountains in the north. The western and eastern boundaries of this province are comprised of the Pacific Ocean and the Great Valley Geomorphic Province, respectively.

The site is located in the Franciscan Complex, which is subdivided into four major divisions identified as the Northern Coast Range, the Franciscan Block, the Diablo Range, and the Nacimiento Block. The site is situated within the Franciscan Block, an assemblage of variably deformed and metamorphosed rock units. The surface is composed of Quaternary alluvium; at depth, the site is underlain by rocks of the Franciscan Complex, which are composed predominately of detrital sedimentary rocks with volcanic tuffs and deep ocean marine sediments. The Franciscan lithologies typically have low porosity and permeability.

Based upon the General Soil Map from the *Soil Survey of Alameda County, Western Part*, issued by the United States Department of Agriculture Soil Conservation Service in 1981, the site area is situated within the Urban Land-Danville complex. This complex is located on low terraces and alluvial fans at an elevation of about 20 feet to 300 feet above mean sea level (MSL), and consists of approximately 60% Urban Land, 30% Danville soil, and 10% other soils. Danville soil is a silty clay loam that formed in alluvium originating primarily from sedimentary rock; Urban land consists of areas covered by roads, parking lots, and buildings. The nearest surface water feature in the vicinity of the property is the Oakland Estuary, approximately 2,400 feet to the south of the property.

Beginning in October 1996, ground water monitoring has been conducted at the site to assess the seasonal variation of elevation, gradient, and flow direction, and to define the impact of petroleum hydrocarbon compounds and fuel oxygenating compounds in shallow ground water beneath the site. Based on data from previous monitoring events, ground water at the property varies seasonally between approximately 10 inches to 6 feet below surface grade (bsg). The ground water flow has varied from southwest to north. This may be affected by changing recharge and discharge patterns, as well as leaking pipes.

A.2. UNDERGROUND STORAGE TANK REMOVAL

In March 1999, two 10,000-gallon diesel USTs, one 10,000-gallon gasoline UST, and one 8,000-gallon gasoline UST were removed from the site. The approximate location of the former USTs is shown on Figure 2.

Interim remedial action was performed during the UST removal to address contaminated soil and ground water. Approximately 2,100 tons of contaminated soil were removed from the excavation. Soil samples were collected from the excavation and stockpiles as directed by the Fire Inspector. Contaminated ground water was removed from the excavation pit; approximately 33,000 gallons of water were pumped into temporary storage tanks, which were then transported and disposed off-site. Approximately 1,700 tons of backfill was placed in the excavation. Results of the soil samples taken during the excavation are not available.

A.3. SITE ASSESSMENT ACTIVITIES

In November 1996, ground water monitoring wells MW-1 through MW-3 were installed to a depth of 20 feet bsg to assess contamination from an unauthorized release of fuel, which was repaired as soon as it was discovered. Product recovery sumps equipped with skimmers were installed in the wells and approximately 6 gallons of gasoline were recovered.

Monitoring well MW-2 was destroyed in January 1999. Additional monitoring wells MW-4 through MW-9 were installed to a total depth of 20 feet bsg in August 2000. Contamination was detected in each of the wells, and free product was occasionally evident in well MW-7.

Monitoring wells MW-10 and MW-11 were installed in May 2002 to a total depth of 12 feet bsg. At this time, well MW-3 was abandoned and well MW-3N was installed to a depth of 12 feet bsg.

In July 2002, eight soil borings were advanced on 5th Street and Chestnut Street to total depths between 5 feet and 8 feet bsg to determine if contamination was migrating off-site along preferential pathways (i.e. utility trenches). Sample results indicated high methyl tertiary-butyl ether (MTBE) concentrations that ranged from 170,000 micrograms per liter ($\mu\text{g/l}$) to 460,000 $\mu\text{g/l}$ in grab ground water samples from borings drilled directly north of the site, along the 5th Street sewer line. Borings east of the site had little to no contamination.

In January 2003, a passive skimmer was placed inside monitoring well MW-7 to remove free product. During monitoring activities in April 2004, free-product was noted in MW-8. The passive skimmer in MW-7 was moved to MW-8 to remove the free product.

Site Background Information: Rino Pacific - Oakland Truck Stop
Page 3 of 7

In October 2004, three pilot borings were advanced at the site to install three ground water monitoring wells MW-12 through MW-14. Wells MW-12 and MW-13 were installed in the 5th Street right of way to the north of the property to a vertical depth of 20 feet bsg and completed as ground water monitoring wells using 2-inch diameter polyvinylchloride (PVC) casing with a 0.020-inch slotted screen installed from 5 feet to 20 feet bsg. Well MW-14 was installed in the northeast corner of the site with the same construction as wells MW-12 and MW-13. A total of three soil samples, taken from the monitoring well pilot borings, were analyzed for petroleum hydrocarbon constituents. In sample MW14-10, 1.8 milligrams per kilogram (mg/kg) TPH-d and 2.0 mg/kg MTBE were detected.

On 05 through 07 and 18 July 2006, seven soil borings (P1 through P7) were advanced on-site to depths of 20 feet bsg with direct-push technology (P6 and P7) and 40 feet bsg (P1 through P5) with a hollow-stem auger drill rig. All borings were continuously cored from surface grade to total depth. Soil and grab ground water samples were collected at selected intervals based on lithology encountered during drilling; grab ground water samples were collected from borings advanced immediately adjacent to P1 through P5, and at total depth in borings P6 and P7. Soil samples were collected between depths of 6 feet and 40 feet bsg from borings P1 through P7 and analyzed for petroleum hydrocarbon constituents. TPH-g was detected in soil samples P1-6, P1-21, P2-8, and P4-7 at concentrations of 210 mg/kg, 2.6 mg/kg, 110 mg/kg, and 10 mg/kg, respectively. TPH-d was detected in samples P1-6, P2-8, and P4-7 at concentrations of 7,600 mg/kg, 680 mg/kg, and 13,000 mg/kg, respectively.

Grab ground water samples were collected from soil borings advanced immediately adjacent to P1 through P5 at selected sandy zones between 10 feet and 35 feet bsg, and from borings P6 and P7 at a depth of 20 feet bsg. TPH-g was detected in boring P1 at 20 feet and 35 feet bsg, in boring P4 at 10 feet bsg, in boring P5 at 10 feet and 35 feet bsg, and in borings P6 and P7 at 20 feet bsg at concentrations ranging from 130 µg/l (P6-20-W) to 38,000 µg/l (P4-W-10). TPH-d was detected in boring P1 at 20 feet and 35 feet bsg, in boring P4 at 10 feet bsg, and in boring P7 at 20 feet bsg at concentrations ranging from 4,500 µg/l (P1-W-35) to 350,000 µg/l (P4-W-10). BTEX constituents were detected in boring P1 at 20 feet and 35 feet bsg, P5 at 10 feet and 35 feet bsg, and P6 at 20 feet bsg at maximum concentrations of 110 µg/l benzene (P1-W-20), 36 µg/l toluene (P5-W-10), 13 µg/l ethylbenzene (P1-W-35), and 17.3 µg/l total xylenes (P1-W-20). MTBE was detected in samples collected from boring P1 at 20 feet and 35 feet bsg, in boring P4 at 10 feet bsg, in boring P5 at 10 feet and 35 feet bsg, and in borings P6 and P7 at 20 feet bsg at concentrations ranging from 4.1 µg/l (P6-20-W) to 11,000 µg/l (P1-W-20). TAME was detected in boring P1 at 20 feet and 35 feet bsg, in boring P4 at 10 feet bsg, and in boring P5 at 10 feet bsg at concentrations ranging from 3.4 µg/l (P5-W-10) to 17 µg/l (P1-W-20). The lead scavenger 1,2-DCA was detected in boring P1 at 20 feet and 35 feet bsg at concentrations of 4.7 µg/l and 3.4 µg/l, respectively. Benzene was detected in sample P1-21 at a concentration of 0.014 mg/kg. Toluene, ethylbenzene, and xylenes were detected in sample P2-8 at concentrations of 0.22 mg/kg, 0.62 mg/kg, and 4.2 mg/kg,

Site Background Information: Rino Pacific - Oakland Truck Stop
Page 4 of 7

respectively.

In September 2007, AGE installed ground water monitoring wells MW-15 and MW-16 and conducted ground water assessment at the site utilizing CPT. The wells were installed off-site in the City of Oakland right-of-way approximately 160 feet northeast and 100 feet northwest (down-gradient) of the former UST area, respectively, to total depths of approximately 20.5 feet bsg and completed with 15 feet of well screen section extending from approximately 5 to 20 feet bsg.

A total of three borings (CPT-1 through CPT-3) were advanced to collect subsurface lithologic data and to collect discrete ground water samples. Two CPT borings were advanced on the eastern portion of the site to assess the vertical extent of petroleum hydrocarbon-impacts to ground water. One CPT boring was advanced off-site, in the northwest parking area of 5th Street, to assess the lateral and vertical extent of petroleum hydrocarbon impacts to ground water. Soil boring CPT-1 was advanced approximately 110 feet northwest of the northwest corner of the site. Soil borings CPT-2 and CPT-3 were advanced approximately 100 feet southeast and east of the former USTs located on the central portion of the site, respectively. Due to refusal the total depths of the lithologic soundings in borings CPT-1, CPT-2, and CPT-3 were 52 feet bsg, 52 feet bsg, and 54 feet bsg, respectively.

There were no reported detections of BTEX compounds in any of the soil samples collected for laboratory analysis. TPH-d was detected in two of the six soil samples collected at a reported concentration of 1.4 milligrams per kilograms (mg/kg; MW-15-6.5 feet) and 3.3 mg/kg (MW-16-6.5 feet). However, the laboratory report indicates that the results in sample MW-15-6.5 feet do not resemble a fuel pattern, and that the TPH-d results in sample MW-16-6.5 feet are primarily due to overlap from a heavy oil range product. TPH-g was detected in soil sample MW-15-6.5 feet at a reported concentration of 1.4 mg/kg.

Benzene was detected at concentrations of 2.0 micrograms per liter ($\mu\text{g/l}$), 8.0 $\mu\text{g/l}$, 10 $\mu\text{g/l}$, and 13 $\mu\text{g/l}$ for samples CPT-2C, CPT-2B, CPT-3C, and CPT-3B, respectively. Toluene was detected at concentrations of 0.67 $\mu\text{g/l}$, 1.1 $\mu\text{g/l}$, 3.4 $\mu\text{g/l}$, and 13 $\mu\text{g/l}$ for samples CPT-3C, CPT-3B, CPT-2C, and CPT-2B, respectively. Ethylbenzene was detected at a concentration of 0.57 $\mu\text{g/l}$, 1.3 $\mu\text{g/l}$, 1.9 $\mu\text{g/l}$, and 10 $\mu\text{g/l}$ for samples CPT-2C, CPT-2B, CPT-3C, and CPT-3B, respectively. Total xylenes were detected at concentrations of 2.1 $\mu\text{g/l}$, 2.7 $\mu\text{g/l}$, 5.5 $\mu\text{g/l}$, and 1.3 $\mu\text{g/l}$ for samples CPT-3C, CPT-2C, CPT-2B, and CPT-3B, respectively. There were no reported detections of BTEX compounds in ground water samples collected from boring CPT-1.

TPH-d was detected in three of the seven ground water samples collected; at concentrations of 54 $\mu\text{g/l}$, 190 $\mu\text{g/l}$, and 240 $\mu\text{g/l}$ in samples CPT-2C, CPT-3B, and CPT-3C, respectively. There were no reported detections of TPH-d in A-zone ground water samples CPT-2B, CPT-1A, CPT-1B or CPT-1C. TPH-g was detected in three of the seven

Site Background Information: Rino Pacific - Oakland Truck Stop
Page 5 of 7

ground water samples collected; at concentrations of 69 µg/l, 270 µg/l, and 410 µg/l in samples CPT-2B, CPT-3C, and CPT-3B, respectively. There were no reported detections of TPH-g in ground water samples CPT-2C, CPT-1A, CPT-1B or CPT-1C. MTBE was detected in three the seven ground water samples collected for analysis. MTBE was detected at concentration of 0.61 µg/l, 0.93 µg/l, and 16 µg/l in ground water samples CPT-2C, CPT-3B, and CPT-3C. There were no reported detections of MTBE in ground water samples CPT-2B, CPT-1A, CPT-1B or CPT-1C.

In July 2008, AGE conducted the additional subsurface investigation at the site utilizing 25-ton truck mounted CPT drill rig. A total of three borings (CPT-4 through CPT-6) were advanced to collect subsurface lithologic data and to collect discrete ground water samples. CPT boring (CPT-4) was advanced on-site, approximately 40 feet northeast of the former UST area. CPT boring CPT-5 was advanced off-site, in the dirt area on the north side of 5th Street. CPT boring CPT-6 was advanced east of the site, on the eastern edge of Chestnut Street. Due to refusal, the total depths of the lithologic soundings in borings CPT-4, CPT-5, and CPT-6 were 49 feet bsg, 47 feet bsg and 45 feet bsg respectively. A total of seven ground water samples were collected from borings CPT-4 through CPT-5 and submitted for laboratory analysis. No contaminants of concern were detected in any of the samples analyzed.

A.4. SITE REMEDIATION ACTIVITIES

In March 2004, a total of ten pilot borings were advanced to 12.5 feet bsg at the site to install ten ozone sparge wells (OZ-1 through OZ-10). The microporous sparge interval was set at 10 to 12 feet bsg.

In October 2004, ten pilot borings were advanced to install ten ozone sparge wells OZ-11 through OZ-20. The sparge wellw were completed with a manufacturer-assembled, 2-inch by 24-inch microporous sparge interval from 11 to 13 feet bsg and blank 1-inch casing extended to the surface. The filter pack was installed from 9 feet to 15 feet bsg.

During the first quarter 2005, AGE completed the installation of the interim remediation system subsurface piping network. All tubing was encased in Schedule 80 polyvinylchloride (PVC) piping.

On 24 September 2005, two ozone sparge systems were installed on-site and started; initiation of the ozone sparge system was delayed upon the client's request, as demolition activities were being conducted on-site.

On 13 March 2007, AGE personnel directed the destruction of five ozone injection wells (OZ6, OZ7, OZ10, OZ16 and OZ17) in preparation for truck scale upgrade activities to be performed by the property's lessee and CAT Scale. In preparation for destruction of ozone

Site Background Information: Rino Pacific - Oakland Truck Stop
Page 6 of 7

injection wells OZ6, OZ7, OZ10, OZ16 and OZ17 all material within the original boreholes, including the well casings, filter pack, annular seal, and well cover boxes were over-drilled utilizing a CME-HT drill rig equipped with 10-inch, hollow stem augers. Following over-drilling activities, each borehole was backfilled with a cement grout mixture to surface grade.

Hydrocarbon-impacted soil surrounding the existing truck scale was excavated as part of truck scale removal and upgrade activities. Soil was removed to a depth of approximately six feet bsg using an excavator. Soil surrounding the existing truck scale was excavated by representatives of CAT Scale. The excavation provided the removal of a significant amount of petroleum hydrocarbon-impacted soil within the present vadose and smear zones. The soil was removed using an excavator to a total depth of approximately 6 feet bsg. While soil was excavated, trucks were immediately loaded for transportation Keller Canyon Landfill in Pittsburg, California. The impacted soil was transported by Intrinsic Transportation, Inc, of Santa Rosa, California and JT & T Enterprises of Cotati, California under non-hazardous waste manifest. According to total sum of truck weight tickets 543.76 tons or approximately 367 cubic yards of soil were disposed. The excavation was backfilled with clean fill sand and pea gravel mixtures. The fill material placed in the excavation and was compacted by representatives of CAT Scale. In addition, the installation of the scale was conducted by representatives of CAT Scale.

TPH-d-range petroleum hydrocarbons were detected at concentrations ranging from 95 mg/kg to 9,800 mg/kg (Table 1). TPH-g-range petroleum hydrocarbons were detected at concentrations ranging from 1.0 mg/kg to 50 mg/kg (Table 1). Benzene concentrations ranged from 0.020 mg/kg to 0.20 mg/kg. Toluene concentrations ranged from 0.018 mg/kg to 0.020 mg/kg. Ethylbenzene concentrations ranged from 0.014 mg/kg to 0.028 mg/kg. Total xylene concentrations ranged from 0.020 mg/kg to 0.044 mg/kg. MTBE was detected in 12 of the 13 soil samples at concentrations ranging from 0.030 mg/kg to 2.6 mg/kg. The reported concentrations of TAME ranged from 0.011 mg/kg to 0.90 mg/kg.

Based on the analytical results gathered from the floor and the sidewalls of the excavation, it appears that moderate to elevated levels of petroleum hydrocarbon-impacts to soil remain at depths of approximately six feet bsg on the northwest portion of the site.

After completion of the truck scale upgrade by CAT Scale, AGE personnel directed the advancement of five pilot soil borings at the site for the re-installation of ozone injection wells OZ6R, OZ7R, OZ10R, OZ16R and OZ17R.

The ozone well pilot soil borings were completed as single-level ozone injection wells with manufacturer-assembled, 2-inch by 24-inch microporous sparge points set from approximately 11 feet to 13 feet bsg.

From September 2005 to July 2007 the systems injected ozone for a ½-hour duration into two ozone injection points at a time. A total of ten ozone injection wells, in conjunction with

Site Background Information: Rino Pacific - Oakland Truck Stop
Page 7 of 7

the south unit, have been on-line throughout the majority of the Second Quarter 2007. The north unit has been shut down since 13 March 2007 due to the destruction of ozone wells OZ6, OZ7, OZ10, OZ16, and OZ17; however, the north unit was brought back on-line 27 July 2007 subsequent to re-plumbing the recently installed ozone injection points. Both the north and south unit systems currently inject ozone for a 1-hour duration into one ozone injection points at a time.

The monitoring of geochemical parameters had been discontinued as of the second quarter 2009, but was resumed on 05 October 2010 until the ozone systems became non-operational in January 2011. A summary of geochemical parameters and the ozone systems operation and maintenance activities thus far were presented in Table 4 and Table 5 of the AGE-prepared, *First Semi-Annual Report - 2011 (January to June)*.

APPENDIX B

Monitoring and Sampling Procedures

APPENDIX B
MONITORING AND SAMPLING PROCEDURES
Rino Pacific - Oakland Truck Stop
1107 5th Street, Oakland, California

GROUND WATER MONITORING AND SAMPLING SCHEDULE

Previously, the monitoring schedule was performed in accordance with a ground water monitoring program approved by ACWD in an email dated 20 March 2009. The following is a summary of the previous monitoring and reporting program:

- Quarterly monitoring (measuring depth to water) of site ground water monitoring wells.
- Quarterly sampling of four ground water monitoring wells (MW-5, MW-7, MW-8 and MW-14).
- Annual monitoring and sampling of eight ground water monitoring wells (MW-1, MW-3N, MW-4, MW-9, MW-12, MW-13, MW-15 and MW-16).
- Temporary suspension of sampling requirements of three ground water monitoring wells (MW-6, MW-10 and MW-11).
- Semi-annual reporting of data collected for two quarters, with reports to include updates of interim remedial activity at the site.

On 19 May 2009, the State Water Resources Control Board passed resolution number 2009-0040 requiring semi-annual monitoring and reporting for all sites unless site-specific issues dictate greater frequency of monitoring.

In a letter dated 23 July 2009, the ACWD directed semi-annual ground water monitoring and sampling at the site. The sampling schedule will be implemented beginning with the fourth quarter 2010 as follows:

- First quarter - no monitoring, sampling or reporting;
- Second quarter - semi-annual monitoring, sampling and reporting;
- Third quarter - no monitoring, sampling or reporting; and
- Fourth quarter - annual monitoring, sampling and reporting.

For semi-annual monitoring and sampling events, only wells MW-5, MW-7, MW-8, and MW-14 will be sampled. All wells will be monitored for depth to water and assessed for well integrity. For annual monitoring and sampling events, eight additional ground water monitoring wells (MW-1, MW-3N, MW-4, MW-9, MW-12, MW-13, MW-15 and MW-16) will

be monitored and sampled.

Semi-annual monitoring reporting periods are recommended as follows:

First semi-annual reporting period will be January to June, while the second semi-annual reporting period will be July to December of each year.

Interim In-situ Ozone Injection Remedial System

- Twice monthly maintenance checks and recording of system operational parameters.

GROUND WATER SAMPLING PROCEDURES

Prior to purging and sampling the ground water monitoring wells, static water level was measured using an electric water level indicator. Water level data was recorded to the nearest 0.01 foot from a reference point marked on the top of the PVC well casing. Before and after each use, the measuring device was rinsed with water.

WELL PURGING

Subsequent to measurement of depth to water and prior to sampling, the well was purged to ensure the sample is representative of ground water in the formation, rather than of water standing in the well casing. Monitoring wells were purged by using a disposable polyethylene bailers. The disposable polyethylene bailers is disposed of after one use and required no decontaminating, minimizing cross contamination due to sampling devices. The wells were purged until: 1) a minimum of three casing volumes was removed from each well; and 2) field-measured ground water parameters including temperature, electrical conductivity, and pH had stabilized. Purge water generated during sampling activities was contained on-site in an appropriately labeled 55-gallon drum.

SAMPLE WITHDRAWAL

Following 80 percent recovery of ground water within the well after purging, ground water samples were collected from the monitoring wells using disposable polyethylene bailers. These bailers are disposed of after one use and required no decontaminating, minimizing cross contamination due to sampling devices. The samples were drawn and collected in such a manner that agitation and exposure of the ground water to the atmosphere was

minimal. Sample containers were filled using the appropriate disposable sampling attachment which allows controlled flow out of the bottom of the bailer.

SAMPLE HANDLING

Ground water samples are collected into laboratory-supplied 40-ml volatile organic analysis (VOA) vials without preservative; samples are collected with no visible air bubbles present in the vials after filling and capping; while selected well samples were collected in 1-liter amber bottles without preservative. Following collection, samples are appropriately labeled, placed on ice, and kept in a cooler until delivered to Cal Tech Environmental Laboratories (CTEL), a State of California Department of Public Health-certified analytical laboratory, for analysis. Samples are analyzed for:

- Total petroleum hydrocarbons quantified as gasoline (TPH-g) in accordance with EPA Method 8015 Modified;
- Selected wells for Total petroleum hydrocarbons quantified as diesel (TPH-d) in accordance with EPA Method 8015 Modified; and
- Benzene, toluene, ethyl-benzene, and total xylenes (BTEX), and fuel additives methyl tertiary-butyl ether (MTBE), di-isopropyl ether (DIPE), ethyl tertiary-butyl ether (ETBE), tertiary-amyl methyl ether (TAME), tertiary butanol (TBA), ethylene dibromide (EDB), and 1,2-dichloroethane (1,2-DCA) in accordance with EPA Method 8260B.

EQUIPMENT DECONTAMINATION


Prior to sample collection, all sampling tools used for sample collection were thoroughly washed with a solution of Alconox and rinsed with clean water.

APPENDIX C

Field Logs

Advanced
GeoEnvironmental, Inc.

837 Shaw Road, Stockton, CA 95205 • (209) 467-1006 • Fax (209) 467-1118



Ground Water Depth/Dissolved Oxygen/ORP Field Log

Project: RINEHART - OAKLAND TRUCK STOP

Date: 5-23-12

Field Personnel: KL
MB

Page: 1 of 1


Well I.D.	Time	Casing Elev (ft MSL)	Depth to Free Product (ft btoc)	Depth to Water (ft btoc)	Ground Water Elev (ft MSL)	Measured Depth (ft btoc)	Total Depth (ft bsg)	ORP	Dissolved Oxygen		
									mg/l	%	°C
MW-1	1040	10.02		3.70		17.80	20				
MW-3N	1044	11.36		4.22		11.65	12				
MW-4	1113	10.16		4.34		13.43	20				
MW-5	1117	10.19		4.24		13.92	20				
MW-6	1101	10.33		4.41		14.03	20				
MW-7	1109	11.41		5.74		18.90	20				
MW-8	1109	9.73		3.40		17.34	20				
MW-9	1037	9.73		2.95		19.95	20				
MW-10	1033	9.42		1.62		11.05	12				
MW-11	1030	10.77		3.96		11.77	12				
MW-12	—	10.59		DEST.		—	20				
MW-13R	1052	11.29		5.82		20.14	20				
MW-14	1056	11.39		5.60		19.36	20				
MW-15	1048	11.38		5.30		18.36					
MW-16	—	10.36		DEST.		—					

20101122

Advanced

GeoEnvironmental, Inc.

837 Shaw Road, Stockton, CA 95205 • (209) 467-1006 • Fax (209) 467-1118



Monitoring Well Field Log

Well Data


Project Name: RINEHART - OAKLAND TRUCK STOP	Project No.: AGE-NC-03-1101	Date: 5-23-12
Pre-Purge DTW: 4.24	Time: 1117	Well I.D.: MW- 5
Post-Purge DTW: 4.90	Time: 1228	
Total Depth of Well: 13.92	Well Volume: 1.54	Casing Diameter: 0.5" 2" 4" 6" Gal./Ft.: 0.01074 0.16 0.65 1.47
Sampler(s): KL/MB	Sample Containers: 3 VOAs, 1 Amber	
Sample I.D.: MW- 5 /052312	Analysis: TPH-g,d/BTEX/5 Fuel Oxys 1,2-DCA, EDB	

Stabilization Data

Purge Method:	DISPOSABLE BAILER		
Sample Method:	DISPOSABLE BAILER	Well Integrity:	
Sample Time:	1230	Dissolved O ₂ :	C
	Oakton	%	mg/L

Advanced GeoEnvironmental, Inc.

837 Shaw Road, Stockton, CA 95205 • (209) 467-1006 • Fax (209) 467-1118



Monitoring Well Field Log

Well Data

Project Name: RINEHART - OAKLAND TRUCK STOP	Project No.: AGE-NC-03-1101	Date: 5-23-12
Pre-Purge DTW: 5.74	Time: 1109	Well I.D.: MW-7
Post-Purge DTW: 6.20	Time: 1149	
Total Depth of Well: 18.90	Well Volume: 2.10	Casing Diameter: 0.5" Gal./Ft.: 0.01074
Sampler(s): KL/MB		2" 4" 6" 0.16 0.65 1.47
Sample I.D.: MW-7	/052312	Sample Containers: 3 VOAs, 1 Amber
		Analysis: TPH-g,d/BTEX/5 Fuel Oxys 1,2-DCA, EDB


Stabilization Data

Purge Method:	DISPOSABLE BAILER		
Sample Method:	DISPOSABLE BAILER	Well Integrity:	
Sample Time:	1130	Dissolved O ₂ :	C
	Oakton	%	mg/L

Advance

GeoEnvironmental, Inc.

837 Shaw Road, Stockton, CA 95205 • (209) 467-1006 • Fax (209) 467-1118



Monitoring Well Field Log


Well Data

Project Name: RINEHART - OAKLAND TRUCK STOP		Project No.: AGE-NC-03-1101	Date: 5-23-12		
Pre-Purge DTW: 3.40	Time: 105	Well I.D.:			MW- 8
Post-Purge DTW: 4.90	Time: 1208				
Total Depth of Well: 17.34	Well Volume: 2.23	Casing Diameter: 0.5"	2"	4"	6"
Sampler(s): KL/MB	Gal./Ft.: 0.01074	0.16	0.65	1.47	
Sample I.D.: MW-X	/052312	Sample Containers: 3 VOAs, 1 Amber			
		Analysis: TPH-g,d/BTEX/5 Fuel Oxys 1,2-DCA, EDB			

Stabilization Data

Purge Method:	DISPOSABLE BAILER		
Sample Method:	DISPOSABLE BAILER	Well Integrity:	
Sample Time:	1209	Dissolved O ₂ :	C
	Oakton	%	mg/L

Advanced GeoEnvironmental, Inc.



837 Shaw Road, Stockton, CA 95205 • (209) 467-1006 • Fax (209) 467-1118

Monitoring Well Field Log

Well Data

Project Name: RINEHART - OAKLAND TRUCK STOP		Project No.: AGE-NC-03-1101	Date: 5-23-12
Pre-Purge DTW: <u>5.60</u>	Time: <u>10:56</u>	Well I.D.:	MW- <u>14</u>
Post-Purge DTW: <u>6.49</u>	Time: <u>11:33</u>		
Total Depth of Well: <u>19.36</u>	Well Volume: <u>2.20</u>	Casing Diameter: 0.5" Gal./Ft.: 0.01074	2" 4" 6" 0.16 0.65 1.47
Sampler(s): KL/MB		Sample Containers: 3 VOAs, 1 Amber	
Sample I.D.: MW- <u>14</u> /052312		Analysis: TPH-g,d/BTEX/5 Fuel Oxys 1,2-DCA, EDB	

Stabilization Data

Purge Method:	DISPOSABLE BAILER		
Sample Method:	DISPOSABLE BAILER	Well Integrity:	
Sample Time:	1134	Dissolved O ₂ :	C
	Oakton	%	mg/L

APPENDIX D

Cal Tech Laboratory Report

CAL TECH Environmental Laboratories



6814 Rosecrans Avenue. Paramount, CA 90723-3146
 Telephone: (562) 272-2700 Fax: (562) 272-2789

ANALYTICAL RESULTS*

CTEL Project No: CT214-1205159

Client Name: Advanced Geo Environmental, Inc.
 837 Shaw Road
 Stockton, CA 95215

Phone: (209) 467-1006

Fax: (209) 467-1118

Attention: Mr. Brian Millman

Project ID: Global ID: T0600102136

Project Name: Rinehart / Oakland TS

Date Sampled: 05/23/12 @ 12:30 p.m.

Matrix: Water

Date Received: 05/24/12 @ 08:30 am

Date Analyzed: 05/24/12 – 05/25/12

Laboratory ID:	1205-159-1	1205-159-2	1205-159-3	Method	Units:	Detection Limit
Client Sample ID:	MW5	MW7	MW8			
Dilution	1-20	1-20	1			
TPH - Gasoline	34000	56000	4900	EPA 8015M	ug/L	50
TPH – Diesel	40000	62000	4800	EPA 8015M	ug/L	50
VOC, 8260B						
Dilution	1	1-20	1			
Methyl-tert-butyl-ether(MtBE)	ND	1900	13	SW846 8260B	ug/L	1
t-Butyl Alcohol (TBA)	9900	74000	9700	SW846 8260B	ug/L	10
t-Amyl Methyl Ether (TAME)	ND	35	ND	SW846 8260B	ug/L	1
Benzene	5.0	2800	ND	SW846 8260B	ug/L	0.5
Toluene	9.0	31	ND	SW846 8260B	ug/L	0.5
Ethylbenzene	3.4	180	ND	SW846 8260B	ug/L	0.5
m,p-Xylene	13	140	ND	SW846 8260B	ug/L	0.5
o-Xylene	4.5	18	ND	SW846 8260B	ug/L	0.5

ND = Not Detected at the indicated Detection Limit

SURROGATE SPIKE	% SURROGATE RECOVERY			Control Limit
Dibromofluoromethane	104	104	108	70-130
1,2 Dichloroethane-d4	91	90	90	70-130
Toluene-d8	101	106	105	70-130
Bromofluorobenzene	89	94	92	70-130

CTEL Project No: CT214-1205159
Client Name: Advanced Geo Environmental, Inc.
837 Shaw Road
Stockton, CA 95215
Attention: Mr. Brian Millman

Phone:(209) 467-1006
Fax: (209) 467-1118

Project ID: Global ID: T0600102136
Project Name: Rinehart / Oakland TS

Date Sampled: 05/23/12 @ 11:34 am
Date Received: 05/24/12 @ 08:30 am
Date Analyzed: 05/24/12 – 05/25/12

Matrix: Water

Laboratory ID:	1205-159-4	Method	Units:	Detection Limit
Client Sample ID:	MW14			
Dilution	1			
TPH - Gasoline	1000	EPA 8015M	ug/L	50
TPH – Diesel	880	EPA 8015M	ug/L	50

VOC, 8260B

Dilution	1			
Methyl-tert-butyl-ether(MtBE)	300	SW846 8260B	ug/L	1
t-Butyl Alcohol (TBA)	290	SW846 8260B	ug/L	10
t-Amyl Methyl Ether (TAME)	2.2	SW846 8260B	ug/L	1
Benzene	54	SW846 8260B	ug/L	0.5
Toluene	2.3	SW846 8260B	ug/L	0.5
Ethylbenzene	3.6	SW846 8260B	ug/L	0.5
m,p-Xylene	3.6	SW846 8260B	ug/L	0.5
o-Xylene	2.1	SW846 8260B	ug/L	0.5

ND = Not Detected at the indicated Detection Limit

SURROGATE SPIKE	% SURROGATE RECOVERY	Control Limit
Dibromofluoromethane	101	70-130
1,2 Dichloroethane-d4	91	70-130
Toluene-d8	106	70-130
Bromofluorobenzene	89	70-130



Greg Tejirian
Laboratory Director

*The results are base upon the sample received.

Cal Tech Environmental Laboratories, Inc. ELAP ID #: 2424

CAL TECH Environmental Laboratories



6814 Rosecrans Avenue. Paramount, CA 90723-3146
Telephone: (562) 272-2700 Fax: (562) 272-2789

QA/QC Report

Method: 8015M

Matrix: Water

Date Analyzed: 5/24/2012

Date Extracted: 5/24/2012

Perimeters	Conc. ug/L		Spike Added	Recovery %		Control Rec.	Limits RPD	RPD
	MS	MSD		MS	MSD			
TPH - Gasoline	967	992	1000	97	99	70-130	20	2
TPH - Diesel	1070	1060	1000	107	106	70-130	20	1

Perimeters	Method Blank	Units	Det. Limit
TPH - Gasoline	ND	ug/L	50
TPH - Diesel	ND	ug/L	50

MS: Matrix Spike

MSD: Matrix Spike Duplicate

RPD: Relative Percent Difference of MS and MSD

CAL TECH Environmental Laboratories



6814 Rosecrans Avenue, Paramount, CA 90723-3146
 Telephone: (562) 272-2700 Fax: (562) 272-2789

QA/QC Report

Method: 8260B

Matrix: Water

Date Analyzed: 5/24/2012

Date Extracted: 5/24/2012


Perimeters	Conc. ug/L		Spike Added	Recovery %		Control Rec.	Limits RPD	RPD
	MS	MSD		MS	MSD			
1,1-Dichloroethane	43	45	50	86	90	70-130	20	4
Benzene	43	43	50	86	86	70-130	20	0
Trichloroethene	47	47	50	94	94	70-130	20	0
Toluene	46	48	50	92	96	70-130	20	4
Chlorobenzene	46	47	50	92	94	70-130	20	2
m,p-Xylenes	88	89	100	88	89	70-130	20	1

MS: Matrix Spike

MSD: Matrix Spike Duplicate

RPD: Relative Percent Difference of MS and MSD

Perimeters	Method Blank	Units	Det. Limit
1,1-Dichloroethene	ND	ug/L	1
Benzene	ND	ug/L	0.5
Trichloroethene	ND	ug/L	0.5
Toluene	ND	ug/L	0.5
Chlorobenzene	ND	ug/L	0.5
m,p-Xylenes	ND	ug/L	0.6
MTBE	ND	ug/L	1
TBA	ND	ug/L	10
DIPE	ND	ug/L	1
ETBE	ND	ug/L	1
TAME	ND	ug/L	1
1,2-Dichloroethane	ND	ug/L	0.5
EDB	ND	ug/L	0.5
Ethylbenzene	ND	ug/L	0.5
o-Xylene	ND	ug/L	0.6
TCE	ND	ug/L	1
PCE	ND	ug/L	1



Advanced GeoEnvironmental, Inc.

www.advgeoenv.com

- 837 Shaw Road, Stockton, California 95215 • Phone (209) 467-1006 • Fax (209) 467-1118

381 Thor Place, Brea, California 92821 • Phone (714) 529-0200 • Fax (714) 529-0203

2318 Fourth Street, Santa Rosa, California 95404 • Phone (707) 570-1418 • Fax (707) 570-1461

395 Del Monte Center, #111, Monterey, California 93940 • Phone (800) 511-9300 • Fax (831) 394-5979

05-159

Project Name Rinehart - Oakland truck stop


Project Manager Brian Mollman

Client _____ **Sampler (initials & signature)** _____

Invoice to: AGE Client

Lab Project No.:

Relinquished by: Zach M Date: 8/23/13 Time: 1700 Laboratory: Cold Tech

lished by:


Date: 5/23/12

Time: 170

ory: Cal tech

Courier:	Received by:	Date:	Time:
Ontrack			

Relinquished by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____

Relinquished by: Date: Time: Received by: Date: Time:
GREG T 5/24/12 8:30

Requested Turn Around Time (circle): 24 hours 48 hours 72 hours 5 days (standard) Other: _____

I hereby authorize the performance of the above indicated work.

Copyright © 2010 Pearson Education, Inc., publishing as Pearson Benjamin Cummings. All Rights Reserved.

Geotracker EDF to:  geotracker@advgeoenv.com


四

Global ID:


APPENDIX E

Trend Graphs for MW-4, MW-5, MW-7, MW-8 and MW-14


RINO PACIFIC/OAKLAND TRUCK STOP
TPH CONCENTRATIONS FOR WELL MW-4




RINO PACIFIC/OAKLAND TRUCK STOP
MTBE CONCENTRATIONS FOR WELL MW-4




RINO PACIFIC/OAKLAND TRUCK STOP
TPH-G AND MTBE CONCENTRATIONS FOR WELL MW-5




RINO PACIFIC/OAKLAND TRUCK STOP
TPH-D CONCENTRATIONS FOR WELL MW-5




RINO PACIFIC/OAKLAND TRUCK STOP
TPH-G AND MTBE CONCENTRATIONS FOR WELL MW-7




RINO PACIFIC/OAKLAND TRUCK STOP
TPH-D CONCENTRATIONS FOR WELL MW-7



RINO PACIFIC/OAKLAND TRUCK STOP
BENZENE CONCENTRATIONS FOR WELL MW-7



RINO PACIFIC/OAKLAND TRUCK STOP
SELECTED CONCENTRATIONS FOR WELL MW-8



RINO PACIFIC/OAKLAND TRUCK STOP
SELECTED CONCENTRATIONS FOR WELL MW-14

