

EMERYVILLE
SEP 14 11:20
2nd

September 12, 1995

LF 3042.95-002

Mr. Sumadhu Arigala
San Francisco Bay Region
California Regional Water Quality Control Board
2101 Webster Street, Suite 500
Oakland, California 94612

Subject: August 9, 1995 Quarterly Ground-Water Monitoring Results, A Portion of the Rifkin Property, 4525-4563 Horton Street, Emeryville, California

Dear Mr. Arigala:

This letter transmits the results for August 9, 1995 quarterly monitoring on a portion of the Rifkin Property located at 4525-4563 Horton Street in Emeryville, California ("the Site") for the monitoring period July 1 through September 30, 1995.

Quarterly ground-water monitoring was conducted at the Site as proposed in a letter dated October 26, 1994 from Dave Gustafson and Larry Mencin of The Sherwin-Williams Company to Sum Arigula of the California Regional Water Quality Control Board (RWQCB). This proposed quarterly ground-water monitoring program was approved by the RWQCB in a letter to Dave Gustafson from Steven Ritchie of the RWQCB dated November 4, 1994.

On August 9, 1995 ground-water samples were collected from wells RP-1 through RP-5 and submitted to American Environmental Network (AEN) for chemical analysis. In addition, on August 9, 1995 depth to water measurements were recorded in on-site wells RP-1 through RP-5 (installed by Levine-Fricke) and MW-1 through MW-5 (installed by TMC Environmental). Locations of on-site wells are shown on Figure 1. Water level and sampling field forms are included in Appendix A.

Depth to ground water in the on- and off-site monitoring wells was measured using an electric water-level meter to the nearest 0.01 foot. Depth to water measurements and ground-water elevations in the monitoring wells are presented in Table 1. Ground-water contours are shown on Figure 1.

After the volume of water in each well was calculated, 3 to 5 well volumes of water were purged from each well using either a gasoline-powered centrifugal pump equipped with a clean suction hose, or by hand-bailing with a clean Teflon bailer.

During purging of the wells, ground-water parameters (pH, specific conductance, and temperature) were monitored and recorded, to aid in collecting ground-water samples that were representative of the ground water in surrounding sediments. Samples were collected after these parameters had stabilized. If a well did not sustain a constant yield (i.e., goes dry), the well was sampled after the water level had recovered to approximately 80 percent of the original water level, or 2 hours after purging, whichever occurred first.

After purging, ground-water samples were collected using a clean Teflon bailer fitted with a new rope. A duplicate sample collected from well RP-4 and a bailer field blank were submitted for chemical analysis to monitor laboratory and equipment decontamination quality assurance and quality control. Equipment used during ground-water sampling was cleaned with Alconox (a laboratory grade detergent) and/or steam cleaned. The samples were placed into the appropriate laboratory-supplied sample containers and placed in a chilled cooler for transportation to AEN, a California-certified laboratory for analysis, following chain-of-custody procedures.

Water purged from each well during ground-water sampling was temporarily stored on site in 55-gallon drums for subsequent disposal, based upon chemical analyses results.

Ground-water samples were submitted to AEN for analysis of dissolved arsenic using EPA Method 7060, total petroleum hydrocarbons as gasoline using EPA Method 5030, total petroleum hydrocarbons as diesel using EPA Method 3510, and benzene, toluene, ethylbenzene, and total xylenes using EPA Method 8020. Analytical results for these samples are presented in Table 2. Analytical results for dissolved arsenic are shown on Figure 2. Laboratory certificates are included in Appendix B.

The next quarterly ground-water monitoring event will be conducted in November 1995. Please contact Mark Knox or Kenton Gee if you have any questions or comments prior to then at (510) 652-4500.

Sincerely,



Mark D. Knox, P.E.
Chief Engineer



Kenton A. Gee
Project Hydrogeologist

enclosures

cc: Larry Mencin, Sherwin-Williams
Dave Gustafson, Sherwin-Williams
Allen Danzig, Sherwin-Williams
Susan Hugo, Alameda County
Ravi Arulanantham, Alameda County

CERTIFICATION

All information, conclusions, and recommendations in this document have been prepared under the supervision of and reviewed by a Levine-Fricke California Professional Engineer.

Mark D. Knox

Mark D. Knox
Chief Engineer
California Professional Engineer (33194)

9/12/95
Date

Table 1
Historical Ground-Water Elevation Data
Rifkin Property, Emeryville, California

Well Number	Date	Elevation Top of Casing (msl)	Depth to Ground-Water (ft bgs)	Ground-Water Elevation (msl)
RP-1 ⁽¹⁾	8-Sep-94	15.12	8.65	6.47
	28-Feb-95		7.83	7.29
	10-May-95		7.53	7.59
	9-Aug-95		8.39	6.73
RP-2 ⁽¹⁾	8-Sep-94	15.23	8.99	6.24
	28-Feb-95		8.11	7.12
	10-May-95		7.77	7.46
	9-Aug-95		8.67	6.56
RP-3 ⁽¹⁾	8-Sep-94	15.15	8.80	6.35
	28-Feb-95		7.87	7.28
	10-May-95		7.61	7.54
	9-Aug-95		8.48	6.67
RP-4 ⁽¹⁾	8-Sep-94	15.10	9.02	6.08
	28-Feb-95		8.13	6.97
	10-May-95		7.77	7.33
	9-Aug-95		8.65	6.45
RP-5 ⁽¹⁾	8-Sep-94	15.03	8.95	6.08
	28-Feb-95		8.06	6.97
	10-May-95		7.69	7.34
	9-Aug-95		8.57	6.46
MW-1 ⁽²⁾	9-Aug-95	13.79	7.50	6.29
MW-2 ⁽²⁾	9-Aug-95	13.39	7.31	6.08
MW-3 ⁽²⁾	9-Aug-95	14.64	7.89	6.75
MW-4 ⁽²⁾	9-Aug-95	15.35	7.93	7.42
MW-5 ⁽²⁾	9-Aug-95	15.87	7.87	8.00

Data entered by RCM 28-Aug-95. Proofed by KAG.

Notes

- (1) Monitoring well installed by Levine-Fricke.
- (2) Monitoring well installed by TMC Environmental.

msl = mean sea level
 NM = not measured
 bgs = below ground surface

Table 2
Chemicals Detected in Ground-Water Samples
Rifkin Property, Emeryville, California
Concentrations expressed in parts per million (ppm)

Sample ID	Sample Date	As	TPHg	TPHd	TPHo	Benzene	Toluene	Ethyl-benzene	Xylenes	Acetone	MEK	1,2-DCA	cis-1,2-DCE	trans-1,2-DCE	MIBK	TCE
RP-1	28-Jul-94	0.07	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08-Sep-94	0.08	1.9	4.4	0.3	<0.005	<0.0005	<0.0005	<0.002	<0.100	<0.100	0.002	0.003	0.001	<0.050	<0.005
	28-Feb-95	0.046	0.3	1.8	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	(4) 29-Mar-95	0.035	<0.05	0.78	<0.5	<0.005	<0.005	<0.005	<0.01	<0.100	NA	<0.005	<0.005	<0.005	NA	<0.005
	10-May-95	0.095	2.6	1.4	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	09-Aug-95	0.059	1.4	1.4	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
RP-2	28-Jul-94	0.01	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08-Sep-94	0.024	0.09	0.4	0.5	<0.005	0.0005	<0.005	<0.002	<0.100	<0.100	0.001	0.001	<0.0005	<0.050	0.0006
	dup 08-Sep-94	0.020	0.09	0.3	0.6	<0.005	<0.0005	<0.005	<0.002	<0.100	<0.100	0.001	0.001	<0.0005	<0.050	0.0005
	28-Feb-95	0.013	0.09	<0.05	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	(3) 29-Mar-95	0.01	0.07	0.4	<0.5	<0.005	<0.005	<0.005	<0.01	<0.100	NA	<0.005	<0.005	<0.005	NA	<0.005
	10-May-95	0.029	<0.05	0.3	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
09-Aug-95	0.01	<0.05	0.2	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA	
RP-3	28-Jul-94	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08-Sep-94	0.004	0.1	0.7	0.2	<0.005	<0.0005	<0.005	<0.002	<0.100	<0.100	<0.005	<0.0005	<0.0005	<0.050	<0.0005
	28-Feb-95	0.004	0.2	1.2	NA	<0.0005	0.0007	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	(5) 29-Mar-95	0.004	0.3	1.9	0.6	<0.005	<0.005	<0.005	<0.01	<0.100	NA	<0.005	<0.005	<0.005	NA	<0.005
	10-May-95	0.013	0.1	1.7	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	09-Aug-95	0.003	0.2	1.2	NA	<0.0005	0.0009	<0.0005	0.0094	NA	NA	NA	NA	NA	NA	NA
RP-4	28-Jul-94	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08-Sep-94	0.009	0.1	0.2	0.2	<0.005	<0.0005	<0.005	<0.002	<0.100	<0.100	0.001	0.007	0.004	<0.050	0.002
	28-Feb-95	0.007	0.08	0.07	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	dup 28-Feb-95	0.006	0.07	0.07	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	(2) 29-Mar-95	0.008	0.07	0.3	<0.5	<0.005	<0.005	<0.005	<0.01	<0.100	NA	<0.005	<0.005	<0.005	NA	<0.005
	10-May-95	0.013	<0.05	0.2	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	dup 10-May-95	0.011	<0.05	0.2	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	09-Aug-95	0.007	<0.05	0.2	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	dup 09-Aug-95	0.007	<0.05	0.2	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
RP-5	28-Jul-94	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08-Sep-94	0.003	0.09	0.6	2	<0.005	<0.0005	<0.005	<0.002	<0.100	<0.100	0.0008	0.0005	<0.0005	<0.050	<0.005
	28-Feb-95	0.007	0.06	0.2	NA	<0.0005	0.0009	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	(1) 29-Mar-95	0.006	<0.05	0.8	<0.5	<0.005	<0.005	<0.005	<0.01	<0.100	NA	<0.005	<0.005	<0.005	NA	<0.005
	10-May-95	0.018	<0.05	1.1	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
	09-Aug-95	0.003	<0.05	0.69	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA

Table 2
Chemicals Detected in Ground-Water Samples
Rifkin Property, Emeryville, California
 Concentrations expressed in parts per million (ppm)

Sample ID	Sample Date	As	TPHg	TPHd	TPHo	Benzene	Toluene	Ethyl-benzene	Xylenes	Acetone	MEK	1,2-DCA	cis-1,2-DCE	trans-1,2-DCE	MIBK	TCE
Blanks																
RP-3-FB	28-Feb-95	<0.002	<0.05	<0.05	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
RP-3-FB	10-May-95	<0.002	<0.05	<0.05	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
RP-3-FB	09-Aug-95	<0.002	<0.05	<0.05	NA	<0.0005	<0.0005	<0.0005	<0.002	NA	NA	NA	NA	NA	NA	NA
MCLS	-----	0.050	-----	-----	-----	0.005	1.000	0.700	10	-----	-----	0.0005	0.070	0.100	-----	0.005

Data entered by RCM 28-Aug-95. Data proofed by KAg. QA/QC by SXS.

Notes

Analyses performed by American Environmental Network, Pleasant Hill, California by method cited in report.
 If analyte is not listed, it was not present above laboratory detection limits.

NA = not analyzed

ND = not detected

As = arsenic

MEK = methyl ethyl ketone (2-Butanone)

MIBK = methyl isobutyl ketone (4-Methyl-2-pentanone)

TPHd = total petroleum hydrocarbons as diesel

TPHg = total petroleum hydrocarbons as gasoline

TPHo = total petroleum hydrocarbons as oil and grease

1,2-DCA = 1,2-dichloroethane

cis-1,2-DCE = cis-1,2-Dichloroethene

trans-1,2-DCE = trans-1,2-Dichloroethene

TCE = trichloroethene

- (1) Barium detected at 0.04 mg/L, Zinc detected at 0.03 mg/L.
- (2) Barium detected at 0.06 mg/L, Lead detected at 0.15 mg/L, Zinc detected at 0.16 mg/L.
- (3) Carbon Disulfide detected at 0.015 mg/L, Barium detected at 0.08 mg/L, Zinc detected at 0.03 mg/L.
- (4) Barium detected at 0.04 mg/L, Zinc detected at 0.01 mg/L.
- (5) Barium detected at 0.18 mg/L, Vanadium 0.015 mg/L, Zinc detected at 0.01 mg/L.




Figure 1 :
 GROUND-WATER ELEVATION CONTOURS
 AUGUST 9, 1995
 RIFKIN PROPERTY

Project No. 3042

LEVINE-FRICKE
 ENGINEERS, HYDROGEOLOGISTS, & APPLIED SCIENTISTS




Figure 2 :
 CONCENTRATION OF ARSENIC IN
 SHALLOW GROUND WATER, AUGUST 9, 1995
 RIFKIN PROPERTY

APPENDIX A

WATER LEVEL AND SAPLING FIELD FORMS

WATER-LEVEL MEASUREMENTS

RAG

Project Name: *Sherwin Williams (Rifkin)*

Project No.: *3042.02*

Field Personnel: *JAW*

Date: *8/9/95*

General Observations: *Sunny, Warm*

WELL NO.	WELL ELEVATION	DEPTH TO WATER MEASUREMENTS		WATER ELEVATION	REMARKS (UNITS = FEET)
		1	2		
<i>LF-7</i>		<i>NM</i>			<i>unable to locate</i>
<i>LF-8</i>		<i>NM</i>			<i>↓</i>
<i>LF-10</i>		<i>NM</i>			<i>↓</i>
<i>LF-11</i>		<i>3.81</i>			<i>734</i>
<i>LF-12</i>		<i>7.23</i>			<i>658</i>
<i>LF-B3</i>		<i>6.96</i>			<i>703</i>
<i>LF-B3</i>		<i>3.98</i>			<i>728</i>
<i>LF-B4</i>		<i>6.88</i>			<i>815</i>
<i>RP-1</i>		<i>8.39</i>			<i>958</i>
<i>RP-2</i>		<i>8.67</i>			<i>957</i>
<i>RP-3</i>		<i>8.48</i>			<i>1000</i>
<i>RP-4</i>		<i>8.65</i>			<i>955</i>
<i>RP-5</i>		<i>8.57</i>			<i>952</i>
<i>MW-5</i>		<i>7.87</i>			<i>909</i>
<i>MW-4</i>		<i>7.93</i>			<i>913</i>
<i>MW-3</i>		<i>7.89</i>			<i>919</i>
<i>MW-1</i>		<i>7.50</i>			<i>926</i>
<i>MW-2</i>		<i>7.31</i>			<i>929</i>

WATER-QUALITY SAMPLING INFORMATION

Project No.: 3042.02
 Project Name: Sherwin Williams (Rifkin)
 Sample Location: Emeryville, CA
 Samplers Name: JMR
 Sampling Plan Prepared By: KAG

Date: 8/9/95
 Sample No.: RP-1
 FB: _____
 DUP: _____

Sampling Method: _____
 Centrifugal Pump Disposable Bailer
 Submersible Pump Teflon Bailer
 Hand Bail _____
 (Other)

Analyses Requested: PH, BTEX
TPHd
As
 Number and Types of Bottle used:
3 VOA/ITL
2 Amberlite/ITL
1 500ml Plastic

11.86
 8.39

 3.47
 .16

 2082
 3470

 5552

 3.47
 .2

 8.694
 8.39

 9.084

 80% DTW 9.08

Method of Shipment: AEN
 (Lab Name) Courier
 Hand Deliver:

Well Number: RP-1 Well Diameter: _____
 Depth of Water: 8.39 2" (0.16 Gallon/Feet)
 Well Depth: 11.86 4" (0.65 Gallon/Feet)
 Height of Water Column: 3.47 5" (1.02 Gallon/Feet)
 Volume in Well: .55 ≈ 1.0 6" (1.47 Gallon/Feet)

TIME	Depth to Water	Volume Purged (Gallons)	Totalizer Reading	Temperature °C	pH (SU)	Cond (mohs)	Turbidity (NTU)	Remarks
11:50								start
11:51		1.0		18.2	6.37	802		sl. turbid / sl. odor
11:53		2.0		18.1	6.33	812		sl. turbid / sl. odor
11:56		3.0		18.1	6.33	787		mod turbid / sl. odor
	7.35							Dewater
12:05	8.95							SAMPLE

Inlet Depth: _____
 Comments: _____
 (Recommended Method For Purging Well)

WATER-QUALITY SAMPLING INFORMATION

Project No.: 3042.02
 Project Name: Sherwin Williams (Rifkin)
 Sample Location: Emeryville, CA
 Samplers Name: JMR
 Sampling Plan Prepared By: KAG

Date: 8/9/95
 Sample No.: RP-2
 FB: _____
 DUP: _____

Sampling Method: _____
 Centrifugal Pump
 Submersible Pump
 Hand Bail
 Disposable Bailer
 Teflon Bailer
 _____ (Other)

Analyses Requested: PH, BTEX
TPHd
As
 Number and Types of Bottle used:
3 VOA / ITEL
2 Amberlite / ITEL
1 500ml Plastic

```

14.43
 8.67
-----
 5.76
  .16
-----
 3456
 5760
-----
 9216

 5.76
  .2
-----
 1152
 467
-----
 9822

80% DTW 9.82

```

Method of Shipment: AEN
 (Lab Name)
 Courier
 Hand Deliver.

Well Number: RP-2 Well Diameter: _____
 Depth of Water: 8.67
 Well Depth: 14.43
 Height of Water Column: 5.76
 Volume in Well: 92 ≈ 1.0
 2" (0.16 Gallon/Feet)
 4" (0.65 Gallon/Feet)
 5" (1.02 Gallon/Feet)
 6" (1.47 Gallon/Feet)

TIME	Depth to Water	Volume Purged (Gallons)	Totalizer Reading	Temperature °C	pH (SU)	Cond (mohs)	Turbidity (NTU)	Remarks
11:23								start
11:24		1.0		18.1	6.33	1038		turbid / sl. odor
11:25		2.0		18.2	6.34	1038		turbid / sl. odor
11:27		3.0		18.1	6.33	1038		turbid / sl. odor
	8.77							
11:35								sample

Inlet Depth: _____
 Comments: _____
 (Recommended Method For Purging Well)

WTR QUALITY SAMPLING INFO 22/04/95

WATER-QUALITY SAMPLING INFORMATION

Project No.: 3042.02
 Project Name: Sherwin Williams (Rifkin)
 Sample Location: Emeryville, CA
 Samplers Name: JMR
 Sampling Plan Prepared By: KAG

Date: 8/9/95
 Sample No.: RP-3
 FB: RP-3-FB
 DUP: _____

Sampling Method: _____
 Centrifugal Pump
 Submersible Pump
 Hand Bail
 Disposable Bailer
 Teflon Bailer

 (Other)

Analyses Requested: PHg, BTEX
TPHd
As
 Number and Types of Bottle used:
VOA/1L
Amberlite/1L
500ml Plastic

Method of Shipment: AEN
 (Lab Name)
 Courier
 Hand Deliver

Well Number: RP-3
 Depth of Water: 8.48
 Well Depth: 12.78
 Height of Water Column: 4.30
 Volume in Well: .68 ≈ 1.0
 Well Diameter:
 2" (0.16 Gallon/Feet)
 4" (0.65 Gallon/Feet)
 5" (1.02 Gallon/Feet)
 6" (1.47 Gallon/Feet)

12.78
 8.48

 4.30
 .16

 2580
 4300

 8880

 4.30
 .2

 .860
 8.48

 9.340

 9.34
 80% DTW

TIME	Depth to Water	Volume Purged (Gallons)	Totalizer Reading	Temperature °C	pH (SU)	Cond (mohs)	Turbidity (NTU)	Remarks
12:25								Start / Field Blank
12:35								Start Bailing
12:36		1.0		18.0	6.15	3.15		sl. turbid / sl. odor
12:38		2.0		18.0	6.18	3.21		sl. turbid / sl. odor
12:42		3.0		17.9	6.20	3.26		sl. turbid / odor
12:50	8.57							Sample

Inlet Depth: _____
 Comments: _____
 (Recommended Method For Purging Well)

WATER-QUALITY SAMPLING INFORMATION

Project No.: 3042.02
 Project Name: Sherwin Williams (Rifkin)
 Sample Location: Emeryville, CA
 Samplers Name: JMR
 Sampling Plan Prepared By: KAG

Date: 8/9/95
 Sample No.: RP-4
 FB: _____
 DUP: RP-104

Sampling Method: _____
 Centrifugal Pump Disposable Bailer
 Submersible Pump Teflon Bailer
 Hand Bail _____
 (Other)

Analyses Requested: PHg, BTEX
TPHd
As
 Number and Types of Bottle used:
6 VOA/ITL
4 Amberlite/ITL
2 500ml Plastic

```

    16.15
    8.65
    -----
    7.50
    1.6
    -----
    4500
    7500
    -----
    12000

    7.50
    .2
    -----
    1500
    8.65
    -----
    10.15

    80% DTW 10.15
    
```

Method of Shipment: AEN
 (Lab Name) Courier
 Hand Deliver

Well Number: RP-4 Well Diameter: _____
 Depth of Water: 8.65 2" (0.16 Gallon/Feet)
 Well Depth: 16.15 4" (0.65 Gallon/Feet)
 Height of Water Column: 7.50 5" (1.02 Gallon/Feet)
 Plume in Well: 1.2 ± 1.5 6" (1.47 Gallon/Feet)

TIME	Depth to Water	Volume Purged (Gallons)	Totalizer Reading	Temperature °C	pH (SU)	Cond (mohs)	Turbidity (NTU)	Remarks
10:40								Start
10:42		1.5		18.0	6.33	1114		Mod. turbid / sl. odor
10:44		3.0		17.9	6.32	1140		turbid / sl. odor
10:46		4.5		17.8	6.29	1133		Mod. turbid
	8.68							
10:55								Sample
11:55								Dep

Inlet Depth: _____
 Comments: _____
 (Recommended Method For Purging Well)

WATER-QUALITY SAMPLING INFORMATION

Project No.: 3042.02
 Project Name: Sherwin Williams (Rifkin)
 Sample Location: Emeryville, CA
 Samplers Name: JMR
 Sampling Plan Prepared By: KAG
 Sampling Method: _____

Date: 8/9/95
 Sample No.: RP-5
 FB: _____
 DUP: _____

- | | |
|---|---|
| <input type="checkbox"/> Centrifugal Pump | <input checked="" type="checkbox"/> Disposable Bailer |
| <input type="checkbox"/> Submersible Pump | <input type="checkbox"/> Teflon Bailer |
| <input checked="" type="checkbox"/> Hand Bail | <input type="checkbox"/> _____
(Other) |

Analyses Requested
TPH, BTEX
TPHd
As

Number and Types of Bottle used
3 VOA/ITEL
2 Amberlite/ITEL
1 500ml Plastic

```

15.88
8.57
-----
7.31
.16
-----
4386
7310
-----
11696

7.31
.2
-----
1.462
8.57
-----
10.032

80% DTW 10.03
    
```

Method of Shipment
AEN
 (Lab Name) Courier _____
 Hand Deliver: _____

Well Number: RP-5 Well Diameter: _____
 Depth of Water: 8.57 2" (0.16 Gallon/Feet)
 Well Depth: 15.88 4" (0.65 Gallon/Feet)
 Height of Water Column: 7.31 5" (1.02 Gallon/Feet)
 Volume in Well: 1.131.5 6" (1.47 Gallon/Feet)

TIME	Depth to Water	Volume Purged (Gallons)	Totalizer Reading	Temperature °C	pH (SU)	Cond (mohs)	Turbidity (NTU)	Remarks
10:06								Start
10:08		1.5		18.3	6.33	868		mod. turbid / sl. odor
10:10		3.0		18.3	6.29	850		mod. turbid / sl. odor
10:14		4.5		18.2	6.28	854		turbid / sl. odor
	8.74							
10:25								Sample

Inlet Depth: _____
 Comments: _____
 (Recommended Method For Purging Well)

APPENDIX B
LABORATORY CERTIFICATES

American Environmental Network

Certificate of Analysis

DOHS Certification: 1172

AIHA Accreditation: 11134

PAGE 1

LEVINE-FRICKE
1900 POWELL ST. 12TH FL.
EMERYVILLE, CA 94608

REPORT DATE: 08/22/95

DATE(S) SAMPLED: 08/09/95

DATE RECEIVED: 08/09/95

ATTN: KENTON GEE
CLIENT PROJ. ID: 3042.02
CLIENT PROJ. NAME: SHERWIN WILLS.
C.O.C. NUMBER: 013709

AEN WORK ORDER: 9508123


PROJECT SUMMARY:


On August 9, 1995, this laboratory received 8 water sample(s).

Client requested sample(s) be analyzed for inorganic and organic parameters. Results of analysis are summarized on the following page(s). Please see quality control report for a summary of QC data pertaining to this project.

Samples will be stored for 30 days after completion of analysis, then disposed of in accordance with State and Federal regulations. Samples may be archived by prior arrangement.

If you have any questions, please contact Client Services at (510) 930-9090.


Larry Klein
Laboratory Director



LEVINE-FRICKE

SAMPLE ID: TRIP BLANK
AEN LAB NO: 9508123-01
AEN WORK ORDER: 9508123
CLIENT PROJ. ID: 3042.02

DATE SAMPLED:
DATE RECEIVED: 08/09/95
REPORT DATE: 08/22/95

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	0.5	ug/L	08/18/95
Toluene	108-88-3	ND	0.5	ug/L	08/18/95
Ethylbenzene	100-41-4	ND	0.5	ug/L	08/18/95
Xylenes, Total	1330-20-7	ND	2	ug/L	08/18/95
Purgeable HCs as Gasoline	5030/GCFID	ND	0.05	mg/L	08/18/95

ND = Not detected at or above the reporting limit

* = Value at or above reporting limit

LEVINE-FRICKE

SAMPLE ID: RP-5
 AEN LAB NO: 9508123-02
 AEN WORK ORDER: 9508123
 CLIENT PROJ. ID: 3042.02

DATE SAMPLED: 08/09/95
 DATE RECEIVED: 08/09/95
 REPORT DATE: 08/22/95

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Sample Filtration	0.45 um	-		Filtr Date	08/09/95
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	0.5	ug/L	08/18/95
Toluene	108-88-3	ND	0.5	ug/L	08/18/95
Ethylbenzene	100-41-4	ND	0.5	ug/L	08/18/95
Xylenes, Total	1330-20-7	ND	2	ug/L	08/18/95
Purgeable HCs as Gasoline	5030/GCFID	ND	0.05	mg/L	08/18/95
#Extraction for TPH	EPA 3510	-		Extrn Date	08/15/95
TPH as Diesel	GC-FID	0.69 *	0.05	mg/L	08/16/95
#Digestion, Metals by GFAA	EPA 3020	-		Prep Date	08/11/95
Arsenic	EPA 7060	0.003 *	0.002	mg/L	08/14/95

ND = Not detected at or above the reporting limit

* = Value at or above reporting limit

LEVINE-FRICKE

SAMPLE ID: RP-4
 AEN LAB NO: 9508123-03
 AEN WORK ORDER: 9508123
 CLIENT PROJ. ID: 3042.02

DATE SAMPLED: 08/09/95
 DATE RECEIVED: 08/09/95
 REPORT DATE: 08/22/95

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Sample Filtration	0.45 um	-		Filtr Date	08/09/95
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	0.5 ug/L		08/18/95
Toluene	108-88-3	ND	0.5 ug/L		08/18/95
Ethylbenzene	100-41-4	ND	0.5 ug/L		08/18/95
Xylenes, Total	1330-20-7	ND	2 ug/L		08/18/95
Purgeable HCs as Gasoline	5030/GCFID	ND	0.05 mg/L		08/18/95
#Extraction for TPH	EPA 3510	-		Extrn Date	08/15/95
TPH as Diesel	GC-FID	0.2 *	0.05 mg/L		08/15/95
#Digestion, Metals by GFAA	EPA 3020	-		Prep Date	08/11/95
Arsenic	EPA 7060	0.007 *	0.002 mg/L		08/14/95

ND = Not detected at or above the reporting limit
 * = Value at or above reporting limit

LEVINE-FRICKE

SAMPLE ID: RP-104
 AEN LAB NO: 9508123-04
 AEN WORK ORDER: 9508123
 CLIENT PROJ. ID: 3042.02

DATE SAMPLED: 08/09/95
 DATE RECEIVED: 08/09/95
 REPORT DATE: 08/22/95

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Sample Filtration	0.45 um	-		Filtr Date	08/09/95
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	0.5 ug/L		08/18/95
Toluene	108-88-3	ND	0.5 ug/L		08/18/95
Ethylbenzene	100-41-4	ND	0.5 ug/L		08/18/95
Xylenes, Total	1330-20-7	ND	2 ug/L		08/18/95
Purgeable HCs as Gasoline	5030/GCFID	ND	0.05 mg/L		08/18/95
#Extraction for TPH	EPA 3510	-		Extrn Date	08/15/95
TPH as Diesel	GC-FID	0.2 *	0.05 mg/L		08/15/95
#Digestion, Metals by GFAA	EPA 3020	-		Prep Date	08/11/95
Arsenic	EPA 7060	0.007 *	0.002 mg/L		08/14/95

ND = Not detected at or above the reporting limit
 * = Value at or above reporting limit

LEVINE-FRICKE

SAMPLE ID: RP-2
 AEN LAB NO: 9508123-05
 AEN WORK ORDER: 9508123
 CLIENT PROJ. ID: 3042.02

DATE SAMPLED: 08/09/95
 DATE RECEIVED: 08/09/95
 REPORT DATE: 08/22/95

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Sample Filtration	0.45 um	-		Filtr Date	08/09/95
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	0.5	ug/L	08/18/95
Toluene	108-88-3	ND	0.5	ug/L	08/18/95
Ethylbenzene	100-41-4	ND	0.5	ug/L	08/18/95
Xylenes, Total	1330-20-7	ND	2	ug/L	08/18/95
Purgeable HCs as Gasoline	5030/GCFID	ND	0.05	mg/L	08/18/95
#Extraction for TPH	EPA 3510	-		Extrn Date	08/15/95
TPH as Diesel	GC-FID	0.2 *	0.05	mg/L	08/16/95
#Digestion, Metals by GFAA	EPA 3020	-		Prep Date	08/11/95
Arsenic	EPA 7060	0.010 *	0.002	mg/L	08/14/95

ND = Not detected at or above the reporting limit

* = Value at or above reporting limit

LEVINE-FRICKE

SAMPLE ID: RP-1
 AEN LAB NO: 9508123-06
 AEN WORK ORDER: 9508123
 CLIENT PROJ. ID: 3042.02

DATE SAMPLED: 08/09/95
 DATE RECEIVED: 08/09/95
 REPORT DATE: 08/22/95

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Sample Filtration	0.45 um	-		Filtr Date	08/09/95
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	0.5	ug/L	08/18/95
Toluene	108-88-3	ND	0.5	ug/L	08/18/95
Ethylbenzene	100-41-4	ND	0.5	ug/L	08/18/95
Xylenes, Total	1330-20-7	ND	2	ug/L	08/18/95
Purgeable HCs as Gasoline	5030/GCFID	1.4 *	0.05	mg/L	08/18/95
#Extraction for TPH	EPA 3510	-		Extrn Date	08/15/95
TPH as Diesel	GC-FID	1.4 *	0.05	mg/L	08/16/95
#Digestion, Metals by GFAA	EPA 3020	-		Prep Date	08/11/95
Arsenic	EPA 7060	0.059 *	0.002	mg/L	08/14/95

ND = Not detected at or above the reporting limit

* = Value at or above reporting limit

LEVINE-FRICKE

SAMPLE ID: RP-3
 AEN LAB NO: 9508123-07
 AEN WORK ORDER: 9508123
 CLIENT PROJ. ID: 3042.02

DATE SAMPLED: 08/09/95
 DATE RECEIVED: 08/09/95
 REPORT DATE: 08/22/95

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Sample Filtration	0.45 um	-		Filtr Date	08/09/95
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	0.5 ug/L		08/18/95
Toluene	108-88-3	0.9 *	0.5 ug/L		08/18/95
Ethylbenzene	100-41-4	ND	0.5 ug/L		08/18/95
Xylenes, Total	1330-20-7	9.4 *	2 ug/L		08/18/95
Purgeable HCs as Gasoline	5030/GCFID	0.2 *	0.05 mg/L		08/18/95
#Extraction for TPH	EPA 3510	-		Extrn Date	08/15/95
TPH as Diesel	GC-FID	1.2 *	0.05 mg/L		08/16/95
#Digestion, Metals by GFAA	EPA 3020	-		Prep Date	08/11/95
Arsenic	EPA 7060	0.003 *	0.002 mg/L		08/14/95

ND = Not detected at or above the reporting limit
 * = Value at or above reporting limit

LEVINE-FRICKE

SAMPLE ID: RP-3-FB
 AEN LAB NO: 9508123-08
 AEN WORK ORDER: 9508123
 CLIENT PROJ. ID: 3042.02

DATE SAMPLED: 08/09/95
 DATE RECEIVED: 08/09/95
 REPORT DATE: 08/22/95

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
#Sample Filtration	0.45 um	-		Filtr Date	08/09/95
BTEX & Gasoline HCs	EPA 8020				
Benzene	71-43-2	ND	0.5 ug/L		08/18/95
Toluene	108-88-3	ND	0.5 ug/L		08/18/95
Ethylbenzene	100-41-4	ND	0.5 ug/L		08/18/95
Xylenes, Total	1330-20-7	ND	2 ug/L		08/18/95
Purgeable HCs as Gasoline	5030/GCFID	ND	0.05 mg/L		08/18/95
#Extraction for TPH	EPA 3510	-		Extrn Date	08/15/95
TPH as Diesel	GC-FID	ND	0.05 mg/L		08/16/95
#Digestion, Metals by GFAA	EPA 3020	-		Prep Date	08/11/95
Arsenic	EPA 7060	ND	0.002 mg/L		08/14/95

ND = Not detected at or above the reporting limit
 * = Value at or above reporting limit

AEN (CALIFORNIA)
QUALITY CONTROL REPORT

AEN JOB NUMBER: 9508123

CLIENT PROJECT ID: 3042.02

Quality Control Summary

All laboratory quality control parameters were found to be within established limits.

Definitions

Laboratory Control Sample (LCS)/Method Spike(s): Control samples of known composition. LCS and Method Spike data are used to validate batch analytical results.

Matrix Spike(s): Aliquot of a sample (aqueous or solid) with added quantities of specific compounds and subjected to the entire analytical procedure. Matrix spike and matrix spike duplicate QC data are advisory.

Method Blank: An analytical control consisting of all reagents, internal standards, and surrogate standards carried through the entire analytical process. Used to monitor laboratory background and reagent contamination.

Not Detected (ND): Not detected at or above the reporting limit.

Relative Percent Difference (RPD): An indication of method precision based on duplicate analysis.

Reporting Limit (RL): The lowest concentration routinely determined during laboratory operations. The RL is generally 1 to 10 times the Method Detection Limit (MDL). Reporting limits are matrix, method, and analyte dependent and take into account any dilutions performed as part of the analysis.

Surrogates: Organic compounds which are similar to analytes of interest in chemical behavior, but are not found in environmental samples. Surrogates are added to all blanks, calibration and check standards, samples, and spiked samples. Surrogate recovery is monitored as an indication of acceptable sample preparation and instrumental performance.

D: Surrogates diluted out.

#: Indicates result outside of established laboratory QC limits.

QUALITY CONTROL DATA

METHOD: EPA 3510 GCFID

AEN JOB NO: 9508123
AEN LAB NO: 0815-BLANK
DATE EXTRACTED: 08/15/95
DATE ANALYZED: 08/16/95
INSTRUMENT: C
MATRIX: WATER

Method Blank

Analyte	Result (mg/L)	Reporting Limit (mg/L)
Diesel	ND	0.05

QUALITY CONTROL DATA

METHOD: EPA 3510 GCFID

AEN JOB NO: 9508123
 DATE EXTRACTED: 08/15/95
 INSTRUMENT: C
 MATRIX: WATER

Surrogate Standard Recovery Summary

Date Analyzed	Client Id.	Lab Id.	Percent Recovery	
			n-Pentacosane	
08/16/95	RP-5	02	95	
08/15/95	RP-4	03	I	
08/15/95	RP-104	04	101	
08/16/95	RP-2	05	107	
08/16/95	RP-1	06	99	
08/16/95	RP-3	07	93	
08/16/95	RP-3-FB	08	107	
QC Limits:			59-118	

I: Interference

DATE EXTRACTED: 08/14/95
 DATE ANALYZED: 08/16/95
 SAMPLE SPIKED: DI WATER
 INSTRUMENT: C

Method Spike Recovery Summary

Analyte	Spike Added (mg/L)	Average Percent Recovery	RPD	QC Limits	
				Percent Recovery	RPD
Diesel	1.82	102	<1	65-103	12

QUALITY CONTROL DATA

METHOD: EPA 8020, 5030 GCFID

AEN JOB NO: 9508123
AEN LAB NO: 0818-BLANK
DATE ANALYZED: 08/18/95
INSTRUMENT: H
MATRIX: WATER

Method Blank

Analyte	CAS #	Result (ug/L)	Reporting Limit (ug/L)
Benzene	71-43-2	ND	0.5
Toluene	108-88-3	ND	0.5
Ethylbenzene	100-41-4	ND	0.5
Xylenes, Total	1330-20-7	ND	2
HCs as Gasoline		ND mg/L	0.05 mg/L

QUALITY CONTROL DATA

METHOD: EPA 8020, 5030 GCFID

AEN JOB NO: 9508123

INSTRUMENT: H

MATRIX: WATER

Surrogate Standard Recovery Summary

Date Analyzed	Client Id.	Lab Id.	Percent Recovery	
			Fluorobenzene	
08/18/95	TRIP BLANK	01	100	
08/18/95	RP-5	02	101	
08/18/95	RP-4	03	103	
08/18/95	RP-104	04	100	
08/18/95	RP-2	05	100	
08/18/95	RP-1	06	100	
08/18/95	RP-3	07	99	
08/18/95	RP-3-FB	08	100	
QC Limits:			92-109	

DATE ANALYZED: 08/18/95

SAMPLE SPIKED: 9508104-03

INSTRUMENT: H

Matrix Spike Recovery Summary

Analyte	Spike Added (ug/L)	Average Percent Recovery	RPD	QC Limits	
				Percent Recovery	RPD
Benzene	36.1	102	7	85-109	17
Toluene	99.3	102	7	87-111	16
HCs as Gasoline	1000	101	1	66-117	19

QUALITY CONTROL DATA

AEN JOB NO: 9508123
 SAMPLE SPIKED: 9508123-02
 DATE ANALYZED: 08/14/95
 MATRIX: WATER

Matrix Spike Recovery Summary

Analyte	Inst./ Method	Sample Result (mg/L)	Spike Added (mg/L)	Average Percent Recovery	RPD	QC Limits	
						Percent Recovery	RPD
As, Arsenic	4000/7060	0.003	0.04	122	6	59-149	13

SAMPLE SPIKED: DI WATER
 DATE ANALYZED: 08/14/95

Method Blank and Spike Recovery Summary

Analyte	Inst./ Method	Blank Result (mg/L)	Spike Added (mg/L)	Average Percent Recovery	RPD	QC Limits	
						Percent Recovery	RPD
As, Arsenic	4000/7060	ND	0.04	105	<1	84-118	12

*** END OF REPORT ***

CHAIN OF CUSTODY / ANALYSES REQUEST FORM

9508123
R-1, S-6

Project No.: 3042.02 Field Logbook No.: Date: 8-9-95 Serial No.:
 Project Name: Sherwin Williams Project Location: EMERYVILLE, CA No 013709

SAMPLES					ANALYSES					SAMPLERS:		REMARKS	
SAMPLE NO.	DATE	TIME	LAB SAMPLE NO.	NO. OF CON-TAINERS	SAMPLE TYPE	EPA 601	EPA 624	TPH, id	BTEX	AS	HOLD		RUSH
Trip Blk	8-9-95	10:00	01A-B	2	H ₂ O	GBTEX	X	X	X	X			Analyses for TPH, id, BTEX, AS
RP-5		10:25	02A-F	6									
RP-4		10:55	03A-P	6									Filter & preserve AS in Lab
RP-104		11:55	04A-P	6									
RP-2		11:35	05A-F	6									Results to Kanton Geo
RP-1		12:05	06A-P	6									
RP-3		12:50	07A-F	6									Standard turnaround
RP-3-FB	✓	12:25	08A-P	6	✓			✓	✓	✓			

Trip Blank to be analysed for volatiles only, not Diesel or AS
 R. Ryan

RELINQUISHED BY: (Signature) <i>J. Ryan</i>	DATE 8-7-95	TIME 15:45	RECEIVED BY: (Signature) <i>Nicholas Stokella</i>	DATE 8/9/95	TIME 15:45
RELINQUISHED BY: (Signature) <i>Nicholas Stokella</i>	DATE 8/9/95	TIME 17:25	RECEIVED BY: (Signature)	DATE	TIME
RELINQUISHED BY: (Signature)	DATE	TIME	RECEIVED BY: (Signature) <i>Denise Harrington</i>	DATE 8/9/95	TIME 1725
METHOD OF SHIPMENT:	DATE	TIME	LAB COMMENTS:		

Sample Collector: LEVINE-FRICKE
 1900 Powell Street, 12th Floor
 Emeryville, California 94608
 (510) 652-4500

Analytical Laboratory:
 AEN