

Khatri, Paresh, Env. Health

From: Cherie McCaulou [CMccaulou@waterboards.ca.gov]
Sent: Wednesday, June 30, 2010 11:05 AM
To: Khatri, Paresh, Env. Health
Subject: Re: Fwd: RO0000239; Closure Summary for BP #11124 (T0600100919)

Paresh - Thanks for the notification. We have no objection to ACEH's recommendation for case closure of Case #RO00239 (BP #11124).

Sincerely,

Cherie McCaulou
Engineering Geologist
San Francisco Bay Regional Water Quality Control Board
cmccaulou@waterboards.ca.gov
510-622-2342

>>> Cleet Carlton 6/24/2010 4:30 PM >>>
I have no cases in the vicinity.

Cleet Carlton, P.G.
Engineering Geologist
San Francisco Bay Regional Water Quality Control Board
1515 Clay Street, Suite 1400
Oakland, California 94612
(510) 622-2374

>>> Cherie McCaulou 6/24/2010 4:04 PM >>>
Do you have any objection to closing a UST case at 3315 High Street?

Sincerely,

Cherie McCaulou
Engineering Geologist
San Francisco Bay Regional Water Quality Control Board
cmccaulou@waterboards.ca.gov
510-622-2342

>>> "Khatri, Paresh, Env. Health" <paresh.khatri@acgov.org> 6/24/2010 8:36 AM >>>
Hello Cherie,

Attached is a closure summary for RO0000239; BP #11124 located at 3315 High Street in Oakland to comply with the RWQCB's 30-day review period. If no comments from the RWQCB are received within the 30-day review period, ACEH's will proceed with case closure.

Please contact me should you have any comments or questions regarding the subject site.

Sincerely,

Paresh C. Khatri

Hazardous Materials Specialist
Alameda County Environmental Health
Local Oversight Program
1131 Harbor Bay Parkway
Alameda, CA 94502-6577

Phone: (510) 777-2478
Fax: (510) 337-9335

E-mail: Paresh.Khatri@acgov.org

<http://www.acgov.org/aceh/lop/lop.htm>

Confidentiality Notice: This e-mail message, including any attachments, is for the sole use of intended recipient(s) and may contain confidential and protected information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.