

RECEIVED

By loppjectop at 12:27 pm, Feb 07, 2006



75 Broadway
Sacramento, California 95818

January 31, 2006

Mr. Don Hwang
Alameda County Health Agency
1131 Harbor Bay Parkway
Alameda, California 94502

Re: **Report Transmittal
Quarterly Report
Fourth Quarter – 2005
76 Service Station #0018
6201 Claremont Avenue
Oakland, CA**

Dear Mr. Hwang:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact

Shelby S. Lathrop (Contractor)
ConocoPhillips
Risk Management & Remediation
76 Broadway
Sacramento, CA 95818
Phone: 916-558-7609
Fax: 916-558-7639

Sincerely,

A handwritten signature in black ink that reads "Thomas H. Kosel".

Thomas Kosel
Risk Management & Remediation

Attachment



Customer-Focused Solutions

January 31, 2006

TRC Project No. 42016505

Mr. Don Hwang
Hazardous Materials Specialist
Alameda County Health Care Services
1131 Harbor Bay Parkway
Alameda, California 94502-6577

**RE: Quarterly Status Report – Fourth Quarter 2005
76 Service Station #0018, 6201 Claremont Avenue, Oakland, California
Alameda County**

Dear Mr. Hwang:

On behalf of ConocoPhillips Company (ConocoPhillips), TRC is submitting the Fourth Quarter 2005 Status Report for the subject site.

PREVIOUS ASSESSMENTS

The subject site is an active service station located on the northern corner of the intersection of Claremont and College Avenues in Oakland, California. The nearest surface water is Claremont Creek, approximately 0.1 mile northeast of the site.

March 1997: Kaprelian Engineering Inc. (KEI) collected soil and grab groundwater samples during underground storage tank (UST) and product line replacement activities. A groundwater sample collected from the former gasoline UST excavation contained 6,100 parts per billion (ppb) total petroleum hydrocarbons as gasoline and 54 ppb benzene.

March 1998: Tosco was issued a Notice of Responsibility by the Alameda County Health Care Services Agency.

December 2000: Gettler-Ryan Inc. installed three groundwater-monitoring wells to depths of 30 to 30.5 feet below ground surface (bgs). Groundwater samples contained low concentrations of total petroleum hydrocarbons as gasoline (TPH-g), benzene, and methyl tertiary butyl ether (MTBE).

October 2003: Site environmental consulting responsibilities were transferred to TRC.

SENSITIVE RECEPTORS

Claremont Creek is located 0.1 miles northeast of the site. A sensitive receptor survey has not been completed for this site.

MONITORING AND SAMPLING

Three onsite wells are currently monitored quarterly. The groundwater gradient flow direction is toward the west at a calculated hydraulic gradient of 0.03 feet per foot.

CHARACTERIZATION STATUS

Total purgeable petroleum hydrocarbons (TPPH) were detected in one of the three site wells with a maximum concentration of 68 micrograms per liter ($\mu\text{g/l}$) in well MW-1. Benzene was not detected above laboratory reporting limits in the three wells sampled. MTBE was detected in one of three site wells with a concentration of 12 $\mu\text{g/l}$ in well MW-1.

REMEDIATION STATUS

Remediation is not currently being conducted at the site.

RECENT CORRESPONDENCE

January 6, 2006: TRC submitted a No Further Action Required Report - Request For Closure to the Alameda County Health Care Services.

CURRENT QUARTER ACTIVITIES

December 30, 2005: TRC performed groundwater monitoring and sampling. Wastewater generated from well purging and equipment cleaning was stored at TRC's groundwater monitoring facility in Concord, California, and transported by Onyx to the ConocoPhillips Refinery in Rodeo, California, for treatment and disposal.

CONCLUSIONS AND RECOMMENDATIONS

Based on the low residual TPPH and MTBE concentrations in groundwater in MW-1 and on the non-detect concentrations reported in site wells MW-2 and MW-3 over the past several years, TRC recommend no further action and requested the site be referred for closure.


TRC submitted a No Further Action Required Report - Request For Closure to the Alameda County Health Care Services on January 6, 2006.

QSR – Fourth Quarter 2005
76 Service Station #0018, Oakland, California
January 31, 2006
Page 3

If you have any questions regarding this report, please call me at (925) 688-2488.

Sincerely,
TRC


Keith Woodburne, P.G.
Senior Project Geologist



Attachment:
Quarterly Monitoring Report, October through December 2005 (TRC, January 16, 2006)

cc: Shelby Lathrop, ConocoPhillips (electronic upload only)



January 16, 2006

ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MS. SHELBY LATHROP

SITE: 76 STATION 0018
6201 CLAREMONT AVENUE
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
OCTOBER THROUGH DECEMBER 2005

Dear Ms. Lathrop:

Please find enclosed our Quarterly Monitoring Report for 76 Station 0018, located at 6201 Claremont Avenue, Oakland, California. If you have any questions regarding this report, please call us at (949) 753-0101.

Sincerely,

TRC

A handwritten signature in black ink that reads "Anju Farfan". The signature is written in a cursive, flowing style.

Anju Farfan
QMS Operations Manager

CC: Mr. Keith Woodburne, TRC (4 copies)

Enclosures
20-0400/0018R09.QMS

21 Technology Drive • Irvine, California 92618
Telephone 949-727-9336 • Fax 949-727-7399





**QUARTERLY MONITORING REPORT
OCTOBER THROUGH DECEMBER 2005**

76 Station 0018
6201 Claremont Avenue
Oakland, California

Prepared For:

Ms. Shelby Lathrop
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:

Senior Project Geologist, Irvine Operations
January 16, 2006



LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Table 1: Current Fluid Levels and Selected Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 3: Additional Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPPH Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Groundwater Sampling Field Notes
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
October 2005 through December 2005
76 Station 0018
6201 Claremont Boulevard
Oakland, CA

Project Coordinator: **Shelby Lathrop**
Telephone: **916-558-7609**

Water Sampling Contractor: **TRC**
Compiled by: **Daniel Lee**

Date(s) of Gauging/Sampling Event: **12/30/05**

Sample Points

Groundwater wells: **3** onsite, **0** offsite Wells gauged: **3** Wells sampled: **3**
Purging method: **Diaphragm pump**
Purge water disposal: **Onyx/Rodeo Unit 100**
Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Wells with LPH: **0** Maximum thickness (feet): **n/a**
LPH removal frequency: **n/a** Method: **n/a**
Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **14.62 feet** Maximum: **15.84 feet**
Average groundwater elevation (relative to available local datum): **194.05 feet**
Average change in groundwater elevation since previous event: **4.59 feet**
Interpreted groundwater gradient and flow direction:
 Current event: **0.03 ft/ft, west**
 Previous event: **0.01 ft/ft, southwest (09/27/05)**

Selected Laboratory Results

Wells with detected **Benzene**: **0** Wells above MCL (1.0 µg/l): **n/a**
 Maximum reported benzene concentration: **n/a**

Wells with **TPPH 8260B** **1** Maximum: **68 µg/l (MW-1)**
Wells with **MTBE** **1** Maximum: **12 µg/l (MW-1)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
µg/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TPPH	=	total purgeable petroleum hydrocarbons
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$, where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to re-survey.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 0018 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
December 30, 2005
76 Station 0018

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
MW-1		(Screen Interval in feet: 10.0-30.0)												
12/30/05	208.15	14.62	0.00	193.53	4.53	--	68	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	12	
MW-2		(Screen Interval in feet: 10.0-30.0)												
12/30/05	210.27	14.79	0.00	195.48	5.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-3		(Screen Interval in feet: 10.0-30.0)												
12/30/05	208.98	15.84	0.00	193.14	3.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 2000 Through December 2005
76 Station 0018

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
MW-1 (Screen Interval in feet: 10.0-30.0)														
08/24/00	208.15	18.55	0.00	189.60	--	120	--	0.67	ND	0.86	1.4	54	54	
11/16/00	208.15	20.30	0.00	187.85	-1.75	169	--	ND	1.20	1.74	0.629	68.6	97.7	
02/09/01	208.15	20.16	0.00	187.99	0.14	330	--	1.3	ND	1.0	4.6	140	150	
05/11/01	208.15	17.68	0.00	190.47	2.48	1250	--	ND	ND	ND	ND	145	122	
08/10/01	208.15	20.38	0.00	187.77	-2.70	580	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	110	150	
11/07/01	208.15	22.68	0.00	185.47	-2.30	250	--	ND<0.50	1.5	ND<0.50	ND<0.50	120	100	
02/06/02	208.15	16.20	0.00	191.95	6.48	790	--	ND<2.5	12	8.8	ND<2.5	90	72	
05/08/02	208.15	17.54	0.00	190.61	-1.34	890	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5	78	81	
08/09/02	208.15	20.21	0.00	187.94	-2.67	--	450	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	100	
11/29/02	208.15	22.33	0.00	185.82	-2.12	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	72	
02/03/03	208.15	16.41	0.00	191.74	5.92	--	540	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	40	
05/05/03	208.15	16.09	0.00	192.06	0.32	--	670	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	57	
09/04/03	208.15	21.46	0.00	186.69	-5.37	--	--	--	--	--	--	--	--	No analysis; past holding time
11/13/03	208.15	21.52	0.00	186.63	-0.06	--	97	ND<0.50	5.0	0.82	3.5	--	29	
01/29/04	208.15	17.51	0.00	190.64	4.01	--	520	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	44	
05/07/04	208.15	16.74	0.00	191.41	0.77	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	25	
08/27/04	208.15	19.40	0.00	188.75	-2.66	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	21	
11/23/04	208.15	19.82	0.00	188.33	-0.42	--	410	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	45	
02/09/05	208.15	15.81	0.00	192.34	4.01	--	5700	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	40	
06/16/05	208.15	15.85	0.00	192.30	-0.04	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	24	
09/27/05	208.15	19.15	0.00	189.00	-3.30	--	300	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	19	
12/30/05	208.15	14.62	0.00	193.53	4.53	--	68	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	12	
MW-2 (Screen Interval in feet: 10.0-30.0)														
08/24/00	210.27	19.69	0.00	190.58	--	ND	--	ND	ND	ND	ND	ND	ND	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 2000 Through December 2005
76 Station 0018

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
MW-2 continued														
11/16/00	210.27	21.61	0.00	188.66	-1.92	ND	--	ND	ND	ND	ND	ND	ND	
02/09/01	210.27	21.52	0.00	188.75	0.09	ND	--	ND	ND	ND	ND	ND	ND	
05/11/01	210.27	18.76	0.00	191.51	2.76	ND	--	ND	ND	ND	ND	ND	ND	
08/10/01	210.27	21.65	0.00	188.62	-2.89	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<2.0	
11/07/01	210.27	24.25	0.00	186.02	-2.60	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<1.0	
02/06/02	210.27	18.22	0.00	192.05	6.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
05/08/02	210.27	18.63	0.00	191.64	-0.41	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
08/09/02	210.27	21.53	0.00	188.74	-2.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
11/29/02	210.27	23.73	0.00	186.54	-2.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
02/03/03	210.27	17.43	0.00	192.84	6.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
05/05/03	210.27	17.15	0.00	193.12	0.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/04/03	210.27	22.75	0.00	187.52	-5.60	--	--	--	--	--	--	--	--	No analysis; past holding time
11/13/03	210.27	23.02	0.00	187.25	-0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/29/04	210.27	18.73	0.00	191.54	4.29	--	ND<50	0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
05/07/04	210.27	17.79	0.00	192.48	0.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/27/04	210.27	19.66	0.00	190.61	-1.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/04	210.27	21.20	0.00	189.07	-1.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/09/05	210.27	16.72	0.00	193.55	4.48	--	ND<50	0.69	1.5	ND<0.50	1.4	--	ND<0.50	
06/16/05	210.27	16.73	0.00	193.54	-0.01	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	210.27	20.41	0.00	189.86	-3.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/30/05	210.27	14.79	0.00	195.48	5.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-3 (Screen Interval in feet: 10.0-30.0)														
08/24/00	208.98	18.68	0.00	190.30	--	ND	--	ND	ND	ND	ND	4.7	2.3	
11/16/00	208.98	20.56	0.00	188.42	-1.88	ND	--	ND	ND	ND	ND	ND	ND	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 2000 Through December 2005
76 Station 0018

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (µg/l)	TPPH 8260B (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE 8021B (µg/l)	MTBE 8260B (µg/l)	Comments
MW-3 continued														
02/09/01	208.98	20.45	0.00	188.53	0.11	ND	--	ND	ND	ND	ND	ND	ND	
05/11/01	208.98	17.75	0.00	191.23	2.70	ND	--	ND	ND	ND	ND	ND	ND	
08/10/01	208.98	20.70	0.00	188.28	-2.95	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<2.0	
11/07/01	208.98	23.02	0.00	185.96	-2.32	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	1.5	
02/06/02	208.98	17.19	0.00	191.79	5.83	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
05/08/02	208.98	17.59	0.00	191.39	-0.40	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
08/09/02	208.98	20.48	0.00	188.50	-2.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
11/29/02	208.98	22.64	0.00	186.34	-2.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
02/03/03	208.98	16.46	0.00	192.52	6.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
05/05/03	208.98	16.16	0.00	192.82	0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.6	
09/04/03	208.98	21.71	0.00	187.27	-5.55	--	--	--	--	--	--	--	--	No analysis; past holding time
11/13/03	208.98	21.93	0.00	187.05	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/29/04	208.98	17.79	0.00	191.19	4.14	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
05/07/04	208.98	16.79	0.00	192.19	1.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.55	
08/27/04	208.98	19.70	0.00	189.28	-2.91	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/04	208.98	20.30	0.00	188.68	-0.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/09/05	208.98	15.72	0.00	193.26	4.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.6	
06/16/05	208.98	15.67	0.00	193.31	0.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/30/05	208.98	19.47	0.00	189.51	-3.80	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	9/27/05 samples broke during shipment.
12/30/05	208.98	15.84	0.00	193.14	3.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 3
ADDITIONAL ANALYTICAL RESULTS
76 Station 0018

Date Sampled	EDC (µg/l)	EDB (µg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Ethanol 8260B (µg/l)
MW-1							
08/24/00	--	--	ND	ND	ND	ND	ND
11/16/00	--	--	ND	ND	ND	ND	ND
02/09/01	ND	ND	ND	ND	ND	ND	ND
05/11/01	ND	ND	ND	ND	ND	ND	ND
08/10/01	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<1000
11/07/01	ND<1.0	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	ND<500
02/06/02	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<500
05/08/02	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<500
08/09/02	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<500
11/29/02	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<500
02/03/03	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<500
05/05/03	ND<10	ND<10	ND<10	ND<500	ND<10	ND<10	ND<2500
11/13/03	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<500
01/29/04	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<500
05/07/04	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<1.0	ND<0.50	ND<50
08/27/04	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<1.0	ND<0.50	ND<50
11/23/04	ND<0.50	ND<0.50	ND<0.50	7.5	ND<1.0	ND<0.50	ND<50
02/09/05	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<0.50	ND<0.50	ND<50
06/16/05	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<0.50	ND<0.50	ND<50
09/27/05	ND<0.50	ND<0.50	ND<0.50	ND<10	ND<0.50	ND<0.50	ND<250
12/30/05	ND<0.50	ND<0.50	ND<0.50	ND<10	ND<0.50	ND<0.50	ND<250
MW-2							
08/24/00	--	--	ND	ND	ND	ND	ND
11/16/00	--	--	ND	ND	ND	ND	ND
02/09/01	ND	ND	ND	ND	ND	ND	ND
05/11/01	ND	ND	ND	ND	ND	ND	ND



Table 3
ADDITIONAL ANALYTICAL RESULTS
76 Station 0018

Date Sampled	EDC (µg/l)	EDB (µg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Ethanol 8260B (µg/l)
MW-2 continued							
08/10/01	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<1000
11/07/01	ND<1.0	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	ND<500
11/13/03	--	--	--	--	--	--	ND<500
01/29/04	--	--	--	--	--	--	ND<500
05/07/04	--	--	--	--	--	--	ND<50
08/27/04	--	--	--	--	--	--	ND<50
11/23/04	--	--	--	--	--	--	ND<50
02/09/05	--	--	--	--	--	--	ND<50
06/16/05	--	--	--	--	--	--	ND<50
09/27/05	--	--	--	--	--	--	ND<250
12/30/05	--	--	--	--	--	--	ND<250
MW-3							
08/24/00	--	--	ND	ND	ND	ND	ND
11/16/00	--	--	ND	ND	ND	ND	ND
02/09/01	ND	ND	ND	ND	ND	ND	ND
05/11/01	ND	ND	ND	ND	ND	ND	ND
08/10/01	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<2.0	ND<2.0	ND<1000000
11/07/01	ND<1.0	ND<1.0	ND<1.0	ND<20	ND<1.0	ND<1.0	ND<500000
08/09/02	ND	ND	--	--	--	--	--
11/29/02	ND	ND	--	--	--	--	--
02/03/03	ND<2.0	ND<2.0	--	--	--	--	--
05/05/03	ND<1.0	ND<1.0	--	--	--	--	--
11/13/03	--	--	--	--	--	--	ND<500
01/29/04	--	--	--	--	--	--	ND<500
05/07/04	--	--	--	--	--	--	ND<50
08/27/04	--	--	--	--	--	--	ND<50

Table 3
ADDITIONAL ANALYTICAL RESULTS
76 Station 0018

Date Sampled	EDC (µg/l)	EDB (µg/l)	TAME 8260B (µg/l)	TBA 8260B (µg/l)	DIPE 8260B (µg/l)	ETBE 8260B (µg/l)	Ethanol 8260B (µg/l)
MW-3 continued							
11/23/04	--	--	--	--	--	--	ND<50
02/09/05	--	--	--	--	--	--	ND<50
06/16/05	--	--	--	--	--	--	ND<50
09/30/05	--	--	--	--	--	--	ND<250
12/30/05	--	--	--	--	--	--	ND<250

FIGURES



SCALE 1:24,000

SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
Oakland East & Oakland West
Quadrangles





VICINITY MAP

76 Station 0018
6201 Claremont Avenue
Oakland, California

FIGURE 1

PS = 1:1





LEGEND

MW-3 Monitoring Well with Groundwater Elevation (feet)

195.00 Groundwater Elevation Contour

General Direction of Groundwater Flow


NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. UST = underground storage tank.



**GROUNDWATER ELEVATION
CONTOUR MAP
December 30, 2005**

76 Station 0018
6201 Claremont Avenue
Oakland, California

FIGURE 2



PS=1:1 0018-003



LEGEND

MW-3 ⊕ Monitoring Well with Dissolved-Phase TPPH Concentration ($\mu\text{g}/\text{l}$)


NOTES:

TPPH = total purgeable petroleum hydrocarbons.
 $\mu\text{g}/\text{l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.


**DISSOLVED-PHASE TPPH CONCENTRATIONS MAP
 December 30, 2005**

76 Station 0018
 6201 Claremont Avenue
 Oakland, California

FIGURE 3



PS=1:1 0018-003



LEGEND

MW-3 ⊕ Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g}/\text{l}$)


NOTES:

$\mu\text{g}/\text{l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
 UST = underground storage tank.


DISSOLVED-PHASE BENZENE CONCENTRATIONS MAP
December 30, 2005

76 Station 0018
 6201 Claremont Avenue
 Oakland, California

FIGURE 4



PS=1:1 0018-003



LEGEND

MW-3 ⊕ Monitoring Well with Dissolved-Phase MTBE Concentration ($\mu\text{g}/\text{l}$)

—10— Dissolved-Phase MTBE Contour ($\mu\text{g}/\text{l}$)


NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether. $\mu\text{g}/\text{l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.

DISSOLVED-PHASE MTBE CONCENTRATIONS MAP
December 30, 2005

76 Station 0018
 6201 Claremont Avenue
 Oakland, California


FIGURE 5






PS=1:1 0018-003

GRAPHS

Groundwater Elevations vs. Time
76 Station 0018



Benzene Concentrations vs Time 76 Station 0018



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

GROUNDWATER SAMPLING FIELD NOTES

Technician: ALEX
 Site: MW-1 0018 Project No.: 4105000j Date: 12-30-05

Well No.: MW-1 Purge Method: DIA
 Depth to Water (feet): 14.62 Depth to Product (feet): 6
 Total Depth (feet): 29.99 LPH & Water Recovered (gallons): 2
 Water Column (feet): 15.37 Casing Diameter (Inches): 2"
 80% Recharge Depth (feet): 17.69 1 Well Volume (gallons): 2

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. °)	pH	Turbidity	D.O.
0703			2	496	18.6	6.34		
			4	319	20.4	6.43		
	0707		6	334	20.7	6.16		
Static at Time Sampled		Total Gallons Purged			Time Sampled			
17.60		26			0715			
Comments:								

Well No.: MW-3 Purge Method: DIA
 Depth to Water (feet): 15.54 Depth to Product (feet): 6
 Total Depth (feet): 29.53 LPH & Water Recovered (gallons): 2
 Water Column (feet): 13.69 Casing Diameter (Inches): 2"
 80% Recharge Depth (feet): 16.57 1 Well Volume (gallons): 2

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. °)	pH	Turbidity	D.O.
0648			2	464	13.2	6.39		
			4	462	14.7	6.32		
	0651		6	459	15.5	6.29		
Static at Time Sampled		Total Gallons Purged			Time Sampled			
18.15		6			0655			
Comments:								

GROUNDWATER SAMPLING FIELD NOTES

Technician: AK
 Site: 0018 Project No.: 4022001 Date: 12-30-05

Well No.: MW-2 Purge Method: DIA
 Depth to Water (feet): 14.79 Depth to Product (feet): 0
 Total Depth (feet): 30.18 LPH & Water Recovered (gallons): 0
 Water Column (feet): 15.39 Casing Diameter (Inches): 2"
 80% Recharge Depth (feet): 17.86 1 Well Volume (gallons): 2

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	Turbidity	D.O.
0620			2	490	17.6	6.65		
			4	466	14.7	6.41		
	0631		6	492	14.9	6.40		
Static at Time Sampled			Total Gallons Purged		Time Sampled			
16.05			6		0638			
Comments:								

Well No.: _____ Purge Method: _____
 Depth to Water (feet): _____ Depth to Product (feet): _____
 Total Depth (feet): _____ LPH & Water Recovered (gallons): _____
 Water Column (feet): _____ Casing Diameter (Inches): _____
 80% Recharge Depth (feet): _____ 1 Well Volume (gallons): _____

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	Turbidity	D.O.
Static at Time Sampled			Total Gallons Purged		Time Sampled			
Comments:								



Laboratories, Inc

Date of Report: 01/09/2006

Anju Farfan

TRC Alton Geoscience

21 Technology Drive
Irvine, CA 92618-2302

RE: 0018

BC Lab Number: 0600050

Enclosed are the results of analyses for samples received by the laboratory on 01/03/06 23:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Vanessa Hooker", written over a horizontal line.

Contact Person: Vanessa Hooker

Client Service Rep

A handwritten signature in black ink, written over a horizontal line.

Authorized Signature



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 0018
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/09/06 09:09

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			Receive Date:	Delivery Work Order (LabW):
0600050-01	COC Number:	---		01/03/06 23:30	Global ID: T0600102231
	Project Number:	0018		Sampling Date: 01/03/06 06:38	Matrix: W
	Sampling Location:	MW-2		Sample Depth: ---	Samle QC Type (SACode): CS
	Sampling Point:	MW-2		Sample Matrix: Water	Cooler ID:
Sampled By:	Alex of TRCI				
0600050-02	COC Number:	---		01/03/06 23:30	Global ID: T0600102231
	Project Number:	0018		Sampling Date: 01/03/06 06:55	Matrix: W
	Sampling Location:	MW-3		Sample Depth: ---	Samle QC Type (SACode): CS
	Sampling Point:	MW-3		Sample Matrix: Water	Cooler ID:
Sampled By:	Alex of TRCI				
0600050-03	COC Number:	---		01/03/06 23:30	Global ID: T0600102231
	Project Number:	0018		Sampling Date: 01/03/06 07:15	Matrix: W
	Sampling Location:	MW-1		Sample Depth: ---	Samle QC Type (SACode): CS
	Sampling Point:	MW-1		Sample Matrix: Water	Cooler ID:
Sampled By:	Alex of TRCI				



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 0018
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/09/06 09:09

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0600050-01 | **Client Sample Name:** 0018, MW-2, MW-2, 1/3/2006 6:38:00AM, Alex

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211	ND	
1,2-Dichloroethane-d4 (Surrogate)	96.1	%	76 - 114 (LCL - UCL)		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211		
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211		
4-Bromofluorobenzene (Surrogate)	95.5	%	86 - 115 (LCL - UCL)		EPA-8260	01/05/06	01/06/06 00:50	sdu	MS-V12	1	BPA0211		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 0018
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/09/06 09:09

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0600050-02		Client Sample Name: 0018, MW-3, MW-3, 1/3/2006 6:55:00AM, Alex											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211	ND	
1,2-Dichloroethane-d4 (Surrogate)	91.9	%	76 - 114 (LCL - UCL)		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211		
Toluene-d8 (Surrogate)	99.9	%	88 - 110 (LCL - UCL)		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211		
4-Bromofluorobenzene (Surrogate)	95.6	%	86 - 115 (LCL - UCL)		EPA-8260	01/05/06	01/06/06 01:12	sdu	MS-V12	1	BPA0211		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 0018
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/09/06 09:09

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0600050-03 | **Client Sample Name:** 0018, MW-1, MW-1, 1/3/2006 7:15:00AM, Alex

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
Methyl t-butyl ether	12	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
Ethanol	ND	ug/L	250		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
Total Purgeable Petroleum Hydrocarbons	68	ug/L	50		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211	ND	
1,2-Dichloroethane-d4 (Surrogate)	95.8	%	76 - 114 (LCL - UCL)		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211		
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211		
4-Bromofluorobenzene (Surrogate)	99.2	%	86 - 115 (LCL - UCL)		EPA-8260	01/05/06	01/06/06 01:34	sdu	MS-V12	1	BPA0211		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 0018
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/09/06 09:09

Volatile Organic Analysis (EPA Method 8260) Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample ID	QC Sample Type	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Benzene	BPA0211	BPA0211-MS1	Matrix Spike	ND	21.080	25.000	ug/L		84.3		70 - 130
		BPA0211-MSD1	Matrix Spike Duplicate	ND	22.430	25.000	ug/L	6.21	89.7	20	70 - 130
Toluene	BPA0211	BPA0211-MS1	Matrix Spike	ND	21.290	25.000	ug/L		85.2		70 - 130
		BPA0211-MSD1	Matrix Spike Duplicate	ND	23.220	25.000	ug/L	8.65	92.9	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BPA0211	BPA0211-MS1	Matrix Spike	ND	9.3800	10.000	ug/L		93.8		76 - 114
		BPA0211-MSD1	Matrix Spike Duplicate	ND	9.4900	10.000	ug/L		94.9		76 - 114
Toluene-d8 (Surrogate)	BPA0211	BPA0211-MS1	Matrix Spike	ND	9.9200	10.000	ug/L		99.2		88 - 110
		BPA0211-MSD1	Matrix Spike Duplicate	ND	9.9400	10.000	ug/L		99.4		88 - 110
4-Bromofluorobenzene (Surrogate)	BPA0211	BPA0211-MS1	Matrix Spike	ND	9.8300	10.000	ug/L		98.3		86 - 115
		BPA0211-MSD1	Matrix Spike Duplicate	ND	9.7800	10.000	ug/L		97.8		86 - 115



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 0018
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/09/06 09:09

Volatile Organic Analysis (EPA Method 8260) Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Benzene	BPA0211	BPA0211-BS1	LCS	21.150	25.000	0.50	ug/L	84.6		70 - 130		
Toluene	BPA0211	BPA0211-BS1	LCS	21.720	25.000	0.50	ug/L	86.9		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BPA0211	BPA0211-BS1	LCS	9.2700	10.000		ug/L	92.7		76 - 114		
Toluene-d8 (Surrogate)	BPA0211	BPA0211-BS1	LCS	9.9000	10.000		ug/L	99.0		88 - 110		
4-Bromofluorobenzene (Surrogate)	BPA0211	BPA0211-BS1	LCS	9.8300	10.000		ug/L	98.3		86 - 115		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 0018
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/09/06 09:09

Volatile Organic Analysis (EPA Method 8260) Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BPA0211	BPA0211-BLK1	ND	ug/L	0.50	0.12	
1,2-Dibromoethane	BPA0211	BPA0211-BLK1	ND	ug/L	0.50	0.24	
1,2-Dichloroethane	BPA0211	BPA0211-BLK1	ND	ug/L	0.50	0.25	
Ethylbenzene	BPA0211	BPA0211-BLK1	ND	ug/L	0.50	0.12	
Methyl t-butyl ether	BPA0211	BPA0211-BLK1	ND	ug/L	0.50	0.12	
Toluene	BPA0211	BPA0211-BLK1	ND	ug/L	0.50	0.15	
Total Xylenes	BPA0211	BPA0211-BLK1	ND	ug/L	1.0	0.37	
t-Amyl Methyl ether	BPA0211	BPA0211-BLK1	ND	ug/L	0.50	0.49	
t-Butyl alcohol	BPA0211	BPA0211-BLK1	ND	ug/L	10	10	
Diisopropyl ether	BPA0211	BPA0211-BLK1	ND	ug/L	0.50	0.25	
Ethanol	BPA0211	BPA0211-BLK1	ND	ug/L	250	110	
Ethyl t-butyl ether	BPA0211	BPA0211-BLK1	ND	ug/L	0.50	0.25	
Total Purgeable Petroleum Hydrocarbons	BPA0211	BPA0211-BLK1	ND	ug/L	50	23	
1,2-Dichloroethane-d4 (Surrogate)	BPA0211	BPA0211-BLK1	92.9	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BPA0211	BPA0211-BLK1	99.0	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BPA0211	BPA0211-BLK1	95.3	%	86 - 115 (LCL - UCL)		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 0018
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/09/06 09:09

Notes and Definitions

- J Estimated value
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Submission #: 06-00050

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER

Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals: Ice Chest Containers None Comments:

Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received
 YES NO

Ice Chest ID: R1w
 Temperature: 3.8 °C
 Thermometer ID: 48

Emissivity: 1.0
 Container: QTA

Date/Time: 1/21/04 2:30
 Analyst Init: ARW

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A.3.	A.3.	A.3.							
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: _____
 Sample Numbering Completed By: ARW Date/Time: 1/21/04 11:10



Laboratories, Inc.

Chain of Custody Form

PLEASE COMPLETE:
BCL QUOTE ID:

36578

Page 1 of 1

Report To: Client: TRC	Project #: 4165001
Attn: ANJU FARFAN	Project Name: CONDO PHALIP
Street Address: 221 21 TECHNOLOGY DR	Project Code: # 0018
City, State, Zip: IRVINE CA 92618	Sampler(s): ALEX
Phone: (949) 341-7440 Fax: (949) 753-0111	
Email Address: afarfana@resolotrac.com	
Submittal #: 06-06050	

Analysis Requested

TPH BY 8260B	BTEX / MTBE	ETHANOL BY 8260B	OXYS BY 8260B	EDC / EDB BY 8260B
X	X	X	X	X

Comments:
GLOBAL ID # 70600102231
LAB WO # 1062 TRC 502

Sample #	Description	Date Sampled	Time Sampled
-1	MW-2	12/30/05	0038
-2	MW-3		0655
-3	MW-1		0715

Soil	Sludge	Drinking Water	Ground Water	Waste Water	Other	Turnaround # of work days*
		X				15

Are there any tests with holding times less than or equal to 48 hours?
 Yes No
 * Standard Turnaround = 15 work days

CHK BY DISTRIBUTION
 NFI JKE
 SUB-OUT

Billing	<input type="checkbox"/> Same as above	Report Drinking Waters on State Form? <input type="checkbox"/> Yes <input type="checkbox"/> No	Sample Disposal <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by lab <input type="checkbox"/> Archive: Months _____	Special Reporting <input type="checkbox"/> QC <input type="checkbox"/> WIP <input type="checkbox"/> Raw Data
Client: _____	Address: _____	City: _____ State: _____ Zip: _____	Attn: _____	PO#: _____
1. Relinquished By: <i>Al Chuana LL</i> Date: 12-20-05 Time: 1300		1. Received By: <i>REFRIGERATOR</i> Date: 12-30-05 Time: 1300		
2. Relinquished By: <i>[Signature]</i> Date: 1/3/06 Time: 1405		2. Received By: <i>Ross Decker</i> Date: 1/3/06 Time: 1405		
3. Relinquished By: <i>Ross Decker</i> Date: 1/3/06 Time: 1830		3. Received By: <i>[Signature]</i> Date: 1-3-06 Time: 1830		

Northern CA

Rick Wood, M. Decker
BC LAB 1-3-06 2330

[Signature] 1/3/06 2330

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by Onyx Transportation, Inc., to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures - Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R -149, which is on file at TRC's Concord Office. Purge water containing a significant amount of liquid -phase hydrocarbons was accumulated separately in drums for transportation and disposal by Filter Recycling, Inc.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.