March 24, 1998

QUARTERLY GROUNDWATER MONITORING REPORT MARCH 4,1998 GROUNDWATER SAMPLING ASE JOB NO. 2659

a t
Romak Iron Works
3250 Hollis Street
Oakland, California 94662

Submitted by: AQUA SCIENCE ENGINEERS, INC. 2411 Old Crow Canyon Road, #4 San Ramon, CA 94583 (510) 820-9391

1.0 INTRODUCTION

This report outlines the methods and findings of Aqua Science Engineers, Inc. (ASE)'s quarterly groundwater sampling at the Romak Iron Works property located at 3250 Hollis Street in Oakland, California (Figures 1 and 2).

2.0 GROUNDWATER SAMPLING

On March 4, 1998, ASE measured the depth to water in the site groundwater monitoring well using an electric water level sounder. The well was also checked for the presence of free-floating hydrocarbons. well contained a hydrocarbon sheen. Prior to sampling, the well was purged of four well casing volumes of groundwater using a pre-cleaned The groundwater samples were decanted from the polyethylene bailer. bailer into three (3) 40-ml volatile organic analysis (VOA) vials preserved with hydrochloric acid and three (3) 1-liter amber glass bottles. samples were labeled, placed in protective foam sleeves, and placed in coolers with wet ice for transport to Chromalab, Inc. of Pleasanton, appropriate chain of custody (ELAP #1094) under California documentation.

Well sampling purge water was contained in steel 55-gallon drums and stored on-site for handling by the client at a later date. The well sampling log is included as Appendix A.

3.0 ANALYTICAL RESULTS FOR GROUNDWATER

The groundwater samples were analyzed by Chromalab for total petroleum hydrocarbons as gasoline (TPH-G) by EPA Method 5030/8015M, total petroleum hydrocarbons as diesel (TPH-D) by EPA Method 3510/8015M, benzene, toluene, ethylbenzene and total xylenes (collectively known as BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8020, and hydrocarbon oil and grease (O&G) by Standard Method 5520 B&F. The analytical results are presented in Tables One and Two. The certified analytical report and chain of custody documentation are included in Appendix B.

TABLE ONE Certified Analytical Results of GROUNDWATER Samples TPH-G, TPH-D, BTEX and MTBE All results are in parts per billion

Sampling Date	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl Benzene	Total Xylenes	MTBE
08 04 02	12,000		7.6	9.7	9.9	29	
08-04-93 11-18-93	10,270		3,169	38.3	661.2	659.4	
02-09-94	17,000		6,200	64	770	420	
05-25-94	24,000		6,200	27	1,100	210	
08-18-94	22,000		5,000	10	740	150	
11-14-94	20,000	4,200	4,200	$\frac{10}{25}$	860	450	
02-03-95	20,000	4,600*	3,400	11	810	100	
05-02-95	21,000	3,400	3,100	21	910	130	
08-08-95	17,000	1,800	2,800	11	680	63	
11-13-95	17,000	<1,000	2,300	8	550	69	
02-16-96	8,900	7,600	3,100	21	760	474	< 40
05-17-96	9,900	1,400	2,100	6	560	23	120
08-01-96	11,000	5,100***	1,600	14	580	66	< 50
11-12-96	13,000	6,000***	910	27	440	440	85
02-06-97	16,000	7,000*	1,200	170	660	410	< 500
05-21-97	8,600	2,900*	720	< 10	460	41	170
09-24-97	6,400	2,600	520	12	310	13	210
03-04-98	6,500	3,300***	650	2.3	290	3 5	98
DTSC							
MCL	NE	NE	1.0	100**	680	1,750	35****
EPA METHOD	5030/ 8015M	3510/ 8015M	8020	8020	8020	8020	8020

^{--- =} Not analyzed

NE = Not established

DTSC = California EPA Department of Toxic Substance Control

MCL = maximum contaminant level for drinking water

Romak Iron Works Quarterly Report - March 1998

^{* =} motor oil detected

^{** =} DTSC recommended action level for drinking water; MCL not established

*** = Fuel pattern does not match diesel standard, concentration due to overlap of

the gasoline fuel pattern into the diesel range

^{**** =} DTSC interim action level; MCL not established.

TABLE TWO Certified Analytical Results of GROUNDWATER Samples Oil and Grease All results are in parts per billion

Sampling Date	Total Oil & Grease	Hydrocarbon Oil & Grease
11-14-94	4,000	<1,000
02-07-95	11,000	9,300
05-02-95	5,000	1,000
08-08-95	11,000	9,700
11-13-95	1,000	<1,000
02-16-96		<5,000
05-17-96		1,100
08-01-96		1,000
11-12-96		< 1,000
02-06-97	n - n	1,700
05-21-97		2,600
09-24-97		< 1,000
03-04-98		2,200
EPA		
METHOD	5520C	5520BF

4.0 CONCLUSIONS

TPH-G, TPH-D, benzene, and MTBE were detected in groundwater samples collected from monitoring well MW-1 at 6,500 parts per billion (ppb), 3,300 ppb, 650 ppb, and 98 ppb, respectively. The toluene, ethylbenzene, and total xylenes concentrations detected this quarter did not exceed California Department of Toxic Substance Control (DTSC) maximum contaminant levels (MCLs) or recommended action levels (RALs) for drinking water. The benzene concentration of 650 ppb exceeded the DTSC MCL for drinking water of 1 ppb. The MTBE concentration of 98 ppb exceeded the DTSC interim action level of 35 ppb.

Concentrations of petroleum hydrocarbons have shown a decreasing trend since November 1993. ASE recommends continued semi-annual groundwater monitoring at the site.

-3-

5.0 REPORT LIMITATIONS

The results of this investigation represent conditions at the time of the groundwater sampling, at the specific locations where the samples were collected, and for the specific parameters analyzed by the laboratory.

It does not fully characterize the site for contamination resulting from unknown sources, or for parameters not analyzed by the laboratory. All of the laboratory work cited in this report was prepared under the direction of an independent CAL-EPA certified laboratory. The independent laboratory is solely responsible for the contents and conclusions of the analytical data.

Aqua Science Engineers appreciates the opportunity to assist Romak Iron Works with its environmental needs. Should you have any questions or comments, please feel free to call us at (510) 820-9391.

Respectfully submitted,

AOUASCIENCE ENGINEERS, INC.

Charlie Rous Staff Geologist

Robert E. Kitay, R.G. Senior Geologist


Attachments: Figures 1 and 2

Appendices A and B

cc: Mr. Kevin Romak, Romak Iron Works

Ms. Susan Hugo, Alameda County Health Care Services Agency

Mr. Kevin Graves, California Regional Water Quality Control Board




Romak Iron Works 3250 Hollis Street Oakland, California

Aqua Science Engineers

Figure 1

BASE: USGS Oakland West 7.5 minute quadrangle topographic r dated 1980, scale 1:24,000.



APPENDIX A

Well Sampling Field Log



WELL SAMPLING FIELD LOG

Project Name and Address: Komak Oulcan, (A) Job #: 2657 Date of sampling: 3-4-98 Well Name: Mw-1 Sampled by: CR Total depth of well (feet): 21,78 Well diameter (inches): 2" Depth to water before sampling (feet): 7.40 Thickness of floating product if any: Depth of well casing in water (feet): 14,38 Number of gallons per well casing volume (gallons): 2,4 Number of well casing volumes to be removed: 4
Req'd volume of groundwater to be purged before sampling (gallons): 10 Equipment used to purge the well: Dedicated Bailer Time Evacuation Began: 10:13 Time Evacuation Finished: 10:40
Approximate volume of groundwater purged:
Depth to water at time of sampling: 10.21 Percent recovery at time of sampling: Samples collected with: Dedicated Bades Sample color: Gray Odor: Strong Product Door Description of sediment in sample: Groduct Sheen and HC globules CHEMICAL DATA
Volume Purged Temp pH Conductivity

APPENDIX B

Certified Analytical Report and Chain of Custody Documentation

CHROMALAB, INC.

Environmental Services (SDB)

March 16, 1998

Submission #: 9803078

AQUA SCIENCE ENGINEERS INC

Atten: Charlie Rous

Project: ROMAK

Project#: 2657

Received: March 5, 1998

re: One sample for Gasoline BTEX MTBE analysis.

Method: SW846 8020A Nov 1990 / 8015Mod

Client Sample ID: MW-1

Sp1#: 173979

Matrix: WATER

Sampled: March 4, 1998

Run#:11605

Analyzed: March 12, 1998

ANALYTE	RESULT (ug/L)	REPORTING LIMIT (ug/L)	BLANK RESULT (ug/L)	BLANK DILUTION SPIKE FACTOR (%)
MTBE TOLUENE XYLENES	98 2.3	5.0 0.50	N.D. N.D.	92 <u>1</u> 90 <u>1</u>
GASOLINE BENZENE	35 6500 650	0.50 2500 25	N.D. N.D. N.D.	84 1 82 50
ETHYL BENZENE	290	25	N.D.	88 50 85 50

Vincent Vancil

Chemist

Operations Manager

CHROMALAB, INC.

Environmental Services (SDB)

March 10, 1998

Submission #: 9803078

AQUA SCIENCE ENGINEERS INC

Atten: Charlie Rous

Project: ROMAK

Received: March 5, 1998

Project#: 2657

re: 1 sample for Oil and Grease analysis.

Method: 5520 B&F

Sampled: March 4, 1998

Matrix: WATER

Extracted: March 10, 1998

Run#: 11552 Analyzed: March 10, 1998

OIL & GREASE

REPORTING LIMIT

BLANK

BLANK DILUTION

CLIENT SPL ID 173979 MW-1

(mg/L) 2.2

(mq/L)

1.0

RESULT

SPIKE FACTOR

(mq/L)(%)

1

Operations Manager

CHROMALAB, INC.

Environmental Services (SDB)

March 11, 1998

Submission #: 9803078

AQUA SCIENCE ENGINEERS INC

Atten: Charlie Rous

Project: ROMAK

Project#: 2657

Received: March 5, 1998

re: 1 sample for TPH - Diesel analysis.

Method: EPA 8015M

Sampled: March 4, 1998

Matrix: WATER

Extracted: March 6, 1998

Run#: 11505

Analyzed: March 6, 1998

REPORTING BLANK BLANK DILUTION DIESEL LIMIT RESULT SPIKE FACTOR CLIENT SPL ID (ug/L) (ug/L)(ug/L) 173979 MW-1 50 N.D. 115 Note:

Hydrocarbon reported does not match the pattern of our Diesel Standard. Surrogate high due to matrix interference.

Mrey House

Chemist

Bruce Havlik

Chemist

Aqua Science Engineers, Inc. Aqua Science Engineers, Inc.
2411 Old Crow Canyon Road, #4,
San Ramon, CA 94583
(510) 820-9391 - FAX (510) 837-4853

Chain of Custody

DATE 3/4/98 PAGE OF I PROJECT NAME Komak NO. 2657 SAMPLERS (SIGNATURE) (PHONE NO.) PRRACTA ST., OAKLAND lu / 820 9391 ADDRESS ANALYSIS REOUEST or (Ball) PURCABLE HALOCARBOINS VOLATILE ORGAIGCS (EPA 624/8240) SPECIAL INSTRUCTIONS: BASE/NUETRALS, (EPA 625/6270) SUBM #: 9803078 REF: CLIENT: ASE 5 DAY TAT 03/12/98 DUE: RFF #:38596 NO. OF SAMPLE ID DATE TIME MATRIX SAMPLES 3 VOA 34/98 11:15 WATER MW-I 34/48 11:15 MW-1 RECEIVED BY LABORATORY: COMMENTS. RELINQUISHED BY: RECEIVED BY: (time) 'signature) (signature) Company- Walkalak Company- Mumbo Company. ASE