

ALAMEDA COUNTY  
**HEALTH CARE SERVICES**  
AGENCY  
DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

July 24, 2009

RAY BOYER  
CALTRANS  
111 GRAND AVE  
OAKLAND CA 94612

Subject: Fuel Leak Case No. RO0000250 and Geotracker Global ID T0600102155, CALTRANS, 0 6TH ST & CASTRO ST, Oakland CA 94607- Groundwater Monitoring Requirements

Dear Responsible Party:

The purpose of this correspondence is to inform you of changes to groundwater monitoring requirements for all fuel leak cases in California. The California State Water Resources Control Board (State Water Board) has approved Resolution No. 2009-0042 (*Actions to Improve Administration of the UST Cleanup Fund and UST Cleanup Program*). Resolution No. 2009-0042 states that, "*Regional Water Board and LOP agencies shall reduce quarterly groundwater monitoring requirements to semiannual or less frequent monitoring at all sites unless site-specific needs warrant otherwise and shall notify all responsible parties of the new requirements no later than August 1, 2009. If more than semiannual monitoring is required for a case, the responsible party and State Water board shall be notified of the rationale and the notice shall be posted on Geotracker.*"

The groundwater monitoring wells at your site have not been monitored since March 2001. In accordance with Resolution No. 2009-0042, groundwater monitoring for your site is to be conducted on a semiannual basis unless site-specific needs warrant otherwise. The semiannual monitoring is to be conducted during the first and third quarters. Please present results from the semiannual groundwater monitoring in groundwater monitoring reports no later than 60 days following the groundwater sampling event.

If you have any questions, please call me at (510) 383-1767 or send me an electronic mail message at [steven.plunkett@acgov.org](mailto:steven.plunkett@acgov.org).

Sincerely,

Steven Plunkett  
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Leroy Griffin, Oakland Fire Department, 250 Frank H. Ogawa Plaza, Ste. 3341, Oakland, CA 94612-2032  
(Sent via E-mail to: [lgriffin@oaklandnet.com](mailto:lgriffin@oaklandnet.com))  
Donna Drogos, ACEH (Sent via E-mail to: [donna.drogos@acgov.org](mailto:donna.drogos@acgov.org))

RAY BOYER  
RO0000250  
July 24, 2009, Page 2

Steven Plunkett, ACEH (*Sent via E-mail to: [steven.plunkett@acgov.org](mailto:steven.plunkett@acgov.org)*)  
Geotracker, File

RESPONSIBLE PARTY OF RECORD AS OF 07/22/2009

RO0000250, CALTRANS, 0 6TH ST & CASTRO ST , Oakland, CA, 94607

Alameda County Environmental Health (ACEH) has the following information on record regarding the Responsible Party(ies) for the above referenced site. Please update the following information for our records. Should you have contact information regarding additional Responsible Parties, please correct the information accordingly. Also, please check the "e-mail preferred" box to receive all future correspondences and notifications by e-mail.

E-mail Preferred

Hardcopy Preferred

ACEH is requesting your e-mail address so that we can correspond with you quickly and efficiently regarding your case. Please note that ACEH respects your privacy. Your e-mail address will remain confidential and will not be provided to any third party.

Current Information

RAY BOYER  
CALTRANS  
111 GRAND AVE  
OAKLAND CA 94612  
Ray\_Boyer@dot.ca.gov  
5102865668

Corrections or Additions

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
E-mail: \_\_\_\_\_  
Home Phone: (\_\_\_\_) \_\_\_\_\_  
Office Phone: (\_\_\_\_) \_\_\_\_\_  
Cell Phone: (\_\_\_\_) \_\_\_\_\_

RO0000250, 0 6TH ST & CASTRO ST , Oakland