

September 10, 1997

Alameda County Health Care Services
1131 Harbor Bay Parkway
Alameda, California 94502

Attention: Ms. Susan Hugo

RE: Unocal Service Station #3538
411 W. MacArthur Boulevard
Oakland, California

Dear Ms. Hugo:

Per the request of the Tosco Marketing Company Project Manager, Ms. Tina R. Berry, enclosed please find our data report (MPDS-UN3538-13) dated August 19, 1997, for the above referenced site.

Should you have any questions regarding the reporting of data, please feel free to call our office at (510) 602-5120. Any other questions may be directed to the Project Manager at (510) 277-2321.

Sincerely,

MPDS Services, Inc.



Jarrel F. Crider

/jfc

Enclosure

cc: Ms. Tina R. Berry

MPDS-UN3538-13
August 19, 1997

Tosco Marketing Company
Environmental Compliance Department
2000 Crow Canyon Place, Suite 400
San Ramon, California 94583

Attention: Ms. Tina R. Berry

RE: Semi-Annual Data Report
Unocal Service Station #3538
411 W. MacArthur Boulevard
Oakland, California

Dear Ms. Berry:

This data report presents the results of the most recent monitoring and sampling of the monitoring wells at the referenced site by MPDS Services, Inc.

RECENT FIELD ACTIVITIES

The monitoring wells that were monitored and sampled are indicated in Table 1. Prior to sampling, the wells were checked for depth to water and the presence of free product or sheen. The monitoring data and the ground water elevations are summarized in Table 1. The ground water flow direction during the most recent semi-annual period is shown on the attached Figure 1.

Ground water samples were collected on July 21, 1997. Prior to sampling, the monitoring wells were each purged of between 4 and 8.5 gallons of water. Samples were then collected using a clean Teflon bailer. The samples were decanted into clean VOA vials, which were then sealed with Teflon-lined screw caps, labeled, and stored in a cooler, on ice, until delivery to a state-certified laboratory. MPDS Services, Inc. transported the purged ground water to the Tosco Refinery located in Rodeo, California, for treatment and discharge to San Pablo Bay under NPDES permit.

ANALYTICAL RESULTS

The ground water samples were analyzed at Sequoia Analytical Laboratory and were accompanied by properly executed Chain of Custody documentation. The analytical results of the ground water samples collected to date are summarized in Tables 2 and 3. The concentrations of Total Petroleum Hydrocarbons (TPH) as gasoline and benzene detected in the ground water samples collected this semi-annual period are shown on the attached Figure 2. Copies of the laboratory analytical results and the Chain of Custody documentation are attached to this report.

LIMITATIONS

Environmental changes, either naturally-occurring or artificially-induced, may cause changes in ground water levels and flow paths, thereby changing the extent and concentration of any contaminants.

DISTRIBUTION

A copy of this report should be sent to Ms. Susan Hugo of the Alameda County Health Care Services Agency.

If you have any questions regarding this report, please do not hesitate to call Mr. Nubar Srabian at (510) 602-5120.

Sincerely,


MPDS Services, Inc.



Armond A. Balaian
Staff Engineer



Hagop Kevork, P.E.
Senior Staff Engineer



License No. C 55734
Exp. Date December 31, 2000

/aab

- Attachments: Tables 1, 2 & 3
Location Map
Figures 1 & 2
Laboratory Analyses
Chain of Custody documentation

cc: Mr. Sarkis A. Soghomonian, Kaprealian Engineering, Inc.

Table 1
 Summary of Monitoring Data

Well #	Ground Water Elevation (feet)	Depth to Water (feet) *	Total Well Depth (feet) *	Product Thickness (feet)	Sheen	Water Purged (gallons)
--------	-------------------------------------	-------------------------------	---------------------------------	--------------------------------	-------	------------------------------

(Monitored and Sampled on July 21, 1997)

MW1	53.94	18.16	26.46	0	No	4.5
MW2	53.32	18.06	27.50	0	No	5
MW3	53.57	18.29	25.12	0	No	4
MW4	53.73	17.91	28.73	0	No	6
MW5	53.64	17.59	30.15	0	No	6.5
MW6	57.66	13.78	30.07	0	No	8.5

(Monitored and Sampled on January 17, 1997)

MW1*	55.56	16.54	25.92	0	--	0
MW2	54.30	17.08	27.47	0	No	7.5
MW3	54.63	17.23	25.07	0	No	5.5
MW4*	54.91	16.73	28.71	0	--	0
MW5*	54.48	16.75	30.12	0	--	0
MW6*	56.02	15.42	30.06	0	--	0

(Monitored and Sampled on July 11, 1996)

MW1	54.07	18.03	25.93	0	No	5.5
MW2	53.40	17.98	28.00	0	No	7
MW3	53.67	18.19	25.10	0	No	5
MW4	53.83	17.81	28.72	0	No	7.5
MW5	53.64	17.59	30.13	0	No	9
MW6	57.86	13.58	30.06	0	No	11.5

(Monitored and Sampled on April 15, 1996)

MW1*	54.70	17.40	21.31	0	--	0
MW2	53.77	17.61	27.99	0	No	7.5
MW3	54.08	17.78	25.08	0	No	5
MW4*	54.29	17.35	28.73	0	--	0
MW5*	54.01	17.22	30.14	0	--	0
MW6*	57.44	14.00	30.08	0	--	0

Table 1
Summary of Monitoring Data

Well #	Well Casing Elevation (feet)**
MW1	72.10
MW2	71.38
MW3	71.86
MW4	71.64
MW5	71.23
MW6	71.44

- ◆ The depth to water level and total well depth measurements were taken from the top of the well casings.
- * Monitored only.
- ** The elevations of top of well casings are relative to Mean Seal Level (MSL), per the City of Oakland Benchmark #9NW10 (elevation = 75.50 feet MSL).
- Sheen determination was not performed.

Table 2
 Summary of Laboratory Analyses
 Water

Well #	Date	TPH as Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylenes	MTBE	
MW1	9/15/89	ND	ND	0.61	ND	ND	--	
	1/23/90	ND	1.5	2.3	ND	4.3	--	
	4/19/90	ND	ND	ND	ND	ND	--	
	7/17/90	ND	ND	ND	ND	ND	--	
	10/16/90	ND	ND	ND	ND	ND	--	
	1/15/91	ND	ND	ND	ND	ND	--	
	4/12/91	ND	ND	ND	ND	ND	--	
	7/15/91	ND	ND	ND	ND	ND	--	
	7/14/92	ND	ND	ND	ND	ND	--	
	7/14/93	ND	2.2	2.1	1.1	6.2	--	
	7/7/94	ND	ND	ND	ND	ND	--	
	10/5/94	SAMPLED ANNUALLY IN JULY						--
	7/19/95	ND	ND	ND	ND	ND	--	
	7/11/96	ND	ND	ND	ND	ND	ND	
	7/21/97	ND	ND	ND	ND	ND	ND	
MW2	9/15/89	290	ND	12	ND	ND	--	
	1/23/90	400	73	36	10	40	--	
	4/19/90	3,900	550	5.1	91	390	--	
	7/17/90	490	76	0.59	11	46	--	
	10/16/90	1,400	430	2	48	240	--	
	1/15/91	680	170	0.7	19	81	--	
	4/12/91	2,200	160	4.3	23	62	--	
	7/15/91	2,200	770	12	72	370	--	
	10/15/91	140	44	0.56	1.5	12	--	
	1/15/92	220	37	0.52	1.1	7	--	
	4/14/92	150	6.2	ND	ND	1.4	--	
	7/14/92	130	3.7	ND	ND	ND	--	
	10/12/92	370	3.4	0.56	ND	11	--	
	1/8/93	510†	ND	ND	ND	ND	--	
	4/13/93	410††	42	7.7	6.4	28	200	
	7/14/93	110†	6.5	ND	ND	1.1	250	
	10/14/93	230†	5.3	ND	ND	2.1	--	
	1/12/94	300	7.8	3.8	1.8	10	--	
	4/9/94	120	10	0.88	1.1	4.9	--	
	7/7/94	110†	4.4	ND	ND	ND	--	
	10/5/94	720†	20	ND	ND	3.1	--	
	1/9/95	ND	ND	ND	ND	ND	--	
	4/17/95	93	5.6	0.62	1.7	5.5	--	
	7/19/95	77	32	0.58	1.7	4.1	--	
	10/26/95	54††	13	ND	ND	0.72	220	
	1/16/96‡	120	23	ND	ND	0.99	--	
	4/15/96	340	21	ND	2.2	3.7	45	
7/11/96	540	34	ND	4.3	12	150		
1/17/97	320	63	2.4	9.4	26	260		
7/21/97	160	13	ND	1.3	1.6	180		

Table 2
Summary of Laboratory Analyses
Water

Well #	Date	TPH as Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylenes	MTBE	
MW3	9/15/89	32	ND	ND	ND	ND	--	
	1/23/90	450	110	1.2	4.4	11	--	
	4/19/90	3,100	600	27	54	220	--	
	7/17/90	4,000	270	48	130	250	--	
	10/16/90	740	210	1.4	2.5	82	--	
	1/15/91	3,200	460	1.5	120	270	--	
	4/12/91	880	170	1.1	34	110	--	
	7/15/91	9,200	1,300	230	490	1,900	--	
	10/15/91	3,100	390	34	150	390	--	
	1/15/92	3,000	590	14	310	750	--	
	4/14/92	14,000	660	48	560	2,000	--	
	7/14/92	21,000	890	200	1,200	4,300	--	
	10/12/92	3,200	160	10	230	540	--	
	1/8/93	1,100††	48	0.99	0.9	93	--	
	4/13/93	12,000††	290	38	760	2,300	1,400	
	7/14/93	6,300	190	ND	430	1,000	860	
	10/14/93	2,500	52	ND	110	250	--	
	1/12/94	3,800	78	ND	180	390	--	
	4/9/94	1,800	22	ND	140	280	--	
	7/7/94	110†	4.5	ND	ND	ND	--	
	10/5/94	ND	ND	ND	ND	ND	--	
	1/9/95	ND	0.68	ND	ND	ND	--	
	4/17/95	3,700	80	10	270	510	--	
	7/19/95	15,000	330	27	990	2,400	--	
	10/26/95	14,000	420	180	750	1,600	4,800	
	1/16/96‡	920	38	ND	30	57	--	
4/15/96	9,700	240	ND	570	860	3,200		
7/11/96	13,000	69	5.5	430	900	740		
1/17/97	4,400	25	ND	270	580	1,600		
7/21/97	9,000	36	ND	450	800	950		
MW4	9/15/89	ND	ND	ND	ND	ND	--	
	1/23/90	ND	ND	0.4	ND	ND	--	
	4/19/90	ND	ND	0.48	ND	ND	--	
	7/17/90	ND	ND	ND	ND	ND	--	
	10/16/90	ND	ND	ND	ND	ND	--	
	1/15/91	ND	ND	ND	--	ND	--	
	4/12/91	ND	ND	ND	ND	ND	--	
	7/15/91	ND	ND	ND	ND	ND	--	
	7/14/92	ND	1.3	2.5	ND	1.0	--	
	7/14/93	ND	ND	ND	ND	ND	--	
	7/7/94	ND	ND	ND	ND	ND	--	
	10/5/94	SAMPLED ANNUALLY IN JULY						--
	7/19/95	ND	ND	ND	ND	ND	--	
	7/11/96	ND	ND	ND	ND	ND	ND	
	7/21/97	ND	ND	ND	ND	ND	ND	

Table 2
 Summary of Laboratory Analyses
 Water

Well #	Date	TPH as Gasoline	Benzene	Toluene	Ethyl Benzene	Xylenes	MTBE	
MW5	11/30/92	ND	ND	ND	ND	ND	--	
	1/8/93	ND	ND	ND	ND	ND	--	
	4/13/93	ND	ND	ND	ND	ND	--	
	7/14/93	ND	ND	0.57	ND	ND	--	
	10/14/93	ND	ND	ND	ND	ND	--	
	1/12/94	ND	ND	0.84	ND	1.6	--	
	7/7/94	ND	ND	ND	ND	ND	--	
	10/5/94	SAMPLED ANNUALLY IN JULY						
	7/19/95	ND	ND	ND	ND	ND	--	
	7/11/96	ND	ND	ND	ND	ND	ND	
	7/21/97	ND	ND	ND	ND	ND	ND	
	MW6	11/30/92	ND	ND	ND	ND	ND	--
1/8/93		ND	ND	ND	ND	ND	--	
4/13/93		ND	ND	ND	ND	ND	--	
7/14/93		ND	0.99	2.4	ND	1.9	--	
10/14/93		ND	ND	0.64	ND	ND	--	
1/12/94		ND	ND	1.2	ND	2.9	--	
7/7/94		ND	ND	ND	ND	ND	--	
10/5/94		SAMPLED ANNUALLY IN JULY						
7/19/95		ND	ND	ND	ND	ND	--	
7/11/96		ND	ND	ND	ND	ND	ND	
7/21/97		ND	ND	ND	ND	ND	ND	

‡ Sequoia Analytical Laboratory has identified the presence of MTBE at a level above or equal to the taste and odor threshold of 40 µg/L in the sample collected from this well.

† Sequoia Analytical Laboratory reported that the hydrocarbons detected did not appear to be gasoline.

†† Sequoia Analytical Laboratory reported that the hydrocarbons detected appeared to be a gasoline and a non-gasoline mixture.

Table 2
Summary of Laboratory Analyses
Water

ND = Non-detectable.

MTBE = Methyl tert butyl ether.

Results are in micrograms per liter ($\mu\text{g/L}$), unless otherwise indicated.

Note: The detection limit for results reported as ND by Sequoia Analytical Laboratory is equal to the stated detection limit times the dilution factor indicated on the laboratory analytical sheets.

Prior to August 1, 1995, the total purgeable petroleum hydrocarbon (TPH as gasoline) quantification range used by Sequoia Analytical Laboratory was C4 - C12. Since August 1, 1995, the quantification range used by Sequoia Analytical Laboratory was C6 - C12.

Laboratory analyses data prior to January 12, 1994, were provided by Kaprealian Engineering, Inc.

Table 3
 Summary of Laboratory Analyses
 Water

Well #	Date	TPH as Diesel	Total Oil & Grease (mg/L)	Tetrachloroethene*
MW1	9/15/89	ND	ND	2.7
	1/23/90	ND	1.5	2.1
	4/19/90	ND	ND	2.2
	7/17/90	ND	ND	1.7
	10/16/90	ND	ND	2.0
	1/15/91	ND	ND	2.1
	4/12/91	ND	ND	2.0
	7/15/91	ND	ND	1.8
	7/14/92	--	--	1.4
	7/14/93	--	--	0.95
	7/7/94	--	--	0.83
	7/19/95	--	--	0.52
	7/11/96**	--	--	0.73
	7/21/97***	--	--	0.70

* All EPA method 8010 constituents were non-detectable, except for tetrachloroethene as indicated.

** Chloroform was detected at a concentration of 0.96 µg/L.

*** Chloroform was detected at a concentration of 1.0 µg/L.


-- Indicates analysis was not performed.

ND = Non-detectable.


mg/L = milligrams per liter.

Results are in micrograms per liter (µg/L), unless otherwise indicated.

Note: Laboratory analyses data prior to July 14, 1994 were provided by Kaprealian Engineering, Inc.




Base modified from 7.5 minute U.S.G.S. Oakland East & West Quadrangles
(both photorevised 1980)







MPDS SERVICES, INCORPORATED


**UNOCAL SERVICE STATION # 3538
411 W. MACARTHUR BOULEVARD
OAKLAND, CALIFORNIA**

**LOCATION
MAP**



LEGEND

-  Monitoring well
-  () Ground water elevation in feet above Mean Sea Level
-  ### Direction of ground water flow with approximate hydraulic gradient
-  Contours of ground water elevation




POTENTIOMETRIC SURFACE MAP FOR THE JULY 21, 1997 MONITORING EVENT

MPDS SERVICES, INCORPORATED


**UNOCAL SERVICE STATION # 3538
411 W. MACARTHUR BOULEVARD
OAKLAND, CALIFORNIA**

**FIGURE
1**



LEGEND

- ⊕ Monitoring well
- () Concentration of TPH as gasoline in $\mu\text{g/L}$
- [] Concentration of benzene in $\mu\text{g/L}$
- ND Non-detectable



PETROLEUM HYDROCARBON CONCENTRATIONS IN GROUND WATER ON JULY 21, 1997



MPDS Services 2401 Stanwell Dr., Ste. 300 Concord, CA 94520 Attention: Jarrel Crider	Client Project ID: Unocal #3538, 411 W. Mac Arthur Blvd. Matrix Descript: Water Analysis Method: EPA 5030/8015 Mod./8020 First Sample #: 707-1016	Oakland	Sampled: Jul 21, 1997 Received: Jul 21, 1997 Reported: Aug 4, 1997
---	--	---------	--

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Sample Number	Sample Description	Purgeable Hydrocarbons µg/L	Benzene µg/L	Toluene µg/L	Ethyl Benzene µg/L	Total Xylenes µg/L
707-1016	MW-1	ND	ND	ND	ND	ND
707-1017	MW-2	160	13	ND	1.3	1.6
707-1018	MW-3	9,000	36	ND	450	800
707-1019	MW-4	ND	ND	ND	ND	ND
707-1020	MW-5	ND	ND	ND	ND	ND
707-1021	MW-6	ND	ND	ND	ND	ND

Detection Limits:	50	0.50	0.50	0.50	0.50
--------------------------	-----------	-------------	-------------	-------------	-------------

Total Purgeable Petroleum Hydrocarbons are quantitated against a fresh gasoline standard.
 Analytes reported as ND were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager





MPDS Services	Client Project ID: Unocal #3538, 411 W. Mac Arthur Blvd.	Sampled: Jul 21, 1997
2401 Stanwell Dr., Ste. 300	Matrix Descript: Water	Received: Jul 21, 1997
Concord, CA 94520	Analysis Method: EPA 5030/8015 Mod./8020	Reported: Aug 4, 1997
Attention: Jarrel Crider	First Sample #: 707-1016	

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Sample Number	Sample Description	Chromatogram Pattern	DL Mult. Factor	Date Analyzed	Instrument ID	Surrogate Recovery, % QC Limits: 70-130
707-1016	MW-1	--	1.0	7/28/97	HP-2	81
707-1017	MW-2	Gasoline	1.0	7/28/97	HP-2	95
707-1018	MW-3	Gasoline	20	7/28/97	HP-2	112
707-1019	MW-4	--	1.0	7/28/97	HP-2	76
707-1020	MW-5	--	1.0	7/28/97	HP-2	78
707-1021	MW-6	--	1.0	7/28/97	HP-2	79

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Jarrel Crider

Client Project ID: Unocal #3538, 411 W. Mac Arthur Blvd.
Sample Descript: Water
Analysis for: MTBE (Modified EPA 8020)
First Sample #: 707-1016

Sampled: Jul 21, 1997
Received: Jul 21, 1997
Oakland
Analyzed: Jul 28, 1997
Reported: Aug 4, 1997

LABORATORY ANALYSIS FOR: MTBE (Modified EPA 8020)

Sample Number	Sample Description	Detection Limit µg/L	Sample Result µg/L
707-1016	MW-1	5.0	N.D.
707-1017	MW-2	5.0	180
707-1018	MW-3	50	950
707-1019	MW-4	5.0	N.D.
707-1020	MW-5	5.0	N.D.
707-1021	MW-6	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager

7071016.MPD <3>





MPDS Services	Client Project ID: Unocal #3538, 411 W. Mac Arthur Blvd.	Sampled: Jul 21, 1997
2401 Stanwell Dr., Ste. 300	Sample Descript: Water, MW-1	Received: Jul 21, 1997
Concord, CA 94520	Analysis Method: EPA 5030/8010	Analyzed: Jul 24, 1997
Attention: Jarrel Crider	Lab Number: 707-1016	Reported: Aug 4, 1997

HALOGENATED VOLATILE ORGANICS (EPA 8010)

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	0.50	N.D.
Bromoform.....	0.50	N.D.
Bromomethane.....	1.0	N.D.
Carbon tetrachloride.....	0.50	N.D.
Chlorobenzene.....	0.50	N.D.
Chloroethane.....	1.0	N.D.
2-Chloroethylvinyl ether.....	1.0	N.D.
Chloroform.....	0.50	1.0
Chloromethane.....	1.0	N.D.
Dibromochloromethane.....	0.50	N.D.
1,3-Dichlorobenzene.....	0.50	N.D.
1,4-Dichlorobenzene.....	0.50	N.D.
1,2-Dichlorobenzene.....	0.50	N.D.
1,1-Dichloroethane.....	0.50	N.D.
1,2-Dichloroethane.....	0.50	N.D.
1,1-Dichloroethene.....	0.50	N.D.
cis-1,2-Dichloroethene.....	0.50	N.D.
trans-1,2-Dichloroethene.....	0.50	N.D.
1,2-Dichloropropane.....	0.50	N.D.
cis-1,3-Dichloropropene.....	0.50	N.D.
trans-1,3-Dichloropropene.....	0.50	N.D.
Methylene chloride.....	5.0	N.D.
1,1,2,2-Tetrachloroethane.....	0.50	N.D.
Tetrachloroethene.....	0.50	0.70
1,1,1-Trichloroethane.....	0.50	N.D.
1,1,2-Trichloroethane.....	0.50	N.D.
Trichloroethene.....	0.50	N.D.
Trichlorofluoromethane.....	0.50	N.D.
Vinyl chloride.....	1.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager





MPDS Services
2401 Stanwell Dr., Ste. 300
Concord, CA 94520
Attention: Jarrel Crider

Client Project ID: Unocal #3538, 411 W. Mac Arthur Blvd., Oakland
Matrix: Liquid

QC Sample Group: 7071016-021

Reported: Aug 4, 1997

QUALITY CONTROL DATA REPORT

ANALYTE	Benzene	Toluene	Ethyl Benzene	Xylenes
Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Analyst:	D. Newcomb	D. Newcomb	D. Newcomb	D. Newcomb

MS/MSD Batch#:	7070936	7070936	7070936	7070936
Date Prepared:	7/28/97	7/28/97	7/28/97	7/28/97
Date Analyzed:	7/28/97	7/28/97	7/28/97	7/28/97
Instrument I.D.#:	HP-2	HP-2	HP-2	HP-2
Conc. Spiked:	20 µg/L	20 µg/L	20 µg/L	60 µg/L
Matrix Spike % Recovery:	85	105	95	98
Matrix Spike Duplicate % Recovery:	85	105	95	100
Relative % Difference:	0.0	0.0	0.0	1.7

LCS Batch#:	2LCS072897	2LCS072897	2LCS072897	2LCS072897
Date Prepared:	7/28/97	7/28/97	7/28/97	7/28/97
Date Analyzed:	7/28/97	7/28/97	7/28/97	7/28/97
Instrument I.D.#:	HP-2	HP-2	HP-2	HP-2
LCS % Recovery:	85	105	100	98

% Recovery Control Limits:	60-140	60-140	60-140	60-140
-----------------------------------	--------	--------	--------	--------

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager





MPDS Services 2401 Stanwell Dr., Ste. 300 Concord, CA 94520 Attention: Jarrel Crider	Client Project ID: Unocal #3538, 411 W. Mac Arthur Blvd., Oakland Matrix: Liquid QC Sample Group: 7071016-021	Reported: Aug 4, 1997
---	---	-----------------------

QUALITY CONTROL DATA REPORT

ANALYTE	1,1-Dichloro- benzene	Trichloro- ethene	Chloro- benzene
Method:	EPA 8010	EPA 8010	EPA 8010
Analyst:	K. Nill	K. Nill	K. Nill

MS/MSD			
Batch#:	7070878	7070878	7070878
Date Prepared:	7/24/97	7/24/97	7/24/97
Date Analyzed:	7/24/97	7/24/97	7/24/97
Instrument I.D.#:	HP-7	HP-7	HP-7
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L
Matrix Spike % Recovery:	100	98	86
Matrix Spike Duplicate % Recovery:	110	110	92
Relative % Difference:	9.5	12	6.7

LCS Batch#:	LCS072497	LCS072497	LCS072497
Date Prepared:	7/24/97	7/24/97	7/24/97
Date Analyzed:	7/24/97	7/24/97	7/24/97
Instrument I.D.#:	HP-7	HP-7	HP-7
LCS % Recovery:	120	110	100

% Recovery Control Limits:	60-140	60-140	60-140
-------------------------------	--------	--------	--------

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager



CHAIN OF CUSTODY

9707293

SAMPLER			TOSCO					ANALYSES REQUESTED						TURN AROUND TIME:	
STEVE BALIAN			S/S # 3538 CITY: OAKLAND					TPH-G/ BTEX	TPH-D	MTBE	80/0	TOG			REGULAR
WITNESSING AGENCY			ADDRESS: 411 W. MAC ARTHUR BLVD												REMARKS
SAMPLE ID NO.	DATE	TIME	WATER	GRAB	COMP	NO. OF CONT.	SAMPLING LOCATION								
Mw-1	7-21-97	10:50	X	X		4	WELL	X		X	X	7071016	A-D	MTBE	
Mw-2	"	13:20	X	X		2	"	X		X		7071017	A-B	5-PPB	
Mw-3	"	12:55	X	X		2	"	X		X		7071018			
Mw-4	"	11:20	X	X		2	"	X		X		7071019			
Mw-5	"	11:50	X	X		2	"	X		X		7071020			
Mw-6	"	12:25	X	X		2	"	X		X		7071021			

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:	DATE/TIME	THE FOLLOWING <u>MUST BE</u> COMPLETED BY THE LABORATORY ACCEPTING SAMPLES FOR ANALYSES: 1. HAVE ALL SAMPLES RECEIVED FOR ANALYSIS BEEN STORED ON ICE? <u>Y</u> 2. WILL SAMPLES REMAIN REFRIGERATED UNTIL ANALYZED? <u>Y</u> 3. DID ANY SAMPLES RECEIVED FOR ANALYSIS HAVE HEAD SPACE? <u>N</u> 4. WERE SAMPLES IN APPROPRIATE CONTAINERS AND PROPERLY PACKAGED? <u>Y</u> SIGNATURE: <u>Sharma</u> TITLE: <u>Analyst</u> DATE: <u>7/21/97</u>
STEVE BALIAN	14:15	<u>Sharma</u>	7/21/97	
(SIGNATURE)	7-21-97	(SIGNATURE)	1415	
(SIGNATURE)		(SIGNATURE)		
(SIGNATURE)		(SIGNATURE)		