



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
www.CRAworld.com

TRANSMITTAL

DATE: February 15, 2011 REFERENCE NO.: 240894
PROJECT NAME: 1800½ Powell Street, Emeryville

TO: Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

RECEIVED

3:58 pm, Feb 16, 2011
Alameda County
Environmental Health

Please find enclosed: Draft Final
 Originals Other
 Prints

Sent via: Mail Same Day Courier
 Overnight Courier Other GeoTracker and Alameda County FTP

| QUANTITY | DESCRIPTION |
|----------|---|
| 1 | Groundwater Monitoring Report - Fourth Quarter 2010 |
| | |
| | |

As Requested For Review and Comment
 For Your Use _____

COMMENTS:
If you have any questions regarding the contents of this document, please call Peter Schaefer at (510) 420-3319.

Copy to: Denis Brown, Shell Oil Products US (electronic copy)
SF Data Room (electronic copy)

Completed by: Peter Schaefer Signed: *Peter Schaefer*

Filing: Correspondence File



Mr. Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94205-6577

Denis L. Brown
Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Shell-branded Service Station
1800 ½ Powell Street
Emeryville, California
SAP Code 135266
Incident No. 98995349
ACEH Case No. RO0000254

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (707) 865-0251 with any questions or concerns.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is written over a horizontal line.

Denis L. Brown
Senior Program Manager



GROUNDWATER MONITORING REPORT - FOURTH QUARTER 2010

**SHELL-BRANDED SERVICE STATION
1800½ POWELL STREET
EMERYVILLE, CALIFORNIA**

**SAP CODE 135266
INCIDENT NO. 98995349
AGENCY NO. RO0000254**

**FEBRUARY 15, 2011
REF. NO. 240894 (3)**

This report is printed on recycled paper.

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

| | <u>Page</u> |
|--|-------------|
| 1.0 INTRODUCTION..... | 1 |
| 1.1 SITE INFORMATION | 1 |
| 2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION..... | 1 |
| 2.1 CURRENT ACTIVITIES..... | 1 |
| 2.2 CURRENT FINDINGS | 1 |
| 2.3 PROPOSED ACTIVITIES..... | 2 |

LIST OF FIGURES

(Following Text)

FIGURE 1 VICINITY MAP

FIGURE 2 GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP

LIST OF APPENDICES

APPENDIX A BLAINE TECH SERVICES, INC. - GROUNDWATER MONITORING
REPORT

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell).

1.1 SITE INFORMATION

| | |
|-------------------------|---------------------------------|
| Site Address | 1800½ Powell Street, Emeryville |
| Site Use | Shell-branded Service Station |
| Shell Project Manager | Denis Brown |
| CRA Project Manager | Peter Schaefer |
| Lead Agency and Contact | ACEH, Jerry Wickham |
| Agency Case No. | RO0000254 |
| Shell SAP Code | 135266 |
| Shell Incident No. | 98995349 |

Date of most recent agency correspondence was July 24, 2009.

2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION

2.1 CURRENT ACTIVITIES

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the established monitoring program for this site.

CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). Blaine's report, presenting the analytical data, is included in Appendix A.

2.2 CURRENT FINDINGS

| | |
|----------------------------|-------------------------|
| Groundwater Flow Direction | Predominantly southerly |
| Hydraulic Gradient | 0.02 |

Depth to Water

7.47 to 9.60 feet below top of well casing

2.3 PROPOSED ACTIVITIES

Blaine will gauge and sample wells according to the established monitoring program for this site. This site is monitored annually during the fourth quarter, and CRA will issue a groundwater monitoring report annually following the sampling event.


All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES

Peter Schaefer
Peter Schaefer, CHG, CEG

Aubrey K. Cool
Aubrey K. Cool, PG



FIGURES



I:\Shell\6-chars\2408--1240894-Emeryville_1800_Powell\240894-FIGURES\240894 VICINITY.AI

FIGURE
1


Shell-branded Service Station

1800 1/2 Powell Street
Emeryville, California



**CONESTOGA-ROVERS
& ASSOCIATES**

Vicinity Map




EXPLANATION

- S-5 ● Monitoring well location
- S-6 ☒ Destroyed monitoring well location
- S-1/A ▲ Tank backfill well location

Notes:
 ND = Not detected
 NS = Not sampled

- Groundwater flow direction and gradient
- Groundwater elevation contour, in feet above mean sea level (msl)

| Well | ELEV. | Benzene | MTBE |
|------|-------|---------|------|
| S-5 | 6.03 | 16 | ND |
| S-14 | 5.39 | ND | 1.1 |
| S-8 | 5.68 | 5.3 | 37 |
| S-9 | DRY | NS | |
| S-13 | 5.17 | 3.8 | 44 |
| S-10 | 5.33 | 6.0 | 19 |
| S-12 | 7.40 | ND | 31 |



I:\Shell\6-chars\2408--240894-Emeryville 1800 Powell\240894-REPORTS\240894-RPT3-4\010\240894 4QM10-GW.DWG

FIGURE 2

APPENDIX A

BLAINE TECH SERVICES, INC. -
GROUNDWATER MONITORING REPORT

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

December 27, 2010

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Fourth Quarter 2010 Groundwater Monitoring at
Shell-branded Service Station
1800 Powell Street
Emeryville, CA

Monitoring performed on December 3, 2010

Groundwater Monitoring Report **101203-DR-2**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purge water (if applicable) is, likewise, collected and transported to the Shell Martinez Manufacturing Complex.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses. Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an

independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata
Project Manager

MN/np

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheet

cc: Anni Kreml
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|---------|------------|-------------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
| S-5 | 10/26/1984 | 3,000 | NA | 660 | 20 | 20 | 70 | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 02/09/1985 | 2,800 | NA | 740 | 20 | 20 | 140 | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 04/27/1985 | 4,300 | NA | 750 | 10 | 20 | <30 | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 07/06/1985 | 1,500 | NA | 300 | 8 | 7 | 9 | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 10/24/1985 | 2,100 | NA | 760 | 10 | 40 | 50 | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 01/03/1986 | 1,300 | NA | 520 | 9 | 8 | 10 | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 07/05/1986 | 1,400 | NA | 500 | 10 | 4 | <10 | NA | NA | NA | NA | NA | NA | 11.72 | 8.36 | 3.36 | NA |
| S-5 | 10/18/1986 | 4,200 | NA | 1,100 | 9 | 14 | 7 | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 01/13/1987 | 4,500 | 6,100 | 1,100 | 15 | 30 | 25 | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 07/07/1987 | 3,200 | NA | 1,000 | 16 | 9 | 12 | NA | NA | NA | NA | NA | NA | 11.72 | 9.15 | 2.57 | NA |
| S-5 | 10/10/1987 | 1,700 | NA | 16 | 5.7 | 5.2 | 8.9 | NA | NA | NA | NA | NA | NA | 11.72 | 9.67 | 2.05 | NA |
| S-5 | 02/11/1988 | 1,300 | NA | 300 | 5 | <5 | <5 | NA | NA | NA | NA | NA | NA | 11.72 | 9.00 | 2.72 | NA |
| S-5 | 05/10/1988 | 1,900 | NA | 490 | <0.5 | <5 | <5 | NA | NA | NA | NA | NA | NA | 11.72 | 8.61 | 3.11 | NA |
| S-5 | 08/31/1988 | 6,700 | NA | 760 | 26 | <25 | <25 | NA | NA | NA | NA | NA | NA | 11.72 | 9.61 | 2.11 | NA |
| S-5 | 12/03/1988 | 2,900 | NA | 890 | 5.3 | 7.3 | 13 | NA | NA | NA | NA | NA | NA | 11.72 | 9.47 | 2.25 | NA |
| S-5 | 02/16/1989 | 1,300 | NA | 280 | 3 | 3.4 | 9.4 | NA | NA | NA | NA | NA | NA | 11.72 | 8.29 | 3.43 | NA |
| S-5 | 08/10/1989 | 1,700 | NA | 530 | 5.5 | <5 | 5.8 | NA | NA | NA | NA | NA | NA | 11.72 | 9.30 | 2.42 | NA |
| S-5 | 11/11/1989 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.72 | 9.42 | 2.30 | NA |
| S-5 | 02/21/1994 | 1,000 | NA | 250 | <5 | <5 | <5 | NA | NA | NA | NA | NA | NA | 11.72 | 7.95 | 3.77 | NA |
| S-5 (D) | 02/21/1994 | 1,300 | NA | 220 | <5 | <5 | 11 | NA | NA | NA | NA | NA | NA | 11.72 | 7.95 | 3.77 | NA |
| S-5 | 05/16/1994 | 1,200 | NA | 230 | <5 | <5 | <5 | NA | NA | NA | NA | NA | NA | 11.72 | 8.00 | 3.72 | NA |
| S-5 | 08/09/1994 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 11/09/1994 | 1,600 | NA | 220 | 3.2 | 1.8 | 5 | NA | NA | NA | NA | NA | NA | 11.72 | 8.32 | 3.40 | NA |
| S-5 (D) | 11/09/1994 | 1,600 | NA | 250 | 3.3 | 1.9 | 5.9 | NA | NA | NA | NA | NA | NA | 11.72 | 8.32 | NA | NA |
| S-5 | 02/22/1995 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 05/02/1995 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 05/10/1995 | 910 | NA | 170 | 1.5 | 1.3 | 5.2 | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 08/24/1995 | 620 | NA | 210 | <0.5 | 1.2 | 5.3 | NA | NA | NA | NA | NA | NA | 11.72 | 8.78 | 2.94 | NA |
| S-5 | 12/08/1995 | 1,600 | NA | 510 | 3.3 | 1.5 | 6.6 | NA | NA | NA | NA | NA | NA | 11.72 | 9.78 | 1.94 | NA |
| S-5 (D) | 12/08/1995 | 1,600 | NA | 530 | 1.8 | 1.1 | 5.4 | NA | NA | NA | NA | NA | NA | 11.72 | 9.78 | 1.94 | NA |
| S-5 | 02/29/1996 | 1,900 | NA | 470 | 5.8 | <5.0 | <5.0 | 46 | NA | NA | NA | NA | NA | 11.72 | 7.64 | 4.08 | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|

| | | | | | | | | | | | | | | | | | |
|------------|-------------------|-------------------|-----------|-----------|----------------|----------------|------------|-----------|----------------|----------------|----------------|----------------|---------------|--------------|-------------|-------------|-----------|
| S-5 (D) | 02/29/1996 | 1,700 | NA | 440 | 5.4 | <5.0 | <5.0 | 40 | NA | NA | NA | NA | NA | 11.72 | 7.64 | 4.08 | NA |
| S-5 | 05/22/1996 | 1,200 | NA | 490 | <10 | <10 | <10 | <50 | NA | NA | NA | NA | NA | 11.72 | 8.60 | 3.12 | NA |
| S-5 | 07/30/1996 | 1,100 | NA | 400 | <5.0 | <5.0 | 6.9 | <25 | NA | NA | NA | NA | NA | 11.72 | 9.40 | 2.32 | NA |
| S-5 | 11/11/1996 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 11/03/1997 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 11/06/1998 | 620 | NA | 91 | <0.50 | 0.64 | 4.0 | <2.5 | NA | NA | NA | NA | NA | 11.72 | 8.25 | 3.47 | NA |
| S-5 | 12/07/1999 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.72 | NA | NA | NA |
| S-5 | 11/02/2000 | 1,120 | NA | 191 | 2.78 | <2.50 | 3.56 | <12.5 | NA | NA | NA | NA | NA | 11.72 | 8.55 | 3.17 | NA |
| S-5 | 12/27/2001 | 760 | NA | 110 | 2.4 | <0.50 | 5.8 | NA | <5.0 | NA | NA | NA | NA | 11.72 | 7.64 | 4.08 | NA |
| S-5 | 11/26/2002 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.07 | NA | NA | NA |
| S-5 | 12/06/2002 | 860 | NA | 130 | 2.3 | <0.50 | 6.0 | NA | <5.0 | NA | NA | NA | NA | 14.07 | 8.62 | 5.45 | NA |
| S-5 | 11/25/2003 | 920 | NA | 180 | 3.0 | <1.0 | 6.2 | NA | <1.0 | NA | NA | NA | NA | 14.07 | 9.32 | 4.75 | NA |
| S-5 | 11/10/2004 | 530 | NA | 2.4 | 0.68 | <0.50 | 6.3 | NA | <0.50 | NA | NA | NA | NA | 14.07 | 9.35 | 4.72 | NA |
| S-5 | 11/23/2005 | 1,630 | NA | 102 | 2.42 | 0.540 | 5.71 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <10.0 | 14.07 | 9.62 | 4.45 | NA |
| S-5 | 11/21/2006 | 1,100 | NA | 91 | 2.4 | <0.50 | 5.3 | NA | <0.50 | <2.0 | <2.0 | <2.0 | <5.0 | 14.07 | 9.60 | 4.47 | NA |
| S-5 | 11/14/2007 | 1,700 t | NA | 92 | 2.9 | 0.33 u | 6.2 | NA | <1.0 | <2.0 | <2.0 | <2.0 | <10 | 14.07 | 8.60 | 5.47 | NA |
| S-5 | 11/17/2008 | 810 | NA | 30 | 1.6 | <1.0 | 4.4 | NA | <1.0 | <2.0 | <2.0 | <2.0 | <10 | 14.07 | 8.10 | 5.97 | NA |
| S-5 | 11/12/2009 | 1,000 | NA | 24 | 1.5 | <1.0 | 3.8 | NA | <1.0 | <2.0 | <2.0 | <2.0 | <10 | 14.07 | 8.52 | 5.55 | NA |
| S-5 | 12/03/2010 | 790 | NA | 16 | <1.0 | <1.0 | 4.2 | NA | <1.0 | <2.0 | <2.0 | <2.0 | <10 | 14.07 | 8.04 | 6.03 | NA |

| | | | | | | | | | | | | | | | | | |
|-----|------------|----------------|------|-------|----|----|-----|----|----|----|----|----|----|----|----|-----|----|
| S-6 | 04/27/1985 | 6,500 | NA | 2,400 | 30 | 50 | 210 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| S-6 | 07/06/1985 | 3,700 | NA | 1,700 | 34 | 55 | 200 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| S-6 | 10/24/1985 | 23 | <0.5 | <5 | 10 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | <50 | NA |
| S-6 | 11/08/1985 | Well abandoned | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |

| | | | | | | | | | | | | | | | | | |
|-----|------------|-------|----|-------|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|
| S-7 | 10/26/1984 | 50 | NA | 1.1 | <1 | <1 | 4 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| S-7 | 02/09/1985 | NA | NA | 0.9 | <1 | <1 | <3 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| S-7 | 04/27/1985 | <50 | NA | <1 | <1 | <1 | <3 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| S-7 | 07/06/1985 | 70 | NA | 2.2 | <1 | <1 | <3 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| S-7 | 10/24/1985 | 6,200 | NA | 2,200 | 130 | 190 | 660 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| S-7 | 11/09/1985 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|---------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
| S-8 | 10/26/1984 | 1,000 | NA | 610 | 9 | 1 | 42 | NA | NA | NA | NA | NA | NA | 12.76 | NA | NA | NA |
| S-8 | 02/09/1985 | 500 | NA | 160 | 5 | <2 | 17 | NA | NA | NA | NA | NA | NA | 12.76 | NA | NA | NA |
| S-8 | 04/27/1985 | 2,700 | NA | 1,500 | 20 | 10 | 40 | NA | NA | NA | NA | NA | NA | 12.76 | NA | NA | NA |
| S-8 | 07/06/1985 | 440 | NA | 180 | 5 | 2 | 12 | NA | NA | NA | NA | NA | NA | 12.76 | NA | NA | NA |
| S-8 | 10/24/1985 | 2,000 | NA | 1,100 | 17 | 5 | 70 | NA | NA | NA | NA | NA | NA | 12.76 | NA | NA | NA |
| S-8 | 01/03/1986 | 1,900 | NA | 1,300 | 20 | <10 | 70 | NA | NA | NA | NA | NA | NA | 12.76 | NA | NA | NA |
| S-8 | 07/05/1986 | 1,600 | NA | 920 | 30 | <10 | 60 | NA | NA | NA | NA | NA | NA | 12.76 | 9.50 | 3.26 | NA |
| S-8 | 10/18/1986 | 1,400 | NA | 640 | <10 | <10 | 30 | NA | NA | NA | NA | NA | NA | 12.76 | NA | NA | NA |
| S-8 | 01/13/1987 | 670 | 760 | 190 | 5.8 | <0.5 | 19 | NA | NA | NA | NA | NA | NA | 12.76 | NA | NA | NA |
| S-8 | 04/22/1987 | 2,400 | NA | 740 | 54 | 5.7 | 59 | NA | NA | NA | NA | NA | NA | 12.76 | NA | NA | NA |
| S-8 | 07/07/1987 | 1,100 | NA | 450 | 15 | <2.5 | 42 | NA | NA | NA | NA | NA | NA | 12.76 | 10.45 | 2.31 | NA |
| S-8 | 10/10/1987 | 340 | NA | 4 | 0.6 | <0.5 | 17 | NA | NA | NA | NA | NA | NA | 12.76 | 10.83 | 1.93 | NA |
| S-8 | 02/11/1988 | <1,000 | NA | 260 | <10 | <10 | 11 | NA | NA | NA | NA | NA | NA | 12.76 | 10.44 | 2.32 | NA |
| S-8 | 05/10/1988 | 1,800 | NA | 700 | 14 | <5 | 46 | NA | NA | NA | NA | NA | NA | 12.76 | 10.17 | 2.59 | NA |
| S-8 | 08/31/1988 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.76 | 10.81 | 1.95 | SPH |
| S-8 | 12/03/1988 | 960 | NA | 250 | 4.3 | <2.5 | 14 | NA | NA | NA | NA | NA | NA | 12.76 | 10.81 | 1.95 | NA |
| S-8 | 02/16/1989 | 2,700 | NA | 800 | 35 | 10 | 83 | NA | NA | NA | NA | NA | NA | 12.76 | 9.65 | 3.11 | NA |
| S-8 | 05/28/1989 | 960 | NA | 710 | 25 | 84 | 80 | NA | NA | NA | NA | NA | NA | 12.76 | 10.46 | 2.30 | NA |
| S-8 | 08/10/1989 | 1,300 | NA | 630 | 17 | <5 | 46 | NA | NA | NA | NA | NA | NA | 12.76 | 10.59 | 2.17 | NA |
| S-8 | 11/11/1989 | 910 | NA | 180 | 8 | <2.5 | 15 | NA | NA | NA | NA | NA | NA | 12.76 | 10.29 | 2.47 | NA |
| S-8 | 02/21/1994 | 3,200 | NA | 480 | 52 | <5 | 130 | NA | NA | NA | NA | NA | NA | 12.76 | 9.52 | 3.24 | NA |
| S-8 | 05/16/1994 | 1,000 | NA | 220 | 7.3 | <5 | 28 | NA | NA | NA | NA | NA | NA | 12.76 | 9.49 | 3.27 | NA |
| S-8 (D) | 05/16/1994 | 1,000 | NA | 280 | 10 | <5 | 29 | NA | NA | NA | NA | NA | NA | 12.76 | 9.49 | 3.27 | NA |
| S-8 | 08/09/1994 | 400 | NA | 27 | 6.6 | <0.5 | 18 | NA | NA | NA | NA | NA | NA | 12.76 | 10.37 | 2.39 | NA |
| S-8 | 11/09/1994 | 650 | NA | 170 | 5.3 | <0.5 | 17 | NA | NA | NA | NA | NA | NA | 12.76 | 9.58 | 3.18 | NA |
| S-8 | 02/22/1995 | 650 | NA | 210 | 10 | 1.2 | 22 | NA | NA | NA | NA | NA | NA | 12.76 | 9.02 | 3.74 | NA |
| S-8 | 05/02/1995 | 1,000 | NA | 280 | 17 | 1.4 | 32 | NA | NA | NA | NA | NA | NA | 12.76 | 8.45 | 4.31 | NA |
| S-8 | 08/24/1995 | 480 | NA | 180 | 11 | 1 | 19 | NA | NA | NA | NA | NA | NA | 12.76 | 10.02 | 2.74 | NA |
| S-8 (D) | 08/24/1995 | 700 | NA | 180 | 6.5 | <0.5 | 17 | NA | NA | NA | NA | NA | NA | 12.76 | 10.02 | 2.74 | NA |
| S-8 | 12/08/1995 | 740 | NA | 230 | 6.9 | 0.7 | 15 | NA | NA | NA | NA | NA | NA | 12.76 | 10.65 | 2.11 | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|

| | | | | | | | | | | | | | | | | | |
|------------|-------------------|------------|-----------|------------|------------|----------------|-----------|-----------|-----------|----------------|----------------|----------------|-----------|--------------|-------------|-------------|-----------|
| S-8 | 02/29/1996 | 740 | NA | 260 | 8.1 | <5.0 | 19 | 58 | NA | NA | NA | NA | NA | 12.76 | 9.10 | 3.66 | NA |
| S-8 | 05/22/1996 | 1,200 | NA | 350 | 10 | <5.0 | 23 | 74 | NA | NA | NA | NA | NA | 12.76 | 10.14 | 2.62 | NA |
| S-8 | 07/30/1996 | 530 | NA | 220 | 20 | 6.3 | 36 | 69 | NA | NA | NA | NA | NA | 12.76 | 10.51 | 2.25 | NA |
| S-8 | 11/11/1996 | 540 | NA | 140 | 3.7 | <2.0 | 17 | 42 | NA | NA | NA | NA | NA | 12.76 | 10.23 | 2.53 | NA |
| S-8 | 11/03/1997 | 480 | NA | 54 | 3.5 | <0.50 | 12 | 40 | NA | NA | NA | NA | NA | 12.76 | 9.40 | 3.36 | NA |
| S-8 | 11/06/1998 | 740 | NA | 110 | 10 | 2.8 | 26 | 31 | NA | NA | NA | NA | NA | 12.76 | 9.78 | 2.98 | NA |
| S-8 | 12/07/1999 | 770 | NA | 270 | 16 | <2.0 | 33 | 75 | NA | NA | NA | NA | NA | 12.76 | 10.14 | 2.62 | NA |
| S-8 | 11/02/2000 | 436 | NA | 75.8 | 6.18 | 0.549 | 14.9 | 81.5 | NA | NA | NA | NA | NA | 12.76 | 9.45 | 3.31 | NA |
| S-8 | 12/27/2001 | 1,300 | NA | 62 | 11 | 1.8 | 31 | NA | 86 | NA | NA | NA | NA | 12.76 | 9.19 | 3.57 | NA |
| S-8 | 11/26/2002 | 970 | NA | 58 | 3.8 | 0.51 | 15 | NA | 35 | NA | NA | NA | NA | 15.00 | 10.10 | 4.90 | NA |
| S-8 | 11/25/2003 | 400 | NA | 19 | 4.4 | <0.50 | 15 | NA | 34 | NA | NA | NA | NA | 15.00 | 10.49 | 4.51 | NA |
| S-8 | 11/10/2004 | 430 | NA | 28 | 3.4 | <0.50 | 11 | NA | 25 | NA | NA | NA | NA | 15.00 | 10.45 | 4.55 | NA |
| S-8 | 11/23/2005 | 476 | NA | 8.72 | 3.15 | 1.03 | 12.6 | NA | 35.2 | <0.500 | <0.500 | <0.500 | 20.1 | 15.00 | 10.46 | 4.54 | NA |
| S-8 | 11/21/2006 | 280 | NA | 5.9 | 1.9 | 4.9 | 7.9 | NA | 27 | <2.0 | <2.0 | <2.0 | 47 | 15.00 | 10.61 | 4.39 | NA |
| S-8 | 11/14/2007 | 520 t | NA | 2.2 | 0.66 u | <1.0 | 4.9 | NA | 29 | <2.0 | <2.0 | <2.0 | 38 | 15.00 | 10.01 | 4.99 | NA |
| S-8 | 11/17/2008 | 550 | NA | 6.9 | 1.8 | <1.0 | 8.0 | NA | 36 | <2.0 | <2.0 | <2.0 | 23 | 15.00 | 9.64 | 5.36 | NA |
| S-8 | 11/12/2009 | 640 | NA | 8.1 | 3.5 | <1.0 | 9.8 | NA | 72 | <2.0 | <2.0 | <2.0 | 23 | 15.00 | 10.00 | 5.00 | NA |
| S-8 | 12/03/2010 | 810 | NA | 5.3 | 4.2 | <1.0 | 14 | NA | 37 | <2.0 | <2.0 | <2.0 | 23 | 15.00 | 9.32 | 5.68 | NA |

| | | | | | | | | | | | | | | | | | |
|-----|------------|----|----|----|----|----|----|----|----|----|----|----|----|-------|------|------|------|
| S-9 | 10/26/1984 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 02/09/1985 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | 1.30 |
| S-9 | 04/27/1985 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | 1.25 |
| S-9 | 07/06/1985 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | 1.20 |
| S-9 | 10/24/1985 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 01/03/1986 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 04/11/1986 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 07/05/1986 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | 9.67 | 3.08 | SPH |
| S-9 | 10/18/1986 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 01/13/1987 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 04/22/1987 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 07/07/1987 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|

| | | | | | | | | | | | | | | | | | |
|-----|--------------|-----|----|----|----|----|----|----|----|----|----|----|----|---------|-------|-------|------|
| S-9 | 10/10/1987 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | 22.30 | -9.55 | SPH |
| S-9 | 02/24/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 05/16/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | 1.50 |
| S-9 | 08/09/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | 11.80 | NA | 2.00 |
| S-9 | 11/09/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 02/22/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | 11.40 | NA | 2.38 |
| S-9 | 05/02/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | 11.83 | NA | 2.12 |
| S-9 | 12/08/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | 11.92 | NA | 1.06 |
| S-9 | 02/29/1996 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | 12.10 | 2.88 | 2.79 |
| S-9 | 05/22/1996 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | 11.71 | 2.44 | 1.75 |
| S-9 | 07/30/1996 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 11/11/1996 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | 9.00 |
| S-9 | 11/03/1997 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 11/06/1998 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | SPH |
| S-9 | 12/07/1999 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | NA |
| S-9 | 11/02/2000 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | NA |
| S-9 | 12/27/2001 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.75 | NA | NA | NA |
| S-9 | 11/26/2002 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.83 | NA | NA | NA |
| S-9 | 11/25/2003 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.83 | NA | NA | NA |
| S-9 | 11/25/2003 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.98 n | NA | NA | NA |
| S-9 | 11/23/2005 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.98 | NA | NA | NA |
| S-9 | 11/21/2006 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.98 | NA | NA | NA |
| S-9 | 11/14/2007 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.98 | NA | NA | NA |
| S-9 | 11/17/2008 a | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.98 | NA | NA | NA |
| S-9 | 11/12/2009 | Dry | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.98 | NA | NA | NA |
| S-9 | 12/03/2010 | Dry | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.98 | NA | NA | NA |

| | | | | | | | | | | | | | | | | | |
|------|------------|---------|----|--------|---------|--------|---------|----|----|----|----|----|----|-------|----|----|----|
| S-10 | 10/26/1984 | 700,000 | NA | 37,000 | 100,000 | 20,000 | 110,000 | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | NA |
| S-10 | 02/09/1985 | 6,500 | NA | 480 | 700 | 100 | 1,800 | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | NA |
| S-10 | 04/27/1985 | 13,000 | NA | 1,300 | 500 | 600 | 3,700 | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | NA |
| S-10 | 07/06/1985 | 14,000 | NA | 1,300 | 310 | 270 | 2,400 | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
| S-10 | 10/24/1985 | 4,200 | NA | 580 | 34 | 4 | 440 | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | NA |
| S-10 | 01/03/1986 | 1,700 | NA | 360 | 10 | 7.8 | 170 | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | NA |
| S-10 | 04/11/1986 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | 0.01 |
| S-10 | 07/05/1986 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.58 | 9.16 | 3.42 | 0.01 |
| S-10 | 10/18/1986 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | 0.03 |
| S-10 | 01/13/1987 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | 0.03 |
| S-10 | 04/22/1987 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.58 | NA | NA | 0.01 |
| S-10 | 07/07/1987 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.58 | 9.41 | 3.17 | 0.03 |
| S-10 | 10/10/1987 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.58 | 7.77 | 4.81 | SPH |
| S-10 | 02/11/1988 | 1,200 | NA | 470 | 16 | <5 | 14 | NA | NA | NA | NA | NA | NA | 12.58 | 6.41 | 6.17 | NA |
| S-10 | 05/10/1988 | 1,100 | NA | 100 | 6 | 4 | 19 | NA | NA | NA | NA | NA | NA | 12.58 | 9.04 | 3.54 | NA |
| S-10 | 08/31/1988 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.58 | 9.38 | 3.20 | 0.01 |
| S-10 | 12/03/1988 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.58 | 6.89 | 5.69 | SPH |
| S-10 | 02/16/1989 | 530 | NA | 89 | 8.5 | 1.6 | 4.5 | NA | NA | NA | NA | NA | NA | 12.58 | 7.34 | 5.24 | NA |
| S-10 | 05/28/1989 | 240 | NA | 65 | 3.8 | 2.2 | 8.6 | NA | NA | NA | NA | NA | NA | 12.58 | 6.60 | 5.98 | NA |
| S-10 | 08/10/1989 | 250 | NA | 23 | 4.1 | <1 | 6.4 | NA | NA | NA | NA | NA | NA | 12.58 | 9.09 | 3.49 | NA |
| S-10 | 11/11/1989 | 320 | NA | 1.6 | 1.3 | 1.4 | 6.2 | NA | NA | NA | NA | NA | NA | 12.58 | 6.58 | 6.00 | NA |
| S-10 | 02/21/1994 | 1,400 | NA | 190 | 9.9 | <2.5 | 19 | NA | NA | NA | NA | NA | NA | 12.58 | 8.32 | 4.26 | NA |
| S-10 | 05/16/1994 | 300 | NA | 45 | 8.6 | 6.2 | 19 | NA | NA | NA | NA | NA | NA | 12.58 | 8.35 | 4.23 | NA |
| S-10 | 08/08/1994 | 700 | NA | 57 | 14 | <0.5 | 9.3 | NA | NA | NA | NA | NA | NA | 12.58 | 8.66 | 3.92 | NA |
| S-10 | 11/09/1994 | 640 | NA | 130 | 2 | 1.6 | 4.1 | NA | NA | NA | NA | NA | NA | 12.58 | 6.68 | 5.90 | NA |
| S-10 | 02/22/1995 | 500 | NA | 65 | 5.9 | 1 | 8.2 | NA | NA | NA | NA | NA | NA | 12.58 | 9.12 | 3.46 | NA |
| S-10 | 05/02/1995 | 530 | NA | 59 | 2.3 | 0.8 | 8.2 | NA | NA | NA | NA | NA | NA | 12.58 | 9.50 | 3.08 | NA |
| S-10 | 08/24/1995 | 350 | NA | 35 | 4.6 | <0.5 | 6.7 | NA | NA | NA | NA | NA | NA | 12.58 | 10.06 | 2.52 | NA |
| S-10 | 12/08/1995 | 690 | NA | 28 | 4.6 | 0.9 | 8.6 | NA | NA | NA | NA | NA | NA | 12.58 | 10.08 | 2.50 | NA |
| S-10 | 02/29/1996 | 430 | NA | 32 | 1.8 | 0.5 | 5.8 | 16 | NA | NA | NA | NA | NA | 12.58 | 5.32 | 7.26 | NA |
| S-10 | 05/22/1996 | 100 | 1,200 | 19 | 0.63 | <0.5 | 1.4 | 5.3 | NA | NA | NA | NA | NA | 12.58 | 6.04 | 6.54 | NA |
| S-10 | 07/30/1996 | 240 | 13,000 | 17 | <1.2 | <1.2 | 7.8 | 11 | NA | NA | NA | NA | NA | 12.58 | 10.48 | 2.10 | NA |
| S-10 | 11/11/1996 | 370 | 4,800 | 16 | 1.1 | <0.5 | 7 | 94 | NA | NA | NA | NA | NA | 12.58 | 10.31 | 2.27 | NA |
| S-10 | 11/03/1997 | 340 | 1,100 | 6.7 | 2.1 | <0.50 | 3.3 | 19 | NA | NA | NA | NA | NA | 12.58 | 9.53 | 3.05 | NA |
| S-10 (D) | 11/03/1997 | 310 | 1,100 | 7.8 | 1.3 | <0.50 | 3.1 | 19 | NA | NA | NA | NA | NA | 12.58 | 9.53 | 3.05 | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|

| | | | | | | | | | | | | | | | | | |
|-------------|-------------------|------------|--------------|------------|------------|----------------|------------|-----------|-----------|----------------|----------------|----------------|-----------|--------------|-------------|-------------|-----------|
| S-10 | 11/06/1998 | <250 | 2,000 | <2.5 | <2.5 | <2.5 | 6.5 | 900 | NA | NA | NA | NA | NA | 12.58 | 5.12 | 7.46 | NA |
| S-10 | 12/07/1999 | 400 | 2,230 | 47 | 33 | 10 | 29 | 90 | NA | NA | NA | NA | NA | 12.58 | 7.95 | 4.63 | NA |
| S-10 | 11/02/2000 | 536 | 14,500 | 32.0 | 3.08 | <0.500 | 2.98 | 42.3 | NA | NA | NA | NA | NA | 12.58 | 7.05 | 5.53 | NA |
| S-10 | 12/27/2001 | 870 | 6,600 | 61 | 4.9 | 2.5 | 15 | NA | 26 | NA | NA | NA | NA | 12.58 | 7.43 | 5.15 | NA |
| S-10 | 11/26/2002 | 720 | 9,800 | 56 | 3.5 | <0.50 | 8.4 | NA | 52 | NA | NA | NA | NA | 15.11 | 9.75 | 5.36 | NA |
| S-10 | 11/25/2003 | 550 | 530 m | 29 | 2.7 | <0.50 | 8.4 | NA | 49 | NA | NA | NA | NA | 15.11 | 9.00 | 6.11 | NA |
| S-10 | 11/10/2004 | 660 | 1,500 m | 64 | 5.0 | 0.61 | 14 | NA | 54 | NA | NA | NA | NA | 14.93 o | 9.50 | 5.43 | NA |
| S-10 | 11/23/2005 | 866 | NA | 47.0 | 3.44 | 0.600 | 12.6 | NA | 61.9 | <0.500 | <0.500 | <0.500 | <10.0 | 14.93 | 10.23 | 4.70 | NA |
| S-10 | 11/21/2006 | 490 | 12,000 l | 21 | 2.3 | 5.8 | 9.6 | NA | 48 | <2.0 | <2.0 | <2.0 | 34 | 14.93 | 10.04 | 4.89 | NA |
| S-10 | 11/14/2007 | 740 t | 1,300 r,s | 19 | 2.1 | <1.0 | 8.0 | NA | 44 | <2.0 | <2.0 | <2.0 | 20 | 14.93 | 9.49 | 5.44 | NA |
| S-10 | 11/17/2008 | 630 | 2,000 s | 7.3 | 1.0 | <1.0 | 7.0 | NA | 32 | <2.0 | <2.0 | <2.0 | 11 | 14.93 | 10.03 | 4.90 | NA |
| S-10 | 11/12/2009 | 600 | 2,100 s | 7.9 | 1.1 | <1.0 | 5.7 | NA | 23 | <2.0 | <2.0 | <2.0 | 12 | 14.93 | 10.31 | 4.62 | NA |
| S-10 | 12/03/2010 | 740 | 900 s | 6.0 | 1.3 | <1.0 | 9.3 | NA | 19 | <2.0 | <2.0 | <2.0 | 12 | 14.93 | 9.60 | 5.33 | NA |

| | | | | | | | | | | | | | | | | | |
|------|------------|------|---------|------|------|------|------|----|----|----|----|----|----|-------|------|------|----|
| S-12 | 07/06/1985 | <250 | 2,200 | 0.71 | <0.5 | <0.5 | <3.6 | NA | NA | NA | NA | NA | NA | 12.84 | 8.22 | NA | NA |
| S-12 | 11/16/1985 | <250 | 1,400 | 18 | <2 | <2 | <5 | NA | NA | NA | NA | NA | NA | 12.84 | NA | NA | NA |
| S-12 | 01/03/1986 | <250 | NA | 24 | 2 | <2 | <5 | NA | NA | NA | NA | NA | NA | 12.84 | NA | NA | NA |
| S-12 | 07/05/1986 | 80 | NA | 15 | 0.7 | <0.5 | 2 | NA | NA | NA | NA | NA | NA | 12.84 | 8.27 | 4.57 | NA |
| S-12 | 10/18/1986 | 150 | NA | 12 | 9 | <0.5 | 3.6 | NA | NA | NA | NA | NA | NA | 12.84 | NA | NA | NA |
| S-12 | 01/13/1987 | 120 | 1,000 | 3.6 | 0.8 | <0.5 | 2.9 | NA | NA | NA | NA | NA | NA | 12.84 | NA | NA | NA |
| S-12 | 04/22/1987 | 100 | 820 | 3.7 | 3.8 | 0.8 | 11 | NA | NA | NA | NA | NA | NA | 12.84 | NA | NA | NA |
| S-12 | 07/07/1987 | 70 | NA | 2.5 | 0.8 | <0.5 | 2.4 | NA | NA | NA | NA | NA | NA | 12.84 | 9.50 | 3.34 | NA |
| S-12 | 10/10/1987 | 220 | 2,500 | 2.1 | 0.7 | <0.5 | 1.2 | NA | NA | NA | NA | NA | NA | 12.84 | 9.90 | 2.94 | NA |
| S-12 | 02/11/1988 | 110 | 2,500 | 0.8 | <0.5 | <0.5 | 1.3 | NA | NA | NA | NA | NA | NA | 12.84 | 9.43 | 3.41 | NA |
| S-12 | 05/10/1988 | 140 | 3,800 b | 0.8 | 0.8 | <0.5 | 2.5 | NA | NA | NA | NA | NA | NA | 12.84 | 8.65 | 4.19 | NA |
| S-12 | 08/31/1988 | 190 | 2,600 b | 3 | 15 | 0.5 | 4.5 | NA | NA | NA | NA | NA | NA | 12.84 | 9.86 | 2.98 | NA |
| S-12 | 12/03/1988 | 180 | 3,900 b | 1.2 | 1 | 1 | 7.7 | NA | NA | NA | NA | NA | NA | 12.84 | 9.93 | 2.91 | NA |
| S-12 | 02/16/1989 | 350c | 2,100 b | 0.6 | <0.5 | 0.5 | 5.5 | NA | NA | NA | NA | NA | NA | 12.84 | 8.08 | 4.76 | NA |
| S-12 | 05/28/1989 | 290 | 2,200 | 2 | 1.6 | 4.4 | 6 | NA | NA | NA | NA | NA | NA | 12.84 | 9.08 | 3.76 | NA |
| S-12 | 08/10/1989 | 240 | 720 | 0.7 | <0.5 | <0.5 | 1.1 | NA | NA | NA | NA | NA | NA | 12.84 | 9.35 | 3.49 | NA |
| S-12 | 11/11/1989 | 210c | 4,100 | 0.7 | 0.5 | <0.5 | 3.4 | NA | NA | NA | NA | NA | NA | 12.84 | 9.28 | 3.56 | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
| S-12 | 02/21/1994 | 240d | 2,200 e | 0.7 | <0.5 | <0.5 | 3.6 | NA | NA | NA | NA | NA | NA | 12.84 | 8.22 | 4.62 | NA |
| S-12 | 05/16/1994 | 96 | 2,200 | 1.5 | <0.5 | <0.5 | 2 | NA | NA | NA | NA | NA | NA | 12.84 | 8.92 | 3.92 | NA |
| S-12 | 08/08/1994 | 110f | 3,500 g | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NA | NA | NA | NA | 12.84 | NA | 0.00 | NA |
| S-12 | 11/09/1994 | 80 | 5,400 g | 80 | <0.5 | <0.5 | 0.6 | NA | NA | NA | NA | NA | NA | 12.84 | 7.56 | 5.28 | NA |
| S-12 | 02/22/1995 | 110 | 2,900 g,h | 0.7 | <0.5 | <0.5 | 3.7 | NA | NA | NA | NA | NA | NA | 12.84 | 7.98 | 4.86 | NA |
| S-12 (D) | 02/22/1995 | 110 | 3,400 g,h | 4.8 | 7.1 | <0.5 | 2.1 | NA | NA | NA | NA | NA | NA | 12.84 | 7.98 | 4.86 | NA |
| S-12 | 05/02/1995 | 140 | 2,800 | 2.4 | 1.1 | 0.8 | 4.3 | NA | NA | NA | NA | NA | NA | 12.84 | 8.44 | 4.40 | NA |
| S-12 | 08/24/1995 | 200 | 1,600 | 19 | 12 | 5.6 | 24 | NA | NA | NA | NA | NA | NA | 12.84 | 9.00 | 3.84 | NA |
| S-12 | 12/08/1995 | 170 | 2,700 | 2.2 | 0.7 | 0.9 | 3.6 | NA | NA | NA | NA | NA | NA | 12.84 | 9.62 | 3.22 | NA |
| S-12 | 02/29/1996 | 1,700 | 2,200 | <5.0 | <5.0 | <5.0 | <5.0 | 5,600 | NA | NA | NA | NA | NA | 12.84 | 7.64 | 5.20 | NA |
| S-12 | 05/22/1996 | <1,000 | 5,700 | <10 | <10 | <10 | <10 | 2,400 | NA | NA | NA | NA | NA | 12.84 | 8.94 | 3.90 | NA |
| S-12 | 07/30/1996 | <500 | 3,200 | <5.0 | <5.0 | <5.0 | <5.0 | 1,500 | NA | NA | NA | NA | NA | 12.84 | 9.71 | 3.13 | NA |
| S-12 (D) | 07/30/1996 | <500 | 2,900 | <5.0 | <5.0 | <5.0 | <5.0 | NA | 2,000 | NA | NA | NA | NA | 12.84 | 9.71 | 3.13 | NA |
| S-12 | 11/11/1996 | <500 | 6,900 | <5.0 | <5.0 | <5.0 | <5.0 | 1,400 | NA | NA | NA | NA | NA | 12.84 | 9.65 | 3.19 | NA |
| S-12 | 11/03/1997 | 110 | 2,800 | 2.1 | <0.50 | <0.50 | 1.3 | NA | NA | NA | NA | NA | NA | 12.84 | 8.73 | 4.11 | NA |
| S-12 | 11/06/1998 | <500 | 2,900 | <5.0 | <5.0 | <5.0 | <5.0 | 2,700 | NA | NA | NA | NA | NA | 12.84 | 8.85 | 3.99 | NA |
| S-12 | 12/07/1999 | <500 | 2,800 | <5.0 | <5.0 | <5.0 | <5.0 | 1,900 | NA | NA | NA | NA | NA | 12.84 | 8.32 | 4.52 | NA |
| S-12 | 11/02/2000 | 132 | 4,000 | 0.642 | <0.500 | <0.500 | 1.07 | 1,900 | 2,230 k | NA | NA | NA | NA | 12.84 | 7.50 | 5.34 | NA |
| S-12 | 12/27/2001 | 230 | 2,700 | <2.0 | <2.0 | <2.0 | <2.0 | NA | 760 | NA | NA | NA | NA | 12.84 | 7.00 | 5.84 | NA |
| S-12 | 11/26/2002 | 180 | 540 | <1.0 | <1.0 | <1.0 | 1.7 | NA | 390 | NA | NA | NA | NA | 14.87 | 8.35 | 6.52 | NA |
| S-12 | 11/25/2003 | <250 | 2,600 m | <2.5 | <2.5 | <2.5 | <5.0 | NA | 310 | NA | NA | NA | NA | 14.87 | 6.04 | 8.83 | NA |
| S-12 | 11/10/2004 | 290 | 1,000 m | <1.0 | 1.2 | <1.0 | 5.0 | NA | 140 | NA | NA | NA | NA | 14.87 | 7.80 | 7.07 | NA |
| S-12 | 11/23/2005 | <50.0 | NA | <0.500 | <0.500 | <0.500 | 2.63 | NA | 93.3 | <0.500 | <0.500 | <0.500 | 398 | 14.87 | 7.22 | 7.65 | NA |
| S-12 | 11/21/2006 | 280 | 220 | <1.0 | <1.0 | <1.0 | <2.0 | NA | 110 | <4.0 | <4.0 | <4.0 | 600 | 14.87 | 8.53 | 6.34 | NA |
| S-12 | 11/14/2007 | 360 t | 660 r,s | 0.23 u | <1.0 | <1.0 | 0.51 u | NA | 83 | <2.0 | <2.0 | <2.0 | 830 | 14.87 | 7.40 | 7.47 | NA |
| S-12 | 11/17/2008 | 390 | 2,600 s | <0.50 | <1.0 | <1.0 | <1.0 | NA | 44 | <2.0 | <2.0 | <2.0 | 350 | 14.87 | 6.80 | 8.07 | NA |
| S-12 | 11/12/2009 | 200 | 690 s | <0.50 | <1.0 | <1.0 | <1.0 | NA | 61 | <2.0 | <2.0 | <2.0 | 370 | 14.87 | 8.00 | 6.87 | NA |
| S-12 | 12/03/2010 | 330 | 480 r,s | <0.50 | <1.0 | <1.0 | <1.0 | NA | 31 | <2.0 | <2.0 | <2.0 | 280 | 14.87 | 7.47 | 7.40 | NA |
| S-13 | 07/06/1985 | 700 | 3,600 | 200 | <5 | <5 | 45 | NA | NA | NA | NA | NA | NA | 12.59 | 9.26 | NA | NA |
| S-13 | 11/16/1985 | 1,900 | 2,000 | 700 | 160 | 70 | 340 | NA | NA | NA | NA | NA | NA | 12.59 | NA | NA | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|----------|------------|-------------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
| S-13 | 01/03/1986 | 2,800 | NA | 1,400 | 130 | 10 | 500 | NA | NA | NA | NA | NA | NA | 12.59 | NA | NA | NA |
| S-13 | 07/05/1986 | 3,100 | NA | 1,800 | 60 | 40 | 270 | NA | NA | NA | NA | NA | NA | 12.59 | 9.47 | 3.12 | NA |
| S-13 | 10/23/1986 | 3,400 | NA | 1,500 | 28 | 28 | 250 | NA | NA | NA | NA | NA | NA | 12.59 | NA | NA | NA |
| S-13 | 01/13/1987 | 1,900 | 900 | 830 | 15 | <10 | 99 | NA | NA | NA | NA | NA | NA | 12.59 | NA | NA | NA |
| S-13 | 04/22/1987 | 2,900 c | 770 h | 1,100 | 20 | 30 | 140 | NA | NA | NA | NA | NA | NA | 12.59 | NA | NA | NA |
| S-13 | 07/07/1987 | 1,500 | NA | 880 | 10 | 6 | 160 | NA | NA | NA | NA | NA | NA | 12.59 | 10.38 | 2.21 | NA |
| S-13 | 10/10/1987 | 480 | 2,400 | 830 | 15 | <0.5 | 120 | NA | NA | NA | NA | NA | NA | 12.59 | 10.78 | 1.81 | NA |
| S-13 | 02/11/1988 | 1,300 | 1,300 | 510 | <10 | <10 | 86 | NA | NA | NA | NA | NA | NA | 12.59 | 10.48 | 2.11 | NA |
| S-13 | 05/10/1988 | 1,000 | 1,300 b | 470 | <0.5 | <5 | 50 | NA | NA | NA | NA | NA | NA | 12.59 | 9.48 | 3.11 | NA |
| S-13 | 08/31/1988 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.59 | 10.74 | 1.85 | SPH |
| S-13 | 12/03/1988 | 900 | 2,400 b | 290 | 4.6 | <2.5 | 20 | NA | NA | NA | NA | NA | NA | 12.59 | 10.30 | 2.29 | NA |
| S-13 | 02/16/1989 | 840 c | 1,200 b | 310 | 3.5 | <2.5 | 27 | NA | NA | NA | NA | NA | NA | 12.59 | 7.60 | 4.99 | NA |
| S-13 | 05/28/1989 | 2,100 | 4,600 | 1,100 | 19 | 50 | 350 | NA | NA | NA | NA | NA | NA | 12.59 | 10.60 | 1.99 | NA |
| S-13 | 08/10/1989 | 900 | 2,300 | 230 | 16 | 6.9 | 65 | NA | NA | NA | NA | NA | NA | 12.59 | 10.58 | 2.01 | NA |
| S-13 | 11/11/1989 | 2,800 | 2,800 | 200 | 15 | 8.6 | 58 | NA | NA | NA | NA | NA | NA | 12.59 | 9.84 | 2.75 | NA |
| S-13 | 02/21/1994 | 700 | 1,800 d | 200 | <5 | <5 | 45 | NA | NA | NA | NA | NA | NA | 12.59 | 9.26 | 3.33 | NA |
| S-13 | 05/16/1994 | 650 | 1,700 | 180 | 2.5 | <2.5 | 21 | NA | NA | NA | NA | NA | NA | 12.59 | 9.62 | 2.97 | NA |
| S-13 | 08/08/1994 | 470 | 2,600 g | 12 | 1.5 | 0.5 | 14 | NA | NA | NA | NA | NA | NA | 12.59 | 10.32 | 2.27 | NA |
| S-13 | 11/09/1994 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.59 | NA | NA | NA |
| S-13 | 02/22/1995 | 550 | 2,400 g,h | 190 | 4 | <0.5 | 17 | NA | NA | NA | NA | NA | NA | 12.59 | 8.92 | 3.67 | NA |
| S-13 | 05/02/1995 | 790 | 2,100 | 250 | 6.9 | 1.2 | 22 | NA | NA | NA | NA | NA | NA | 12.59 | 9.52 | 3.07 | NA |
| S-13 | 08/24/1995 | 330 | 1,500 | 93 | <0.5 | <0.5 | 2 | NA | NA | NA | NA | NA | NA | 12.59 | 10.02 | 2.57 | NA |
| S-13 | 12/08/1995 | 440 | 2,400 | 110 | 2.2 | 0.8 | 23 | NA | NA | NA | NA | NA | NA | 12.59 | 10.75 | 1.84 | NA |
| S-13 | 02/29/1996 | 560 | 2,500 | 130 | <5.0 | <5.0 | 30 | 30 | NA | NA | NA | NA | NA | 12.59 | 9.02 | 3.57 | NA |
| S-13 | 05/22/1996 | 430 | 3,700 | 55 | 1.6 | 310 | 27 | <5.0 | NA | NA | NA | NA | NA | 12.59 | 10.20 | 2.39 | NA |
| S-13 | 07/30/1996 | 230 | 1,600 | 30 | 2 | 1.4 | 17 | 15 | NA | NA | NA | NA | NA | 12.59 | 10.42 | 2.17 | NA |
| S-13 | 11/11/1996 | 320 | 2,700 | 19 | 1.1 | <0.5 | 14 | 3.5 | NA | NA | NA | NA | NA | 12.59 | 10.28 | 2.31 | NA |
| S-13 (D) | 11/11/1996 | 360 | 2,400 | 24 | 1.3 | <0.5 | 15 | 4.5 | NA | NA | NA | NA | NA | 12.59 | 10.28 | 2.31 | NA |
| S-13 | 11/03/1997 | 300 | 1,900 | 25 | 1.4 | 0.63 | 12 | 5.0 | NA | NA | NA | NA | NA | 12.59 | 9.36 | 3.23 | NA |
| S-13 | 11/06/1998 | 390 | 1,300 | 53 | 2.9 | 1.1 | 13 | 17 | NA | NA | NA | NA | NA | 12.59 | 9.85 | 2.74 | NA |
| S-13 | 12/07/1999 | 420 | 1,430 | 15 | 6.2 | 2.6 | 15 | 42 | NA | NA | NA | NA | NA | 12.59 | 9.72 | 2.87 | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|-------------|-------------------|----------------|----------------|-------------|-------------|----------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
| S-13 | 11/02/2000 | 257 | 4,240 | 4.89 | 1.92 | <0.500 | 5.17 | 45.1 | NA | NA | NA | NA | NA | 12.59 | 7.15 | 5.44 | NA |
| S-13 | 12/27/2001 | 300 | 6,400 | 7.2 | 0.84 | <0.50 | 6.0 | NA | 34 | NA | NA | NA | NA | 12.59 | 9.35 | 3.24 | NA |
| S-13 | 11/26/2002 | 160 | 850 | <0.50 | <0.50 | <0.50 | 2.6 | NA | 23 | NA | NA | NA | NA | 14.47 | 9.80 | 4.67 | NA |
| S-13 | 11/25/2003 | 180 | 5,100 m | 0.57 | 0.55 | <0.50 | 3.0 | NA | 26 | NA | NA | NA | NA | 14.47 | 9.94 | 4.53 | NA |
| S-13 | 11/10/2004 | 220 | 1,900 m | <0.50 | 0.71 | <0.50 | 2.8 | NA | 26 | NA | NA | NA | NA | 14.47 | 10.05 | 4.42 | NA |
| S-13 | 11/23/2005 | <50.0 | NA | 4.33 | 1.24 | 0.700 | 5.40 | NA | 27.2 | <0.500 | <0.500 | <0.500 | 30.3 | 14.47 | 10.02 | 4.45 | NA |
| S-13 | 11/21/2006 | 370 | 840 | 19 | 2.3 | 0.60 | 4.9 | NA | 77 | <2.0 | <2.0 | 5.1 | 73 | 14.47 | 10.30 | 4.17 | NA |
| S-13 | 11/14/2007 | 650 t | 590 r,s | 8.0 | 1.8 | <1.0 | 4.7 | NA | 32 | <2.0 | <2.0 | 1.8 u | 13 | 14.47 | 9.60 | 4.87 | NA |
| S-13 | 11/17/2008 | 510 | 1,500 s | 3.0 | 1.1 | <1.0 | 4.2 | NA | 25 | <2.0 | <2.0 | <2.0 | 13 | 14.47 | 9.24 | 5.23 | NA |
| S-13 | 11/12/2009 | 410 | 1,000 s | 2.6 | 1.0 | <1.0 | 2.1 | NA | 32 | <2.0 | <2.0 | <2.0 | 17 | 14.47 | 9.82 | 4.65 | NA |
| S-13 | 12/03/2010 | 690 | 650 r,s | 3.8 | 1.6 | <1.0 | 6.3 | NA | 44 | <2.0 | <2.0 | 3.8 | 22 | 14.47 | 9.30 | 5.17 | NA |

| | | | | | | | | | | | | | | | | | |
|----------|------------|---------|----------|------|------|------|-----|----|----|----|----|----|----|-------|-------|------|----|
| S-14 | 11/16/1985 | <250 | 400 | 3 | <2 | <2 | <5 | NA | NA | NA | NA | NA | NA | 12.69 | NA | NA | NA |
| S-14 | 01/03/1986 | <250 | NA | 3 | 2 | <2 | <5 | NA | NA | NA | NA | NA | NA | 12.69 | NA | NA | NA |
| S-14 | 04/22/1987 | 1,200 | 18,000 | 7.4 | 2.7 | 15 | 110 | NA | NA | NA | NA | NA | NA | 12.69 | NA | NA | NA |
| S-14 | 07/07/1987 | 190 | NA | 6.5 | 0.6 | 1.9 | 26 | NA | NA | NA | NA | NA | NA | 12.69 | 10.32 | 2.37 | NA |
| S-14 | 10/10/1987 | 4,900 | 21,000 | 7 | 1.2 | <0.5 | 25 | NA | NA | NA | NA | NA | NA | 12.69 | 10.77 | 1.92 | NA |
| S-14 | 02/11/1988 | 370 | 12,000 c | 4.6 | <2.5 | <2.5 | 26 | NA | NA | NA | NA | NA | NA | 12.69 | 10.40 | 2.29 | NA |
| S-14 | 05/10/1988 | 660 | 2,200 b | 2.9 | <2.5 | <2.5 | 24 | NA | NA | NA | NA | NA | NA | 12.69 | 9.66 | 3.03 | NA |
| S-14 | 08/31/1988 | 700 | 7,900 | 3.2 | <2.5 | <2.5 | 15 | NA | NA | NA | NA | NA | NA | 12.69 | 10.74 | 1.95 | NA |
| S-14 | 12/03/1988 | 210 | 11,000 b | <0.5 | <0.5 | 0.8 | 6.8 | NA | NA | NA | NA | NA | NA | 12.69 | 10.69 | 2.00 | NA |
| S-14 | 02/16/1989 | 130 c | 5,700 b | <0.5 | <0.5 | <0.5 | 4.4 | NA | NA | NA | NA | NA | NA | 12.69 | 9.69 | 3.00 | NA |
| S-14 | 05/28/1989 | 770 | 5,200 | <0.5 | <0.5 | <0.5 | 4.5 | NA | NA | NA | NA | NA | NA | 12.69 | 10.42 | 2.27 | NA |
| S-14 | 08/10/1989 | 920 | 8,800 | <1 | <1 | 1.6 | 17 | NA | NA | NA | NA | NA | NA | 12.69 | 10.54 | 2.15 | NA |
| S-14 | 11/11/1989 | 710 | 28,000 | 20 | 57 | 25 | 69 | NA | NA | NA | NA | NA | NA | 12.69 | 9.91 | 2.78 | NA |
| S-14 | 02/21/1994 | 2,800 | 3,600 | <5 | <5 | <5 | 14 | NA | NA | NA | NA | NA | NA | 12.69 | 9.30 | 3.09 | NA |
| S-14 | 02/21/1994 | 2,300 d | 3,600 e | <5.0 | <5 | <5 | 14 | NA | NA | NA | NA | NA | NA | 12.69 | 9.30 | 3.39 | NA |
| S-14 | 05/16/1994 | 310 | 6,700 | <2.5 | <2.5 | <2.5 | 3.1 | NA | NA | NA | NA | NA | NA | 12.69 | 9.54 | 3.15 | NA |
| S-14 | 08/08/1994 | 480l | 2,900 | <0.5 | 0.6 | <0.5 | 0.8 | NA | NA | NA | NA | NA | NA | 12.69 | 10.29 | 2.40 | NA |
| S-14 (D) | 08/08/1994 | 590l | 2,900 | <0.5 | 0.6 | <0.5 | 1.5 | NA | NA | NA | NA | NA | NA | 12.69 | 10.29 | 2.40 | NA |
| S-14 | 11/09/1994 | 170 i | 6,400 g | 0.7 | <0.5 | <0.5 | 2.7 | NA | NA | NA | NA | NA | NA | 12.69 | 9.52 | 3.07 | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|----------|------------|-------------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
| S-14 | 02/22/1995 | 550 | 7,000 g,h | <0.5 | <0.5 | <0.5 | 1.6 | NA | NA | NA | NA | NA | NA | 12.69 | 9.18 | 3.51 | NA |
| S-14 | 05/02/1995 | 210 | 2,300 | 1 | 0.9 | 1.1 | 6.3 | NA | NA | NA | NA | NA | NA | 12.69 | 9.49 | 3.20 | NA |
| S-14 (D) | 05/02/1995 | 160 | 2,600 | 0.6 | 0.6 | 0.7 | 3.8 | NA | NA | NA | NA | NA | NA | 12.69 | 9.49 | 3.20 | NA |
| S-14 | 08/24/1995 | 180 | 3,700 | 0.5 | <0.5 | <0.5 | 1.3 | NA | NA | NA | NA | NA | NA | 12.69 | 9.94 | 2.75 | NA |
| S-14 | 12/08/1995 | 190 | 4,900 | 1 | <0.5 | 0.6 | 4.6 | NA | NA | NA | NA | NA | NA | 12.69 | 10.65 | 2.04 | NA |
| S-14 | 02/29/1996 | 200 | 11,000 | <0.5 | <0.5 | <0.5 | 2 | 3 | NA | NA | NA | NA | NA | 12.69 | 8.90 | 3.79 | NA |
| S-14 | 05/22/1996 | 93 | 3,800 | <0.5 | <0.5 | <0.5 | 1.6 | <2.5 | NA | NA | NA | NA | NA | 12.69 | 10.10 | 2.59 | NA |
| S-14 (D) | 05/22/1996 | 150 | 3,900 | <0.5 | <0.5 | <0.5 | 1.8 | <2.5 | NA | NA | NA | NA | NA | 12.69 | 10.10 | 2.59 | NA |
| S-14 | 07/30/1996 | <50 | 2,500 | <0.5 | <0.5 | <0.5 | 0.89 | <2.5 | NA | NA | NA | NA | NA | 12.69 | 10.37 | 2.32 | NA |
| S-14 | 11/11/1996 | 2,600 | 27,000 | <2.5 | <2.5 | <2.5 | 3.9 | <12 | NA | NA | NA | NA | NA | 12.69 | 10.29 | 2.40 | NA |
| S-14 | 11/03/1997 | 430 | 1,800 | <0.50 | <0.50 | <0.50 | 1.7 | <2.5 | NA | NA | NA | NA | NA | 12.69 | 9.52 | 3.17 | NA |
| S-14 | 11/06/1998 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.69 | NA | NA | NA |
| S-14 | 12/07/1999 | 970 | 5,920 | 1.0 | 1.1 | 0.59 | 3.5 | 2.6 | NA | NA | NA | NA | NA | 12.69 | 9.73 | 2.96 | NA |
| S-14 | 11/02/2000 | 273 | 535,000 | <0.500 | <0.500 | <0.500 | 1.59 | <2.50 | NA | NA | NA | NA | NA | 12.69 | 9.98 | 2.71 | NA |
| S-14 | 12/27/2001 | 68 | 20,000 | <0.50 | <0.50 | <0.50 | 1.3 | NA | <5.0 | NA | NA | NA | NA | 12.69 | 9.33 | 3.36 | NA |
| S-14 | 11/26/2002 | <50 | 2,400 | <0.50 | <0.50 | <0.50 | 0.91 | NA | <5.0 | NA | NA | NA | NA | 14.51 | 9.70 | 4.81 | NA |
| S-14 | 11/25/2003 | 78 m | 4,400 m | <0.50 | <0.50 | <0.50 | 1.2 | NA | 1.6 | NA | NA | NA | NA | 14.51 | 9.99 | 4.52 | NA |
| S-14 | 11/10/2004 | 74 p | 2,500 m | <0.50 | <0.50 | <0.50 | <1.0 | NA | 1.9 | NA | NA | NA | NA | 14.51 | 10.05 | 4.46 | NA |
| S-14 | 11/23/2005 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | NA | 1.02 | <0.500 | <0.500 | <0.500 | <10.0 | 14.51 | 9.92 | 4.59 | NA |
| S-14 | 11/21/2006 | 62 q | 5,000 | <0.50 q | <0.50 q | <0.50 q | <1.0 q | NA | 1.9 q | <2.0 q | <2.0 q | <2.0 q | <5.0 q | 14.51 | 10.26 | 4.25 | NA |
| S-14 | 11/14/2007 | 120 t | 550 r,s | 0.98 | <1.0 | <1.0 | 0.23 u | NA | 2.2 | <2.0 | <2.0 | <2.0 | <10 | 14.51 | 9.63 | 4.88 | NA |
| S-14 | 11/17/2008 | <50 | 1,700 s | <0.50 | <1.0 | <1.0 | <1.0 | NA | 1.4 | <2.0 | <2.0 | <2.0 | <10 | 14.51 | 9.25 | 5.26 | NA |
| S-14 | 11/12/2009 | <50 | 1,200 s | <0.50 | <1.0 | <1.0 | <1.0 | NA | 1.2 | <2.0 | <2.0 | <2.0 | <10 | 14.51 | 9.67 | 4.84 | NA |
| S-14 | 12/03/2010 | 58 | 540 s | <0.50 | <1.0 | <1.0 | <1.0 | NA | 1.1 | <2.0 | <2.0 | <2.0 | <10 | 14.51 | 9.12 | 5.39 | NA |

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B, prior to December 27, 2001, by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to December 27, 2001, by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

TOB = Top of Wellbox Elevation

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

ug/L = parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample


NA = Not applicable

WELL CONCENTRATIONS
Shell-Branded Service Station
1800 Powell Street
Emeryville, CA

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|---------------------------|

Notes:

- a = Tar-like substance in well, probably from previous landfill activities; not gasoline.
 - b = Compounds detected within the chromatographic range appear to be weathered diesel.
 - c = Compounds detected within the chromatographic range of gasoline but not characteristic of the standard gasoline pattern.
 - d = The concentrations reported as gasoline for samples S-12 and S-14 are primarily due to the presence of a discrete peak.
 - e = The concentrations reported as diesel for samples S-12, S-13, and S-14 are due to the presence of a combination of diesel and a heavier petroleum product of hydrocarbon range C18 - C36, possibly motor oil.
 - f = The result for gasoline is an unknown hydrocarbon which consists of several peaks.
 - g = The positive result appears to be a heavier hydrocarbon than diesel.
 - h = Compounds detected within the chromatographic range of diesel appears to include gasoline compounds.
 - i = The positive result appears to be a heavier hydrocarbon than gasoline.
 - j = No MTBE could be determined due to co-elution with early eluting compounds.
 - k = This sample analyzed outside of EPA recommended holding time.
 - l = Reporting limit raised due to insufficient sample volume.
 - m = Hydrocarbon does not match pattern of laboratory's standard.
 - n = Top of casing altered +0.15 feet on August 2, 2004 due to wellhead maintenance.
 - o = Top of casing altered -0.18 feet on August 2, 2004 due to wellhead maintenance.
 - p = Quantity of unknown hydrocarbon(s) in sample based on gasoline.
 - q = The sample, as received, was not preserved in accordance to the referenced analytical method.
 - r = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 - s = The sample extract was subjected to Silica Gel treatment prior to analysis.
 - t = Analyzed by EPA Method 8015B (M).
 - u = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
- Beginning November 26, 2002, depth to water referenced to Top of Casing Elevation.
Active wells surveyed February 12, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.



December 17, 2010

Michael Ninokata
Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 10-12-0484**
Client Reference: **1800 Powell St., Emeryville, CA**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 12/7/2010 and analyzed in accordance with the attached chain-of-custody.

Calscience Environmental Laboratories certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Xuan H. Dang".

Calscience Environmental
Laboratories, Inc.
Xuan H. Dang
Project Manager

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 12/07/10
Work Order No: 10-12-0484
Preparation: EPA 3510C
Method: EPA 8015B

Project: 1800 Powell St., Emeryville, CA

Page 1 of 2

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-14 | 10-12-0484-1-D | 12/03/10 08:45 | Aqueous | GC 48 | 12/10/10 | 12/11/10 01:11 | 101210B08S |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|--------|----|----|------|-------|
| Diesel Range Organics | 540 | 50 | 1 | | ug/L |

| Surrogates: | REC (%) | Control Limits | Qual |
|--------------------|---------|----------------|------|
| Decachlorobiphenyl | 98 | 68-140 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-12 | 10-12-0484-2-D | 12/03/10 09:30 | Aqueous | GC 48 | 12/10/10 | 12/11/10 01:26 | 101210B08S |

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|--------|----|----|------|-------|
| Diesel Range Organics | 480 | 50 | 1 | | ug/L |

| Surrogates: | REC (%) | Control Limits | Qual |
|--------------------|---------|----------------|------|
| Decachlorobiphenyl | 104 | 68-140 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-13 | 10-12-0484-3-D | 12/03/10 09:05 | Aqueous | GC 48 | 12/10/10 | 12/11/10 01:41 | 101210B08S |

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|--------|----|----|------|-------|
| Diesel Range Organics | 650 | 50 | 1 | | ug/L |

| Surrogates: | REC (%) | Control Limits | Qual |
|--------------------|---------|----------------|------|
| Decachlorobiphenyl | 109 | 68-140 | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-10 | 10-12-0484-4-D | 12/03/10 10:30 | Aqueous | GC 48 | 12/10/10 | 12/11/10 01:56 | 101210B08S |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|--------|----|----|------|-------|
| Diesel Range Organics | 900 | 50 | 1 | | ug/L |

| Surrogates: | REC (%) | Control Limits | Qual |
|--------------------|---------|----------------|------|
| Decachlorobiphenyl | 99 | 68-140 | |

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 12/07/10
 Work Order No: 10-12-0484
 Preparation: EPA 3510C
 Method: EPA 8015B

Project: 1800 Powell St., Emeryville, CA

Page 2 of 2

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| Method Blank | 099-12-211-1,957 | N/A | Aqueous | GC 48 | 12/10/10 | 12/11/10 00:27 | 101210B08S |

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 94 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 12/07/10
 Work Order No: 10-12-0484
 Preparation: EPA 5030C
 Method: LUFT GC/MS / EPA 8260B
 Units: ug/L

Project: 1800 Powell St., Emeryville, CA

Page 1 of 3

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-14 | 10-12-0484-1-B | 12/03/10 08:45 | Aqueous | GC/MS PP | 12/08/10 | 12/08/10 20:16 | 101208L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|-------------|------|-------------------------------|----------------|-----------------------|-------------|------|
| Benzene | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | ND | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | ND | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 1.1 | 1.0 | 1 | | TPPH | 58 | 50 | 1 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | |
| Dibromofluoromethane | 99 | 80-126 | | | 1,2-Dichloroethane-d4 | 93 | 80-134 | | |
| Toluene-d8 | 98 | 80-120 | | | Toluene-d8-TPPH | 101 | 88-112 | | |
| 1,4-Bromofluorobenzene | 97 | 80-120 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-12 | 10-12-0484-2-B | 12/03/10 09:30 | Aqueous | GC/MS PP | 12/08/10 | 12/08/10 20:43 | 101208L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|-------------|------|-------------------------------|----------------|-----------------------|-------------|------|
| Benzene | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 280 | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | ND | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 31 | 1.0 | 1 | | TPPH | 330 | 50 | 1 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | |
| Dibromofluoromethane | 94 | 80-126 | | | 1,2-Dichloroethane-d4 | 91 | 80-134 | | |
| Toluene-d8 | 100 | 80-120 | | | Toluene-d8-TPPH | 103 | 88-112 | | |
| 1,4-Bromofluorobenzene | 94 | 80-120 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-13 | 10-12-0484-3-B | 12/03/10 09:05 | Aqueous | GC/MS PP | 12/08/10 | 12/08/10 21:11 | 101208L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|-------------|------|-------------------------------|----------------|-----------------------|-------------|------|
| Benzene | 3.8 | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 22 | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | 1.6 | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | 6.3 | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | 3.8 | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 44 | 1.0 | 1 | | TPPH | 690 | 50 | 1 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | |
| Dibromofluoromethane | 95 | 80-126 | | | 1,2-Dichloroethane-d4 | 91 | 80-134 | | |
| Toluene-d8 | 97 | 80-120 | | | Toluene-d8-TPPH | 102 | 88-112 | | |
| 1,4-Bromofluorobenzene | 98 | 80-120 | | | | | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 12/07/10
 Work Order No: 10-12-0484
 Preparation: EPA 5030C
 Method: LUFT GC/MS / EPA 8260B
 Units: ug/L

Project: 1800 Powell St., Emeryville, CA

Page 2 of 3

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-10 | 10-12-0484-4-A | 12/03/10 10:30 | Aqueous | GC/MS PP | 12/08/10 | 12/08/10 17:58 | 101208L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|-------------|------|-------------------------------|----------------|-----------------------|-------------|------|
| Benzene | 6.0 | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 12 | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | 1.3 | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | 9.3 | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 19 | 1.0 | 1 | | TPPH | 740 | 50 | 1 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | |
| Dibromofluoromethane | 96 | 80-126 | | | 1,2-Dichloroethane-d4 | 92 | 80-134 | | |
| Toluene-d8 | 98 | 80-120 | | | Toluene-d8-TPPH | 101 | 88-112 | | |
| 1,4-Bromofluorobenzene | 96 | 80-120 | | | | | | | |


| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-8 | 10-12-0484-5-B | 12/03/10 09:25 | Aqueous | GC/MS PP | 12/08/10 | 12/08/10 21:38 | 101208L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|-------------|------|-------------------------------|----------------|-----------------------|-------------|------|
| Benzene | 5.3 | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 23 | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | 4.2 | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | 14 | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 37 | 1.0 | 1 | | TPPH | 810 | 50 | 1 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | |
| Dibromofluoromethane | 98 | 80-126 | | | 1,2-Dichloroethane-d4 | 91 | 80-134 | | |
| Toluene-d8 | 99 | 80-120 | | | Toluene-d8-TPPH | 103 | 88-112 | | |
| 1,4-Bromofluorobenzene | 96 | 80-120 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| S-5 | 10-12-0484-6-B | 12/03/10 09:15 | Aqueous | GC/MS PP | 12/08/10 | 12/08/10 22:06 | 101208L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|-------------|------|-------------------------------|----------------|-----------------------|-------------|------|
| Benzene | 16 | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | ND | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | 4.2 | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | | TPPH | 790 | 50 | 1 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | |
| Dibromofluoromethane | 94 | 80-126 | | | 1,2-Dichloroethane-d4 | 92 | 80-134 | | |
| Toluene-d8 | 99 | 80-120 | | | Toluene-d8-TPPH | 103 | 88-112 | | |
| 1,4-Bromofluorobenzene | 94 | 80-120 | | | | | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 12/07/10
Work Order No: 10-12-0484
Preparation: EPA 5030C
Method: LUFT GC/MS / EPA 8260B
Units: ug/L


Project: 1800 Powell St., Emeryville, CA

Page 3 of 3

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| Method Blank | 099-12-767-5,002 | N/A | Aqueous | GC/MS PP | 12/08/10 | 12/08/10 17:30 | 101208L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|-------------|------|-------------------------------|----------------|-----------------------|-------------|------|
| Benzene | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | ND | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | ND | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | <u>Qual</u> | |
| Dibromofluoromethane | 97 | 80-126 | | | 1,2-Dichloroethane-d4 | 96 | 80-134 | | |
| Toluene-d8 | 101 | 80-120 | | | Toluene-d8-TPPH | 104 | 88-112 | | |
| 1,4-Bromofluorobenzene | 95 | 80-120 | | | | | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 12/07/10
Work Order No: 10-12-0484
Preparation: EPA 5030C
Method: LUFT GC/MS / EPA
8260B

Project 1800 Powell St., Emeryville, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|---------------------|
| S-10 | Aqueous | GC/MS PP | 12/08/10 | 12/08/10 | 101208S01 |

| Parameter | MS %REC | MSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|-------------------------------|---------|----------|---------|-----|--------|------------|
| Benzene | 93 | 94 | 78-120 | 1 | 0-20 | |
| Ethylbenzene | 97 | 98 | 73-127 | 1 | 0-20 | |
| Toluene | 99 | 99 | 72-126 | 0 | 0-20 | |
| Methyl-t-Butyl Ether (MTBE) | 86 | 89 | 69-123 | 2 | 0-20 | |
| Tert-Butyl Alcohol (TBA) | 97 | 113 | 65-131 | 14 | 0-22 | |
| Diisopropyl Ether (DIPE) | 101 | 102 | 68-128 | 1 | 0-22 | |
| Ethyl-t-Butyl Ether (ETBE) | 98 | 98 | 69-123 | 0 | 0-21 | |
| Tert-Amyl-Methyl Ether (TAME) | 99 | 103 | 70-124 | 4 | 0-20 | |

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: N/A
Work Order No: 10-12-0484
Preparation: EPA 3510C
Method: EPA 8015B

Project: 1800 Powell St., Emeryville, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | LCS/LCSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|-----------------------|
| 099-12-211-1,957 | Aqueous | GC 48 | 12/10/10 | 12/11/10 | 101210B08S |

| Parameter | LCS %REC | LCSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|-----------------------|----------|-----------|---------|-----|--------|------------|
| Diesel Range Organics | 95 | 97 | 75-117 | 2 | 0-13 | |

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 10-12-0484
Preparation: EPA 5030C
Method: LUFT GC/MS / EPA 8260B

Project: 1800 Powell St., Emeryville, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | LCS/LCSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|-----------------------|
| 099-12-767-5,002 | Aqueous | GC/MS PP | 12/08/10 | 12/08/10 | 101208L02 |


| Parameter | LCS %REC | LCSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|-------------------------------|----------|-----------|---------|-----|--------|------------|
| Benzene | 96 | 96 | 80-120 | 0 | 0-20 | |
| Ethylbenzene | 97 | 98 | 80-123 | 1 | 0-20 | |
| Toluene | 99 | 98 | 79-121 | 1 | 0-20 | |
| Methyl-t-Butyl Ether (MTBE) | 92 | 91 | 72-126 | 1 | 0-22 | |
| Tert-Butyl Alcohol (TBA) | 98 | 120 | 71-125 | 20 | 0-25 | |
| Diisopropyl Ether (DIPE) | 102 | 104 | 69-129 | 2 | 0-20 | |
| Ethyl-t-Butyl Ether (ETBE) | 98 | 97 | 69-129 | 1 | 0-20 | |
| Tert-Amyl-Methyl Ether (TAME) | 102 | 100 | 67-133 | 2 | 0-20 | |
| TPPH | 90 | 93 | 65-135 | 3 | 0-30 | |

RPD - Relative Percent Difference, CL - Control Limit

Work Order Number: 10-12-0484

| <u>Qualifier</u> | <u>Definition</u> |
|------------------|--|
| * | See applicable analysis comment. |
| < | Less than the indicated value. |
| > | Greater than the indicated value. |
| 1 | Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification. |
| 2 | Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification. |
| 3 | Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification. |
| 4 | The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification. |
| 5 | The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification. |
| B | Analyte was present in the associated method blank. |
| BU | Sample analyzed after holding time expired. |
| E | Concentration exceeds the calibration range. |
| ET | Sample was extracted past end of recommended max. holding time. |
| J | Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated. |
| ME | LCS Recovery Percentage is within LCS ME Control Limit range. |
| ND | Parameter not detected at the indicated reporting limit. |
| Q | Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater. |
| X | % Recovery and/or RPD out-of-range. |
| Z | Analyte presence was not confirmed by second column or GC/MS analysis. |

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



LAB (LOCATION)

- CALSCIENCE ()
- SPL ()
- XENCO ()
- TEST AMERICA ()
- OTHER ()



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

| | | |
|---|--|---------------------------------------|
| <input type="checkbox"/> ENV. SERVICES | <input type="checkbox"/> MOTIVA RETAIL | <input type="checkbox"/> SHELL RETAIL |
| <input type="checkbox"/> MOTIVA SD&CM | <input checked="" type="checkbox"/> CONSULTANT | <input type="checkbox"/> LUBES |
| <input type="checkbox"/> SHELL PIPELINE | <input type="checkbox"/> OTHER | |

Print Bill To Contact Name: **Peter Schaefer 240894**

INCIDENT # (ENV SERVICES): **9 8 9 9 5 3 4 9**

PO #: _____ SAP #: _____

CHECK IF NO INCIDENT # APPLIES:

DATE: **12/3/10**

PAGE: **1** of **1**

SAMPLING COMPANY: **Blaine Tech Services** LOG CODE: **BTSS**

ADDRESS: **1680 Rogers Ave, San Jose, CA 95112**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata Copy to Shell.Lab.Billing@croworld.com**

TELEPHONE: **(408)573-0555** FAX: **(408)573-7771** E-MAIL: **mninokata@blainetech.com**

TURNAROUND TIME (CALENDAR DAYS): STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT: UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:
 SHELL CONTRACT RATE APPLIES
 STATE REIMBURSEMENT RATE APPLIES
 EDD NOT NEEDED
 RECEIPT VERIFICATION REQUESTED

Run TPH-d w/Silica Gel Clean Up

SITE ADDRESS: Street and City: **1800 Powell St., Emeryville** State: **CA** GLOBAL ID NO: **T0600101231**

EDF DELIVERABLE TO (Name, Company, Office Location): **Ann Kreml, CRA, Emeryville** PHONE NO: **(510) 420-3335** E-MAIL: **Shelledf@croworld.com** CONSULTANT PROJECT NO: **BTS # 101203-DR2**

SAMPLER NAME(S) (Print): **Devin Rayner** LAB USE ONLY: **10-12-0484**

| LAB USE ONLY | Field Sample Identification | SAMPLING | | MATRIX | PRESERVATIVE | | | | | NO. OF CONT. | REQUESTED ANALYSIS | | | | | | | | | | | | | TEMPERATURE ON RECEIPT °C | Container PID Readings or Laboratory Notes | | | |
|--------------|-----------------------------|----------|------|--------|--------------|------|-------|------|-------|--------------|-------------------------|---------------------------|--------------|----------------------|--------------|-------------|--------------|--------------|--------------|-----------------|-------------|-----------------|------------------|---------------------------|--|--|--|--------------------------|
| | | DATE | TIME | | HCL | HNO3 | H2SO4 | NONE | OTHER | | TPH - Purgeable (8260B) | TPH - Extractable (8015M) | BTEX (8260B) | 5 Oxygenates (8260B) | MTBE (8260B) | TBA (8260B) | DIPE (8260B) | TAME (8260B) | ETBE (8260B) | 1,2 DCA (8260B) | EDB (8260B) | Ethanol (8260B) | Methanol (8015M) | | | | | |
| | 1 S-14 | 12/3/10 | 0845 | W | 3 | | | 2 | 5 | X | X | X | X | | | | | | | | | | | | | | | |
| | 2 S-12 | | 0930 | W | 3 | | | 2 | 5 | X | X | X | X | | | | | | | | | | | | | | | |
| | 3 S-13 | | 0905 | W | 3 | | | 5 | 5 | X | X | X | X | | | | | | | | | | | | | | | Raised HTEL from cons. * |
| | 4 S-10 | | 1030 | W | 6 | | | 2 | 8 | X | X | X | X | | | | | | | | | | | | | | | collected MS/MSD * |
| | 5 S-8 | | 0925 | W | 3 | | | | 3 | X | | X | X | | | | | | | | | | | | | | | |
| | 6 S-5 | | 0915 | W | 3 | | | | 3 | X | | X | X | | | | | | | | | | | | | | | |

| | | | |
|---|---|----------------------|-------------------|
| Relinquished by: (Signature) <i>DZ</i> | Received by: (Signature) <i>Devin Rayner (sample custodian)</i> | Date: 12/3/10 | Time: 1625 |
| Relinquished by: (Signature) <i>[Signature]</i> | Received by: (Signature) <i>[Signature]</i> | Date: 12/6/10 | Time: 1205 |
| Relinquished by: (Signature) <i>[Signature]</i> | Received by: (Signature) <i>[Signature]</i> | Date: 12/7/10 | Time: 1040 |

* Receiving w/HTEL. Raised HTEL out of cons.

0484



< WebShip > > > > >
800-322-5555 www.gso.com

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
ETIC, BTS, LEARNER

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #: 515492523



NPS

ORC

D

GARDEN GROVE

D92843A



86863507

Print Date : 12/06/10 14:48 PM

Package 1 of 1

Send Label To Printer Print All Edit Shipment Finish

LABEL INSTRUCTIONS:


- Do not copy or reprint this label for additional shipments - each package must have a unique barcode.
- STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.
- STEP 2 - Fold this page in half.
- STEP 3 - Securely attach this label to your package, do not cover the barcode.
- STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

Send Label Via Email Create Return Label

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but are not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.



WORK ORDER #: 10-12-0484

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: Blaine Tech

DATE: 12/07/10

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0°C – 6.0°C, not frozen)

Temperature 2.7°C + 0.5°C (CF) = 3.2°C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Initial: JP

CUSTODY SEALS INTACT:

Cooler _____ No (Not Intact) Not Present N/A Initial: JP

Sample _____ No (Not Intact) Not Present Initial: JS

| SAMPLE CONDITION: | Yes | No | N/A |
|--|-------------------------------------|--------------------------|-------------------------------------|
| Chain-Of-Custody (COC) document(s) received with samples..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| COC document(s) received complete..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels. | | | |
| <input type="checkbox"/> No analysis requested. <input type="checkbox"/> Not relinquished. <input type="checkbox"/> No date/time relinquished. | | | |
| Sampler's name indicated on COC..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample container label(s) consistent with COC..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample container(s) intact and good condition..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Proper containers and sufficient volume for analyses requested..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Analyses received within holding time..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| pH / Residual Chlorine / Dissolved Sulfide received within 24 hours..... | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Proper preservation noted on COC or sample container..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> Unpreserved vials received for Volatiles analysis | | | |
| Volatile analysis container(s) free of headspace..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Tedlar bag(s) free of condensation..... | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (____) EnCores® TerraCores® _____

Water: ^{(-3) 5} VOA ³ VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs

500AGB ² 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna

250PB 250PBn 125PB 125PBzanna 100PJ 100PJna₂ _____ _____ _____

Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Labeled/Checked by: DT

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: TN

Preservative: h: HCL n: HNO₃ na₂: Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ zanna: ZnAc₂+NaOH f: Field-filtered Scanned by: TN

WELL GAUGING DATA

Project # 101203-Daz Date 12/3/10 Client Shell

Site 1800 Powell St - Emeryville Ca.

| Well ID | Time | Well Size (in.) | Sheen / Odor | Depth to Immiscible Liquid (ft.) | Thickness of Immiscible Liquid (ft.) | Volume of Immiscibles Removed (ml) | Depth to water (ft.) | Depth to well bottom (ft.) | Survey Point: TOB or TOB | Notes |
|---------|------|-----------------|--------------|----------------------------------|--------------------------------------|------------------------------------|----------------------|----------------------------|-------------------------------------|-------|
| S-5 | 0810 | 8 | | | | | 8.04 | 11.75 | | |
| S-8 | 0802 | 3 | | | | 9.32 | 17.79 | | | |
| S-9 | 0805 | 3 | | | | Dry | — | | | |
| S-10 | 0755 | 6 | | | | 9.60 | 19.12 | | | |
| S-12 | 0745 | 3 | | | | 7.47 | 23.70 | | | |
| S-13 | 0758 | 3 | | | | 9.30 | 18.68 | | | |
| S-14 | 0739 | 3 | | | | 9.12 | 22.70 | ↓ | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

SHELL WELL MONITORING DATA SHEET

| | |
|---|--------------------------------------|
| BTS #: 101203-D12 | Site: 1800 Powell St. Emeryville Ca. |
| Sampler: DR | Date: 12/3/10 |
| Well I.D.: S-5 | Well Diameter: 2 3 4 6 8 |
| Total Well Depth (TD): 11.75 | Depth to Water (DTW): 8.04 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVG</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.78 | |

| | | |
|---|--|--|
| Purge Method: Bailer Disposable Bailer Positive Air Displacement <u>Electric Submersible</u> | Waterra Peristaltic Extraction Pump Other _____ | Sampling Method: <u>Bailer</u> Disposable Bailer Extraction Port Dedicated Tubing Other: _____ |
|---|--|--|

| $9.7 \text{ (Gals.)} \times 3 = 29.1 \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|--|---|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|--------------|
| 904 | 64.0 | 7.11 | 1745 | 13 | 9.7 | |
| 906 | 65.7 | 6.92 | 1733 | 6 | 19.4 | |
| 908 | 66.2 | 6.80 | 1714 | 4 | 29.1 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 29.1

Sampling Date: 12/3/10 Sampling Time: 915 Depth to Water: 8.32

Sample I.D.: S-5 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See CC

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL WELL MONITORING DATA SHEET

| | |
|---|---|
| BTS #: <u>101203-D22</u> | Site: <u>1800 Powell St. Emeryville Ca.</u> |
| Sampler: <u>DR</u> | Date: <u>12/3/10</u> |
| Well I.D.: <u>S-8</u> | Well Diameter: 2 <input checked="" type="radio"/> 4 <input type="radio"/> 6 <input type="radio"/> 8 <input type="radio"/> |
| Total Well Depth (TD): <u>17.79</u> | Depth to Water (DTW): <u>9.32</u> |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVG</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>11.01</u> | |

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing
 Other: _____

| $\underline{3.2} \text{ (Gals.)} \times \underline{3} = \underline{9.6} \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|--|---|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or μ S) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|-----------------------|------------------|---------------|--------------|
| 0836 | 68.3 | 6.63 | 1544 | 68 | 3.2 | |
| 0837 | 69.8 | 6.58 | 1621 | 32 | 6.4 | |
| 0838 | 70.7 | 6.61 | 1710 | 20 | 9.6 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 9.6

Sampling Date: 12/3/10 Sampling Time: 925 Depth to Water: 9.75

Sample I.D.: S-8 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See CoC

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHEL WELL MONITORING DATA SHEET

| | |
|--|--------------------------------------|
| BTS #: 101203-DR2 | Site: 1800 Powell St. Emeryville Ca. |
| Sampler: DR | Date: 12/3/10 |
| Well I.D.: S-10 | Well Diameter: 2 3 4 <u>6</u> 8 |
| Total Well Depth (TD): 19.12 | Depth to Water (DTW): 9.60 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVG</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.50 | |

| | | |
|---|--|--|
| Purge Method: Bailer Disposable Bailer Positive Air Displacement <u>Electric Submersible</u> | Waterra Peristaltic Extraction Pump Other _____ | Sampling Method: <u>Bailer</u> Disposable Bailer Extraction Port Dedicated Tubing Other: _____ |
|---|--|--|

| 14.0 (Gals.) X 3 = 42.0 Gals. Case Volume Specified Volumes Calculated Volume | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|--|---|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|-----------|--------------------------|------------------|---------------|--------------|
| 0827 | 65.0 | 6.7 | 1481 | 68 | 14.0 | |
| — | WELL | DEWATERED | | @ 14 | GALS | |
| 1027 | 65.4 | 6.72 | 1497 | 49 | — | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 14.0

Sampling Date: 12/3/10 Sampling Time: 1030 Depth to Water: 17.49 (site depth)

Sample I.D.: S-10 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See CoC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable): collected MS/MSA

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHEL WELL MONITORING DATA SHEET

| | |
|--|--------------------------------------|
| BTS #: 101203-DR2 | Site: 1800 Powell St. Emeryville Ca. |
| Sampler: DR | Date: 12/3/10 |
| Well I.D.: S-12 | Well Diameter: 2 (3) 4 6 8 |
| Total Well Depth (TD): 23.70 | Depth to Water (DTW): 7.47 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVG</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.72 | |

| | | |
|-----------------------------|-----------------|--------------------------------|
| Purge Method: Bailer | Water | Sampling Method: <u>Bailer</u> |
| Disposable Bailer | Peristaltic | Disposable Bailer |
| Positive Air Displacement | Extraction Pump | Extraction Port |
| <u>Electric Submersible</u> | Other _____ | Dedicated Tubing |
| | | Other: _____ |

| $6.0 \text{ (Gals.)} \times 3 = 18.0 \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume | <table border="1" style="width:100%; border-collapse: collapse; font-size: small;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|---|---|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|--------------|
| 0915 | 66.9 | 6.85 | 1903 | 27 | 6.0 | odor |
| 0918 | 68.2 | 6.56 | 3134 | 19 | 12.0 | " |
| 0921 | 68.1 | 6.61 | 3172 | 14 | 18.0 | " |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 18.0

Sampling Date: 12/3/10 Sampling Time: 0930 Depth to Water: 10.49

Sample I.D.: S-12 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See CoC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: .TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL WELL MONITORING DATA SHEET

| | |
|---|---|
| BTS #: <u>101203-DR2</u> | Site: <u>1800 Powell St. Emeryville Ca.</u> |
| Sampler: <u>DR</u> | Date: <u>12/3/10</u> |
| Well I.D.: <u>S-13</u> | Well Diameter: 2 <u>3</u> 4 6 8 <u> </u> |
| Total Well Depth (TD): <u>10.68</u> | Depth to Water (DTW): <u>9.30</u> |
| Depth to Free Product: <u> </u> | Thickness of Free Product (feet): <u> </u> |
| Referenced to: <u>PVG</u> Grade | D.O. Meter (if req'd): YSI <u> </u> HACH <u> </u> |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>11.18</u> | |

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

Other: _____

| | | |
|----------------------|-------------------|-------------------|
| <u>3.5</u> (Gals.) X | <u>3</u> = | <u>10.5</u> Gals. |
| 1 Case Volume | Specified Volumes | Calculated Volume |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|--|-------------|-------------|--------------------------|------------------|---------------|--------------|
| <u>0856</u> | <u>68.2</u> | <u>7.00</u> | <u>8269</u> | <u>87</u> | <u>3.5</u> | <u>odor</u> |
| <u>0858</u> | <u>68.6</u> | <u>7.04</u> | <u>8657</u> | <u>22</u> | <u>7.0</u> | <u>"</u> |
| <u>0900</u> | <u>68.7</u> | <u>7.02</u> | <u>8684</u> | <u>17</u> | <u>10.5</u> | <u>"</u> |
| <u>Reaction w/ HCL. Ripped HCL out of vials.</u> | | | | | | |

Did well dewater? Yes No

Gallons actually evacuated: 10.5

Sampling Date: 12/3/10 Sampling Time: 0905 Depth to Water: 9.44

Sample I.D.: S-13 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: Sec Cal

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558

* Sampled out of order due to access issues.

SHELL WELL MONITORING DATA SHEET

| | |
|--|---------------------------------------|
| BTS #: 101203-DR2 | Site: 1800 Parcell St. Emeryville Ca. |
| Sampler: DR | Date: 12/3/10 |
| Well I.D.: S-14 | Well Diameter: 2 (3) 4 6 8 |
| Total Well Depth (TD): 22.70 | Depth to Water (DTW): 9.12 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PYS</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.84 | |

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

| $5.0 \text{ (Gals.)} \times 3 = 15.0 \text{ Gals.}$ I Case Volume Specified Volumes Calculated Volume | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|---|--|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|--------------|
| 0835 | 68.8 | 6.90 | 4490 | 112 | 5.0 | odor |
| 0838 | 68.2 | 6.93 | 4612 | 109 | 10.0 | " |
| 0841 | 68.4 | 6.94 | 4664 | 102 | 15.0 | " |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 15.0

Sampling Date: 12/3/10 Sampling Time: 0845 Depth to Water: 9.17

Sample I.D.: S-14 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See CoC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1800 Powell St. Emeryville Ca. Date 12/3/10
 Job Number 101203-DR2 Technician DR Page 1 of 1

| Well ID | Well Inspected - No Corrective Action Required | Well Box Meets Compliance Requirements *See Below | Water Bailed From Wellbox | Cap Replaced | Lock Replaced | Well Not Inspected (explain in notes) | New Deficiency Identified | Previously Identified Deficiency Persists | Notes |
|---------|--|---|---------------------------|--------------|---------------|---------------------------------------|---------------------------|---|-------|
| S-5 | X | X | | | | | | | |
| S-8 | X | X | | | | | | | |
| S-9 | X | X | | | | | | | |
| S-10 | X | X | | | | | | | |
| S-12 | X | X | | | | | | | |
| S-13 | X | X | | | | | | | |
| S-14 | X | X | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: _____

SHELL WELLHEAD REPAIR FORM

(FOR REPAIR TECHNICIAN)

Site Address 1800 Powell St. Emeryville Date 4/21/10
 Job Number 100421-BW1 Technician BW Page 1 of 1

| Inspection Point (Well ID or description of location) | Well Inspected, Cleaned, Labeled - No Further Corrective Action Required | Replaced Cap | Replaced Lock | Replaced Lid Seal | Check Indicates deficiency | | | | | | | | | | Well Not Inspected (explain in notes) | All Repairs Completed | Remaining Deficiencies Logged onto BLAINE Repair Order | Remaining Deficiencies Logged onto Notice of Deficient Condition - BLAINE Unable to Repair |
|--|--|--------------|---------------|-------------------|----------------------------|--------------|--------------|---------------|-------|-------------|-------------|--|---|------------------|---------------------------------------|-----------------------|--|--|
| | | | | | Casing | Annular Seal | Tabs / Bolts | Box Structure | Apron | Trip Hazard | Below Grade | Not Securable by Design (12" diameter or less) | Lid not marked with words "MONITORING WELL" | Other Deficiency | | | | |
| S-9 | | | | | | | X | X | X | X | | | | | X | | | |
| Notes: <u>Replaced Wellbox w/ 8" Morrison</u> | | | | | | | | | | | | | | | | | | |
| Well box type / size: <u>12" Emco / 8" Morrison</u> Materials used: <u>1 Box kit, 4 bags</u> | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Notes: | | | | | | | | | | | | | | | | | | |
| Well box type / size: Materials used: | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Notes: | | | | | | | | | | | | | | | | | | |
| Well box type / size: Materials used: | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Notes: | | | | | | | | | | | | | | | | | | |
| Well box type / size: Materials used: | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Notes: | | | | | | | | | | | | | | | | | | |
| Well box type / size: Materials used: | | | | | | | | | | | | | | | | | | |

SHELL SITE INSPECTION CHECKLIST

Client Shell Date 8/13/10

Site Address 1800 Powell Emeryville

Job Number 100813-BW1 Technician BW

Site Status Shell Branded Station Vacant Lot Other _____

Inspected / Labeled / Cleaned - all wells on Scope Of Work

Inspected / Cleaned Components - all other identifiable wells N/A

Inspected site for site investigation & site remediation related trip hazards

Completed all outstanding *BLAINE Wellhead Repair Order(s)* N/A

Completed *Shell Wellhead Repair Form(s)* N/A

Inspected treatment / remediation system compound for security, cleanliness and appearance N/A

Inspected vacant lot for signs of habitation, hazardous materials or terrain, overgrown vegetation and security N/A

Visually inspected site drums for condition and proper labeling N/A

Unresolved deficiencies identified - "*Notice of Deficient Condition*" form(s) completed N/A

Notes

PROJECT MANAGER ONLY

| Checklist Reviewed | Notes |
|--------------------|-------|
| Initial/Date | |

SHELL WELLHEAD REPAIR FORM

(FOR REPAIR TECHNICIAN)

Site Address 1800 Powell Emeryville Date 8/13/10
 Job Number 100813-BW1 Technician BW Page 1 of 1

| Inspection Point (Well ID or description of location) | Well Inspected, Cleaned, Labeled - No Further Corrective Action Required | Replaced Cap | Replaced Lock | Replaced Lid Seal | Check Indicates deficiency | | | | | | | | | | All Repairs Completed | Remaining Deficiencies Logged onto BLAINE Repair Order | Remaining Deficiencies Logged onto Notice of Deficient Condition - BLAINE Unable to Repair | | |
|--|--|--------------|---------------|-------------------|----------------------------|--------------|--------------|---------------|-------|-------------|-------------|--|---|------------------|-----------------------|--|--|---|---------------------------------------|
| | | | | | Casing | Annular Seal | Tabs / Bolts | Box Structure | Apron | Trip Hazard | Below Grade | Not Securable by Design (12" diameter or less) | Lid not marked with words "MONITORING WELL" | Other Deficiency | | | | Not Securable by Design (greater than 12" diameter) | Well Not Inspected (explain in notes) |
| S-5 | | | X | | | | X | X | | | | | | | | | X | | |
| | Notes: Retapped 2/2 Tabs | | | | | | | | | | | | | | | | | | |
| | Well box type / size: 12" Emco Materials used: 2 bolts | | | | | | | | | | | | | | | | | | |
| S-8 | | | | | | X | X | | | | | | | | | | X | | |
| | Notes: Retapped 2/2 Tabs | | | | | | | | | | | | | | | | | | |
| | Well box type / size: 12" Emco Materials used: 2 bolts | | | | | | | | | | | | | | | | | | |
| S-9 | | | | | | X | | | | | | | | | | | X | | |
| | Notes: Retapped 2/2 Tabs | | | | | | | | | | | | | | | | | | |
| | Well box type / size: 8" Morrison Materials used: 2 bolts | | | | | | | | | | | | | | | | | | |
| S-10 | | | | | | X | | | | | | | | | | | X | | |
| | Notes: Retapped 2/2 Tabs | | | | | | | | | | | | | | | | | | |
| | Well box type / size: 12" Morrison BW Emco Materials used: 2 bolts | | | | | | | | | | | | | | | | | | |
| S-12 | | | | | | X | | | | | | | | | | | X | | |
| | Notes: Retapped 2/2 Tabs | | | | | | | | | | | | | | | | | | |
| | Well box type / size: 12" Morrison Materials used: 2 bolts | | | | | | | | | | | | | | | | | | |
| S-13 | | | | | | X | | | | | | | | | | | X | | |
| | Notes: Retapped 2/2 Tabs | | | | | | | | | | | | | | | | | | |
| | Well box type / size: 12" Morrison BW Emco Materials used: 2 bolts | | | | | | | | | | | | | | | | | | |
| S-14 | | X | | | | X | | | | | | | | | | | X | | |
| | Notes: Retapped 2/2 Tabs | | | | | | | | | | | | | | | | | | |
| | Well box type / size: 8" Emco Materials used: 2 bolts | | | | | | | | | | | | | | | | | | |