

RECEIVED

AUG 01 1988

PACIFIC ENVIRONMENTAL GROUP, INC.

July 26, 1988



INTERNATIONAL  
TECHNOLOGY  
CORPORATION

Pacific Environmental Group, Inc.  
1601 Civic Center Drive  
Suite 202  
Santa Clara, CA 95050

ATTN: John Adams

Following are the results of analyses on the samples described below.

Project: 330-06.03  
Lab Numbers: S8-07-239-01 thru S8-07-239-05  
Number of Samples: 5 composited to 1  
Sample Type: Soil  
Date Received: 7/26/88  
Analyses Requested: Low Boiling Hydrocarbons

The method of analysis for low boiling hydrocarbons is taken from EPA Methods 8015, 8020 and 5030. The sample is examined using the purge and trap technique. Final detection is by gas chromatography using a flame ionization detector as well as a photoionization detector.

The result for total low boiling hydrocarbons is calculated as gasoline and includes benzene, toluene, ethyl benzene and xylenes.

Summary of Results  
Parts per Million - dry soil basis

ND = None Detected

Lab Number	Sample Identification	Low Boiling Hydrocarbons (calculated as gasoline)				Ethyl Benzene	Xylenes
		Benzene	Toluene				
S8-07-239-01,	0.5' A-19A						
S8-07-239-02,	0.5' A-19B						
S8-07-239-03,	0.5' A-19C						
S8-07-239-04,	0.5' A-19D						
S8-07-239-05	0.5' A-19E						
[composite]	[composite]	16.	ND	ND	ND		0.4
Detection Limit		5.	0.05	0.1	0.1		0.3

Fred Rouse

FR/gg



INTERNATIONAL  
TECHNOLOGY  
CORPORATION

RECEIVED

AUG 02 1988

PACIFIC ENVIRONMENTAL GROUP, INC.

August 1, 1988

Pacific Environmental Group, Inc.  
1601 Civic Center Drive  
Suite 202  
Santa Clara, CA 95050


ATTN: John Adams

Following are the results of analyses on the samples described below.

Project: 330-06.03  
Lab Numbers: S8-07-310-01 thru S8-03-310-10  
Number of Samples: 10; 2 composites of 5  
Sample Type: soil  
Date Received: 7/29/88  
Analyses Requested: Low Boiling Hydrocarbons

The method of analysis for low boiling hydrocarbons is taken from EPA Methods 8015, 8020 and 5030. The sample is examined using the purge and trap technique. Final detection is by gas chromatography using a flame ionization detector as well as a photoionization detector.

The result for total low boiling hydrocarbons is calculated as gasoline and includes benzene, toluene, ethyl benzene and xylenes.

  
Fred Rouse

FR/mlh

1 Page Following - Table of Results

Santa Clara Valley Laboratory

2055 Junction Avenue • San Jose, California 95131 • 408-943-1540

IT Corporation is a wholly owned subsidiary of International Technology Corporation