

RECEIVED

2:13 pm, Oct 29, 2008

Alameda County
Environmental Health



Atlantic Richfield Company
(a BP affiliated company)

P.O. Box 1257
San Ramon, CA 94583
Phone: (925) 275-3801
Fax: (925) 275-3815

30 October 2008

Re: Third Quarter 2008 Ground-Water Monitoring Report
Atlantic Richfield Company (a BP affiliated company) Station #608
17601 Hesperian Boulevard
San Lorenzo, California
ACEH Case #RO0000255

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."

Submitted by:

A handwritten signature in black ink that reads "Paul Supple".

Paul Supple
Environmental Business Manager

Prepared for

Mr. Paul Supple
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by

 **BROADBENT & ASSOCIATES, INC.**
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

30 October 2008

Project No. 06-08-606

Third Quarter 2008 Ground-Water Monitoring Report
Atlantic Richfield Company Station #608
17601 Hesperian Boulevard
San Lorenzo, California

Broadbent & Associates, Inc.
1324 Mangrove Ave., Suite 212
Chico, CA 95926
Voice (530) 566-1400
Fax (530) 566-1401



30 October 2008

Project No. 06-08-606

Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: Third Quarter 2008 Ground-Water Monitoring Report, Atlantic Richfield Company (a BP affiliated company) Station #608, 17601 Hesperian Blvd., San Lorenzo, Alameda County, California; ACEH Case #RO0000255

Dear Mr. Supple:

Provided herein is the *Third Quarter 2008 Ground-Water Monitoring Report* for Atlantic Richfield Company Station #608 located at 17601 Hesperian Boulevard, San Lorenzo, California (Site). This report presents results of ground-water monitoring conducted at the Site during the Third Quarter of 2008.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.

A handwritten signature in blue ink that reads "Thomas A. Venus".

Thomas A. Venus, P.E.
Senior Engineer

A handwritten signature in black ink that reads "Robert H. Miller".

Robert H. Miller, P.G., C.HG.
Principal Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)
Electronic copy uploaded to GeoTracker

STATION #608 QUARTERLY GROUND-WATER MONITORING REPORT

Facility: #608	Address: <u>17601 Hesperian Boulevard, San Lorenzo</u>
Environmental Business Manager:	<u>Mr. Paul Supple</u>
Consulting Co./Contact Persons:	<u>Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus</u> <u>(530) 566-1400</u>
Consultant Project No.:	<u>06-08-606</u>
Primary Agency/Regulatory ID No.:	<u>Alameda County Environmental Health (ACEH)</u> <u>ACEH Case #RO0000255</u>
Facility Permits/Permitting Agency:	<u>Oro Loma Sanitary District Permit #SDP-037</u>

WORK PERFORMED THIS QUARTER (Third Quarter 2008):

1. Prepared and submitted Second Quarter 2008 Ground-Water Monitoring Report.
2. Conducted ground-water monitoring/sampling for Third Quarter 2008. Work performed on 2 September 2008 by Stratus Environmental, Inc (Stratus).
3. Prepared and submitted the Work Plan for Soil and Water Investigation on 26 August 2008.

WORK PROPOSED FOR NEXT QUARTER (Fourth Quarter 2008):

1. Prepare and submit Third Quarter 2008 Ground-Water Monitoring Report (provided herein).
2. Conduct ground-water monitoring/sampling for Fourth Quarter 2008.
3. Conduct soil and water investigation. Work to be performed by Stratus.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	<u>Ground-water monitoring/sampling</u>
Frequency of ground-water monitoring:	<u>Quarterly: E-1A, MW-5, MW-8, MW-9, MW-10, MW-11, MW-14, MW-15, MW-16, MW-18, MW-21, MW-22, MW-23, MW-25, MW-26</u>
Frequency of ground-water sampling:	<u>See Table 4</u>
Is free product (FP) present on-site:	<u>No</u>
Current remediation techniques:	<u>NA</u>
Depth to ground water (below TOC):	<u>10.46 ft (MW-10) to 12.39 ft (MW-5)</u>
General ground-water flow direction:	<u>West</u>
Approximate hydraulic gradient:	<u>0.004 ft/ft</u>

DISCUSSION:

Third Quarter 2008 ground-water monitoring and sampling was conducted at Station #608 on 2 September 2008 by Stratus personnel. Water levels were gauged in six of the fifteen wells scheduled for monitoring and associated with the Site. Well MW-15 was inaccessible due to a vehicle parked over the well. Water levels were not gauged by Stratus in wells MW-9, MW-11, MW-14, MW-15, MW-18, MW-21, MW-22, MW-23, and MW-26 due to a misunderstanding of the recently modified monitoring and sampling schedule. Stratus will endeavor to appropriately gauge water level elevations in each scheduled well during Fourth Quarter 2008. No other irregularities were noted during water level gauging. Depth-to-water measurements ranged from 10.46 ft at MW-10 to 12.39 ft at MW-5. Resulting ground-water surface elevations ranged from 24.4 ft above mean sea level (msl) in well MW-25 to 21.80 ft above msl in well MW-16. Water level elevations were between historic minimum and maximum ranges for each monitoring well gauged, as summarized in Table 1. Water level elevations yielded a potentiometric ground-water flow direction and gradient to the west at approximately 0.004 ft/ft,

consistent with historical data. Historical ground-water flow directions and gradients are presented in Table 3. Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to ground water and respective ground-water elevations are summarized in Table 1. Potentiometric ground-water elevation contours are presented in Drawing 1.

Water samples were collected from wells E-1A, MW-5, MW-8, MW-10, MW-16, and MW-25, generally consistent with the current sampling schedule presented in Table 4 with the following exception: Well MW-15 was not sampled as scheduled due to a vehicle parked over the well. Wells MW-5 and E-1A purged dry before three casing volumes were removed. No other irregularities were reported during sampling this quarter. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California), for analysis of Gasoline Range Organics (GRO, C6-12) by EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and tert-Amyl methyl ether (TAME), tert-Butyl alcohol (TBA), Di-isopropyl ether(DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Ethanol, Ethyl tert-butyl ether (ETBE), and Methyl tert-butyl ether (MTBE) by EPA Method 8260B. No significant irregularities were encountered during laboratory analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline range organics (GRO) were detected above the laboratory reporting limits in two of the six wells sampled at concentrations up to 840 micrograms per liter ($\mu\text{g/L}$) in well MW-10. Benzene was detected above the laboratory reporting limit in one of the six wells sampled at a concentration of 0.53 $\mu\text{g/L}$ in well MW-5. Toluene was detected above the laboratory reporting limit in one of the six wells sampled at a concentration of 1.9 $\mu\text{g/L}$ in well MW-5. TAME was detected above the laboratory reporting limit in one of the six wells sampled at a concentration of 0.63 $\mu\text{g/L}$ in well MW-8. MTBE was detected above the laboratory reporting limit in each of the six wells sampled at concentrations up to 11 $\mu\text{g/L}$ in well MW-5. The remaining fuel additives and oxygenates were not detected above their laboratory reporting limits in the six wells sampled this quarter.


Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well with the following exception: MTBE and TAME reached historic minimum concentrations of 0.76 $\mu\text{g/L}$ and <0.5 $\mu\text{g/L}$, respectively, in well MW-25. Historic laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 1. A copy of the Laboratory Analytical Report, including chain-of-custody documentation is provided in Appendix A. Ground-water monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation pages are provided in Appendix B.

CLOSURE:

The findings presented in this report are based upon: observations of Stratus field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1. Ground-Water Elevations and Analytical Summary Map, 2 September 2008, ARCO Service Station #608, 17601 Hesperian Boulevard, San Lorenzo, California
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #608, 17601 Hesperian Blvd., San Lorenzo, California
- Table 2. Summary of Fuel Additives Analytical Data, Station #608, 17601 Hesperian Boulevard, San Lorenzo, California
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #608, 17601 Hesperian Boulevard, San Lorenzo, California
- Table 4. Ground-Water Sampling Schedule, Atlantic Richfield Company Station #608, 17601 Hesperian Boulevard, San Lorenzo, California
- Appendix A. Stratus Ground-Water Sampling Data Package (Includes Field Data Sheets, Laboratory Analytical Report with Chain-of-Custody Documentation, and Field Procedures)
- Appendix B. GeoTracker Upload Confirmations



0 200 400
SCALE (ft)



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
1324 Mangrove Ave, Suite 212, Chico, California 95926
Project No.: 06-08-606 Date: 10/15/08

ARCO Service Station #608
17601 Hesperian Boulevard
San Lorenzo, California

Ground-Water Elevation Contours
and Analytical Summary Map
2 September 2008

Drawing 1

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
17349 VM								<50	1	<0.50	<0.50	<0.50	49	--	--
3/13/2002	--		--	--	--	--	--	<50	1	<0.50	<0.50	<0.50	49	--	--
6/28/2002	--	l	--	--	--	--	--	66	0.50	<0.50	<0.50	<0.50	47/45	--	--
9/20/2002	--	k	--	--	--	--	--	--	--	--	--	--	--	--	--
17372 VM															
3/13/2002	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
6/28/2002	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
9/20/2002	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/30/2002	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
3/27/2003	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
9/15/2003	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
12/04/2003	NP		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.7	7.2
03/10/2004	--	m	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
06/10/2004	NP	m	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.1	6.9
09/22/2004	NP	m	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.6	7.2
12/13/2004	NP	m	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.76	7.6
03/10/2005	NP	m	--	--	--	--	--	<100	<0.50	<0.50	<0.50	<4.0	<0.50	7.5	8.0
06/29/2005	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
09/14/2005	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
12/13/2005	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
03/20/2006	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
6/22/2006	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
9/22/2006	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
12/7/2006	--	j	--	--	--	--	--	--	--	--	--	--	--	--	--
642 H															
3/13/2002	--	j	--	--	--	--	--	--	--	--	--	--	--	--	--
6/28/2002	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
9/20/2002	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/30/2002	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
3/27/2003	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
642 H Cont.															
6/30/2003	--	j	--	--	--	--	--	--	--	--	--	--	--	--	--
9/15/2003	--		--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
12/04/2003	NP		--	--	--	14.75	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.2	7.1
06/10/2004	--	n	--	--	--	--	--	--	--	--	--	--	--	7.9	--
09/22/2004	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
12/13/2004	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
03/10/2005	--	n	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/2005	--	n	--	--	--	--	--	--	--	--	--	--	--	--	--
09/14/2005	--	n	--	--	--	--	--	--	--	--	--	--	--	--	--
12/13/2005	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
03/20/2006	--	o	--	--	--	--	--	--	--	--	--	--	--	--	--
6/22/2006	--	j	--	--	--	--	--	--	--	--	--	--	--	--	--
9/22/2006	--	j	--	--	--	--	--	--	--	--	--	--	--	--	--
12/7/2006	--	j	--	--	--	--	--	--	--	--	--	--	--	--	--
E-1A															
3/13/2002	--	a	33.06	--	--	21.75	11.31	200	<0.50	<0.50	<0.50	<0.50	310	--	--
6/28/2002	--	b	33.06	--	--	11.22	21.84	260	<0.50	11	1.2	1.2	150	--	--
9/20/2002	--		33.06	--	--	11.80	21.26	250	1.18	0.52	<0.5	<1.5	218	--	--
12/30/2002	--	c, e	33.06	--	--	16.33	16.73	190	<1.2	<1.2	<1.2	<1.2	190	--	--
3/27/2003	--	g	33.06	--	--	13.63	19.43	96	<0.50	<0.50	<0.50	<0.50	60	--	--
6/30/2003	P	h	33.06	--	--	9.60	23.46	140	<0.50	<0.50	<0.50	<0.50	37	--	--
9/15/2003	P	g	33.06	--	--	17.80	15.26	83	<0.50	<0.50	<0.50	<0.50	49	--	--
12/04/2003	NP	g	33.06	--	--	18.73	14.33	<50	<0.50	<0.50	<0.50	<0.50	19	4.3	7.0
03/10/2004	NP	g	34.30	--	--	16.78	17.52	<100	<1.0	<1.0	<1.0	<1.0	38	4.9	7.2
06/10/2004	NP	g, p	34.30	--	--	16.67	17.63	74	<0.50	<0.50	<0.50	<0.50	46	2.0	6.7
09/22/2004	NP		34.30	--	--	18.46	15.84	<50	<0.50	<0.50	<0.50	<0.50	17	--	7.0
12/13/2004	NP		34.30	--	--	17.56	16.74	<50	<0.50	<0.50	<0.50	<0.50	15	7.13	6.9
03/10/2005	NP		34.30	--	--	14.60	19.70	<100	<0.50	<0.50	<0.50	<0.50	22	6.6	8.0
06/29/2005	NP		34.30	--	--	15.13	19.17	<50	<0.50	0.91	<0.50	<0.50	14	6.73	7.3
09/14/2005	NP		34.30	--	--	16.90	17.40	<50	<0.50	<0.50	<0.50	<0.50	13	5.4	6.7

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
E-1A Cont.															
12/13/2005	NP		34.30	--	--	18.84	15.46	<50	<0.50	<0.50	<0.50	<0.50	12	8.3	7.1
03/20/2006	--	h	34.30	--	--	13.55	20.75	--	--	--	--	--	--	--	--
6/22/2006	NP		34.30	--	--	13.82	20.48	<50	<0.50	<0.50	<0.50	<0.50	13	5.2	7.5
9/22/2006	P		34.30	--	--	14.22	20.08	<50	<0.50	<0.50	<0.50	<0.50	12	2.65	7.7
12/7/2006	--	j	34.30	--	--	--	--	--	--	--	--	--	--	--	--
3/12/2007	P		34.30	--	--	11.72	22.58	61	<0.50	<0.50	<0.50	<0.50	5.6	--	--
6/20/2007	NP		34.30	--	--	18.71	15.59	<50	<0.50	<0.50	<0.50	<0.50	6.8	3.40	7.35
9/20/2007	NP		34.30	--	--	10.20	24.10	<50	<0.50	<0.50	<0.50	<0.50	0.80	1.21	7.47
12/14/2007	P		34.30	--	--	9.77	24.53	<50	<0.50	<0.50	<0.50	<0.50	2.0	2.87	7.27
3/10/2008	NP		34.30	--	--	9.00	25.30	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.43	7.11
3/26/2008	P	s	34.30	--	--	9.21	25.09	<50	<0.50	<0.50	<0.50	<0.50	0.89	4.20	7.26
6/13/2008	--	j	--	--	--	--	--	--	--	--	--	--	--	--	--
9/2/2008	P		34.30	--	--	10.72	23.58	<50	<0.50	<0.50	<0.50	<0.50	1.3	0.75	7.54
MW-1															
3/15/1996	--		175.04	--	--	14.24	160.80	--	--	--	--	--	--	--	--
MW-5															
3/13/2002	--		33.99	--	--	11.46	22.53	530	<2.5	<2.5	<2.5	<2.5	230	--	--
6/28/2002	--	b	33.99	--	--	11.75	22.24	180	<1.0	2.6	<1.0	1.2	230	--	--
9/20/2002	--		33.99	--	--	12.15	21.84	<50	<0.50	<0.50	<0.50	<1.50	333	--	--
12/30/2002	--		33.99	--	--	9.73	24.26	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
3/27/2003	--		33.99	--	--	11.24	22.75	100	<0.50	<0.50	<0.50	<0.50	59	--	--
6/30/2003	--		33.99	--	--	11.62	22.37	91	<0.50	<0.50	<0.50	<0.50	58	--	--
9/15/2003	--		33.99	--	--	12.13	21.86	<250	<2.5	<2.5	<2.5	<2.5	61	--	--
12/04/2003	P		33.99	--	--	11.85	22.14	81	<0.50	<0.50	<0.50	<0.50	42	1.7	7.0
03/10/2004	P		35.97	--	--	10.34	25.63	<50	<0.50	<0.50	<0.50	<0.50	9.5	1.2	6.6
06/10/2004	P		35.97	--	--	11.65	24.32	55	<0.50	<0.50	<0.50	<0.50	31	1.3	7.0
09/22/2004	P		35.97	--	--	12.23	23.74	<50	<0.50	<0.50	<0.50	<0.50	15	0.8	6.8
12/13/2004	P		35.97	--	--	11.16	24.81	<50	<0.50	<0.50	<0.50	<0.50	5.4	3.76	6.8
03/10/2005	P		35.97	--	--	9.90	26.07	<100	<0.50	<0.50	<0.50	<4.0	3.3	2.6	7.7

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-5 Cont.															
06/29/2005	P		35.97	--	--	11.35	24.62	<50	<0.50	<0.50	<0.50	<0.50	6.7	0.93	6.6
09/14/2005	P		35.97	--	--	11.80	24.17	<50	<0.50	0.91	<0.50	0.68	13	0.8	6.9
12/13/2005	--		35.97	--	--	11.60	24.37	--	--	--	--	--	--	--	--
03/20/2006	P		35.97	--	--	10.04	25.93	<50	<0.50	<0.50	<0.50	<0.50	3.8	0.8	7.1
6/22/2006	--		35.97	--	--	11.33	24.64	--	--	--	--	--	--	--	--
9/22/2006	P		35.97	--	--	11.57	24.40	<50	<0.50	<0.50	<0.50	<0.50	12	1.12	7.1
12/7/2006	--		35.97	--	--	11.71	24.26	--	--	--	--	--	--	--	--
3/12/2007	P		35.97	--	--	10.86	25.11	<50	<0.50	0.60	<0.50	<0.50	5.8	2.55	7.17
6/20/2007	--		35.97	--	--	11.82	24.15	--	--	--	--	--	--	--	--
9/20/2007	NP		35.97	--	--	12.20	23.77	<50	<0.50	0.77	<0.50	<0.50	4.3	1.18	7.30
12/14/2007	--		35.97	--	--	12.27	23.70	--	--	--	--	--	--	--	--
3/10/2008	P		35.97	--	--	11.00	24.97	110	<0.50	<0.50	<0.50	<0.50	2.8	0.95	6.95
9/2/2008	P		35.97	--	--	12.39	23.58	190	0.53	1.9	<0.50	<0.50	11	1.35	7.06
MW-8															
3/13/2002	--		32.79	--	--	10.30	22.49	500	<2.5	<2.5	<2.5	<2.5	1,100	--	--
6/28/2002	--	b	32.79	--	--	10.30	22.49	150	<0.50	2.9	0.54	1.5	130	--	--
9/20/2002	--		32.79	--	--	10.84	21.95	<50	<0.50	<0.50	<0.50	<1.50	273	--	--
12/30/2002	--		32.79	--	--	8.31	24.48	<50	<0.50	<0.50	<0.50	<0.50	5.5	--	--
3/27/2003	--		32.79	--	--	9.85	22.94	63	<0.50	<0.50	<0.50	<0.50	33	--	--
6/30/2003	--		32.79	--	--	10.20	22.59	<50	<0.50	<0.50	<0.50	<0.50	15	--	--
9/15/2003	--		32.79	--	--	10.69	22.10	59	<0.50	<0.50	<0.50	<0.50	41	--	--
12/04/2003	P		32.79	--	--	10.43	22.36	<50	<0.50	<0.50	<0.50	<0.50	24	1.0	7.0
03/10/2004	P		34.47	--	--	9.04	25.43	<50	<0.50	<0.50	<0.50	<0.50	2.4	0.9	6.8
06/10/2004	P		34.47	--	--	10.40	24.07	<50	<0.50	<0.50	<0.50	<0.50	2.1	0.6	7.0
09/22/2004	P		34.47	--	--	10.74	23.73	84	<0.50	<0.50	<0.50	<0.50	18	0.9	6.9
12/13/2004	P		34.47	--	--	9.73	24.74	<50	<0.50	<0.50	<0.50	<0.50	7.1	0.95	6.8
03/10/2005	P		34.47	--	--	8.17	26.30	<100	<0.50	<0.50	<0.50	<4.0	1.4	2.0	7.4
06/29/2005	P		34.47	--	--	9.93	24.54	<50	<0.50	<0.50	<0.50	<0.50	1.7	1.72	7.0
09/14/2005	P		34.47	--	--	10.35	24.12	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.9	7.0
12/13/2005	--		34.47	--	--	10.18	24.29	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-8 Cont.															
03/20/2006	P		34.47	--	--	8.65	25.82	<50	<0.50	<0.50	<0.50	<0.50	0.60	1.8	7.1
6/22/2006	--		34.47	--	--	9.91	24.56	--	--	--	--	--	--	--	--
9/22/2006	P		34.47	--	--	10.25	24.22	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.10	7.0
12/7/2006	--		34.47	--	--	10.21	24.26	--	--	--	--	--	--	--	--
3/12/2007	P		34.47	--	--	9.46	25.01	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.96	7.54
6/20/2007	--		34.47	--	--	10.39	24.08	--	--	--	--	--	--	--	--
9/20/2007	P		34.47	--	--	10.75	23.72	<50	<0.50	<0.50	<0.50	<0.50	13	2.19	7.49
12/14/2007	--		34.47	--	--	10.71	23.76	--	--	--	--	--	--	--	--
3/10/2008	P		34.47	--	--	9.62	24.85	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.67	7.08
9/2/2008	P		34.47	--	--	10.95	23.52	<50	<0.50	<0.50	<0.50	<0.50	8.6	1.03	7.37
MW-9															
3/13/2002	--		32.11	--	--	9.49	22.62	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
6/28/2002	--		32.11	--	--	9.78	22.33	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
9/20/2002	--		32.11	--	--	10.29	21.82	<50	<0.50	<0.50	<0.50	<1.50	<0.500	--	--
12/30/2002	--		32.11	--	--	7.60	24.51	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
3/27/2003	--		32.11	--	--	9.14	22.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
6/30/2003	--	u	32.11	--	--	9.64	22.47	--	--	--	--	--	--	--	--
9/15/2003	--		32.11	--	--	10.12	21.99	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
12/04/2003	--	u	32.11	--	--	--	--	--	--	--	--	--	--	--	--
03/10/2004	P		34.00	--	--	8.46	25.54	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.6	7.3
06/10/2004	--	u	34.00	--	--	9.88	24.12	--	--	--	--	--	--	--	--
09/22/2004	P		34.00	--	--	10.05	23.95	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.0	7.0
12/13/2004	--	u	34.00	--	--	9.17	24.83	--	--	--	--	--	--	--	--
03/10/2005	P		34.00	--	--	8.17	25.83	<100	<0.50	<0.50	<0.50	<4.0	<0.50	2.2	7.7
06/29/2005	--		34.00	--	--	9.28	24.72	--	--	--	--	--	--	--	--
09/14/2005	P		34.00	--	--	9.70	24.30	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.2	6.8
12/13/2005	--		34.00	--	--	9.64	24.36	--	--	--	--	--	--	--	--
03/20/2006	--		34.00	--	--	8.23	25.77	--	--	--	--	--	--	--	--
6/22/2006	--		34.00	--	--	9.37	24.63	--	--	--	--	--	--	--	--
9/22/2006	P		34.00	--	--	9.74	24.26	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.38	7.2

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-9 Cont.															
12/7/2006	--		34.00	--	--	9.67	24.33	--	--	--	--	--	--	--	--
3/12/2007	--		34.00	--	--	8.93	25.07	--	--	--	--	--	--	--	--
6/20/2007	--		34.00	--	--	9.88	24.12	--	--	--	--	--	--	--	--
9/20/2007	P		34.00	--	--	10.21	23.79	<50	<0.50	<0.50	<0.50	<0.50	<0.50	10.67	7.25
12/14/2007	--		34.00	--	--	10.28	23.72	--	--	--	--	--	--	--	--
3/10/2008	--		34.00	--	--	9.10	24.90	--	--	--	--	--	--	--	--
MW-10															
3/13/2002	--		31.67	--	--	9.68	21.99	680	<5.0	<5.0	<5.0	<5.0	570	--	--
6/28/2002	--	b	31.67	--	--	9.84	21.83	820	<2.0	<2.0	<2.0	<2.0	1,200	--	--
9/20/2002	--		31.67	--	--	10.37	21.30	194	<0.50	<0.50	<0.50	<1.50	575	--	--
12/30/2002	--		31.67	--	--	7.70	23.97	<50	<0.50	<0.50	<0.50	<0.50	490	--	--
3/27/2003	--		31.67	--	--	9.33	22.34	530	<5.0	<5.0	<5.0	<5.0	330	--	--
6/30/2003	--		31.67	--	--	9.75	21.92	<1,000	<10	<10	<10	<10	750	--	--
9/15/2003	P		31.67	--	--	10.17	21.50	<500	<5.0	<5.0	<5.0	<5.0	430	--	--
12/04/2003	P		31.67	--	--	9.95	21.72	<250	<2.5	<2.5	<2.5	<2.5	110	--	6.9
03/10/2004	P		33.50	--	--	8.57	24.93	420	<2.5	<2.5	<2.5	<2.5	140	1.2	6.5
06/10/2004	--		33.50	--	--	9.95	23.55	600	<5.0	<5.0	<5.0	<5.0	410	--	6.9
09/22/2004	P		33.50	--	--	10.23	23.27	560	<0.50	<0.50	<0.50	<0.50	87	0.8	6.9
12/13/2004	P		33.50	--	--	9.28	24.22	290	<1.0	<1.0	<1.0	<1.0	110	1.6	6.5
03/10/2005	P		33.50	--	--	7.97	25.53	280	<0.50	<0.50	<0.50	<4.0	86	3.2	7.3
06/29/2005	P		33.50	--	--	9.45	24.05	<250	<2.5	<2.5	<2.5	<2.5	160	1.13	6.8
09/14/2005	P		33.50	--	--	9.92	23.58	340	<2.5	<2.5	<2.5	<2.5	140	0.7	6.9
12/13/2005	P		33.50	--	--	9.73	23.77	270	<0.50	<0.50	<0.50	<0.50	47	1.8	6.5
03/20/2006	P		33.50	--	--	8.17	25.33	270	<0.50	<0.50	<0.50	<0.50	34	1.1	6.9
6/22/2006	P		33.50	--	--	9.42	24.08	250	<0.50	<0.50	<0.50	<0.50	21	1.74	7.0
9/22/2006	P		33.50	--	--	9.88	23.62	270	<0.50	<0.50	<0.50	<0.50	11	1.39	7.0
12/7/2006	P		33.50	--	--	9.78	23.72	360	<0.50	<0.50	<0.50	<0.50	10	0.89	7.10
3/12/2007	P		33.50	--	--	9.00	24.50	300	<0.50	<0.50	<0.50	<0.50	18	0.98	7.25
6/20/2007	P		33.50	--	--	9.94	23.56	300	<0.50	<0.50	<0.50	<0.50	5.9	6.47	7.18
9/20/2007	P		33.50	--	--	10.24	23.26	250	<0.50	<0.50	<0.50	<0.50	4.6	2.46	7.29

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-10 Cont.															
12/14/2007	P		33.50	--	--	9.90	23.60	280	<0.50	<0.50	<0.50	<0.50	6.9	1.80	6.98
3/10/2008	P		33.50	--	--	9.18	24.32	330	<0.50	<0.50	<0.50	<0.50	13	0.27	6.88
6/13/2008	P		33.50	--	--	10.05	23.45	410	<0.50	<0.50	<0.50	<0.50	5.8	0.79	7.15
9/2/2008	P		33.50	--	--	10.46	23.04	840	<0.50	<0.50	<0.50	<0.50	6.5	1.59	7.15
MW-11															
3/13/2002	--		32.54	--	--	10.38	22.16	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
6/28/2002	--		32.54	--	--	10.74	21.80	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
9/20/2002	--		32.54	--	--	11.27	21.27	<50	<0.50	<0.50	<0.50	<1.50	<0.500	--	--
12/30/2002	--		32.54	--	--	8.73	23.81	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
3/27/2003	--		32.54	--	--	10.25	22.29	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
6/30/2003	--		32.54	--	--	10.65	21.89	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
9/15/2003	--		32.54	--	--	11.03	21.51	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
12/04/2003	P		32.54	--	--	10.84	21.70	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.5	7.0
03/10/2004	P		34.55	--	--	9.41	25.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.3	6.9
06/10/2004	--		34.55	--	--	10.82	23.73	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	6.9
09/22/2004	P		34.55	--	--	11.10	23.45	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.2	6.9
12/13/2004	P		34.55	--	--	10.19	24.36	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.83	6.6
03/10/2005	P		34.55	--	--	8.87	25.68	<100	<0.50	<0.50	<0.50	<4.0	<0.50	2.3	7.7
06/29/2005	P		34.55	--	--	10.37	24.18	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.83	6.3
09/14/2005	P		34.55	--	--	10.78	23.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.8	6.9
12/13/2005	--		34.55	--	--	10.62	23.93	--	--	--	--	--	--	--	--
03/20/2006	--		34.55	--	--	9.04	25.51	--	--	--	--	--	--	--	--
6/22/2006	--		34.55	--	--	10.33	24.22	--	--	--	--	--	--	--	--
9/22/2006	P		34.55	--	--	10.75	23.80	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.53	7.2
12/7/2006	--		34.55	--	--	10.68	23.87	--	--	--	--	--	--	--	--
3/12/2007	--		34.55	--	--	9.89	24.66	--	--	--	--	--	--	--	--
6/20/2007	--		34.55	--	--	10.84	23.71	--	--	--	--	--	--	--	--
9/20/2007	P		34.55	--	--	11.15	23.40	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.32	7.26
12/14/2007	--		34.55	--	--	11.10	23.45	--	--	--	--	--	--	--	--
3/10/2008	--		34.55	--	--	10.05	24.50	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-14															
3/13/2002	--		30.46	--	--	8.56	21.90	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	--
6/28/2002	--	q	30.46	--	--	9.12	21.34	--	--	--	--	--	--	--	--
9/20/2002	--	q	30.46	--	--	9.79	20.67	--	--	--	--	--	--	--	--
12/30/2002	--	q	30.46	--	--	7.13	23.33	--	--	--	--	--	--	--	--
3/27/2003	--		30.46	--	--	8.53	21.93	<50	<0.50	0.86	<0.50	<0.50	<0.50	--	--
6/30/2003	--	q	30.46	--	--	9.05	21.41	--	--	--	--	--	--	--	--
9/15/2003	--	q	30.46	--	--	9.47	20.99	--	--	--	--	--	--	--	--
12/04/2003	--	q	30.46	--	--	9.20	21.26	--	--	--	--	--	--	--	--
03/10/2004	--	q	32.61	--	--	7.90	24.71	--	--	--	--	--	--	--	--
06/10/2004	--	q	32.61	--	--	9.25	23.36	--	--	--	--	--	--	--	--
09/22/2004	P		32.61	--	--	9.55	23.06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	--
12/13/2004	--		32.61	--	--	8.46	24.15	--	--	--	--	--	--	--	--
03/10/2005	--		32.61	--	--	7.32	25.29	--	--	--	--	--	--	--	--
06/29/2005	--		32.61	--	--	8.77	23.84	--	--	--	--	--	--	--	--
09/14/2005	P		32.61	--	--	9.20	23.41	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.9	6.9
12/13/2005	--		32.61	--	--	8.96	23.65	--	--	--	--	--	--	--	--
03/20/2006	--		32.61	--	--	7.51	25.10	--	--	--	--	--	--	--	--
6/22/2006	--		32.61	--	--	8.75	23.86	--	--	--	--	--	--	--	--
9/22/2006	P		32.61	--	--	9.19	23.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.70	7.2
12/7/2006	--		32.61	--	--	9.05	23.56	--	--	--	--	--	--	--	--
3/12/2007	--		32.61	--	--	8.35	24.26	--	--	--	--	--	--	--	--
6/20/2007	--		32.61	--	--	9.33	23.28	--	--	--	--	--	--	--	--
9/20/2007	P		32.61	--	--	9.60	23.01	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.24	7.42
12/14/2007	--		32.61	--	--	9.53	23.08	--	--	--	--	--	--	--	--
3/10/2008	--		32.61	--	--	8.50	24.11	--	--	--	--	--	--	--	--
MW-15															
3/13/2002	--		31.41	--	--	10.03	21.38	<50	<0.50	<0.50	<0.50	<0.50	21	--	--
6/28/2002	--		31.41	--	--	10.41	21.00	<50	<0.50	<0.50	<0.50	<0.50	8.7	--	--
9/20/2002	--		31.41	--	--	11.00	20.41	<50	<0.50	<0.50	<0.50	<1.50	21.6	--	--
12/30/2002	--		31.41	--	--	8.33	23.08	<50	<0.50	<0.50	<0.50	<0.50	67	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-15 Cont.															
3/27/2003	--		31.41	--	--	9.83	21.58	<50	<0.50	<0.50	<0.50	<0.50	17	--	--
6/30/2003	--		31.41	--	--	10.00	21.41	<50	<0.50	<0.50	<0.50	<0.50	12	--	--
9/15/2003	--		31.41	--	--	10.67	20.74	<50	<0.50	<0.50	<0.50	<0.50	10	--	--
12/04/2003	P		31.41	--	--	10.47	20.94	<50	<0.50	<0.50	<0.50	<0.50	6.4	2.6	7.0
03/10/2004	P		33.49	--	--	9.09	24.40	<50	<0.50	<0.50	<0.50	<0.50	11	1.5	6.9
06/10/2004	P		33.49	--	--	10.50	22.99	<50	<0.50	<0.50	<0.50	<0.50	5.7	0.5	6.9
09/22/2004	--	r	33.49	--	--	--	--	--	--	--	--	--	--	--	--
12/13/2004	--	r	33.49	--	--	--	--	--	--	--	--	--	--	--	--
03/10/2005	P		33.49	--	--	8.50	24.99	<100	<0.50	<0.50	<0.50	<4.0	5.4	2.7	7.7
06/29/2005	--	r	33.49	--	--	--	--	--	--	--	--	--	--	--	--
09/14/2005	--	r	33.49	--	--	--	--	--	--	--	--	--	--	--	--
12/13/2005	--		33.49	--	--	10.16	23.33	--	--	--	--	--	--	--	--
03/20/2006	P		33.49	--	--	8.72	24.77	<50	<0.50	<0.50	<0.50	<0.50	15	3.1	7.3
6/22/2006	--		33.49	--	--	10.00	23.49	--	--	--	--	--	--	--	--
9/22/2006	--	j	--	--	--	--	--	--	--	--	--	--	--	--	--
12/7/2006	--		33.49	--	--	10.32	23.17	--	--	--	--	--	--	--	--
3/12/2007	--	j	33.49	--	--	9.60	23.89	--	--	--	--	--	--	--	--
6/20/2007	--		33.49	--	--	10.52	22.97	--	--	--	--	--	--	--	--
9/20/2007	P		33.49	--	--	10.83	22.66	<50	<0.50	<0.50	<0.50	<0.50	11	0.64	7.19
12/14/2007	--		33.49	--	--	10.78	22.71	--	--	--	--	--	--	--	--
3/10/2008	P		33.49	--	--	9.75	23.74	<50	<0.50	<0.50	<0.50	<0.50	19	0.72	6.88
9/2/2008	--	r	33.49	--	--	--	--	--	--	--	--	--	--	--	--
MW-16															
3/13/2002	--		31.39	--	--	10.51	20.88	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
6/28/2002	--		31.39	--	--	10.96	20.43	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
9/20/2002	--		31.39	--	--	10.47	20.92	<50	<0.50	<0.50	<0.50	<1.50	1.67	--	--
12/30/2002	--		31.39	--	--	--	--	--	--	--	--	--	--	--	--
3/27/2003	--		31.39	--	--	10.28	21.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--
6/30/2003	--	i, q	31.39	--	--	10.87	20.52	--	--	--	--	--	--	--	--
9/15/2003	--		31.39	--	--	11.25	20.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-16 Cont.															
12/04/2003	--	u	31.39	--	--	10.99	20.40	--	--	--	--	--	--	--	--
03/10/2004	P		33.41	--	--	9.66	23.75	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.50	2.1
06/10/2004	--		33.41	--	--	11.06	22.35	--	--	--	--	--	--	--	--
09/22/2004	P		33.41	--	--	11.40	22.01	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.50	1.2
12/13/2004	--		33.41	--	--	10.27	23.14	--	--	--	--	--	--	--	--
03/10/2005	P		33.41	--	--	9.03	24.38	<100	<0.50	<0.50	<0.50	<0.50	<4.0	<0.50	3.9
06/29/2005	--		33.41	--	--	10.60	22.81	--	--	--	--	--	--	--	--
09/14/2005	P		33.41	--	--	11.02	22.39	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.9
12/13/2005	--		33.41	--	--	10.79	22.62	--	--	--	--	--	--	--	--
03/20/2006	--		33.41	--	--	9.25	24.16	--	--	--	--	--	--	--	--
6/22/2006	--	r	33.41	--	--	--	--	--	--	--	--	--	--	--	--
9/22/2006	P		33.41	--	--	10.95	22.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	1.69
12/7/2006	--	r	33.41	--	--	--	--	--	--	--	--	--	--	--	--
3/12/2007	--		33.41	--	--	10.18	23.23	--	--	--	--	--	--	--	--
6/20/2007	--		33.41	--	--	11.10	22.31	--	--	--	--	--	--	--	--
9/20/2007	P		33.41	--	--	11.44	21.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.55
12/14/2007	--		33.41	--	--	11.41	22.00	--	--	--	--	--	--	--	--
3/10/2008	--		33.41	--	--	10.35	23.06	--	--	--	--	--	--	--	--
9/2/2008	P		33.41	--	--	11.61	21.80	<50	<0.50	<0.50	<0.50	<0.50	0.63	1.27	7.30
MW-18															
3/13/2002	--		29.70	--	--	9.46	20.24	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	--
6/28/2002	--	q	29.70	--	--	10.05	19.65	--	--	--	--	--	--	--	--
9/20/2002	--	q	29.70	--	--	10.67	19.03	--	--	--	--	--	--	--	--
12/30/2002	--	q	29.70	--	--	7.98	21.72	--	--	--	--	--	--	--	--
3/27/2003	--		29.70	--	--	9.18	20.52	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--
6/30/2003	--	q	29.70	--	--	9.68	20.02	--	--	--	--	--	--	--	--
9/15/2003	--	q	29.70	--	--	10.30	19.40	--	--	--	--	--	--	--	--
12/04/2003	--	q	29.70	--	--	9.99	19.71	--	--	--	--	--	--	--	--
03/10/2004	--	q	31.87	--	--	8.78	23.09	--	--	--	--	--	--	--	--
06/10/2004	--	q	31.87	--	--	10.12	21.75	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-18 Cont.															
09/22/2004	P		31.87	--	--	10.45	21.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	6.9
12/13/2004	--		31.87	--	--	9.25	22.62	--	--	--	--	--	--	--	--
03/10/2005	--		31.87	--	--	8.35	23.52	--	--	--	--	--	--	--	--
06/29/2005	--		31.87	--	--	9.65	22.22	--	--	--	--	--	--	--	--
09/14/2005	P		31.87	--	--	10.10	21.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	6.9
12/13/2005	--		31.87	--	--	9.90	21.97	--	--	--	--	--	--	--	--
03/20/2006	--		31.87	--	--	8.54	23.33	--	--	--	--	--	--	--	--
6/22/2006	--		31.87	--	--	9.68	22.19	--	--	--	--	--	--	--	--
9/22/2006	P		31.87	--	--	9.96	21.91	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.23	7.2
12/7/2006	--		31.87	--	--	--	--	--	--	--	--	--	--	--	--
3/12/2007	--		31.87	--	--	9.28	22.59	--	--	--	--	--	--	--	--
6/20/2007	--		31.87	--	--	10.15	21.72	--	--	--	--	--	--	--	--
9/20/2007	P		31.87	--	--	10.45	21.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.14	7.22
12/14/2007	--		31.87	--	--	10.47	21.40	--	--	--	--	--	--	--	--
3/10/2008	--		31.87	--	--	9.42	22.45	--	--	--	--	--	--	--	--
MW-21															
3/13/2002	--		28.72	--	--	9.40	19.32	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--
6/28/2002	--	q	28.72	--	--	9.80	18.92	--	--	--	--	--	--	--	--
9/20/2002	--	q	28.72	--	--	10.27	18.45	--	--	--	--	--	--	--	--
12/30/2002	--	q	28.72	--	--	7.70	21.02	--	--	--	--	--	--	--	--
3/27/2003	--		28.72	--	--	9.05	19.67	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
6/30/2003	--	q	28.72	--	--	9.48	19.24	--	--	--	--	--	--	--	--
9/15/2003	--	q	28.72	--	--	10.06	18.66	--	--	--	--	--	--	--	--
12/04/2003	--	q	28.72	--	--	9.69	19.03	--	--	--	--	--	--	--	--
03/10/2004	--	q	30.67	--	--	8.60	22.07	--	--	--	--	--	--	--	--
06/10/2004	--	q	30.67	--	--	9.85	20.82	--	--	--	--	--	--	--	--
09/22/2004	P		30.67	--	--	10.17	20.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.2	6.9
12/13/2004	--		30.67	--	--	8.92	21.75	--	--	--	--	--	--	--	--
03/10/2005	--		30.67	--	--	8.10	22.57	--	--	--	--	--	--	--	--
06/29/2005	--		30.67	--	--	9.48	21.19	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-21 Cont.															
09/14/2005	P		30.67	--	--	9.88	20.79	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.8	6.9
12/13/2005	--		30.67	--	--	9.57	21.10	--	--	--	--	--	--	--	--
03/20/2006	--		30.67	--	--	8.26	22.41	--	--	--	--	--	--	--	--
6/22/2006	--		30.67	--	--	9.47	21.20	--	--	--	--	--	--	--	--
9/22/2006	P		30.67	--	--	9.83	20.84	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.88	5.9
12/7/2006	--		30.67	--	--	9.76	20.91	--	--	--	--	--	--	--	--
3/12/2007	--		30.67	--	--	9.08	21.59	--	--	--	--	--	--	--	--
6/20/2007	--		30.67	--	--	9.89	20.78	--	--	--	--	--	--	--	--
9/20/2007	P		30.67	--	--	10.20	20.47	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.28	7.56
12/14/2007	--		30.67	--	--	10.18	20.49	--	--	--	--	--	--	--	--
3/10/2008	--		30.67	--	--	9.23	21.44	--	--	--	--	--	--	--	--
MW-22															
3/13/2002	--		29.29	--	--	9.86	19.43	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
6/28/2002	--		29.29	--	--	10.65	18.64	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
9/20/2002	--		29.29	--	--	11.05	18.24	<50	<0.50	<0.50	<0.50	<1.50	<0.500	--	--
12/30/2002	--		29.29	--	--	8.28	21.01	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
3/27/2003	--		29.29	--	--	9.85	19.44	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
6/30/2003	--	i, q	29.29	--	--	10.20	19.09	--	--	--	--	--	--	--	--
9/15/2003	--		29.29	--	--	10.81	18.48	<500	<5.0	<5.0	<5.0	<5.0	<5.0	--	--
12/04/2003	--		29.29	--	--	10.49	18.80	--	--	--	--	--	--	--	--
03/10/2004	P		31.43	--	--	9.24	22.19	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.3	6.6
06/10/2004	--		31.43	--	--	10.60	20.83	--	--	--	--	--	--	--	--
09/22/2004	P		31.43	--	--	10.94	20.49	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.9	7.0
12/13/2004	--		31.43	--	--	9.73	21.70	--	--	--	--	--	--	--	--
03/10/2005	P		31.43	--	--	8.65	22.78	<100	<0.50	<0.50	<0.50	<4.0	<0.50	3.3	7.4
06/29/2005	--		31.43	--	--	10.25	21.18	--	--	--	--	--	--	--	--
09/14/2005	P		31.43	--	--	10.65	20.78	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.0	7.0
12/13/2005	--		31.43	--	--	10.39	21.04	--	--	--	--	--	--	--	--
03/20/2006	--		31.43	--	--	8.89	22.54	--	--	--	--	--	--	--	--
6/22/2006	--		31.43	--	--	10.21	21.22	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-22 Cont.															
9/22/2006	P		31.43	--	--	10.62	20.81	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.13	7.2
12/7/2006	--		31.43	--	--	10.44	20.99	--	--	--	--	--	--	--	--
3/12/2007	--		31.43	--	--	9.75	21.68	--	--	--	--	--	--	--	--
6/20/2007	--		31.43	--	--	10.64	20.79	--	--	--	--	--	--	--	--
9/20/2007	P		31.43	--	--	10.95	20.48	<50	<0.50	<0.50	<0.50	<0.50	<0.50	10.88	7.40
12/14/2007	--		31.43	--	--	11.03	20.40	--	--	--	--	--	--	--	--
3/10/2008	--		31.43	--	--	9.90	21.53	--	--	--	--	--	--	--	--
MW-23															
3/13/2002	--		30.99	--	--	11.01	19.98	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	--
6/28/2002	--	q	30.99	--	--	11.59	19.40	--	--	--	--	--	--	--	--
9/20/2002	--	q	30.99	--	--	12.00	18.99	--	--	--	--	--	--	--	--
12/30/2002	--	q	30.99	--	--	9.42	21.57	--	--	--	--	--	--	--	--
3/27/2003	--		30.99	--	--	11.00	19.99	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--
6/30/2003	--	q	30.99	--	--	11.47	19.52	--	--	--	--	--	--	--	--
9/15/2003	--	q	30.99	--	--	11.84	19.15	--	--	--	--	--	--	--	--
12/04/2003	--	q	30.99	--	--	11.61	19.38	--	--	--	--	--	--	--	--
03/10/2004	--	q	33.16	--	--	10.24	22.92	--	--	--	--	--	--	--	--
06/10/2004	--	q	33.16	--	--	11.60	21.56	--	--	--	--	--	--	--	--
09/22/2004	P		33.16	--	--	11.95	21.21	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.2	6.9
12/13/2004	--		33.16	--	--	10.88	22.28	--	--	--	--	--	--	--	--
03/10/2005	--		33.16	--	--	9.63	23.53	--	--	--	--	--	--	--	--
06/29/2005	--		33.16	--	--	11.28	21.88	--	--	--	--	--	--	--	--
09/14/2005	P		33.16	--	--	11.70	21.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.3	6.9
12/13/2005	--		33.16	--	--	11.44	21.72	--	--	--	--	--	--	--	--
03/20/2006	--		33.16	--	--	9.81	23.35	--	--	--	--	--	--	--	--
6/22/2006	--		33.16	--	--	11.25	21.91	--	--	--	--	--	--	--	--
9/22/2006	P		33.16	--	--	11.52	21.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.71	7.3
12/7/2006	--		33.16	--	--	11.50	21.66	--	--	--	--	--	--	--	--
3/12/2007	--		33.16	--	--	10.76	22.40	--	--	--	--	--	--	--	--
6/20/2007	--		33.16	--	--	11.68	21.48	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-23 Cont.															
9/20/2007	P		33.16	--	--	11.95	21.21	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.96	7.19
12/14/2007	--		33.16	--	--	12.05	21.11	--	--	--	--	--	--	--	--
3/10/2008	--		33.16	--	--	10.92	22.24	--	--	--	--	--	--	--	--
MW-25															
3/13/2002	--		33.81	--	--	10.99	22.82	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	--
6/28/2002	--		33.81	--	--	11.26	22.55	<50	<0.50	<0.50	<0.50	<0.50	<0.50	36	--
9/20/2002	--		33.81	--	--	11.65	22.16	117	<0.50	<0.50	<0.50	<0.50	<1.50	259	--
12/30/2002	--	d, f	33.81	--	--	9.33	24.48	95	13	<0.50	<0.50	<0.50	<0.50	98	--
3/27/2003	--		33.81	--	--	10.82	22.99	150	<0.50	<0.50	<0.50	<0.50	<0.50	90	--
6/30/2003	--		33.81	--	--	11.20	22.61	<500	<5.0	<5.0	<5.0	<5.0	<5.0	130	--
9/15/2003	--		33.81	--	--	11.62	22.19	220	<1.0	<1.0	<1.0	<1.0	<1.0	140	--
12/04/2003	P		33.81	--	--	11.41	22.40	81	<0.50	<0.50	<0.50	<0.50	<0.50	36	1.2
03/10/2004	P		36.33	--	--	10.04	26.29	<50	<0.50	<0.50	<0.50	<0.50	<0.50	14	1.2
06/10/2004	P		36.33	--	--	11.40	24.93	<50	<0.50	<0.50	<0.50	<0.50	<0.50	17	0.8
09/22/2004	P		36.33	--	--	11.74	24.59	<50	<0.50	<0.50	<0.50	<0.50	<0.50	29	1.1
12/13/2004	P		36.33	--	--	10.72	25.61	<50	<0.50	<0.50	<0.50	<0.50	<0.50	44	1.22
03/10/2005	P		36.33	--	--	9.45	26.88	<100	<0.50	<0.50	<0.50	<0.50	<4.0	7.4	2.0
06/29/2005	P		36.33	--	--	10.91	25.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50	20	0.97
09/14/2005	P		36.33	--	--	11.35	24.98	<50	<0.50	<0.50	<0.50	<0.50	<0.50	8.0	1.2
12/13/2005	P		36.33	--	--	11.14	25.19	<50	<0.50	<0.50	<0.50	<0.50	<0.50	13	0.8
03/20/2006	P		36.33	--	--	9.71	26.62	<50	<0.50	<0.50	<0.50	<0.50	<0.50	5.4	1.0
6/22/2006	P		36.33	--	--	10.89	25.44	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.5	1.62
9/22/2006	P		36.33	--	--	11.33	25.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	18	1.22
12/7/2006	P		36.33	--	--	11.22	25.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50	14	0.71
3/12/2007	P		36.33	--	--	10.47	25.86	<50	<0.50	<0.50	<0.50	<0.50	<0.50	7.3	2.77
6/20/2007	P		36.33	--	--	11.40	24.93	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.8	0.66
9/20/2007	P		36.33	--	--	11.74	24.59	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.7	1.94
12/14/2007	P		36.33	--	--	11.36	24.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50	5.2	1.61
3/10/2008	P		36.33	--	--	10.65	25.68	<50	<0.50	<0.50	<0.50	<0.50	<0.50	6.0	1.03
6/13/2008	P		36.33	--	--	11.50	24.83	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.2	0.77
															7.15

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-25 Cont.															
9/2/2008	P		36.33	--	--	11.93	24.40	<50	<0.50	<0.50	<0.50	<0.50	0.76	1.29	7.21
MW-26															
3/13/2002	--		33.71	--	--	11.27	22.44	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
6/28/2002	--	q	33.71	--	--	11.70	22.01	--	--	--	--	--	--	--	--
9/20/2002	--	q	33.71	--	--	12.10	21.61	--	--	--	--	--	--	--	--
12/30/2002	--	q	33.71	--	--	9.60	24.11	--	--	--	--	--	--	--	--
3/27/2003	--		33.71	--	--	11.15	22.56	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
6/30/2003	--	q	33.71	--	--	11.61	22.10	--	--	--	--	--	--	--	--
9/15/2003	--	q	33.71	--	--	12.01	21.70	--	--	--	--	--	--	--	--
12/04/2003	--	q	33.71	--	--	11.78	21.93	--	--	--	--	--	--	--	--
03/10/2004	--	q	35.70	--	--	10.45	25.25	--	--	--	--	--	--	--	--
06/10/2004	--	q	35.70	--	--	11.82	23.88	--	--	--	--	--	--	--	--
09/22/2004	P		35.70	--	--	12.05	23.65	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	7.0
12/13/2004	--		35.70	--	--	11.08	24.62	--	--	--	--	--	--	--	--
03/10/2005	--		35.70	--	--	9.80	25.90	--	--	--	--	--	--	--	--
06/29/2005	--		35.70	--	--	11.30	24.40	--	--	--	--	--	--	--	--
09/14/2005	P		35.70	--	--	11.55	24.15	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.0	6.8
12/13/2005	--		35.70	--	--	11.54	24.16	--	--	--	--	--	--	--	--
03/20/2006	--		35.70	--	--	10.06	25.64	--	--	--	--	--	--	--	--
6/22/2006	--		35.70	--	--	11.29	24.41	--	--	--	--	--	--	--	--
9/22/2006	P		35.70	--	--	11.63	24.07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.10	7.2
12/7/2006	--		35.70	--	--	11.11	24.59	--	--	--	--	--	--	--	--
3/12/2007	--		35.70	--	--	10.87	24.83	--	--	--	--	--	--	--	--
6/20/2007	--		35.70	--	--	11.80	23.90	--	--	--	--	--	--	--	--
9/20/2007	P		35.70	--	--	12.13	23.57	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.59	7.21
12/14/2007	--		35.70	--	--	12.14	23.56	--	--	--	--	--	--	--	--
3/10/2008	--		35.70	--	--	11.05	24.65	--	--	--	--	--	--	--	--

SYMBOLS & ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = feet below ground surface
ft MSL = feet above mean sea level
GRO = Gasoline range organics, range C4-C12
GWE = Groundwater elevation measured in ft MSL
mg/L = Milligrams per liter
MTBE = Methyl tert butyl ether
NP = Well not purged prior to sampling
P = Well purged prior to sampling
TOC = Top of casing measured in ft MSL
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter

NOTES:

a = Well elevation data obtained from Quarterly Groundwater Monitoring and Site Status Report, Fourth Quarter 1994.
b = GRO/TPH-g Chromatogram Pattern: Unidentified Hydrocarbons C6-C10
c = Hydrocarbon pattern for GRO/TPH-g is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
d = GRO/TPH-g Chromatogram Pattern: C6-C10
e = This sample was analyzed beyond the EPA recommended holding time. The results may still be useful for their intended purpose.
f = The continuing calibration was outside the acceptance criteria. This should be considered in evaluating the result for its intended purpose.
g = Groundwater extraction system pumping; inaccurate DTW.
h = Groundwater extraction system not pumping.
i = Sampling frequency changed from quarterly to annually per recommendations in first quarter 2003 groundwater monitoring report.
j = Well not accessible this quarter.
k = Well destroyed.
l = MTBE confirmed by EPA Method 8260B (Method 8260B result is the second value.)
m = No gauging port. Sample taken from spigot.
n = Well inaccessible as homeowner not available.
o = Pump not working or well dry.
p = Gauged with pump in well. Opened cam lock fitting at wellhead.
q = Well sampled annually.
r = Well inaccessible--car parked over well.
s = Well resampled on 3/26/2008; the initial sample on 3/10/2008 was meant to be purged.
u = Well sampled semi-annually.

NOTES:

Site surveyed to NAVD'88 datum on March 2, 2004.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported. Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12
Values for DO and pH were obtained through field measurements.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data
Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
17372 VM									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
9/15/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
12/04/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
03/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
06/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
12/13/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2005	<100	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
642 H									
3/13/2002	<100	<20	--	<0.50	<0.50	<0.50	--	--	
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
6/30/2003	--	--	--	--	--	--	--	--	a
9/15/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
12/04/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
E-1A									
3/27/2003	<100	<20	60	<0.50	<0.50	2.3	--	--	
6/30/2003	<100	<20	37	<0.50	<0.50	1.6	<0.50	<0.50	
9/15/2003	<100	<20	49	<0.50	<0.50	2.4	<0.50	<0.50	
12/04/2003	<100	<20	19	<0.50	<0.50	0.89	--	--	
03/10/2004	<200	<40	38	<1.0	<1.0	2.3	<1.0	<1.0	
06/10/2004	<100	<20	46	<0.50	<0.50	2.2	<0.50	<0.50	
09/22/2004	<100	<20	17	<0.50	<0.50	0.98	<0.50	<0.50	
12/13/2004	<100	<20	15	<0.50	<0.50	0.75	<0.50	<0.50	
03/10/2005	<100	<10	22	<0.50	<0.50	0.95	<0.50	<0.50	
06/29/2005	<100	<20	14	<0.50	<0.50	0.74	<0.50	<0.50	
09/14/2005	<100	<20	13	<0.50	<0.50	<0.50	<0.50	<0.50	c
12/13/2005	<100	<20	12	<0.50	<0.50	0.61	<0.50	<0.50	
6/22/2006	<300	<20	13	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	12	<0.50	<0.50	<0.50	<0.50	<0.50	
3/12/2007	<300	<20	5.6	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
E-1A Cont.									
6/20/2007	<300	<20	6.8	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	0.80	<0.50	<0.50	<0.50	<0.50	<0.50	
12/14/2007	<300	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	c
3/10/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
3/26/2008	<300	<10	0.89	<0.50	<0.50	<0.50	<0.50	<0.50	d
9/2/2008	<300	<10	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-5									
3/27/2003	<100	24	59	<0.50	<0.50	2.2	--	--	
6/30/2003	<100	22	58	<0.50	<0.50	2.1	<0.50	<0.50	
9/15/2003	<500	<100	61	<2.5	<2.5	2.5	--	--	
12/04/2003	<100	<20	42	<0.50	<0.50	1.9	--	--	
03/10/2004	<100	<20	9.5	<0.50	<0.50	<0.50	<0.50	<0.50	
06/10/2004	<100	<20	31	<0.50	<0.50	1.0	<0.50	<0.50	
09/22/2004	<100	<20	15	<0.50	<0.50	<0.50	<0.50	<0.50	
12/13/2004	<100	<20	5.4	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2005	<100	<10	3.3	<0.50	<0.50	<0.50	<0.50	<0.50	b
06/29/2005	<100	<20	6.7	<0.50	<0.50	<0.50	<0.50	<0.50	
09/14/2005	<100	<20	13	<0.50	<0.50	<0.50	<0.50	<0.50	c
03/20/2006	<300	<20	3.8	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	12	<0.50	<0.50	<0.50	<0.50	<0.50	
3/12/2007	<300	<20	5.8	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	4.3	<0.50	<0.50	<0.50	<0.50	<0.50	
3/10/2008	<300	<10	2.8	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	11	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-8									
3/27/2003	<100	<20	33	<0.50	<0.50	0.53	--	--	
6/30/2003	<100	<20	15	<0.50	<0.50	0.85	<0.50	<0.50	
9/15/2003	<100	<20	41	<0.50	<0.50	5.3	--	--	
12/04/2003	<100	<20	24	<0.50	<0.50	3.7	--	--	
03/10/2004	<100	<20	2.4	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8 Cont.									
06/10/2004	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
09/22/2004	<100	<20	18	<0.50	<0.50	1.5	<0.50	<0.50	
12/13/2004	<100	<20	7.1	<0.50	<0.50	0.78	<0.50	<0.50	
03/10/2005	<100	<10	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	b
06/29/2005	<100	<20	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	c
03/20/2006	<300	<20	0.60	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
3/12/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	13	<0.50	<0.50	1.2	<0.50	<0.50	
3/10/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	8.6	<0.50	<0.50	0.63	<0.50	<0.50	
MW-9									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
9/15/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2005	<100	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	b
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	c
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-10									
3/27/2003	<1,000	<200	330	<5.0	<5.0	15	--	--	
6/30/2003	<2,000	<400	750	<10	<10	28	<10	<10	
9/15/2003	<1,000	<200	430	<5.0	<5.0	15	<5.0	<5.0	
12/04/2003	<500	<100	110	<2.5	<2.5	4.8	--	--	
03/10/2004	<500	120	140	<2.5	<2.5	<2.5	<2.5	<2.5	
06/10/2004	<1,000	<200	410	<5.0	<5.0	11	<5.0	<5.0	
09/22/2004	<100	54	87	<0.50	<0.50	3.8	<0.50	<0.50	
12/13/2004	<200	220	110	<1.0	<1.0	4.5	<1.0	<1.0	

Table 2. Summary of Fuel Additives Analytical Data
Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-10 Cont.									
03/10/2005	<100	50	86	<0.50	<0.50	2.2	<0.50	<0.50	
06/29/2005	<500	110	160	<2.5	<2.5	4.6	<2.5	<2.5	
09/14/2005	<500	300	140	<2.5	<2.5	3.5	<2.5	<2.5	c
12/13/2005	<100	190	47	<0.50	<0.50	1.9	<0.50	<0.50	
03/20/2006	<300	72	34	<0.50	<0.50	0.85	<0.50	<0.50	
6/22/2006	<300	130	21	<0.50	<0.50	0.56	<0.50	<0.50	c
9/22/2006	<300	51	11	<0.50	<0.50	<0.50	<0.50	<0.50	
12/7/2006	<300	24	10	<0.50	<0.50	<0.50	<0.50	<0.50	
3/12/2007	<300	46	18	<0.50	<0.50	<0.50	<0.50	<0.50	
6/20/2007	<300	<20	5.9	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	4.6	<0.50	<0.50	<0.50	<0.50	<0.50	
12/14/2007	<300	<20	6.9	<0.50	<0.50	<0.50	<0.50	<0.50	c
3/10/2008	<300	22	13	<0.50	<0.50	<0.50	<0.50	<0.50	
6/13/2008	<300	<10	5.8	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	6.5	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-11									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
6/30/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/15/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
12/04/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
03/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
06/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
12/13/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2005	<100	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	b
06/29/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	c
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-14									

Table 2. Summary of Fuel Additives Analytical Data
Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-14 Cont.									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
03/10/2004	--	--	--	--	--	--	--	--	Not Sampled
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-15									
3/27/2003	<100	<20	17	<0.50	<0.50	<0.50	--	--	
6/30/2003	<100	<20	12	<0.50	<0.50	<0.50	<0.50	<0.50	
9/15/2003	<100	<20	10	<0.50	<0.50	<0.50	<0.50	<0.50	
12/04/2003	<100	<20	6.4	<0.50	<0.50	<0.50	--	--	
03/10/2004	<100	<20	11	<0.50	<0.50	<0.50	<0.50	<0.50	
06/10/2004	<100	<20	5.7	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2005	<100	<10	5.4	<0.50	<0.50	<0.50	<0.50	<0.50	b
03/20/2006	<300	<20	15	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	11	<0.50	<0.50	<0.50	<0.50	<0.50	
3/10/2008	<300	<10	19	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-16									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
9/15/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2005	<100	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	b
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	0.63	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-18									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
03/10/2004	--	--	--	--	--	--	--	--	Not Sampled

Table 2. Summary of Fuel Additives Analytical Data
Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-18 Cont.									
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-21									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
03/10/2004	--	--	--	--	--	--	--	--	Not Sampled
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-22									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
9/15/2003	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
03/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2005	<100	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	b
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-23									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
03/10/2004	--	--	--	--	--	--	--	--	Not Sampled
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-25									
3/27/2003	<100	<20	90	<0.50	<0.50	40	--	--	

Table 2. Summary of Fuel Additives Analytical Data
Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-25 Cont.									
6/30/2003	<1,000	<200	130	<5.0	<5.0	81	<5.0	<5.0	
9/15/2003	<200	<40	140	<1.0	<1.0	71	<1.0	<1.0	
12/04/2003	<100	<20	36	<0.50	<0.50	17	--	--	
03/10/2004	<100	<20	14	<0.50	<0.50	6.5	<0.50	<0.50	
06/10/2004	<100	<20	17	<0.50	<0.50	7.2	<0.50	<0.50	
09/22/2004	<100	<20	29	<0.50	<0.50	18	<0.50	<0.50	
12/13/2004	<100	45	44	<0.50	<0.50	18	<0.50	<0.50	
03/10/2005	<100	<10	7.4	<0.50	<0.50	2.3	<0.50	<0.50	b
06/29/2005	<100	<20	20	<0.50	<0.50	12	<0.50	<0.50	
09/14/2005	<100	<20	8.0	<0.50	<0.50	4.1	<0.50	<0.50	
12/13/2005	<100	<20	13	<0.50	<0.50	5.5	<0.50	<0.50	
03/20/2006	<300	<20	5.4	<0.50	<0.50	2.4	<0.50	<0.50	
6/22/2006	<300	<20	3.5	<0.50	<0.50	1.7	<0.50	<0.50	c
9/22/2006	<300	<20	18	<0.50	<0.50	7.3	<0.50	<0.50	
12/7/2006	<300	<20	14	<0.50	<0.50	6.1	<0.50	<0.50	
3/12/2007	<300	<20	7.3	<0.50	<0.50	2.9	<0.50	<0.50	
6/20/2007	<300	<20	2.8	<0.50	<0.50	1.3	<0.50	<0.50	
9/20/2007	<300	<20	4.7	<0.50	<0.50	1.9	<0.50	<0.50	
12/14/2007	<300	<20	5.2	<0.50	<0.50	1.8	<0.50	<0.50	c
3/10/2008	<300	<10	6.0	<0.50	<0.50	1.7	<0.50	<0.50	
6/13/2008	<300	<10	2.2	<0.50	<0.50	0.58	<0.50	<0.50	
9/2/2008	<300	<10	0.76	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-26									
3/27/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
03/10/2004	--	--	--	--	--	--	--	--	Not Sampled
09/22/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/14/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/22/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/20/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

SYMBOLS & ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above the laboratory reporting limit.

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

FOOTNOTES:

a = Well was not accessible this quarter.

b = Possible high bias due to CCV falling outside acceptance criteria for TBA.

c = Calibration verification was within method limits but outside the contract limits for ethanol.

d = Well resampled on 3/26/2008; the initial sample on 3/10/2008 was meant to be purged.

NOTES:

Well E-1A was previously named MW-12.

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #608, 17601 Hesperian Boulevard, San Lorenzo, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
6/28/2002	West	0.003
9/20/2002	West	0.00196
12/30/2002	West	0.003
3/27/2003	West	0.002
6/30/2003	West-Southwest	0.001
9/15/2003	West	0.003
12/4/2003	West-Southwest	0.003
3/10/2004	West	0.003
6/10/2004	West	0.006
9/22/2004	West	0.006
12/13/2004	West-Southwest	0.003
3/10/2005	West-Southwest	0.003
6/29/2005	West-Southwest	0.003
9/14/2005	West-Southwest	0.003
12/13/2005	West	0.003
3/20/2006	West-Southwest	0.003
6/22/2006	West-Southwest	0.003
9/22/2006	West-Southwest	0.003
12/7/2006	West	0.004
3/12/2007	West	0.003
6/20/2007	West	0.004
9/20/2007	West	0.003
12/14/2007	West	0.004
3/10/2008	West	0.004
6/13/2008	--	--
9/2/2008	West	0.004

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 4.
Ground-Water Sampling Schedule
Atlantic Richfield Company Station #608
17601 Hesperian Boulevard, San Lorenzo, California

Well Number	First Quarter	Second Quarter	Third Quarter	Fourth Quarter	Sampling Frequency
Groundwater Monitoring Wells					
MW-5	X		X		Semiannually (1st and 3rd Quarter)
MW-7			-----Removed from Program-----		
MW-8	X		X		Semiannually (1st and 3rd Quarter)
MW-9			-----Removed from Program-----		
MW-10	X	X	X	X	Quarterly
MW-11			-----Removed from Program-----		
E-1A	X	X	X	X	Quarterly
MW-13			-----Removed from Program-----		
MW-14			-----Removed from Program-----		
MW-15	X		X		Semiannually (1st and 3rd Quarter)
MW-16			X		Annually (3rd Quarter)
MW-17			-----Destroyed-----		
MW-18			-----Removed from Program-----		
MW-19			-----Removed from Program-----		
MW-20			-----Destroyed-----		
MW-21			-----Removed from Program-----		
MW-22			-----Removed from Program-----		
MW-23			-----Removed from Program-----		
MW-24			-----Removed from Program-----		
MW-25	X		X		Semiannually (1st and 3rd Quarter)
MW-26			-----Removed from Program-----		
Domestic Irrigation Wells					
590H			-----Destroyed-----		
633H			-----Destroyed-----		
634H			-----Pump Not Functional, Well Not in Use-----		
642H			-----Removed from Program-----		
675H			-----Destroyed-----		
17197 VM			-----Destroyed-----		
17200 VM			-----Destroyed-----		
17203 VM			-----Destroyed-----		
17302 VM			-----Pump Not Functional, Well Not in Use-----		
17348 VE			-----Pump Not Functional, Well Not in Use-----		
17349 VM			-----Destroyed-----		
17371 VM			-----Destroyed-----		
17372 VM			-----Removed from Program-----		
17393 VM			-----Destroyed-----		

APPENDIX A

**STRATUS GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS, LABORATORY ANALYTICAL REPORT WITH
CHAIN-OF-CUSTODY DOCUMENTATION, AND FIELD PROCEDURES)**



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

September 24, 2008

Mr. Rob Miller
Broadbent & Associates
2000 Kirman Ave.
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 608, located at 17601 Hesperian Boulevard, San Lorenzo, California.

General Information

Data Submittal Prepared / Reviewed by: Becky Carroll / Jay Johnson

Phone Number: (530) 676-6004

On-Site Supplier Representatives: Chris Grant

Sampling Date: September 2, 2008

Arrival: 11:30 *Departure:* 15:30

Weather Conditions: Clear

Unusual Field Conditions: None noted.

Scope of Work Performed: Quarterly monitoring and sampling.

Variations from Work Scope: Well 642H is located in a residential area. The property owner has not responded to written requests to enter property. The pump is down in well 17372VM, therefore it was not sampled. A vehicle was parked over well MW-15 and therefore was not sampled or gauged this event. Wells MW-5 and E-1A purged dry before three casing volumes could be removed.

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, certified analytical results, and field procedures for groundwater sampling documentation. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.

Jay R. Johnson, P.G.
Project Manager



Attachments:

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater sampling

CC: Mr. Paul Supple, BP/ARCO

City San Lorenzo
Sampled by: CG
Signature 

Site Number	ARCO 608
Project Number	E-608
Project PM	Jay Johnson
DATE	09/02/08

Multiplier

$$2'' = 0.5 \quad 3'' = 1.0 \quad 4'' = 2.0 \quad 6'' = 4.4$$

Please refer to groundwater sampling field procedures
pH/Conductivity/temperature Meter - Oakton Model PC-10
DO Meter - Oakton 300 Series (DO is always measured before purge)

CALIBRATION DATE

pH 08/29/08 am

Conductivity

activity

DO

STRATUS
ENVIRONMENTAL INC.

ORIGINAL

Site Address 17601 Hesperian Blvd

City San Lorenzo

Site Sampled by CG

Site Number Arco 608

Project No. E-608

Project PM Jay Johnson

Date Sampled 09/02/08

Well ID <u>Mw - 8</u> <u>1310</u>					Well ID <u>Mw - 10</u> <u>1341</u>				
purge start time <u>BAILER</u> <u>odor</u>					purge start time <u>BAILER</u> <u>odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	21.6	8.01	844	0	time	21.3	7.56	755	0
time	22.1	7.32	835	4.5	time	21.2	7.16	751	6
time	21.5	7.37	831	9	time	21.4	7.15	748	12
time					time				
purge stop time					purge stop time				
Well ID <u>Mw - 16</u> <u>1424</u>					Well ID <u>Mw - 25</u> <u>1451</u>				
purge start time <u>BAILER</u> <u>no odor</u>					purge start time <u>BAILER</u> <u>no odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	21.0	7.24	781	0	time	21.8	7.15	857	0
time	21.2	7.22	797	5.5	time	20.6	7.21	852	3
time	21.4	7.30	776	11	time				
time					time				
purge stop time					purge stop time				
Well ID <u>Mw - 5</u> <u>1514</u>					Well ID <u>E - 1A</u> <u>1545</u>				
purge start time <u>BAILER</u> <u>odor</u>					purge start time <u>1534</u> <u>odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	DRY	(@) .5 gal			time	22.7	7.36	858	0
time	23.4	7.06	846	.5	time	DRY	(@) 19 gal		
time					time	23.7	7.54	814	19
time					time				
purge stop time					purge stop time	1540			
Well ID					Well ID				
purge start time					purge start time				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time					time				
time					time				
time					time				
time					time				
purge stop time					purge stop time				

WELLHEAD OBSERVATION FORM

Site Name/Number: Arco 608

Date: 09/02/08

Technician: CG



DRUM INVENTORY

Drums on site?

Yes No

(circle)

Type and #

Steel:

Plastic:

Note whether drums are full or empty, solids or liquids:

GENERAL SITE CONDITIONS

Make notes on housekeeping conditions (such as trash around remediation system enclosure/compound, bent or missing bollards, signs missing from compound fences, graffiti on compound, etc.)

Drum label info (description, date, contact info):

Drum label info (description, date, contact info):

Original

NO. 674-100

NON-HAZARDOUS WASTE DATA FORM

TSD FACILITY	TO BE COMPLETED BY GENERATOR																																																	
	<p>NAME <u>WEST COAST PRODUCTS LLC - LACO & LCO</u></p> <p>ADDRESS <u>241 BOX 5070</u> <u>REEDSBURG, IDAHO 83601</u></p> <p>CITY, STATE, ZIP <u>IDAHO</u></p>			<p>EPA I.D. NO.</p> <p>PROFILE NO.</p>																																														
TRANSPORTER	<p>PHONE NO. ()</p> <p>CONTAINERS: No. _____ VOLUME _____ WEIGHT _____</p> <p>TYPE: <input type="checkbox"/> TANK TRUCK <input type="checkbox"/> DUMP TRUCK <input type="checkbox"/> DRUMS <input type="checkbox"/> CARTONS <input type="checkbox"/> OTHER</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="3">WASTE DESCRIPTION</th> <th colspan="3">GENERATING PROCESS</th> </tr> <tr> <th colspan="3">COMPONENTS OF WASTE</th> <th>PPM</th> <th>%</th> <th>COMPONENTS OF WASTE</th> <th>PPM</th> <th>%</th> </tr> <tr> <td>1. <u>WATER</u></td> <td><u>STAINLESS</u></td> <td><u>100%</u></td> <td>5.</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2. <u>FOAM</u></td> <td><u>100%</u></td> <td><u>100%</u></td> <td>6.</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3. <u></u></td> <td><u></u></td> <td><u></u></td> <td>7. <u>WATER</u></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4. <u></u></td> <td><u></u></td> <td><u></u></td> <td>8.</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> <p>PROPERTIES: <u>pH</u> <input type="checkbox"/> SOLID <input type="checkbox"/> LIQUID <input type="checkbox"/> SLUDGE <input type="checkbox"/> SLURRY <input type="checkbox"/> OTHER</p> <p>HANDLING INSTRUCTIONS: <u>WEAR ALL APPROPRIATE PROTECTIVE CLOTHING</u></p> <p>THE GENERATOR CERTIFIES THAT THE WASTE AS DESCRIBED IS 100% NON-HAZARDOUS.</p> <p>Larry Blackard, RPLC #40 TYPED OR PRINTED FULL NAME & SIGNATURE</p> <p>DATE <u>1/26/98</u></p>				WASTE DESCRIPTION			GENERATING PROCESS			COMPONENTS OF WASTE			PPM	%	COMPONENTS OF WASTE	PPM	%	1. <u>WATER</u>	<u>STAINLESS</u>	<u>100%</u>	5.					2. <u>FOAM</u>	<u>100%</u>	<u>100%</u>	6.					3. <u></u>	<u></u>	<u></u>	7. <u>WATER</u>					4. <u></u>	<u></u>	<u></u>	8.				
	WASTE DESCRIPTION			GENERATING PROCESS																																														
COMPONENTS OF WASTE			PPM	%	COMPONENTS OF WASTE	PPM	%																																											
1. <u>WATER</u>	<u>STAINLESS</u>	<u>100%</u>	5.																																															
2. <u>FOAM</u>	<u>100%</u>	<u>100%</u>	6.																																															
3. <u></u>	<u></u>	<u></u>	7. <u>WATER</u>																																															
4. <u></u>	<u></u>	<u></u>	8.																																															
	<p>NAME <u>CHATHAM INDUSTRIAL CONT.</u></p> <p>ADDRESS <u>2300 CAMPION PARK DR</u></p> <p>CITY, STATE, ZIP <u>MANCHESTER, NH 03102</u></p> <p>PHONE NO. <u>(603) 624-3000</u></p> <p>TRUCK, UNIT, I.D. NO.</p> <p>NAME <u>CHATHAM, INC.</u></p> <p>ADDRESS <u>2300 CAMPION PARK DR</u></p> <p>CITY, STATE, ZIP <u>MANCHESTER, NH 03102</u></p> <p>PHONE NO. <u>(603) 624-3000</u></p>	<p>TYPED OR PRINTED FULL NAME & SIGNATURE</p> <p>DATE <u>1/26/98</u></p>																																																
	<p>EPA I.D. NO.</p> <p>SERVICE ORDER NO.</p> <p>PICK UP DATE</p> <p>DISPOSAL METHOD</p> <p><input type="checkbox"/> LANDFILL <input type="checkbox"/> OTHER</p>																																																	
	<p>TYPED OR PRINTED FULL NAME & SIGNATURE</p> <p>DATE</p>																																																	
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>GEN</th> <th>OLD/NEW</th> <th>L</th> <th>A</th> <th>TONS</th> </tr> </thead> <tbody> <tr> <td>TRANS</td> <td></td> <td>S</td> <td>B</td> <td></td> </tr> <tr> <td>C/Q</td> <td></td> <td>RT/CD</td> <td>HWDF</td> <td>NONE</td> </tr> </tbody> </table> <p>DISCREPANCY</p>				GEN	OLD/NEW	L	A	TONS	TRANS		S	B		C/Q		RT/CD	HWDF	NONE																															
GEN	OLD/NEW	L	A	TONS																																														
TRANS		S	B																																															
C/Q		RT/CD	HWDF	NONE																																														

Chain of Custody Record

Project Name: ARCO 608

BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda > 608

State or Lead Regulatory Agency:

Requested Due Date (mm/dd/yy): STD/TAT

On-site Time: <u>1130</u>	Temp: <u>86°</u>
Off-site Time: <u>1530</u>	Temp: <u>85°</u>
Sky Conditions: <u>Clear</u>	
Meteorological Events:	
Wind Speed:	
	Direction:

Lab Name: Cal Science
 Address: 7440 Lincoln Way
 Garden Grove Ca. 92841-1427
 Lab PM: Linda Scharpenberg
 Tele/Fax: 714-895-5494 714-895-7401 (fax)
 BP/AR PM Contact: Paul Supple
 Address: 2010 Crow Canyon Place, Suite 150
 San Ramon, CA
 Tele/Fax: 925-275-3506

BP/AR Facility No.: 608
 BP/AR Facility Address: 17601 Hesperian Boulevard, San Lorenzo
 Site Lat/Long:
 California Global ID No.: T0600100085
 Enfos Project No.: G0C24-0027
 Provision or OOC (circle one) Provision
 Phase/WBS: 04-Monitoring
 Sub Phase/Task: 03-Analytical
 Cost Element: 01-Contractor labor

Consultant/Contractor: Stratus Environmental, Inc.
 Address: 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682
 Consultant/Contractor Project No.: E608-03
 Consultant/Contractor PM: Jay Johnson
 Tele/Fax: (530) 676-6000 / (530) 676-6005
 Report Type & QC Level: Level 1 with EDF
 E-mail EDD To: bcarroll@stratusinc.net
 Invoice to: Atlantic Richfield Co.

Lab Bottle Order No:

Item No.	Sample Description	Matrix			Laboratory No.	No. of Containers	Preservative				Requested Analysis						Sample Point Lat/Long and Comments			
		Time	Date	Soil/Solid			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	*	*	*	*	*	EDB	1/2 DCA	Ethanol	
1	MW - 5	1514	09/02	X		6			X			X	X	X	X	X				# all by 8260
2	MW - 8	1310																		
3	MW - 10	1341																		
4	E-1A	1545																		
5	MW - 16	1424																		
6	MW - 25	1451		Y		1						Y	Y	Y	Y	Y				
7																				
8																				
9	TB-0608-09022008	1530	09/02	X		2														on hold
10																				

Sampler's Name: C. Grant

Sampler's Company: Stratus Environmental, Inc.

Shipment Date: 09/03/08

Shipment Method: GSO

Shipment Tracking No:


Special Instructions:

Please cc results to rmiller@broadbentinc.com

C. Grant / Stratus

Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
<i>C. Grant / Stratus</i>	<u>09/03</u>	<u>1538</u>			

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



September 18, 2008

Jay Johnson
Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 08-09-0238**
Client Reference: ARCO 608

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 9/4/2008 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink that reads "Philip Sanelle for Linda Scharpenberg".

Calscience Environmental
Laboratories, Inc.
Linda Scharpenberg
Project Manager



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 09/04/08
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 608

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	08-09-0238-1-E	09/02/08 15:14	Aqueous	GC 30	09/09/08	09/09/08 14:50	080909B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	190	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	96	38-134			

MW-8	08-09-0238-2-E	09/02/08 13:10	Aqueous	GC 30	09/09/08	09/09/08 13:10	080909B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	86	38-134			


MW-10	08-09-0238-3-E	09/02/08 13:41	Aqueous	GC 30	09/09/08	09/09/08 15:24	080909B01
-------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	840	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	94	38-134			

E-1A	08-09-0238-4-E	09/02/08 15:45	Aqueous	GC 30	09/09/08	09/09/08 15:57	080909B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	83	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 09/04/08
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 608

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-16	08-09-0238-5-E	09/02/08 14:24	Aqueous	GC 30	09/09/08	09/09/08 16:31	080909B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>					
1,4-Bromofluorobenzene	86	38-134			

MW-25	08-09-0238-6-E	09/02/08 14:51	Aqueous	GC 30	09/09/08	09/09/08 17:05	080909B01
-------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>					
1,4-Bromofluorobenzene	83	38-134			

Method Blank	099-12-695-258	N/A	Aqueous	GC 30	09/09/08	09/09/08 11:29	080909B01
--------------	----------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>					
1,4-Bromofluorobenzene	89	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 09/04/08
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 608

Page 1 of 3


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	08-09-0238-1-A	09/02/08 15:14	Aqueous	GC/MS Z	09/09/08	09/10/08 05:04	080909L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.53	0.50	1		Methyl-t-Butyl Ether (MTBE)	11	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	1.9	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	125	73-157			Dibromofluoromethane	121	82-142		
Toluene-d8	104	82-112			1,4-Bromofluorobenzene	96	75-105		
MW-8	08-09-0238-2-A	09/02/08 13:10	Aqueous	GC/MS Z	09/09/08	09/09/08 23:05	080909L01		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	8.6	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	0.63	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	129	73-157			Dibromofluoromethane	120	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	92	75-105		
MW-10	08-09-0238-3-A	09/02/08 13:41	Aqueous	GC/MS Z	09/09/08	09/09/08 23:37	080909L01		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	6.5	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	129	73-157			Dibromofluoromethane	119	82-142		
Toluene-d8	104	82-112			1,4-Bromofluorobenzene	104	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 09/04/08
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 608

Page 2 of 3


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
E-1A	08-09-0238-4-A	09/02/08 15:45	Aqueous	GC/MS Z	09/09/08	09/10/08 00:10	080909L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.3	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	121	73-157			Dibromofluoromethane	113	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	92	75-105		
MW-16									
	08-09-0238-5-A	09/02/08 14:24	Aqueous	GC/MS Z	09/09/08	09/10/08 00:43	080909L01		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	0.63	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	132	73-157			Dibromofluoromethane	118	82-142		
Toluene-d8	102	82-112			1,4-Bromofluorobenzene	95	75-105		
MW-25									
	08-09-0238-6-A	09/02/08 14:51	Aqueous	GC/MS Z	09/09/08	09/09/08 16:34	080909L01		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	0.76	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	106	73-157			Dibromofluoromethane	107	82-142		
Toluene-d8	102	82-112			1,4-Bromofluorobenzene	90	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 09/04/08
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 608

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-435	N/A	Aqueous	GC/MS Z	09/09/08	09/09/08 15:59	080909L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	121	73-157			Dibromofluoromethane	116	82-142		
Toluene-d8	102	82-112			1,4-Bromofluorobenzene	92	75-105		


Method Blank	099-12-703-438	N/A	Aqueous	GC/MS Z	09/09/08	09/10/08 04:31	080909L02
--------------	----------------	-----	---------	---------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	124	73-157			Dibromofluoromethane	116	82-142		
Toluene-d8	102	82-112			1,4-Bromofluorobenzene	91	75-105		

Method Blank	099-12-703-441	N/A	Aqueous	GC/MS Z	09/10/08	09/10/08 14:31	080910L01
--------------	----------------	-----	---------	---------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	121	73-157			Dibromofluoromethane	119	82-142		
Toluene-d8	102	82-112			1,4-Bromofluorobenzene	93	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 09/04/08
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ARCO 608

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-8	Aqueous	GC 30	09/09/08	09/09/08	080909S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	109	110	38-134	1	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 09/04/08
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 608


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-25	Aqueous	GC/MS Z	09/09/08	09/09/08	080909S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	97	86-122	5	0-8	
Carbon Tetrachloride	103	98	78-138	6	0-9	
Chlorobenzene	99	94	90-120	5	0-9	
1,2-Dibromoethane	107	106	70-130	1	0-30	
1,2-Dichlorobenzene	100	98	89-119	2	0-10	
1,1-Dichloroethene	101	95	52-142	6	0-23	
Ethylbenzene	100	95	70-130	5	0-30	
Toluene	101	95	85-127	6	0-12	
Trichloroethene	96	92	78-126	5	0-10	
Vinyl Chloride	94	90	56-140	4	0-21	
Methyl-t-Butyl Ether (MTBE)	114	114	64-136	0	0-28	
Tert-Butyl Alcohol (TBA)	100	95	27-183	5	0-60	
Diisopropyl Ether (DIPE)	94	97	78-126	3	0-16	
Ethyl-t-Butyl Ether (ETBE)	98	100	67-133	1	0-21	
Tert-Amyl-Methyl Ether (TAME)	109	105	63-141	3	0-21	
Ethanol	86	95	11-167	11	0-64	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 09/04/08
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 608

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-5	Aqueous	GC/MS Z	09/09/08	09/10/08	080909S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	106	107	86-122	1	0-8	
Carbon Tetrachloride	116	114	78-138	1	0-9	
Chlorobenzene	104	104	90-120	0	0-9	
1,2-Dibromoethane	113	122	70-130	7	0-30	
1,2-Dichlorobenzene	105	106	89-119	1	0-10	
1,1-Dichloroethene	110	108	52-142	2	0-23	
Ethylbenzene	107	107	70-130	0	0-30	
Toluene	97	104	85-127	6	0-12	
Trichloroethene	103	102	78-126	1	0-10	
Vinyl Chloride	102	106	56-140	3	0-21	
Methyl-t-Butyl Ether (MTBE)	92	123	64-136	14	0-28	
Tert-Butyl Alcohol (TBA)	110	116	27-183	5	0-60	
Diisopropyl Ether (DIPE)	102	108	78-126	6	0-16	
Ethyl-t-Butyl Ether (ETBE)	103	110	67-133	7	0-21	
Tert-Amyl-Methyl Ether (TAME)	103	115	63-141	11	0-21	
Ethanol	126	126	11-167	0	0-64	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 09/04/08
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 608


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-09-0403-1	Aqueous	GC/MS Z	09/10/08	09/10/08	080910S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	103	86-122	4	0-8	
Carbon Tetrachloride	100	107	78-138	7	0-9	
Chlorobenzene	97	101	90-120	3	0-9	
1,2-Dibromoethane	105	108	70-130	2	0-30	
1,2-Dichlorobenzene	97	101	89-119	4	0-10	
1,1-Dichloroethene	99	102	52-142	3	0-23	
Ethylbenzene	95	102	70-130	6	0-30	
Toluene	98	102	85-127	4	0-12	
Trichloroethene	93	98	78-126	5	0-10	
Vinyl Chloride	94	99	56-140	6	0-21	
Methyl-t-Butyl Ether (MTBE)	118	112	64-136	5	0-28	
Tert-Butyl Alcohol (TBA)	98	102	27-183	5	0-60	
Diisopropyl Ether (DIPE)	98	100	78-126	3	0-16	
Ethyl-t-Butyl Ether (ETBE)	103	101	67-133	2	0-21	
Tert-Amyl-Methyl Ether (TAME)	106	103	63-141	3	0-21	
Ethanol	91	118	11-167	25	0-64	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate

ARCO ANALYSIS
Sample ID: 080909B01

Stratus Environmental, inc. 3330 Cameron Park Drive, Suite 550 Cameron Park, CA 95682-8861	Date Received: Work Order No: Preparation: Method:	N/A 08-09-0238 EPA 5030B EPA 8015B (M)
--	---	---

Project: ARCO 608


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-258	Aqueous	GC 30	09/09/08	09/09/08	080909B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	114	114	78-120	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 608

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number
099-12-703-435	Aqueous	GC/MS Z	09/08/08	09/09/08		080909L01
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL
Benzene	101	103	87-117	82-122	2	0-7
Carbon Tetrachloride	104	105	78-132	69-141	1	0-8
Chlorobenzene	100	101	88-118	83-123	2	0-8
1,2-Dibromoethane	110	111	80-120	73-127	1	0-20
1,2-Dichlorobenzene	99	101	88-118	83-123	2	0-8
1,1-Dichloroethene	102	103	71-131	61-141	1	0-14
Ethylbenzene	100	100	80-120	73-127	0	0-20
Toluene	100	102	85-127	78-134	2	0-7
Trichloroethene	99	102	85-121	79-127	3	0-11
Vinyl Chloride	92	95	64-136	52-148	3	0-10
Methyl-t-Butyl Ether (MTBE)	113	120	67-133	56-144	6	0-16
Tert-Butyl Alcohol (TBA)	95	98	34-154	14-174	4	0-19
Diisopropyl Ether (DIPE)	97	101	80-122	73-129	3	0-8
Ethyl-t-Butyl Ether (ETBE)	103	107	73-127	64-136	4	0-11
Tert-Amyl-Methyl Ether (TAME)	104	109	69-135	58-146	4	0-12
Ethanol	97	86	34-124	19-139	12	0-44

Total number of LCS compounds : 16

Total number of ME compounds : 0


Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc. 3330 Cameron Park Drive, Suite 550 Cameron Park, CA 95682-8861	Date Received: Work Order No: Preparation: Method:	N/A 08-09-0238 EPA 5030B EPA 8260B
--	---	---

Project: ARCO 608

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
099-12-703-438	Aqueous	GC/MS Z	09/09/08	09/10/08		080909L02	
<hr/>							
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	109	110	87-117	82-122	1	0-7	
Carbon Tetrachloride	110	115	78-132	69-141	4	0-8	
Chlorobenzene	106	107	88-118	83-123	1	0-8	
1,2-Dibromoethane	114	112	80-120	73-127	2	0-20	
1,2-Dichlorobenzene	106	108	88-118	83-123	2	0-8	
1,1-Dichloroethene	109	112	71-131	61-141	2	0-14	
Ethylbenzene	107	109	80-120	73-127	2	0-20	
Toluene	106	109	85-127	78-134	2	0-7	
Trichloroethene	110	116	85-121	79-127	5	0-11	
Vinyl Chloride	104	104	64-136	52-148	0	0-10	
Methyl-t-Butyl Ether (MTBE)	121	114	67-133	56-144	6	0-16	
Tert-Butyl Alcohol (TBA)	104	112	34-154	14-174	7	0-19	
Diisopropyl Ether (DIPE)	104	108	80-122	73-129	4	0-8	
Ethyl-t-Butyl Ether (ETBE)	108	104	73-127	64-136	3	0-11	
Tert-Amyl-Methyl Ether (TAME)	108	105	69-135	58-146	2	0-12	
Ethanol	110	123	34-124	19-139	11	0-44	

Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 08-09-0238
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 608

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
099-12-703-441	Aqueous	GC/MS Z	09/10/08	09/10/08		080910L01	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	103	103	87-117	82-122	1	0-7	
Carbon Tetrachloride	109	111	78-132	69-141	2	0-8	
Chlorobenzene	100	100	88-118	83-123	0	0-8	
1,2-Dibromoethane	105	108	80-120	73-127	3	0-20	
1,2-Dichlorobenzene	99	102	88-118	83-123	4	0-8	
1,1-Dichloroethene	103	103	71-131	61-141	0	0-14	
Ethylbenzene	103	101	80-120	73-127	2	0-20	
Toluene	100	102	85-127	78-134	2	0-7	
Trichloroethene	101	102	85-121	79-127	1	0-11	
Vinyl Chloride	94	95	64-136	52-148	0	0-10	
Methyl-t-Butyl Ether (MTBE)	106	114	67-133	56-144	8	0-16	
Tert-Butyl Alcohol (TBA)	101	104	34-154	14-174	3	0-19	
Diisopropyl Ether (DIPE)	101	100	80-122	73-129	1	0-8	
Ethyl-t-Butyl Ether (ETBE)	98	104	73-127	64-136	5	0-11	
Tert-Amyl-Methyl Ether (TAME)	99	106	69-135	58-146	6	0-12	
Ethanol	108	88	34-124	19-139	20	0-44	


Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass


RPD - Relative Percent Difference , CL - Control Limit



Glossary of Terms and Qualifiers

Work Order Number: 08-09-0238

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	
BA,AY	Relative percent difference out of control, matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GS	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG	Surrogate recovery below the acceptance limit.
LH	Surrogate recovery above the acceptance limit.
LM,AY	MS and/or MSD above acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LN,AY	MS and/or MSD below acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.
MB	Analyte present in the method blank.



Work Order Number: 08-09-0238

<u>Qualifier</u>	<u>Definition</u>
MG	Analyte is a suspected lab contaminant.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.





A BP affiliated company

Chain of Custody Record

Project Name: ARCO 608

BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda > 608

State or Lead Regulatory Agency:

Requested Due Date (mm/dd/yy): STD/TAT

Page 1 of 1

0238

On-site Time: 1130	Temp: 86°
Off-site Time: 1530	Temp: 80.5°
Sky Conditions: Clear	
Meteorological Events:	
Wind Speed: —	Direction: —


Lab Name: Cal Science	BP/AR Facility No.: 608	Consultant/Contractor: Stratus Environmental, Inc.
Address: 7440 Lincoln Way	BP/AR Facility Address: 17601 Hesperian Boulevard, San Lorenzo	Address: 3330 Cameron Park Drive, Suite 550
Garden Grove Ca. 92841-1427	Site Lat/Long:	Cameron Park, CA 95682
Lab PM: Linda Scharpenberg	California Global ID No.: T0600100085	Consultant/Contractor Project No.: E608-03
Tele/Fax: 714-895-5494 714-895-7401 (fax)	Enfos Project No.: G0C24-0027	Consultant/Contractor PM: Jay Johnson
BP/AR PM Contact: Paul Supple	Provision or OOC (circle one) Provision	Tele/Fax: (530) 676-6000 / (530) 676-6005
Address: 2010 Crow Canyon Place, Suite 150	Phase/WBS: 04-Monitoring	Report Type & QC Level: Level 1 with EDF
San Ramon, CA	Sub Phase/Task: 03-Analytical	E-mail EDD To: bcarroll@stratusinc.net
Tele/Fax: 925-275-3506	Cost Element: 01-Contractor labor	Invoice to: Atlantic Richfield Co.

Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative				Requested Analysis				Sample Point Lat/Long and Comments						
				Soil/Solid	Water/Liquid	Air			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	*	GPO	BTEX	S oxy '5	*	EDB	1,2 DCA	*	Ethanol	
1	MW - 5	1514	09/02	X				6			X		X	X	X	X	X	X					# all by 8260
2	MW - 8	1310																					
3	MW - 10	1341																					
4	E-1 A	1545																					
5	MW - 16	1424																					
6	MW - 25	1451																					
7																							
8																							
9	TB-0608-09022008	1530	09/02	X				2															on hold
10																							

Sampler's Name: C. Grant	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company: Stratus Environmental, Inc.	Stratus	09/03	1530			
Shipment Date: 09/03/08						
Shipment Method: GSO						
Shipment Tracking No: 9255071818	GSO	09/03	0945	Urbath Cet	09/08	0945

Special Instructions: Please cc results to rmiller@broadbentinc.com

Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
349				



WORK ORDER #: 08 - 09 - 0238

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: STRATUS

DATE: 9-4-08

TEMPERATURE – SAMPLES RECEIVED BY:**CALSCIENCE COURIER:**

- Chilled, cooler with temperature blank provided.
- Chilled, cooler without temperature blank.
- Chilled and placed in cooler with wet ice.
- Ambient and placed in cooler with wet ice.
- Ambient temperature (For Air & Filter only).

- °C Temperature blank.

LABORATORY (Other than Calscience Courier):

- 4.1 °C Temperature blank.
- °C IR thermometer.
- Ambient temperature (For Air & Filter only).

Initial: WB

CUSTODY SEAL INTACT:

Sample(s): _____ Cooler: / No (Not Intact) : _____ Not Present: _____
 Initial: WB

SAMPLE CONDITION:

- | | Yes | No | N/A |
|---|-----|-------|-------|
| Chain-Of-Custody document(s) received with samples..... | / | | |
| Sampler's name indicated on COC..... | / | | |
| Sample container label(s) consistent with custody papers..... | / | | |
| Sample container(s) intact and good condition..... | / | | |
| Correct containers and volume for analyses requested..... | / | | |
| Proper preservation noted on sample label(s)..... | / | | |
| VOA vial(s) free of headspace..... | / | | |
| Tedlar bag(s) free of condensation..... | / | | |

Initial: WB

COMMENTS:

ATTACHMENT

FIELD PROCEDURES FOR GROUNDWATER SAMPLING

The sampling procedures for groundwater monitoring events are contained in this appendix.

Equipment Calibration

Standard groundwater sampling equipment – pH/Conductivity/Temperature meter, and dissolved oxygen (DO) meters are calibrated prior to all field work. All calibration is conducted in accordance with equipment manufacturer's recommended procedure and buffer solutions. MSDS for all buffer solutions are maintained in Stratus vehicles. Calibration is completed everyday prior to field work and also once a week. The pH probe is calibrated for a pH of 7.0 daily and for 4.0, 7.0 and 10.0 weekly. The conductivity probe is calibrated for 1413 μs daily and 1413 μs and 447 μs weekly. The temperature probe is calibrated weekly with a NIST-traceable thermometer. The DO probe is calibrated for 100% oxygen daily and 0% and 100% oxygen weekly. All calibration logs are maintained in the Stratus office.

Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Groundwater

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Sampling

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Groundwater Sample Labeling and Preservation

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc® type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and

contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATIONS

STATE WATER RESOURCES CONTROL BOARD

GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	3Q08 GEO_WELL 608
<u>Facility Global ID:</u>	T0600100085
<u>Facility Name:</u>	ARCO #00608
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	10/1/2008 11:19:18 AM
<u>Confirmation Number:</u>	8316452503

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD

GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

Submittal Type: GWM_R
Submittal Title: 3Q08 GW Monitoring
Facility Global ID: T0600100085
Facility Name: ARCO #00608
File Name: 08090238.zip
Organization Name: Broadbent & Associates, Inc.
Username: BROADBENT-C
IP Address: 67.118.40.90
Submittal Date/Time: 10/1/2008 11:20:38 AM
Confirmation Number: 4164153158

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2008 State of California