



KAMUR INDUSTRIES, INC.
2351 Shoreline Dr., Alameda, CA 94501-6228
(510) 523-7866 · Fax (510) 523-3172

RECEIVED

1:27 pm, May 17, 2007

Alameda County
Environmental Health

May 14, 2007

Mr. Jerry Wickham
Hazardous Materials Specialist
ACHCSA
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

**SUBJECT: FIRST QUARTER OF 2007 GROUNDWATER
MONITORING AND SAMPLING REPORT**
400 San Pablo Avenue, Albany, CA

Dear Mr. Wickham:

Please find a copy of the May 4, 2007 subject First Quarter of 2007 Groundwater Monitoring and Sampling Report prepared by my consultant, Enviro Soil Tech Consultants.

I declare, under penalty of perjury, that the information and/or recommendations contained in this report are true and correct to the best of my knowledge.

Sincerely,

MURRAY STEVENS

**FIRST QUARTER OF 2007 GROUNDWATER
MONITORING AND SAMPLING
AT THE PROPERTY
LOCATED AT 400 SAN PABLO AVENUE
ALBANY, CALIFORNIA
MAY 4, 2007**

**PREPARED FOR:
MR. MURRAY STEVENS
KAMUR INDUSTRIES, INC.
2351 SHORELINE DRIVE
ALAMEDA, CALIFORNIA 94501**

**BY:
ENVIRO SOIL TECH CONSULTANTS
131 TULLY ROAD
SAN JOSE, CALIFORNIA 95111**

ENVIRO SOIL TECH CONSULTANTS

LIST OF TABLES

- TABLE 1** ... Groundwater Monitoring Data and Analytical Results
- TABLE 2** ... Recent Groundwater Monitoring Data and Analytical Results
- TABLE 3** ... Recent Groundwater Analytical Results
- TABLE 4** ... Surface Water Samples from El Cerrito Creek Analytical Results

LIST OF FIGURES

- FIGURE 1** ... Site Vicinity Map Showing 400 San Pablo Avenue, Albany, California
- FIGURE 2** ... Site Plan Showing Locations of Buildings, Creek, and Creek Samplings
- FIGURE 3** ... Site Plan Showing Locations of Buildings, Creek, Monitoring Wells, Groundwater Elevation Contour Lines and Groundwater Flow Direction
- FIGURE 4** ... Isocontours of TPHg Map
- FIGURE 5** ... Isocontours of Benzene Map

LIST OF APPENDICES

APPENDIX "A" ... Tables 1, 2, 3 and 4

APPENDIX "B" ... Figures 1, 2, 3, 4 and 5

APPENDIX "C" ... Hydrographs of Historical Chemical Concentrations
and Groundwater Elevations

APPENDIX "D" ... Standard Operating Procedure

APPENDIX "E" ... Analytical Test Report of Groundwater Samples
and Chain-of-Custody Record

APPENDIX "F" ... Field Notes Data

TABLE OF CONTENTS	<u>PAGE NO.</u>
Letter of Transmittal	1-2
Purpose	3
Site Description	3
Background	3-4
Scope of Present Work	5
Monitoring Procedures	5-6
Results	
<i>Depth to Groundwater and Groundwater Flow Direction</i>	6
<i>Laboratory Results</i>	7-8
El Cerrito Creek Samples	8
Summary and Conclusions	8
Limitations	9
 <u>APPENDIX "A"</u>	
Table 1 - Groundwater Monitoring Data and Analytical Results	T1-T18
Table 2 - Recent Groundwater Monitoring Data and Analytical Results	T19
Table 3 - Recent Groundwater Analytical Results	T20
Table 4 - Surface Water Samples from El Cerrito Creek Analytical Results	T21-T25

TABLE OF CONTENTS CONT'D

PAGE NO.

APPENDIX "B"

Figure 1 - Vicinity Map	M1
Figure 2 - El Cerrito Creek Sampling Locations Map	M2
Figure 3 - Groundwater Elevation Site Map	M3
Figure 4 - Isocontours of TPHg Map	M4
Figure 5 - Isocontours of Benzene Map	M5

APPENDIX "C"

Hydrographs of Historical Chemical Concentrations
and Groundwater Elevations

APPENDIX "D"


Groundwater Sampling Procedure SOP1

APPENDIX "E"

Entech Analytical Labs Report and Chain-of-Custody Record

APPENDIX "F"

Field Notes Data



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

May 4, 2007

File No. 8-90-421-SI

Mr. Murray Stevens
Kamur Industries, Inc.
2351 Shoreline Drive
Alameda, California 94501

**SUBJECT: FIRST QUARTER OF 2007 GROUNDWATER
MONITORING REPORT AT THE PROPERTY**

Located at 400 San Pablo Avenue, in
Albany, California

Dear Mr. Stevens:

This report presents results from the first quarter of 2007 water monitoring and sampling conducted by Enviro Soil Tech Consultants (ESTC) on February 22 and March 15, 2007.

Seven monitoring wells were monitored for the presence of floating product or petroleum odor, and samples were collected for analysis at a State-certified laboratory. Four water samples from El Cerrito Creek were also collected.

This monitoring and sampling event was conducted in accordance with the request of Mr. Jerry Wickham with Alameda County Health Care Services Agency (ACHCSA) in letter dated February 27, 2007. ESTC will electronically submit the report to ACHCSA for their comments and recommendations.


File No. 8-90-421-SI

If you have any questions or require additional information, please feel free to contact our office at (408) 297-1500.


Sincerely,

ENVIRO SOIL TECH CONSULTANTS


FRANK HAMEDIFARD
GENERAL MANAGER


LAWRENCE K.
C. E. #34928




VICTOR B. CHERVEN, Ph. D.
PROFESSIONAL GEOLOGIST #3475

ENVIRO SOIL TECH CONSULTANTS

PURPOSE:

The purposes of this quarterly monitoring and sampling investigation were to determine the direction of groundwater flow and the extent of subsurface hydrocarbon contamination at the site, and to detect any hydrocarbon contaminants in El Cerrito Creek.

SITE DESCRIPTION:

The site is located at 400 San Pablo Avenue, in Albany, California, approximately one mile east of San Francisco Bay (Figure 1). The site is bordered by El Cerrito Creek to the north, San Pablo Avenue to the east and Adams Street to the west. The surrounding area is occupied by primarily light commercial and residential buildings and the California School for the Blind.

BACKGROUND:

The site was vacant until the late 1950's when Plaza Car Wash and the adjacent Norge Dry Cleaners building were constructed. Three underground tanks for gasoline storage were installed in the northern part of the car wash property in 1970, and Plaza Car Wash began dispensing gasoline from a dispenser island located to the north of the car wash building (Figure 2).

Investigation at this site was prompted by an emergency response action in El Cerrito Creek on July 3, 1989. A small plume of immiscible liquid hydrocarbons was observed floating on the water surface just north of the dry cleaners property. The Albany Fire Department responded and installed absorbent materials and a containment boom around the plume. Subsequent inspection indicated that the hydrocarbon plume was entering the creek through a storm drain that discharges into the creek behind (northwest of) the dry cleaners. Investigation was then undertaken to discover the source of the plume.

The discovery and interim remediation of petroleum contamination in El Cerrito Creek was followed by several years of subsurface investigation and surface-water sampling by Enviro Soil Tech Consultants (ESTC) and others working on behalf of Kamur Industries. Norge Dry Cleaners conducted no investigation of its own, but contamination beneath that property was investigated as part of the work being performed by Kamur Industries. Between 1989 and 2004, the underground gasoline storage tanks at the car wash were removed, gasoline-contaminated soil was excavated and disposed of, soil-vapor probes were installed and sampled, and soil borings and monitoring wells were drilled and sampled.

The extensive investigation performed on behalf of Kamur Industries produced a voluminous amount of data on groundwater flow patterns and soil and water contamination, and in August 2003, the ACEHSA requested Kamur Industries to submit a report summarizing the entire investigation. The purpose of the report was to enable ACEHSA to evaluate the status of the case and determine whether additional studies are needed to move the site toward case closure. Enviro Soil Tech Consultants submitted a report titled *Historical Events Report for Plaza Car Wash* in 2004 and revised it in May 2005. That report focused primarily on the tasks that had been performed and the procedures that were used, and ACEHSA subsequently requested a more comprehensive analysis of the site's hydrogeology and contamination history. ESTC completed a companion report titled *Site Conceptual Model for the Properties Located at 398 and 400 San Pablo Avenue* in February 2005. Based on that analysis, ESTC recommended drilling a few additional borings to complete the site assessment. That drilling was performed in late October and early November 2006. In February 2007, ACEHSA requested a work plan for additional work. That plan was submitted in March, but the work has not yet been performed.

SCOPE OF WORK

- Measure the depth to groundwater in wells MW-2, MW-3, and STMW-1 through STMW-5, and check for hydrocarbon sheen or floating product
- Purge the wells of standing water
- Collect water samples from each well
- Collect water samples from El Cerrito Creek
- Submit samples to a state-certified analytical laboratory for the following analyses: TPHg, BTEX, gasoline oxygenates, chlorinated hydrocarbons, and bacteria
- Review the results and prepare a report

MONITORING PROCEDURES

ESTC staff monitored the wells on February 22, 2007 and the creek on March 15, 2007. After the seven monitoring wells were opened, staff measured the depth to groundwater and then used a translucent plastic bailer to monitor each well for the presence of floating product and/or any distinctive odor. The wells were then purged of at least three well volumes of water and the purged water was stored in a large storage tank on site.

After purging, water samples were collected in a stainless steel bailer and transferred to 40-ml sample vials and stored in a cooled ice chest for later transmittal to the analytical laboratory.

Sampling equipment was decontaminated before and after sampling each well using Tri-sodium Phosphate (TSP) and water wash, followed by a double rinsing. Stringent chain-of-custody procedures were maintained during sample acquisition, storage and transport. The sampling was conducted in accordance with ESTC's Standard Operation Procedure (SOP) (Appendix "F") and ACHCSA's guidelines.

RESULTS

DEPTH TO GROUNDWATER AND GROUNDWATER FLOW DIRECTION

In the fourth quarter of 2006, the depth to groundwater ranged between about 6 and 8 feet in most wells, but the water level was anomalously high (4.22 feet) in MW-3 (Table 1). The level in MW-3 was so high that it was considered invalid. Perhaps the depth measurement was correct, because the water level on February 22, 2007 was still high in MW-3, although not as high as in December. The depth was greater than 5 feet in all wells (Table 2).

The high water level in MW-3 creates a somewhat unusual groundwater elevation map (Figure 3). Overall, the water table sloped southward, away from El Cerrito Creek, but near MW-3 it sloped eastward, away from San Francisco Bay. This created a narrow "trough", or depression, in the piezometric surface between MW-3 and MW-2. The surface is depressed by about 1 foot in this trough. In this situation, groundwater is inferred to flow toward the center of the site, which would tend to confine the dissolved hydrocarbons beneath the site and inhibit their migration away from their source.

LABORATORY RESULTS

The water samples were submitted to Entech Analytical Labs in Santa Clara, California to be analyzed for TPHg and BTEX by EPA method 8015 and for MTBE and other gasoline oxygenates and volatile organic compounds by EPA method 8260B. Samples from MW-2, MW-3, and STMW-5 were also analyzed for Coliform and E. coli bacteria, as well as for Trihalomethanes and Total Chlorine. The results are summarized in Table 2. The laboratory analytical report is included in Appendix "E". Previous and recent analytical results are in Table 1.

Comparison of the data in Tables 1 and 2 does indeed suggest that the present groundwater flow regime is tending to focus the hydrocarbons and concentrate them toward the center of the site. The concentration of benzene and all other volatile aromatic hydrocarbons increased substantially in STMW-1 between December and February, although the TPHg concentration declined slightly. At the same time, the concentration of all analytes dropped sharply in STMW-2, and both TPHg and Benzene dropped below the detection limit in MW-2. Concurrently, TPHg, PCE, and TCE concentrations rose considerably in MW-3, suggesting that these chlorinated hydrocarbons migrated eastward (downgradient) during the quarter.

Hydrocarbon isocontour maps (Figures 4 and 5) continue to reveal a contaminant plume that is elongated southeast-northwest across the site. Concentrations diminish in all directions away from STMW-1, which is near the former location of the underground storage tanks. The maps suggest that the plume does not flare out from STMW-1 to the northwest, as it would if gasoline hydrocarbons were diffusing and dispersing in that direction toward the storm drain west of the site. Rather, the plume appears to have a relatively equant elliptical shape. If anything, it may flare out slightly to the southeast, which would suggest migration in that direction. As described in the *Site Conceptual Model* report (February 2005), historical groundwater elevation maps indicate that groundwater flowed southeastward in 1992-1993, but not since then.

Coliform bacteria were detected in all three of the analyzed samples (Table 3). Trihalomethane was also detected in MW-2.

EL CERRITO CREEK SAMPLES

As requested by ACESHA, water samples were collected from El Cerrito Creek on March 15, 2007. Samples were collected 20 feet upstream of the storm drain outlet, at the outlet, at the confluence of the outlet flow and the streamflow, and 50 feet downstream from the outlet. The samples were analyzed for all of the same compounds as the groundwater samples, and no hydrocarbons were detected (Table 4). The samples stations are designated as follow (Figure 2):

- C-1 Approximately 20 feet up-stream from the storm drain outlet
- C-2 The storm drain outlet
- C-3 50 feet down-stream from the storm drain
- C-4 Confluence of the storm drain flow and El Cerrito Creek

SUMMARY AND CONCLUSIONS

First-quarter 2007 data indicate that groundwater still flows away from El Cerrito Creek, which implies that the creek is currently not a potential receptor of hydrocarbons from the site. A high water table in monitoring well MW-3, at the western edge of the site, suggests that groundwater is not flowing off site in that direction, but is instead “pooling” in the central part of the site. Laboratory data tend to support that inference; chlorinated solvents, which were detected in borings west of MW-3, were detected at increased concentrations in MW-3 this quarter, and gasoline hydrocarbons were detected at higher concentrations in STMW-1. Meanwhile, concentrations declined in other wells closer to El Cerrito Creek. These are favorable results that suggest that hydrocarbons are currently not migrating away from the site.

LIMITATIONS:

This report and the associated work have been provided in accordance with the general principles and practices currently employed in the environmental consulting profession. The contents of this report reflect the conditions of the site at this particular time. The findings of this report are based on:

- 1) The observations of field personnel.
- 2) The results of laboratory analyses performed by a state-certified laboratory.

It is possible that variations in the soil and groundwater could exist beyond the points explored in this investigation. Also, changes in groundwater conditions of a property can occur with the passage of time due to variations in rainfall, temperature, regional water usage and other natural processes or the works of man on this property or adjacent properties.

This report is issued with the understanding that it is the responsibility of the owner or his/her representative to ensure that the information and recommendations contained herein are called to the attention of the Local Environmental Agency.

The services that ESTC provided have been in accordance with generally accepted environmental professional practices for the nature and conditions of the work completed in the same or similar localities, at the time the work was performed. This report is not meant to represent a legal opinion. No other warranty, express or implied is made.

A P P E N D I X "A"

TABLES

TABLE 1
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
3/11/91a	STMW-1 (100.62)	14	4	5.29*	95.33	No sheen or odor	850	100	7	ND <05	150	NA	NA	NA	NA	Not Analyzed
7/03/91a				5.10*	95.52	No sheen Mild petroleum odor	5100	1800	500	95	560	NA	NA	NA	NA	Not Analyzed
11/04/91b				5.83*	94.79	No sheen Mild petroleum odor	2055	760	54	ND <5	56	NA	NA	NA	NA	Not Analyzed
1/20/92c				5.79*	94.83	Light sheen Mild petroleum odor	4600	590	36	ND <0.5	190	NA	NA	NA	NA	Not Analyzed
5/07/92d				5.80*	94.82	No sheen Mild petroleum odor	4400	66	53	4	460	NA	NA	NA	NA	Not Analyzed
8/17/92e				5.77*	94.85	No sheen Mild petroleum odor	2700	31	18	19	67	NA	NA	NA	NA	Not Analyzed
12/10/92e				6.61*	94.01	Light sheen Mild petroleum odor	35000	54	79	83	220	NA	NA	NA	NA	Not Analyzed
3/18/93e				6.68*	93.94	L. rainbow sheen Mild petroleum odor	19000	49	52	55	180	NA	NA	NA	NA	Not Analyzed
7/13/93e				7.13*	93.49	NMFP Strong petro. odor	17000	34	43	48	170	NA	NA	NA	NA	Not Analyzed
10/11/93f				7.26*	93.36	NMFP Strong petro. odor	51000	2100	2400	530	2600	NA	NA	NA	NA	Not Analyzed
1/07/94f				7.15*	93.47	NMFP Strong petro. odor	29000	1500	1600	450	2500	NA	NA	NA	NA	Not Analyzed
4/16/94f				7.10*	93.52	NMFP Strong petro. odor	20000	1100	560	3300	1600	NA	NA	NA	NA	Not Analyzed
8/03/94g				5.70*	94.92	NMFP Strong petro. odor	43000	1000	1700	640	4700	NA	NA	NA	NA	Not Analyzed
11/08/94g				6.47*	94.15	Brown NMFP Strong petro. odor	92000	9000	12000	1600	9100	NA	NA	NA	NA	Not Analyzed
2/16/95e				6.96*	93.66	Rainbow sheen/NMFP Strong petroleum odor	150000	850	540	400	1200	NA	NA	NA	NA	Not Analyzed
5/19/95e				6.84*	93.78	Brown NMFP Strong petroleum odor	59000	400	330	170	610	NA	NA	NA	NA	Not Analyzed
8/18/95e	(96.81) Resurvey			4.64*	92.17	Brown NMFP Strong petroleum odor	300000	880	780	540	1700	NA	NA	NA	NA	Not Analyzed
11/30/95e				7.34*	89.47	Thick brown sheen spots Mild petroleum odor	67000	800	910	390	1500	NA	NA	NA	NA	Not Analyzed

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
2/29/96e	STMW-1 (96.81)	14	4-14	7.83*	88.98	NMFP Strong petroleum odor	71000	120	95	18	260	NA	ND <0.5	NA	ND <0.5	None Detected<0.5
6/07/96e				7.10*	89.71	NMFP Strong petroleum odor	140000	480	490	420	120	NA	ND <0.5	NA	ND <0.5	None Detected <0.5
11/14/96e				7.29*	89.52	Brown NMFP Mild petroleum odor	140000	480	490	420	1200	ND <0.5	NA	NA	NA	Not Analyzed
2/12/97e				6.96*	89.85	Rainbow sheen spots Strong petroleum odor	42000	210	190	60	190	ND <0.5	NA	NA	NA	Not Analyzed
5/15/97e				7.33*	89.48	Brown sheen spots Mild petroleum odor	15000	83	27	45	130	NA	NA	NA	NA	Not Analyzed
8/27/97e				7.46*	89.35	NMFP Strong petroleum odor	82000	110	52	66	400	ND <0.5	NA	NA	NA	Not Analyzed
12/24/97e				6.94*	89.87	Rainbow sheen Strong petroleum odor	3700	43	18	9.1	25	ND <0.5	NA	NA	NA	Not Analyzed
3/24/98e				6.36*	90.45	Rainbow sheen Strong petroleum odor	10000	65	68	9	120	ND <0.5	NA	NA	NA	Not Analyzed
6/25/98e				6.94*	89.87	Rainbow sheen Strong petroleum odor	570	1.9	0.6	1.3	7.1	ND <0.5	NA	NA	NA	Not Analyzed
10/12/98e				7.18*	89.63	Rainbow sheen Strong petroleum odor	1000	2.4	2.1	3.2	6.9	ND <0.5	NA	NA	NA	Not Analyzed
1/12/99e				6.68*	90.13	Rainbow sheen Strong petroleum odor	6400	39	21	32	83	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				7.16*	89.65	Rainbow sheen Strong petroleum odor	2800	23	19	29	54	ND <0.5	NA	NA	NA	Not Analyzed
8/28/03				NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
11/24/03h				8.61*	88.20	Rainbow sheen Petroleum odor	180000	30000	47000	ND <5000	20000	ND <1000	ND <5000	ND< 10000	ND <5000	None Detected<5000

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
3/02/04h	STMW-1 (96.81)	14	4-14	8.58*	88.23	Rainbow sheen Petroleum odor	84000	4200	5300	1800	9100	ND <100	ND <2.5	ND <1000	ND <2.5	1,2,4-Trimethylbenzene 3200 1,3,5-Trimethylbenzene 860 Isopropylbenzene 100 Naphthalene 580
5.28/04h				8.71*	88.10	Rainbow sheen Strong petro. Odor	99000	20000	27000	4000	22000	ND <500	ND <250	ND <5000	ND <250	1,2,4-Trimethylbenzene 2500
8/25/04h				8.64*	88.17	Rainbow sheen Petroleum odor	100000	12000	18000	4000	22000	ND <400	ND <200	ND <4000	ND <200	1,2,4-Trimethylbenzene 4800
11/22/04h				8.48*	88.33	Rainbow sheen Petroleum odor	140000	12000	16000	4200	27000	ND <400	ND <200	ND <4000	ND <200	1,2,4-Trimethylbenzene 9000 1,3,5-Trimethylbenzene 2500
3/02/05h				8.52*	88.29	Rainbow sheen Petroleum odor	70000	9000	8700	2600	16000	ND <400	ND <200	ND <4000	ND <200	1,2,4-Trimethylbenzene 4100
5/23/05h				8.98*	87.83	Rainbow sheen Petroleum odor	140000	17000	19000	4700	27000	ND <400	ND <200	ND <4000	ND <200	1,2,4-Trimethylbenzene 5700 Methylene Chloride 3400n
8/22/05h				8.08*	88.73	Rainbow sheen Petroleum odor	92000	11000	8900	3200	19000	ND <250	ND <120	ND <2500	ND <125	1,2,4-Trimethylbenzene 4600 1,3,5-Trimethylbenzene 1300 Chloroform 140
11/22/05h				9.00*	87.81	Rainbow sheen Petroleum odor	87000	14000	9200	3600	23000	140 ND <50	ND <50	ND <4000	ND <50	1,2,4-Trimethylbenzene 5200 1,3,5-Trimethylbenzene 1200 Isopropylbenzene 150 n-Propylbenzene 540 Naphthalene 850
2/25/06h				8.66*	88.15	Rainbow sheen Petroleum odor	92000	13000	9200	3500	24000	ND <400	ND <200	ND <4000	ND <200	1,2,4-Trimethylbenzene 4400
5/30/06h				8.72*	88.09	Rainbow sheen Petroleum odor	80000	14000	4500	2400	11000	ND <250	ND <120	ND <2500	ND <120	1,2,4-Trimethylbenzene 4500
8/24/06h				8.66*	88.15	Rainbow sheen Petroleum odor	45000	6400	1900	2000	9800	ND <100	ND <50	ND <1000	ND <50	1,2,4-Trimethylbenzene 2900 1,3,5-Trimethylbenzene 790
12/11/06h				8.22*	88.59	Rainbow sheen Petroleum odor	42000	7500	1200	2300	8900	ND <100	ND <50	ND <1000	ND <50	1,2,4-Trimethylbenzene 3400 1,3,5-Trimethylbenzene 870 Naphthalene 620
2/27/07h				8.14*	88.67	Rainbow sheen Petroleum odor	350000	17000	4200	4100	22000	ND <250	ND <120	ND <2500	ND <120	1,2,4-Trimethylbenzene 9000 1,3,5-Trimethylbenzene 2600
3/13/91a	STMW-2 (100.63)	14	4-14	5.25*	95.38	No sheen or odor	170	1	1.7	ND <0.5	28	NA	NA	NA	NA	Not Analyzed

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
7/06/91a	STMW-2 (100.63)	14	4-14	4.75*	95.88	No sheen Mild petroleum odor	1800	640	48	44	94	NA	NA	NA	NA	Not Analyzed
11/04/91b				5.92*	94.71	No sheen Mild petroleum odor	2143	1000	57	3	19	NA	NA	NA	NA	Not Analyzed
1/20/92c				5.88*	94.75	No sheen Mild petroleum odor	14000	120	0.6	0.6	80	NA	NA	NA	NA	Not Analyzed
5/07/92d				5.70*	94.93	No sheen Mild petroleum odor	1700	32	17	8.6	48	NA	NA	NA	NA	Not Analyzed
8/17/92e				5.71*	94.92	No sheen or odor	16000	180	220	210	620	NA	NA	NA	NA	Not Analyzed
12/10/92e				6.39*	94.24	Light rainbow sheen Mild petroleum odor	44000	84	96	120	350	NA	NA	NA	NA	Not Analyzed
3/18/93e				6.50*	94.13	Light rainbow sheen Mild petroleum odor	9200	22	31	40	110	NA	NA	NA	NA	Not Analyzed
7/13/93e				6.95*	93.10	No sheen Light sewerage odor	9300	18	24	26	89	NA	NA	NA	NA	Not Analyzed
10/11/93f				7.09*	93.54	NMFP Strong petroleum odor	62000	2800	3900	670	4400	NA	NA	NA	NA	Not Analyzed
1/07/94f				6.93*	93.70	Rainbow sheen Mild petroleum odor	22000	1100	1000	280	1800	NA	NA	NA	NA	Not Analyzed
4/06/94f				6.84*	93.79	NMFP Strong petroleum odor	6600	490	140	62	330	NA	NA	NA	NA	Not Analyzed
8/03/94g				7.10*	93.53	NMFP Mild petroleum odor	4000	250	52	55	240	NA	NA	NA	NA	Not Analyzed
11/08/94g				6.19*	94.44	Brown NMFP Strong petroleum odor	4000	250	52	55	240	NA	NA	NA	NA	Not Analyzed
2/16/95e				6.72*	93.91	Rainbow sheen/NMFP Strong petroleum odor	37000	230	88	92	320	Na	NA	NA	NA	Not Analyzed
5/19/95e				6.61*	94.02	Brown sheen spots Light petroleum odor	9300	40	16	22	68	Na	NA	NA	NA	Not Analyzed
8/18/95e	(96.79) Resurvey			7.09*	89.70	Brown NMFP Light petroleum odor	2210000	720	550	520	1400	Na	NA	NA	NA	Not Analyzed
11/30/95e				7.07*	89.72	Rainbow sheen spots Light petroleum odor	66000	660	510	370	1500	NA	NA	NA	NA	Not Analyzed
2/29/96e				7.57*	89.22	Rainbow sheen Light petroleum odor	33000	75	55	52	150	NA	ND <0.5	NA	ND <0.5	None Detected<0.5
6/07/96e				6.74*	90.05	Rainbow sheen Light petroleum odor	92000	250	75	180	470	NA	ND <0.5	NA	ND <0.5	None Detected<0.5

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/14/96e	STMW-2 (96.79)	14	4-14	6.96*	89.83	Rainbow sheen Light petroleum odor	39000	380	230	270	720	ND <0.5	NA	NA	NA	Not Analyzed
2/12/97e				6.71*	90.08	Rainbow sheen spots Mild petroleum odor	23000	110	28	48	140	ND <0.5	NA	NA	NA	Not Analyzed
5/15/97e				7.06*	89.73	L. rainbow sheen spots Very light petro. Odor	30000	320	48	94	200	NA	NA	NA	NA	Not Analyzed
8/27/97e				7.20*	89.59	No sheen Very light petro. Odor	19000	82	9.1	18	27	ND <0.5	NA	NA	NA	Not Analyzed
12/24/97e				6.72*	90.07	Rainbow sheen Strong petroleum odor	4100	77	8.9	15	34	ND <0.5	NA	NA	NA	Not Analyzed
3/24/98e1				6.10*	90.69	Rainbow sheen Strong petroleum odor	3300	31	4.2	1.6	26	ND <0.5	NA	NA	NA	Not Analyzed
6/25/98e1				5.52*	91.27	Rainbow sheen Light petroleum odor	2200	20	5.4	12	21	ND <0.5	NA	NA	NA	Not Analyzed
10/12/98e1				6.92*	89.87	Rainbow sheen Light petroleum odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
1/12/99e1				6.90*	89.89	Rainbow sheen Strong petroleum odor	4500	24	14	15	49	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				9.98*	89.81	Rainbow sheen Strong petroleum odor	1500	19	12	21	37	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
8/28/03h				8.32*	88.47	Rainbow sheen Petroleum odor	15000	570	ND <100	430	500	ND <20	ND <100	ND <200	ND <100	1,2,4-Trimethylbenzene 960 1,3,5-Trimethylbenzene 290 n-Propylbenzene 220 Naphthalene 170
11/24/03h				9.62*	87.17	Rainbow sheen Petroleum odor	1200	100	ND <10	38	29	ND <2	ND <10	ND <20	ND <10	1,2,4-Trimethylbenzene 40 1,3,5-Trimethylbenzene 16 n-Propylbenzene 32
3/02/04h				8.28*	88.51	Rainbow sheen Petroleum odor	4700i	430	6.5	140	90	ND <5	ND <25	ND <50	ND <25	1,2,4-Trimethylbenzene 120 1,3,5-Trimethylbenzene 45 Isopropylbenzene 19 n-Propylbenzene 71 Naphthalene 41
5/28/04h				8.45*	88.34	Rainbow sheen Strong petroleum odor	9500	1600	42	280	220	ND <20	ND <100	ND <200	ND <100	1,2,4-Trimethylbenzene 230 1,3,5-Trimethylbenzene 130 n-Propylbenzene 180 Naphthalene 120

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
8/25/04h	STMW-2 (96.79)	14	4-14	8.36*	88.43	Rainbow sheen Petroleum odor	4000	3400	8.5	150	87	ND <10	ND <5	ND <100	ND <5	1,2,4-Trimethylbenzene 160 1,3,5-Trimethylbenzene 73 n-Propylbenzene 91 Naphthalene 51
11/22/04h				8.18*	88.61	Rainbow sheen Petroleum odor	11000	1200	33	490	380	ND <20	ND <100	ND <200	ND <100	1,2,4-Trimethylbenzene 510 1,2,3-Trimethylbenzene 210 n-Propylbenzene 200 Naphthalene 240
3/02/05h				8.12*	88.67	Rainbow sheen Petroleum odor	6500	520	ND <20	160	69	ND <40	ND <20	ND <400	ND <20	None Detected<200
5/23/05h				8.64*	88.15	Rainbow sheen Petroleum odor	8400	550	ND <12	100	19	ND <25	ND <12	ND <250	ND <12	Methylbenzene Chloride 130no
8/22/05h				7.74*	89.05	Rainbow sheen Petroleum odor	6200	480	12	110	31	ND <10	ND <5	ND <100	ND <5	1,2,4-Trimethylbenzene 60 Chloroform 5.5 n-Propylbenzene 83 Naphthalene 53
11/22/05h				8.68*	88.11	Rainbow sheen Petroleum odor	4600	270	4.8	80	16	ND <2	ND <1	ND <10	ND <1	1,2,4-Trimethylbenzene 37 1,3,5-Trimethylbenzene 27 Isopropylbenzene 15 n-Butyl benzene 29 n-Propylbenzene 68 Naphthalene 29
2/25/06h				8.46*	88.33	Rainbow sheen Petroleum odor	18000	2100	28	460	120	ND <50	ND <25	ND <500	ND <25	1,2,4-Trimethylbenzene 410 cis-1,2-Dichloroethene 47 n-Propylbenzene 280
5/30/06h				8.40*	88.39	Rainbow sheen Petroleum odor	5100	390	84	150	75	ND <10	ND <5	ND <100	ND <5	1,2,4-Trimethylbenzene 67 1,3,5-Trimethylbenzene 53 n-Propylbenzene 82 Naphthalene 62
8/24/06h				8.40*	88.39	Rainbow sheen Petroleum odor	11000	1400	54	310	81	ND <20	ND <10	ND <200	ND <10	1,2,4-Trimethylbenzene 130 1,3,5-Trimethylbenzene 110 n-Propylbenzene 180
12/11/06h				7.86*	88.93	Rainbow sheen Petroleum odor	39000	1900	420	660	420	ND <20	ND <10	ND <200	ND <200	1,2,4-Trimethylbenzene 590 1,3,5-Trimethylbenzene 310 n-Propylbenzene 360 Naphthalene 290

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
2/27/07	STMW-2 (96.79)	14	4-14	7.82*	88.97	Rainbow sheen Petroleum odor	10000	2800	100	400	180	ND <50	ND <25	ND <500	ND <25	None Detected<25
11/14/96e	STMW-3 (95.24)	15	2.5-15	5.34*	89.90	No sheen or odor	210	9.1	2.8	4.7	13	ND <0.5	NA	NA	NA	Not Analyzed
2/12/97e				5.14*	90.10	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
5/15/97e				5.42*	89.82	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
8/27/97e				5.58*	89.66	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
12/24/97e				5.14*	90.10	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
3/24/98e1				4.54*	90.70	No sheen or odor	13000	87	23	80	130	ND <0.5	NA	NA	NA	Not Analyzed
6/25/98e1				5.06*	90.18	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
10/12/98e1				5.30*	89.94	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
1/12/99e1				5.04*	90.20	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				5.28*	89.97	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
8/28/03h				6.64*	88.60	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	None Detected<5
11/24/03h				7.04*	88.20	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	None Detected<5
3/02/04h				6.46*	88.78	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/28/04h				6.71*	88.53	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/25/04h				6.64*	88.60	No sheen or odor	ND <25	0.84	ND <0.5	ND <0.5	ND <1	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/22/04h				6.38*	88.86	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
3/02/05h	STMW-3 (95.24)	15	2.5-15	6.34*	88.90	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/23/05h				6.85*	88.39	No sheen or odor	ND <50	ND <0.5	0.81	ND <0.5	0.56	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/22/05h				7.00*	88.24	No sheen Sewerage odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/22/05h				6.94*	88.30	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
2/25/06h				6.72*	88.52	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/30/06h				6.64*	88.60	No sheen Sewerage odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/24/06h				6.64*	88.60	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
12/11/06h				5.84*	89.40	No sheen or odor	ND <50	0.64	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
2/27/07h				5.36*	89.88	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/14/96e	STMW-4 (94.49)	15	2-15	4.67*	89.74	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
2/12/97e				4.45*	89.96	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
5/15/97e				4.75*	89.66	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
8/27/97e				4.87*	89.54	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
12/24/97e				4.44*	89.97	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
3/24/98e1				3.88*	90.53	No sheen or odor	13000	87	23	80	130	ND <0.5	NA	NA	NA	Not Analyzed
6/25/98e1				4.40*	90.01	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
10/12/98e1				4.68*	89.73	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
1/12/99e1	STMW-4 (94.49)	15	2-15	4.38*	90.03	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND<0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				4.62*	89.79	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
8/28/03h				5.92*	88.49	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <5	ND <10	ND <5	None Detected<5
11/24/03h				6.28*	88.13	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <5	ND <10	ND <5	None Detected<5
3/02//04h				5.70*	88.71	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/28/04h				5.94*	88.47	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/25/04h				5.90*	88.50	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/22/04h				5.56*	88.85	No sheen or odor	ND <25	1.1	0.57	ND <0.5	ND <1	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
3/02/05h				5.60*	88.81	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <0.51	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/23/05h				6.09*	88.32	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/22/05h				6.22*	88.19	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/22/05h				6.16*	88.33	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
2/25/06h				6.02*	88.47	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/30/06h				5.92*	88.57	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/24/06h				5.88*	88.61	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
12/11/06h				5.19*	89.30	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	Chloroform 4.2
2/27/07h				5.30*	89.19	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/14/96e	STMW-5 (94.49)	15	2-15	5.20*	89.29	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
2/12/97e				4.99*	89.50	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
5/15/97e				5.30*	89.19	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND\	NA	NA	NA	NA	Not Analyzed
8/27/97e				5.33*	89.16	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
12/24/97e				4.94*	89.55	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	Not Analyzed
3/24/98e1				4.52*	89.97	No sheen Slight sewerage odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	Not Analyzed
6/25/98e1				5.00*	89.49	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	Not Analyzed
10/12/98e1				5.18*	89.31	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	Not Analyzed
1/12/99e1				5.02*	89.47	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				5.38*	89.11	No sheen Light sewerage odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
8/28/03h				6.62*	87.87	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	None Detected<5
11/24/03h				6.84*	87.65	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	None Detected<5
3/02/04h				6.26*	88.23	No sheen or odor	62j	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	1.9	ND <10	ND <0.5	None Detected<0.5
5/28/04h				6.52*	87.479	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	1.6	ND <10	ND <0.5	None Detected<0.5
8/25/04h				6.50*	87.99	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	1.4	ND <10	ND <0.5	None Detected<0.5
11/22/04h				6.08*	88.41	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	2.1	ND <10	0.6	None Detected<0.5
3/02/05h				6.14*	88.35	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	2	ND <10	0.5	None Detected<0.5
5/23/05h				6.56*	87.93	No sheen or odor	ND <50	1.3	2.6	ND <0.5	2.6	ND <1	1.1	ND <10	ND <0.5	None Detected<0.5

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
8/22/05h	STMW-5 (94.49)	15	2-15	6.70*	87.79	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.5	ND <10	ND <0.5	None Detected<0.5
11/22/05h				6.64*	87.85	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.8	ND <10	0.78	None Detected<0.5
2/25/06h				6.58*	87.91	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.6	ND <10	ND <0.5	None Detected<0.5
5/30/06h				6.50*	87.99	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	2.4	ND <10	0.54	None Detected<0.5
8/24/06h				6.46*	88.03	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.2	ND <10	ND <0.5	None Detected<0.5
12/11/06h				5.54*	88.95	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	Chloroform 3.7
2/27/07h				5.88*	88.61	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.1	ND <10	ND <0.5	None Detected<0.5
3/13/91a	MW-2 (99.36)	11.50	5-11.50	4.29*	95.07	No sheen Mild petroleum odor	25000	2600	4400	ND <0.5	5800	NA	NA	NA	NA	Not Analyzed
7/03/91a				5.83*	93.53	No sheen Strong petroleum odor	21000	2800	3200	ND <0.5	4300	NA	NA	NA	NA	Not Analyzed
11/04/91b				4.79*	94.57	No sheen Mild petroleum odor	3589	1700	119	9	56	NA	NA	NA	NA	Not Analyzed
1/20/92c				4.60*	94.76	No sheen Mild petroleum odor	380	38	1.3	ND <0.5	34	NA	NA	NA	NA	Not Analyzed
5/27/92d				4.42*	94.94	No sheen Mild petroleum odor	10000	62	32	44	160	NA	NA	NA	NA	Not Analyzed
8/27/92e				4.43*	94.96	No sheen Mild petroleum odor	6000	48	27	65	180	NA	NA	NA	NA	Not Analyzed
12/10/92e				4.94*	94.45	No sheen Mild petroleum odor	7200	15	23	32	82	NA	NA	NA	NA	Not Analyzed
3/18/93e				5.11*	94.28	No sheen Light sewerage odor	1400	8.3	11	13	48	NA	NA	NA	NA	Not Analyzed
7/13/93e				5.53*	93.86	Rainbow sheen Light petroleum odor	2400	4.7	6.2	6.8	25	NA	NA	NA	NA	Not Analyzed
10/11/93f				5.64*	93.75	No sheen or odor	410	43	2.6	4.5	12	NA	NA	NA	NA	Not Analyzed
1/07/94f				5.52*	93.87	No sheen or odor	240	25	3.1	ND <0.5	20	NA	NA	NA	NA	Not Analyzed

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
4/06/94f	MW-2 (99.36)	11.50	5-11.50	5.82*	93.57	No sheen or odor	3000	120	23	22	190	NA	NA	NA	NA	Not Analyzed
8/03/94g				7.47*	91.92	No sheen or odor	500	57	1	17	25	NA	NA	NA	NA	Not Analyzed
11/08/94g				4.69*	94.70	No sheen or odor	8000	650	85	50	1000	NA	NA	NA	NA	Not Analyzed
2/16/95e				5.31*	94.08	No sheen or odor	660	6.4	1	5.6	8.9	NA	NA	NA	NA	Not Analyzed
5/19/95e				5.17*	94.22	No sheen Mild sewerage odor	1900	11	10	23	26	NA	NA	NA	NA	Not Analyzed
8/18/95e	(95.22) Resurvey			5.65*	89.57	No sheen Light sewerage odor	1800	15	1.6	15	20	NA	NA	NA	NA	Not Analyzed
11/30/95e				5.64*	89.58	No sheen or odor	120	9.3	ND <0.5	0.5	3.5	NA	NA	NA	NA	Not Analyzed
2/29/96e				4.61*	90.61	No sheen Light sewerage odor	1200	6.1	1.2	6.2	8.7	NA	ND <0.5	NA	ND <0.5	None Detected<0.5
6/07/96e				5.37*	89.85	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	NA	ND <0.5	None Detected<0.5
11/14/96e				5.55*	89.67	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
2/12/97e				5.14*	90.08	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
5/15/97e				5.63*	89.59	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
8/27/97e				5.73*	89.49	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
12/24/97e				5.30*	89.91	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
3/24/98e1				4.76*	90.46	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
6/25/98e1				5.28*	89.94	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
10/12/98e1				5.50*	89.72	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed
1/12/99e1				5.28*	89.94	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	ND <0.5	None Detected<0.5
4/12/99e1				5.54*	89.68	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	Not Analyzed

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
8/28/03h	MW-2 (95.22)	11.50	5-11.50	6.86*	88.36	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	None Detected<5
11/24/03h				7.20*	88.02	No sheen or odor	ND <50	ND <5	ND <5	ND <5	ND <5	ND <1	ND <5	ND <10	ND <5	None Detected<5
3/02/04h				6.64*	88.58	No sheen or odor	110k	27	ND <05	ND <0.5	ND <1	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/28/04h				6.86*	88.36	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/25/04h				6.82*	88.40	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/22/04h				6.52*	88.70	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
3/02/05h				6.52*	88.70	No sheen or odor	ND <25	ND <0.5	ND <0.5	ND <05	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/23/05h				7.00*	88.22	No sheen or odor	ND <50	ND <0.5	0.98	ND <0.5	0.6	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/22/05h				7.12*	88.10	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
11/22/05h				7.04*	88.18		ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
2/25/06h				6.92*	88.30	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
5/30/06h				6.86*	88.36	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
8/24/06h				6.80*	88.42	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
12/11/06h				5.86*	89.36	No sheen or odor	100	10	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	Chloroform 4
2/27/07h				6.16*	89.06	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	0.54	ND <10	ND <0.5	Chloroform 1.2
3/13/91a	MW-3 (100.09)	12	5-12	4.67*	95.42	Trace of sheen Moderate petro. odor	47000	9100	9900	270	8110	NA	NA	NA	NA	Not Analyzed

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
7/03/91a	MW-3 (100.09)	12	5-12	5.75*	94.34	Trace of sheen Moderate petro. odor	40000	12000	4500	1200	4000	NA	NA	NA	NA	Not Analyzed
11/04/91b				5.67*	94.42	Trace of sheen Strong petro. odor	102700	38800	19100	3200	8300	NA	NA	NA	NA	Not Analyzed
1/20/92c				5.54*	94.55	Light sheen Strong petro. odor	510000	27000	27000	5800	45000	NA	NA	NA	NA	Not Analyzed
5/07/92d				5.18*	94.91	Rainbow sheen Strong petro. odor	43000	250	230	120	470	NA	NA	NA	NA	Not Analyzed
8/17/92e				5.24*	94.85	Rainbow sheen Mild petroleum odor	140000	2500	2400	1700	5500	NA	NA	NA	NA	Not Analyzed
12/10/92e				4.42*	95.67	Light sheen Strong petro. odor	94000	400	410	430	1100	NA	NA	NA	NA	Not Analyzed
3/18/93e				5.39*	94.70	Thick NMFP Mild petroleum odor	51000	92	130	160	590	NA	NA	NA	NA	Not Analyzed
7/13/93e				6.07*	94.02	Light rainbow sheen spots/Strong petroleum odor	80000	160	210	230	820	NA	NA	NA	NA	Not Analyzed
10/11/93f				6.34*	93.75	NMFP Strong petro. Odor	180000	14000	8800	320	9400	NA	NA	NA	NA	Not Analyzed
1/07/94f				6.34*	93.75	NMFP Strong petro. Odor	120000	9500	4600	230	7800	NA	NA	NA	NA	Not Analyzed
4/06/94f				6.14*	93.95	No sheen or odor	96000	6000	3100	95	6200	NA	NA	NA	NA	Not Analyzed
8/03/94g				6.34*	93.75	Few sheen spots Mild petroleum odor	200000	6500	5700	1500	18000	NA	NA	NA	NA	Not Analyzed
11/08/94g				3.89*	96.20	Brown NMFP Strong petro. Odor	86000	7400	8500	2200	12000	NA	NA	NA	NA	Not Analyzed
2/16/95e				5.90*	94.19	Brown NMFP Strong petro. Odor	59000	280	120	120	570	NA	NA	NA	NA	Not Analyzed
5/19/95e				4.15*	95.94	Brown NMFP Strong petro. Odor	12000	150	68	69	160	NA	NA	NA	NA	Not Analyzed
8/18/95e	(95.62) Resurvey			6.08*	89.54	Brown NMFP Mild petroleum odor	33000	74	28	38	100	NA	NA	NA	NA	Not Analyzed
11/30/95e				6.26*	89.36	Rainbow sheen spots Light petroleum odor	100000	1300	510	250	2400	NA	NA	NA	NA	Not Analyzed
2/29/96e				4.37*	91.25	Rainbow sheen spots Mild petroleum odor	15000	12	3.8	10	24	NA	80	80	110	cis-1,2-Dichloroethene 35 Chloroform 160

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
6/07/96e	MW-3 (95.62)	12	5-12	5.90*	89.72	Rainbow sheen spots Mild petroleum odor	5200	23	6.9	14	34	NA	61	61	110	Chloroform 31
11/14/96e				6.14*	89.48	Rainbow sheen Light petroleum odor	33000	320	130	250	620	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
2/12/97e				4.45*	91.17	No sheen or odor	15000	43	9	20	41	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
5/15/97e				5.77*	89.85	No sheen or odor	15000	68	30	60	110	NA	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
8/27/97e				5.98*	89.64	No sheen Mild sewerage odor	15000	22	5.2	9.7	19	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
12/24/97e				5.70*	89.92	Rainbow sheen Strong petro. odor	15000	150	10	81	110	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
3/24/98e1				5.06*	90.56	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
6/25/98e1				5.66*	89.96	Light sheen spots Light sewerage odor	23000	100	22	86	130	ND <0.5	ND <5	ND <5	ND <5	None Detected<5
10/12/98e1				5.18*	90.44	Rainbow sheen Light petroleum odor	23000	26	21	48	210	ND <0.5	ND <5	ND <5	ND <5	None Detected<5
1/12/99e1				5.42*	90.20	Rainbow sheen Sewerage odor	7200	48	32	44	99	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
4/12/99e1				6.02*	89.60	No sheen Strong sewerage odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <0.5	None Detected<0.5
8/28/03h				8.64*	86.98	No sheen or odor	2600	54	ND <25	110	61	ND <5	ND <25	ND <50	ND <25	1,2,4-Trimethylbenzene 190 1,3,5-Trimethylbenzene 38 n-Propylbenzene 40 Naphthalene 29
11/24/03h				7.96*	87.66	Rainbow sheen Petroleum odor	2800	64	ND <25	140	44	ND <5	ND <25	ND <50	ND <25	1,2,4-Trimethylbenzene 120 1,3,5-Trimethylbenzene 30 n-Propylbenzene 55
3/02/04h				6.36*	89.26	No sheen or odor	580	11	ND <5	ND <5	ND <10	ND <10	850	ND <100	190	cis-1,2-Dichloroethene 440 Vinyl Chloride 5.3
5/28/04h				7.82*	87.80	No sheen or odor	2900	ND <25	ND <25	ND <25	ND <50	ND <50	2600	ND <500	630	cis-1,2-Dichloroethene 1200
8/25/04h				7.80*	87.82	Light rainbow sheen Sewerage odor	870	23	ND <5	13	ND <10	ND <10	5.2	ND <100	8.8	cis-1,2-Dichloroethene 740 Vinyl Chloride 170

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
11/22/04h	MW-3 (95.62)	12	5-12	5.98*	89.64	No sheen or odor	1200m	14	ND <10	ND <10	ND <10	ND <20	790	ND <200	210	cis-1,2-Dichloroethene 460
3/02/05h				5.80*	89.82	No sheen or odor	3600m	ND <50	ND <50	ND <50	ND <50	ND <100	2500	ND <1000	480	cis-1,2-Dichloroethene 1200
5/23/05h				6.94*	88.68	No sheen Sewerage odor	2400	ND <0.5	ND <0.5	ND <0.5	0.52	ND <1	31	ND <10	5.3	cis-1,2-Dichloroethene 20 Methylene Chloride 9.5no Vinyl Chloride 0.72
8/22/05h				7.92*	87.70	No sheen Sewerage odor	1700	25	ND <25	ND <25	ND <25	ND <50	60	ND <500	27	cis-1,2-Dichloroethene 2400 Chloroform 26 Vinyl Chloride 520
11/22/05h				7.70*	87.92	No sheen or odor	1000	22	3.4	5	2.7	ND <5	2.6	ND <200	ND <2.5	cis-1,2-Dichloroethene 280 Isopropylbenzene 6.41 Vinyl Chloride 170
2/25/06h				7.52*	88.10	No sheen or odor	480	7.7	ND <5	ND <5	ND <5	ND <10	67	ND <100	70	cis-1,2-Dichloroethene 720 Vinyl Chloride 33
5/30/06h				7.64*	87.98	No sheen or odor	2000	ND <25	ND ,25	ND <25	ND <25	ND <50	2500	ND <500	430	Vinyl Chloride 160
8/24/06h				7.58*	88.04	No sheen Sewerage odor	740	15	11	ND <10	ND <10	ND <20	270	ND <200	67	Vinyl Chloride 260
12/11/06h				4.22*	91.40	No sheen or odor	460	6.4	ND <1	ND <1	ND <1	ND <2	160	ND <20	22	Vinyl Chloride 6.1
2/27/07h				5.20*	90.42	No sheen or odor	1000p	ND <20	ND <20	ND <20	ND <20	ND <40	2000	ND <400	330	None Detected<20
3/13/91a	OTMW-5 (100.87)	N/A	N/A	5.02	95.85	No sheen Mild petroleum odor	120	460	12	1	4	NA	NA	NA	NA	Not Analyzed
7/03/91a				5.75	95.12	No sheen Mild petroleum odor	810	320	43	16	43	NA	NA	NA	NA	Not Analyzed
11/04/91b				5.77	95.10	No sheen Mild petroleum odor	971	100	19	5	13	NA	NA	NA	NA	Not Analyzed
1/20/91c				5.58	95.29	No sheen Mild petroleum odor	90	0.7	0.7	ND <0.5	11	NA	NA	NA	NA	Not Analyzed
5/07/92d				5.43	95.44	No sheen Mild petroleum odor	180	27	14	8.2	35	NA	NA	NA	NA	Not Analyzed
8/17/92e				5.45	95.42	No sheen or odor	87	12	9.8	4	42	NA	NA	NA	NA	Not Analyzed

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
12/10/92e	OTMW-5 (100.87)	N/A	N/A	7.30	93.57	No sheen Mild petroleum odor	540	4.7	4.5	6.4	19	NA	NA	NA	NA	Not Analyzed
3/18/93e				7.11	93.76	No sheen Light sewerage odor	570	6	7.6	11	29	NA	NA	NA	NA	Not Analyzed
7/13/93e				7.45	93.42	No sheen or odor	3500	6.8	8.6	9.5	36	NA	NA	NA	NA	Not Analyzed
10/11/93f				7.65	93.22	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
1/07/94f				7.67	93.20	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed
8/17/92e	OTMW-6 (N/A)	N/A	N/A	4.88	N/A	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	NA	NA	NA	NA	Not Analyzed

TPHg – Total Petroleum Hydrocarbons as gasoline

MTBE – Methyl Tertiary Butyl Ether

Perf. – Perforation

PCE – Tetrachloroethene

NS – Not Sampled

ND – Not Detected (Below Laboratory Detection Limit)

* Well screens are not submerged

1 – Laboratory was not state certified since January 30, 1998

a – Laboratory analyses were analyzed by Anamatrix Inc.

b – Laboratory analyses were analyzed by Carter Analytical Laboratory

c – Laboratory analyses were analyzed by Chromalab, Inc.

d – Laboratory analyses were analyzed by Geochem Labs

e – Laboratory analyses were analyzed by Priority Environmental Labs

f – Laboratory analyses were analyzed by Argon Mobil Labs

BTEX – Benzene, Toluene, Ethylbenzene, Total Xylenes

GW Elev. – Groundwater Elevation

cis-1,2-Dichl – cis-1,2-Dichloroethene

TCE – Trichloroethene

NA – Not Analyzed

N/A – Not Available

* Well screens are submerged

TABLE 1 CONT'D
GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

g – Laboratory analyses were analyzed by North State Environmental

h – Laboratory analyses were analyzed by Entech Analytical Labs

i – TPH as gasoline value reported possibly aged gasoline

j – TPH as gasoline reported value is the result of higher boiling point compounds within the TPH as gasoline quantitation range

k – TPH as gasoline reported value is the results of a high concentration of Benzene and of higher boiling point compounds within
TPH as gasoline quantitation range

l – TPH as gasoline value is the result of discrete peaks within the TPH as gasoline quantitation range

m – A typical pattern. No indication of gasoline

n – This analyte is a common laboratory contaminant

o – This analyte was found in the associated Method Blank

p – Not a gasoline pattern. Value due to non-target compounds

TABLE 2
RECENT GROUNDWATER MONITORING DATA (feet)
AND ANALYTICAL RESULTS (µg/L)

Date	Well No./ Elevation	Depth of Well	Depth to Perf.	Depth to Water	GW Elev.	Well Observation	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	Other VOCs by EPA 8260B
2/27/07	STMW-1 (96.81)	14	4	8.14*	88.67	Rainbow sheen Petroleum odor	350000	17000	4200	4100	22000	ND <250	ND <120	ND <2500	<D <120	1,2,4-Trimethylbenzene 9000 1,3,5-Trimethylbenzene 2600
2/27/07	STMW-2 (96.79)	14	4	7.82*	88.97	Rainbow sheen Petroleum odor	10000	2800	100	400	180	ND <50	ND <25	ND <500	ND <25	None Detected<25
2/27/07	STMW-3 (95.24)	15	2.5	5.36*	89.88	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
2/27/07	STMW-4 (94.49)	15	2	5.30*	89.19	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	ND <0.5	ND <10	ND <0.5	None Detected<0.5
2/27/07	STMW-5 (94.49)	15	2	5.88*	88.61	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	1.1	ND <10	ND <0.5	None Detected<0.5
2/27/07	MW-2 (95.22)	11.50	5	6.16*	89.06	No sheen or odor	ND <50	ND <0.5	ND <0.5	ND <0.5	ND <0.5	ND <1	0.54	ND <10	ND <0.5	Chloroform 1.2
2/27/07	MW-3 (95.62)	12	5	5.20*	90.42	No sheen or odor	1000p	ND <20	ND <20	ND <20	ND <20	ND <40	2000	ND <400	330	None Detected<20

TPHg – Total Petroleum Hydrocarbons as gasoline

MTBE – Methyl Tertiary Butyl Ether

GW Elev. – Groundwater Elevation

PCE – Tetrachloroethene

TCE – Trichloroethene

* Well screens are not submerged

p - Not a gasoline pattern. Value due to non-target compounds

BTEX – Benzene, Toluene, Ethylbenzene, Total Xylenes

VOCs – Volatile Organic Compounds

Perf. – Perforation

TBA – tert-Butanol

ND – Not Detected (Below Laboratory Detection Limit)

* Well screens are submerged

**TABLE 3
RECENT GROUNDWATER ANALYTICAL RESULTS**

Trihalomethanes (524.2), Residual Chlorine (330.5), e. Coli (9223) and Total Coliform (9225) Results

Date	Well No.	Trihalomethanes µg/L	Residual Chlorine mg/L	e. Coli	Total Coliform
3/15/07	STMW-5	None Detected<0.5	None Detected<0.1	Absent	Present
3/15/07	MW-2	2.98	None Detected<0.1	Absent	Present
3/15/07	MW-3	None Detected<0.5	None Detected<0.1	Absent	Present

µg/L – Microgram per liter

mg/L – Milligram per liter

TABLE 4
SURFACE WATER SAMPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)

Date	Sample No./Description	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs EPA 8260B
8/03/89	C-1 ~20' up-stream from storm drain outlet	ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/08/89		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/03/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/15/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/17/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/02/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/08/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/19/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/90		65	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/13/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/06/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
11/27/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/18/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/11/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/06/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/29/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/23/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/01/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/10/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/21/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/09/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/20/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/23/93		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	NA	NA	NA	Not Analyzed
2/29/96		130	0.9	ND<0.5	1.4	6.2	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
6/07/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
11/04/96		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
1/12/99		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	None Detected<0.5
12/11/06		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5

TABLE 4 CONT'D
SURFACE WATER SAMPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)

Date	Sample No./Description	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs EPA 8260B
3/15/07	C-1 ~20' up-stream from storm drain outlet	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5
8/03/089	C-2 storm drain outlet	470000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/08/89		33000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/03/90		99000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/15/90		16000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/17/90		15000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/02/90		16000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/08/90		7000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/19/90		26000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/90		30000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/13/90		30000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/06/90		42000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
11/27/90		160000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/18/90		33000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/11/91		14000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/06/91		11000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/91		55000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/29/91		31000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/23/91		28000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/01/92		3300	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/10/92		20000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/21/92		8900	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/09/92		2100	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/20/92		650	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/23/93		450	1.6	3.1	4.2	17	NA	NA	NA	NA	Not Analyzed
2/29/96		2700	7.2	3.3	5.8	13	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
6/07/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	63	NA	69	Chloroform 19
11/04/96*		1300	7.8	1.7	11	14	ND<0.5	ND<0.5	NA	ND<0.5	None Detected<0.5
1/12/99		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	None Detected<0.5
12/11/06		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	Chloroform 0.97

ENVIRO SOIL TECH CONSULTANTS

TABLE 4 CONT'D
SURFACE WATER SAMPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)

Date	Sample No./Description	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs EPA 8260B
3/15/07	C-2 storm drain outlet	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5
8/03/089	C-3 confluence of the storm drain flow and El Cerrito Creek	NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
12/08/89		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/03/90		900	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/15/90		840	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/17/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/02/90		60	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/08/90		100	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/19/90		30	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/90		600	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/13/90		360	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/06/90		3000	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
11/27/90		4400	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/18/90		66	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/11/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/06/91		1100	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/29/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/23/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/01/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/10/92		830	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/21/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/09/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/20/92		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/14/92		280	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/23/93		190	0.8	2.6	3.6	9.5	NA	NA	NA	NA	Not Analyzed
2/29/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
6/07/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
11/04/96		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled

ENVIRO SOIL TECH CONSULTANTS

TABLE 4 CONT'D
SURFACE WATER SAMPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)

Date	Sample No./Description	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs EPA 8260B
1/12/99	C-3 confluence of the storm drain flow and El Cerrito Creek	NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
12/11/06		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5
3/15/07		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5
8/03/89	C-4 50' down-stream from the storm drain	2700	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/08/89		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/03/90		800	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/15/90		160	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/17/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/02/90		130	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/08/90		140	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/19/90		200	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/90		120	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/13/90		100	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/06/90		400	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
11/27/90		55	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
12/18/90		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/11/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
2/06/91		ND<50	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/06/91		120	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
3/29/91		57	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
4/23/91		86	NA	NA	NA	NA	NA	NA	NA	NA	Not Analyzed
1/01/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
1/10/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
2/21/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
3/09/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
3/20/92		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
1/23/93		57	ND<0.5	ND<0.5	1.4	3.6	NA	NA	NA	NA	Not Analyzed
2/29/96		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5

ENVIRO SOIL TECH CONSULTANTS

TABLE 4 CONT'D
SURFACE WATER SAMPLES FROM EL CERRITO CREEK
ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)

Date	Sample No./Description	TPHg	B	T	E	X	MTBE	PCE	TBA	TCE	VOCs EPA 8260B
6/07/96	C-4 50' down-stream from the storm drain	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	NA	ND<0.5	None Detected<0.5
11/04/96*		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA	ND<0.5	None Detected<0.5
1/12/99		NS	NS	NS	NS	NS	NS	NS	NS	NS	Not Sampled
12/11/06		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5
3/15/07		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1	ND<0.5	ND<10	ND<0.5	None Detected<0.5

TPHg – Total Petroleum Hydrocarbon as gasoline

MTBE – Methyl Tertiary Butyl Ether

TBA – tert-Butanol

VOCs – Volatile Organic Compounds

NS – Not Sampled

* C-2 was also labeled as W-1 in sample date 11/04/96

BTEX – Benzene, Toluene, Ethylbenzene, Total Xylenes

PCE – Tetrachloroethene

TCE – Trichloroethene


NA – Not Analyzed

ND – Not Detected (Below Laboratory Detection Limit)

▪ C-4 was also labeled as W-2 in sample date 11/04/96

A P P E N D I X "B"

FIGURES



San Jose/Oakland [CA]
Map data Copyright © Enk, Inc., 1984-1995. All rights reserved.
Microsoft AutoMap Streets Copyright © and (p) 1988-1995 Microsoft Corporation


ENVIRO SOIL TECH CONSULTANTS

Figure 1




Fence

Storm Drain Pipe
W-3




EL. 100.00
Electric Pole



Street Flow Line

SAN PABLO AVENUE



400 SAN PABLO AVENUE, ALBANY, CALIFORNIA

SCALE: 1"=30'

PROJECT NO.: 8-90-421-SI

FIGURE 2

DRAWN BY: N.A.

ENVIRO SOIL TECH CONSULTANTS
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

**Enviro Soil Tech
Consultants**

131 Tully Road
San Jose, CA 95112

PROJECT
Plaza Car Wash
400 San Pablo Ave
Albany, California


PROJECT # 8-90-421-SI
DATE: 4/18/2007

Figure 3

**Groundwater Elevation
Map, February 27, 2007**


Legend

- ◆ = Monitor Well
 - = Cone Penetrometer Boring
 - = Geoprobe Borings
- Contour Interval = 0.50 feet



Legend


- ◆ = Monitor Well
 - = CPT-1 = Cone Penetrometer Boring
 - = GP-1 = Geoprobe Borings
- Contour intervals are Variable in ug/l.



Legend

- ◆ - Monitor Well
- - CPT-1 = Cone Penetrumeter Boring
- - GP-1 = Geoprobe Boings


Contour Intervals are Variable in ug/L




A P P E N D I X "C"

HYDROGRAPHS


File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-1 (µg/L)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-2 (µg/L)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-3 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-4 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)




File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR STMW-5 ($\mu\text{g/L}$)
AND DEPTH TO WATER MEASUREMENT (Feet)



File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR MW-2 (µg/L)
AND DEPTH TO WATER MEASUREMENT (Feet)



File No.: 8-90-421-SI
TPHg, BENZENE & MTBE FOR MW-3 (µg/L)
AND DEPTH TO WATER MEASUREMENT (Feet)



A P P E N D I X "D"

STANDARD OPERATION PROCEDURE

ENVIRO SOIL TECH CONSULTANTS

GROUNDWATER SAMPLING

Prior to collection of groundwater samples, all of the sampling equipment (i.e. bailer, cables, bladder pump, discharge lines and etc.) was cleaned by pumping TSP water solution followed by distilled water.

Prior to purging, the well "Water Sampling Field Survey Forms" were filled out (depth to water and total depth of water column were measured and recorded). The well was then bailed or pumped to remove four to ten well volumes or until the discharged water temperature, conductivity and pH stabilized. "Stabilized" is defined as three consecutive readings within 15% of one another.

The groundwater sample was collected when the water level in the well recovered to 80% of its static level.

Forty milliliter (ml.), glass volatile organic analysis (VOA) vials with Teflon septa were used as sample containers. The groundwater sample was decanted into each glass bottle and VOA vial in such a manner that there was a meniscus at the top. The cap was quickly placed over the top of the glass bottle and vial and securely tightened. The glass bottles and VOA vials were then inverted and tapped to see if air bubbles were present. If none were present, the sample was labeled and refrigerated for delivery under chain-of-custody to the laboratory. The label information would include a sample identification number, job identification number, date, time, type of analysis requested and the sampler's name.

A P P E N D I X "E"

LABORATORY REPORT

ENVIRO SOIL TECH CONSULTANTS

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111

Lab Certificate Number: 54213

Issued: 03/14/2007

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany

Global ID: T0600101089


Certificate of Analysis - Final Report

On February 28, 2007, samples were received under chain of custody for analysis.
Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test / Comments</u>
Liquid	Electronic Deliverables for Geotracker TPH-Purgeable-GC : EPA 5030C / EPA 8015B VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



C. L. Thom
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-001 Sample ID: STMW-1

Matrix: Liquid Sample Date: 2/27/2007 3:10 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1,1-Trichloroethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1,2,2-Tetrachloroethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1,2-Trichloroethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1-Dichloroethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1-Dichloroethene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1-Dichloropropene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,3-Trichlorobenzene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,3-Trichloropropane	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,4-Trichlorobenzene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,4-Trimethylbenzene	9000		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dibromo-3-Chloropropane	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dibromoethane (EDB)	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dichlorobenzene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dichloroethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dichloropropane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,3,5-Trimethylbenzene	2600		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,3-Dichlorobenzene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,3-Dichloropropane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,4-Dichlorobenzene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
1,4-Dioxane	ND		250	12000	µg/L	N/A	N/A	3/3/2007	WM1070302
2,2-Dichloropropane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Butanone (MEK)	ND		250	5000	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Chloroethyl-vinyl Ether	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Chlorotoluene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Hexanone	ND		250	5000	µg/L	N/A	N/A	3/3/2007	WM1070302
4-Chlorotoluene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
4-Methyl-2-Pentanone(MIBK)	ND		250	5000	µg/L	N/A	N/A	3/3/2007	WM1070302
Acetone	ND		250	5000	µg/L	N/A	N/A	3/3/2007	WM1070302
Acetonitrile	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Acrolein	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Acrylonitrile	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Benzene	17000		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Benzyl Chloride	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromobenzene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromochloromethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromodichloromethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromoform	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromomethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Carbon Disulfide	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Carbon Tetrachloride	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Chlorobenzene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Chloroethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Chloroform	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Chloromethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/14/2007 3:18:28 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-001 Sample ID: STMW-1

Matrix: Liquid Sample Date: 2/27/2007 3:10 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
cis-1,3-Dichloropropene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Cyclohexanone	ND		250	5000	µg/L	N/A	N/A	3/3/2007	WM1070302
Dibromochloromethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Dibromomethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Dichlorodifluoromethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Diisopropyl Ether	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Ethyl Benzene	4100		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Freon 113	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Hexachlorobutadiene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Iodomethane	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Isopropanol	ND		250	5000	µg/L	N/A	N/A	3/3/2007	WM1070302
Isopropylbenzene	ND		250	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Methyl-t-butyl Ether	ND		250	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Methylene Chloride	ND		250	5000	µg/L	N/A	N/A	3/3/2007	WM1070302
n-Butylbenzene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
n-Propylbenzene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Naphthalene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
p-Isopropyltoluene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Pentachloroethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
sec-Butylbenzene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Styrene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Amyl Methyl Ether	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Butanol (TBA)	ND		250	2500	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Butyl Ethyl Ether	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Butylbenzene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Tetrachloroethene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Tetrahydrofuran	ND		250	5000	µg/L	N/A	N/A	3/3/2007	WM1070302
Toluene	4200		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
trans-1,2-Dichloroethene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
trans-1,3-Dichloropropene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
trans-1,4-Dichloro-2-butene	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Trichloroethene	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Trichlorofluoromethane	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Vinyl Acetate	ND		250	1200	µg/L	N/A	N/A	3/3/2007	WM1070302
Vinyl Chloride	ND		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302
Xylenes, Total	22000		250	120	µg/L	N/A	N/A	3/3/2007	WM1070302

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	119	80 - 120
Dibromofluoromethane	106	60 - 130
Toluene-d8	99.9	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab # : 54213-001 Sample ID: STMW-1

Matrix: Liquid Sample Date: 2/27/2007 3:10 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	350000		2000	100000	µg/L	N/A	N/A	3/6/2007	WGC070306
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: MaiChiTu	
4-Bromofluorobenzene	118		65	- 135				Reviewed by: EricKum	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-002 Sample ID: STMW-2

Matrix: Liquid Sample Date: 2/27/2007 2:07 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1,1-Trichloroethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1,2,2-Tetrachloroethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1,2-Trichloroethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1-Dichloroethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1-Dichloroethene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1-Dichloropropene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,3-Trichlorobenzene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,3-Trichloropropane	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,4-Trichlorobenzene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,4-Trimethylbenzene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dibromo-3-Chloropropane	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dibromoethane (EDB)	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dichlorobenzene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dichloroethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dichloropropane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,3,5-Trimethylbenzene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
1,3-Dichlorobenzene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,3-Dichloropropane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,4-Dichlorobenzene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
1,4-Dioxane	ND		50	2500	µg/L	N/A	N/A	3/3/2007	WM1070302
2,2-Dichloropropane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Butanone (MEK)	ND		50	1000	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Chloroethyl-vinyl Ether	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Chlorotoluene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Hexanone	ND		50	1000	µg/L	N/A	N/A	3/3/2007	WM1070302
4-Chlorotoluene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
4-Methyl-2-Pentanone(MIBK)	ND		50	1000	µg/L	N/A	N/A	3/3/2007	WM1070302
Acetone	ND		50	1000	µg/L	N/A	N/A	3/3/2007	WM1070302
Acetonitrile	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Acrolein	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Acrylonitrile	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Benzene	2800		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Benzyl Chloride	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromobenzene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromochloromethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromodichloromethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromoform	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromomethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Carbon Disulfide	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Carbon Tetrachloride	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Chlorobenzene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Chloroethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Chloroform	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Chloromethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/14/2007 3:18:29 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab # : 54213-002 Sample ID: STMW-2

Matrix: Liquid Sample Date: 2/27/2007 2:07 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
cis-1,3-Dichloropropene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Cyclohexanone	ND		50	1000	µg/L	N/A	N/A	3/3/2007	WM1070302
Dibromochloromethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Dibromomethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Dichlorodifluoromethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Diisopropyl Ether	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Ethyl Benzene	400		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Freon 113	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Hexachlorobutadiene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Iodomethane	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Isopropanol	ND		50	1000	µg/L	N/A	N/A	3/3/2007	WM1070302
Isopropylbenzene	ND		50	50	µg/L	N/A	N/A	3/3/2007	WM1070302
Methyl-t-butyl Ether	ND		50	50	µg/L	N/A	N/A	3/3/2007	WM1070302
Methylene Chloride	ND		50	1000	µg/L	N/A	N/A	3/3/2007	WM1070302
n-Butylbenzene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
n-Propylbenzene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Naphthalene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
p-Isopropyltoluene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Pentachloroethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
sec-Butylbenzene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Styrene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Amyl Methyl Ether	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Butanol (TBA)	ND		50	500	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Butyl Ethyl Ether	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Butylbenzene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Tetrachloroethene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Tetrahydrofuran	ND		50	1000	µg/L	N/A	N/A	3/3/2007	WM1070302
Toluene	100		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
trans-1,2-Dichloroethene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
trans-1,3-Dichloropropene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
trans-1,4-Dichloro-2-butene	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Trichloroethene	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Trichlorofluoromethane	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Vinyl Acetate	ND		50	250	µg/L	N/A	N/A	3/3/2007	WM1070302
Vinyl Chloride	ND		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302
Xylenes, Total	180		50	25	µg/L	N/A	N/A	3/3/2007	WM1070302

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	102	80 - 120
Dibromofluoromethane	107	60 - 130
Toluene-d8	109	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab # : 54213-002 Sample ID: STMW-2

Matrix: Liquid Sample Date: 2/27/2007 2:07 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	10000		100	5000	µg/L	N/A	N/A	3/6/2007	WGC070306
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: MaiChiTu	
4-Bromofluorobenzene	129		65	- 135				Reviewed by: TFulton	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-003

Sample ID: STMW-3

Matrix: Liquid Sample Date: 2/27/2007 1:04 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	3/5/2007	WM1070305
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Acetone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/14/2007 3:18:29 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-003

Sample ID: STMW-3

Matrix: Liquid Sample Date: 2/27/2007 1:04 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	110	80 - 120
Dibromofluoromethane	106	60 - 130
Toluene-d8	109	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab # : 54213-003 Sample ID: STMW-3 Matrix: Liquid Sample Date: 2/27/2007 1:04 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	3/5/2007	WGC070305

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	110	65 - 135

Analyzed by: MaiChiTu
Reviewed by: EricKum

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-004

Sample ID: STMW-4

Matrix: Liquid Sample Date: 2/27/2007 12:08 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	3/5/2007	WM1070305
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Acetone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/14/2007 3:18:29 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab #: 54213-004 Sample ID: STMW-4

Matrix: Liquid Sample Date: 2/27/2007 12:08 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	115	80 - 120
Dibromofluoromethane	110	60 - 130
Toluene-d8	108	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab # : 54213-004 Sample ID: STMW-4

Matrix: Liquid Sample Date: 2/27/2007 12:08 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	3/5/2007	WGC070305
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: MaiChiTu	
4-Bromofluorobenzene	109		65	- 135				Reviewed by: EricKum	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-005

Sample ID: STMW-5

Matrix: Liquid Sample Date: 2/27/2007 10:05 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	3/5/2007	WM1070305
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Acetone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/14/2007 3:18:29 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-005

Sample ID: STMW-5

Matrix: Liquid Sample Date: 2/27/2007 10:05 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Tetrachloroethene	1.1		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	113	80 - 120
Dibromofluoromethane	115	60 - 130
Toluene-d8	111	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab # : 54213-005 Sample ID: STMW-5 Matrix: Liquid Sample Date: 2/27/2007 10:05 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	3/5/2007	WGC070305

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	109	65 - 135

Analyzed by: MaiChiTu
Reviewed by: EricKum

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab #: 54213-006 Sample ID: MW-2

Matrix: Liquid Sample Date: 2/27/2007 11:01 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	3/5/2007	WM1070305
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Acetone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloroform	1.2		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/14/2007 3:18:30 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab # : 54213-006 Sample ID: MW-2

Matrix: Liquid Sample Date: 2/27/2007 11:01 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Tetrachloroethene	0.54		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	3/5/2007	WM1070305
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	3/5/2007	WM1070305
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	3/5/2007	WM1070305

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	113	80 - 120
Dibromofluoromethane	114	60 - 130
Toluene-d8	110	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab # : 54213-006 Sample ID: MW-2

Matrix: Liquid Sample Date: 2/27/2007 11:01 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	3/6/2007	WGC070305
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: MaiChiTu	
4-Bromofluorobenzene	110		65	- 135				Reviewed by: EricKum	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-007

Sample ID: MW-3

Matrix: Liquid Sample Date: 2/27/2007 9:03 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1,1-Trichloroethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1,2,2-Tetrachloroethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1,2-Trichloroethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1-Dichloroethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1-Dichloroethene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,1-Dichloropropene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,3-Trichlorobenzene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,3-Trichloropropane	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,4-Trichlorobenzene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2,4-Trimethylbenzene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dibromo-3-Chloropropane	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dibromoethane (EDB)	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dichlorobenzene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dichloroethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,2-Dichloropropane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,3,5-Trimethylbenzene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
1,3-Dichlorobenzene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,3-Dichloropropane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,4-Dichlorobenzene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
1,4-Dioxane	ND		40	2000	µg/L	N/A	N/A	3/3/2007	WM1070302
2,2-Dichloropropane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Butanone (MEK)	ND		40	800	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Chloroethyl-vinyl Ether	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Chlorotoluene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
2-Hexanone	ND		40	800	µg/L	N/A	N/A	3/3/2007	WM1070302
4-Chlorotoluene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
4-Methyl-2-Pentanone(MIBK)	ND		40	800	µg/L	N/A	N/A	3/3/2007	WM1070302
Acetone	ND		40	800	µg/L	N/A	N/A	3/3/2007	WM1070302
Acetonitrile	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Acrolein	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Acrylonitrile	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Benzene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Benzyl Chloride	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromobenzene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromochloromethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromodichloromethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromoform	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Bromomethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Carbon Disulfide	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Carbon Tetrachloride	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Chlorobenzene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Chloroethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Chloroform	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Chloromethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/14/2007 3:18:30 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007

Sample Collected by: Client

Lab # : 54213-007 Sample ID: MW-3

Matrix: Liquid Sample Date: 2/27/2007 9:03 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	730		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
cis-1,3-Dichloropropene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Cyclohexanone	ND		40	800	µg/L	N/A	N/A	3/3/2007	WM1070302
Dibromochloromethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Dibromomethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Dichlorodifluoromethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Diisopropyl Ether	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Ethyl Benzene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Freon 113	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Hexachlorobutadiene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Iodomethane	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Isopropanol	ND		40	800	µg/L	N/A	N/A	3/3/2007	WM1070302
Isopropylbenzene	ND		40	40	µg/L	N/A	N/A	3/3/2007	WM1070302
Methyl-t-butyl Ether	ND		40	40	µg/L	N/A	N/A	3/3/2007	WM1070302
Methylene Chloride	ND		40	800	µg/L	N/A	N/A	3/3/2007	WM1070302
n-Butylbenzene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
n-Propylbenzene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Naphthalene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
p-Isopropyltoluene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Pentachloroethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
sec-Butylbenzene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Styrene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Amyl Methyl Ether	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Butanol (TBA)	ND		40	400	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Butyl Ethyl Ether	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
tert-Butylbenzene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Tetrachloroethene	2000		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Tetrahydrofuran	ND		40	800	µg/L	N/A	N/A	3/3/2007	WM1070302
Toluene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
trans-1,2-Dichloroethene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
trans-1,3-Dichloropropene	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
trans-1,4-Dichloro-2-butene	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Trichloroethene	330		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Trichlorofluoromethane	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Vinyl Acetate	ND		40	200	µg/L	N/A	N/A	3/3/2007	WM1070302
Vinyl Chloride	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302
Xylenes, Total	ND		40	20	µg/L	N/A	N/A	3/3/2007	WM1070302

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	106	80 - 120
Dibromofluoromethane	103	60 - 130
Toluene-d8	104	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 02/28/2007
Sample Collected by: Client

Lab # : 54213-007 Sample ID: MW-3

Matrix: Liquid Sample Date: 2/27/2007 9:03 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	1000		4.0	200	µg/L	N/A	N/A	3/6/2007	WGC070306
Not a gasoline pattern. Value due to non-target compounds.									

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	113	65 - 135

Analyzed by: MaiChiTu

Reviewed by: TFulton

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC070305

Validated by: EricKum - 03/07/07

QC Batch Analysis Date: 3/5/2007

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L
Surrogate for Blank	% Recovery	Control Limits		
4-Bromofluorobenzene	112	65 - 135		

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC070305

Reviewed by: EricKum - 03/07/07

QC Batch ID Analysis Date: 3/5/2007

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<50	120	116	µg/L	93.0	65 - 135
Surrogate	% Recovery	Control Limits				
4-Bromofluorobenzene	115.0	65 - 135				

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<50	120	118	µg/L	94.4	1.5	25.0	65 - 135
Surrogate	% Recovery	Control Limits						
4-Bromofluorobenzene	117.0	65 - 135						

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC070306

Validated by: TFulton - 03/07/07

QC Batch Analysis Date: 3/6/2007

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L
Surrogate for Blank	% Recovery	Control Limits		
4-Bromofluorobenzene	109	65 - 135		

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC070306

Reviewed by: TFulton - 03/07/07

QC Batch ID Analysis Date: 3/6/2007

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<50	120	123	µg/L	98.2	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	120.0	65 - 135

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<50	120	121	µg/L	96.6	1.6	25.0	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	117.0	65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1070302

Validated by: MaiChiTu - 03/05/07

QC Batch Analysis Date: 3/2/2007

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1070302

Validated by: MaiChiTu - 03/05/07

QC Batch Analysis Date: 3/2/2007

Parameter	Result	DF	PQLR	Units
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	98.9	70 - 125
Dibromofluoromethane	96.5	70 - 125
Toluene-d8	105	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1070302

Reviewed by: MaiChiTu - 03/05/07

QC Batch ID Analysis Date: 3/2/2007

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	20.8	µg/L	104	70 - 130
Benzene	<0.50	20	21.5	µg/L	108	70 - 130
Chlorobenzene	<0.50	20	20.9	µg/L	104	70 - 130
Methyl-t-butyl Ether	<1.0	20	21.4	µg/L	107	70 - 130
Toluene	<0.50	20	20.1	µg/L	100	70 - 130
Trichloroethene	<0.50	20	20.9	µg/L	104	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	105.0	60 - 130
Dibromofluoromethane	101.0	60 - 130
Toluene-d8	97.5	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.2	µg/L	91.0	13	25.0	70 - 130
Benzene	<0.50	20	20.4	µg/L	102	5.3	25.0	70 - 130
Chlorobenzene	<0.50	20	19.4	µg/L	97.0	7.4	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	22.6	µg/L	113	5.5	25.0	70 - 130
Toluene	<0.50	20	18.4	µg/L	92.0	8.8	25.0	70 - 130
Trichloroethene	<0.50	20	18.7	µg/L	93.5	11	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	113.0	60 - 130
Dibromofluoromethane	107.0	60 - 130
Toluene-d8	97.6	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1070305

Validated by: MaiChiTu - 03/06/07

QC Batch Analysis Date: 3/5/2007

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1070305

Validated by: MaiChiTu - 03/06/07

QC Batch Analysis Date: 3/5/2007

Parameter	Result	DF	PQLR	Units
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	107	70 - 125
Dibromofluoromethane	99.7	70 - 125
Toluene-d8	109	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1070305

Reviewed by: MaiChiTu - 03/06/07

QC Batch ID Analysis Date: 3/5/2007

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	21.4	µg/L	107	70 - 130
Benzene	<0.50	20	22.2	µg/L	111	70 - 130
Chlorobenzene	<0.50	20	22.1	µg/L	110	70 - 130
Methyl-t-butyl Ether	<1.0	20	23.0	µg/L	115	70 - 130
Toluene	<0.50	20	21.2	µg/L	106	70 - 130
Trichloroethene	<0.50	20	22.0	µg/L	110	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	104.0	60 - 130
Dibromofluoromethane	102.0	60 - 130
Toluene-d8	96.5	60 - 130


LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.8	µg/L	94.0	13	25.0	70 - 130
Benzene	<0.50	20	20.1	µg/L	100	9.9	25.0	70 - 130
Chlorobenzene	<0.50	20	20.3	µg/L	102	8.5	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	20.0	µg/L	100	14	25.0	70 - 130
Toluene	<0.50	20	19.5	µg/L	97.5	8.4	25.0	70 - 130
Trichloroethene	<0.50	20	19.8	µg/L	99.0	11	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	100.0	60 - 130
Dibromofluoromethane	99.0	60 - 130
Toluene-d8	100.0	60 - 130

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-SI		NAME 400 San Pablo Ave., Albany					CON-TAINER	ANALYSES REQUESTED IPHg by ROSEMMA EPA 8260B*	REMARKS			
SAMPLERS: (Signature) Richard Mandy												
NO.	DATE	TIME	SOIL	WATER	LOCATION							
1	3/27/06	15 ¹⁰		✓	STMW-1	001	4	✓	✓		EDF # T0600101089	
2		14 ⁰⁷		✓	STMW-2	002	4	✓	✓			
3		13 ⁰⁴		✓	STMW-3	003	4	✓	✓			
4		12 ⁰⁸		✓	STMW-4	004	4	✓	✓			
5		10 ⁰⁵		✓	STMW-5	005	4	✓	✓		* Full lists	
6		11 ⁰¹		✓	MW-2	006	4	✓	✓			
7	✓	9 ⁰³		✓	MW-3	007	4	✓	✓		* All vials are HCL preserved*	
Relinquished by: (Signature) Richard Mandy		Date / Time 2-28-07 15:51		Received by: (Signature) <i>[Signature]</i>		Relinquished by: (Signature)		Date / Time		Received by: (Signature)		
Relinquished by: (Signature)		Date / Time		Received by: (Signature)		Relinquished by: (Signature)		Date / Time		Received by: (Signature)		
Relinquished by: (Signature)		Date / Time		Received for Laboratory by: (Signature)		Date / Time		Remarks Please send lab report to Frank Hamedi				



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
 Tel: (408) 297-1500 Fax: (408) 292-2116

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111

Lab Certificate Number: 54441

Issued: 03/19/2007

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany

Global ID: T0600101089


Certificate of Analysis - Final Report

On March 15, 2007, samples were received under chain of custody for analysis.
Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test / Comments</u>
Liquid	Chlorine, Total Residual: EPA 330.5 Electronic Deliverables for Geotracker Subcontract - Trihalomethanes by 524.2- Alpha Analytical Subcontract - E.Coli by 9223- Scientific Lab Subcontract - Total Coliform by 9225- Scientific Lab

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



C. L. Thom
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007
Sample Collected by: Client

Lab # : 54441-001 Sample ID: MW-2 Matrix: Liquid Sample Date: 3/15/2007 7:00 AM

Chlorine, Total Residual: EPA 330.5

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chlorine, Residual	ND		1.0	0.10	mg/L	N/A	N/A	3/15/2007	WRESCL070315

Analyzed by: Hdinh
Reviewed by: rlazaro

Lab # : 54441-002 Sample ID: MW-3 Matrix: Liquid Sample Date: 3/15/2007 7:45 AM

Chlorine, Total Residual: EPA 330.5

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chlorine, Residual	ND		1.0	0.10	mg/L	N/A	N/A	3/15/2007	WRESCL070315

Analyzed by: Hdinh
Reviewed by: rlazaro

Lab # : 54441-003 Sample ID: STMW-5 Matrix: Liquid Sample Date: 3/15/2007 9:00 AM

Chlorine, Total Residual: EPA 330.5

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chlorine, Residual	ND		1.0	0.10	mg/L	N/A	N/A	3/15/2007	WRESCL070315

Analyzed by: Hdinh
Reviewed by: rlazaro

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - Chlorine, Total Residual: EPA 330.5

QC Batch ID: WRESCL070315

Reviewed by: rlazaro - 03/15/07

QC Batch ID Analysis Date: 3/15/2007

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
Chlorine, Residual	<0.10	0.27	0.276	mg/L	102	75 - 125

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
Chlorine, Residual	<0.10	0.27	0.268	mg/L	99.1	2.9	25.0	75 - 125

MS / MSD - Liquid - Chlorine, Total Residual: EPA 330.5

QC Batch ID: WRESCL070315

Reviewed by: rlazaro - 03/15/07

QC Batch ID Analysis Date: 3/15/2007

MS Sample Spiked: 54441-002

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	Recovery Limits
Chlorine, Residual	ND	0.50	0.405	mg/L	3/15/2007	81.0	75 - 125

MSD Sample Spiked: 54441-002

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	RPD	RPD Limits	Recovery Limits
Chlorine, Residual	ND	0.50	0.382	mg/L	3/15/2007	76.4	5.8	25.0	75 - 125



alpha

Alpha Analytical Laboratories Inc.

208 Mason Street, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

29 March 2007

Entech Analytical Labs, Inc.

Attn: Simon Hague

3334 Victor Court


Santa Clara, CA 95054

RE: 400 San Pablo Ave

Work Order: 07C0597

Enclosed are the results of analyses for samples received by the laboratory on 03/16/07 15:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kelley M. Thompson For Robert C. Phillips
Project Manager



Alpha Analytical Laboratories Inc.

208 Mason Street, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Page 1 of 5

Entech Analytical Labs, Inc.
3334 Victor Court
Santa Clara, CA 95054
Attn: Simon Hague

Report Date: 03/29/07 14:04
Project No: 54441
Project ID: 400 San Pablo Ave

<u>Order Number</u>	<u>Receipt Date/Time</u>	<u>Client Code</u>	<u>Client PO/Reference</u>
07C0597	03/16/2007 15:00	ENTECH	

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
54441-001 MW-2	07C0597-01	Water	03/15/07 07:00	03/16/07 15:00
54441-002 MW-3	07C0597-02	Water	03/15/07 07:45	03/16/07 15:00
54441-003 STMW-5	07C0597-03	Water	03/15/07 09:00	03/16/07 15:00

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Bruce Gove
Laboratory Director

3/29/2007



Alpha Analytical Laboratories Inc.

208 Mason Street, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Page 2 of 5

Entech Analytical Labs, Inc.
3334 Victor Court
Santa Clara, CA 95054
Attn: Simon Hague

Report Date: 03/29/07 14:04
Project No: 54441
Project ID: 400 San Pablo Ave

<u>Order Number</u> 07C0597	<u>Receipt Date/Time</u> 03/16/2007 15:00	<u>Client Code</u> ENTECH	<u>Client PO/Reference</u>
--------------------------------	--	------------------------------	----------------------------

Alpha Analytical Laboratories, Inc.

METHOD	BATCH	PREPARED	ANALYZED	DILUTION	RESULT	PQL	NOTE
54441-001 MW-2 (07C0597-01)		Sample Type: Water			Sampled: 03/15/07 07:00		
Volatile Organic Compounds by EPA Method 524.2							
Bromodichloromethane	EPA 524.2	AC72717	03/26/07	03/27/07	1	ND ug/l	0.50
Bromoform	"	"	"	"	"	ND "	0.50
Chloroform	"	"	"	"	"	ND "	0.50
Dibromochloromethane	"	"	"	"	"	ND "	0.50
Trihalomethanes (total)	"	"	"	"	"	ND "	0.50
Surrogate: Bromofluorobenzene	"	"	"	"		100 %	70-130
Surrogate: Dibromofluoromethane	"	"	"	"		83.6 %	70-130
Surrogate: Toluene-d8	"	"	"	"		98.4 %	70-130
54441-002 MW-3 (07C0597-02)		Sample Type: Water			Sampled: 03/15/07 07:45		
Volatile Organic Compounds by EPA Method 524.2							
Bromodichloromethane	EPA 524.2	AC72717	03/26/07	03/27/07	1	2.98 ug/l	0.50
Bromoform	"	"	"	"	"	ND "	0.50
Chloroform	"	"	"	"	"	ND "	0.50
Dibromochloromethane	"	"	"	"	"	ND "	0.50
Trihalomethanes (total)	"	"	"	"	"	2.98 "	0.50
Surrogate: Bromofluorobenzene	"	"	"	"		97.2 %	70-130
Surrogate: Dibromofluoromethane	"	"	"	"		76.8 %	70-130
Surrogate: Toluene-d8	"	"	"	"		96.8 %	70-130
54441-003 STMW-5 (07C0597-03)		Sample Type: Water			Sampled: 03/15/07 09:00		
Volatile Organic Compounds by EPA Method 524.2							
Bromodichloromethane	EPA 524.2	AC72717	03/26/07	03/27/07	1	ND ug/l	0.50
Bromoform	"	"	"	"	"	ND "	0.50
Chloroform	"	"	"	"	"	ND "	0.50
Dibromochloromethane	"	"	"	"	"	ND "	0.50
Trihalomethanes (total)	"	"	"	"	"	ND "	0.50
Surrogate: Bromofluorobenzene	"	"	"	"		97.6 %	70-130
Surrogate: Dibromofluoromethane	"	"	"	"		83.2 %	70-130
Surrogate: Toluene-d8	"	"	"	"		96.4 %	70-130

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Bruce Gove
Laboratory Director

3/29/2007



Alpha Analytical Laboratories Inc.

208 Mason Street, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Page 3 of 5

Entech Analytical Labs, Inc.
3334 Victor Court
Santa Clara, CA 95054
Attn: Simon Hague

Report Date: 03/29/07 14:04
Project No: 54441
Project ID: 400 San Pablo Ave

<u>Order Number</u> 07C0597	<u>Receipt Date/Time</u> 03/16/2007 15:00	<u>Client Code</u> ENTECH	<u>Client PO/Reference</u>
--------------------------------	--	------------------------------	----------------------------

SourceResult
Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AC72717 - VOAs in Water GCMS										
Blank (AC72717-BLK1) Prepared & Analyzed: 03/26/07										
Bromodichloromethane	ND	0.50	ug/l							
Bromoform	ND	0.50	"							
Chloroform	ND	0.50	"							
Dibromochloromethane	ND	0.50	"							
Trihalomethanes (total)	ND	0.50	"							
Surrogate: Bromofluorobenzene	24.7		"	25.0		98.8	70-130			
Surrogate: Dibromofluoromethane	21.6		"	25.0		86.4	70-130			
Surrogate: Toluene-d8	24.6		"	25.0		98.4	70-130			
LCS (AC72717-BS1) Prepared & Analyzed: 03/26/07										
Bromodichloromethane	10.5	0.50	ug/l	10.0		105	70-130			
Bromoform	11.9	0.50	"	10.0		119	70-130			
Chloroform	9.53	0.50	"	10.0		95.3	70-130			
Dibromochloromethane	10.6	0.50	"	10.0		106	70-130			
Surrogate: Bromofluorobenzene	25.2		"	25.0		101	70-130			
Surrogate: Dibromofluoromethane	20.2		"	25.0		80.8	70-130			
Surrogate: Toluene-d8	23.4		"	25.0		93.6	70-130			
Matrix Spike (AC72717-MS1) Source: 07C0597-01 Prepared & Analyzed: 03/26/07										
Bromodichloromethane	8.71	0.50	ug/l	10.0	ND	87.1	70-130			
Bromoform	9.90	0.50	"	10.0	ND	99.0	70-130			
Chloroform	8.39	0.50	"	10.0	ND	80.7	70-130			
Dibromochloromethane	8.87	0.50	"	10.0	ND	88.7	70-130			
Surrogate: Bromofluorobenzene	25.0		"	25.0		100	70-130			
Surrogate: Dibromofluoromethane	20.1		"	25.0		80.4	70-130			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Bruce Gove
Laboratory Director

3/29/2007



Alpha Analytical Laboratories Inc.

208 Mason Street, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Page 4 of 5

Entech Analytical Labs, Inc.
3334 Victor Court
Santa Clara, CA 95054
Attn: Simon Hague

Report Date: 03/29/07 14:04
Project No: 54441
Project ID: 400 San Pablo Ave

<u>Order Number</u>	<u>Receipt Date/Time</u>	<u>Client Code</u>	<u>Client PO/Reference</u>
07C0597	03/16/2007 15:00	ENTECH	

Volatile Organic Compounds by EPA Method 524.2 - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AC72717 - VOAs in Water GCMS										
Matrix Spike (AC72717-MS1)			Source: 07C0597-01			Prepared & Analyzed: 03/26/07				
Surrogate: Toluene-d8	23.4		"	25.0		93.6	70-130			
Matrix Spike Dup (AC72717-MSD1)			Source: 07C0597-01			Prepared & Analyzed: 03/26/07				
Bromodichloromethane	10.9	0.50	ug/l	10.0	ND	109	70-130	22.3	25	
Bromoform	12.4	0.50	"	10.0	ND	124	70-130	22.4	25	
Chloroform	10.3	0.50	"	10.0	ND	99.8	70-130	20.4	25	
Dibromochloromethane	10.9	0.50	"	10.0	ND	109	70-130	20.5	25	
Surrogate: Bromofluorobenzene	24.7		"	25.0		98.8	70-130			
Surrogate: Dibromofluoromethane	20.1		"	25.0		80.4	70-130			
Surrogate: Toluene-d8	23.1		"	25.0		92.4	70-130			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Bruce Gove
Laboratory Director

3/29/2007



Alpha Analytical Laboratories Inc.

208 Mason Street, Ukiah, California 95482

e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Page 5 of 5

Entech Analytical Labs, Inc.
3334 Victor Court
Santa Clara, CA 95054
Attn: Simon Hague

Report Date: 03/29/07 14:04
Project No: 54441
Project ID: 400 San Pablo Ave

<u>Order Number</u>	<u>Receipt Date/Time</u>	<u>Client Code</u>	<u>Client PO/Reference</u>
07C0597	03/16/2007 15:00	ENTECH	

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
PQL Practical Quantitation Limit

6.5c

Entech Analytical Labs, Inc.

Entech ID and PO#: 54441

3334 Victor Court, Santa Clara, CA 95054

(408) 588-0200

FAX (408) 588-0201

Subcontract Chain of Custody

Subcontract Lab: Alpha Analytical

Date Sent: 3/16/07

Date Due: 3/29/07

3/29/07

Project Number: 8-90-421-SI

Project Name: 400 San Pablo Avenue

Project Location: Albany

Global ID: T0600101089

LogCode: ESTJ

Entech LabNumber	Customer Sample Name/Field Point ID	Matrix	Method	Collect Date	Collect Time
54441-001	MW-2 07C0597-01	Liquid	Trihalomethanes by 524.2- Alpha	3/15/2007	7:00
54441-002	MW-3	Liquid	Trihalomethanes by 524.2- Alpha Analytical	3/15/2007	7:45
54441-003	STMW-5	Liquid	Trihalomethanes by 524.2- Alpha Analytical	3/15/2007	9:00

Comments:

REport to Data@EntechLabs.com

Relinquished By: <i>Diane Treese</i>	Received By: <i>[Signature]</i>	Date: 3/15/07	Time: 1720
Relinquished By: <i>[Signature]</i>	Received By: <i>[Signature]</i>	Date: 3/16/07	Time: 10:00
Relinquished By: <i>[Signature]</i>	Received By: <i>[Signature]</i>	Date: 3/16/07	Time: 7:200 15:00

Send the Report to: DATA@ENTECHLABS.COM

Relinq: *[Signature]* 3/16/07 15:00
 Recvd: *[Signature]* 3/16/07 15:00



SCIENTIFIC ENVIRONMENTAL
LABORATORIES, INC.

Entech Analytical Labs. Inc.
3334 Victor Court
Santa Clara, CA 95054

Mr. Simon Hague

Released : 3-29-07
Lab ID : 071308-071310
Received: 3-15-07
Collected: 3-15-07
Sampler : Entech
Analyst : SF
Analyzed: 3-15-07
Matrix : Liquid
Project # 54441

Source

Results

	<u>Total Coliform</u> (mpn/100ml)	<u>E. Coli</u> (mpn/100ml)
54441-001 MW – 2	Present	Absent
54441-002 MW – 3	Present	Absent
STMW – 5	Present	Absent


Total Coliform Method 9225
E. Coli Method 9223

A handwritten signature in black ink, appearing to read 'Shui Fong'.

Shui Fong
Director, Water Laboratory

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-SI		NAME 400 San Pablo Avenue, Albany					CON- TAINER	ANALYSES REQUESTED (2) By 3/10/07 Residual Membr By 3/14/07 E. Coll by 9/23/03 Total 5-0114 form					REMARKS
SAMPLERS: (Signature) Residual Membr 54441													
NO.	DATE	TIME	SOIL	WATER	LOCATION								
1	3/15/07	7:00		✓	MW-2	001	5	✓	✓	✓	✓	EDF #T0600101089	
2	↓	7:45		✓	MW-3	002	↓	✓	✓	✓	✓		
3	↓	8:00		✓	STMW-5	003	↓	✓	✓	✓	✓	Note: Please label all field prints according to the Chain	
Relinquished by: (Signature) Residual Membr			Date / Time 3-15-07 11:51		Received by: (Signature) Jim Lopez			Relinquished by: (Signature)		Date / Time		Receive by: (Signature)	
Relinquished by: (Signature)			Date / Time		Received by: (Signature)			Relinquished by: (Signature)		Date / Time		Received by: (Signature)	
Relinquished by: (Signature)			Date / Time		Received for Laboratory by: (Signature)			Date / Time		Remarks Please send lab report to Frank Hamed			



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
 Tel: (408) 297-1500 Fax: (408) 292-2116

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111**

Lab Certificate Number: 54442

Issued: 03/29/2007

**Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany**

Global ID: T0600101089


Certificate of Analysis - Final Report

On March 15, 2007, samples were received under chain of custody for analysis.
Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test / Comments</u>
Liquid	Electronic Deliverables for Geotracker TPH-Purgeable-GC : EPA 5030C / EPA 8015B VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



C. L. Thom
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007

Sample Collected by: Client

Lab # : 54442-001

Sample ID: C-1

Matrix: Liquid Sample Date: 3/15/2007 9:30 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acetone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/29/2007 11:11:02 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007
Sample Collected by: Client

Lab # : 54442-001 Sample ID: C-1 Matrix: Liquid Sample Date: 3/15/2007 9:30 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	96.2	60 - 130
Dibromofluoromethane	104	60 - 130
Toluene-d8	98.4	60 - 130

Analyzed by: TAF

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007
Sample Collected by: Client

Lab # : 54442-001 Sample ID: C-1

Matrix: Liquid Sample Date: 3/15/2007 9:30 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	3/23/2007	WGC070322
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: EricKum	
4-Bromofluorobenzene	105		65	- 135				Reviewed by: MaiChiTu	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007

Sample Collected by: Client

Lab # : 54442-002 Sample ID: C-2

Matrix: Liquid Sample Date: 3/15/2007 9:45 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acetone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/29/2007 11:11:02 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007
Sample Collected by: Client

Lab # : 54442-002

Sample ID: C-2

Matrix: Liquid Sample Date: 3/15/2007 9:45 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	97.9	60 - 130
Dibromofluoromethane	104	60 - 130
Toluene-d8	101	60 - 130

Analyzed by: TAF

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007
Sample Collected by: Client

Lab # : 54442-002 Sample ID: C-2 Matrix: Liquid Sample Date: 3/15/2007 9:45 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	3/23/2007	WGC070322
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: EricKum	
4-Bromofluorobenzene	104		65	- 135				Reviewed by: MaiChiTu	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007

Sample Collected by: Client

Lab # : 54442-003

Sample ID: C-3

Matrix: Liquid Sample Date: 3/15/2007 10:00 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acetone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/29/2007 11:11:02 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007
Sample Collected by: Client

Lab # : 54442-003 Sample ID: C-3 Matrix: Liquid Sample Date: 3/15/2007 10:00 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	99.6	60 - 130
Dibromofluoromethane	108	60 - 130
Toluene-d8	99.2	60 - 130

Analyzed by: TAF

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007
Sample Collected by: Client

Lab # : 54442-003

Sample ID: C-3

Matrix: Liquid Sample Date: 3/15/2007 10:00 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	3/23/2007	WGC070322
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: EricKum	
4-Bromofluorobenzene	104		65	- 135				Reviewed by: MaiChiTu	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007

Sample Collected by: Client

Lab # : 54442-004 Sample ID: C-4

Matrix: Liquid Sample Date: 3/15/2007 10:15 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acetone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

3/29/2007 11:11:03 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007
Sample Collected by: Client

Lab # : 54442-004 Sample ID: C-4

Matrix: Liquid Sample Date: 3/15/2007 10:15 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	3/20/2007	WM2C070319C

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	98.1	60 - 130
Dibromofluoromethane	106	60 - 130
Toluene-d8	99.0	60 - 130

Analyzed by: TAF

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 03/15/2007
Sample Collected by: Client

Lab # : 54442-004 Sample ID: C-4

Matrix: Liquid Sample Date: 3/15/2007 10:15 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	3/23/2007	WGC070322
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: EricKum	
4-Bromofluorobenzene	102		65	- 135				Reviewed by: MaiChiTu	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC070322

Validated by: MaiChiTu - 03/22/07

QC Batch Analysis Date: 3/22/2007

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L
Surrogate for Blank	% Recovery	Control Limits		
4-Bromofluorobenzene	107	65 - 135		

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC070322

Reviewed by: MaiChiTu - 03/22/07

QC Batch ID Analysis Date: 3/22/2007

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<50	120	132	µg/L	106	65 - 135
Surrogate	% Recovery	Control Limits				
4-Bromofluorobenzene	113.0	65 - 135				

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<50	120	134	µg/L	107	1.5	25.0	65 - 135
Surrogate	% Recovery	Control Limits						
4-Bromofluorobenzene	110.0	65 - 135						

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2C070319C

Validated by: MaiChiTu - 03/21/07

QC Batch Analysis Date: 3/19/2007

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2C070319C

Validated by: MaiChiTu - 03/21/07

QC Batch Analysis Date: 3/19/2007

Parameter	Result	DF	PQLR	Units
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	97.5	60 - 130
Dibromofluoromethane	100	60 - 130
Toluene-d8	98.6	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2C070319C

Reviewed by: MaiChiTu - 03/21/07

QC Batch ID Analysis Date: 3/19/2007

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	20.7	µg/L	104	70 - 130
Benzene	<0.50	20	21.7	µg/L	108	70 - 130
Chlorobenzene	<0.50	20	21.7	µg/L	108	70 - 130
Methyl-t-butyl Ether	<1.0	20	21.9	µg/L	110	70 - 130
Toluene	<0.50	20	21.5	µg/L	108	70 - 130
Trichloroethene	<0.50	20	21.5	µg/L	108	70 - 130

Surrogate

Surrogate	% Recovery	Control Limits
-----------	------------	----------------

4-Bromofluorobenzene	98.9	60 - 130
Dibromofluoromethane	102.0	60 - 130
Toluene-d8	98.3	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	22.2	µg/L	111	7.0	25.0	70 - 130
Benzene	<0.50	20	22.6	µg/L	113	4.1	25.0	70 - 130
Chlorobenzene	<0.50	20	22.3	µg/L	112	2.7	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	22.6	µg/L	113	3.1	25.0	70 - 130
Toluene	<0.50	20	22.6	µg/L	113	5.0	25.0	70 - 130
Trichloroethene	<0.50	20	22.7	µg/L	114	5.4	25.0	70 - 130


Surrogate

Surrogate	% Recovery	Control Limits
-----------	------------	----------------

4-Bromofluorobenzene	99.6	60 - 130
Dibromofluoromethane	102.0	60 - 130
Toluene-d8	99.6	60 - 130

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-SI		NAME 400 San Pablo Avenue, Albany						CONTAINER	ANALYSES REQUESTED (2) TPIG M4015/M01 EPA 8260R*	REMARKS		
SAMPLERS: (Signature) <i>Rubal Manly</i>		54442										
NO.	DATE	TIME	SOIL	WATER	LOCATION		CONTAINER					
1	3/15/07	9:30		✓	C-1	001	4	✓	✓		EDFT0600101089	
2		9:45		✓	C-2	002	4	✓	✓			
3		10:00		✓	C-3	003	4	✓	✓			
4	✓	10:15		✓	C-4	004	4	✓	✓		* Full list	
										* All vials are HCL preserved		
										Note: Please label all field points according to the Chain		
Relinquished by: (Signature) <i>Rubal Manly</i>			Date / Time 3-15-07 11:31		Received by: (Signature) <i>[Signature]</i>			Relinquished by: (Signature)		Date / Time	Received by: (Signature)	
Relinquished by: (Signature)			Date / Time		Received by: (Signature)			Relinquished by: (Signature)		Date / Time	Received by: (Signature)	
Relinquished by: (Signature)			Date / Time		Received for Laboratory by: (Signature)			Date / Time		Remarks Please send lab report to Frank Hamedi		




ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
Tel: (408) 297-1500 Fax: (408) 292-2116

A P P E N D I X "F"

FIELD NOTES



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-51

DATE: 2-27-07

DEPTH TO WELL: _____

DEPTH TO WATER: 8ft .14

HEIGHT OF WATER COLUMN: _____

WELL NO.: SPM-1

SAMPLER: Richard Murray

1 WELL VOLUME: 0.96

5 WELL VOLUME: 4.8

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: 2"

_____ 4"

CALCULATIONS:

2" - x 0.1632 5.86

4" - 0.653 _____

PURGE METHOD: _____ BAILER DISPLACEMENT PUMP _____ OTHER


SAMPLE METHOD: BAILER _____ OTHER

SHEEN: _____ NO YES, DESCRIBE: RAINBOW

ODOR: _____ NO YES, DESCRIBE: PETRO

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
_____	<u>3 gals</u>	<u>6.75</u>	<u>13.5</u>	<u>601</u>
_____	<u>6 gals</u>	<u>6.52</u>	<u>13.8</u>	<u>597</u>
_____	<u>9 gals</u>	<u>6.61</u>	<u>13.9</u>	<u>589</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-51

DATE: 2-27-07

DEPTH TO WELL: _____

DEPTH TO WATER: 7' .82

HEIGHT OF WATER COLUMN: _____

WELL NO.: SPW-2

SAMPLER: Peristaltic pump

1 WELL VOLUME: 1

5 WELL VOLUME: 5

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: 2"

CALCULATIONS:

2" - x 0.1632 6.18

4" - 0.653 _____

PURGE METHOD: _____ BAILER DISPLACEMENT PUMP _____ OTHER

SAMPLE METHOD: BAILER _____ OTHER


SHEEN: _____ NO YES, DESCRIBE: Rainbow

ODOR: _____ NO YES, DESCRIBE: Petro

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
	<u>3 GAL</u>	<u>6.66</u>	<u>13.2</u>	<u>632</u>
	<u>6 GAL</u>	<u>6.89</u>	<u>14.1</u>	<u>577</u>
	<u>9 GAL</u>	<u>6.85</u>	<u>14.3</u>	<u>587</u>

8A 132



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-S1

DATE: 2-27-07

DEPTH TO WELL: _____

DEPTH TO WATER: 5^{ft} .36

HEIGHT OF WATER COLUMN: _____

WELL NO.: SMU-3

SAMPLER: Richard Mumby

1 WELL VOLUME: 1.6

5 WELL VOLUME: 8

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: ✓ 2"

_____ 4"

CALCULATIONS:

2" - x 0.1632 9.64

4" - 0.653 _____

PURGE METHOD: _____ BAILER DISPLACEMENT PUMP _____ OTHER

SAMPLE METHOD: BAILER _____ OTHER


SHEEN: NO _____ YES, DESCRIBE: _____

ODOR: _____ NO _____ YES, DESCRIBE: _____

FIELD MEASUREMENTS

<u>TIME</u>	<u>VOLUME</u>	<u>pH</u>	<u>TEMP.</u>	<u>E.C.</u>
_____	<u>3 GAL</u>	<u>6.87</u>	<u>13.1</u>	<u>451</u>
_____	<u>6 GAL</u>	<u>6.61</u>	<u>13.4</u>	<u>455</u>
_____	<u>9 GAL</u>	<u>6.56</u>	<u>13.8</u>	<u>471</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

6^{ft} .10



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-51

DATE: 2-27-07

DEPTH TO WELL: _____

DEPTH TO WATER: 5^{ft} .30

HEIGHT OF WATER COLUMN: _____

WELL NO.: SPW-4

SAMPLER: Richel mounds

1 WELL VOLUME: 1.6

5 WELL VOLUME: 8

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: ✓ 2"

_____ 4"

CALCULATIONS:

2" - x 0.1632 9.7

4" - 0.653 _____

PURGE METHOD: _____ BAILER ✓ DISPLACEMENT PUMP _____ OTHER

SAMPLE METHOD: ✓ BAILER _____ OTHER


SHEEN: ✓ NO _____ YES, DESCRIBE: _____

ODOR: ✓ NO _____ YES, DESCRIBE: _____

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
_____	<u>3 GAC</u>	<u>6.43</u>	<u>13.6</u>	<u>426</u>
_____	<u>6 GAC</u>	<u>6.53</u>	<u>14.0</u>	<u>554</u>
_____	<u>9 GAC</u>	<u>6.27</u>	<u>13.9</u>	<u>509</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

5^{ft} .32



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-S1

DATE: 2-27-07

DEPTH TO WELL: _____

DEPTH TO WATER: 5' .88

HEIGHT OF WATER COLUMN: _____

WELL NO.: SMU-5

SAMPLER: Richard Muntz

1 WELL VOLUME: 1.5

5 WELL VOLUME: 7.5

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: ✓ 2" _____

_____ 4"

CALCULATIONS:

2" - x 0.1632 9.12

4" - 0.653 _____

PURGE METHOD: _____ BAILER ✓ DISPLACEMENT PUMP _____ OTHER

SAMPLE METHOD: ✓ BAILER _____ OTHER


SHEEN: ✓ NO _____ YES, DESCRIBE: _____

ODOR: ✓ NO _____ YES, DESCRIBE: _____

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
_____	<u>3 GAL</u>	<u>6.74</u>	<u>14.1</u>	<u>333</u>
_____	<u>6 GAL</u>	<u>6.62</u>	<u>14.8</u>	<u>355</u>
_____	<u>9 GAL</u>	<u>6.68</u>	<u>15.1</u>	<u>408</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

6' .56



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-S1

DATE: 2-27-07

DEPTH TO WELL: _____

DEPTH TO WATER: 6^{ft} 16

HEIGHT OF WATER COLUMN: _____

WELL NO.: MU-2

SAMPLER: Richard [unclear]

1 WELL VOLUME: 0.9

5 WELL VOLUME: 4.5

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: 2"

_____ 4"

CALCULATIONS:

2" - x 0.1632 5.34

4" - 0.653 _____

PURGE METHOD: _____ BAILER DISPLACEMENT PUMP _____ OTHER

SAMPLE METHOD: BAILER _____ OTHER


SHEEN: NO _____ YES, DESCRIBE: _____

ODOR: NO _____ YES, DESCRIBE: _____

FIELD MEASUREMENTS

TIME	VOLUME	pH	TEMP.	E.C.
_____	<u>3 GAL</u>	<u>6.54</u>	<u>13.2</u>	<u>374</u>
_____	<u>6 GAL</u>	<u>6.62</u>	<u>13.3</u>	<u>331</u>
_____	<u>9 GAL</u>	<u>6.43</u>	<u>13.5</u>	<u>366</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

6^{ft} 16



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-51

DATE: 2-27-07

DEPTH TO WELL: _____

DEPTH TO WATER: 5^{ft} .20

HEIGHT OF WATER COLUMN: _____

WELL NO.: MU-3

SAMPLER: Rotary

1 WELL VOLUME: 1.8

5 WELL VOLUME: 5.5

ACTUAL PURGED VOLUME: 9

CASING DIAMETER: ✓ 2"

_____ 4"

CALCULATIONS:

2" - x 0.1632 6.8

4" - 0.653 _____

PURGE METHOD: _____ BAILER DISPLACEMENT PUMP _____ OTHER

SAMPLE METHOD: BAILER _____ OTHER

SHEEN: NO _____ YES, DESCRIBE: _____

ODOR: _____ NO _____ YES, DESCRIBE: _____

FIELD MEASUREMENTS

<u>TIME</u>	<u>VOLUME</u>	<u>pH</u>	<u>TEMP.</u>	<u>E.C.</u>
_____	<u>3 GAL</u>	<u>6.59</u>	<u>14.8</u>	<u>375</u>
_____	<u>6 GAL</u>	<u>6.19</u>	<u>14.6</u>	<u>392</u>
_____	<u>9 GAL</u>	<u>6.61</u>	<u>14.0</u>	<u>428</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

6th 110