

RECEIVED

By Alameda County Environmental Health at 8:17 am, Mar 13, 2007

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111

Lab Certificate Number: 52248

Issued: 11/10/2006

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany

Global ID: T0600101089

Certificate of Analysis - Final Report

On November 02, 2006, samples were received under chain of custody for analysis.
Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test</u>	<u>Comments</u>
Liquid	Electronic Deliverables for Geotracker TPH-Purgeable-GC : EPA 5030C / EPA 8015B VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater	

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Erin Cunniffe
Operations Manager

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-001 Sample ID: 421-CPT2-17

Matrix: Liquid Sample Date: 11/1/2006 9:45 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	11/7/2006	WM2061107
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Acetone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Benzene	7.7		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-001 Sample ID: 421-CPT2-17

Matrix: Liquid Sample Date: 11/1/2006 9:45 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Ethyl Benzene	1.1		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Toluene	6.5		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Xylenes, Total	4.6		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	101	60 - 130
Dibromofluoromethane	96.7	60 - 130
Toluene-d8	97.1	60 - 130

Analyzed by: TFulton

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-001 Sample ID: 421-CPT2-17

Matrix: Liquid Sample Date: 11/1/2006 9:45 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	59		1.0	50	µg/L	N/A	N/A	11/3/2006	WGC061103
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: MaiChiTu	
4-Bromofluorobenzene	101		65	- 135				Reviewed by: TFulton	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-002

Sample ID: 421-CPT2-22

Matrix: Liquid Sample Date: 11/1/2006 10:15 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trimethylbenzene	23		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3,5-Trimethylbenzene	7.7		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	11/7/2006	WM2061107
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Acetone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Benzene	46		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-002

Sample ID: 421-CPT2-22

Matrix: Liquid Sample Date: 11/1/2006 10:15 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Ethyl Benzene	18		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropylbenzene	1.2		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Toluene	31		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Xylenes, Total	78		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	97.9	60 - 130
Dibromofluoromethane	97.2	60 - 130
Toluene-d8	95.0	60 - 130

Analyzed by: TFulton

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-002

Sample ID: 421-CPT2-22

Matrix: Liquid Sample Date: 11/1/2006 10:15 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	580		2.0	100	µg/L	N/A	N/A	11/6/2006	WGC061106

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	167 ***	65 - 135

Analyzed by: mruan

Reviewed by: EricKum

*** Surrogate recovery was outside of the QC limits due to matrix interference.

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab #: 52248-003 Sample ID: 421-CPT3-21 Matrix: Liquid Sample Date: 11/1/2006 12:00 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	11/7/2006	WM2061107
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Acetone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Benzene	1.7		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-003 Sample ID: 421-CPT3-21

Matrix: Liquid Sample Date: 11/1/2006 12:00 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Ethyl Benzene	2.6		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	98.6	60 - 130
Dibromofluoromethane	100	60 - 130
Toluene-d8	96.2	60 - 130

Analyzed by: TFulton

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-003 Sample ID: 421-CPT3-21

Matrix: Liquid Sample Date: 11/1/2006 12:00 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	11/3/2006	WGC061103
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: MaiChiTu	
4-Bromofluorobenzene	118		65	- 135				Reviewed by: TFulton	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-004

Sample ID: 421-CPT1-23

Matrix: Liquid Sample Date: 11/1/2006 1:30 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	11/7/2006	WM2061107
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Acetone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Benzene	2.1		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/10/2006 9:15:53 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-004 Sample ID: 421-CPT1-23

Matrix: Liquid Sample Date: 11/1/2006 1:30 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Ethyl Benzene	0.76		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	11/7/2006	WM2061107
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	11/7/2006	WM2061107
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	11/7/2006	WM2061107

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	102	60 - 130
Dibromofluoromethane	97.6	60 - 130
Toluene-d8	98.6	60 - 130

Analyzed by: TFulton

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 11/02/2006
Sample Collected by: Client

Lab # : 52248-004

Sample ID: 421-CPT1-23

Matrix: Liquid Sample Date: 11/1/2006 1:30 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	11/3/2006	WGC061103
Surrogate	Surrogate Recovery		Control Limits (%)					Analyzed by: MaiChiTu	
4-Bromofluorobenzene	101		65	- 135				Reviewed by: TFulton	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2061107

Validated by: MaiChiTu - 11/09/06

QC Batch Analysis Date: 11/7/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2061107

Validated by: MaiChiTu - 11/09/06

QC Batch Analysis Date: 11/7/2006

Parameter	Result	DF	PQLR	Units
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	100	70 - 125
Dibromofluoromethane	104	70 - 125
Toluene-d8	96.7	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM2061107

Reviewed by: MaiChiTu - 11/09/06

QC Batch ID Analysis Date: 11/7/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	21.1	µg/L	105	70 - 130
Benzene	<0.50	20	20.3	µg/L	101	70 - 130
Chlorobenzene	<0.50	20	20.5	µg/L	103	70 - 130
Methyl-t-butyl Ether	<1.0	20	18.6	µg/L	93.0	70 - 130
Toluene	<0.50	20	19.3	µg/L	96.7	70 - 130
Trichloroethene	<0.50	20	21.6	µg/L	108	70 - 130

Surrogate

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	98.2	60 - 130
Dibromofluoromethane	95.6	60 - 130
Toluene-d8	97.3	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	20.7	µg/L	104	1.8	25.0	70 - 130
Benzene	<0.50	20	19.5	µg/L	97.4	4.1	25.0	70 - 130
Chlorobenzene	<0.50	20	19.9	µg/L	99.7	2.8	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	19.0	µg/L	95.1	2.2	25.0	70 - 130
Toluene	<0.50	20	18.9	µg/L	94.6	2.2	25.0	70 - 130
Trichloroethene	<0.50	20	21.0	µg/L	105	2.7	25.0	70 - 130

Surrogate

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	97.7	60 - 130
Dibromofluoromethane	96.0	60 - 130
Toluene-d8	95.0	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061103

Validated by: TFulton - 11/06/06

QC Batch Analysis Date: 11/3/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	95.2	65 - 135

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061103

Reviewed by: TFulton - 11/06/06

QC Batch ID Analysis Date: 11/3/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<50	120	115	µg/L	92.4	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	121.0	65 - 135

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<50	120	115	µg/L	91.8	0.56	25.0	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	120.0	65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061106

Validated by: EricKum - 11/08/06

QC Batch Analysis Date: 11/6/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	95.4	65 - 135

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061106

Reviewed by: EricKum - 11/08/06

QC Batch ID Analysis Date: 11/6/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<50	120	112	µg/L	89.5	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	121.0	65 - 135


LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<50	120	108	µg/L	86.4	3.5	25.0	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	118.0	65 - 135

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-SI		NAME 400 San Pablo Avenue, Albany				CON-TAINER	ANALYSES REQUESTED (2) TPH7 8218 EPA 8260B*				REMARKS
SAMPLERS: (Signature) V. Churn 52248											
NO.	DATE	TIME	SOIL	WATER	LOCATION						
	11/1/06	9:45	✓		42-CPT 2-17	001	5V0A	X	X		EDF#T06001089
		10:15	✓		421-CPT2-22	002	5"	↓	↓		
		12:00	✓		421-CPT3-21	003	5	↓	↓		
		1:30	✓		421-CPT1-23	004	5	↓	↓		
										*All vials are HCL preserved	
										*Full lists	
Relinquished by: (Signature) V. Churn		Date / Time 11/1/06 4:00	Received by: (Signature) Diana Aguyan		Relinquished by: (Signature) Diana Aguyan		Date / Time 11/02/06 12:11	Received by: (Signature) Frank Hamedi			
Relinquished by: (Signature)		Date / Time	Received by: (Signature)		Relinquished by: (Signature)		Date / Time	Received by: (Signature)			
Relinquished by: (Signature)		Date / Time	Received for Laboratory by: (Signature)		Date / Time	Remarks Please send lab report to Frank Hamedi					



ENVIRO SOIL TECH CONSULTANTS
 Environmental & Geotechnical Consultants
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
 Tel: (408) 297-1500 Fax: (408) 292-2116