

**RECEIVED**

By Alameda County Environmental Health at 4:09 pm, Jun 06, 2014

Alameda County Health Care Services Agency

1131 Harbor Bay Pkwy, Suite 250

Alameda, CA 94502

Subject: RO#0000262

Albany Hill Mini Mart

800 San Pablo Avenuc

Albany, CA

Attached please find a copy of the most recent groundwater sampling report for the above referenced site. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Sincerely,

Jasminder Sikand





Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - [www.aquascienceengineers.com](http://www.aquascienceengineers.com)

May 30, 2014

SEMI-ANNUAL GROUNDWATER MONITORING REPORT  
MARCH 2014 GROUNDWATER SAMPLING  
ASE JOB NO. 3934

at  
Albany Hill Mini Mart  
800 San Pablo Avenue  
Albany, CA 94706

Prepared by:  
AQUA SCIENCE ENGINEERS, INC.  
55 Oak Court, Suite 220  
Danville, CA 94526  
(925) 820-9391



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

## 1.0 INTRODUCTION

### Site Location (Site), See Figure 1

Albany Hill Mini Mart  
800 San Pablo Avenue  
Albany, CA 94706

### Responsible Party

Jasminder & Sonia Sikand  
1066 Rock Harbor Point  
Haercules, CA 94547

### Environmental Consulting Firm

Aqua Science Engineers, Inc. (ASE)  
55 Oak Court, Suite 220  
Danville, CA 94526  
Contact: Robert Kitay, Senior Geologist  
(925) 820-9391

### Agency Review

Alameda County Health  
Care Services Agency (ACHCSA)  
1131 Harbor Bay Pkwy, Suite 250  
Alameda, CA 94502  
Contact: Mark Detterman  
(510) 567-6876

The following is a report detailing the results of the March 2014 semi-annual groundwater sampling at the Albany Hill Mini Mart Property. This sampling was conducted as required by the ACHCSA. ASE prepared this report on behalf of Jasminder and Sonia Sikand, the responsible party.



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

## **2.0 GROUNDWATER FLOW DIRECTION AND GRADIENT**

On March 31, 2014, ASE measured the depth to groundwater in all ten site monitoring wells using an electric water level sounder. The surface of the groundwater was also checked for the presence of free-floating hydrocarbons or sheen. No sheen or free-floating hydrocarbons were observed in any of the monitoring wells. Groundwater elevation data is presented in Table One. A groundwater potentiometric surface map is presented as Figure 2. The general groundwater flow direction is toward the west at a gradient of 0.02-feet/foot. The groundwater flow direction at the site varies significantly from quarter to quarter, and is likely being effected by the ozone-sparging taking place at the site.

## **3.0 GROUNDWATER SAMPLE COLLECTION AND ANALYSIS**

On March 30, 2014, ASE collected groundwater samples from all ten monitoring wells. Prior to sampling, each monitoring well was purged of at least three well casing volumes of groundwater using disposable polyethylene bailers. The parameters pH, temperature and electrical conductivity were monitored during the well purging, and samples were not collected until these parameters stabilized. Monitoring well MW-9 went dry prior to completion of the purging of three well casing volumes and was allowed to recover for two hours prior to sampling. Groundwater samples were collected from each well using the same polyethylene bailers and were decanted from the bottom of the bailers using low-flow emptying devices into 40-ml volatile organic analysis (VOA) vials, pre-preserved with hydrochloric acid. The samples were capped without headspace, labeled, and placed in coolers with wet ice for transport to Kiff Analytical of Davis, California (ELAP #2236) under appropriate chain-of-custody documentation. Well sampling field logs are presented in Appendix A.

The well purge water was placed into a 55-gallon steel drum and labeled for temporary storage until proper disposal could be arranged.

The groundwater samples were analyzed by Kiff Analytical for total petroleum hydrocarbons as gasoline (TPH-G), benzene, toluene, ethylbenzene, and total xylenes (collectively known as BTEX), and fuel oxygenates including methyl tertiary-butyl ether (MTBE) by EPA Method 8260B. Analysis for total petroleum hydrocarbons as diesel (TPH-D) by EPA Method 8015M was discontinued as agreed upon by the Alameda County Health Care Services Agency. The analytical results for this and previous sampling events are summarized in Table Two. The most recent certified analytical report and chain-of-custody documentation are included as Appendix B.

## **4.0 RESULTS AND CONCLUSIONS**

- In groundwater samples collected from monitoring well MW-1, benzene was detected at a concentration of 1.6 parts per billion (ppb) and MTBE was detected at 5.8 ppb. Overall, there has been a significant long-term decreasing trend of hydrocarbon concentrations in this well. The MTBE concentration is at a historic low.



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - [www.aquascienceengineers.com](http://www.aquascienceengineers.com)

- No TPH-G, BTEX or oxygenates were detected in groundwater samples collected from monitoring well MW-2. This is the 12th consecutive sampling event that no hydrocarbons or oxygenates were detected in this well.
- No TPH-G, BTEX or oxygenates were detected in groundwater samples collected from monitoring well MW-3. This is the 7th time in the last 8 sampling events that no hydrocarbons or oxygenates were detected in groundwater samples from this well.
- Groundwater samples collected from monitoring well MW-4 contained 53 ppb TPH-G, 3.5 ppb benzene, and 0.55 ppb MTBE. Hydrocarbon concentrations in this well continue to show a long-term decreasing trend in hydrocarbon and oxygenate concentrations, and all of these concentrations represent historic lows.
- Groundwater samples collected from monitoring well MW-5R contained 3,200 ppb TPH-G, 22 ppb benzene, 1.4 ppb toluene, 12 ppb ethylbenzene, and 1.2 ppb total xylenes. These results in general show a slight increase from the previous several sampling events. No oxygenates were detected.
- No TPH-G, BTEX or oxygenates were detected in groundwater samples collected from monitoring well MW-6 during this sampling period. There has been a long term decreasing trend in hydrocarbon concentrations from this well, and this is the 2nd sampling period in the last 3 sampling events where no hydrocarbons at all were detected.
- No TPH-G, BTEX or oxygenates were detected in groundwater samples collected from monitoring well MW-7. This is the 12th time in the last 14 sampling events and the 5<sup>th</sup> consecutive sampling event, that no hydrocarbons or oxygenates were detected in groundwater samples collected from this well.
- No hydrocarbons or oxygenates were detected in groundwater samples collected from monitoring well MW-8 this quarter. This is the 13th consecutive sampling event that no hydrocarbons were detected in groundwater samples collected from this well.
- Groundwater samples collected from monitoring well MW-9 contained 3,700 ppb TPH-G, 63 ppb benzene, 8.0 ppb toluene, 140 ppb ethyl benzene, and 480 ppb total xylenes. These results show a slight decrease in hydrocarbon concentrations from the previous sampling event. There appears to be a long term decreasing trend in hydrocarbon concentrations in this well, and the toluene and xylene concentrations are at historic lows.
- The only compounds detected in groundwater samples collected from monitoring well MW-10 during this sampling period were 120 ppb TPH-G and 1.5 ppb MTBE. This is the first detection of TPH-G in this well since May 2010. The MTBE concentration is similar to the previous sampling event.



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

Concentrations exceeding Environmental Screening Levels<sup>1</sup> (ESLs):

- In MW-1, the benzene and MTBE concentrations exceeded ESLs.
- In MW-2, no concentrations exceeded ESLs.
- In MW-3, no concentrations exceeded ESLs.
- In MW-4, the benzene concentration exceeded the ESL.
- In MW-5R, TPH-G and benzene concentrations exceeded ESLs.
- In MW-6, no concentrations exceeded ESLs.
- In MW-7, no concentrations exceeded ESLs.
- In MW-8, no concentrations exceeded ESLs.
- In MW-9, TPH-G, benzene, ethylbenzene, and total xylene concentrations exceeded ESLs.
- In MW-10, the TPH-G concentration exceeded the ESL.

TPH-G, benzene and MTBE isoconcentration maps are presented as Figures 3, 4, and 5, respectively.

## **5.0 RECOMMENDATIONS**

A separate report will be submitted within the next 14 days presenting recommendations for the site.

## **6.0 REPORT LIMITATIONS**

The results presented in this report represent the conditions at the time of the groundwater sampling, at the specific locations where the groundwater samples were collected, and for the specific parameters analyzed by the laboratory. It does not fully characterize the site for contamination resulting from sources other than the former underground storage tanks and associated plumbing at the site, or for parameters not analyzed by the laboratory. All of the laboratory work cited in this report was prepared under the direction of an independent CAL-DHS certified laboratory. The independent laboratory is solely responsible for the contents and conclusions of the chemical analysis data.

---

<sup>1</sup> As presented in the "Screening For Environmental Concerns at Sites With Contaminated Soil and Groundwater" document prepared by the California Regional Water Quality Control Board, San Francisco Bay Region dated December 2013.



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - [www.aquascienceengineers.com](http://www.aquascienceengineers.com)

Aqua Science Engineers appreciates the opportunity to provide environmental consulting services for this project, and trust that this report meets your needs. Please feel free to call us at (925) 820-9391 if you have any questions or comments.

Respectfully submitted,

AQUA SCIENCE ENGINEERS, INC.

A handwritten signature in black ink that reads "Robert E. Kitay".



Robert E. Kitay, P.G.  
Senior Geologist

Attachments: Figures 1 through 5  
Tables One and Two  
Appendices A and B

cc: Mr. Mark Detterman, ACHCSA via upload to ACHCSA database  
RWQCB via Geotracker




Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - [www.aquascienceengineers.com](http://www.aquascienceengineers.com)

## **FIGURES**





NORTH



LOCATION MAP

ALBANY HILL MINI MART  
800 SAN PABLO AVENUE  
ALBANY, CALIFORNIA

AQUA SCIENCE ENGINEERS, INC.

Figure 1




NORTH

SCALE: 1" = 20'

WASHINGTON AVENUE

SAN PABLO AVENUE



LEGEND

- MW-9 (37.44')
- MONITORING WELL WITH GROUNDWATER ELEVATION IN FEET
- GROUNDWATER ELEVATION CONTOUR LINE WITH FLOW DIRECTION
- APPROXIMATE FORMER UST LOCATION AND AREA OF EXCAVATION

POTENTIOMETRIC  
SURFACE CONTOUR MAP  
MARCH 31, 2014

ALBANY HILL MINI MART  
800 SAN PABLO AVENUE  
ALBANY, CALIFORNIA

AQUA SCIENCE ENGINEERS


Figure 2



NORTH

SCALE: 1" = 20'

WASHINGTON AVENUE



SAN PABLO AVENUE

LEGEND

- MW-9 (3,700)
- MONITORING WELL WITH TPH-G CONCENTRATION IN PPB
- TPH-G CONCENTRATION CONTOUR LINE
- APPROXIMATE FORMER UST LOCATION AND AREA OF EXCAVATION

TPH-G CONCENTRATION  
CONTOUR MAP  
MARCH 31, 2014

ALBANY HILL MINI MART  
800 SAN PABLO AVENUE  
ALBANY, CALIFORNIA

AQUA SCIENCE ENGINEERS

Figure 3




NORTH

SCALE: 1" = 20'

WASHINGTON AVENUE

SAN PABLO AVENUE



LEGEND

- MW-9 (63)
- MONITORING WELL WITH BENZENE CONCENTRATION IN PPB
- BENZENE CONCENTRATION CONTOUR LINE
- APPROXIMATE FORMER UST LOCATION AND AREA OF EXCAVATION

BENZENE CONCENTRATION  
 CONTOUR MAP  
 MARCH 31, 2014

ALBANY HILL MINI MART  
 800 SAN PABLO AVENUE  
 ALBANY, CALIFORNIA

AQUA SCIENCE ENGINEERS

Figure 4




NORTH




SCALE: 1" = 20'

WASHINGTON AVENUE

SAN PABLO AVENUE



LEGEND

- MW-9 (<math>< 0.50</math>)  
 MONITORING WELL WITH MTBE CONCENTRATION IN PPB
-  MTBE CONCENTRATION CONTOUR LINE
-  APPROXIMATE FORMER UST LOCATION AND AREA OF EXCAVATION

MTBE CONCENTRATION  
CONTOUR MAP  
MARCH 31, 2014

ALBANY HILL MINI MART  
800 SAN PABLO AVENUE  
ALBANY, CALIFORNIA

AQUA SCIENCE ENGINEERS

Figure 5



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - [www.aquascienceengineers.com](http://www.aquascienceengineers.com)

## **TABLES**

**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	
MW-1	8/6/99	101.68	11.95	89.73	
	11/5/99		12.72	88.96	
	2/7/00		10.34	91.34	
	5/5/00		10.59	91.09	
	8/3/00		11.75	89.93	
	11/8/00		11.67	90.01	
	2/8/01		11.20	90.48	
	6/7/01		11.35	90.33	
	9/7/01		11.71	89.97	
	12/13/01		10.67	91.01	
	6/13/02		11.42	90.26	
	9/11/02		12.42	89.26	
	2/14/03	46.42	10.69	35.73	
	9/10/04		13.83	32.59	
	12/7/04		12.18	34.24	
	4/18/05		9.92	36.50	
	6/20/05		10.64	35.78	
	10/7/05		12.42	34.00	
	12/7/05		11.51	34.91	
	3/6/06		48.82	9.35	39.47
	6/27/06			10.07	38.75
	8/24/06			12.02	36.80
	11/20/06			12.02	36.80
	2/5/07			11.68	37.14
	5/7/07	10.91		37.91	
	8/3/07	12.34		36.48	
	12/5/07	12.68		36.14	
	2/25/08	9.68		39.14	
	5/20/08	12.17		36.65	
	8/22/08	13.06		35.76	
	12/10/08	13.17		35.65	
	3/20/09	10.09	38.73		
	6/4/09	11.89	36.93		
12/3/09	12.91	35.91			
5/19/10	10.39	38.43			
12/21/10	10.72	38.10			
6/29/11	11.26	37.56			
12/13/11	12.15	36.67			
9/12/12	12.68	36.14			
3/30/13	11.63	37.19			
9/30/13	13.15	35.67			
<b>3/31/14</b>	<b>10.81</b>	<b>38.01</b>			

**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)
MW-2	8/6/99	101.57	10.83	90.74
	11/5/99		11.66	89.91
	2/7/00		9.23	92.34
	5/5/00		9.54	92.03
	8/3/00		10.69	90.88
	11/8/00		10.62	90.95
	2/8/01		10.17	91.40
	6/7/01		10.30	91.27
	9/7/01		10.65	90.92
	12/13/01		9.65	91.92
	6/13/02		10.37	91.20
	9/11/02		11.32	90.25
	2/14/03	45.31	9.59	35.72
	9/10/04		11.78	33.53
	12/7/04		11.13	34.18
	4/18/05		8.71	36.60
	6/20/05		9.60	35.71
	10/7/05		11.39	33.92
	12/7/05		11.49	33.82
	3/6/06	47.71	8.22	39.49
	6/27/06		9.45	38.26
	8/24/06		10.35	37.36
	11/20/06		10.87	36.84
	2/5/07		10.53	37.18
	5/7/07		9.72	37.99
	8/3/07		11.47	36.24
	12/5/07		11.98	35.73
	2/25/08		8.93	38.78
	5/20/08		11.78	35.93
	8/22/08		12.21	35.50
	12/10/08		11.35	36.36
	3/20/09		9.26	38.45
	6/4/09		11.09	36.62
	12/3/09		11.86	35.85
	5/19/10		9.37	38.34
	12/21/10		9.54	38.17
6/29/11		10.27	37.44	
12/13/11		11.17	36.54	
9/12/12		11.75	35.96	
3/30/13		10.50	37.21	
9/30/13		12.17	35.54	
3/31/14			<b>9.73</b>	<b>37.98</b>



**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	
MW-3	8/6/99	100.33	10.58	89.75	
	11/5/99		11.39	88.94	
	2/7/00		9.05	91.28	
	5/5/00		9.29	91.04	
	8/3/00		10.43	89.90	
	11/8/00		10.33	90.00	
	2/8/01		9.94	90.39	
	6/7/01		10.04	90.29	
	9/7/01		10.31	90.02	
	12/13/01		9.38	90.95	
	6/13/02		10.03	90.30	
	9/11/02		11.02	89.31	
	2/14/03	45.08	9.40	35.68	
	9/10/04		12.51	32.57	
	12/7/04		11.86	33.22	
	4/18/05		8.49	36.59	
	6/20/05		9.34	35.74	
	10/7/05		11.11	33.97	
	12/7/05		10.22	34.86	
	3/6/06		47.49	8.84	38.65
	6/27/06			6.07	41.42
	8/24/06			10.26	37.23
	11/20/06			10.52	36.97
	2/5/07			10.41	37.08
	5/7/07	9.57		37.92	
	8/3/07	11.06		36.43	
	12/5/07	11.26		36.23	
	2/25/08	8.33		39.16	
	5/20/08	10.83		36.66	
	8/22/08	11.74		35.75	
	12/10/08	11.93		35.56	
	3/20/09	8.46	39.03		
	6/4/09	10.97	36.52		
	12/3/09	11.54	35.95		
	5/19/10	9.11	38.38		
	12/21/10	9.38	38.11		
6/29/11	10.02	37.47			
12/13/11	10.86	36.63			
9/12/12	8.98	38.51			
3/30/13	10.26	37.23			
9/30/13	11.88	35.61			
3/31/14	9.22	38.27			

**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)
MW-4	6/13/02	100.05	10.18	89.87
	9/11/02		11.12	88.93
	2/14/03	45.20	9.51	35.69
	9/10/04		11.59	33.61
	12/7/04		10.91	34.29
	4/18/05		8.62	36.58
	6/20/05		9.45	35.75
	10/7/05		11.20	34.00
	12/7/05		10.30	34.90
	3/6/06	47.61	8.19	39.42
	6/27/06		9.71	37.90
	8/24/06		10.43	37.18
	11/20/06		10.70	36.91
	2/5/07		10.60	37.01
	5/7/07		9.52	38.09
	8/3/07		11.33	36.28
	12/5/07		11.37	36.24
	2/25/08		8.75	38.86
	5/20/08		11.07	36.54
	8/22/08		11.82	35.79
	12/10/08		12.05	35.56
	3/20/09		9.05	38.56
	6/4/09		10.68	36.93
	12/3/09		11.55	36.06
	5/19/10		9.21	38.40
	12/21/10		9.49	38.12
	6/29/11		9.79	37.82
	12/13/11		10.98	36.63
	9/12/12		11.41	36.20
	3/30/13		10.25	37.36
	9/30/13		11.91	35.70
<b>3/31/14</b>			<b>9.65</b>	<b>37.96</b>

**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)
MW-5	6/13/02	98.37	8.88	89.49
	9/11/02		9.95	88.42
	2/14/03	44.12	8.66	35.46
	9/10/04		10.26	33.86
	12/7/04		10.79	33.33
	4/18/05		Well Destroyed by City During Street Construction	
MW-5R	10/7/05	47.36	10.94	
	12/7/05		9.97	
	3/6/06		4.93	42.43
	6/27/06		9.47	37.89
	8/24/06		10.10	37.26
	11/20/06		10.00	37.36
	2/5/07		10.21	37.15
	5/7/07		9.21	38.15
	8/3/07		10.60	36.76
	12/5/07		10.97	36.39
	2/25/08		8.64	38.72
	5/20/08		10.18	37.18
	8/22/08		11.08	36.28
	12/10/08		11.32	36.04
	3/20/09		8.46	38.90
	6/4/09		10.35	37.01
	12/3/09		10.83	36.53
	5/19/10		8.55	38.81
	12/21/10		9.00	38.36
	6/29/11		9.81	37.55
	12/13/11		10.65	36.71
	9/12/12		11.21	36.15
	3/30/13		10.83	36.53
9/30/13	11.60	35.76		
3/31/14	9.16	38.20		

**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)
MW-6	6/13/02	99.36	8.85	90.51
	9/11/02		9.82	89.54
	2/14/03	43.88	8.21	35.67
	9/10/04		10.33	33.55
	12/7/04		9.83	34.05
	4/18/05		7.08	36.80
	6/20/05		7.52	36.36
	10/7/05		10.92	32.96
	12/7/05		8.85	35.03
	3/6/06	46.27	6.22	40.05
	6/27/06		7.40	38.87
	8/24/06		9.15	37.12
	11/20/06		10.40	35.87
	2/5/07		9.20	37.07
	5/7/07		7.79	38.48
	8/3/07		9.96	36.31
	12/5/07		10.02	36.25
	2/25/08		6.77	39.50
	5/20/08		9.49	36.78
	8/22/08		10.49	35.78
	12/10/08		10.62	35.65
	3/20/09		7.65	38.62
	6/4/09		9.36	36.91
	12/3/09		10.14	36.13
	5/19/10		7.83	38.44
	12/21/10		6.35	39.92
	6/29/11		8.50	37.77
	12/13/11		9.60	36.67
	9/12/12		10.21	36.06
	3/30/13		9.50	36.77
	9/30/13		10.62	35.65
<b>3/31/14</b>			<b>6.31</b>	<b>39.96</b>

**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)
MW-7	6/13/02	100.96	10.95	90.01
	9/11/02		11.90	89.06
	2/14/03	45.59	10.25	35.34
	9/10/04		12.35	33.24
	12/7/04		11.42	34.17
	4/18/05		9.34	36.25
	6/20/05		10.19	35.40
	10/7/05		12.96	32.63
	12/7/05		not sampled	---
	3/6/06	48.36	8.92	39.44
	6/27/06		10.41	37.95
	8/24/06		11.21	37.15
	11/20/06		11.46	36.90
	2/5/07		11.34	37.02
	5/7/07		10.39	37.97
	8/3/07		12.09	36.27
	12/5/07		12.18	36.18
	2/25/08		Bubbling	---
	5/20/08		11.70	36.66
	8/22/08		12.66	35.70
	12/10/08		12.80	35.56
	3/20/09		Bubbling	---
	6/4/09		11.55	36.81
	12/3/09		12.41	35.95
	5/19/10		9.94	38.42
	12/21/10		10.77	37.59
	6/29/11	10.84	37.52	
	12/13/11	11.71	36.65	
	9/12/12	12.11	36.25	
	3/30/13	11.04	37.32	
	9/30/13	12.70	35.66	
	<b>3/31/14</b>	<b>10.39</b>	<b>37.97</b>	

**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	
MW-8	6/13/02	100.54	10.57	89.97	
	9/11/02		11.53	89.01	
	2/14/03	45.59	9.98	35.61	
	9/10/04		11.98	33.61	
	12/7/04		11.42	34.17	
	4/18/05		8.99	36.60	
	6/20/05		9.83	35.76	
	10/7/05		11.60	33.99	
	12/7/05		11.69	33.90	
	3/6/06		47.99	8.58	39.41
	6/27/06			10.06	37.93
	8/24/06			10.77	37.22
	11/20/06	11.12		36.87	
	2/5/07	10.97		37.02	
	5/7/07	9.94		38.05	
	8/3/07	11.74		36.25	
	12/5/07	11.80		36.19	
	2/25/08	8.82		39.17	
	5/20/08	11.38		36.61	
	8/22/08	12.26	35.73		
	12/10/08	12.49	35.50		
	3/20/09	9.19	38.80		
	6/4/09	11.29	36.70		
	12/3/09	12.12	35.87		
	5/19/10	9.64	38.35		
	12/21/10	10.36	37.63		
	6/29/11	10.48	37.51		
	12/13/11	11.35	36.64		
	9/12/12	11.57	36.42		
	3/30/13	10.68	37.31		
	9/30/13	12.32	35.67		
<b>3/31/14</b>	<b>10.01</b>	<b>37.98</b>			

**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)
<b>MW-9</b>	2/14/03	46.86	10.84	36.02
	9/10/04		12.97	33.89
	12/7/04		12.84	34.02
	4/18/05		9.75	37.11
	6/20/05		10.83	36.03
	10/7/05		12.59	34.27
	12/7/05		12.56	34.30
	3/6/06	49.24	10.24	39.00
	6/27/06		9.83	39.41
	8/24/06		11.91	37.33
	11/20/06		12.42	36.82
	2/5/07		11.95	37.29
	5/7/07		11.20	38.04
	8/3/07		12.67	36.57
	12/5/07		12.96	36.28
	2/25/08		10.71	38.53
	5/20/08		12.15	37.09
	8/22/08		13.18	36.06
	12/10/08		13.32	35.92
	3/20/09		11.39	37.85
	6/4/09		11.82	37.42
	12/3/09		12.93	36.31
	5/19/10		10.26	38.98
	12/21/10		11.66	37.58
	6/29/11		11.50	37.74
	12/13/11		12.38	36.86
	9/12/12		13.00	36.24
	3/30/13		12.05	37.19
	9/30/13		13.36	35.88
	<b>3/31/14</b>			<b>11.80</b>

**TABLE ONE**  
 Groundwater Elevation Data  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA

Well ID	Date of Measurement	Top of Casing Elevation* (feet)	Depth to Water (feet)	Groundwater Elevation (feet)
MW-10	10/7/05		10.52	
	12/7/05	not sampled		
	3/6/06	46.90	7.46	39.44
	6/27/06		9.03	37.87
	8/24/06		9.75	37.15
	11/20/06		10.30	36.60
	2/5/07		9.83	37.07
	5/7/07		8.85	38.05
	8/3/07		11.00	35.90
	12/5/07		10.64	36.26
	2/25/08		8.03	38.87
	5/20/08		10.58	36.32
	8/22/08		11.48	35.42
	12/10/08		11.68	35.22
	3/20/09		8.83	38.07
	6/4/09		10.00	36.90
	12/3/09		11.16	35.74
	5/19/10		8.87	38.03
	12/21/10		8.67	38.23
	6/29/11		9.44	37.46
	12/13/11		10.25	36.65
	9/12/12		9.61	37.29
	3/30/13		9.57	37.33
9/30/13		11.20	35.70	
<b>3/31/14</b>			<b>8.82</b>	<b>38.08</b>

Notes:

Data prior to September 10, 2004, including survey data, is based on tables compiled by AARS.

\* Top of casing elevations were initially surveyed to an arbitrary benchmark. The elevations were resurveyed on November 11, 2002 with respect mean sea level.



**TABLE TWO**  
Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
800 San Pablo Avenue, Albany, CA  
All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs
MW-1	8/6/99	1,500	1,200	4.3	2.9	9.1	28	--	--	ND	--
	11/5/99	1,800	1,400	5.1	3.2	8.9	33	--	--	ND	--
	2/7/00	1,100	890	3.3	1.9	5.6	21	--	--	ND	--
	5/7/00	970	650	2.9	1.7	4.9	18	--	--	ND	--
	8/3/00	1,200	270*	190	43.0	41	160	--	--	360	--
	11/8/00	4,200	230*	990	200.0	130	560	--	--	840**	--
	2/8/01	2,800	380*	630	130.0	51	250	--	--	390	--
	6/7/01	650	190	97	13.0	20	62	--	--	320	--
	9/7/01	970	400	260	17.0	44	140	--	--	460	--
	12/13/01	291	< 50	91.7	1.4	17.4	7.2	--	--	499	--
	6/13/02	5,120	2,160*	1,860	22.0	316	318	--	--	325	--
	11/11/02	824	< 50	216	< 5	22	20	--	--	290	--
	2/14/03	1,783	590*	546	5.0	90	52	--	--	321	--
	9/10/04	900	82	210	8.4	52	23	< 0.5	5.1	220	< 0.5
	12/7/04	540	< 80	130	3.1	24	14	< 0.5	< 5.0	240	< 0.5
	4/18/05	1,600	< 200	390	3.6	32	57	< 0.5	< 5.0	240	0.53 1,2-DCA
	6/20/05	2,500	< 300	740	12.0	110	69	< 0.5	5.7	240	< 0.50
	10/7/05	520	130	97	26.0	11	28	< 0.50	< 5.0	190	< 0.50
	12/7/05	220	86	42	11.0	6.2	12	< 0.50	< 5.0	230	< 0.50
	3/6/06	180	69	63	1.6	3.8	2.3	< 0.50	< 0.50	180	< 0.50
	6/27/06	2,800	< 300	1,100	7.1	140	44	< 0.50	9.9	220	< 0.50
	8/24/06	3,200	< 200	1,100	6.6	170	16	< 2.0	< 9.0	250	< 2.0
	11/20/06	630	< 50	170	1.2	22	2.8	< 0.50	6.2	220	< 0.50
	2/5/07	570	< 50	180	1.0	23	3.4	< 0.50	< 5.0	180	< 0.50
	5/7/07	500	< 50	200	0.64	12	0.72	< 0.50	< 5.0	210	< 0.50
	8/3/07	930	< 80	300	2.8	49	6.8	< 0.50	7.1	160	< 0.50
	12/5/07	560	< 50	150	37	9.8	46	< 0.50	< 5.0	100	< 0.50
	2/25/08	1,000	100	340	11	14	23	< 0.50	11	170	< 0.50
	5/20/08	740	< 50	220	3.2	7.5	6.9	< 0.50	23	170	0.68 DIPE
	8/22/08	190	< 50	52	1.2	7.3	4.6	< 0.50	11	160	0.60 DIPE
	12/10/08	98	< 50	18	< 0.50	3.2	0.89	< 0.50	< 5.0	74	< 0.50
	3/20/09	61	< 50	1.8	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	65	< 0.50
	6/4/09	< 50	< 50	5.5	< 0.50	0.63	< 0.50	< 0.50	< 5.0	71	< 0.50
	12/3/09	75	< 50	2.8	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	30	< 0.50
	5/19/10	75	< 50	1.3	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	47	< 0.50
	12/21/10	< 50	< 50	0.86	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	19	< 0.50
	6/29/11	68	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	20	< 0.50
	12/13/11	< 50	< 50	2.4	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	20	< 0.50
	9/12/12	< 50	---	2.9	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	13	< 0.50
	3/30/13	< 50	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	13	< 0.50
	9/30/13	< 50	< 50	0.67	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	8.1	< 0.50
	<b>3/31/14</b>	<b>&lt; 50</b>	<b>---</b>	<b>1.5</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 5.0</b>	<b>5.8</b>	<b>&lt; 0.50</b>

**TABLE TWO**  
Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
800 San Pablo Avenue, Albany, CA  
All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs
MW-2	8/6/99	ND	340	ND	ND	ND	ND	--	--	ND	--
	11/5/99	ND	420	ND	ND	ND	0.7	--	--	ND	--
	2/7/00	ND	310	ND	ND	ND	0.6	--	--	ND	--
	5/7/00	ND	280	ND	ND	ND	<1	--	--	ND	--
	8/3/00	460	70*	79	3.0	43	8	--	--	3,300	--
	11/8/00	200	120	57	2.0	13	8	--	--	3,000	--
	2/8/01	290	80	50	1.0	0.6	4	--	--	3,100	--
	6/7/01	210	80	18	0.6	3	5	--	--	2,000	--
	9/7/01	230	ND	51	ND	8	8	--	--	2,400	--
	12/13/01	172	ND	53	1.2	7.7	8.4	--	--	1,780	--
	6/13/02	86	<50	6	6.7	1.1	4.5	--	--	1,830	--
	11/11/02	1,040	<50	5	1.0	<1	5	--	--	1,250	--
	2/14/03	82	<50	8	<1	1	<3	--	--	1,520	--
	9/10/04	<100	72	1.6	<1.0	<1.0	<1.0	<1.0	<1.0	620	<1.0
	12/7/04	<150	86	17	<1.5	<1.5	<1.5	<1.5	<7.0	540	<1.5
	4/18/05	280	130	55	<1.5	4.4	<1.5	<1.5	<20	840	<1.5
	6/20/05	200	100	34	<0.90	2.4	2.7	<0.90	5.2	540	<0.90
	10/7/05	<90	150	11	<0.90	<0.90	<0.90	<0.90	<5.0	360	<0.90
	12/7/05	<90	110	1.5	<0.90	<0.90	<0.90	<0.90	<5.0	500	<0.90
	3/6/06	<90	88	7.0	<0.90	<0.90	<0.90	<0.50	5.2	610	<0.50
	6/27/06	270	150	49	<0.50	5.1	3.4	0.58	8.9	540	<0.50
	8/24/06	110	120	13	<0.50	1.3	<0.50	<0.50	<5.0	480	<0.50
	11/20/06	56	<50	5.6	<0.50	<0.50	<0.50	<0.50	<5.0	330	<0.50
	2/5/07	98	<50	28	<0.50	<0.50	<0.50	0.61	<5.0	500	<0.50
	5/7/07	<90	<50	22	<0.90	<0.90	<0.90	<0.90	6.0	450	<0.90
	8/3/07	<50	<50	2.2	<0.50	<0.50	<0.50	<0.50	9.0	240	<0.50
	12/5/07	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	37	82	<0.50
	2/25/08	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	10	<0.50
	5/20/08	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	0.71	<0.50
	8/22/08	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	0.71	<0.50
	12/10/08	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	3/20/09	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	6/4/09	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	12/3/09	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	5/19/10	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	12/21/10	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	6/29/11	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	12/13/11	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	9/12/12	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	3/30/13	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	9/30/13	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50
	<b>3/31/14</b>	<b>&lt;50</b>	<b>---</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>

**TABLE TWO**  
 Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA  
 All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs
MW-3	8/6/99	ND	ND	ND	ND	ND	ND	--	--	ND	--
	11/5/99	92	54	ND	ND	0.6	1.7	--	--	ND	--
	2/7/00	120	71	ND	0.6	0.8	2.2	--	--	ND	--
	5/7/00	100	68	ND	ND	0.7	1.9	--	--	ND	--
	8/3/00	910	300*	220	9.0	35	16	--	--	11,000**	--
	11/8/00	990	200	320	0.8	18	9	--	--	8,000	--
	2/8/01	990	110	180	21.0	7	24	--	--	5,200**	--
	6/7/01	370	140	62	4.0	8	13	--	--	6,600**	--
	9/7/01	460	ND	87	1.0	11	25	--	--	9,400**	--
	12/13/01	251	ND	66.8	0.9	2.6	8.4	--	--	6,610	--
	6/13/02	3,630	< 50	41	60.0	41	187	--	--	8,820**	--
	11/11/02	6,210	< 50	150	< 1	5	< 3	--	--	7,770	--
	2/14/03	176	< 50	31	< 1	2	< 3	--	--	5,040	--
	9/10/04	< 1,000	140	110	< 10	< 10	21	20	200	4,400	< 10
	12/7/04	1,000	150	310	19.0	24	50	21	< 100	4,000	< 10
	4/18/05	750	150	170	16.0	33	36	6.1	< 50	1,700	< 5.0
	6/20/05	680	120	140	9.7	20	38	7.4	< 20	1,900	< 4.0
	10/7/05	630	160	140	10.0	11	34	9.2	< 20	2,000	< 4.0
	12/7/05	550	200	128	6.4	7.2	10	11	56	2,400	< 4.0
	3/6/06	88	36	< 2.0	5.3	2.1	4.2	13	1,000	1,000	< 2.0
	6/27/06	7,400	< 1,500	2,800	12	190	56	9.8	110	760	< 4.0
	8/24/06	< 400	130	24	< 4.0	< 4.0	14	9.0	40	2,800	< 4.0
	11/20/06	< 400	< 50	42	< 4.0	4.4	8.7	7.3	71	1,700	< 4.0
	2/5/07	440	< 50	110	4.2	< 4.0	16	7.3	39	1,600	< 4.0
	5/25/07	240	< 50	52	4.3	4.3	18	4.3	140	1,100	< 2.0
	8/3/07	500	< 50	190	7.2	12	40	4.4	320	860	< 1.5
	12/5/07	< 150	< 50	< 1.5	< 1.5	< 1.5	< 1.5	5.1	280	1,200	< 1.5
	2/25/08	< 200	< 50	< 2.0	< 2.0	< 2.0	< 2.0	5.0	13	1,300	< 2.0
	5/20/08	< 50	< 50	2.5	< 0.50	< 0.50	< 0.50	< 0.50	6.7	200	0.54 DIPE
	8/22/08	< 50	< 50	1.5	< 0.50	< 0.50	< 0.50	0.64	6.9	380	< 0.50
	12/10/08	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	7.2	< 0.50
	3/20/09	< 50	< 50	0.61	< 0.50	< 0.50	< 0.50	< 0.50	7.7	14	< 0.50
	6/4/09	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	4.0	< 0.50
	12/3/09	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	5/19/10	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	26	< 0.50
	12/21/10	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	6/29/11	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	2.9	< 0.50
	12/13/11	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	9/12/12	< 50	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	3/30/13	< 50	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	9/30/13	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	<b>3/31/14</b>	<b>&lt; 50</b>	<b>---</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 5.0</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>

**TABLE TWO**  
 Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA  
 All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs
MW-4	6/13/02	4,460	1,500*	425	409.0	115	730	--	--	32	--
	11/11/02	5,150	2,380*	2,010	74.0	399	252	--	--	< 20	--
	2/14/03	6,360	2,410*	1,560	82.0	274	573	--	--	< 1	--
	9/10/04	1,600	180	370	6.5	68	93	< 1.0	10	13	1.1 (DIPE)
	12/7/04	1,900	< 200	450	8.2	72	100	< 0.9	5.4	9.5	< 0.9
	4/18/05	10,000	< 800	1,500	27.0	420	900	< 1.5	15	18	< 1.5
	6/20/05	6,100	< 600	830	19.0	280	400	< 1.5	17	22	< 1.5
	10/7/05	3,200	< 500	660	8.7	110	140	< 1.5	12	14	< 1.5
	12/7/05	1,000	< 200	220	2.5	48	37	< 0.5	< 5.0	12	< 0.5
	3/6/06	1,200	< 300	280	2.1	32	77	0.65	< 0.50	75	1.0 (DIPE) / 0.57(1,2-DCA)
	6/27/06	2,000	< 300	570	4.0	110	120	< 0.90	15	110	1.2 (DIPE)
	8/24/06	2,500	< 300	830	6.5	120	120	< 0.90	18	95	< 0.90
	11/20/06	1,900	< 80	590	4.8	37	29	< 1.5	< 1.5	14	< 1.5
	2/5/07	2,700	< 80	970	4.4	53	62	< 1.5	< 12	45	< 1.5
	5/7/07	2,900	< 200	1,200	5.0	89	95	< 1.5	18	34	< 1.5
	8/3/07	1,800	< 200	610	3.4	36	25	0.62	9.3	25	1.4 DIPE
	12/5/07	1,300	< 200	530	3.4	3.4	20	< 0.90	6.0	32	0.98 DIPE
	2/25/08	800	< 50	180	6.0	15	35	< 0.50	30	44	0.76 DIPE
	5/20/08	560	< 50	130	3.6	5.7	14	< 0.50	21	34	0.85 DIPE
	8/22/08	110	< 50	7.3	< 0.50	< 0.50	0.79	< 0.50	12	28	1.0 DIPE
	12/10/08	190	< 50	38	0.53	2.7	1.8	< 0.50	6.6	20	0.76 DIPE
	3/20/09	86	< 50	8.7	< 0.50	1.1	3.6	< 0.50	< 5.0	14	0.73 DIPE
	6/4/09	160	< 50	28	< 0.50	1.5	1.9	< 0.50	< 5.0	12	0.72 DIPE
	12/3/09	280	< 50	46	0.61	0.93	1.9	< 0.50	< 5.0	12	0.65 DIPE
	5/19/10	200	< 50	20	< 0.50	< 0.50	< 0.50	< 0.50	9.3	13	0.94 DIPE
	12/21/10	200	< 50	32	< 0.50	1.1	3.3	< 0.50	< 5.0	9.5	0.64 DIPE
	6/29/11	120	< 50	13	< 0.50	< 0.50	< 0.50	< 0.50	6.7	9.8	0.85 DIPE
	12/13/11	520	< 80	92	0.96	1.1	1.7	< 0.50	7.8	14	1.1 DIPE
	9/12/12	350	---	51	0.76	0.94	2.0	< 0.50	< 5.0	9.8	0.76 DIPE
	3/30/13	86	---	7.3	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	8.1	0.55 DIPE
	9/30/13	130	< 50	17	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	8.8	0.63 DIPE
<b>3/31/14</b>	<b>53</b>	<b>---</b>	<b>3.5</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 5.0</b>	<b>0.55</b>	<b>&lt; 0.50</b>

**TABLE TWO**  
Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
800 San Pablo Avenue, Albany, CA  
All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs	
MW-5	6/13/02	536	< 50	6.4	0.6	22	23	--	--	11	--	
	11/11/02	3,270	1,230*	< 1	< 1	28	8	--	--	< 1	--	
	2/14/03	1,260	610*	9	7.0	22	5	--	--	< 1	--	
	9/10/04	1,300	150	2.4	< 0.50	0.77	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50	
	12/7/04	1,000	< 200	4.1	< 0.50	1.4	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50	
	4/18/05	Improperly Destroyed by City of Albany During Street Improvements										
MW-5R	10/7/05	760	< 800	2	< 0.50	8.3	1.2	< 0.50	< 5.0	< 0.50	< 0.50	
	12/7/05	5,200	< 2,000	36	1.0	320	15	< 0.50	< 5.0	< 0.50	< 0.50	
	3/6/06	6,300	< 3,000	44	1.2	370	19	< 0.90	5.9	< 0.90	< 0.90	
	6/27/06	5,100	< 2,000	53	1.3	370	17	< 0.50	5.6	< 0.50	< 0.50	
	8/24/06	6,500	< 2,000	80	1.8	510	18	< 0.90	9.9	< 0.90	< 0.90	
	11/20/06	5,400	< 600	160	2.4	370	100	< 0.90	10	81	< 0.90	
	2/5/07	6,300	< 1,500	69	3.2	480	31	< 0.80	10	< 0.80	< 0.80	
	5/7/07	5,600	< 500	61	2.4	510	19	< 0.90	11	< 0.90	< 0.90	
	8/3/07	170	< 50	3.7	< 0.50	< 0.50	< 0.50	1.4	9.2	330	< 0.50	
	12/5/07	4,500	< 800	32	1.3	240	10	< 0.50	< 5.0	< 0.50	< 0.50	
	2/25/08	6,000	< 600	41	1.7	310	13	< 0.50	5.6	< 0.50	< 0.50	
	5/20/08	220	< 50	2.4	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	37	< 0.50	
	8/22/08	91	< 50	< 0.50	< 0.50	< 0.50	< 0.50	0.57	< 5.0	100	< 0.50	
	12/10/08	140	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	41	< 0.50	
	3/20/09	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	8.8	< 0.50	
	6/14/09	4,300	< 800	35	2.2	130	5.7	< 0.50	< 5.0	6.9	< 0.50	
	12/3/09	55	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	13	< 0.50	
	5/19/10	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	2.2	< 0.50	
	12/21/10	2,700	< 50	16	1.4	29	1.6	< 0.50	< 5.0	< 0.50	< 0.50	
	6/29/11	1,900	< 300	12	1.1	6.0	0.85	< 0.50	< 5.0	< 0.50	< 0.50	
	12/13/11	3,200	< 400	15	1.2	10	1.3	< 0.50	< 5.0	< 0.50	< 0.50	
	9/12/12	3,400	---	23	1.7	2.8	1.4	< 0.50	< 5.0	< 0.50	< 0.50	
3/30/13	2,200	---	5.7	0.85	4.2	0.62	< 0.50	< 5.0	< 0.50	< 0.50		
9/30/13	2,000	< 50	13	0.97	5.1	0.82	< 0.50	< 5.0	< 0.50	< 0.50		
<b>3/31/14</b>	<b>3,200</b>	<b>---</b>	<b>22</b>	<b>1.4</b>	<b>12</b>	<b>1.2</b>	<b>&lt; 0.50</b>	<b>&lt; 5.0</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>		

**TABLE TWO**  
Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
800 San Pablo Avenue, Albany, CA  
All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs
MW-6	6/13/02	2,980	1,460*	31	2.3	3.8	12	--	--	310	--
	11/11/02	3,570	1,210*	336	5	< 5	< 15	--	--	95	--
	2/14/03	3,770	1,620*	429	12	7	10	--	--	122	--
	9/10/04	< 1,000	390	2.7	< 0.50	< 0.50	< 0.50	2.3	48	280	< 0.50
	12/17/04	1,800	< 600	32	1.7	< 0.50	1.1	2.2	49	160	< 0.50
	4/18/05	1,200	1,400	34	1.3	< 0.50	0.90	0.86	19	36	< 0.50
	6/20/05	590	1,300	3.3	< 0.50	< 0.50	< 0.50	< 0.50	5.5	8.5	< 0.50
	10/17/05	470	1,300	6.8	< 0.50	< 0.50	< 0.50	0.67	20	82	< 0.50
	12/17/05	420	910	10	< 0.50	< 0.50	< 0.50	< 0.50	7.3	22	< 0.50
	3/6/06	790	590	3.2	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	4.3	< 0.50
	6/27/06	2,600	980	100	4.0	0.96	2.2	1.0	49	78	< 0.50
	8/24/06	1,200	960	57	2.3	< 0.50	1.1	0.82	34	64	< 0.50
	11/20/06	1,300	< 200	58	1.7	< 0.50	1.3	< 0.50	18	26	< 0.50
	2/5/07	1,200	< 200	49	1.8	< 0.50	1.6	0.90	45	67	< 0.50
	5/7/07	290	< 50	3.1	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	5.0	< 0.50
	8/3/07	580	< 80	23	1.0	< 0.50	< 0.50	0.57	34	45	< 0.50
	12/5/07	870	< 800	2.8	< 0.50	< 0.50	< 0.50	0.58	20	54	< 0.50
	2/25/08	1,400	< 500	16	0.73	< 0.50	9.6	< 0.50	19	77	< 0.50
	5/20/08	1,600	< 200	42	2.0	< 0.50	1.1	0.72	59	58	< 0.50
	8/22/08	520	< 300	3.2	< 0.50	< 0.50	< 0.50	0.62	47	70	< 0.50
	12/10/08	1,000	< 6,000	0.53	< 0.50	< 0.50	< 0.50	< 0.50	24	21	< 0.50
	3/20/09	700	< 500	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	2.9	< 0.50
	6/14/09	160	< 1,500	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	10	18	< 0.50
	12/3/09	750	< 1,500	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	4.4	< 0.50
	5/19/10	210	< 200	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	2.8	< 0.50
	12/21/10	130	< 400	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	6/29/11	390	< 200	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	0.5	< 0.50
	12/13/11	94	< 100	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	18	< 0.50
	9/12/12	270	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	13	< 0.50
	3/30/13	< 50	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	9/30/13	300	850*	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	<b>3/31/14</b>	<b>&lt; 50</b>	<b>---</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 5.0</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>

**TABLE TWO**  
 Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA  
 All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs
MW-7	6/13/02	24,100	1,570*	2,310	657	945	5,430	--	--	951	--
	11/11/02	4,760	2,160*	1,820	21	316	1,141	--	--	702	--
	2/14/03	4,320	2,380*	1,020	7	223	293	--	--	1,410	--
	9/10/04	4,800	< 300	640	16	250	490	< 1.5	31	590	< 1.5
	12/7/04	990	< 300	140	3.4	49	70	4.0	< 20	960	< 2.0
	4/18/05	1,400	< 300	260	1.3	96	16	< 1.0	20	370	< 1.0
	6/20/05	1,900	< 200	320	1.0	130	24	< 0.50	17	370	< 0.50
	10/7/05	2,600	< 800	190	4.7	91	200	< 0.73	8.0J	310	< 0.50
	12/7/05										
	3/6/06	640	< 200	85	0.88	24	30	< 0.50	8.0	150	< 0.50
	6/27/06	1,200	< 200	180	1.7	64	64	< 0.50	14	150	< 0.50
	8/24/06	990	< 200	120	0.96	36	51	< 0.50	13	180	< 0.50
	11/20/06	1,600	< 200	200	1.6	59	160	< 0.50	5.2	180	< 0.50
	2/5/07	2,300	< 200	390	2.6	120	140	< 0.50	15	190	< 0.50
	5/7/07	490	< 80	190	0.61	9.3	3.2	0.55	16	200	< 0.50
	8/3/07	2,100	< 200	390	2.4	94	73	0.61	19	220	0.51 DIPE
	12/5/07	140	< 50	7.2	0.67	3.0	18	0.98	150	180	< 0.50
	2/25/08	< 50	< 50	0.98	< 0.50	0.69	2.4	< 0.50	< 5.0	100	< 0.50
	5/20/08	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	1.3	< 0.50
	8/22/08	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	12/10/08	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	3/20/09	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	6/14/09	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	12/3/09	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	5/19/10	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	0.55	< 0.50
	12/21/10	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	6/29/11	180	< 80	< 0.50	< 0.50	2.8	14	< 0.50	< 5.0	< 0.50	< 0.50
	12/13/11	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	9/12/12	< 50	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	3/30/13	< 50	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	9/30/13	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	<b>3/31/14</b>	<b>&lt; 50</b>	<b>---</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 5.0</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>

**TABLE TWO**  
 Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA  
 All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs	
MW-8	6/13/02	20,000	7,760*	2,200	1,140	1,050	4,090	--	--	12,000	--	
	11/11/02	5,010	2,010*	187	<1	15	<3	--	--	16,600	--	
	2/14/03	1,980	<50	607	6	113	40	--	--	11,500	--	
	9/10/04	<2,000	200	110	<20	26	49	25	<200	8,600	<20	
	12/7/04	2,000	280	420	<10	40	61	31	100	6,800	<10	
	4/18/05	<1000	250	76	<10	23	<10	17	<100	3,700	<10	
	6/20/05	1,300	300	190	<7.0	21	40	19	<40	3,400	<7.0	
	10/7/05	<700	200	85	<7.0	9.3	8.3	23	<40	4,400	<7.0	
	12/7/05	1,400	300	250	8.7	41	90	18	<40	4,400	<b>&lt;7.0</b>	
	3/6/06						Not sampled. Inaccessible					
	6/27/06	710	250	100	<5.0	7.8	26	16	30	3,100	<5.0	
	8/24/06	540	260	74	<5.0	5.4	45	15	<25	2,700	<5.0	
	11/20/06	2,100	<100	380	4.4	18	170	10	530	1,900	<4.0	
	2/5/07	1,700	<100	560	3.9	7.5	80	2.7	970	630	<1.0	
	5/7/07	510	<50	170	0.61	2.1	5.4	0.57	460	110	<0.50	
	8/3/07	840	<80	240	1.6	7.0	18	<0.50	100	100	<0.50	
	12/5/07	1,400	<300	9.2	3.9	36	310	1.5	210	370	<0.50	
	2/25/08	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	130	<0.50	
	5/20/08	<50	<50	<0.50	<0.50	<0.50	1.5	<0.50	<5.0	6.1	<0.50	
	8/22/08	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	12/10/08	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	3/20/09	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	6/14/09	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	12/3/09	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	5/19/10	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	12/21/10	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	6/29/11	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	12/13/11	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	9/12/12	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	3/30/13	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
	9/30/13	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	
<b>3/31/14</b>	<b>&lt;50</b>	<b>---</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	



**TABLE TWO**  
 Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA  
 All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs
MW-9	6/27/02	19,000	--	1,430	1,750	501	5,410	--	--	< 0.5	--
	11/11/02	19,000	13,200*	3,390	4,540	1,020	9,050	--	--	549	--
	2/14/03	21,300	8,200*	1,700	2,200	701	4,970	--	--	< 1	--
	9/10/04	12,000	< 1,500	890	37	280	2,000	< 5.0	< 50	< 5.0	< 5.0
	12/17/04	13,000	< 1,500	950	580	480	2,900	< 5.0	< 50	< 5.0	< 5.0
	4/18/05	9,600	< 1,000	620	180	260	1,400	< 2.5	< 25	< 2.5	< 2.5
	6/20/05	9,800	< 1,500	760	260	430	1,400	< 2.0	< 9.0	< 2.0	< 2.0
	10/17/05	3,400	< 1000	350	170	100	480	< 0.50	< 5.0	< 0.50	< 0.50
	12/17/05	5,600	< 1000	320	97	200	580	< 0.90	< 5.0	< 0.50	< 0.50
	3/6/06	4,200	< 800	460	120	97	600	< 0.90	< 5.0	< 0.90	< 0.50
	6/27/06	8,100	< 1,000	710	330	390	1,700	< 0.50	< 5.0	< 2.0	< 0.50
	8/24/06	6,100	< 800	550	220	280	1,200	< 2.0	< 9.0	< 2.0	< 2.0
	11/20/06	5,200	< 400	310	98	130	850	< 1.0	< 5.0	< 1.0	< 1.0
	2/5/07	4,500	< 400	370	120	190	720	< 1.0	< 5.0	< 1.0	< 1.0
	5/7/07	6,400	< 300	700	220	380	1,200	< 1.0	< 5.0	< 1.0	< 1.0
	8/3/07	5,300	< 300	380	140	290	830	< 0.90	< 5.0	< 0.90	< 0.90
	12/5/07	4,100	< 300	250	84	130	990	< 1.0	< 5.0	< 1.0	< 1.0
	2/25/08	2,600	< 300	250	20	120	290	< 0.50	< 5.0	< 0.50	< 0.50
	5/20/08	3,000	< 200	320	39	170	390	< 0.50	< 5.0	0.51	< 0.50
	8/22/08	3,700	< 600	220	68	190	610	< 0.50	< 5.0	0.72	< 0.50
	12/10/08	4,100	< 300	240	80	250	840	< 0.50	< 5.0	< 0.50	< 0.50
	3/20/09	1,800	< 200	170	22	81	250	< 0.50	< 5.0	< 0.50	< 0.50
	6/14/09	2,600	< 200	260	35	110	410	< 0.50	< 5.0	< 0.50	< 0.50
	12/3/09	5,200	< 300	260	63	320	970	< 0.50	< 5.0	< 0.50	< 0.50
	5/19/10	3,000	< 300	190	23	120	490	< 0.90	< 5.0	< 0.90	< 0.90
	12/21/10	4,900	< 300	200	35	260	1,000	< 0.90	< 5.0	< 0.90	< 0.90
	6/29/11	3,400	< 300	140	20	160	800	< 0.90	< 5.0	< 0.90	< 0.90
	12/13/11	7,300	< 400	170	32	340	1,600	< 0.50	< 5.0	< 0.50	< 0.50
	9/12/12	5,400	---	76	16	210	750	< 0.90	5.0	< 0.90	< 0.90
	3/30/13	3,400	---	46	8.2	130	500	< 0.50	< 5.0	< 0.50	< 0.50
	9/30/13	4,200	< 50	69	12	170	630	< 0.50	< 5.0	< 0.50	< 0.50
	<b>3/31/14</b>	<b>3,700</b>	<b>---</b>	<b>63</b>	<b>8.0</b>	<b>140</b>	<b>480</b>	<b>&lt; 0.50</b>	<b>&lt; 5.0</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>

**TABLE TWO**  
 Summary of Analytical Results for **GROUNDWATER** Samples  
**Albany Hill Mini Mart**  
 800 San Pablo Avenue, Albany, CA  
 All results are in **parts per billion (ppb)**

Well ID or Sample Point	Date Sampled	TPH Gasoline	TPH Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TAME	TBA	MTBE	Other VOCs
<b>MW-10</b>	10/7/05	470	330	17	<0.50	2	11	1.2	9.4J	210	<0.50
	12/7/05					Not sampled. Inaccessible					
	3/6/06	130	130	4.2	< 0.50	< 0.50	< 0.50	4.9	13	820	0.55 (DIPE)
	6/27/06	< 400	140	4.4	< 0.50	< 0.50	< 0.50	8.9	21	1,300	0.60 (DIPE)
	8/24/06	< 400	140	< 4.0	< 4.0	< 4.0	< 4.0	7.0	< 20	1,400	< 4.0
	11/20/06	< 150	< 50	2.5	< 1.5	< 1.5	< 1.5	3.3	10	750	< 1.5
	2/5/07	170	< 50	3.0	< 0.90	< 0.90	< 0.90	2.4	6.5	440	< 0.90
	5/7/07	96	< 50	2.3	< 0.50	< 0.50	< 0.50	0.83	< 5.0	180	< 0.50
	8/3/07	5,000	< 1,000	67	2.3	410	14	< 0.50	6.7	< 0.50	< 0.50
	12/5/07	310	< 50	1.2	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	< 0.50	< 0.50
	2/25/08	240	240	5.3	< 0.50	< 0.50	< 0.50	< 0.50	9.3	57	< 0.50
	5/20/08	3,400	< 500	23	1.2	120	5.9	< 0.50	< 5.0	< 0.50	< 0.50
	8/22/08	1,900	< 500	22	0.89	3.8	2.1	< 0.50	5.1	< 0.50	< 0.50
	12/10/08	3,500	< 500	40	2.0	190	7.8	< 0.50	< 5.0	< 0.50	< 0.50
	3/20/09	4,100	< 600	40	1.7	150	5.8	< 0.50	5.9	< 0.50	< 0.50
	6/4/09	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	34	< 0.50	< 0.50
	12/3/09	4,500	< 800	36	2.5	140	4.3	< 0.50	< 5.0	< 0.50	< 0.50
	5/19/10	3,600	< 600	19	2.3	120	3.3	< 0.50	< 5.0	< 0.50	< 0.50
	12/21/10	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	7.2	< 0.50
	6/29/11	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	2.0	< 0.50
12/13/11	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	3.5	< 0.50	
9/12/12	< 50	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	2.6	< 0.50	
3/30/13	< 50	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	0.67	< 0.50	
9/30/13	< 50	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 5.0	1.4	< 0.50	
	<b>3/31/14</b>	<b>120</b>	---	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 0.50</b>	<b>&lt; 5.0</b>	<b>1.5</b>	<b>&lt; 0.50</b>
ESL		100	100	1.0	40	30	20	NE	12	5.0	Varies

Notes:

Data prior to August 2004 is based on a table compiled by AARS - ASE has not checked results against original laboratory reports.

\* Does not match diesel pattern

\*\* Confirmed by GC/MS method 8260

ESL = Environmental screening levels presented in the "Screening For Environmental Concerns at Sites With Contaminated Soil and Groundwater (May 2008)" document prepared by the California Regional Water Quality Control Board, San Francisco Bay Region for sites where groundwater is a current or potential source of drinking water.

Most recent concentrations are in **Bold**.

Non-detectable concentrations noted by the less than sign (<) followed by the laboratory detection limit.

NE indicates that no ESL has been established for this compound.



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - [www.aquascienceengineers.com](http://www.aquascienceengineers.com)

## **APPENDIX A**

### **Well Sampling Field Logs**

# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME ALBANY HILL MINI MART

JOB NUMBER 3934 DATE OF SAMPLING 3-31-14

WELL ID. MW-1 SAMPLER DA

TOTAL DEPTH OF WELL 24.2 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 10.81 TIME OF MEASUREMENT

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 13.39

NUMBER OF GALLONS PER WELL CASING VOLUME 2.3

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 6.9 gal

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 1150 TIME EVACUATION COMPLETED 1200

TIME SAMPLES WERE COLLECTED 1200

DID WELL GO DRY No AFTER HOW MANY GALLONS         

VOLUME OF GROUNDWATER PURGED 6.9 gal

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR olive brown ODOR/SEDIMENT slight he / slight silt

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	17.0 °C	7.4	1080 uS/cm
2	17.1	7.4	1130
3	17.1	7.4	1140

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-1	3	40 ml vva	TPH-6/BTEX/XY'S	✓
"	2	"	TPH-P	✓

# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME ALBANY HILL MINI MART

JOB NUMBER 3934 DATE OF SAMPLING 3-31-14

WELL ID. MW-2 SAMPLER DA

TOTAL DEPTH OF WELL 24.8 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 9.73 TIME OF MEASUREMENT

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 15.0

NUMBER OF GALLONS PER WELL CASING VOLUME 2.5

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 7.5 gal

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 1210 TIME EVACUATION COMPLETED 1220

TIME SAMPLES WERE COLLECTED 1220

DID WELL GO DRY — AFTER HOW MANY GALLONS

VOLUME OF GROUNDWATER PURGED 7.5 gal

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR slight brown ODOR/SEDIMENT None/None slight silt

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	17.3	7.8	540
2	17.4	7.7	540
3	17.4	7.7	540

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
<u>MW-2</u>	<u>3</u>	<u>40 ml vial</u>	<u>TPH-G/BTEX/XY'S</u>	<u>1</u>
<u>11</u>	<u>2</u>	<u>"</u>	<u>TPH-P</u>	<u>✓</u>

# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME ALBANY HILL MINI MART

JOB NUMBER 3934 DATE OF SAMPLING 3-31-14

WELL ID. MW-3 SAMPLER DA

TOTAL DEPTH OF WELL 23.8 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 9.22 TIME OF MEASUREMENT

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 14.6

NUMBER OF GALLONS PER WELL CASING VOLUME 2.5

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 7.5 gal

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 1020 TIME EVACUATION COMPLETED 1030

TIME SAMPLES WERE COLLECTED 1030

DID WELL GO DRY No AFTER HOW MANY GALLONS —

VOLUME OF GROUNDWATER PURGED 7.5 gal

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR Light brown ODOR/SEDIMENT None / slightly silty

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	18.3	6.8	480
2	18.5	7.0	480
3	18.5	7.0	480

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-3	3	40 ml VOA	TPH-G/BTEX/0XY'S	✓
"	2	"	TPH-D	✓

# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME ALBANY HILL MINI MART

JOB NUMBER 3934 DATE OF SAMPLING 3-31-14

WELL ID. MW-4 SAMPLER DT

TOTAL DEPTH OF WELL 24.5 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 9.65 TIME OF MEASUREMENT

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 14.85

NUMBER OF GALLONS PER WELL CASING VOLUME 2.5

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 7.5 gal

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 12:40 TIME EVACUATION COMPLETED 1250

TIME SAMPLES WERE COLLECTED 1250

DID WELL GO DRY No AFTER HOW MANY GALLONS —

VOLUME OF GROUNDWATER PURGED 7.5 gal

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR slight yellow brown ODOR/SEDIMENT None, /u. slight silt

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	17.7	7.2	1590
2	17.9	7.1	1820
3	17.9	7.1	1830

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
<u>MW-4</u>	<u>3</u>	<u>40 ml VOA</u>	<u>TAP-6/BTEX/0 X4'S</u>	<u>✓</u>
<u>"</u>	<u>2</u>	<u>"</u>	<u>TAP-0</u>	<u>✓</u>

# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME ALBANY HILL MINI MART

JOB NUMBER 3934 DATE OF SAMPLING 3-31-14

WELL ID. MW-5R SAMPLER DA

TOTAL DEPTH OF WELL 19.58 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 9.16 TIME OF MEASUREMENT

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 10.42

NUMBER OF GALLONS PER WELL CASING VOLUME 1.8

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 5.4 gal

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 1305 TIME EVACUATION COMPLETED 1315

TIME SAMPLES WERE COLLECTED 1315

DID WELL GO DRY No AFTER HOW MANY GALLONS —

VOLUME OF GROUNDWATER PURGED 5.4 gal

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR clear ODOR/SEDIMENT moderate w/c / none

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	17.9 °C	7.3	830
2	18.1	7.2	810
3	18.1	7.2	810

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-5R	3	40 ml vial	TPH-G/BTEX/0 XYS	✓
"	2	"	TPH-P	✓



# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME ALBANY HILL MINI MART

JOB NUMBER 3934 DATE OF SAMPLING 3-31-14

WELL ID. MW-6 SAMPLER DA

TOTAL DEPTH OF WELL 24.7 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 6.31 TIME OF MEASUREMENT

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 18.39

NUMBER OF GALLONS PER WELL CASING VOLUME 3.1

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 9.3 gal

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 1130 TIME EVACUATION COMPLETED 1140

TIME SAMPLES WERE COLLECTED 1140

DID WELL GO DRY No AFTER HOW MANY GALLONS —

VOLUME OF GROUNDWATER PURGED 9.3 gal

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR . ODOR/SEDIMENT

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	18.0 °C	7.4	680
2	18.1	7.5	610
3	18.1	7.5	600

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-6	3	40 ml VOA	TPH-6/BTEX/0XY'S	✓
"	2	"	TPH-0	✓

# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME ALBANY HILL MINI MART

JOB NUMBER 3934 DATE OF SAMPLING 3-31-14

WELL ID. MW-7 SAMPLER DA

TOTAL DEPTH OF WELL 24.7 WELL DIAMETER 12

DEPTH TO WATER PRIOR TO PURGING 1039 TIME OF MEASUREMENT

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 14.3

NUMBER OF GALLONS PER WELL CASING VOLUME 2.4

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 7.2 gal

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 10:40 TIME EVACUATION COMPLETED 1050

TIME SAMPLES WERE COLLECTED 1050

DID WELL GO DRY No AFTER HOW MANY GALLONS -

VOLUME OF GROUNDWATER PURGED 7.2 gal

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR light brown ODOR/SEDIMENT None / slight silt

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	16.5	7.1	560
2	16.7	7.5	550
3	16.7	7.6	550

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-7	3	40 ml VOA	TPH-G/BTEX/0 X4'S	✓
11	2	"	TPH-P	✓

# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME <u>ALBANY HILL MINI MART</u>	
JOB NUMBER <u>3934</u>	DATE OF SAMPLING <u>3-31-14</u>
WELL ID. <u>MW-8</u>	SAMPLER <u>DA</u>
TOTAL DEPTH OF WELL <u>19.1</u>	WELL DIAMETER <u>2</u>
DEPTH TO WATER PRIOR TO PURGING <u>10.01</u>	TIME OF MEASUREMENT
PRODUCT THICKNESS <u>0</u>	
DEPTH OF WELL CASING IN WATER <u>9.09</u>	
NUMBER OF GALLONS PER WELL CASING VOLUME <u>1.5</u>	
NUMBER OF WELL CASING VOLUMES TO BE REMOVED <u>3</u>	
REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING <u>4.5 gal</u>	
EQUIPMENT USED TO PURGE WELL <u>NEW DISPOSABLE BAILER</u>	
TIME EVACUATION STARTED <u>1105</u>	TIME EVACUATION COMPLETED <u>1115</u>
TIME SAMPLES WERE COLLECTED <u>1115</u>	
DID WELL GO DRY <u>No</u>	AFTER HOW MANY GALLONS <u>—</u>
VOLUME OF GROUNDWATER PURGED <u>4.5 gal</u>	
SAMPLING DEVICE <u>NEW DISPOSABLE BAILER</u>	
SAMPLE COLOR <u>brown</u>	ODOR/SEDIMENT <u>None / brown silt</u>

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	16.2	7.8	510
2	16.3	7.8	500
3	16.3	7.8	500

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
<u>MW-8</u>	<u>3</u>	<u>40 ml vial</u>	<u>TPH-G/BTEX/0XY'S</u>	<u>✓</u>
<u>11</u>	<u>2</u>	<u>"</u>	<u>TPH-D</u>	<u>✓</u>

# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME ALBANY HILL MINI MART

JOB NUMBER 3934 DATE OF SAMPLING ~~3-29-14~~ 3-31-14

WELL ID. MW-9 SAMPLER DA

TOTAL DEPTH OF WELL 16.8 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 11.80 TIME OF MEASUREMENT

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 5.0

NUMBER OF GALLONS PER WELL CASING VOLUME 0.85

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 2.55 gal

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 10:00 TIME EVACUATION COMPLETED 10:05

TIME SAMPLES WERE COLLECTED 1400

DID WELL GO DRY Yes AFTER HOW MANY GALLONS 1 gal

VOLUME OF GROUNDWATER PURGED 1 gal

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR slight odille ODOR/SEDIMENT mod he / slight to mod silt

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	18.4	6.4	830
2			
3			

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-9	3	40 ml vial	TPH-6/BTEX/0X4'S	✓
11	2	"	TPH-P	✓

# AQUA SCIENCE ENGINEERS

## WELL SAMPLING FIELD LOG

PROJECT NAME ALBANY HILL MINI MART

JOB NUMBER 3934 DATE OF SAMPLING 3-31-14

WELL ID. MW-10 SAMPLER DA

TOTAL DEPTH OF WELL 24.7 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 8.82 TIME OF MEASUREMENT

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 15.88

NUMBER OF GALLONS PER WELL CASING VOLUME 2.7

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 8.1 gal

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 1340 TIME EVACUATION COMPLETED 1355

TIME SAMPLES WERE COLLECTED 1355

DID WELL GO DRY NO AFTER HOW MANY GALLONS —

VOLUME OF GROUNDWATER PURGED 8.1 gal

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR light brown ODOR/SEDIMENT slight hc / slight hc

### CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	18.4	9.5	920
2	19.1	7.4	940
3	19.2	7.4	940

### SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-10	3	40 ml VOA	TPH-G/BTEX/0XYS	✓
11	2	"	TPH-D	✓



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526  
(925) 820-9391 - Fax (925) 837-4853 - [www.aquascienceengineers.com](http://www.aquascienceengineers.com)

## **APPENDIX B**

Certified Analytical Report  
and  
Chain of Custody Documentation



## Laboratory Results

Robert Kitay  
Aqua Science Engineers, Inc.  
55 Oak Court, Suite 220  
Danville, CA 94526

Subject : 10 Water Samples  
Project Name : Albany Hill Mini Mart  
Project Number : 3934

Dear Mr. Kitay,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed. Testing procedures comply with the 2003 NELAC and TNI 2009 standards. Laboratory results relate only to the samples tested. This report may be freely reproduced in full, but may only be reproduced in part with the express permission of Kiff Analytical, LLC.

Kiff Analytical, LLC is certified by the State of California under the Environmental Laboratory Accreditation Program (ELAP), lab number 08263CA.

If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

Troy Turpen

Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-1**

Matrix : Water

Lab Number : 87895-01

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
<b>Benzene</b>	<b>1.5</b>	0.50	ug/L	EPA 8260B	04/07/14 15:00
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
<b>Methyl-t-butyl ether (MTBE)</b>	<b>5.8</b>	0.50	ug/L	EPA 8260B	04/07/14 15:00
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/14 15:00
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/07/14 15:00
1,2-Dichloroethane-d4 (Surr)	101		% Recovery	EPA 8260B	04/07/14 15:00
Toluene - d8 (Surr)	99.7		% Recovery	EPA 8260B	04/07/14 15:00



Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-2**

Matrix : Water

Lab Number : 87895-02

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:32
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:32
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:32
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:32
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:32
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:32
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:32
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:32
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/14 15:32
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/07/14 15:32
1,2-Dichloroethane-d4 (Surr)	101		% Recovery	EPA 8260B	04/07/14 15:32
Toluene - d8 (Surr)	99.8		% Recovery	EPA 8260B	04/07/14 15:32

Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-3**

Matrix : Water

Lab Number : 87895-03

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 15:00
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/14 15:00
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/07/14 15:00
1,2-Dichloroethane-d4 (Surr)	100		% Recovery	EPA 8260B	04/07/14 15:00
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	04/07/14 15:00

Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-4**

Matrix : Water

Lab Number : 87895-04

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
<b>Benzene</b>	<b>3.5</b>	0.50	ug/L	EPA 8260B	04/07/14 21:51
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 21:51
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 21:51
<b>Total Xylenes</b>	<b>0.55</b>	0.50	ug/L	EPA 8260B	04/07/14 21:51
<b>Methyl-t-butyl ether (MTBE)</b>	<b>6.5</b>	0.50	ug/L	EPA 8260B	04/07/14 21:51
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 21:51
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 21:51
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 21:51
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/14 21:51
<b>TPH as Gasoline</b>	<b>53</b>	50	ug/L	EPA 8260B	04/07/14 21:51
1,2-Dichloroethane-d4 (Surr)	99.2		% Recovery	EPA 8260B	04/07/14 21:51
Toluene - d8 (Surr)	99.1		% Recovery	EPA 8260B	04/07/14 21:51

Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-5R**

Matrix : Water

Lab Number : 87895-05

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
<b>Benzene</b>	<b>22</b>	0.50	ug/L	EPA 8260B	04/07/14 22:26
<b>Toluene</b>	<b>1.4</b>	0.50	ug/L	EPA 8260B	04/07/14 22:26
<b>Ethylbenzene</b>	<b>12</b>	0.50	ug/L	EPA 8260B	04/07/14 22:26
<b>Total Xylenes</b>	<b>1.2</b>	0.50	ug/L	EPA 8260B	04/07/14 22:26
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 22:26
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 22:26
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 22:26
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 22:26
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/14 22:26
<b>TPH as Gasoline</b>	<b>3200</b>	50	ug/L	EPA 8260B	04/07/14 22:26
1,2-Dichloroethane-d4 (Surr)	96.1		% Recovery	EPA 8260B	04/07/14 22:26
Toluene - d8 (Surr)	96.2		% Recovery	EPA 8260B	04/07/14 22:26

Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-6**

Matrix : Water

Lab Number : 87895-06

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:00
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:00
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:00
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:00
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:00
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:00
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:00
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:00
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/14 23:00
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/07/14 23:00
1,2-Dichloroethane-d4 (Surr)	98.7		% Recovery	EPA 8260B	04/07/14 23:00
Toluene - d8 (Surr)	99.0		% Recovery	EPA 8260B	04/07/14 23:00

Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-7**

Matrix : Water

Lab Number : 87895-07

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:35
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:35
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:35
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:35
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:35
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:35
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:35
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/14 23:35
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/14 23:35
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/07/14 23:35
1,2-Dichloroethane-d4 (Surr)	99.5		% Recovery	EPA 8260B	04/07/14 23:35
Toluene - d8 (Surr)	98.8		% Recovery	EPA 8260B	04/07/14 23:35

Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-8**

Matrix : Water

Lab Number : 87895-08

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:09
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:09
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:09
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:09
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:09
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:09
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:09
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:09
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/08/14 00:09
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/08/14 00:09
1,2-Dichloroethane-d4 (Surr)	99.4		% Recovery	EPA 8260B	04/08/14 00:09
Toluene - d8 (Surr)	98.9		% Recovery	EPA 8260B	04/08/14 00:09

Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-9**

Matrix : Water

Lab Number : 87895-09

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
<b>Benzene</b>	<b>63</b>	0.50	ug/L	EPA 8260B	04/09/14 13:00
<b>Toluene</b>	<b>8.0</b>	0.50	ug/L	EPA 8260B	04/09/14 13:00
<b>Ethylbenzene</b>	<b>140</b>	0.50	ug/L	EPA 8260B	04/09/14 13:00
<b>Total Xylenes</b>	<b>480</b>	0.50	ug/L	EPA 8260B	04/09/14 13:00
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/09/14 13:00
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/09/14 13:00
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/09/14 13:00
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/09/14 13:00
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/09/14 13:00
<b>TPH as Gasoline</b>	<b>3700</b>	50	ug/L	EPA 8260B	04/09/14 13:00
1,2-Dichloroethane-d4 (Surr)	99.1		% Recovery	EPA 8260B	04/09/14 13:00
Toluene - d8 (Surr)	99.8		% Recovery	EPA 8260B	04/09/14 13:00



Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Sample : **MW-10**

Matrix : Water

Lab Number : 87895-10

Sample Date :03/31/2014

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:44
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:44
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:44
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:44
<b>Methyl-t-butyl ether (MTBE)</b>	<b>1.5</b>	0.50	ug/L	EPA 8260B	04/08/14 00:44
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:44
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:44
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/08/14 00:44
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/08/14 00:44
<b>TPH as Gasoline</b>	<b>120</b>	50	ug/L	EPA 8260B	04/08/14 00:44
(Note: Primarily compounds not found in typical Gasoline)					
1,2-Dichloroethane-d4 (Surr)	99.8		% Recovery	EPA 8260B	04/08/14 00:44
Toluene - d8 (Surr)	99.1		% Recovery	EPA 8260B	04/08/14 00:44

**QC Report : Method Blank Data**Project Name : **Albany Hill Mini Mart**Project Number : **3934**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed	Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014	Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014	Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014	Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014	Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014	Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014	Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014	Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/2014	Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/2014
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014	Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/07/2014	TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/07/2014
1,2-Dichloroethane-d4 (Surr)	101		%	EPA 8260B	04/07/2014	1,2-Dichloroethane-d4 (Surr)	99.8		%	EPA 8260B	04/07/2014
Toluene - d8 (Surr)	100		%	EPA 8260B	04/07/2014	Toluene - d8 (Surr)	98.7		%	EPA 8260B	04/07/2014
Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/09/2014	Benzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/09/2014	Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/09/2014	Toluene	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/09/2014	Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/09/2014	Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/09/2014	Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/09/2014	Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/09/2014	Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	04/07/2014
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/09/2014	Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	04/07/2014
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/09/2014	TPH as Gasoline	< 50	50	ug/L	EPA 8260B	04/07/2014
1,2-Dichloroethane-d4 (Surr)	100		%	EPA 8260B	04/09/2014	1,2-Dichloroethane-d4 (Surr)	102		%	EPA 8260B	04/07/2014
Toluene - d8 (Surr)	99.4		%	EPA 8260B	04/09/2014	Toluene - d8 (Surr)	99.6		%	EPA 8260B	04/07/2014

**QC Report : Matrix Spike/ Matrix Spike Duplicate**Project Name : **Albany Hill Mini Mart**Project Number : **3934**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	87898-08	<0.50	40.0	40.0	36.8	35.1	ug/L	EPA 8260B	4/7/14	92.1	87.7	4.91	70.0-130	25
Diisopropyl ether	87898-08	<0.50	40.0	40.0	37.0	36.5	ug/L	EPA 8260B	4/7/14	92.4	91.3	1.16	70.0-130	25
Ethyl-tert-butyl ether	87898-08	<0.50	40.0	40.0	31.7	32.1	ug/L	EPA 8260B	4/7/14	79.2	80.3	1.40	70.0-130	25
Ethylbenzene	87898-08	<0.50	40.0	40.0	37.8	36.4	ug/L	EPA 8260B	4/7/14	94.5	91.0	3.72	70.0-130	25
Methyl-t-butyl ether	87898-08	<0.50	39.9	39.9	34.0	33.7	ug/L	EPA 8260B	4/7/14	85.2	84.6	0.682	70.0-130	25
P + M Xylene	87898-08	<0.50	40.0	40.0	38.8	36.9	ug/L	EPA 8260B	4/7/14	96.9	92.2	4.97	70.0-130	25
Tert-Butanol	87898-08	<5.0	200	200	198	194	ug/L	EPA 8260B	4/7/14	98.8	96.8	2.07	70.0-130	25
Tert-amyl-methyl ether	87898-08	<0.50	40.0	40.0	33.1	32.0	ug/L	EPA 8260B	4/7/14	82.8	80.0	3.36	70.0-130	25
Toluene	87898-08	<0.50	40.0	40.0	38.3	36.4	ug/L	EPA 8260B	4/7/14	95.8	91.0	5.16	70.0-130	25

## QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : **Albany Hill Mini Mart**Project Number : **3934**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	87882-09	340	40.0	40.0	382	377	ug/L	EPA 8260B	4/9/14	106	95.4	10.8	70.0-130	25
Diisopropyl ether	87882-09	<0.50	40.0	40.0	40.8	40.6	ug/L	EPA 8260B	4/9/14	102	102	0.249	70.0-130	25
Ethyl-tert-butyl ether	87882-09	<0.50	40.0	40.0	36.8	38.8	ug/L	EPA 8260B	4/9/14	92.1	97.1	5.28	70.0-130	25
Ethylbenzene	87882-09	2.4	40.0	40.0	42.0	41.8	ug/L	EPA 8260B	4/9/14	99.0	98.6	0.413	70.0-130	25
Methyl-t-butyl ether	87882-09	<0.50	39.9	39.9	36.9	38.6	ug/L	EPA 8260B	4/9/14	92.6	96.8	4.40	70.0-130	25
P + M Xylene	87882-09	8.3	40.0	40.0	49.3	49.6	ug/L	EPA 8260B	4/9/14	103	103	0.717	70.0-130	25
Tert-Butanol	87882-09	99	200	200	302	306	ug/L	EPA 8260B	4/9/14	102	103	1.79	70.0-130	25
Tert-amyl-methyl ether	87882-09	<0.50	40.0	40.0	37.8	39.2	ug/L	EPA 8260B	4/9/14	94.5	98.1	3.74	70.0-130	25
Toluene	87882-09	14	40.0	40.0	53.8	53.1	ug/L	EPA 8260B	4/9/14	99.8	97.9	1.87	70.0-130	25

**QC Report : Matrix Spike/ Matrix Spike Duplicate**

Project Name : **Albany Hill Mini Mart**

Project Number : **3934**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	87891-05	<0.50	40.0	40.0	37.5	36.0	ug/L	EPA 8260B	4/7/14	93.8	90.1	3.98	70.0-130	25
Diisopropyl ether	87891-05	<0.50	40.0	40.0	37.5	36.9	ug/L	EPA 8260B	4/7/14	93.8	92.3	1.65	70.0-130	25
Ethyl-tert-butyl ether	87891-05	<0.50	40.0	40.0	36.8	35.9	ug/L	EPA 8260B	4/7/14	92.0	89.8	2.42	70.0-130	25
Ethylbenzene	87891-05	<0.50	40.0	40.0	40.6	38.9	ug/L	EPA 8260B	4/7/14	101	97.2	4.29	70.0-130	25
Methyl-t-butyl ether	87891-05	<0.50	39.9	39.9	36.0	35.7	ug/L	EPA 8260B	4/7/14	90.3	89.5	0.896	70.0-130	25
P + M Xylene	87891-05	<0.50	40.0	40.0	41.7	39.8	ug/L	EPA 8260B	4/7/14	104	99.6	4.61	70.0-130	25
Tert-Butanol	87891-05	<5.0	200	200	190	191	ug/L	EPA 8260B	4/7/14	95.0	95.6	0.587	70.0-130	25
Tert-amyl-methyl ether	87891-05	<0.50	40.0	40.0	36.0	35.6	ug/L	EPA 8260B	4/7/14	90.0	89.1	1.06	70.0-130	25
Toluene	87891-05	<0.50	40.0	40.0	38.7	37.2	ug/L	EPA 8260B	4/7/14	96.7	92.9	3.95	70.0-130	25

## QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : **Albany Hill Mini Mart**Project Number : **3934**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	87898-01	12	40.0	40.0	52.0	50.1	ug/L	EPA 8260B	4/7/14	98.5	93.7	4.93	70.0-130	25
Diisopropyl ether	87898-01	<0.50	40.0	40.0	38.4	38.2	ug/L	EPA 8260B	4/7/14	95.9	95.4	0.497	70.0-130	25
Ethyl-tert-butyl ether	87898-01	<0.50	40.0	40.0	37.2	37.8	ug/L	EPA 8260B	4/7/14	93.0	94.4	1.41	70.0-130	25
Ethylbenzene	87898-01	4.3	40.0	40.0	44.7	43.2	ug/L	EPA 8260B	4/7/14	101	97.2	3.84	70.0-130	25
Methyl-t-butyl ether	87898-01	15	39.9	39.9	51.1	51.6	ug/L	EPA 8260B	4/7/14	91.3	92.4	1.22	70.0-130	25
P + M Xylene	87898-01	18	40.0	40.0	58.3	56.4	ug/L	EPA 8260B	4/7/14	99.7	95.0	4.88	70.0-130	25
Tert-Butanol	87898-01	13	200	200	212	209	ug/L	EPA 8260B	4/7/14	99.6	98.0	1.63	70.0-130	25
Tert-amyl-methyl ether	87898-01	<0.50	40.0	40.0	38.0	38.3	ug/L	EPA 8260B	4/7/14	95.1	95.7	0.663	70.0-130	25
Toluene	87898-01	0.69	40.0	40.0	40.2	38.8	ug/L	EPA 8260B	4/7/14	98.8	95.4	3.56	70.0-130	25

## QC Report : Laboratory Control Sample (LCS)

Project Name : **Albany Hill Mini Mart**Project Number : **3934**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.2	ug/L	EPA 8260B	4/7/14	96.2	70.0-130
Diisopropyl ether	40.2	ug/L	EPA 8260B	4/7/14	100	70.0-130
Ethyl-tert-butyl ether	40.2	ug/L	EPA 8260B	4/7/14	81.7	70.0-130
Ethylbenzene	40.2	ug/L	EPA 8260B	4/7/14	96.4	70.0-130
Methyl-t-butyl ether	40.1	ug/L	EPA 8260B	4/7/14	88.9	70.0-130
P + M Xylene	40.2	ug/L	EPA 8260B	4/7/14	98.8	70.0-130
TPH as Gasoline	489	ug/L	EPA 8260B	4/7/14	84.0	70.0-130
Tert-Butanol	201	ug/L	EPA 8260B	4/7/14	99.6	70.0-130
Tert-amyl-methyl ether	40.2	ug/L	EPA 8260B	4/7/14	85.6	70.0-130
Toluene	40.2	ug/L	EPA 8260B	4/7/14	96.9	70.0-130
Benzene	39.9	ug/L	EPA 8260B	4/9/14	95.4	70.0-130
Diisopropyl ether	39.9	ug/L	EPA 8260B	4/9/14	99.6	70.0-130
Ethyl-tert-butyl ether	39.9	ug/L	EPA 8260B	4/9/14	89.0	70.0-130
Ethylbenzene	39.9	ug/L	EPA 8260B	4/9/14	97.0	70.0-130
Methyl-t-butyl ether	39.8	ug/L	EPA 8260B	4/9/14	89.9	70.0-130
P + M Xylene	39.9	ug/L	EPA 8260B	4/9/14	99.2	70.0-130
TPH as Gasoline	484	ug/L	EPA 8260B	4/9/14	103	70.0-130
Tert-Butanol	200	ug/L	EPA 8260B	4/9/14	101	70.0-130
Tert-amyl-methyl ether	39.9	ug/L	EPA 8260B	4/9/14	89.4	70.0-130
Toluene	39.9	ug/L	EPA 8260B	4/9/14	96.2	70.0-130

**QC Report : Laboratory Control Sample (LCS)**Project Name : **Albany Hill Mini Mart**Project Number : **3934**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	4/7/14	90.0	70.0-130
Diisopropyl ether	40.0	ug/L	EPA 8260B	4/7/14	90.5	70.0-130
Ethyl-tert-butyl ether	40.0	ug/L	EPA 8260B	4/7/14	87.9	70.0-130
Ethylbenzene	40.0	ug/L	EPA 8260B	4/7/14	96.6	70.0-130
Methyl-t-butyl ether	39.9	ug/L	EPA 8260B	4/7/14	86.6	70.0-130
P + M Xylene	40.0	ug/L	EPA 8260B	4/7/14	99.1	70.0-130
TPH as Gasoline	485	ug/L	EPA 8260B	4/7/14	84.2	70.0-130
Tert-Butanol	200	ug/L	EPA 8260B	4/7/14	91.7	70.0-130
Tert-amyl-methyl ether	40.0	ug/L	EPA 8260B	4/7/14	86.4	70.0-130
Toluene	40.0	ug/L	EPA 8260B	4/7/14	92.4	70.0-130
Benzene	40.1	ug/L	EPA 8260B	4/7/14	99.8	70.0-130
Diisopropyl ether	40.1	ug/L	EPA 8260B	4/7/14	100	70.0-130
Ethyl-tert-butyl ether	40.1	ug/L	EPA 8260B	4/7/14	96.7	70.0-130
Ethylbenzene	40.1	ug/L	EPA 8260B	4/7/14	101	70.0-130
Methyl-t-butyl ether	40.0	ug/L	EPA 8260B	4/7/14	92.6	70.0-130
P + M Xylene	40.1	ug/L	EPA 8260B	4/7/14	99.0	70.0-130
TPH as Gasoline	484	ug/L	EPA 8260B	4/7/14	83.0	70.0-130
Tert-Butanol	200	ug/L	EPA 8260B	4/7/14	98.6	70.0-130
Tert-amyl-methyl ether	40.1	ug/L	EPA 8260B	4/7/14	96.7	70.0-130
Toluene	40.1	ug/L	EPA 8260B	4/7/14	100	70.0-130



# Chain of Custody

87895

PAGE 1 / 1

SAMPLER (SIGNATURE)

PROJECT NAME

Albany Hill Mini Mart

JOB NO.

3934

ADDRESS

800 San Pablo Ave, Albany, CA

## ANALYSIS REQUEST

SPECIAL INSTRUCTIONS:

SAMPLE ID.	DATE	TIME	MATRIX	QUANTITY	TPH-GAS / MTBE & BTEX (EPA 5030/8015-8020)	TPH-DIESEL (EPA 3510/8015)	TPH-DIESEL & MOTOR OIL (EPA 3510/8015)	VOLATILE ORGANICS (EPA 624/8240/8260)	SEMI-VOLATILE ORGANICS (EPA 625/8270)	OIL & GREASE (EPA 5520)	LUFT METALS (5) (EPA 6010+7000)	CAM 17 METALS (EPA 6010+7000)	PCBS (EPA 8082)	ORGANOCHLORINATED PESTICIDES (EPA 8081A)	FUEL OXYGENATES (EPA 8260)	Pb (TOTAL or DISSOLVED) (EPA 6010)	TPH-G, BTEX & 5 OXY's (EPA 8260)	COMPOSITE	EDF	HOLD
MW-1	3-31-14	1200	W	5													X		X	
MW-2		1220															X		X	
MW-3		1030															X		X	
MW-4		1250															X		X	
MW-5R		1315															X		X	
MW-6		1140															X		X	
MW-7		1050															X		X	
MW-8		1115															X		X	
MW-9		1400															X		X	
MW-10		1355															X		X	

01  
02  
03  
04  
05  
06  
07  
08  
09  
10

RELINQUISHED BY:

RECEIVED BY:

RELINQUISHED BY:

RECEIVED BY LABORATORY

COMMENTS:

Robert C. Kirby 1420  
 (signature) (time)

~~\_\_\_\_\_~~  
 (signature) (time)

~~\_\_\_\_\_~~  
 (signature) (time)

Tracy G. Tupper 14:20  
 (signature) (time)

Robert E. Kirby 4-3-14  
 (printed name) (date)

~~\_\_\_\_\_~~  
 (printed name) (date)

~~\_\_\_\_\_~~  
 (printed name) (date)

Tracy G. Tupper 4-3-14  
 (printed name) (date)

TURN AROUND TIME  
 STANDARD 24Hr 48Hr 72Hr

Company-ASE, INC.

Company-

Company-

Company-Left Analytical

OTHER:



## SAMPLE RECEIPT CHECKLIST

SRG #: 87895

Sample Receipt	Initials/Date: <u>TW/040314</u>	Storage Time: <u>1635</u>	Sample Login	Initials/Date: <u>NDB 040414</u>
TAT: <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush <input type="checkbox"/> Split <input type="checkbox"/> None		Method of Receipt: <input checked="" type="checkbox"/> Courier <input type="checkbox"/> Over-the-counter <input type="checkbox"/> Shipped		
Temp °C <u>0.2</u> <input type="checkbox"/> N/A		Therm ID <u>IR-1</u>	Time <u>16:17</u>	Coolant present <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Water <input type="checkbox"/> Temp Excursion <input type="checkbox"/>
For Shipments Only:		Cooler Receipt Initials/Date/Time:		Custody Seals <input type="checkbox"/> N/A <input type="checkbox"/> Intact <input type="checkbox"/> Broken

Chain-of-Custody:	Yes	No
Is COC present?	X	
Is COC signed by relinquisher?	X	
Is COC dated by relinquisher?	X	
Is the sampler's name on the COC?	X	
Are there analyses or hold for all samples?	X	

Documented on	COC	Labels	Discrepancies:
Sample ID	X	X	
Project ID	X	X	
Sample Date	X	X	
Sample Time	X	X	
Does COC match project history?			<input type="checkbox"/> N/A <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <sup>Diesel</sup>

Samples:	N/A	Yes	No
Are sample custody seals intact?		X	
Are sample containers intact?		X	
Is preservation documented?		X	
In-house Analysis:	N/A	Yes	No
Are preservatives acceptable?		X	
Are samples within holding time?		X	
Are sample container types correct?		X	
Is there adequate sample volume?		X	

**Comments:** sediment in all vials of sample - 08.  
NDB 040414 2013.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

**Receipt Details:**

Matrix	Container Type	# of Containers
Water	40mL VOA w/HCl	50

**CS Required:**

Proceed With Analysis: <input type="checkbox"/> YES <input type="checkbox"/> NO	Init/Date:
Client Communication:	