



RECEIVED

3:38 pm, Jan 10, 2011

Alameda County
Environmental Health

Dave Patten
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6111 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 543-1740
Fax (925) 543-2324
drpatten@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-3322
7225 Bancroft Avenue
Oakland, CA

I have reviewed the attached report dated January 5, 2011.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

Dave Patten
Project Manager

Attachment: Report



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
<http://www.craworld.com>

January 5, 2010

Reference No. 311806

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Fourth Quarter 2010
Groundwater Monitoring and Sampling Report
Former Chevron Service Station 9-3322
7225 Bancroft Avenue
Oakland, California
Agency Case No. RO0000274

Dear Mr. Mark Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *Fourth Quarter 2010 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California. Blaine Tech's November 12, 2010 *Fourth Quarter Monitoring* report is presented as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' November 23, 2010 *Analytical Results* is included as Attachment B.

Equal
Employment Opportunity
Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

January 5, 2010

Reference No. 311806

- 2 -

Please contact Nathan Lee at (510) 420-3333 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES



Nathan Lee

Nathan Lee, PG 8486


AA/aa/8

Encl.

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation and Hydrocarbon Concentration Map
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report

cc: Mr. Dave Patten, Chevron
7225 Bancroft St, LP, Property Owner


FIGURES



SOURCE: TOPOI MAPS.

Figure 1
 VICINITY MAP
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 Oakland, California





TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	02/08/1998	40.41	13.88	26.53	0.00	0.00	130,000	9,700	8,200	3,200	15,000	-	<250.0	-	-	-	-	-	-
MW-1	06/16/1998	40.41	14.23	26.18	0.00	0.00	96,000	15,000	12,000	2,600	11,000	-	1,300	-	-	-	-	-	-
MW-1	07/29/1998	40.41	17.82	22.59	0.00	0.00	370,000	19,000	14,000	5,800	15,000	-	<2,500	-	-	-	-	-	-
MW-1	08/13/1998	40.41	18.40	22.01	0.00	0.00	120,000	19,000	16,000	2,900	14,000	-	<1,000	-	-	-	-	-	-
MW-1	11/24/1998	40.41	20.80	19.61	0.00	0.00	100,000	26,000	18,000	4,000	22,000	-	2,000	-	-	-	-	-	-
MW-1	02/03/1999	40.41	17.45	22.96	0.00	0.00	110,000	27,000	16,000	3,800	22,000	-	<2.5	-	-	-	-	-	-
MW-1	06/07/1999	40.41	16.44	24.29	0.40	0.03	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	09/07/1999	40.41	20.71	19.97	0.34	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	10/27/1999	40.41	21.75	18.93	0.34	0.03	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	02/08/2000	40.41	17.97	22.44	0.00	0.00	147,000	19,600	13,700	4,020	21,300	-	<2,500	-	-	-	-	-	-
MW-1	05/05/2000	40.41	16.05	24.36	0.00	0.00	150,000 ²	28,000	17,000	4,400	23,000	-	<1,000	-	-	-	-	-	-
MW-1	07/28/2000	40.41	19.20	21.21	0.00	0.00	76,000 ²	20,000	15,000	3,400	23,000	-	1,200	-	-	-	-	-	-
MW-1	11/26/2000	40.41	20.18	20.44	0.26	0.26 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	02/09/2001	40.41	18.03	22.40	0.03	0.26 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	05/11/2001	40.41	15.10	25.31	0.00	0.00	89,000 ²	21,000	12,000	3,200	14,000	-	<500	-	-	-	-	-	-
MW-1	08/30/2001	40.41	20.42	20.05	0.07	0.26 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	11/21/2001	40.41	20.52	20.11	0.27	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	02/05/2002	40.41	14.63	25.79	0.01	0.00	130,000	16,000	13,000	4,200	23,000	-	<30.0	-	-	-	-	-	-
MW-1	04/01/2002	37.40	12.37	25.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	08/05/2002	37.40	12.94	24.46	0.00	0.00	230,000	12,000	9,000	5,500	28,000	-	280	-	-	-	-	-	-
MW-1	11/04/2002	37.40	20.03	17.37	0.00	0.00	130,000	24,000	15,000	3,900	20,000	-	<60	-	-	-	-	-	-
MW-1	02/03/2003	37.40	14.18	23.22	0.00	0.00	100,000	13,000	8,900	3,000	15,000	-	<130.0	-	-	-	-	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 9-3322
7225 BANCROFT AVENUE
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	05/02/2003	37.40	13.28	24.12	0.00	0.00	140,000	9,900	5,900	4,200	21,000	-	<130	-	-	-	-	-	-
MW-1	08/01/2003 ⁷	37.40	16.82	20.58	0.00	0.00	250,000	16,000	7,300	3,700	19,000	45	-	-	-	-	-	-	-
MW-1	11/21/2003 ⁷	37.40	18.34	19.06	0.00	0.00	110,000	18,000	9,500	3,000	17,000	<10	-	-	-	-	-	-	-
MW-1	02/10/2004 ⁷	37.40	13.51	23.89	0.00	0.00	51,000	4,800	1,700	760	6,400	20	-	-	-	-	-	-	-
MW-1	05/11/2004 ⁷	37.40	14.35	23.05	0.00	0.00	80,000	13,000	6,500	2,800	14,000	61	-	-	-	-	-	-	-
MW-1	08/10/2004 ⁷	37.40	16.80	20.61	0.01	0.00	100,000	14,000	8,700	3,200	17,000	<25	-	-	-	-	-	-	-
MW-1	11/08/2004	37.40	15.63	21.89	0.15	1.30 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	02/21/2005	37.40	11.84	25.98	0.52	0.60 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	05/10/2005	37.40	11.49	26.11	0.25	1.11 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	05/12/2005	37.40	14.44	22.98	0.03	1.01 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	11/11/2005	37.40	18.58	19.13	0.39	0.75 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	02/20/2006	37.40	12.66	25.33	0.74	0.25 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	05/12/2006	37.40	10.71	26.92	0.29	0.05 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	08/14/2006	37.40	15.82	21.78	0.25	0.02 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	11/08/2006	37.40	18.49	19.21	0.38	0.55 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	02/07/2007	37.40	15.48	21.98	0.08	0.06 ¹⁰	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	05/07/2007	37.40	4.83	32.77	0.25	0.39 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	08/03/2007	37.40	18.06	19.76	0.52	0.52 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	10/12/2007	37.40	19.29	18.13	0.03	0.16 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	11/02/2007 ⁷	37.40	19.18	18.22	0.00	0.00	140,000	9,800	9,500	4,100	20,000	<10	-	-	-	-	-	-	-
MW-1	12/07/2007 ⁷	37.40	19.06	18.34	0.00	0.00	130,000	11,000	11,000	3,800	20,000	10	-	-	-	-	-	-	-
MW-1	02/01/2008 ⁷	37.40	13.45	23.95	0.00	0.00	61,000	2,200	2,000	2,000	10,000	11	-	-	-	-	-	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 9-3322
7225 BANCROFT AVENUE
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs						
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME		
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	05/09/2008 ⁷	37.40	15.10	22.30	0.00	0.00	81,000	13,000	10,000	3,500	18,000	30	-	-	-	-	-	-	-	-
MW-1	08/22/2008 ⁷	37.40	18.63	18.77	0.00	0.00	210,000	13,000	8,800	7,300	37,000	<50	-	-	-	-	-	-	-	-
MW-1	11/26/2008 ⁷	37.40	20.09	17.31	0.00	0.00	68,000	15,000	9,100	3,600	17,000	<25	-	-	-	-	-	-	-	-
MW-1	05/20/2009	37.40	19.48	17.92	0.00	0.00	58,000	11,000	12,000	15,000	59,000	<50	-	<5,000	-	-	-	-	-	-
MW-1	08/26/2009	37.40	19.06	18.34	0.00	0.00	340,000	17,000	13,000	8,000	43,000	<25	-	<2,500	-	-	-	-	-	-
MW-1	11/12/2009	37.40	17.72	19.68	0.00	0.00	140,000	16,000	10,000	4,400	23,000	<10	-	<1,000	-	-	-	-	-	-
MW-1	02/01/2010	37.40	12.80	24.60	0.00	0.00	110,000	7,100	6,100	4,000	20,000	7 J	-	<500	-	-	-	-	-	-
MW-1	05/17/2010	37.40	11.14	26.26	0.00	0.00	75,000	7,200	3,600	2,700	12,000	31	-	<500	-	-	-	-	-	-
MW-1	08/26/2010	37.40	15.40	22.00	0.00	0.00	96,000	12,000	5,400	3,600	16,000	59	-	<500	-	-	-	-	-	-
MW-1	11/11/2010	37.40	17.70	19.70	0.00	0.00	120,000	13,000	6,600	2,700	13,000	26	-	<1,000	-	-	-	-	-	-
MW-2	02/08/1998	38.73	7.60	31.13	0.00	0.00	24,000	130	170	450	1,900	-	2,300	-	-	-	-	-	-	-
MW-2	06/16/1998	38.73	9.12	29.61	0.00	0.00	8,900	31	46	310	1,100	-	260	-	-	-	-	-	-	-
MW-2	07/29/1998	38.73	11.67	27.06	0.00	0.00	7,600	15	21	150	480	-	82	-	-	-	-	-	-	-
MW-2	08/13/1998	38.73	12.41	26.32	0.00	0.00	14,000	26	80	500	2,100	-	32	-	-	-	-	-	-	-
MW-2	11/24/1998	38.73	15.63	23.10	0.00	0.00	37,000	63	220	1,300	7,100	-	770	-	-	-	-	-	-	-
MW-2	02/03/1999	38.73	11.57	27.16	0.00	0.00	16,000	140	110	850	3,100	-	900	-	-	-	-	-	-	-
MW-2	06/07/1999	38.73	10.95	27.78	0.00	0.00	4,300	<10	<10	120	260	-	160	-	-	-	-	-	-	-
MW-2	09/07/1999	38.73	12.73	26.00	0.00	0.00	10,700	50.5	<25	297	1,020	-	<250	-	-	-	-	-	-	-
MW-2	10/27/1999	38.73	12.71	26.02	0.00	0.00	7,240	53.8	31.9	234	654	-	448	-	-	-	-	-	-	-
MW-2	02/08/2000	38.73	10.14	28.59	0.00	0.00	10,100	42.9	18.4	424	1,480	-	206	-	-	-	-	-	-	-
MW-2	05/05/2000	38.73	10.12	28.61	0.00	0.00	7,800 ²	34	22	320	1,100	-	170	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	07/28/2000	38.73	12.57	26.16	0.00	0.00	6,700 ²	40	13	490	540	-	190	-	-	-	-	-	-
MW-2	11/26/2000	38.73	11.90	26.83	0.00	0.00	8,200 ²	21	9.5	400	1,100	-	120	-	-	-	-	-	-
MW-2	02/09/2001	38.73	12.20	26.53	0.00	0.00	11,200 ³	<50.0	<50.0	629	1,380	-	282	-	-	-	-	-	-
MW-2	05/11/2001	38.73	8.98	29.75	0.00	0.00	6,800 ²	39	19	370	1,100	-	67	-	-	-	-	-	-
MW-2	08/30/2001	38.73	12.90	25.83	0.00	0.00	17,000	67	<25	750	2,100	-	360	-	-	-	-	-	-
MW-2	11/21/2001	38.73	13.12	25.61	0.00	0.00	3,500	14	<5.0	100	51	-	610	-	-	-	-	-	-
MW-2	02/05/2002	38.73	8.35	30.38	0.00	0.00	10,000	5.5	<10	330	960	-	63	-	-	-	-	-	-
MW-2	04/01/2002	35.72	7.81	27.91	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	08/05/2002	35.72	15.91	19.81	0.00	0.00	8,800	18	8.2	220	630	-	220	-	-	-	-	-	-
MW-2	11/04/2002	35.72	14.14	21.58	0.00	0.00	14,000	28	10	670	1,600	-	440	-	-	-	-	-	-
MW-2	02/03/2003	35.72	10.00	25.72	0.00	0.00	7,200	6.2	2.7	140	430	-	50	-	-	-	-	-	-
MW-2	05/02/2003	35.72	8.31	27.41	0.00	0.00	12,000	<20	3.9	350	1,500	-	150	-	-	-	-	-	-
MW-2	08/01/2003 ⁷	35.72	12.66	23.06	0.00	0.00	12,000	14	4	330	730	140	-	-	-	-	-	-	-
MW-2	11/21/2003 ⁷	35.72	12.67	23.05	0.00	0.00	15,000	13	4	400	1,500	100	-	-	-	-	-	-	-
MW-2	02/10/2004 ⁷	35.72	5.20	30.52	0.00	0.00	17,000	9	3	420	1,600	72	-	-	-	-	-	-	-
MW-2	05/11/2004 ⁷	35.72	9.83	25.89	0.00	0.00	4,800	1	0.6	140	440	81	-	-	-	-	-	-	-
MW-2	08/10/2004 ⁷	35.72	11.81	23.91	0.00	0.00	11,000	8	1	340	1,100	35	-	-	-	-	-	-	-
MW-2	11/08/2004 ⁷	35.72	11.59	24.13	0.00	0.00	11,000	6	2	260	810	25	-	-	-	-	-	-	-
MW-2	01/11/2005	-	-	-	-	-	4,500	4	1	120	310	7	-	-	-	-	-	-	-
MW-2	02/21/2005 ⁷	35.72	7.74	27.98	0.00	0.00	16,000	5	2	500	1,700	10	-	-	-	-	-	-	-
MW-2	05/10/2005 ⁷	35.72	8.11	27.61	0.00	0.00	8,400	3	<1	290	750	6	-	-	-	-	-	-	-
MW-2	08/12/2005 ⁷	35.72	11.32	24.40	0.00	0.00	5,800	4	0.7	150	370	30	-	-	-	-	-	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 9-3322
7225 BANCROFT AVENUE
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	11/11/2005 ⁷	35.72	12.58	23.14	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	02/20/2006 ⁷	35.72	7.41	28.31	0.00	0.00	5,700	1	<0.5	190	380	0.7	-	-	-	-	-	-	-
MW-2	05/12/2006 ⁷	35.72	7.02	28.70	0.00	0.00	9,100	2	<0.5	210	440	1	-	-	-	-	-	-	-
MW-2	08/14/2006 ⁷	35.72	11.38	24.34	0.00	0.00	2,400	2	<0.5	42	98	20	-	-	-	-	-	-	-
MW-2	11/08/2006 ⁷	35.72	13.42	22.30	0.00	0.00	5,700	4	0.9	87	190	7	-	-	-	-	-	-	-
MW-2	02/07/2007 ⁷	35.72	11.98	23.74	0.00	0.00	5,500	9	2	85	120	7	-	-	-	-	-	-	-
MW-2	05/07/2007 ⁷	35.72	11.22	24.50	0.00	0.00	8,700	1	<0.5	150	330	5	-	-	-	-	-	-	-
MW-2	08/03/2007 ⁷	35.72	17.19	18.53	0.00	0.00	2,600	<0.5	<0.5	10	28	2	-	-	-	-	-	-	-
MW-2	10/12/2007 ⁷	35.72	14.89	20.83	0.00	0.00	9,300	7	0.6	100	120	4	-	-	-	-	-	-	-
MW-2	11/02/2007 ⁷	35.72	15.58	20.14	0.00	0.00	11,000	3	0.7	220	590	2	-	-	-	-	-	-	-
MW-2	12/07/2007 ⁷	35.72	19.29	16.43	0.00	0.00	9,500	3	<1	210	480	2	-	-	-	-	-	-	-
MW-2	02/01/2008 ⁷	35.72	8.76	26.96	0.00	0.00	8,100	2	0.7	190	440	4	-	-	-	-	-	-	-
MW-2	05/09/2008 ⁷	35.72	11.22	24.50	0.00	0.00	4,000	1	<0.5	98	110	3	-	-	-	-	-	-	-
MW-2	08/22/2008 ⁷	35.72	13.87	21.85	0.00	0.00	9,600 ¹²	1	<0.5	230	360	0.9	-	-	-	-	-	-	-
MW-2	11/26/2008 ⁷	35.72	17.48	18.24	0.00	0.00	13,000	9	1	340	570	3	-	-	-	-	-	-	-
MW-2	05/20/2009	35.72	10.70	25.02	0.00	0.00	12,000	3	<1	250	290	2 J	-	<130	-	-	-	-	-
MW-2	08/26/2009	35.72	12.98	22.74	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	11/12/2009	35.72	12.13	23.59	0.00	0.00	14,000	3	0.8 J	180	250	13	-	<50	-	-	-	-	-
MW-2	05/17/2010	35.72	11.96	23.76	0.00	0.00	3,300	<0.5	<0.5	36	34	3	-	<50	-	-	-	-	-
MW-2	08/26/2010 ¹¹	35.72	12.10	23.62	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	11/11/2010	35.72	13.72	22.00	0.00	0.00	9,000	6	1 J	61	30	5	-	<50	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-CRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	02/08/1998	39.51	14.60	24.91	0.00	0.00	94,000	12,000	4,400	2,000	10,000	-	8,000	-	-	-	-	-	-
MW-3	06/16/1998	39.51	13.98	25.53	0.00	0.00	38,000	5,600	1,400	1,200	4,700	-	4,600 ¹ /6,300	-	-	-	-	-	-
MW-3	07/29/1998	39.51	17.37	22.14	0.00	0.00	58,000	4,100	700	1,300	4,200	-	4,100	-	-	-	-	-	-
MW-3	08/13/1998	39.51	18.22	21.29	0.00	0.00	43,000	6,800	1,900	1,600	6,800	-	2,300	-	-	-	-	-	-
MW-3	11/24/1998	39.51	20.45	19.06	0.00	0.00	40,000	5,000	800	1,600	6,800	-	6,000/4,400 ¹	-	-	-	-	-	-
MW-3	02/03/1999	39.51	17.48	22.03	0.00	0.00	47,000	7,100	1,600	1,900	9,000	-	5,000	-	-	-	-	-	-
MW-3	06/07/1999	39.51	15.75	23.76	0.00	0.00	27,000	2,500	540	1,200	3,900	-	2,800	-	-	-	-	-	-
MW-3	09/07/1999	39.51	19.71	19.80	0.00	0.00	44,000	3,930	1,170	1,760	7,130	-	3,440	-	-	-	-	-	-
MW-3	10/27/1999	39.51	20.42	19.09	0.00	0.00	28,200	2,030	620	1,260	5,080	-	1,710	-	-	-	-	-	-
MW-3	02/08/2000	39.51	17.75	21.76	0.00	0.00	25,300	2,000	668	1,210	5,330	-	1,760	-	-	-	-	-	-
MW-3	05/05/2000	39.51	15.64	23.87	0.00	0.00	27,000 ²	2,600	960	1,500	5,200	-	2,500	-	-	-	-	-	-
MW-3	07/28/2000	39.51	18.23	21.28	0.00	0.00	7,400 ²	950	360	840	3,200	-	1,700	-	-	-	-	-	-
MW-3	11/26/2000	39.51	19.38	20.13	0.00	0.00	20,000 ²	1,800	690	1,400	5,500	-	1,600	-	-	-	-	-	-
MW-3	02/09/2001	39.51	17.72	21.79	0.00	0.00	31,200 ³	1,980	<50.0	1,770	7,220	-	2,170	-	-	-	-	-	-
MW-3	05/11/2001	39.51	14.65	24.86	0.00	0.00	18,000 ²	3,000	780	1,600	5,500	-	1,800	-	-	-	-	-	-
MW-3	08/30/2001	39.51	19.35	20.16	0.00	0.00	9,400	570	180	610	1,900	-	880	-	-	-	-	-	-
MW-3	11/21/2001	39.51	20.04	19.47	0.00	0.00	29,000	1,100	450	1,500	6,100	-	1,200	-	-	-	-	-	-
MW-3	02/05/2002	39.51	14.09	25.42	0.00	0.00	16,000	820	210	830	2,400	-	1,100	-	-	-	-	-	-
MW-3	04/01/2002	36.53	12.21	24.32	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	08/05/2002	36.53	14.31	22.22	0.00	0.00	11,000	310	92	380	820	-	830	-	-	-	-	-	-
MW-3	11/04/2002	36.53	19.03	17.50	0.00	0.00	32,000	1,900	540	1,800	5,900	-	1,500	-	-	-	-	-	-
MW-3	02/03/2003	36.53	13.95	22.58	0.00	0.00	19,000	1,100	240	920	2,900	-	1,100	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	05/02/2003	36.53	13.07	23.46	0.00	0.00	18,000	1,200	270	1,100	2,500	-	1,400	-	-	-	-	-	-
MW-3	08/01/2003 ⁷	36.53	16.31	20.22	0.00	0.00	7,700	300	79	410	820	780	-	-	-	-	-	-	-
MW-3	11/21/2003 ⁷	36.53	17.89	18.64	0.00	0.00	7,600	270	100	470	1,300	700	-	-	-	-	-	-	-
MW-3	02/10/2004 ⁷	36.53	13.06	23.47	0.00	0.00	3,800	250	28	170	300	650	-	-	-	-	-	-	-
MW-3	05/11/2004 ⁷	36.53	13.73	22.80	0.00	0.00	1,200	60	9	76	62	530	-	-	-	-	-	-	-
MW-3	08/10/2004 ⁷	36.53	16.09	20.44	0.00	0.00	1,600	70	9	86	62	500	-	-	-	-	-	-	-
MW-3	11/08/2004 ⁷	36.53	15.11	21.42	0.00	0.00	4,800	280	37	260	400	760	-	-	-	-	-	-	-
MW-3	02/21/2005 ⁷	36.53	11.45	25.08	0.00	0.00	450	0.8	<0.5	0.7	<0.5	200	-	-	-	-	-	-	-
MW-3	05/10/2005 ⁷	36.53	10.26	26.27	0.00	0.00	220	<0.5	<0.5	<0.5	<0.5	250	-	-	-	-	-	-	-
MW-3	08/12/2005 ⁷	36.53	16.42	20.11	0.00	0.00	2,800	94	32	150	390	370	-	-	-	-	-	-	-
MW-3	11/11/2005 ⁷	36.53	17.59	18.94	0.00	0.00	3,800	140	46	230	430	440	-	-	-	-	-	-	-
MW-3	02/20/2006 ⁷	36.53	11.92	24.61	0.00	0.00	390	4	0.9	5	4	290	-	-	-	-	-	-	-
MW-3	05/12/2006 ⁷	36.53	9.38	27.15	0.00	0.00	1,100	2	<0.5	3	2	91	-	-	-	-	-	-	-
MW-3	08/14/2006 ⁷	36.53	14.68	21.85	0.00	0.00	170	<0.5	<0.5	<0.5	0.8	21	-	-	-	-	-	-	-
MW-3	11/08/2006 ⁷	36.53	17.43	19.10	0.00	0.00	1,900	83	17	120	130	100	-	-	-	-	-	-	-
MW-3	02/07/2007 ⁷	36.53	15.07	21.46	0.00	0.00	7,400	340	42	310	530	170	-	-	-	-	-	-	-
MW-3	05/07/2007 ⁷	36.53	13.32	23.21	0.00	0.00	1,200	7	<0.5	5	6	17	-	-	-	-	-	-	-
MW-3	08/03/2007 ⁷	36.53	17.05	19.48	0.00	0.00	740	44	2	12	9	77	-	-	-	-	-	-	-
MW-3	10/12/2007 ⁷	36.53	18.70	17.83	0.00	0.00	5,800	250	28	240	290	170	-	-	-	-	-	-	-
MW-3	11/02/2007 ⁷	36.53	18.81	17.72	0.00	0.00	2,400	160	8	33	19	140	-	-	-	-	-	-	-
MW-3	12/07/2007 ⁷	36.53	18.65	17.88	0.00	0.00	2,100	180	11	41	33	160	-	-	-	-	-	-	-
MW-3	02/01/2008 ⁷	36.53	14.59	21.94	0.00	0.00	3,600	570	45	81	140	180	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	05/09/2008 ⁷	36.53	14.75	21.78	0.00	0.00	460	49	3	5	2	35	-	-	-	-	-	-	-
MW-3	08/22/2008 ⁷	36.53	17.98	18.55	0.00	0.00	5,400	200	16	160	150	84	-	-	-	-	-	-	-
MW-3	11/26/2008 ⁷	36.53	19.41	17.12	0.00	0.00	2,600	80	4	20	7	55	-	-	-	-	-	-	-
MW-3	05/20/2009	36.53	14.50	22.03	0.00	0.00	6,600	510	33	200	170	130	-	<50	-	-	-	-	-
MW-3	08/26/2009	36.53	18.84	17.69	0.00	0.00	7,900	290	18	180	110	120	-	<50	-	-	-	-	-
MW-3	02/01/2010	36.53	13.10	23.43	0.00	0.00	9,700	1,600	65	230	220	260	-	<250	-	-	-	-	-
MW-3	08/26/2010	36.53	14.90	21.63	0.00	0.00	15,000	1,400	84	670	710	210	-	<100	-	-	-	-	-
MW-3	11/11/2010¹¹	36.53	17.08	19.45	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	02/02/1999	40.24	13.17	27.07	0.00	0.00	<50	0.52	<0.5	<0.5	<0.5	-	6.0	-	-	-	-	-	-
MW-4	06/07/1999	40.24	16.41	23.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
MW-4	09/07/1999	40.24	20.90	19.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-	<5.0	-	-	-	-	-	-
MW-4	10/27/1999	40.24	21.59	18.65	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
MW-4	02/08/2000	40.24	17.16	23.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-	<5.0	-	-	-	-	-	-
MW-4	05/05/2000	40.24	16.02	24.22	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
MW-4	07/28/2000	40.24	19.12	21.12	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
MW-4	11/26/2000	40.24	19.92	20.32	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
MW-4	02/09/2001	40.24	17.45	22.79	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	-	<2.50	-	-	-	-	-	-
MW-4	05/11/2001	40.24	15.02	25.22	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
MW-4	08/30/2001	40.24	20.33	19.91	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
MW-4	11/21/2001	40.24	19.75	20.49	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-
MW-4	02/05/2002	40.24	14.06	26.18	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	04/01/2002	37.29	12.06	25.23	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	08/05/2002	37.29	17.05	20.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-
MW-4	11/04/2002	37.29	19.73	17.56	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-
MW-4	02/03/2003	37.29	14.05	23.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-
MW-4	05/02/2003	37.29	12.85	24.44	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	-	<2.5	-	-	-	-	-	-
MW-4	08/01/2003 ⁷	37.29	16.94	20.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/21/2003 ⁷	37.29	18.15	19.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	02/10/2004 ⁷	37.29	13.02	24.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-	-
MW-4	05/11/2004 ⁷	37.29	14.15	23.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	08/10/2004 ⁷	37.29	16.47	20.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/08/2004 ⁷	37.29	14.86	22.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	02/21/2005 ⁷	37.29	10.76	26.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	05/10/2005 ⁷	37.29	10.25	27.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-	-
MW-4	08/12/2005 ⁷	37.29	15.25	22.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/11/2005 ⁷	37.29	18.36	18.93	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	02/20/2006 ⁷	37.29	11.59	25.70	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-	-
MW-4	05/12/2006 ⁷	37.29	9.87	27.42	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8	-	-	-	-	-	-	-
MW-4	08/14/2006 ⁷	37.29	15.35	21.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/08/2006 ⁷	37.29	18.28	19.01	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	02/07/2007 ⁷	37.29	15.40	21.89	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	05/07/2007 ⁷	37.29	13.56	23.73	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	08/03/2007 ⁷	37.29	17.70	19.59	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	10/12/2007 ⁷	37.29	19.48	17.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/02/2007 ⁷	37.29	19.41	17.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	12/07/2007 ⁷	37.29	19.45	17.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	02/01/2008 ⁷	37.29	13.15	24.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	05/09/2008 ⁷	37.29	14.98	22.31	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	08/22/2008 ⁷	37.29	18.67	18.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/26/2008 ⁷	37.29	20.03	17.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	05/20/2009	37.29	14.89	22.40	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-4	08/26/2009	37.29	19.29	18.00	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-4	11/12/2009	37.29	17.70	19.59	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-4	02/01/2010	37.29	12.57	24.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-4	05/17/2010	37.29	11.15	26.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-4	08/26/2010	37.29	15.50	21.79	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-4	11/11/2010	37.29	17.34	19.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-5	02/02/1999	40.37	18.80	21.57	0.00	0.00	72	2.7	<0.5	<0.5	<0.5	-	11	-	-	-	-	-	-
MW-5	06/07/1999	40.37	16.98	23.39	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
MW-5	09/07/1999	40.37	21.13	19.24	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-	6.92	-	-	-	-	-	-
MW-5	10/27/1999	40.37	21.92	18.45	0.00	0.00	<50	2.39	<0.5	<0.5	<0.5	-	21.3	-	-	-	-	-	-
MW-5	02/08/2000	40.37	18.98	21.39	0.00	0.00	<50	10.6	<0.5	<0.5	<0.5	-	21.7	-	-	-	-	-	-
MW-5	05/05/2000	40.37	16.89	23.48	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	-	3.8	-	-	-	-	-	-
MW-5	07/28/2000	40.37	19.49	20.88	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	11/26/2000	40.37	20.69	19.68	0.00	0.00	<50	0.57	<0.50	<0.50	<0.50	-	15	-	-	-	-	-	-
MW-5	02/09/2001	40.37	18.87	21.50	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	-	9.11	-	-	-	-	-	-
MW-5	05/11/2001	40.37	15.90	24.47	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
MW-5	08/30/2001	40.37	20.61	19.76	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	-	9.5	-	-	-	-	-	-
MW-5	11/21/2001	40.37	21.04	19.33	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	7.3	-	-	-	-	-	-
MW-5	02/05/2002	40.37	15.21	25.16	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-
MW-5	04/01/2002	37.40	13.45	23.95	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	08/05/2002	37.40	17.54	19.86	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	2.7	-	-	-	-	-	-
MW-5	11/04/2002	37.40	20.07	17.33	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	6.3	-	-	-	-	-	-
MW-5	02/03/2003	37.40	15.03	22.37	0.00	0.00	<50	<0.50	0.60	<0.50	<1.5	-	<2.5	-	-	-	-	-	-
MW-5	05/02/2003	37.40	13.96	23.44	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	-	<2.5	-	-	-	-	-	-
MW-5	08/01/2003 ⁷	37.40	17.40	20.00	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	11/21/2003 ⁷	37.40	18.57	18.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	02/10/2004 ⁷	37.40	14.14	23.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	05/11/2004 ⁷	37.40	14.70	22.70	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	08/10/2004 ⁷	37.40	17.08	20.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	11/08/2004 ⁷	37.40	15.98	21.42	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	02/21/2005	37.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	05/10/2005 ⁷	37.40	11.88	25.52	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-	-
MW-5	08/12/2005 ⁷	37.40	15.63	21.77	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	11/11/2005 ⁷	37.40	18.68	18.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8	-	-	-	-	-	-	-
MW-5	02/20/2006 ⁷	37.40	12.57	24.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	05/12/2006 ⁷	37.40	11.06	26.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.9	-	-	-	-	-	-	-
MW-5	08/14/2006 ⁷	37.40	15.73	21.67	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.9	-	-	-	-	-	-	-
MW-5	11/08/2006 ⁷	37.40	18.51	18.89	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-	-
MW-5	02/07/2007 ⁷	37.40	16.02	21.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	-	-	-	-	-	-	-
MW-5	05/07/2007 ⁷	37.40	14.32	23.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	08/03/2007 ⁷	37.40	18.08	19.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	-	-	-	-	-	-	-
MW-5	10/12/2007 ⁷	37.40	19.74	17.66	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8	-	-	-	-	-	-	-
MW-5	11/02/2007 ⁷	37.40	19.78	17.62	0.00	0.00	61	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	12/07/2007 ⁷	37.40	19.71	17.69	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	02/01/2008 ⁷	37.40	14.34	23.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	05/09/2008 ⁷	37.40	15.62	21.78	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	08/22/2008 ⁷	37.40	18.96	18.44	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-5	11/26/2008 ⁷	37.40	20.35	17.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.9	-	-	-	-	-	-	-
MW-5	05/20/2009	37.40	15.56	21.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-5	08/26/2009	37.40	19.56	17.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.5 J	-	<50	-	-	-	-	-
MW-5	11/12/2009	37.40	18.50	18.90	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-5	02/01/2010	37.40	14.41	22.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-5	05/17/2010	37.40	13.00	24.40	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-5	08/26/2010	37.40	15.90	21.50	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-5	11/11/2010	37.40	18.05	19.35	0.00	0.00	68 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-6	02/02/1999	39.84	18.48	21.36	0.00	0.00	14,000	5,600	<50	150	160	-	<250	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	06/07/1999	39.84	16.45	23.39	0.00	0.00	1,500	1,100	33	25	34	-	200	-	-	-	-	-	-
MW-6	09/07/1999	39.84	20.49	19.35	0.00	0.00	6,550	2,940	81.5	177	84	-	865	-	-	-	-	-	-
MW-6	10/27/1999	39.84	21.23	18.61	0.00	0.00	3,680	1,240	29.6	115	14.9	-	735	-	-	-	-	-	-
MW-6	02/08/2000	39.84	18.40	21.44	0.00	0.00	17,300	8,920	<100	378	211	-	2,610	-	-	-	-	-	-
MW-6	05/05/2000	39.84	16.36	23.48	0.00	0.00	4,200 ²	1,900	98	170	290	-	1,300	-	-	-	-	-	-
MW-6	07/28/2000	39.84	18.94	20.90	0.00	0.00	1,200 ²	660	30	83	36	-	650	-	-	-	-	-	-
MW-6	11/26/2000	39.84	20.13	19.71	0.00	0.00	7,600 ²	4,300	63	360	110	-	2,000	-	-	-	-	-	-
MW-6	02/09/2001	39.84	18.40	21.44	0.00	0.00	18,200 ³	7,090	<100	457	169	-	2,930	-	-	-	-	-	-
MW-6	05/11/2001	39.84	15.45	24.39	0.00	0.00	2,600 ²	2,300	31	88	40	-	990	-	-	-	-	-	-
MW-6	08/30/2001	39.84	20.02	19.82	0.00	0.00	2,500	1,600	50	160	100	-	1,900	-	-	-	-	-	-
MW-6	11/21/2001	39.84	20.62	19.22	0.00	0.00	25,000	8,800	150	620	330	-	2,900	-	-	-	-	-	-
MW-6	02/05/2002	39.84	15.80	24.04	0.00	0.00	1,400	400	6.8	27	20	-	480	-	-	-	-	-	-
MW-6	04/01/2002	36.90	13.82	23.08	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	08/05/2002	36.90	17.05	19.85	0.00	0.00	1,200	300	5.1	11	3.7	-	250	-	-	-	-	-	-
MW-6	11/04/2002	36.90	19.56	17.34	0.00	0.00	7,500	2,000	29	140	39	-	1,300	-	-	-	-	-	-
MW-6	02/03/2003	36.90	14.62	22.28	0.00	0.00	630	160	<5.0	9.2	2.7	-	260	-	-	-	-	-	-
MW-6	05/02/2003	36.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	08/01/2003 ⁷	36.90	16.88	20.02	0.00	0.00	1,500	400	3	14	3	540	-	-	-	-	-	-	-
MW-6	11/21/2003 ⁷	36.90	18.41	18.49	0.00	0.00	4,400	1,300	12	98	18	540	-	-	-	-	-	-	-
MW-6	02/10/2004 ⁷	36.90	13.70	23.20	0.00	0.00	430	110	1	4	0.7	150	-	-	-	-	-	-	-
MW-6	05/11/2004 ⁷	36.90	14.27	22.63	0.00	0.00	95	11	<0.5	1	0.6	120	-	-	-	-	-	-	-
MW-6	08/10/2004 ⁷	36.90	16.64	20.26	0.00	0.00	430	46	<0.5	3	<0.5	140	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	11/08/2004 ⁷	36.90	15.63	21.27	0.00	0.00	750	50	<0.5	2	<0.5	81	-	-	-	-	-	-	-
MW-6	02/21/2005 ⁷	36.90	11.43	25.47	0.00	0.00	130	8	<0.5	<0.5	<0.5	60	-	-	-	-	-	-	-
MW-6	05/10/2005 ⁷	36.90	11.41	25.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-6	08/12/2005 ⁷	36.90	15.08	21.82	0.00	0.00	75	<0.5	<0.5	<0.5	<0.5	82	-	-	-	-	-	-	-
MW-6	11/11/2005 ⁷	36.90	18.16	18.74	0.00	0.00	1,100	270	12	19	46	350	-	-	-	-	-	-	-
MW-6	02/20/2006 ⁷	36.90	12.15	24.75	0.00	0.00	1,100	250	3	22	9	130	-	-	-	-	-	-	-
MW-6	05/12/2006 ⁷	36.90	10.32	26.58	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	84	-	-	-	-	-	-	-
MW-6	08/14/2006 ⁷	36.90	15.21	21.69	0.00	0.00	51	<0.5	<0.5	<0.5	<0.5	75	-	-	-	-	-	-	-
MW-6	11/08/2006 ⁷	36.90	17.97	18.93	0.00	0.00	200	3	<0.5	<0.5	<0.5	27	-	-	-	-	-	-	-
MW-6	02/07/2007 ⁷	36.90	15.60	21.30	0.00	0.00	1,500	120	0.8	5	1	54	-	-	-	-	-	-	-
MW-6	05/07/2007 ⁷	36.90	14.78	22.12	0.00	0.00	740	98	0.5	2	2	31	-	-	-	-	-	-	-
MW-6	08/03/2007 ⁷	36.90	17.57	19.33	0.00	0.00	1,600	410	4	2	3	80	-	-	-	-	-	-	-
MW-6	10/12/2007 ⁷	36.90	19.20	17.70	0.00	0.00	1,100	130	0.9	0.9	<0.5	79	-	-	-	-	-	-	-
MW-6	11/02/2007 ⁷	36.90	19.43	17.47	0.00	0.00	1,500	240	1	0.7	0.5	70	-	-	-	-	-	-	-
MW-6	12/07/2007 ⁷	36.90	19.11	17.79	0.00	0.00	770	84	<0.5	<0.5	<0.5	60	-	-	-	-	-	-	-
MW-6	02/01/2008 ⁷	36.90	14.03	22.87	0.00	0.00	650	89	<0.5	1	0.7	24	-	-	-	-	-	-	-
MW-6	05/09/2008 ⁷	36.90	15.22	21.68	0.00	0.00	680	87	<0.5	<0.5	<0.5	19	-	-	-	-	-	-	-
MW-6	08/22/2008 ⁷	36.90	18.46	18.44	0.00	0.00	950	43	<0.5	<0.5	<0.5	38	-	-	-	-	-	-	-
MW-6	11/26/2008 ⁷	36.90	19.87	17.03	0.00	0.00	1,500	190	1	0.6	0.5	71	-	-	-	-	-	-	-
MW-6	05/20/2009	36.90	15.03	21.87	0.00	0.00	580	23	<0.5	0.7 J	<0.5	11	-	<50	-	-	-	-	-
MW-6	08/26/2009	36.90	19.00	17.90	0.00	0.00	1,100	88	0.8 J	0.6 J	<0.5	25	-	<50	-	-	-	-	-
MW-6	11/12/2009	36.90	18.19	18.71	0.00	0.00	980	95	0.8 J	1	1	20	-	<50	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	02/01/2010	36.90	13.30	23.60	0.00	0.00	530	28	<0.5	0.9 J	<0.5	6	-	<50	-	-	-	-	-
MW-6	05/17/2010	36.90	11.67	25.23	0.00	0.00	450	14	<0.5	1	<0.5	4	-	<50	-	-	-	-	-
MW-6	08/26/2010	36.90	15.42	21.48	0.00	0.00	860	29	<0.5	2	<0.5	4	-	<50	-	-	-	-	-
MW-6	11/11/2010¹²	36.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	02/21/2005 ⁷	36.84	10.41	26.43	0.00	0.00	7,600	2,200	6	210	920	53	-	<100	130	<1	<1	<1	<1
MW-7	05/10/2005 ⁷	36.84	9.59	27.25	0.00	0.00	3,900	700	<0.5	<0.5	650	77	-	<50	140	<0.5	<0.5	<0.5	<0.5
MW-7	08/12/2005 ⁷	36.84	12.83	24.01	0.00	0.00	18,000	7,300	12	1,100	2,500	80	-	<500	280	<5	<5	<5	<5
MW-7	11/11/2005 ⁷	36.84	16.64	20.20	0.00	0.00	39,000	11,000	38	1,700	2,900	100	-	<1,000	340	<10	<10	<10	<10
MW-7	02/20/2006 ⁷	36.84	10.39	26.45	0.00	0.00	17,000	4,400	18	470	1,500	62	-	<500	200	<5	<5	<5	<5
MW-7	05/12/2006 ⁷	36.84	8.79	28.05	0.00	0.00	15,000	5,100	12	370	880	73	-	<500	200	<5	<5	<5	<5
MW-7	08/14/2006 ⁷	36.84	13.88	22.96	0.00	0.00	30,000	8,100	18	1,500	3,600	74	-	<1,000	280	<10	<10	<10	<10
MW-7	11/08/2006 ⁷	36.84	16.87	19.97	0.00	0.00	39,000	10,000	28	1,400	2,300	89	-	<1,000	330	<10	<10	<10	<10
MW-7	02/07/2007 ⁷	36.84	14.43	22.41	0.00	0.00	43,000	9,400	51	1,800	4,400	80	-	<500	280	<5	<5	<5	<5
MW-7	05/07/2007 ⁷	36.84	12.57	24.27	0.00	0.00	50,000	8,800	35	1,700	3,700	72	-	<1,000	240	<10	<10	<10	<10
MW-7	08/03/2007 ⁷	36.84	16.10	20.74	0.00	0.00	57,000	12,000	41	2,400	4,400	84	-	<2,500	300	<25	<25	<25	<25
MW-7	10/12/2007 ⁷	36.84	18.16	18.68	0.00	0.00	15,000	2,300	63	270	730	58	-	<1,000	290	<10	<10	<10	<10
MW-7	11/02/2007 ⁷	36.84	18.01	18.83	0.00	0.00	21,000	5,000	120	820	2,300	59	-	<500	280	<5	<5	<5	<5
MW-7	12/07/2007	36.84	18.92	17.92	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	02/01/2008	36.84	12.78	24.06	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	05/09/2008 ⁷	36.84	13.98	22.86	0.00	0.00	24,000	4,600	99	1,000	3,400	57	-	<250	240	<3	<3	<3	<3
MW-7	08/22/2008 ⁷	36.84	17.19	19.65	0.00	0.00	32,000	9,500	240	1,900	4,800	76	-	<1,000	270	<10	<10	<10	<10

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	11/26/2008 ⁷	36.84	19.01	17.83	0.00	0.00	39,000	9,700	840	1,600	5,700	62	-	<1,300	280	<13	<13	<13	
MW-7	05/20/2009	36.84	13.71	23.13	0.00	0.00	24,000	5,400	190	810	2,800	66	-	<250	260	<3	<3	<3	
MW-7	08/26/2009	36.84	19.00	17.84	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	11/12/2009	36.84	16.43	20.41	0.00	0.00	19,000	5,900	190	540	1,800	57	-	<500	240	<5	<5	<5	
MW-7	05/17/2010	36.84	10.30	26.54	0.00	0.00	13,000	3,600	63	310	1,300	58	-	<250	220	<3	<3	<3	
MW-7	08/26/2010 ¹¹	36.84	14.40	22.44	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	11/11/2010	36.84	16.50	20.34	0.00	0.00	16,000	7,300	140	720	2,400	64	-	<500	280	<5	<5	<5	
MW-8	04/01/2002 ⁶	37.21	11.10	26.11	0.00	0.00	1,200	8.6	<0.50	2.5	2.5	-	<2.5/ ⁵ <2.5	-	<100	<2	<2	<2	
MW-8	08/05/2002	37.21	16.14	21.07	0.00	0.00	560	11	<0.50	<0.50	<1.5	-	<2.5/ ⁵ <2.5	-	<100	<2	<2	<2	
MW-8	11/04/2002	37.21	18.97	18.24	0.00	0.00	780	5.1	<0.50	1.1	1.9	-	<2 ⁵ / ⁵ <2.5	-	<100	<2	<2	<2	
MW-8	02/03/2003	37.21	13.21	24.00	0.00	0.00	230	3.7	<0.50	0.54	<1.5	-	<0.6 ⁵ / ⁵ <10	-	<5	<0.5	<0.5	<0.5	
MW-8	05/02/2003	37.21	12.12	25.09	0.00	0.00	180	2.5	<0.5	<0.5	<1.5	-	<0.5 ⁵ / ⁵ <2.5	-	<5	<0.5	<0.5	<0.5	
MW-8	08/01/2003 ⁷	37.21	16.11	21.10	0.00	0.00	220	2	<0.5	<0.5	<0.5	0.8	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	11/21/2003 ⁷	37.21	17.17	20.04	0.00	0.00	140	<0.5	<0.5	<0.5	<0.5	0.7	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	02/10/2004 ⁷	37.21	12.13	25.08	0.00	0.00	150	2	<0.5	<0.5	<0.5	0.8	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	05/11/2004 ⁷	37.21	13.47	23.74	0.00	0.00	86	4	<0.5	<0.5	<0.5	1	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	08/10/2004 ⁷	37.21	15.65	21.56	0.00	0.00	80	<0.5	<0.5	<0.5	<0.5	0.8	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	11/08/2004 ⁷	37.21	13.98	23.23	0.00	0.00	110	<0.5	<0.5	<0.5	<0.5	1	-	<50	7	<0.5	<0.5	<0.5	
MW-8	02/21/2005 ⁷	37.21	10.09	27.12	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	05/10/2005 ⁷	37.21	10.60	26.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	08/12/2005 ⁷	37.21	12.58	24.63	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<5	<0.5	<0.5	<0.5	

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	11/11/2005 ⁷	37.21	17.41	19.80	0.00	0.00	96	<0.5	<0.5	<0.5	<0.5	2	-	<50	6	<0.5	<0.5	<0.5	
MW-8	02/20/2006 ⁷	37.21	10.79	26.42	0.00	0.00	81	<0.5	<0.5	<0.5	<0.5	0.6	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	05/12/2006 ⁷	37.21	9.24	27.97	0.00	0.00	72	1	<0.5	<0.5	<0.5	2	-	<50	6	<0.5	<0.5	<0.5	
MW-8	08/14/2006 ⁷	37.21	14.67	22.54	0.00	0.00	110	3	<0.5	<0.5	<0.5	2	-	<50	7	<0.5	<0.5	<0.5	
MW-8	11/08/2006 ⁷	37.21	17.41	19.80	0.00	0.00	310	2	1	<0.5	2	3	-	<50	13	<0.5	<0.5	<0.5	
MW-8	02/07/2007 ⁷	37.21	14.58	22.63	0.00	0.00	310	0.6	<0.5	<0.5	<0.5	2	-	<50	7	<0.5	<0.5	<0.5	
MW-8	05/07/2007 ⁷	37.21	12.78	24.43	0.00	0.00	95	0.5	<0.5	<0.5	<0.5	2	-	<50	6	<0.5	<0.5	<0.5	
MW-8	08/03/2007 ⁷	37.21	16.70	20.51	0.00	0.00	130	<0.5	<0.5	<0.5	<0.5	2	-	<50	8	<0.5	<0.5	<0.5	
MW-8	10/12/2007 ⁷	37.21	18.51	18.70	0.00	0.00	340	<0.5	<0.5	<0.5	<0.5	5	-	<50	20	<0.5	<0.5	<0.5	
MW-8	11/02/2007 ⁷	37.21	18.81	18.40	0.00	0.00	210	<0.5	<0.5	<0.5	<0.5	2	-	<50	5	<0.5	<0.5	<0.5	
MW-8	12/07/2007 ⁷	37.21	18.62	18.59	0.00	0.00	230	<0.5	<0.5	<0.5	<0.5	2	-	<50	5	<0.5	<0.5	<0.5	
MW-8	02/01/2008 ⁷	37.21	14.18	23.03	0.00	0.00	96	<0.5	<0.5	<0.5	<0.5	0.8	-	<50	<2	<0.5	<0.5	<0.5	
MW-8	05/09/2008 ⁷	37.21	14.33	22.88	0.00	0.00	120	2	<0.5	<0.5	<0.5	2	-	<50	6	<0.5	<0.5	<0.5	
MW-8	08/22/2008 ⁷	37.21	17.88	19.33	0.00	0.00	180	0.9	<0.5	<0.5	<0.5	4	-	<50	14	<0.5	<0.5	<0.5	
MW-8	11/26/2008 ⁷	37.21	19.52	17.69	0.00	0.00	350	<0.5	<0.5	<0.5	<0.5	1	-	<50	2	<0.5	<0.5	<0.5	
MW-8	05/20/2009	37.21	14.11	23.10	0.00	0.00	310	3	<0.5	<0.5	<0.5	0.7 J	-	<50	<2	<0.5	<0.5	<0.5	
MW-8	08/26/2009	37.21	18.19	19.02	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-8	11/12/2009	37.21	16.60	20.61	0.00	0.00	350	2	<0.5	<0.5	<0.5	1	-	<50	2 J	<0.5	<0.5	<0.5	
MW-8	05/17/2010	37.21	10.50	26.71	0.00	0.00	230	2	<0.5	<0.5	<0.5	0.5 J	-	<50	<2	<0.5	<0.5	<0.5	
MW-8	08/26/2010 ¹¹	37.21	14.72	22.49	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-8	11/11/2010	37.21	16.58	20.63	0.00	0.00	330	<0.5	<0.5	<0.5	<0.5	1	-	<50	3 J	<0.5	<0.5	<0.5	

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 9-3322
7225 BANCROFT AVENUE
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	04/01/2002 ⁶	35.03	10.62	24.41	0.00	0.00	94	1.5	<0.50	<0.50	<1.5	-	25/19 ⁵	-	<100	<2	<2	<2	
MW-9	08/05/2002	35.03	14.85	20.18	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	15 ⁵ /18	-	<100	<2	<2	<2	
MW-9	11/04/2002	35.03	17.48	17.55	0.00	0.00	<50	<0.50	1.7	<0.50	2.1	-	24/21 ⁵	-	<100	<2	<2	<2	
MW-9	02/03/2003	35.03	12.51	22.52	0.00	0.00	<50	1.9	<0.50	<0.50	<1.5	-	17/16 ⁵	-	<5	<0.5	<0.5	0.8	
MW-9	05/02/2003	35.03	11.68	23.35	0.00	0.00	<50	0.6	<0.5	<0.5	<1.5	-	21/18 ⁵	-	<5	<0.5	<0.5	0.8	
MW-9	08/01/2003 ⁷	35.03	14.69	20.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	22	-	<50	7	0.9	<0.5	1	
MW-9	11/21/2003 ⁷	35.03	16.35	18.68	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	18	-	<50	<5	0.8	<0.5	1	
MW-9	02/10/2004 ⁷	35.03	11.69	23.34	0.00	0.00	210	7	0.5	1	1	31	-	<50	9	0.6	<0.5	2	
MW-9	05/11/2004 ⁷	35.03	12.12	22.91	0.00	0.00	230	17	<0.5	<0.5	<0.5	72	-	<50	16	<0.5	<0.5	4	
MW-9	08/10/2004 ⁷	35.03	14.58	20.45	0.00	0.00	250	5	<0.5	<0.5	<0.5	66	-	<50	<5	0.9	<0.5	3	
MW-9	11/08/2004	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	02/21/2005 ⁷	35.03	9.52	25.51	0.00	0.00	510	6	<0.5	1	3	79	-	<50	17	0.5	<0.5	4	
MW-9	05/10/2005 ⁷	35.03	8.85	26.18	0.00	0.00	670	11	0.7	0.5	2	100	-	<50	20	<0.5	<0.5	4	
MW-9	08/12/2005 ⁷	35.03	11.06	23.97	0.00	0.00	390	4	<0.5	<0.5	0.7	89	-	<50	18	<0.5	<0.5	4	
MW-9	11/11/2005 ⁷	35.03	15.98	19.05	0.00	0.00	2,500	48	5	21	33	140	-	<50	25	<0.5	<0.5	6	
MW-9	02/20/2006 ⁷	35.03	10.08	24.95	0.00	0.00	3,200	47	5	30	32	130	-	<50	22	<0.5	<0.5	5	
MW-9	05/12/2006 ⁷	35.03	8.08	26.95	0.00	0.00	1,800	19	1	1	4	89	-	<50	14	<0.5	<0.5	4	
MW-9	08/14/2006	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	11/08/2006	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	02/07/2007 ⁷	35.03	13.57	21.46	0.00	0.00	2,000	22	2	1	8	78	-	<50	14	<0.5	<0.5	3	
MW-9	05/07/2007 ⁷	35.03	11.85	23.18	0.00	0.00	1,800	17	2	1	5	67	-	<50	13	<0.5	<0.5	3	
MW-9	08/03/2007	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	10/12/2007 ⁷	35.03	17.20	17.83	0.00	0.00	55	<0.5	<0.5	<0.5	<0.5	30	-	<50	4	<0.5	<0.5	1	
MW-9	11/02/2007 ⁷	35.03	17.28	17.75	0.00	0.00	72	<0.5	<0.5	<0.5	0.9	57	-	<50	8	<0.5	<0.5	2	
MW-9	12/07/2007 ⁷	35.03	17.12	17.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	59	-	<50	9	<0.5	<0.5	2	
MW-9	02/01/2008 ⁷	35.03	12.23	22.80	0.00	0.00	61	<0.5	<0.5	<0.5	<0.5	50	-	<50	11	<0.5	<0.5	2	
MW-9	05/09/2008	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	05/16/2008 ⁷	35.03	13.34	21.69	0.00	0.00	51	0.5	6	0.5	3	35	-	<50	11	<0.5	<0.5	1	
MW-9	08/22/2008 ⁷	35.03	16.32	18.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	35	-	<50	6	<0.5	<0.5	0.9	
MW-9	11/26/2008 ⁷	35.03	17.84	17.19	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	33	-	<50	4	<0.5	<0.5	0.7	
MW-9	05/20/2009	35.03	13.18	21.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	18	-	<50	7	<0.5	<0.5	<0.5	
MW-9	08/26/2009	35.03	17.03	18.00	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	26	-	<50	<2	<0.5	<0.5	<0.5	
MW-9	02/01/2010	35.03	11.69	23.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	19	-	<50	9	<0.5	<0.5	<0.5	
MW-9	08/26/2010	35.03	12.60	22.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	17	-	<50	9	<0.5	<0.5	0.6 J	
MW-9	11/11/2010¹¹	35.03	15.74	19.29	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	04/01/2002 ⁶	35.53	11.72	23.81	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	5 ⁵ /6.1	-	<100	<2	<2.0	<2	
MW-10	08/05/2002	35.53	15.80	19.73	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	5.1/5 ⁵	-	<100	<2	<2.0	<2	
MW-10	11/04/2002	35.53	18.31	17.22	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	5.5/5 ⁵	-	<100	<2	<2.0	<2	
MW-10	02/03/2003	35.53	13.42	22.11	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	2.8/3 ⁵	-	<5	<0.5	<0.5	<0.5	
MW-10	05/02/2003	35.53	12.45	23.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	-	<2.5/<0.5 ⁵	-	<5	<0.5	<0.5	<0.5	
MW-10	08/01/2003 ⁷	35.53	15.62	19.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2	-	<50.0	<5	<0.5	<0.5	<0.5	
MW-10	11/21/2003 ⁷	35.53	17.26	18.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50.0	<5	<0.50	<0.50	<0.5	
MW-10	02/10/2004 ⁷	35.53	12.52	23.01	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50.0	<5	<0.50	<0.5	<0.5	

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	05/11/2004 ⁷	35.53	13.06	22.47	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50	<5	<0.5	<0.5	<0.5	
MW-10	08/10/2004 ⁷	35.53	15.45	20.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	3	-	<50.0	<5	<0.5	<0.5	<0.5	
MW-10	11/08/2004 ⁷	35.53	14.68	20.85	0.00	0.00	<50	<0.5	<0.5	0.9	5	<0.5	-	<50.0	<5	<0.5	<0.50	<0.5	
MW-10	02/21/2005 ⁷	35.53	10.32	25.21	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50.0	<5	<0.5	<0.50	<0.5	
MW-10	05/10/2005 ⁷	35.53	11.04	24.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50.0	<5	<0.5	<0.50	<0.5	
MW-10	08/12/2005 ⁷	35.53	12.58	22.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50.0	<5	<0.5	<0.50	<0.5	
MW-10	11/11/2005 ⁷	35.53	16.89	18.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	-	<50.0	<5	<0.5	<0.50	<0.5	
MW-10	02/20/2006 ⁷	35.53	10.91	24.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50.0	<5	<0.5	<0.50	<0.5	
MW-10	05/12/2006 ⁷	35.53	9.26	26.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	-	<50	<5	<0.5	<0.5	<0.5	
MW-10	08/14/2006 ⁷	35.53	13.96	21.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2	-	<50.0	<5	<0.5	<0.5	<0.5	
MW-10	11/08/2006	35.53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	02/07/2007 ⁷	35.53	14.45	21.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2	-	<50.0	<2	<0.5	<0.5	<0.5	
MW-10	05/07/2007 ⁷	35.53	12.81	22.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.9	-	<50.0	<2	<0.5	<0.5	<0.5	
MW-10	08/03/2007 ⁷	35.53	16.35	19.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	3	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	10/12/2007 ⁷	35.53	17.93	17.60	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	11/02/2007 ⁷	35.53	18.04	17.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	4	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	12/07/2007 ⁷	35.53	17.81	17.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	3	-	<50	<2	<0.5	<0.50	<0.5	
MW-10	02/01/2008 ⁷	35.53	13.35	22.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<2	<0.5	<0.50	<0.5	
MW-10	05/09/2008 ⁷	35.53	14.11	21.42	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2	-	<50	<2	<0.50	<0.50	<0.5	
MW-10	08/22/2008 ⁷	35.53	17.70	17.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	-	<50	<2	<0.5	<0.50	<0.5	
MW-10	11/26/2008 ⁷	35.53	18.61	16.92	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	4	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	05/20/2009	35.53	14.03	21.50	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	3	-	<50	<2	<0.5	<0.5	<0.5	

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	08/26/2009	35.53	17.81	17.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	4	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	02/01/2010	35.53	12.36	23.17	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	08/26/2010	35.53	14.15	21.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	11/11/2010¹¹	35.53	16.09	19.44	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	
QA	11/21/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	
QA	02/05/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	
QA	04/01/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	
QA	08/05/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	
QA	10/04/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	
QA	02/03/2003	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	
QA	05/02/2003	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	-	<2.5	-	-	-	-	-	
QA	08/01/2003 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	11/21/2003 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	02/10/2004 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	05/11/2004 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	08/10/2004 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	11/08/2004 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	02/21/2005 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	05/10/2005 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	08/12/2005 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	11/11/2005 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	02/20/2006 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/12/2006 ⁷	-	-	-	-	-	<50	<0.5	0.5 ⁹	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/14/2006 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/08/2006 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	02/07/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/07/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/03/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	10/12/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/02/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	12/07/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	02/01/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/09/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/16/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/22/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/26/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/20/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/26/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/12/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	02/01/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
QA	05/17/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/26/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/11/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 9-3322
 7225 BANCROFT AVENUE
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
TRIP BLANK	02/08/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
TRIP BLANK	06/16/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
TRIP BLANK	07/29/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
TRIP BLANK	08/13/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
TRIP BLANK	11/24/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
TRIP BLANK	02/02/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
TRIP BLANK	02/03/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
TRIP BLANK	06/07/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
TRIP BLANK	09/07/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<5.0	-	-	-	-	-	-
TRIP BLANK	10/27/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-
TRIP BLANK	02/08/2000	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<5.0	-	-	-	-	-	-
TRIP BLANK	05/05/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
TRIP BLANK	07/28/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
TRIP BLANK	11/26/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
TRIP BLANK	02/09/2001	-	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	-	<2.50	-	-	-	-	-	-
TRIP BLANK	05/11/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-
TRIP BLANK	08/30/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 9-3322
7225 BANCROFT AVENUE
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME
Units		ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

Abbreviations and Notes:

TOC = Top of Casing

DTW = Depth to Water

GWE = Groundwater elevation

(ft-amsl) = Feet Above Mean sea level

ft = Feet

µg/L = Micrograms per Liter

TPH-GRO = Total Petroleum Hydrocarbons - Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylene

MTBE = Methyl tert butyl ether

TBA = Tert-Butyl alcohol

DIPE = Diisopropyl ether

ETBE = Tert-Butyl ethyl ether

TAME = Tert-Amyl methyl ether

J = Estimated concentration

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

* TOC elevations were re-surveyed on May 31, 2005, by Morrow Surveying Land Surveyors using the previous benchmark. TOC elevations were surveyed in April 2002, by Morrow Surveying. Elevations are based on City of Oakland Benchmark designated 3787 in field book 1595, page 50; cut square northerly curb on Krause Ave., approx. 37 feet westerly of PL westerly of 73rd Ave., (Elevation = 33.82 feet).

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 9-3322
7225 BANCROFT AVENUE
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS					ADDITIONAL VOCS					
							TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME	
Units		ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

- ** GWE corrected for the presence of LNAPL; correction factor: $[(TOC - DTW) + (LNAPLT \times 0.8)]$.
- 1 Confirmation run.
- 2 Laboratory report indicates gasoline C6-C12.
- 3 Laboratory report indicates weathered gasoline C6-C12.
- 4 Product and water removed.
- 5 MTBE by EPA Method 8260.
- 6 Well development performed.
- 7 BTEX and MTBE by EPA Method 8260.
- 8 Laboratory report indicates the trip blank results were investigated and the source of contamination did not occur during analysis.
- 9 Product removed; no water removed.
- 10 Laboratory report indicates the value for the TPH-GRO is estimated because the value is over the calibration range of the system. The surrogate recovery is outside the upper statistical QC limit. The sample was not reanalyzed because the hold time had ex
- 11 Sampled semi-annually.
- 12 Unable to access well due to large donation bin located on well.

ATTACHMENT A

MONITORING DATA PACKAGE



November 12, 2010

Chevron Environmental Management Company
Dave Patten
6111 Bollinger Canyon Rd.
San Ramon, CA 94583

Fourth Quarter 2010 Monitoring at
Chevron Service Station 93322
7225 Bancroft Ave.
Oakland, CA

Monitoring performed on November 11, 2010

Blaine Tech Services, Inc. Groundwater Monitoring Event 101111-IW2

This submission covers the routine monitoring of groundwater wells conducted on November 11, 2010 at this location. Nine monitoring wells were measured for depth to groundwater (DTW). Six monitoring wells were sampled. Well MW-6 was unable to be accessed due to a storage bin located on the well. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps or stainless steel, Teflon or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

Fourth Quarter Groundwater Monitoring at Chevron 93322, 7225 Bancroft Ave., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

www.blainetech.com

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to IWM facilities of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker
Blaine Tech Services, Inc.
Senior Project Manager

attachments: SOP
Well Gauging Sheet
Individual Well Monitoring Data Sheets
Chain of Custody
Wellhead Inspection Form
Bill of Lading
Calibration Log

cc: CRA
Attn: Nathan Lee
5900 Hollis St. Suite A
Emeryville, CA 94608

Fourth Quarter Groundwater Monitoring at Chevron 93322, 7225 Bancroft Ave., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC: 746684

www.blainetech.com

BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

SAMPLING PROCEDURES OVERVIEW

SAFETY

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

INSPECTION AND GAUGING

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing over two-hundredths of a foot (0.02') of product.

EVACUATION

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be

evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

PARAMETER STABILIZATION

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

DEWATERED WELLS

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

MEASURING RECHARGE

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

PURGEWATER CONTAINMENT

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading documentation to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility.

SAMPLE COLLECTION DEVICES

All samples are collected using disposable bailers.

SAMPLE CONTAINERS

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

TRIP BLANKS

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

DUPLICATES

Duplicates, if requested, may be collected at a site. The Duplicate sample is collected, typically from the well containing the most measurable contaminants. The Duplicate sample is labeled the same as the original.

SAMPLE STORAGE

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

DOCUMENTATION CONVENTIONS

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label.

Chain of Custody records are created using client specific preprinted forms following USEPA specifications.

Bill of Lading records are contemporaneous records created in the field at the site where the non-hazardous purgewater is generated. Field Technicians use preprinted Bill of Lading forms.

DECONTAMINATION

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle. The steam cleaner is used to decon reels, pumps and bailers.

Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

DISSOLVED OXYGEN READINGS

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated between wells as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

OXYIDATON REDUCTION POTENTIAL READINGS

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter GP). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

FERROUS IRON MEASUREMENTS

All field measurements are collected at time of sampling with a HACH test kit.

WELL GAUGING DATA

Project # 10111-IW2 Date 11/11/10 Client CHEVRON

Site 7225 BANCROFT AVE., OAKLAND, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes	
MW-1	1055	2					17.70	33.88	↓		
MW-2	1040	2					13.72	29.92			
MW-3	1046	2					17.08	32.54			
MW-4	1024	2					17.34	30.05			
MW-5	1026	2					18.05	31.32			
MW-6	* UNACCESSIBLE. COVERED BY GREEN DONATION BIN.										
MW-7	1050	3/4"					16.50	24.46			
MW-8	1028	2					16.58	29.80			
MW-9	1031	2					15.74	29.90			
MW-10	1036	2					16.09	29.78			

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>10111-IW2</u>	Station #: <u>9-3322</u>
Sampler: <u>IW, JO</u>	Date: <u>11/11/10</u>
Weather: <u>Clear</u>	Ambient Air Temperature: <u>68°</u>
Well I.D.: <u>MW-1</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth: <u>33.89</u>	Depth to Water: <u>17.70</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>20.93</u>	

Purge Method: Bailer Waterra Disposable Bailer

Disposable Bailer Peristaltic Extraction Port

Positive Air Displacement Extraction Pump Dedicated Tubing

Electric Submersible Other _____

Other: _____

<u>2.5</u> (Gals.) X <u>3</u> = <u>7.5</u> Gals.
1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1144</u>	<u>63.8</u>	<u>6.92</u>	<u>1277</u>	<u>>1000</u>	<u>2.5</u>	<u>odor / cloudy</u>
<u>1147</u>	<u>63.7</u>	<u>6.77</u>	<u>1270</u>	<u>>1000</u>	<u>5.0</u>	<u>" "</u>
<u>1150</u>	<u>63.6</u>	<u>6.79</u>	<u>1269</u>	<u>>1000</u>	<u>7.5</u>	<u>" "</u>

Did well dewater? Yes No Gallons actually evacuated: 7.5

Sampling Date: 11/11/10 Sampling Time: 1155 Depth to Water: 20.72

Sample I.D.: MW-1 Laboratory: (Lancaster) Other _____

Analyzed for: (TPH-G) (BTEX) (MTBE) (OXYS) Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 101111-IW2	Station #: 9-3322
Sampler: IW	Date: 11/11/10
Weather: CLEAR	Ambient Air Temperature: 70°
Well I.D.: MW-2	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 29.92	Depth to Water: 13.72
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.96	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible

Sampling Method: Waterra Disposable Bailer Extraction Port Dedicated Tubing

Peristaltic Extraction Pump Other _____

Other: _____

2.6 (Gals.) X **3** = **7.8** Gals.

1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1137	70.5	7.16	521	71000	2.6	STRONG ODOR, BLACK
1141	70.6	6.84	506	71000	5.2	" "
1146	70.4	6.81	515	71000	7.8	" "

Did well dewater? Yes No Gallons actually evacuated: **7.8**

Sampling Date: **11/11/10** Sampling Time: **1150** Depth to Water: **16.11**

Sample I.D.: **MW-2** Laboratory: **(Lancaster)** Other _____

Analyzed for: **(TPH-G)** **(BTEX)** **(MTBE)** **(OXY8)** Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXY8 Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 101111-IW2	Station #: 9-3322
Sampler: IW, JO	Date: 11/11/10
Weather: clear	Ambient Air Temperature: 68°
Well I.D.: MW-4	Well Diameter: 2 3 4 6 8 _____
Total Well Depth: 30.05	Depth to Water: 17.34
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.88	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible

Sampling Method: Waterra Disposable Bailer Extraction Port Dedicated Tubing

Peristaltic Extraction Pump Other _____

2.0 (Gals.) X	3 Specified Volumes	= 6.0 Gals. Calculated Volume
----------------------	----------------------------	--------------------------------------

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1127	65.1	7.44	372.8	>1000	2.0	Brown/Cloudy
1130	65.0	7.45	360.1	>1000	4.0	" "
1132	65.1	7.46	357.9	>1000	6.0	" "

Did well dewater? Yes **No** Gallons actually evacuated: **6.0**

Sampling Date: **11/11/10** Sampling Time: **1140** Depth to Water: **19.29**

Sample I.D.: **MW-4** Laboratory: **Lancaster** Other _____

Analyzed for: **TPH-G** **BTEX** **MTBE** **OXYS** Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 101111-IW2	Station #: 9-3322
Sampler: IW, JO	Date: 11/11/10
Weather: clear	Ambient Air Temperature: 67°
Well I.D.: MW-5	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 31.32	Depth to Water: 18.05
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 20.70	

Purge Method: <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible	Sampling Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
<input type="checkbox"/> Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: _____	

$\underline{2.1} \text{ (Gals.)} \times \underline{3} = \underline{6.3} \text{ Gals.}$
1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1107	65.7	7.49	571.3	>1000	2.1	Brown / cloudy
1109	65.8	7.43	573.2	>1000	4.2	" "
1111	65.8	7.40	575.6	>1000	6.3	" "

Did well dewater? Yes **(No)** Gallons actually evacuated: **6.3**

Sampling Date: **11/11/10** Sampling Time: **1115** Depth to Water: **19.98**

Sample I.D.: **MW-5** Laboratory: **(Lancaster)** Other: _____

Analyzed for: **(TPH-G)** **(BTEX)** **(MTBE)** **(OXYS)** Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 10111-INZ	Station #: 9-3322
Sampler: IWZ	Date: 11/11/10
Weather: CLEAR	Ambient Air Temperature: 72
Well I.D.: MW-6	Well Diameter: 2 3 4 6 8 ____
Total Well Depth: ____	Depth to Water: ____
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: ~~Bailer~~ ~~Watera~~ ~~Peristaltic~~ ~~Extraction Pump~~ ~~Other~~

Sampling Method: ~~Bailer~~ ~~Disposable Bailer~~ ~~Extraction Port~~ ~~Dedicated Tubing~~ ~~Other~~

Bailer Watera
 Disposable Bailer Peristaltic
 Positive Air Displacement Extraction Pump
 Electric Submersible Other _____

_____ (Gals.) X _____ = _____ Gals.

1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
						- UNABLE TO ACCESS WELL DUE TO
						LARGE DONATION BIN LOCATED ON WELL
						- NO SAMPLE TAKEN

Did well dewater? Yes No Gallons actually evacuated: _____

Sampling Date: _____ Sampling Time: _____ Depth to Water: _____

Sample I.D.: _____ Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>10111 - IW 2</u>	Station #: <u>9 - 3322</u>
Sampler: <u>IW</u>	Date: <u>11/11/10</u>
Weather: <u>CLEAR</u>	Ambient Air Temperature: <u>72°</u>
Well I.D.: <u>MW-7</u>	Well Diameter: 2 3 4 6 8 <u>3/4"</u>
Total Well Depth: <u>24.46</u>	Depth to Water: <u>16.90</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>18.09</u>	

Purge Method: Bailer Waterra Disposable Bailer ~~FW BAILER~~ ^{1W}
 Disposable Bailer Peristaltic Extraction Port
 Positive Air Displacement Extraction Pump Dedicated Tubing
 Electric Submersible Other: NEW TUBING CHECK VALVE Other: ~~NEW TUBING~~ ^{1W} CHECK VALVE

0.2 (Gals.) X 3 = 0.6 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	<u>0.23</u> 1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1210	70.3	6.84	1317	153	0.2	
1215	68.0	6.50	1346	168	0.4	
1218	67.9	6.49	1340	179	0.6	

Did well dewater? Yes No Gallons actually evacuated: 0.6

Sampling Date: 11/11/10 Sampling Time: 1225 Depth to Water: 17.76

Sample I.D.: MW-7 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>101111-IW2</u>	Station #: <u>9-3322</u>
Sampler: <u>IW, JO</u>	Date: <u>11/11/10</u>
Weather: <u>CLEAR</u>	Ambient Air Temperature: <u>68°</u>
Well I.D.: <u>MW-8</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth: <u>29.80</u>	Depth to Water: <u>16.58</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>19.23</u>	

Purge Method:

- Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible
- Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

- Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

<u>2.2</u> (Gals.) X	<u>3</u>	<u>= 6.6</u> Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>μS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1108	69.2	7.06	768 7.68 _{iw}	71000	2.2	
1111	68.6	7.09	650	71000	4.4	ODOR
1114	68.3	7.12	647	71000	6.6	"

Did well dewater? Yes No Gallons actually evacuated: 6.6

Sampling Date: 11/11/10 Sampling Time: 1120 Depth to Water: 18.46

Sample I.D.: MW-8 Laboratory: (Lancaster) Other _____

Analyzed for: (TPH-G) (BTEX) (MTBE) (OXYS) Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	mV	Post-purge:	mV

1111D-08

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583 COC 1 of 1

PAGE 01/01
LANCASTER LABS CA
5102324913
11/12/2010 11:45

Chevron Site Number: 93322
 Chevron Site Global ID: T0600102079
 Chevron Site Address: 7225 Bancroft Ave.
Oakland, CA
 Chevron PM: DAVE PATTEN
 Chevron PM Phone No.: (925)543-1740

Retail and Terminal Business Unit (RTBU) Job
 Construction/Retail Job

Chevron Consultant: CRA
 Address: 5900 Hollis St. Suite A Emeryville.
 CA Consultant Contact: Nathan Lee
 Consultant Phone No. 510-420-3333
 Consultant Project No. 10111-IW2
 Sampling Company: Blaine Tech Services
 Sampled By (Print): JO IW
 Sampler Signature: [Signature]

ANALYSES REQUIRED

<input checked="" type="checkbox"/> EPA 8260B/GC/MS	<input checked="" type="checkbox"/> EPA 8015B	<input type="checkbox"/> EPA 8021B	<input type="checkbox"/> EPA 6010	<input type="checkbox"/> EPA 6010/7000	<input type="checkbox"/> EPA 150.1	<input type="checkbox"/> SM2510B	<input type="checkbox"/> EPA 418.1	<input type="checkbox"/> EPA 8260	<input type="checkbox"/> EPA 8015
<input type="checkbox"/> TPH-G	<input checked="" type="checkbox"/> GRO	<input type="checkbox"/> BTEX	<input type="checkbox"/> Ca, Fe, K, Mg, Mn, Na	<input type="checkbox"/> TITL 22 METALS	<input type="checkbox"/> PH	<input type="checkbox"/> SPECIFIC CONDUCTIVITY	<input type="checkbox"/> TRPH	<input type="checkbox"/> ETHANOL	<input type="checkbox"/> TRPH-D
<input type="checkbox"/> HVOOC	<input type="checkbox"/> HC SCREEN	<input type="checkbox"/> DRO	<input type="checkbox"/> MTBE	<input type="checkbox"/> TLCL	<input type="checkbox"/> ALKALINITY	<input type="checkbox"/> OXYGENATES	<input type="checkbox"/> OIL & GREASE	<input type="checkbox"/> OXYGENATES	<input type="checkbox"/> OXYGENATES

Preservation Codes
 H = HCL T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

Charge Code: NWRTB-0093322-0-OML
NWRTB 00SITE NUMBER-0- WBS
(WBS ELEMENTS:
 SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L
 SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L

THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.

Lancaster Laboratories
 Lancaster, PA
 Lab Contact: Jill Parker
 2425 New Holland Pike,
 Lancaster, PA 17601
 Phone No:
 (717)656-2300

Other Lab
 Temp. Blank Check
 Time Temp.
1030
1055
1130
1150
1220
1250
1030
1050
1100
1120
1200

SAMPLE ID				Sample Time	# of Containers	Container Type	ANALYSES REQUIRED										Notes/Comments
Field Point Name	Matrix	Top Depth	Date (yy/mm/dd)				EPA 8260B/GC/MS	EPA 8015B	EPA 8021B	EPA 6010	EPA 6010/7000	EPA 150.1	SM2510B	EPA 418.1	EPA 8260	EPA 8015	
MW-1	W		10/11/11	1155	6	HEL VOAS	X	X							X		
MW-2				1150	6		X	X							X		
MW-4				1140	6		X	X							X		
MW-5				1115	6		X	X							X		
MW-7				1225	6		X	X							X		
MW-8				1120	6		X	X							X		
QA	T			1020	2		X	X							X		

Relinquished By <u>[Signature]</u>	Company <u>BTS</u>	Date/Time <u>11/11/10 1340</u>	Relinquished To <u>[Signature]</u>	Company <u>LLI</u>	Date/Time <u>11/11/10 1340</u>	Turnaround Time: Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 hours <input type="checkbox"/> 72 Hours <input type="checkbox"/> Other <input type="checkbox"/>
Relinquished By	Company	Date/Time	Relinquished To	Company	Date/Time	Sample Integrity: (Check by lab on arrival)
Relinquished By	Company	Date/Time	Relinquished To	Company	Date/Time	Intact: <input type="checkbox"/> On Ice: <input type="checkbox"/> Temp: <input type="checkbox"/> COC #

CHEVRON-NORTHERN CALIFORNIA TYPE **A** BILL OF LADING

SOURCE RECORD **BILL OF LADING**

FOR NON-HAZARDOUS PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF CALIFORNIA. THE NON-HAZARDOUS PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND- WATER WELLS IS COLLECTED BY THE CONTRACTOR, MADE UP INTO LOADS OF APPROPRIATE SIZE AND HAULED BY IWM TO THEIR FACILITY IN SAN JOSE, CALIFORNIA.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BTS), 1680 Rogers Ave. San Jose CA (408)573-0555). Blaine Tech Services, Inc. is authorized by CHEVRON PRODUCTS COMPANY (CHEVRON) to recover, collect, apportion into loads, and haul the Non-Hazardous Well Purgewater that is drawn from wells at the CHEVRON facility indicated below and to deliver that purgewater to BTS. Transport routing of the Non-Hazardous Well Purgewater may be direct from one Chevron facility to BTS; from one Chevron facility to BTS via another Chevron facility; or any combination thereof. The Non-Hazardous Well Purgewater is and remains the property of CHEVRON.

This Source Record **BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

9-3322 CHEVRON # DAVE PATTEN Chevron Engineer
7225 BANCROFT AVE., OAKLAND CA
 street number street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
<u>MW-2</u>	<u>8.0</u>	<u>/</u>	<u>/</u>
<u>MW-7</u>	<u>1.0</u>	<u>/</u>	<u>/</u>
<u>MW-8</u>	<u>7.0</u>	<u>/</u>	<u>/</u>
<u>MW-4</u>	<u>6.0</u>	<u>/</u>	<u>/</u>
<u>MW-5</u>	<u>6.5</u>	<u>/</u>	<u>/</u>
<u>MW-1</u>	<u>7.5</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>	<u>/</u>

added equip. _____ any other adjustments / _____
 rinse water / _____

TOTAL GALS. 36.0 loaded onto
 RECOVERED 17.5 BTS vehicle # 81

BTS event # 101111-EW2 time 1300 date 11/11/10
 signature [Signature]

 REC'D AT BTS SAN JOSE time 1420 date 11/11/10
 unloaded by _____
 signature _____

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

November 23, 2010

Project: 93322

Submittal Date: 11/13/2010
Group Number: 1221201
PO Number: 0015061031
Release Number: COSTA
State of Sample Origin: CA


<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
MW-1-W-101111 NA Water	6140594
MW-2-W-101111 NA Water	6140595
MW-4-W-101111 NA Water	6140596
MW-5-W-101111 NA Water	6140597
MW-7-W-101111 NA Water	6140598
MW-8-W-101111 NA Water	6140599
QA-T-101111 NA Water	6140600

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Blaine Tech Services, Inc.	Attn: Dustin Becker
ELECTRONIC COPY TO	Chevron	Attn: Anna Avina
ELECTRONIC COPY TO	CRA	Attn: Ian Hull
ELECTRONIC COPY TO	CRA	Attn: Nathan Lee

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



Valerie L. Tomayko
Group Leader



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-1-W-101111 NA Water
Facility# 93322 BTST
 7225 Bancroft Ave-Oakland T0600102079 MW-1

LLI Sample # WW 6140594
LLI Group # 1221201
Account # 10991

Project Name: 93322

Collected: 11/11/2010 11:55 by JO

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 11/13/2010 09:25

Reported: 11/23/2010 17:24

BAO01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	ug/l	
10943	Benzene	71-43-2	13,000	100	200	200
10943	Ethanol	64-17-5	N.D.	1,000	5,000	20
10943	Ethylbenzene	100-41-4	2,700	10	20	20
10943	Methyl Tertiary Butyl Ether	1634-04-4	26	10	20	20
10943	Toluene	108-88-3	6,600	100	200	200
10943	Xylene (Total)	1330-20-7	13,000	100	200	200
GC Volatiles SW-846 8015B			ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	120,000	5,000	10,000	100

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F103261AA	11/22/2010 11:28	Anita M Dale	20
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F103261AA	11/22/2010 11:50	Anita M Dale	200
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F103261AA	11/22/2010 11:28	Anita M Dale	20
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F103261AA	11/22/2010 11:50	Anita M Dale	200
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10322A20A	11/18/2010 19:57	Martha L Seidel	100
01146	GC VOA Water Prep	SW-846 5030B	1	10322A20A	11/18/2010 19:57	Martha L Seidel	100

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-W-101111 NA Water
Facility# 93322 BTST
 7225 Bancroft Ave-Oakland T0600102079 MW-2

LLI Sample # WW 6140595
LLI Group # 1221201
Account # 10991

Project Name: 93322

Collected: 11/11/2010 11:50 by JO

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 11/13/2010 09:25

Reported: 11/23/2010 17:24

BAO02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	6	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	61	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	5	0.5	1	1
10943	Toluene	108-88-3	1 J	0.5	1	1
10943	Xylene (Total)	1330-20-7	30	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	9,000	250	500	5

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F103261AA	11/22/2010 12:11	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F103261AA	11/22/2010 12:11	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10322A20A	11/18/2010 20:19	Martha L Seidel	5
01146	GC VOA Water Prep	SW-846 5030B	1	10322A20A	11/18/2010 20:19	Martha L Seidel	5

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-4-W-101111 NA Water
Facility# 93322 BTST
7225 Bancroft Ave-Oakland T0600102079 MW-4

LLI Sample # WW 6140596
LLI Group # 1221201
Account # 10991

Project Name: 93322

Collected: 11/11/2010 11:40 by JO

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 11/13/2010 09:25

Reported: 11/23/2010 17:24

BAO04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F103261AA	11/22/2010 12:55	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F103261AA	11/22/2010 12:55	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10322A20A	11/18/2010 16:20	Martha L Seidel	1
01146	GC VOA Water Prep	SW-846 5030B	1	10322A20A	11/18/2010 16:20	Martha L Seidel	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-W-101111 NA Water
Facility# 93322 BTST
7225 Bancroft Ave-Oakland T0600102079 MW-5

LLI Sample # WW 6140597
LLI Group # 1221201
Account # 10991

Project Name: 93322

Collected: 11/11/2010 11:15 by JO

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 11/13/2010 09:25

Reported: 11/23/2010 17:24

BAO05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	68 J	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F103261AA	11/22/2010 13:17	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F103261AA	11/22/2010 13:17	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10322A20A	11/18/2010 16:42	Martha L Seidel	1
01146	GC VOA Water Prep	SW-846 5030B	1	10322A20A	11/18/2010 16:42	Martha L Seidel	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-7-W-101111 NA Water
Facility# 93322 BTST
 7225 Bancroft Ave-Oakland T0600102079 MW-7

LLI Sample # WW 6140598
LLI Group # 1221201
Account # 10991

Project Name: 93322

Collected: 11/11/2010 12:25 by JO

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 11/13/2010 09:25

Reported: 11/23/2010 17:24

BAO07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	ug/l	
10943	t-Amyl methyl ether	994-05-8	N.D.	5	10	10
10943	Benzene	71-43-2	7,300	50	100	100
10943	t-Butyl alcohol	75-65-0	280	20	50	10
10943	Ethanol	64-17-5	N.D.	500	2,500	10
10943	Ethyl t-butyl ether	637-92-3	N.D.	5	10	10
10943	Ethylbenzene	100-41-4	720	5	10	10
10943	di-Isopropyl ether	108-20-3	N.D.	5	10	10
10943	Methyl Tertiary Butyl Ether	1634-04-4	64	5	10	10
10943	Toluene	108-88-3	140	5	10	10
10943	Xylene (Total)	1330-20-7	2,400	5	10	10
GC Volatiles SW-846 8015B			ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	16,000	2,500	5,000	50

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F103261AA	11/22/2010 09:39	Anita M Dale	10
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F103261AA	11/22/2010 10:01	Anita M Dale	100
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F103261AA	11/22/2010 09:39	Anita M Dale	10
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F103261AA	11/22/2010 10:01	Anita M Dale	100
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10322A20A	11/18/2010 20:41	Martha L Seidel	50
01146	GC VOA Water Prep	SW-846 5030B	1	10322A20A	11/18/2010 20:41	Martha L Seidel	50

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-8-W-101111 NA Water
Facility# 93322 BTST
7225 Bancroft Ave-Oakland T0600102079 MW-8

LLI Sample # WW 6140599
LLI Group # 1221201
Account # 10991

Project Name: 93322

Collected: 11/11/2010 11:20 by JO

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 11/13/2010 09:25

Reported: 11/23/2010 17:24

BAO08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10943	t-Amyl methyl ether	994-05-8	N.D.	0.5	1	1
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	t-Butyl alcohol	75-65-0	3 J	2	5	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethyl t-butyl ether	637-92-3	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	di-Isopropyl ether	108-20-3	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	1	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	330	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F103261AA	11/22/2010 10:22	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F103261AA	11/22/2010 10:22	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10322A20A	11/18/2010 17:03	Martha L Seidel	1
01146	GC VOA Water Prep	SW-846 5030B	1	10322A20A	11/18/2010 17:03	Martha L Seidel	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: QA-T-101111 NA Water
Facility# 93322 BTST
7225 Bancroft Ave-Oakland T0600102079 QA

LLI Sample # WW 6140600
LLI Group # 1221201
Account # 10991

Project Name: 93322

Collected: 11/11/2010 10:20

Chevron

Submitted: 11/13/2010 09:25

6001 Bollinger Canyon Rd L4310

Reported: 11/23/2010 17:24

San Ramon CA 94583

BAOQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles						
	SW-846 8260B		ug/l	ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles						
	SW-846 8015B		ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F103261AA	11/22/2010 08:12	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F103261AA	11/22/2010 08:12	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10322A20A	11/18/2010 13:48	Martha L Seidel	1
01146	GC VOA Water Prep	SW-846 5030B	1	10322A20A	11/18/2010 13:48	Martha L Seidel	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

 Client Name: Chevron
 Reported: 11/23/10 at 05:24 PM

Group Number: 1221201

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: F103261AA	Sample number(s): 6140594-6140600								
t-Amyl methyl ether	N.D.	0.5	1	ug/l	91		77-120		
Benzene	N.D.	0.5	1	ug/l	94		79-120		
t-Butyl alcohol	N.D.	2.	5	ug/l	97		62-129		
Ethanol	N.D.	50.	250	ug/l	107		54-149		
Ethyl t-butyl ether	N.D.	0.5	1	ug/l	94		76-120		
Ethylbenzene	N.D.	0.5	1	ug/l	94		79-120		
di-Isopropyl ether	N.D.	0.5	1	ug/l	96		71-124		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	98		76-120		
Toluene	N.D.	0.5	1	ug/l	95		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	96		80-120		
Batch number: 10322A20A	Sample number(s): 6140594-6140600								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	100	100	75-135	0	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: F103261AA	Sample number(s): 6140594-6140600 UNSPK: P140648								
t-Amyl methyl ether	96	95	75-122	1	30				
Benzene	102	104	80-126	1	30				
t-Butyl alcohol	95	97	67-119	1	30				
Ethanol	108	107	37-164	1	30				
Ethyl t-butyl ether	99	100	74-122	1	30				
Ethylbenzene	104	103	71-134	1	30				
di-Isopropyl ether	102	102	70-129	0	30				
Methyl Tertiary Butyl Ether	78 (2)	99 (2)	72-126	1	30				
Toluene	103	102	80-125	0	30				
Xylene (Total)	104	104	79-125	0	30				
Batch number: 10322A20A	Sample number(s): 6140594-6140600 UNSPK: P140419								
TPH-GRO N. CA water C6-C12	118		63-154						

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 11/23/10 at 05:24 PM

Group Number: 1221201

Surrogate Quality Control

Analysis Name: UST VOCs by 8260B - Water
Batch number: F103261AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6140594	99	97	100	99
6140595	100	98	101	111
6140596	102	100	100	97
6140597	100	98	99	97
6140598	99	96	100	97
6140599	101	98	101	99
6140600	99	97	100	98
Blank	100	99	101	99
LCS	100	99	100	99
MS	100	101	101	105
MSD	100	102	100	102
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 10322A20A
Trifluorotoluene-F

6140594	98
6140595	124
6140596	90
6140597	87
6140598	88
6140599	99
6140600	88
Blank	88
LCS	108
LCSD	107
MS	112
Limits:	63-135

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.