



Mark Horne
Project Manager
Marketing Business Unit

Chevron Environmental Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-0973
Fax (925) 549-1441
markhorne@chevron.com

Alameda County Environmental Health (ACEH)
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Former Chevron Service Station No. 93322
7225 Bancroft Avenue
Oakland, CA

RECEIVED

By Alameda County Environmental Health 2:22 pm, Aug 24, 2016

I have reviewed the attached report titled *Interim Remedial Action Plan*.

The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by GHD Services Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in blue ink that appears to read "Mark E. Horne".

Mark Horne
Project Manager

Attachment: *Interim Remedial Action Plan*



Transmittal

August 26, 2016

To: Mr. Mark Detterman
Alameda County Environmental Health
1131 Harbor Parkway, Suite 150
Alameda, California 94502

Ref. No.: 311806

From: Kiersten Hoey

GHD Tel: 510-420-3347

Subject: Former Chevron Service Station 93322 – ACEH RO#0274

Issued for: Your information As requested Construction Quotation
 Your approval/comments Returned to you For re-submission

Sent by: Overnight courier Same day courier Other: Upload to Geotracker and ACEH ftp site

Remarks:

Please review the enclosed report. Please contact Kiersten Hoey (510) 420-3347 if you have any questions or require additional information.

Mr. Mark Horne, Chevron EMC
(electronic copy)

Completed by: Kiersten Hoey
[Please Print]

Completed by: Kiersten Hoey [Please Print] Signed:

Kirsten Hay

Filing: Correspondence File



**Interim Remedial Action Plan
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California
Alameda County Environmental Health RO# 0274**

Prepared For:

**Mr. Mark Detterman
Alameda County Environmental Health (ACEH)
1131 Harbor Parkway, Suite 250
Alameda, California 94502**

Chevron Environmental Management Company

August 26 2016
5900 Hollis Street, Suite A, Emeryville, California 94608
311806 | 2016.3 | 04.06 | Report No 34



Interim Remedial Action Plan

Former Chevron Service Station 93322


7225 Bancroft Avenue

Oakland, California

Alameda County Environmental Health RO# 0274

Prepared For:

Mr. Mark Detterman
Alameda County Environmental Health (ACEH)
1131 Harbor Parkway, Suite 250
Alameda, California 94502



Kiersten Hoey



Brandon S. Wilken

Brandon S. Wilken PG 7564



Chevron Environmental Management Company

August 26 2016

5900 Hollis Street, Suite A, Emeryville, California 94608

311806 | 2016.3 | 04.06 | Report No 34

Table of Contents

1.	Introduction	1
2.	Site Background	1
2.1	Site Description.....	1
2.2	Site Geology and Hydrogeology	1
2.3	Previous Investigations and Remedial Actions.....	2
2.4	Current Site Conditions.....	2
3.	Interim Remedial Action Plan	2
4.	Schedule.....	3

Figure Index

Figure 1 Vicinity Map

Figure 2 Site Plan

Appendices

Appendix A Regulatory Correspondence

Appendix B Summary of Previous Environmental Investigation

Appendix C Groundwater Monitoring and Sampling Data Table

1. Introduction

GHD Services Inc. (GHD) is submitting this *Interim Remedial Action Plan* (IRAP) for former Chevron Service Station located at 7225 Bancroft Avenue in Oakland, California (Figure 1) on behalf of Chevron Environmental Management Company (CEMC). In a letter dated July 1, 2016 (Appendix A), Alameda County Environmental Health (ACEH) approved GHD's work plan included in the May 6, 2016 *Site Investigation Report and Updated Site Conceptual Model*, and requested that an IRAP be prepared. A summary of the site background and the IRAP are presented below.

2. Site Background

2.1 Site Description

The site is an active Valero branded service station located at the northwest corner of Bancroft Avenue and 73rd Avenue in Oakland, California (Figure 1). Surrounding land use is mixed residential and commercial, consisting primarily of residences to the northwest, west and south, and the Eastmont Mall and a former Union 76 branded service station located across Bancroft Avenue to the northeast.

The stations current configuration has been unchanged since approximately 1987 and consists of three 10,000-gallon USTs, five dispenser islands, a small food market building, and an additional building housing restrooms and/or storage (Figure 2). In 1976, the station consisted of one 10,000-gallon UST, one 7,500-gallon UST, one 5,000-gallon UST, two dispenser islands, a kiosk and a station building, as shown on a 1976 as-built site plan.

2.2 Site Geology and Hydrogeology

Sediments in the vicinity consist of Holocene and Pleistocene alluvial fan deposits underlain by Franciscan Formation bedrock. Soils encountered beneath the site generally consist of clays, silts, clayey sands, clayey gravels, silty sands, silty gravels, and well graded gravels to approximately 36 feet below grade (fbg).

The site is located in the East Bay Plain Subbasin of the Santa Clara Groundwater Basin. The cumulative aquifer thickness in the vicinity is approximately 1,000 feet, consisting of unconsolidated sediments¹. Groundwater in the region has been designated as potentially beneficial for commercial, industrial, and residential uses.² The site elevation is approximately 37 feet above mean sea level. Topography is relatively flat and slopes gradually towards the San Francisco Bay, approximately 2 miles to the west. Depth to groundwater has historically ranged on average from approximately 10 to 20 fbg. Groundwater flows predominantly to the northwest. The closest surface body is Arroyo Viejo located approximately 0.25 miles to the southeast.

¹. State of California Department of Water Resources, California's Groundwater Bulletin 118, February 27, 2004

². California Regional Water Quality Control Board San Francisco Bay Region (RWQCB-SF), Water Quality Control Plan (Basin Plan) for the San Francisco Bay Basin, January 18, 2007, Table 2-2 Existing and Potential Beneficial Uses in Groundwater in Identified Basins.

2.3 Previous Investigations and Remedial Actions

The site has been an open environmental case since 1996 under ACEH jurisdiction (Fuel Leak Case Number RO0000274 and GeoTracker Global ID T0600102079). To date, a total of 10 monitoring wells have been installed, 12 soil borings have been advanced, 4 soil vapor probes have been installed, and 12 compliance soil samples were collected during the 1996 product line replacement (Figure 2). Groundwater monitoring and sampling has been ongoing since 1998. Remedial activities have included over-excavation of soil during the 1996 product piping removal and replacement, and a surfactant enhanced LNAPL extraction event in 2007 to remove LNAPL from well MW-1. A summary of previous environmental investigation and remediation is included in Appendix B. The locations of all known monitoring wells, soil borings, and former USTs and dispenser islands are presented on Figure 2.

2.4 Current Site Conditions

Historically, light non-aqueous phase liquid (LNAPL) was observed in monitoring well MW-1 starting in June 1999 and was detected intermittently with a maximum thickness of 0.74 feet during subsequent monitoring and sampling events through October 2007. No measurable LNAPL was detected in MW-1 since November 2007, until 0.09 feet of LNAPL was observed in September 2015. However, no LNAPL was observed in MW-1 during the subsequent sampling events in December 2015, March 2016, and July 2016.

Based on the distribution, hydrocarbons in soil appear to have originated from the former fuel dispensers and former USTs with the highest hydrocarbon concentrations detected in saturated soil between 15 and 30 fbg.

The residual dissolved-phase hydrocarbons in groundwater extend across the site with the highest concentrations in wells MW-1, MW-3, MW-7, and boring SB-9 near the presumed source areas. The extent of dissolved hydrocarbons in groundwater is adequately defined except to the southwest and northwest.


3. Interim Remedial Action Plan

The highest residual dissolved-phase hydrocarbon concentrations in groundwater are detected in well MW-1 with 100,000 micrograms per liter ($\mu\text{g}/\text{L}$) total petroleum hydrocarbons as gasoline (TPHg) and 12,000 $\mu\text{g}/\text{L}$ benzene detected during the July 2016 sampling event. The cumulative groundwater data table is included as Appendix C. Dissolved hydrocarbon concentrations in all wells including source area (former dispensers) wells, MW-1 and MW-7 indicate a stable or decreasing trend, with some concentration fluctuations caused by changes in water table elevation. Although LNAPL has not been detected during the three recent sampling events, the dissolved concentrations in MW-1 may be indicative of residual LNAPL. Therefore as an interim remedial measure, GHD proposes installing a hydrocarbon absorbent sock in well MW-1. The absorbent sock will be removed and replaced quarterly during the scheduled monitoring and sampling events. The sock observations and replacement activities will be reported with the quarterly groundwater monitoring and sampling reports.

4. Schedule

Following approval, GHD will coordinate the proposed absorbent sock installation with Blaine Tech Services during the next scheduled quarterly monitoring and sampling event.

Figures



SOURCE: TOPO! MAPS




FORMER CHEVRON SERVICE STATION 93322
7225 BANCROFT AVENUE
OAKLAND, CALIFORNIA

VICINITY MAP

311806-2016.3

Aug 15, 2016

FIGURE 1



0 10 20ft



FORMER CHEVRON SERVICE STATION 93322
7225 BANCROFT AVENUE
OAKLAND, CALIFORNIA

SITE PLAN

311806-2016.3
Aug 15, 2016

FIGURE 2

Appendices

Appendix A

Regulatory Correspondence



ENVIRONMENTAL HEALTH DEPARTMENT
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

July 1, 2016

Mr. Mark Horne
Chevron Products Company
6101 Bollinger Canyon Road
San Ramon, CA 94583
(Sent via electronic mail to:
MHorne@chevron.com)

7225 Bancroft St LP
c/o The Najdawi 2009 Trust
5 Kingswood Circle
Hillsborough, CA 94010

Mr. Amardeep Sidhu
Malwa Petroleum Sales, LLC
Address Unknown

Mike and Dean Najdawi
Address Unknown

Subject: Conditional Work Plan Addendum Approval; Fuel Leak Case No. RO0000274 and Geotracker Global ID T0600102079, Chevron #9-3322; 7225 Bancroft Avenue, Oakland, CA 94605

Dear Responsible Parties:

Alameda County Department of Environmental Health (ACDEH) staff has reviewed the case file including the *Site Investigation Report and Updated Site Conceptual Model*, dated May 6, 2016, and the *First Quarter 2016 Groundwater Monitoring and Sampling Report*, dated May 16, 2016. The reports were prepared and submitted on your behalf by GHD Services, Inc (GHD). Thank you for submitting the reports.

The referenced Site Investigation and Site Conceptual Model (SCM) additionally included a work plan for the installation of two groundwater monitoring wells to aid in definition of the groundwater hydrocarbon plume and also proposed resampling existing soil vapor wells. ACDEH is in agreement that installation of the two wells is a reasonable step; however, depending on the results of the proposed work, observes that additional wells may be required to define the extent of the groundwater hydrocarbon plume to the southwest, southeast, and east.

Based on ACDEH staff review of the work plan, the proposed scope of work is conditionally approved for implementation provided that the technical comments below are incorporated during the proposed work. Submittal of a revised work plan or a work plan addendum is not required unless an alternate scope of work outside that described in the work plan or these technical comments is proposed. We request that you address the following technical comments, perform the proposed work, and send us the report described below. Please provide 72-hour advance written notification to this office (e-mail preferred to: mark.detterman@acgov.org) prior to the start of field activities.

TECHNICAL COMMENTS

- 1. Work Plan Modification** – The referenced work plan proposes a series of actions with which ACDEH is in general agreement of undertaking; however, ACDEH requests one modification to the proposed scope of work. Please submit a report by the date specified below.
 - a. Soil Vapor Sampling** – In order to be protective of downgradient offsite residential homes, ACDEH is in agreement that additional seasonal soil vapor sampling is appropriate at the site. It is understood that moisture in existing vapor well VP-2 tubing prevented vapor sampling in February 2016 from the well; however, ACDEH observes that vapor wells VP-2

Responsible Parties

RO0000274

July 1, 2016, Page 2

and VP-3 are the closest to the residential properties and it is therefore especially important to collect samples from these vapor wells. Please continue to collect and report oxygen, carbon dioxide, methane, tracer concentrations in the vapor sample, tracer concentrations in the shroud, and naphthalene by TO-17 in compliance with Department of Toxic Substances Control (DTSC) guidance.

- b. Soil Sample Selection Protocols** – The work plan proposes to collect and retain for laboratory analysis soil samples at a depth of 3 and 5 feet below grade surface (bgs), and at five foot intervals thereafter. The work plan additionally states that soil will additionally be collected in conjunction with lithology changes, photoionization detections, and other signs of contamination such as discoloration, and etc. In addition to collection, please ensure that each of these soil samples is submitted for laboratory analysis.
- 2. Interim Remedial Actions** – As stated in the December 1, 2014 directive letter, ACDEH is not in agreement with the conclusions regarding the presence of significant elevated concentrations of TPHg and benzene in groundwater at the site. Over the past three years, concentrations of TPHg continue to fluctuate up to 140,000 micrograms per liter ($\mu\text{g/l}$) and benzene up to 18,000 $\mu\text{g/l}$ during periods of lower water levels, and appear to suggest drainage from residual soil sources during the dryer months. As stated in the referenced directive letter, the groundwater concentrations are indicative of substantial residual contamination at the site, and may be indicative of Light Non Aqueous Phase Liquids (LNAPL) beneath the site. Whether the hydrocarbon concentrations in groundwater from well MW-1 is LNAPL, or is surfactant carried contaminant concentrations, it is appropriate to implement Interim Remedial Actions at the site.

Therefore, ACDEH requests the identification, installation, and reporting of an appropriate continuous interim LNAPL recovery method by the date identified below, to address the significant concentrations of hydrocarbons in groundwater at the site.

TECHNICAL REPORT REQUEST

Please upload technical reports to the ACDEH ftp site (Attention: Mark Detterman), and to the State Water Resources Control Board's Geotracker website, in accordance with the specified file naming convention below, according to the following schedule:

- **August 19, 2016** – Second Quarter 2015 Groundwater Monitoring Report
File to be named: RO274_GWM_R_yyyy-mm-dd
- **August 26, 2016** – Interim Remedial Action Plan
File to be named: RO274_IRAP_R_yyyy-mm-dd
- **September 16, 2016** – Site Investigation Report and Updated SCM
File to be named: RO274_SWI_R_yyyy-mm-dd
- **November 18, 2016** – Second Quarter 2015 Groundwater Monitoring Report
File to be named: RO274_GWM_R_yyyy-mm-dd

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Online case files are available for review at the following website: <http://www.acgov.org/aceh/index.htm>.

If your email address is not listed on the first page of this letter, ACDEH is requesting your email address to help expedite communications and to help lower overall costs. Please provide that information in your next submittal.

Responsible Parties

RO0000274

July 1, 2016, Page 3

If you have any questions, please call me at (510) 567-6876 or send me an electronic mail message at mark.detterman@acgov.org.

Sincerely,



Digitally signed by Mark Detterman
DN: cn=Mark Detterman, o=ACEH,
ou=ACEH,
email=mark.detterman@acgov.org, c=US
Date: 2016.07.01 17:18:39 -07'00'

Mark E. Detterman, P.G., C.E.G.

Senior Hazardous Materials Specialist

Enclosures: Attachment 1 – Responsible Party (ies) Legal Requirements / Obligations
Electronic Report Upload (ftp) Instructions

cc: Kiersten Hoey, GHD Services, Inc, 5900 Hollis Street, Suite A, Emeryville, CA 94608; (Sent via electronic mail to: kiersten.hoey@ghd.com)

Dilan Roe, ACDEH, (Sent via electronic mail to: dilan.roe@acgov.org)

Mark Detterman, ACDEH, (Sent via electronic mail to: mark.detterman@acgov.org)

Electronic file, GeoTracker

Attachment 1

Responsible Party(ies) Legal Requirements / Obligations

REPORT REQUESTS

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

ELECTRONIC SUBMITTAL OF REPORTS

ACEH's Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of reports in electronic form. The electronic copy replaces paper copies and is expected to be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program FTP site are provided on the attached "Electronic Report Upload Instructions." Submission of reports to the Alameda County FTP site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) GeoTracker website. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for all groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitoring wells, and other data to the GeoTracker database over the Internet. Beginning July 1, 2005, these same reporting requirements were added to Spills, Leaks, Investigations, and Cleanup (SLIC) sites. Beginning July 1, 2005, electronic submittal of a complete copy of all reports for all sites is required in GeoTracker (in PDF format). Please visit the SWRCB website for more information on these requirements (http://www.waterboards.ca.gov/water_issues/programs/ust/electronic_submittal/).

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC)	REVISION DATE: May 15, 2014 ISSUE DATE: July 5, 2005 PREVIOUS REVISIONS: October 31, 2005; December 16, 2005; March 27, 2009; July 8, 2010, July 25, 2010
SECTION: Miscellaneous Administrative Topics & Procedures	SUBJECT: Electronic Report Upload (ftp) Instructions

The Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities.

REQUIREMENTS

- Please **do not submit reports as attachments to electronic mail.**
- Entire report including cover letter must be submitted to the ftp site as a **single portable document format (PDF) with no password protection.**
- It is preferable that reports be converted to PDF format from their original format, (e.g., Microsoft Word) rather than scanned.
- **Signature pages and perjury statements must be included and have either original or electronic signature.**
- **Do not password protect the document.** Once indexed and inserted into the correct electronic case file, the document will be secured in compliance with the County's current security standards and a password. **Documents with password protection will not be accepted.**
- Each page in the PDF document should be rotated in the direction that will make it easiest to read on a computer monitor.
- Reports must be named and saved using the following naming convention:

RO#_Report Name_Year-Month-Date (e.g., RO#5555_WorkPlan_2005-06-14)

Submission Instructions

- 1) Obtain User Name and Password
 - a) Contact the Alameda County Environmental Health Department to obtain a User Name and Password to upload files to the ftp site.
 - i) Send an e-mail to deh.loptoxic@acgov.org
 - b) In the subject line of your request, be sure to include "ftp PASSWORD REQUEST" and in the body of your request, include the **Contact Information, Site Addresses, and the Case Numbers (RO# available in Geotracker) you will be posting for.**
- 2) Upload Files to the ftp Site
 - a) Using Internet Explorer (IE4+), go to <ftp://alcoftp1.acgov.org>
 - (i) Note: Netscape, Safari, and Firefox browsers will not open the FTP site as they are NOT being supported at this time.
 - b) Click on Page located on the Command bar on upper right side of window, and then scroll down to Open FTP Site in Windows Explorer.
 - c) Enter your User Name and Password. (Note: Both are Case Sensitive.)
 - d) Open "My Computer" on your computer and navigate to the file(s) you wish to upload to the ftp site.
 - e) With both "My Computer" and the ftp site open in separate windows, drag and drop the file(s) from "My Computer" to the ftp window.
- 3) Send E-mail Notifications to the Environmental Cleanup Oversight Programs
 - a) Send email to deh.loptoxic@acgov.org notify us that you have placed a report on our ftp site.
 - b) Copy your Caseworker on the e-mail. Your Caseworker's e-mail address is the entire first name then a period and entire last name @acgov.org. (e.g., firstname.lastname@acgov.org)
 - c) The subject line of the e-mail must start with the RO# followed by **Report Upload**. (e.g., Subject: RO1234 Report Upload) If site is a new case without an RO#, use the street address instead.
 - d) If your document meets the above requirements and you follow the submission instructions, you will receive a notification by email indicating that your document was successfully uploaded to the ftp site.

Appendix B Summary of Previous Environmental Investigation

Appendix B Summary of Environmental Investigation and Remediation Former Chevron Service Station 93322

1981 UST Removal and Replacement

Chevron records indicate the current underground storage tanks (USTs) were installed in 1981. These tanks represent at least the second generation of USTs at the site. In 1981, no regulations requiring soil or groundwater sampling existed to document conditions associated with the fuel system. As a result, no records of 1981 soil or groundwater conditions are available.

August 1996 Product Line Removal and Replacement

In August 1996, Gettler-Ryan Inc. (G-R) of Dublin, California removed and replaced product piping at the site. Touchstone Developments (Touchstone) of Santa Rosa, California collected compliance soil samples between two and four feet below grade (fbg) beneath the product lines and dispenser islands. Records indicate that approximately 300 cubic yards of soil and pea gravel were excavated during product line removal activities. Additional information is available in Touchstone's May 28, 1997 Product Piping Removal Soil Sampling Report.

January 1998 Well Installation

In January 1998, G-R observed Bay Area Exploration Services, Inc. (BAES) install three 2-inch diameter monitoring wells, MW-1 through MW-3. All three monitoring wells were installed surrounding the former and current dispenser islands. Additional information is available in G-R's March 13, 1998 Well Installation Report.

July 1998 Well Survey

In July 1998, G-R conducted a search of California Department of Water Resources records to identify domestic and municipal supply wells within a 0.5-mile radius of the site. Seven wells were located within the search area, but none were identified as domestic or municipal wells. Additional information is available in G-R's July 21, 1998 Well Search.

January 1999 Well Installation

In January 1999, G-R installed three 2-inch diameter monitoring wells, MW-4 through MW-6, to further define the extent of hydrocarbons in soil and groundwater beneath the site. Additional information is available in G-R's April 9, 1999 Monitoring Well Installation Report.

July 2000 Baseline Investigation

In July 2000, Cambria Environmental Technology, Inc. (Cambria) observed Vironex Inc. of San Leandro, California advance soil borings B-1 and B-2 and install monitoring well MW-7. The purpose of the investigation was to provide information of environmental conditions beneath the site at the time of property transfer. Additional information is available in Cambria's August 31, 2000 Subsurface Investigation Report.

September 2000 Additional Baseline Investigation

In September 2000, Cambria observed V&W Drilling of Rio Vista, California advance borings SB-4 through SB-6. The purpose of this investigation was to provide additional environmental data to satisfy real estate and lending requirements of the station operator for purchase of site facilities. Additional information is available in Cambria's November 22, 2000 Additional Baseline Investigation Report.

March 2002 Well Installation

G-R installed monitoring wells MW-8, MW-9 and MW-10 to delineate light non-aqueous phase liquids (LNAPL) in the vicinity of well MW-1 and further evaluate the dissolved-phase hydrocarbon plume. G-R concluded that the dissolved-hydrocarbon plume is defined downgradient and additional assessment of soil conditions in the vicinity of the newly installed wells was not warranted. Additional information is available in G-R's June 26, 2002 Monitoring Well Installation Report.

March 2005 Vapor Probe installation

Cambria installed four vapor probes VP-1 through VP-4 to construct a horizontal and vertical profile of vapor concentrations along the downgradient boundary and in the area of recurring LNAPL. Vapor probes were sampled a total of five times between April 2005 and May 2008. More information is available in Cambria's July 11, 2005 Vapor Probe Installation Report

September 2007 Surfactant Application

On September 25 2007, a surfactant enhanced LNAPL extraction event was conducted to remove LNAPL from well MW-1. A total of 348 gallons of a 2 percent surfactant solution was injected at low pressure or gravity-fed into MW-1 and MW-7 (only 1.6 grams were injected in MW-7 due to the small diameter of the well). Following application, the surfactant solution was allowed to equilibrate in the source area smear zone for a period of 24 hours to envelop and micro-emulsify the LNAPL. Afterward, approximately 1,220 gallons of groundwater, surfactant, and LNAPL were extracted. More information is available in Conestoga-Rovers & Associates (CRA)'s January 30, 2009 Site Conceptual Model.

February 2016 Soil Boring and Vapor Assessment

In February 2016, GHD observed the drilling of soil borings SB-7 through SB-13 and collected soil and grab-groundwater samples for laboratory analysis to further assess soil and groundwater conditions in the areas of the USTs and monitoring well MW-1. GHD also collected soil vapor samples for laboratory analysis from existing vapor probes VP-1, VP-3 and VP-4. No sample was collected from VP-2 due to water in the probe. More information is available in GHD's May 6, 2016 Site Investigation Report and Updated Site Conceptual Model.

Appendix C

Groundwater Monitoring and Sampling Data Table

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs				
								Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	02/08/1998	40.41	13.88	26.53	0.00	0.00	130,000	9,700	8,200	3,200	15,000	-	<250.0	-	-	-	-	-	
MW-1	06/16/1998	40.41	14.23	26.18	0.00	0.00	96,000	15,000	12,000	2,600	11,000	-	1,300	-	-	-	-	-	
MW-1	07/29/1998	40.41	17.82	22.59	0.00	0.00	370,000	19,000	14,000	5,800	15,000	-	<2,500	-	-	-	-	-	
MW-1	08/13/1998	40.41	18.40	22.01	0.00	0.00	120,000	19,000	16,000	2,900	14,000	-	<1,000	-	-	-	-	-	
MW-1	11/24/1998	40.41	20.80	19.61	0.00	0.00	100,000	26,000	18,000	4,000	22,000	-	2,000	-	-	-	-	-	
MW-1	02/03/1999	40.41	17.45	22.96	0.00	0.00	110,000	27,000	16,000	3,800	22,000	-	<2.5	-	-	-	-	-	
MW-1	06/07/1999	40.41	16.44	24.29	0.40	0.03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	09/07/1999	40.41	20.71	19.97	0.34	0.01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	10/27/1999	40.41	21.75	18.93	0.34	0.03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	02/08/2000	40.41	17.97	22.44	0.00	0.00	147,000	19,600	13,700	4,020	21,300	-	<2,500	-	-	-	-	-	
MW-1	05/05/2000	40.41	16.05	24.36	0.00	0.00	150,000 ²	28,000	17,000	4,400	23,000	-	<1,000	-	-	-	-	-	
MW-1	07/28/2000	40.41	19.20	21.21	0.00	0.00	76,000 ²	20,000	15,000	3,400	23,000	-	1,200	-	-	-	-	-	
MW-1	11/26/2000	40.41	20.18	20.44	0.26	0.26 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	02/09/2001	40.41	18.03	22.40	0.03	0.26 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	05/11/2001	40.41	15.10	25.31	0.00	0.00	89,000 ²	21,000	12,000	3,200	14,000	-	<500	-	-	-	-	-	
MW-1	08/30/2001	40.41	20.42	20.05	0.07	0.26 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	11/21/2001	40.41	20.52	20.11	0.27	0.00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	02/05/2002	40.41	14.63	25.79	0.01	0.00	130,000	16,000	13,000	4,200	23,000	-	<30.0	-	-	-	-	-	
MW-1	04/01/2002	37.40	12.37	25.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	08/05/2002	37.40	12.94	24.46	0.00	0.00	230,000	12,000	9,000	5,500	28,000	-	280	-	-	-	-	-	
MW-1	11/04/2002	37.40	20.03	17.37	0.00	0.00	130,000	24,000	15,000	3,900	20,000	-	<60	-	-	-	-	-	
MW-1	02/03/2003	37.40	14.18	23.22	0.00	0.00	100,000	13,000	8,900	3,000	15,000	-	<130.0	-	-	-	-	-	
MW-1	05/02/2003	37.40	13.28	24.12	0.00	0.00	140,000	9,900	5,900	4,200	21,000	-	<130	-	-	-	-	-	
MW-1	08/01/2003 ⁷	37.40	16.82	20.58	0.00	0.00	250,000	16,000	7,300	3,700	19,000	45	-	-	-	-	-	-	
MW-1	11/21/2003 ⁷	37.40	18.34	19.06	0.00	0.00	110,000	18,000	9,500	3,000	17,000	<10	-	-	-	-	-	-	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs				
								Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	02/10/2004 ⁷	37.40	13.51	23.89	0.00	0.00	51,000	4,800	1,700	760	6,400	20	-	-	-	-	-	-	
MW-1	05/11/2004 ⁷	37.40	14.35	23.05	0.00	0.00	80,000	13,000	6,500	2,800	14,000	61	-	-	-	-	-	-	
MW-1	08/10/2004 ⁷	37.40	16.80	20.61	0.01	0.00	100,000	14,000	8,700	3,200	17,000	<25	-	-	-	-	-	-	
MW-1	11/08/2004	37.40	15.63	21.89	0.15	1.30 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	02/21/2005	37.40	11.84	25.98	0.52	0.60 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	05/10/2005	37.40	11.49	26.11	0.25	1.11 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	05/12/2005	37.40	14.44	22.98	0.03	1.01 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	11/11/2005	37.40	18.58	19.13	0.39	0.75 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	02/20/2006	37.40	12.66	25.33	0.74	0.25 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	05/12/2006	37.40	10.71	26.92	0.29	0.05 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	08/14/2006	37.40	15.82	21.78	0.25	0.02 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	11/08/2006	37.40	18.49	19.21	0.38	0.55 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	02/07/2007	37.40	15.48	21.98	0.08	0.06 ¹⁰	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	05/07/2007	37.40	4.83	32.77	0.25	0.39 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	08/03/2007	37.40	18.06	19.76	0.52	0.52 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	10/12/2007	37.40	19.29	18.13	0.03	0.16 ⁴	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	11/02/2007 ⁷	37.40	19.18	18.22	0.00	0.00	140,000	9,800	9,500	4,100	20,000	<10	-	-	-	-	-	-	
MW-1	12/07/2007 ⁷	37.40	19.06	18.34	0.00	0.00	130,000	11,000	11,000	3,800	20,000	10	-	-	-	-	-	-	
MW-1	02/01/2008 ⁷	37.40	13.45	23.95	0.00	0.00	61,000	2,200	2,000	2,000	10,000	11	-	-	-	-	-	-	
MW-1	05/09/2008 ⁷	37.40	15.10	22.30	0.00	0.00	81,000	13,000	10,000	3,500	18,000	30	-	-	-	-	-	-	
MW-1	08/22/2008 ⁷	37.40	18.63	18.77	0.00	0.00	210,000	13,000	8,800	7,300	37,000	<50	-	-	-	-	-	-	
MW-1	11/26/2008 ⁷	37.40	20.09	17.31	0.00	0.00	68,000	15,000	9,100	3,600	17,000	<25	-	-	-	-	-	-	
MW-1	05/20/2009	37.40	19.48	17.92	0.00	0.00	58,000	11,000	12,000	15,000	59,000	<50	-	<5,000	-	-	-	-	
MW-1	08/26/2009	37.40	19.06	18.34	0.00	0.00	340,000	17,000	13,000	8,000	43,000	<25	-	<2,500	-	-	-	-	
MW-1	11/12/2009	37.40	17.72	19.68	0.00	0.00	140,000	16,000	10,000	4,400	23,000	<10	-	<1,000	-	-	-	-	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs				
								Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	02/01/2010	37.40	12.80	24.60	0.00	0.00	110,000	7,100	6,100	4,000	20,000	7 J	-	<500	-	-	-	-	
MW-1	05/17/2010	37.40	11.14	26.26	0.00	0.00	75,000	7,200	3,600	2,700	12,000	31	-	<500	-	-	-	-	
MW-1	08/26/2010	37.40	15.40	22.00	0.00	0.00	96,000	12,000	5,400	3,600	16,000	59	-	<500	-	-	-	-	
MW-1	11/11/2010	37.40	17.70	19.70	0.00	0.00	120,000	13,000	6,600	2,700	13,000	26	-	<1,000	-	-	-	-	
MW-1	02/10/2011	37.40	13.03	24.37	0.00	0.00	52,000	7,100	3,800	2,800	12,000	25	-	<1,000	-	-	-	-	
MW-1	06/17/2011	37.40	12.35	25.05	0.00	0.00	30,000	3,600	940	1,000	3,200	52	-	<500	-	-	-	-	
MW-1	09/08/2011	37.40	15.68	21.72	0.00	0.00	98,000	13,000	6,600	3,700	14,000	59	-	<1,000	-	-	-	-	
MW-1	12/16/2011	37.40	16.47	20.93	0.00	0.00	140,000	14,000	6,500	2,900	12,000	47 J	-	<2,500	-	-	-	-	
MW-1	03/02/2012	37.40	16.55	20.85	0.00	0.00	130,000	14,000	7,400	3,100	14,000	31	-	<1,000	-	-	-	-	
MW-1	06/08/2012	37.40	14.11	23.29	0.00	0.00	120,000	8,900	2,900	2,600	11,000	86	-	<500	-	-	-	-	
MW-1	09/14/2012	37.40	18.10	19.30	0.00	0.00	280,000	18,000	8,200	4,600	22,000	74	-	<2,500	110 J	<25	<25	<25	
MW-1	12/21/2012	37.40	13.61	23.79	0.00	0.00	120,000	12,000	6,800	3,000	15,000	<100	-	<10,000	-	-	-	-	
MW-1	04/01/2013	37.40	15.63	21.77	0.00	0.00	120,000	15,000	8,200	4,400	18,000	77	-	<250	-	-	-	-	
MW-1	6/28/2013	37.40	17.34	20.06	0.00	0.00	130,000	16,000	10,000	3,500	17,000	34	-	<500	-	-	-	-	
MW-1	9/20/2013	37.40	19.21	18.19	0.00	0.00	130,000	19,000	12,000	4,000	19,000	27	-	<1,000	-	-	-	-	
MW-1	12/30/2013	37.40	20.72	16.68	0.00	0.00	140,000	18,000	13,000	6,600	34,000	21	-	<1,000	-	-	-	-	
MW-1	03/31/2014	37.40	15.78	21.62	0.00	0.00	130,000	17,000	8,600	3,500	17,000	<25	-	<2,500	-	-	-	-	
MW-1	06/30/2014	37.40	17.34	20.06	0.00	0.00	90,000	12,000	7,400	2,800	14,000	21	-	<1,000	-	-	-	-	
MW-1	09/22/2014	37.40	20.31	17.09	0.00	0.00	120,000	14,000	9,600	4,000	19,000	28 J	-	<2,500	-	-	-	-	
MW-1	12/23/2014	37.40	13.75	23.65	0.00	0.00	93,000	8,900	5,700	3,400	15,000	11 J	-	<1,000	-	-	-	-	
MW-1	03/05/2015	37.40	15.96	21.44	0.00	0.00	110,000	9,600	4,100	4,000	19,000	54	-	<100	-	-	-	-	
MW-1	06/23/2015	37.40	18.61	18.79	0.00	0.00	100,000	14,000	8,700	4,100	20,000	<50	-	<5,000	<200	<50	<50	<50	
MW-1	09/23/2015 ^{15,**}	37.40	21.46	16.01	0.09	0.00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	12/29/2015	37.40	18.76	18.64	0.00	0.00	84,000	7,800	5,200	2,200	10,000	-	-	<2,500	-	-	-	-	
MW-1	03/29/2016	37.40	12.30	25.10	0.00	0.00	48,000	4,200	1,400	1,100	5,100	33	-	<2,500	84	<10	<10	<10	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs								
								µg/L	µg/L	B	T	E	X	µg/L	µg/L	MTBE by SW8260	µg/L	MTBE by VOC	µg/L	Ethanol	TBA	DIPE	ETBE
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	07/14/2016	37.40	18.36	19.04	0.00	0.00	100,000	12,000	6,100	2,600	12,000	23	-	<2,500	-	-	-	-	-	-	-	-	
MW-2	02/08/1998	38.73	7.60	31.13	0.00	0.00	24,000	130	170	450	1,900	-	2,300	-	-	-	-	-	-	-	-	-	
MW-2	06/16/1998	38.73	9.12	29.61	0.00	0.00	8,900	31	46	310	1,100	-	260	-	-	-	-	-	-	-	-	-	
MW-2	07/29/1998	38.73	11.67	27.06	0.00	0.00	7,600	15	21	150	480	-	82	-	-	-	-	-	-	-	-	-	
MW-2	08/13/1998	38.73	12.41	26.32	0.00	0.00	14,000	26	80	500	2,100	-	32	-	-	-	-	-	-	-	-	-	
MW-2	11/24/1998	38.73	15.63	23.10	0.00	0.00	37,000	63	220	1,300	7,100	-	770	-	-	-	-	-	-	-	-	-	
MW-2	02/03/1999	38.73	11.57	27.16	0.00	0.00	16,000	140	110	850	3,100	-	900	-	-	-	-	-	-	-	-	-	
MW-2	06/07/1999	38.73	10.95	27.78	0.00	0.00	4,300	<10	<10	120	260	-	160	-	-	-	-	-	-	-	-	-	
MW-2	09/07/1999	38.73	12.73	26.00	0.00	0.00	10,700	50.5	<25	297	1,020	-	<250	-	-	-	-	-	-	-	-	-	
MW-2	10/27/1999	38.73	12.71	26.02	0.00	0.00	7,240	53.8	31.9	234	654	-	448	-	-	-	-	-	-	-	-	-	
MW-2	02/08/2000	38.73	10.14	28.59	0.00	0.00	10,100	42.9	18.4	424	1,480	-	206	-	-	-	-	-	-	-	-	-	
MW-2	05/05/2000	38.73	10.12	28.61	0.00	0.00	7,800 ²	34	22	320	1,100	-	170	-	-	-	-	-	-	-	-	-	
MW-2	07/28/2000	38.73	12.57	26.16	0.00	0.00	6,700 ²	40	13	490	540	-	190	-	-	-	-	-	-	-	-	-	
MW-2	11/26/2000	38.73	11.90	26.83	0.00	0.00	8,200 ²	21	9.5	400	1,100	-	120	-	-	-	-	-	-	-	-	-	
MW-2	02/09/2001	38.73	12.20	26.53	0.00	0.00	11,200 ³	<50.0	<50.0	629	1,380	-	282	-	-	-	-	-	-	-	-	-	
MW-2	05/11/2001	38.73	8.98	29.75	0.00	0.00	6,800 ²	39	19	370	1,100	-	67	-	-	-	-	-	-	-	-	-	
MW-2	08/30/2001	38.73	12.90	25.83	0.00	0.00	17,000	67	<25	750	2,100	-	360	-	-	-	-	-	-	-	-	-	
MW-2	11/21/2001	38.73	13.12	25.61	0.00	0.00	3,500	14	<5.0	100	51	-	610	-	-	-	-	-	-	-	-	-	
MW-2	02/05/2002	38.73	8.35	30.38	0.00	0.00	10,000	5.5	<10	330	960	-	63	-	-	-	-	-	-	-	-	-	
MW-2	04/01/2002	35.72	7.81	27.91	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	08/05/2002	35.72	15.91	19.81	0.00	0.00	8,800	18	8.2	220	630	-	220	-	-	-	-	-	-	-	-	-	
MW-2	11/04/2002	35.72	14.14	21.58	0.00	0.00	14,000	28	10	670	1,600	-	440	-	-	-	-	-	-	-	-	-	
MW-2	02/03/2003	35.72	10.00	25.72	0.00	0.00	7,200	6.2	2.7	140	430	-	50	-	-	-	-	-	-	-	-	-	
MW-2	05/02/2003	35.72	8.31	27.41	0.00	0.00	12,000	<20	3.9	350	1,500	-	150	-	-	-	-	-	-	-	-	-	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs			
								Units	ft	ft	ft-amsl	gal	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	08/01/2003 ⁷	35.72	12.66	23.06	0.00	0.00	12,000		14	4	330	730	140	-	-	-	-
MW-2	11/21/2003 ⁷	35.72	12.67	23.05	0.00	0.00	15,000		13	4	400	1,500	100	-	-	-	-
MW-2	02/10/2004 ⁷	35.72	5.20	30.52	0.00	0.00	17,000		9	3	420	1,600	72	-	-	-	-
MW-2	05/11/2004 ⁷	35.72	9.83	25.89	0.00	0.00	4,800		1	0.6	140	440	81	-	-	-	-
MW-2	08/10/2004 ⁷	35.72	11.81	23.91	0.00	0.00	11,000		8	1	340	1,100	35	-	-	-	-
MW-2	11/08/2004 ⁷	35.72	11.59	24.13	0.00	0.00	11,000		6	2	260	810	25	-	-	-	-
MW-2	01/11/2005	-	-	-	-	-	4,500		4	1	120	310	7	-	-	-	-
MW-2	02/21/2005 ⁷	35.72	7.74	27.98	0.00	0.00	16,000		5	2	500	1,700	10	-	-	-	-
MW-2	05/10/2005 ⁷	35.72	8.11	27.61	0.00	0.00	8,400		3	<1	290	750	6	-	-	-	-
MW-2	08/12/2005 ⁷	35.72	11.32	24.40	0.00	0.00	5,800		4	0.7	150	370	30	-	-	-	-
MW-2	11/11/2005 ⁷	35.72	12.58	23.14	0.00	0.00	-		-	-	-	-	-	-	-	-	-
MW-2	02/20/2006 ⁷	35.72	7.41	28.31	0.00	0.00	5,700		1	<0.5	190	380	0.7	-	-	-	-
MW-2	05/12/2006 ⁷	35.72	7.02	28.70	0.00	0.00	9,100		2	<0.5	210	440	1	-	-	-	-
MW-2	08/14/2006 ⁷	35.72	11.38	24.34	0.00	0.00	2,400		2	<0.5	42	98	20	-	-	-	-
MW-2	11/08/2006 ⁷	35.72	13.42	22.30	0.00	0.00	5,700		4	0.9	87	190	7	-	-	-	-
MW-2	02/07/2007 ⁷	35.72	11.98	23.74	0.00	0.00	5,500		9	2	85	120	7	-	-	-	-
MW-2	05/07/2007 ⁷	35.72	11.22	24.50	0.00	0.00	8,700		1	<0.5	150	330	5	-	-	-	-
MW-2	08/03/2007 ⁷	35.72	17.19	18.53	0.00	0.00	2,600		<0.5	<0.5	10	28	2	-	-	-	-
MW-2	10/12/2007 ⁷	35.72	14.89	20.83	0.00	0.00	9,300		7	0.6	100	120	4	-	-	-	-
MW-2	11/02/2007 ⁷	35.72	15.58	20.14	0.00	0.00	11,000		3	0.7	220	590	2	-	-	-	-
MW-2	12/07/2007 ⁷	35.72	19.29	16.43	0.00	0.00	9,500		3	<1	210	480	2	-	-	-	-
MW-2	02/01/2008 ⁷	35.72	8.76	26.96	0.00	0.00	8,100		2	0.7	190	440	4	-	-	-	-
MW-2	05/09/2008 ⁷	35.72	11.22	24.50	0.00	0.00	4,000		1	<0.5	98	110	3	-	-	-	-
MW-2	08/22/2008 ⁷	35.72	13.87	21.85	0.00	0.00	9,600 ¹²		1	<0.5	230	360	0.9	-	-	-	-
MW-2	11/26/2008 ⁷	35.72	17.48	18.24	0.00	0.00	13,000		9	1	340	570	3	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L					µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	05/20/2009	35.72	10.70	25.02	0.00	0.00	12,000	3	<1	250	290	2 J	-	<130	-	-	-	-	-	
MW-2	08/26/2009	35.72	12.98	22.74	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	11/12/2009	35.72	12.13	23.59	0.00	0.00	14,000	3	0.8 J	180	250	13	-	<50	-	-	-	-	-	
MW-2	05/17/2010	35.72	11.96	23.76	0.00	0.00	3,300	<0.5	<0.5	36	34	3	-	<50	-	-	-	-	-	
MW-2	08/26/2010 ¹¹	35.72	12.10	23.62	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	11/11/2010	35.72	13.72	22.00	0.00	0.00	9,000	6	1 J	61	30	5	-	<50	-	-	-	-	-	
MW-2	02/10/2011 ¹³	35.72	9.46	26.26	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	06/17/2011	35.72	8.68	27.04	0.00	0.00	9,300	3	<1	92	55	4	-	<100	-	-	-	-	-	
MW-2	09/08/2011	35.72	9.69	26.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	12/16/2011	35.72	12.18	23.54	0.00	0.00	5,700	1	<0.5	36	19	<0.5	-	<50	-	-	-	-	-	
MW-2	03/02/2012 ¹³	35.72	12.09	23.63	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	06/08/2012	35.72	11.08	24.64	0.00	0.00	5,600	<5	<5	48	24	<5	-	<500	-	-	-	-	-	
MW-2	09/14/2012 ¹³	35.72	13.57	22.15	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	12/21/2012	35.72	8.52	27.20	0.00	0.00	3,100	<5	<5	23	12	<5	-	<500	-	-	-	-	-	
MW-2	04/01/2013 ¹³	35.72	11.90	23.82	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	06/28/2013	35.72	13.61	22.11	0.00	0.00	6,700	2	<0.5	36	9	<0.5	-	<50	-	-	-	-	-	
MW-2	09/20/2013 ¹³	35.72	14.02	21.70	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	12/30/2013	35.72	14.68	21.04	0.00	0.00	7,700	4	0.8 J	31	6	0.7 J	-	<50	-	-	-	-	-	
MW-2	03/31/2014 ¹³	35.72	11.59	24.13	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	06/30/2014	35.72	13.12	22.60	0.00	0.00	8,200	2	0.6 J	59	9	1	-	<50	-	-	-	-	-	
MW-2	09/22/2014 ¹³	35.72	15.20	20.52	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	12/23/2014	35.72	7.90	27.82	0.00	0.00	4,600	0.8 J	<0.5	20	4	2	-	<50	-	-	-	-	-	
MW-2	03/05/2015 ¹³	35.72	10.70	25.02	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-2	06/23/2015	35.72	12.80	22.92	0.00	0.00	8,400	<3	<3	60	7	<3	-	<250	<10	<3	<3	<3	<3	
MW-2	09/23/2015 ¹³	35.72	15.42	20.30	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs				
								Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	12/29/2015	35.72	10.74	24.98	0.00	0.00	5,200	0.6 J	<0.5	15	3	-	-	-	<50	-	-	-	-
MW-2	03/29/2016 ¹¹	35.72	7.50	28.22	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	07/14/2016	35.72	12.35	23.37	0.00	0.00	710	<1	<1	<1	<1	<1	<1	<1	<250	-	-	-	-
MW-3	02/08/1998	39.51	14.60	24.91	0.00	0.00	94,000	12,000	4,400	2,000	10,000	-	8,000	-	-	-	-	-	-
MW-3	06/16/1998	39.51	13.98	25.53	0.00	0.00	38,000	5,600	1,400	1,200	4,700	-	4,600 ¹ /6,300	-	-	-	-	-	-
MW-3	07/29/1998	39.51	17.37	22.14	0.00	0.00	58,000	4,100	700	1,300	4,200	-	4,100	-	-	-	-	-	-
MW-3	08/13/1998	39.51	18.22	21.29	0.00	0.00	43,000	6,800	1,900	1,600	6,800	-	2,300	-	-	-	-	-	-
MW-3	11/24/1998	39.51	20.45	19.06	0.00	0.00	40,000	5,000	800	1,600	6,800	-	6,000/4,400 ¹	-	-	-	-	-	-
MW-3	02/03/1999	39.51	17.48	22.03	0.00	0.00	47,000	7,100	1,600	1,900	9,000	-	5,000	-	-	-	-	-	-
MW-3	06/07/1999	39.51	15.75	23.76	0.00	0.00	27,000	2,500	540	1,200	3,900	-	2,800	-	-	-	-	-	-
MW-3	09/07/1999	39.51	19.71	19.80	0.00	0.00	44,000	3,930	1,170	1,760	7,130	-	3,440	-	-	-	-	-	-
MW-3	10/27/1999	39.51	20.42	19.09	0.00	0.00	28,200	2,030	620	1,260	5,080	-	1,710	-	-	-	-	-	-
MW-3	02/08/2000	39.51	17.75	21.76	0.00	0.00	25,300	2,000	668	1,210	5,330	-	1,760	-	-	-	-	-	-
MW-3	05/05/2000	39.51	15.64	23.87	0.00	0.00	27,000 ²	2,600	960	1,500	5,200	-	2,500	-	-	-	-	-	-
MW-3	07/28/2000	39.51	18.23	21.28	0.00	0.00	7,400 ²	950	360	840	3,200	-	1,700	-	-	-	-	-	-
MW-3	11/26/2000	39.51	19.38	20.13	0.00	0.00	20,000 ²	1,800	690	1,400	5,500	-	1,600	-	-	-	-	-	-
MW-3	02/09/2001	39.51	17.72	21.79	0.00	0.00	31,200 ³	1,980	<50.0	1,770	7,220	-	2,170	-	-	-	-	-	-
MW-3	05/11/2001	39.51	14.65	24.86	0.00	0.00	18,000 ²	3,000	780	1,600	5,500	-	1,800	-	-	-	-	-	-
MW-3	08/30/2001	39.51	19.35	20.16	0.00	0.00	9,400	570	180	610	1,900	-	880	-	-	-	-	-	-
MW-3	11/21/2001	39.51	20.04	19.47	0.00	0.00	29,000	1,100	450	1,500	6,100	-	1,200	-	-	-	-	-	-
MW-3	02/05/2002	39.51	14.09	25.42	0.00	0.00	16,000	820	210	830	2,400	-	1,100	-	-	-	-	-	-
MW-3	04/01/2002	36.53	12.21	24.32	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	08/05/2002	36.53	14.31	22.22	0.00	0.00	11,000	310	92	380	820	-	830	-	-	-	-	-	-
MW-3	11/04/2002	36.53	19.03	17.50	0.00	0.00	32,000	1,900	540	1,800	5,900	-	1,500	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs			
								Units	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	02/03/2003	36.53	13.95	22.58	0.00	0.00	19,000	1,100	240	920	2,900	-	1,100	-	-	-	-
MW-3	05/02/2003	36.53	13.07	23.46	0.00	0.00	18,000	1,200	270	1,100	2,500	-	1,400	-	-	-	-
MW-3	08/01/2003 ⁷	36.53	16.31	20.22	0.00	0.00	7,700	300	79	410	820	780	-	-	-	-	-
MW-3	11/21/2003 ⁷	36.53	17.89	18.64	0.00	0.00	7,600	270	100	470	1,300	700	-	-	-	-	-
MW-3	02/10/2004 ⁷	36.53	13.06	23.47	0.00	0.00	3,800	250	28	170	300	650	-	-	-	-	-
MW-3	05/11/2004 ⁷	36.53	13.73	22.80	0.00	0.00	1,200	60	9	76	62	530	-	-	-	-	-
MW-3	08/10/2004 ⁷	36.53	16.09	20.44	0.00	0.00	1,600	70	9	86	62	500	-	-	-	-	-
MW-3	11/08/2004 ⁷	36.53	15.11	21.42	0.00	0.00	4,800	280	37	260	400	760	-	-	-	-	-
MW-3	02/21/2005 ⁷	36.53	11.45	25.08	0.00	0.00	450	0.8	<0.5	0.7	<0.5	200	-	-	-	-	-
MW-3	05/10/2005 ⁷	36.53	10.26	26.27	0.00	0.00	220	<0.5	<0.5	<0.5	<0.5	250	-	-	-	-	-
MW-3	08/12/2005 ⁷	36.53	16.42	20.11	0.00	0.00	2,800	94	32	150	390	370	-	-	-	-	-
MW-3	11/11/2005 ⁷	36.53	17.59	18.94	0.00	0.00	3,800	140	46	230	430	440	-	-	-	-	-
MW-3	02/20/2006 ⁷	36.53	11.92	24.61	0.00	0.00	390	4	0.9	5	4	290	-	-	-	-	-
MW-3	05/12/2006 ⁷	36.53	9.38	27.15	0.00	0.00	1,100	2	<0.5	3	2	91	-	-	-	-	-
MW-3	08/14/2006 ⁷	36.53	14.68	21.85	0.00	0.00	170	<0.5	<0.5	<0.5	0.8	21	-	-	-	-	-
MW-3	11/08/2006 ⁷	36.53	17.43	19.10	0.00	0.00	1,900	83	17	120	130	100	-	-	-	-	-
MW-3	02/07/2007 ⁷	36.53	15.07	21.46	0.00	0.00	7,400	340	42	310	530	170	-	-	-	-	-
MW-3	05/07/2007 ⁷	36.53	13.32	23.21	0.00	0.00	1,200	7	<0.5	5	6	17	-	-	-	-	-
MW-3	08/03/2007 ⁷	36.53	17.05	19.48	0.00	0.00	740	44	2	12	9	77	-	-	-	-	-
MW-3	10/12/2007 ⁷	36.53	18.70	17.83	0.00	0.00	5,800	250	28	240	290	170	-	-	-	-	-
MW-3	11/02/2007 ⁷	36.53	18.81	17.72	0.00	0.00	2,400	160	8	33	19	140	-	-	-	-	-
MW-3	12/07/2007 ⁷	36.53	18.65	17.88	0.00	0.00	2,100	180	11	41	33	160	-	-	-	-	-
MW-3	02/01/2008 ⁷	36.53	14.59	21.94	0.00	0.00	3,600	570	45	81	140	180	-	-	-	-	-
MW-3	05/09/2008 ⁷	36.53	14.75	21.78	0.00	0.00	460	49	3	5	2	35	-	-	-	-	-
MW-3	08/22/2008 ⁷	36.53	17.98	18.55	0.00	0.00	5,400	200	16	160	150	84	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs					
								Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	11/26/2008 ⁷	36.53	19.41	17.12	0.00	0.00	2,600		80	4	20	7	55	-	-	-	-	-	-	-
MW-3	05/20/2009	36.53	14.50	22.03	0.00	0.00	6,600		510	33	200	170	130	-	<50	-	-	-	-	-
MW-3	08/26/2009	36.53	18.84	17.69	0.00	0.00	7,900		290	18	180	110	120	-	<50	-	-	-	-	-
MW-3	02/01/2010	36.53	13.10	23.43	0.00	0.00	9,700		1,600	65	230	220	260	-	<250	-	-	-	-	-
MW-3	08/26/2010	36.53	14.90	21.63	0.00	0.00	15,000		1,400	84	670	710	210	-	<100	-	-	-	-	-
MW-3	11/11/2010 ¹¹	36.53	17.08	19.45	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	02/10/2011	36.53	12.88	23.65	0.00	0.00	6,700		710	35	270	230	130	-	<100	-	-	-	-	-
MW-3	06/17/2011 ¹¹	36.53	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/08/2011 ¹¹	36.53	14.93	21.60	0.00	0.00	7,700		490	29	260	190	96	-	<500	-	-	-	-	-
MW-3	12/16/2011 ¹¹	36.53	16.06	20.47	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/02/2012	36.53	15.98	20.55	0.00	0.00	7,500		490	28	240	150	89	-	<500	-	-	-	-	-
MW-3	06/08/2012 ¹¹	36.53	13.52	23.01	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/14/2012	36.53	17.24	19.29	0.00	0.00	7,600		330	15	140	54	63	-	<500	110	~5	~5	16	-
MW-3	12/21/2012 ¹¹	36.53	13.32	23.21	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	04/01/2013	36.53	15.01	21.52	0.00	0.00	8,000		490	27	230	140	73	-	<50	-	-	-	-	-
MW-3	06/28/2013 ¹¹	36.53	16.72	19.81	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/20/2013	36.53	18.55	17.98	0.00	0.00	11,000		610	31	270	140	81	-	<50	-	-	-	-	-
MW-3	12/30/2013 ¹³	36.53	19.41	17.12	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/31/2014	36.53	15.81	20.72	0.00	0.00	13,000		1,100	50	350	240	170	-	<100	-	-	-	-	-
MW-3	06/30/2014 ¹³	36.53	16.82	19.71	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/22/2014	36.53	19.63	16.90	0.00	0.00	12,000		770	36	280	120	97	-	<100	-	-	-	-	-
MW-3	12/23/2014 ¹³	36.53	13.90	22.63	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/05/2015	36.53	14.93	21.60	0.00	0.00	13,000		1,500	70	430	280	200	-	<250	-	-	-	-	-
MW-3	06/23/2015 ¹³	36.53	17.95	18.58	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/23/2015	36.53	20.88	15.65	0.00	0.00	16,000		1,300	49	360	140	130	-	<500	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date							HYDROCARBONS	PRIMARY VOCs								ADDITIONAL VOCs					
		TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO		B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME			
		Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-3	12/29/2015 ¹¹	36.53	18.92	17.61	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW-3	03/29/2016	36.53	12.67	23.86	0.00	0.00	12,000	1,600	69	300	170	170	-	<5,000	170	<20	<20	64				
MW-3	07/14/2016 ¹³	36.53	17.86	18.67	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW-4	02/02/1999	40.24	13.17	27.07	0.00	0.00	<50	0.52	<0.5	<0.5	<0.5	<0.5	-	6.0	-	-	-	-	-	-		
MW-4	06/07/1999	40.24	16.41	23.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-		
MW-4	09/07/1999	40.24	20.90	19.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<5.0	-	-	-	-	-	-		
MW-4	10/27/1999	40.24	21.59	18.65	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-		
MW-4	02/08/2000	40.24	17.16	23.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<5.0	-	-	-	-	-	-		
MW-4	05/05/2000	40.24	16.02	24.22	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-		
MW-4	07/28/2000	40.24	19.12	21.12	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-		
MW-4	11/26/2000	40.24	19.92	20.32	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-		
MW-4	02/09/2001	40.24	17.45	22.79	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	-	<2.50	-	-	-	-	-	-		
MW-4	05/11/2001	40.24	15.02	25.22	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-		
MW-4	08/30/2001	40.24	20.33	19.91	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-		
MW-4	11/21/2001	40.24	19.75	20.49	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-		
MW-4	02/05/2002	40.24	14.06	26.18	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-		
MW-4	04/01/2002	37.29	12.06	25.23	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW-4	08/05/2002	37.29	17.05	20.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-		
MW-4	11/04/2002	37.29	19.73	17.56	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-		
MW-4	02/03/2003	37.29	14.05	23.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-		
MW-4	05/02/2003	37.29	12.85	24.44	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	-	<2.5	-	-	-	-	-	-	-		
MW-4	08/01/2003 ⁷	37.29	16.94	20.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-		
MW-4	11/21/2003 ⁷	37.29	18.15	19.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-		
MW-4	02/10/2004 ⁷	37.29	13.02	24.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-	-		

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	05/11/2004 ⁷	37.29	14.15	23.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	08/10/2004 ⁷	37.29	16.47	20.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/08/2004 ⁷	37.29	14.86	22.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	02/21/2005 ⁷	37.29	10.76	26.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	05/10/2005 ⁷	37.29	10.25	27.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-	-
MW-4	08/12/2005 ⁷	37.29	15.25	22.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/11/2005 ⁷	37.29	18.36	18.93	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	02/20/2006 ⁷	37.29	11.59	25.70	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-	-
MW-4	05/12/2006 ⁷	37.29	9.87	27.42	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	-	-	-	-	-	-	-
MW-4	08/14/2006 ⁷	37.29	15.35	21.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/08/2006 ⁷	37.29	18.28	19.01	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	02/07/2007 ⁷	37.29	15.40	21.89	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	05/07/2007 ⁷	37.29	13.56	23.73	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	08/03/2007 ⁷	37.29	17.70	19.59	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	10/12/2007 ⁷	37.29	19.48	17.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/02/2007 ⁷	37.29	19.41	17.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	12/07/2007 ⁷	37.29	19.45	17.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	02/01/2008 ⁷	37.29	13.15	24.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	05/09/2008 ⁷	37.29	14.98	22.31	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	08/22/2008 ⁷	37.29	18.67	18.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	11/26/2008 ⁷	37.29	20.03	17.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-4	05/20/2009	37.29	14.89	22.40	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-4	08/26/2009	37.29	19.29	18.00	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-4	11/12/2009	37.29	17.70	19.59	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-
MW-4	02/01/2010	37.29	12.57	24.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	05/17/2010	37.29	11.15	26.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	08/26/2010	37.29	15.50	21.79	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	11/11/2010	37.29	17.34	19.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	02/10/2011	37.29	13.01	24.28	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	06/17/2011	37.29	12.07	25.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	09/08/2011	37.29	15.75	21.54	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	12/16/2011	37.29	16.80	20.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	06/08/2012	37.29	14.30	22.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	06/08/2012	37.29	14.30	22.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	09/14/2012	37.29	18.10	19.19	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<2	<0.5	<0.5	<0.5	
MW-4	12/21/2012	37.29	13.33	23.96	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	04/01/2013	37.29	15.67	21.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	06/28/2013	37.29	17.47	19.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	09/20/2013	37.29	19.26	18.03	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	12/30/2013	37.29	20.51	16.78	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	03/31/2014	37.29	15.50	21.79	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	06/30/2014	37.29	17.51	19.78	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	09/22/2014	37.29	20.31	16.98	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	12/23/2014	37.29	13.53	23.76	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	03/05/2015	37.29	15.05	22.24	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	06/23/2015	37.29	18.76	18.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<2	<0.5	<0.5	<0.5	
MW-4	09/23/2015	37.29	21.43	15.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-4	12/29/2015	37.29	18.38	18.91	0.00	0.00	150	<0.5	<0.5	0.6 J	3	-	-	-	<50	-	-	-	-	
MW-4	03/29/2016	37.29	12.13	25.16	0.00	0.00	<100	<1	<1	<1	<1	<1	<1	-	<250	<5	<1	<1	<1	
MW-4	07/14/2016	37.29	18.55	18.74	0.00	0.00	90 J	2	1	1	5	<1	-	-	<250	-	-	-	-	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs					
								µg/L	µg/L	B	T	E	X	µg/L	µg/L	MTBE by SW8260	µg/L	MTBE by VOC	µg/L
Units	ft	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	02/02/1999	40.37	18.80	21.57	0.00	0.00	72		2.7	<0.5	<0.5	<0.5	<0.5	-	11	-	-	-	-
MW-5	06/07/1999	40.37	16.98	23.39	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
MW-5	09/07/1999	40.37	21.13	19.24	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	-	6.92	-	-	-	-
MW-5	10/27/1999	40.37	21.92	18.45	0.00	0.00	<50		2.39	<0.5	<0.5	<0.5	<0.5	-	21.3	-	-	-	-
MW-5	02/08/2000	40.37	18.98	21.39	0.00	0.00	<50		10.6	<0.5	<0.5	<0.5	<0.5	-	21.7	-	-	-	-
MW-5	05/05/2000	40.37	16.89	23.48	0.00	0.00	<50		<0.50	<0.50	<0.50	<0.50	<0.50	-	3.8	-	-	-	-
MW-5	07/28/2000	40.37	19.49	20.88	0.00	0.00	<50		<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-
MW-5	11/26/2000	40.37	20.69	19.68	0.00	0.00	<50		0.57	<0.50	<0.50	<0.50	<0.50	-	15	-	-	-	-
MW-5	02/09/2001	40.37	18.87	21.50	0.00	0.00	<50.0		<0.500	<0.500	<0.500	<0.500	<0.500	-	9.11	-	-	-	-
MW-5	05/11/2001	40.37	15.90	24.47	0.00	0.00	<50		<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-
MW-5	08/30/2001	40.37	20.61	19.76	0.00	0.00	<50		<0.50	<0.50	<0.50	<0.50	<0.50	-	9.5	-	-	-	-
MW-5	11/21/2001	40.37	21.04	19.33	0.00	0.00	<50		<0.50	<0.50	<0.50	<0.50	<0.50	-	7.3	-	-	-	-
MW-5	02/05/2002	40.37	15.21	25.16	0.00	0.00	<50		<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-
MW-5	04/01/2002	37.40	13.45	23.95	0.00	0.00	-		-	-	-	-	-	-	-	-	-	-	-
MW-5	08/05/2002	37.40	17.54	19.86	0.00	0.00	<50		<0.50	<0.50	<0.50	<0.50	<0.50	-	2.7	-	-	-	-
MW-5	11/04/2002	37.40	20.07	17.33	0.00	0.00	<50		<0.50	<0.50	<0.50	<0.50	<0.50	-	6.3	-	-	-	-
MW-5	02/03/2003	37.40	15.03	22.37	0.00	0.00	<50		<0.50	0.60	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-
MW-5	05/02/2003	37.40	13.96	23.44	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
MW-5	08/01/2003 ⁷	37.40	17.40	20.00	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-
MW-5	11/21/2003 ⁷	37.40	18.57	18.83	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-
MW-5	02/10/2004 ⁷	37.40	14.14	23.26	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-
MW-5	05/11/2004 ⁷	37.40	14.70	22.70	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-
MW-5	08/10/2004 ⁷	37.40	17.08	20.32	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-
MW-5	11/08/2004 ⁷	37.40	15.98	21.42	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	02/21/2005	37.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-5	05/10/2005 ⁷	37.40	11.88	25.52	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-
MW-5	08/12/2005 ⁷	37.40	15.63	21.77	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-
MW-5	11/11/2005 ⁷	37.40	18.68	18.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	-	-	-	-	-	-
MW-5	02/20/2006 ⁷	37.40	12.57	24.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-
MW-5	05/12/2006 ⁷	37.40	11.06	26.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.9	-	-	-	-	-	-
MW-5	08/14/2006 ⁷	37.40	15.73	21.67	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.9	-	-	-	-	-	-
MW-5	11/08/2006 ⁷	37.40	18.51	18.89	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	-	-	-	-	-
MW-5	02/07/2007 ⁷	37.40	16.02	21.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	-	-	-	-	-	-
MW-5	05/07/2007 ⁷	37.40	14.32	23.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-
MW-5	08/03/2007 ⁷	37.40	18.08	19.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	-	-	-	-	-	-
MW-5	10/12/2007 ⁷	37.40	19.74	17.66	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	-	-	-	-	-	-
MW-5	11/02/2007 ⁷	37.40	19.78	17.62	0.00	0.00	61	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-
MW-5	12/07/2007 ⁷	37.40	19.71	17.69	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-
MW-5	02/01/2008 ⁷	37.40	14.34	23.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-
MW-5	05/09/2008 ⁷	37.40	15.62	21.78	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-
MW-5	08/22/2008 ⁷	37.40	18.96	18.44	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-
MW-5	11/26/2008 ⁷	37.40	20.35	17.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.9	-	-	-	-	-	-
MW-5	05/20/2009	37.40	15.56	21.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-
MW-5	08/26/2009	37.40	19.56	17.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5 J	-	<50	-	-	-	-
MW-5	11/12/2009	37.40	18.50	18.90	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-
MW-5	02/01/2010	37.40	14.41	22.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-
MW-5	05/17/2010	37.40	13.00	24.40	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-
MW-5	08/26/2010	37.40	15.90	21.50	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-
MW-5	11/11/2010	37.40	18.05	19.35	0.00	0.00	68 J	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	02/10/2011	37.40	13.70	23.70	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	06/17/2011	37.40	13.37	24.03	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	09/08/2011	37.40	16.15	21.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	12/16/2011	37.40	17.20	20.20	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	03/02/2012	37.40	17.41	19.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	06/08/2012	37.40	15.20	22.20	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	09/14/2012	37.40	18.40	19.00	0.00	0.00	130	<0.5	<0.5	4	22	<0.5	-	<50	<2	<0.5	<0.5	<0.5	<0.5	
MW-5	12/21/2012	37.40	14.62	22.78	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	04/01/2013	37.40	16.10	21.30	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	06/28/2013	37.40	17.77	19.63	0.00	0.00	150	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	09/20/2013	37.40	19.59	17.81	0.00	0.00	170	<0.5	<0.5	<0.5	<0.5	<0.5	0.5 J	-	<50	-	-	-	-	
MW-5	12/30/2013	37.40	20.80	16.60	0.00	0.00	170	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	03/31/2014	37.40	16.60	20.80	0.00	0.00	54 J	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	06/30/2014	37.40	18.12	19.28	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	09/22/2014	37.40	20.70	16.70	0.00	0.00	410	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	12/23/2014	37.40	15.10	22.30	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	03/05/2015	37.40	15.87	21.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	06/23/2015	37.40	19.13	18.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<2	<0.5	<0.5	<0.5	
MW-5	09/23/2015	37.40	21.86	15.54	0.00	0.00	200	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
MW-5	12/29/2015 ¹⁶	37.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-5	03/29/2016	37.40	13.40	24.00	0.00	0.00	<100	<1	<1	<1	<1	<1	<1	-	<250	<5	<1	<1	<1	
MW-5	07/14/2016	37.40	18.85	18.55	0.00	0.00	97 J	<1	<1	<1	<1	0.6 J	<1	-	<250	-	-	-	-	
MW-6	02/02/1999	39.84	18.48	21.36	0.00	0.00	14,000	5,600	<50	150	160	-	<250	-	-	-	-	-	-	
MW-6	06/07/1999	39.84	16.45	23.39	0.00	0.00	1,500	1,100	33	25	34	-	200	-	-	-	-	-	-	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs			
								Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L
MW-6	09/07/1999	39.84	20.49	19.35	0.00	0.00	6,550		2,940	81.5	177	84	-	865	-	-	-
MW-6	10/27/1999	39.84	21.23	18.61	0.00	0.00	3,680		1,240	29.6	115	14.9	-	735	-	-	-
MW-6	02/08/2000	39.84	18.40	21.44	0.00	0.00	17,300		8,920	<100	378	211	-	2,610	-	-	-
MW-6	05/05/2000	39.84	16.36	23.48	0.00	0.00	4,200 ²		1,900	98	170	290	-	1,300	-	-	-
MW-6	07/28/2000	39.84	18.94	20.90	0.00	0.00	1,200 ²		660	30	83	36	-	650	-	-	-
MW-6	11/26/2000	39.84	20.13	19.71	0.00	0.00	7,600 ²		4,300	63	360	110	-	2,000	-	-	-
MW-6	02/09/2001	39.84	18.40	21.44	0.00	0.00	18,200 ³		7,090	<100	457	169	-	2,930	-	-	-
MW-6	05/11/2001	39.84	15.45	24.39	0.00	0.00	2,600 ²		2,300	31	88	40	-	990	-	-	-
MW-6	08/30/2001	39.84	20.02	19.82	0.00	0.00	2,500		1,600	50	160	100	-	1,900	-	-	-
MW-6	11/21/2001	39.84	20.62	19.22	0.00	0.00	25,000		8,800	150	620	330	-	2,900	-	-	-
MW-6	02/05/2002	39.84	15.80	24.04	0.00	0.00	1,400		400	6.8	27	20	-	480	-	-	-
MW-6	04/01/2002	36.90	13.82	23.08	0.00	0.00	-		-	-	-	-	-	-	-	-	-
MW-6	08/05/2002	36.90	17.05	19.85	0.00	0.00	1,200		300	5.1	11	3.7	-	250	-	-	-
MW-6	11/04/2002	36.90	19.56	17.34	0.00	0.00	7,500		2,000	29	140	39	-	1,300	-	-	-
MW-6	02/03/2003	36.90	14.62	22.28	0.00	0.00	630		160	<5.0	9.2	2.7	-	260	-	-	-
MW-6	05/02/2003	36.90	-	-	-	-	-		-	-	-	-	-	-	-	-	-
MW-6	08/01/2003 ⁷	36.90	16.88	20.02	0.00	0.00	1,500		400	3	14	3	540	-	-	-	-
MW-6	11/21/2003 ⁷	36.90	18.41	18.49	0.00	0.00	4,400		1,300	12	98	18	540	-	-	-	-
MW-6	02/10/2004 ⁷	36.90	13.70	23.20	0.00	0.00	430		110	1	4	0.7	150	-	-	-	-
MW-6	05/11/2004 ⁷	36.90	14.27	22.63	0.00	0.00	95		11	<0.5	1	0.6	120	-	-	-	-
MW-6	08/10/2004 ⁷	36.90	16.64	20.26	0.00	0.00	430		46	<0.5	3	<0.5	140	-	-	-	-
MW-6	11/08/2004 ⁷	36.90	15.63	21.27	0.00	0.00	750		50	<0.5	2	<0.5	81	-	-	-	-
MW-6	02/21/2005 ⁷	36.90	11.43	25.47	0.00	0.00	130		8	<0.5	<0.5	<0.5	60	-	-	-	-
MW-6	05/10/2005 ⁷	36.90	11.41	25.49	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-6	08/12/2005 ⁷	36.90	15.08	21.82	0.00	0.00	75		<0.5	<0.5	<0.5	<0.5	82	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs			
								Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L
MW-6	11/11/2005 ⁷	36.90	18.16	18.74	0.00	0.00	1,100		270	12	19	46	350	-	-	-	-
MW-6	02/20/2006 ⁷	36.90	12.15	24.75	0.00	0.00	1,100		250	3	22	9	130	-	-	-	-
MW-6	05/12/2006 ⁷	36.90	10.32	26.58	0.00	0.00	<50		<0.5	<0.5	<0.5	<0.5	84	-	-	-	-
MW-6	08/14/2006 ⁷	36.90	15.21	21.69	0.00	0.00	51		<0.5	<0.5	<0.5	<0.5	75	-	-	-	-
MW-6	11/08/2006 ⁷	36.90	17.97	18.93	0.00	0.00	200		3	<0.5	<0.5	<0.5	27	-	-	-	-
MW-6	02/07/2007 ⁷	36.90	15.60	21.30	0.00	0.00	1,500		120	0.8	5	1	54	-	-	-	-
MW-6	05/07/2007 ⁷	36.90	14.78	22.12	0.00	0.00	740		98	0.5	2	2	31	-	-	-	-
MW-6	08/03/2007 ⁷	36.90	17.57	19.33	0.00	0.00	1,600		410	4	2	3	80	-	-	-	-
MW-6	10/12/2007 ⁷	36.90	19.20	17.70	0.00	0.00	1,100		130	0.9	0.9	<0.5	79	-	-	-	-
MW-6	11/02/2007 ⁷	36.90	19.43	17.47	0.00	0.00	1,500		240	1	0.7	0.5	70	-	-	-	-
MW-6	12/07/2007 ⁷	36.90	19.11	17.79	0.00	0.00	770		84	<0.5	<0.5	<0.5	60	-	-	-	-
MW-6	02/01/2008 ⁷	36.90	14.03	22.87	0.00	0.00	650		89	<0.5	1	0.7	24	-	-	-	-
MW-6	05/09/2008 ⁷	36.90	15.22	21.68	0.00	0.00	680		87	<0.5	<0.5	<0.5	19	-	-	-	-
MW-6	08/22/2008 ⁷	36.90	18.46	18.44	0.00	0.00	950		43	<0.5	<0.5	<0.5	38	-	-	-	-
MW-6	11/26/2008 ⁷	36.90	19.87	17.03	0.00	0.00	1,500		190	1	0.6	0.5	71	-	-	-	-
MW-6	05/20/2009	36.90	15.03	21.87	0.00	0.00	580		23	<0.5	0.7 J	<0.5	11	-	<50	-	-
MW-6	08/26/2009	36.90	19.00	17.90	0.00	0.00	1,100		88	0.8 J	0.6 J	<0.5	25	-	<50	-	-
MW-6	11/12/2009	36.90	18.19	18.71	0.00	0.00	980		95	0.8 J	1	1	20	-	<50	-	-
MW-6	02/01/2010	36.90	13.30	23.60	0.00	0.00	530		28	<0.5	0.9 J	<0.5	6	-	<50	-	-
MW-6	05/17/2010	36.90	11.67	25.23	0.00	0.00	450		14	<0.5	1	<0.5	4	-	<50	-	-
MW-6	08/26/2010	36.90	15.42	21.48	0.00	0.00	860		29	<0.5	2	<0.5	4	-	<50	-	-
MW-6	11/11/2010 ¹²	36.90	-	-	0.00	0.00	-		-	-	-	-	-	-	-	-	-
MW-6	02/10/2011	36.90	13.00	23.90	0.00	0.00	370		10	<0.5	<0.5	<0.5	3	-	<50	-	-
MW-6	06/17/2011	36.90	12.35	24.55	0.00	0.00	690		22	<0.5	2	<0.5	4	-	<50	-	-
MW-6	09/08/2011	36.90	15.68	21.22	0.00	0.00	880		92	<0.5	2	<0.5	6	-	<50	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs			
								Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L
MW-6	12/16/2011	36.90	16.63	20.27	0.00	0.00	3,200	620	4	10	8	11	-	<50	-	-	-
MW-6	03/02/2012	36.90	16.55	20.35	0.00	0.00	2,900	510	<5	<5	5 J	13	-	<500	-	-	-
MW-6	06/08/2012	36.90	14.03	22.87	0.00	0.00	3,000	750	<5	<5	<5	12	-	<500	-	-	-
MW-6	09/14/2012	36.90	17.84	19.06	0.00	0.00	4,300	930	<5	<5	<5	10	-	<500	81	<5	<5
MW-6	12/21/2012	36.90	13.88	23.02	0.00	0.00	2,200	360	<5	<5	<5	28	-	<500	-	-	-
MW-6	04/01/2013	36.90	15.58	21.32	0.00	0.00	2,100	520	2	3	2	21	-	<50	-	-	-
MW-6	06/28/2013	36.90	17.30	19.60	0.00	0.00	1,600	130	<0.5	<0.5	<0.5	5	-	<50	-	-	-
MW-6	09/20/2013	36.90	19.07	17.83	0.00	0.00	3,100	680	3	4	3	15	-	<50	-	-	-
MW-6	12/30/2013 ¹⁴	36.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/31/2014	36.90	16.10	20.80	0.00	0.00	2,000	220	2	4	2	20	-	<50	-	-	-
MW-6	06/30/2014	36.90	17.41	19.49	0.00	0.00	1,400	100	0.6 J	2	<0.5	14	-	<50	-	-	-
MW-6	09/22/2014	36.90	20.22	16.68	0.00	0.00	2,100	180	1	2	2	14	-	<50	-	-	-
MW-6	12/23/2014 ¹⁴	36.90	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/05/2015	36.90	15.52	21.38	0.00	0.00	710	34	<0.5	0.5 J	<0.5	6	-	<50	-	-	-
MW-6	06/23/2015	36.90	18.52	18.38	0.00	0.00	1,500	230	<3	<3	6	6	-	<250	43	<3	<3
MW-6	09/23/2015	36.90	21.38	15.52	0.00	0.00	4,800	680	4 J	<3	13	11	-	<250	-	-	-
MW-6	12/29/2015	36.90	19.50	17.40	0.00	0.00	1,200	230	<5	<5	<5	-	-	<500	-	-	-
MW-6	03/29/2016	36.90	12.69	24.21	0.00	0.00	1,400	260	<5	<5	<5	6	-	<1,300	28	<5	<5
MW-6	07/14/2016	36.90	18.37	18.53	0.00	0.00	1,400	6	<1	<1	0.9 J	0.9 J	-	<250	-	-	-
MW-7	02/21/2005 ⁷	36.84	10.41	26.43	0.00	0.00	7,600	2,200	6	210	920	53	-	<100	130	<1	<1
MW-7	05/10/2005 ⁷	36.84	9.59	27.25	0.00	0.00	3,900	700	<0.5	<0.5	650	77	-	<50	140	<0.5	<0.5
MW-7	08/12/2005 ⁷	36.84	12.83	24.01	0.00	0.00	18,000	7,300	12	1,100	2,500	80	-	<500	280	<5	<5
MW-7	11/11/2005 ⁷	36.84	16.64	20.20	0.00	0.00	39,000	11,000	38	1,700	2,900	100	-	<1,000	340	<10	<10
MW-7	02/20/2006 ⁷	36.84	10.39	26.45	0.00	0.00	17,000	4,400	18	470	1,500	62	-	<500	200	<5	<5

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs			
								Units	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	05/12/2006 ⁷	36.84	8.79	28.05	0.00	0.00	15,000	5,100	12	370	880	73	-	<500	200	<5	<5
MW-7	08/14/2006 ⁷	36.84	13.88	22.96	0.00	0.00	30,000	8,100	18	1,500	3,600	74	-	<1,000	280	<10	<10
MW-7	11/08/2006 ⁷	36.84	16.87	19.97	0.00	0.00	39,000	10,000	28	1,400	2,300	89	-	<1,000	330	<10	<10
MW-7	02/07/2007 ⁷	36.84	14.43	22.41	0.00	0.00	43,000	9,400	51	1,800	4,400	80	-	<500	280	<5	<5
MW-7	05/07/2007 ⁷	36.84	12.57	24.27	0.00	0.00	50,000	8,800	35	1,700	3,700	72	-	<1,000	240	<10	<10
MW-7	08/03/2007 ⁷	36.84	16.10	20.74	0.00	0.00	57,000	12,000	41	2,400	4,400	84	-	<2,500	300	<25	<25
MW-7	10/12/2007 ⁷	36.84	18.16	18.68	0.00	0.00	15,000	2,300	63	270	730	58	-	<1,000	290	<10	<10
MW-7	11/02/2007 ⁷	36.84	18.01	18.83	0.00	0.00	21,000	5,000	120	820	2,300	59	-	<500	280	<5	<5
MW-7	12/07/2007	36.84	18.92	17.92	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-
MW-7	02/01/2008	36.84	12.78	24.06	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-
MW-7	05/09/2008 ⁷	36.84	13.98	22.86	0.00	0.00	24,000	4,600	99	1,000	3,400	57	-	<250	240	<3	<3
MW-7	08/22/2008 ⁷	36.84	17.19	19.65	0.00	0.00	32,000	9,500	240	1,900	4,800	76	-	<1,000	270	<10	<10
MW-7	11/26/2008 ⁷	36.84	19.01	17.83	0.00	0.00	39,000	9,700	840	1,600	5,700	62	-	<1,300	280	<13	<13
MW-7	05/20/2009	36.84	13.71	23.13	0.00	0.00	24,000	5,400	190	810	2,800	66	-	<250	260	<3	<3
MW-7	08/26/2009	36.84	19.00	17.84	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-
MW-7	11/12/2009	36.84	16.43	20.41	0.00	0.00	19,000	5,900	190	540	1,800	57	-	<500	240	<5	<5
MW-7	05/17/2010	36.84	10.30	26.54	0.00	0.00	13,000	3,600	63	310	1,300	58	-	<250	220	<3	<3
MW-7	08/26/2010 ¹¹	36.84	14.40	22.44	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-
MW-7	11/11/2010	36.84	16.50	20.34	0.00	0.00	16,000	7,300	140	720	2,400	64	-	<500	280	<5	<5
MW-7	02/10/2011 ¹³	36.84	12.16	24.68	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-
MW-7	06/17/2011	36.84	11.25	25.59	0.00	0.00	12,000	3,800	22	460	1,600	56	-	<250	120	<3	<3
MW-7	09/08/2011	36.84	14.65	22.19	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-
MW-7	12/16/2011	36.84	17.36	19.48	0.00	0.00	35,000	8,100	370	1,000	3,900	78	-	<500	300	<5	<5
MW-7	03/02/2012 ¹³	36.84	15.42	21.42	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-
MW-7	06/08/2012	36.84	13.10	23.74	0.00	0.00	19,000	6,000	180	310	1,200	56	-	<500	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date							HYDROCARBONS				PRIMARY VOCs						ADDITIONAL VOCs					
		TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME					
		Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L						
MW-7	09/14/2012 ¹³	36.84	16.91	19.93	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-						
MW-7	12/21/2012	36.84	12.19	24.65	0.00	0.00	21,000	5,300	160	530	2,200	55	-	<2,500	240 J	<25	<25	<25					
MW-7	04/01/2013 ¹³	36.84	14.64	22.20	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-					
MW-7	06/28/2013	36.84	16.10	20.74	0.00	0.00	20,000	6,900	200	420	1,700	81	-	<250	240	<3	<3	<3					
MW-7	09/20/2013 ¹³	36.84	17.72	19.12	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-					
MW-7	12/30/2013	36.84	19.10	17.74	0.00	0.00	14,000	4,800	220	210	1,300	55	-	<500	-	-	-	-					
MW-7	03/31/2014 ¹³	36.84	14.64	22.20	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-					
MW-7	06/30/2014	36.84	15.92	20.92	0.00	0.00	28,000	6,300	290	790	3,000	53	-	<500	-	-	-	-					
MW-7	09/22/2014 ¹³	36.84	18.98	17.86	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-					
MW-7	12/23/2014	36.84	12.62	24.22	0.00	0.00	11,000	1,900	100	230	1,200	31	-	<250	110	<3	<3	<3					
MW-7	03/05/2015 ¹³	36.84	13.90	22.94	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-					
MW-7	06/23/2015	36.84	17.40	19.44	0.00	0.00	17,000	7,400	200	620	2,500	57	-	<2,500	240 J	<25	<25	<25					
MW-7	09/23/2015 ¹³	36.84	19.99	16.85	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-					
MW-7	12/29/2015	36.84	17.31	19.53	0.00	0.00	3,700	1,100	19	23	210	37	-	<500	200	<5	<5	<5					
MW-7	03/29/2016 ¹¹	36.84	11.05	25.79	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-					
MW-7	07/14/2016	36.84	17.06	19.78	0.00	0.00	19,000	7,000	37	230	810	58	-	<5,000	340	<20	<20	<20					
MW-8	04/01/2002 ⁶	37.21	11.10	26.11	0.00	0.00	1,200	8.6	<0.50	2.5	2.5	-	<2.5/<2 ⁵	-	<100	<2	<2	<2					
MW-8	08/05/2002	37.21	16.14	21.07	0.00	0.00	560	11	<0.50	<0.50	<1.5	-	<2.5/<2 ⁵	-	<100	<2	<2	<2					
MW-8	11/04/2002	37.21	18.97	18.24	0.00	0.00	780	5.1	<0.50	1.1	1.9	-	<2 ⁵ /<2.5	-	<100	<2	<2	<2					
MW-8	02/03/2003	37.21	13.21	24.00	0.00	0.00	230	3.7	<0.50	0.54	<1.5	-	<0.6 ⁵ /<10	-	<5	<0.5	<0.5	<0.5					
MW-8	05/02/2003	37.21	12.12	25.09	0.00	0.00	180	2.5	<0.5	<0.5	<1.5	-	<0.5 ⁵ /<2.5	-	<5	<0.5	<0.5	<0.5					
MW-8	08/01/2003 ⁷	37.21	16.11	21.10	0.00	0.00	220	2	<0.5	<0.5	<0.5	0.8	-	<50	<5	<0.5	<0.5	<0.5					
MW-8	11/21/2003 ⁷	37.21	17.17	20.04	0.00	0.00	140	<0.5	<0.5	<0.5	<0.5	0.7	-	<50	<5	<0.5	<0.5	<0.5					
MW-8	02/10/2004 ⁷	37.21	12.13	25.08	0.00	0.00	150	2	<0.5	<0.5	<0.5	0.8	-	<50	<5	<0.5	<0.5	<0.5					

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	05/11/2004 ⁷	37.21	13.47	23.74	0.00	0.00	86	4	<0.5	<0.5	<0.5	<0.5	1	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	08/10/2004 ⁷	37.21	15.65	21.56	0.00	0.00	80	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	11/08/2004 ⁷	37.21	13.98	23.23	0.00	0.00	110	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	7	<0.5	<0.5	<0.5	
MW-8	02/21/2005 ⁷	37.21	10.09	27.12	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	05/10/2005 ⁷	37.21	10.60	26.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	08/12/2005 ⁷	37.21	12.58	24.63	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	11/11/2005 ⁷	37.21	17.41	19.80	0.00	0.00	96	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	6	<0.5	<0.5	<0.5	
MW-8	02/20/2006 ⁷	37.21	10.79	26.42	0.00	0.00	81	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	-	<50	<5	<0.5	<0.5	<0.5	
MW-8	05/12/2006 ⁷	37.21	9.24	27.97	0.00	0.00	72	1	<0.5	<0.5	<0.5	<0.5	2	-	<50	6	<0.5	<0.5	<0.5	
MW-8	08/14/2006 ⁷	37.21	14.67	22.54	0.00	0.00	110	3	<0.5	<0.5	<0.5	<0.5	2	-	<50	7	<0.5	<0.5	<0.5	
MW-8	11/08/2006 ⁷	37.21	17.41	19.80	0.00	0.00	310	2	1	<0.5	2	3	-	<50	13	<0.5	<0.5	<0.5	<0.5	
MW-8	02/07/2007 ⁷	37.21	14.58	22.63	0.00	0.00	310	0.6	<0.5	<0.5	<0.5	2	-	<50	7	<0.5	<0.5	<0.5	<0.5	
MW-8	05/07/2007 ⁷	37.21	12.78	24.43	0.00	0.00	95	0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	6	<0.5	<0.5	<0.5	
MW-8	08/03/2007 ⁷	37.21	16.70	20.51	0.00	0.00	130	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	8	<0.5	<0.5	<0.5	
MW-8	10/12/2007 ⁷	37.21	18.51	18.70	0.00	0.00	340	<0.5	<0.5	<0.5	<0.5	<0.5	5	-	<50	20	<0.5	<0.5	<0.5	
MW-8	11/02/2007 ⁷	37.21	18.81	18.40	0.00	0.00	210	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	5	<0.5	<0.5	<0.5	
MW-8	12/07/2007 ⁷	37.21	18.62	18.59	0.00	0.00	230	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	5	<0.5	<0.5	<0.5	
MW-8	02/01/2008 ⁷	37.21	14.18	23.03	0.00	0.00	96	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	-	<50	<2	<0.5	<0.5	<0.5	
MW-8	05/09/2008 ⁷	37.21	14.33	22.88	0.00	0.00	120	2	<0.5	<0.5	<0.5	<0.5	2	-	<50	6	<0.5	<0.5	<0.5	
MW-8	08/22/2008 ⁷	37.21	17.88	19.33	0.00	0.00	180	0.9	<0.5	<0.5	<0.5	<0.5	4	-	<50	14	<0.5	<0.5	<0.5	
MW-8	11/26/2008 ⁷	37.21	19.52	17.69	0.00	0.00	350	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	2	<0.5	<0.5	<0.5	
MW-8	05/20/2009	37.21	14.11	23.10	0.00	0.00	310	3	<0.5	<0.5	<0.5	<0.5	0.7 J	-	<50	<2	<0.5	<0.5	<0.5	
MW-8	08/26/2009	37.21	18.19	19.02	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-8	11/12/2009	37.21	16.60	20.61	0.00	0.00	350	2	<0.5	<0.5	<0.5	<0.5	1	-	<50	2 J	<0.5	<0.5	<0.5	
MW-8	05/17/2010	37.21	10.50	26.71	0.00	0.00	230	2	<0.5	<0.5	<0.5	<0.5	0.5 J	-	<50	<2	<0.5	<0.5	<0.5	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	08/26/2010 ¹¹	37.21	14.72	22.49	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	11/11/2010	37.21	16.58	20.63	0.00	0.00	330	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	3 J	<0.5	<0.5	<0.5	<0.5
MW-8	02/10/2011 ¹³	37.21	12.30	24.91	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	06/17/2011	37.21	11.43	25.78	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	<2	<0.5	<0.5	<0.5	<0.5
MW-8	09/08/2011	37.21	15.15	22.06	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	12/16/2011	37.21	15.00	22.21	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	4 J	<0.5	<0.5	<0.5	<0.5
MW-8	03/02/2012 ¹³	37.21	15.70	21.51	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	06/08/2012	37.21	13.42	23.79	0.00	0.00	100	2	<0.5	<0.5	<0.5	<0.5	3	-	<50	-	-	-	-	-
MW-8	09/14/2012 ¹³	37.21	17.20	20.01	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	12/21/2012	37.21	12.11	25.10	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	6	<0.5	<0.5	<0.5	<0.5
MW-8	04/01/2013 ¹³	37.21	14.87	22.34	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	06/28/2013	37.21	16.46	20.75	0.00	0.00	350	<0.5	<0.5	0.5 J	0.6 J	9	-	<50	22	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	09/20/2013 ¹³	37.21	18.01	19.20	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	12/30/2013	37.21	19.43	17.78	0.00	0.00	820	<0.5	<0.5	<0.5	<0.5	<0.5	3	-	<50	-	-	-	-	-
MW-8	03/31/2014 ¹³	37.21	14.40	22.81	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	06/30/2014	37.21	16.46	20.75	0.00	0.00	370	2	<0.5	<0.5	<0.5	<0.5	3	-	<50	-	-	-	-	-
MW-8	09/22/2014 ¹³	37.21	19.21	18.00	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	12/23/2014	37.21	12.21	25.00	0.00	0.00	230	<0.5	<0.5	<0.5	<0.5	<0.5	0.9 J	-	<50	<2	<0.5	<0.5	<0.5	<0.5
MW-8	03/05/2015 ¹³	37.21	14.07	23.14	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	06/23/2015	37.21	17.70	19.51	0.00	0.00	250	1	<0.5	<0.5	<0.5	<0.5	3	-	<50	7	<0.5	<0.5	<0.5	<0.5
MW-8	09/23/2015 ¹³	37.21	20.22	16.99	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	12/29/2015	37.21	17.01	20.20	0.00	0.00	450	0.9 J	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<2	<0.5	<0.5	<0.5	<0.5
MW-8	03/29/2016 ¹¹	37.21	11.06	26.15	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	07/14/2016	37.21	17.48	19.73	0.00	0.00	370	14	<1	<1	<1	<1	2	-	<250	6	<1	<1	<1	<1

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	04/01/2002 ⁶	35.03	10.62	24.41	0.00	0.00	94	1.5	<0.50	<0.50	<1.5	-	25/19 ⁵	-	<100	<2	<2	<2	<2	
MW-9	08/05/2002	35.03	14.85	20.18	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	15 ^{5/} 18	-	<100	<2	<2	<2	<2	
MW-9	11/04/2002	35.03	17.48	17.55	0.00	0.00	<50	<0.50	1.7	<0.50	2.1	-	24/21 ⁵	-	<100	<2	<2	<2	<2	
MW-9	02/03/2003	35.03	12.51	22.52	0.00	0.00	<50	1.9	<0.50	<0.50	<1.5	-	17/16 ⁵	-	<5	<0.5	<0.5	<0.5	0.8	
MW-9	05/02/2003	35.03	11.68	23.35	0.00	0.00	<50	0.6	<0.5	<0.5	<1.5	-	21/18 ⁵	-	<5	<0.5	<0.5	<0.5	0.8	
MW-9	08/01/2003 ⁷	35.03	14.69	20.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	22	-	<50	7	0.9	<0.5	1		
MW-9	11/21/2003 ⁷	35.03	16.35	18.68	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	18	-	<50	<5	0.8	<0.5	1		
MW-9	02/10/2004 ⁷	35.03	11.69	23.34	0.00	0.00	210	7	0.5	1	1	31	-	<50	9	0.6	<0.5	2		
MW-9	05/11/2004 ⁷	35.03	12.12	22.91	0.00	0.00	230	17	<0.5	<0.5	<0.5	72	-	<50	16	<0.5	<0.5	4		
MW-9	08/10/2004 ⁷	35.03	14.58	20.45	0.00	0.00	250	5	<0.5	<0.5	<0.5	66	-	<50	<5	0.9	<0.5	3		
MW-9	11/08/2004	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	02/21/2005 ⁷	35.03	9.52	25.51	0.00	0.00	510	6	<0.5	1	3	79	-	<50	17	0.5	<0.5	4		
MW-9	05/10/2005 ⁷	35.03	8.85	26.18	0.00	0.00	670	11	0.7	0.5	2	100	-	<50	20	<0.5	<0.5	4		
MW-9	08/12/2005 ⁷	35.03	11.06	23.97	0.00	0.00	390	4	<0.5	<0.5	0.7	89	-	<50	18	<0.5	<0.5	4		
MW-9	11/11/2005 ⁷	35.03	15.98	19.05	0.00	0.00	2,500	48	5	21	33	140	-	<50	25	<0.5	<0.5	6		
MW-9	02/20/2006 ⁷	35.03	10.08	24.95	0.00	0.00	3,200	47	5	30	32	130	-	<50	22	<0.5	<0.5	5		
MW-9	05/12/2006 ⁷	35.03	8.08	26.95	0.00	0.00	1,800	19	1	1	4	89	-	<50	14	<0.5	<0.5	4		
MW-9	08/14/2006	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	11/08/2006	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	02/07/2007 ⁷	35.03	13.57	21.46	0.00	0.00	2,000	22	2	1	8	78	-	<50	14	<0.5	<0.5	3		
MW-9	05/07/2007 ⁷	35.03	11.85	23.18	0.00	0.00	1,800	17	2	1	5	67	-	<50	13	<0.5	<0.5	3		
MW-9	08/03/2007	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	10/12/2007 ⁷	35.03	17.20	17.83	0.00	0.00	55	<0.5	<0.5	<0.5	<0.5	30	-	<50	4	<0.5	<0.5	1		
MW-9	11/02/2007 ⁷	35.03	17.28	17.75	0.00	0.00	72	<0.5	<0.5	<0.5	0.9	57	-	<50	8	<0.5	<0.5	2		
MW-9	12/07/2007 ⁷	35.03	17.12	17.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	59	-	<50	9	<0.5	<0.5	2		

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L					µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	02/01/2008 ⁷	35.03	12.23	22.80	0.00	0.00	61	<0.5	<0.5	<0.5	<0.5	<0.5	50	-	<50	11	<0.5	<0.5	2	
MW-9	05/09/2008	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	05/16/2008 ⁷	35.03	13.34	21.69	0.00	0.00	51	0.5	6	0.5	3	35	-	<50	11	<0.5	<0.5	1		
MW-9	08/22/2008 ⁷	35.03	16.32	18.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	35	-	<50	6	<0.5	<0.5	0.9		
MW-9	11/26/2008 ⁷	35.03	17.84	17.19	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	33	-	<50	4	<0.5	<0.5	0.7		
MW-9	05/20/2009	35.03	13.18	21.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	18	-	<50	7	<0.5	<0.5	<0.5		
MW-9	08/26/2009	35.03	17.03	18.00	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	26	-	<50	<2	<0.5	<0.5	<0.5		
MW-9	02/01/2010	35.03	11.69	23.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	19	-	<50	9	<0.5	<0.5	<0.5		
MW-9	08/26/2010	35.03	12.60	22.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	17	-	<50	9	<0.5	<0.5	0.6 J		
MW-9	11/11/2010 ¹¹	35.03	15.74	19.29	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	02/10/2011 ¹¹	35.03	10.29	24.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	12	-	<50	12	<0.5	<0.5	<0.5		
MW-9	06/17/2011 ¹¹	35.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	09/08/2011 ¹¹	35.03	12.74	22.29	0.00	0.00	60 J	<0.5	<0.5	<0.5	<0.5	15	-	<50	-	-	-	-	-	
MW-9	12/16/2011 ¹¹	35.03	14.60	20.43	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	03/02/2012	35.03	14.43	20.60	0.00	0.00	83 J	<0.5	<0.5	<0.5	<0.5	10	-	<50	15	<0.5	<0.5	<0.5		
MW-9	06/08/2012 ¹¹	35.03	11.42	23.61	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	09/14/2012	35.03	15.90	19.13	0.00	0.00	220	1	<0.5	<0.5	<0.5	17	-	<50	14	<0.5	<0.5	<0.5		
MW-9	12/21/2012 ¹¹	35.03	12.06	22.97	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	04/01/2013	35.03	12.68	22.35	0.00	0.00	630	4	0.5 J	<0.5	1	11	-	<50	11	<0.5	<0.5	<0.5		
MW-9	06/28/2013 ¹¹	35.03	15.29	19.74	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	09/20/2013	35.03	16.92	18.11	0.00	0.00	120	<0.5	<0.5	<0.5	<0.5	12	-	<50	-	-	-	-	-	
MW-9	12/30/2013	35.03	18.24	16.79	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	03/31/2014	35.03	14.20	20.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	4	-	<50	4 J	<0.5	<0.5	<0.5		
MW-9	06/30/2014 ¹³	35.03	15.51	19.52	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-9	09/22/2014	35.03	18.21	16.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	8	-	<50	<2	<0.5	<0.5	<0.5		

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs					ADDITIONAL VOCs							
								µg/L	µg/L	B	T	E	X	µg/L	µg/L	MTBE by SW8260	µg/L	µg/L	Ethanol	TBA	DIPE	ETBE
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	12/23/2014 ¹³	35.03	13.21	21.82	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/05/2015	35.03	13.29	21.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6	-	<50	6	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	06/23/2015 ¹³	35.03	16.61	18.42	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/23/2015	35.03	19.48	15.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	8	-	<50	<2	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	12/29/2015 ¹¹	35.03	16.97	18.06	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/29/2016	35.03	10.76	24.27	0.00	0.00	<100	<1	<1	<1	<1	<1	<1	2	-	<250	6	<1	<1	<1	<1	<1
MW-9	07/14/2016 ¹³	35.03	16.28	18.75	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	04/01/2002 ⁶	35.53	11.72	23.81	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	-	5 ⁵ /6.1	-	<100	<2	<2.0	<2	<2	<2	<2
MW-10	08/05/2002	35.53	15.80	19.73	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	-	5.1/5 ⁵	-	<100	<2	<2.0	<2	<2	<2	<2
MW-10	11/04/2002	35.53	18.31	17.22	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	-	5.5/5 ⁵	-	<100	<2	<2.0	<2	<2	<2	<2
MW-10	02/03/2003	35.53	13.42	22.11	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	-	-	2.8/3 ⁵	-	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	05/02/2003	35.53	12.45	23.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	-	-	<2.5/<0.5 ⁵	-	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	08/01/2003 ⁷	35.53	15.62	19.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2	-	<50.0	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/21/2003 ⁷	35.53	17.26	18.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50.0	<5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW-10	02/10/2004 ⁷	35.53	12.52	23.01	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50.0	<5	<0.50	<0.50	<0.50	<0.50	<0.50
MW-10	05/11/2004 ⁷	35.53	13.06	22.47	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	08/10/2004 ⁷	35.53	15.45	20.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	3	-	<50.0	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/08/2004 ⁷	35.53	14.68	20.85	0.00	0.00	<50	<0.5	<0.5	0.9	5	<0.5	-	<50.0	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	02/21/2005 ⁷	35.53	10.32	25.21	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50.0	<5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	05/10/2005 ⁷	35.53	11.04	24.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50.0	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	08/12/2005 ⁷	35.53	12.58	22.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	-	<50.0	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/11/2005 ⁷	35.53	16.89	18.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	-	<50.0	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	02/20/2006 ⁷	35.53	10.91	24.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50.0	<5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	05/12/2006 ⁷	35.53	9.26	26.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	-	<50	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	08/14/2006 ⁷	35.53	13.96	21.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50.0	<5	<0.5	<0.5	<0.5	
MW-10	11/08/2006	35.53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	02/07/2007 ⁷	35.53	14.45	21.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50.0	<2	<0.5	<0.5	<0.5	
MW-10	05/07/2007 ⁷	35.53	12.81	22.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	0.9	-	<50.0	<2	<0.5	<0.5	<0.5	
MW-10	08/03/2007 ⁷	35.53	16.35	19.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	3	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	10/12/2007 ⁷	35.53	17.93	17.60	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	5	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	11/02/2007 ⁷	35.53	18.04	17.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	4	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	12/07/2007 ⁷	35.53	17.81	17.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	3	-	<50	<2	<0.5	<0.50	<0.5	
MW-10	02/01/2008 ⁷	35.53	13.35	22.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	<2	<0.5	<0.50	<0.5	
MW-10	05/09/2008 ⁷	35.53	14.11	21.42	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	<2	<0.50	<0.50	<0.5	
MW-10	08/22/2008 ⁷	35.53	17.70	17.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	5	-	<50	<2	<0.5	<0.50	<0.5	
MW-10	11/26/2008 ⁷	35.53	18.61	16.92	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	4	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	05/20/2009	35.53	14.03	21.50	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	3	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	08/26/2009	35.53	17.81	17.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	4	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	02/01/2010	35.53	12.36	23.17	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	08/26/2010	35.53	14.15	21.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	11/11/2010 ¹¹	35.53	16.09	19.44	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	02/10/2011 ¹¹	35.53	12.02	23.51	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	0.7 J	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	06/17/2011 ¹¹	35.53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	09/08/2011 ¹¹	35.53	14.31	21.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	0.5 J	-	<50	-	-	-	-	
MW-10	12/16/2011 ¹¹	35.53	15.41	20.12	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	03/02/2012	35.53	15.28	20.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	06/08/2012 ¹¹	35.53	12.84	22.69	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	09/14/2012	35.53	16.63	18.90	0.00	0.00	<50	<0.5	<0.5	1	6	2	-	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	12/21/2012 ¹¹	35.53	12.76	22.77	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	04/01/2013	35.53	14.37	21.16	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	06/28/2013 ¹¹	35.53	16.03	19.50	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	09/20/2013	35.53	17.88	17.65	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	-	-	-	-	
MW-10	12/30/2013	35.53	19.05	16.48	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	03/31/2014	35.53	15.40	20.13	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	0.8 J	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	06/30/2014 ¹³	35.53	16.22	19.31	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	09/22/2014	35.53	18.97	16.56	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	12/23/2014 ¹³	35.53	13.54	21.99	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	03/05/2015	35.53	14.41	21.12	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	06/23/2015 ¹³	35.53	17.41	18.12	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	09/23/2015	35.53	20.18	15.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2	-	<50	<2	<0.5	<0.5	<0.5	
MW-10	12/29/2015 ¹¹	35.53	17.62	17.91	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-10	03/29/2016	35.53	11.72	23.81	0.00	0.00	<100	<1	<1	<1	<1	<1	-	<250	<5	<1	<1	<1	<1	
MW-10	07/14/2016¹³	35.53	17.17	18.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
QA	11/21/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	
QA	02/05/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	
QA	04/01/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	
QA	08/05/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	
QA	10/04/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	
QA	02/03/2003	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	
QA	05/02/2003	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	-	<2.5	-	-	-	-	-	-	
QA	08/01/2003 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	
QA	11/21/2003 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	
QA	02/10/2004 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	05/11/2004 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/10/2004 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/08/2004 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	02/21/2005 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/10/2005 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/12/2005 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/11/2005 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	02/20/2006 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/12/2006 ⁷	-	-	-	-	-	<50	<0.5	0.5 ⁹	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/14/2006 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/08/2006 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	02/07/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/07/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/03/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	10/12/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/02/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	12/07/2007 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	02/01/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/09/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/16/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/22/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/26/2008 ⁷	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	05/20/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	08/26/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
QA	11/12/2009	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs						
								µg/L	µg/L	B	T	E	X	MTBE by SW8260	MTBE by VOC	Ethanol	TBA	DPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	02/01/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
QA	05/17/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	08/26/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	11/11/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	02/10/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	06/17/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	09/08/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<50	-	-	-	-	
QA	12/16/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	03/02/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	06/08/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	09/14/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	12/21/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	04/01/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	06/28/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	09/20/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	12/30/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	03/31/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	06/30/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	09/22/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	12/23/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	03/05/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	06/23/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	09/23/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	12/29/2015	-	-	-	-	-	<22	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	
QA	03/29/2016	-	-	-	-	-	<100	<1	<1	<1	<1	<1	<1	-	-	-	-	-	-	

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCs				ADDITIONAL VOCs				
								µg/L	µg/L	B	T	E	X	µg/L	µg/L	MTBE by SW8260	µg/L	MTBE by VOC
	Units	ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	07/14/2016	-	-	-	-	-	<100	<1	<1	<1	<1	<1	<1	-	-	-	-	-
TRIP BLANK	02/08/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
TRIP BLANK	06/16/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
TRIP BLANK	07/29/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
TRIP BLANK	08/13/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
TRIP BLANK	11/24/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
TRIP BLANK	02/02/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
TRIP BLANK	02/03/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
TRIP BLANK	06/07/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
TRIP BLANK	09/07/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<5.0	-	-	-	-
TRIP BLANK	10/27/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-
TRIP BLANK	02/08/2000	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<5.0	-	-	-	-
TRIP BLANK	05/05/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-
TRIP BLANK	07/28/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-
TRIP BLANK	11/26/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-
TRIP BLANK	02/09/2001	-	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	-	<2.50	-	-	-	-
TRIP BLANK	05/11/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-
TRIP BLANK	08/30/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-

Abbreviations and Notes:

TOC = Top of casing

DTW = Depth to water

GWE = Groundwater elevation

(ft-amsl) = Feet above mean sea level

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	TPH-GRO	HYDROCARBONS		PRIMARY VOCS				ADDITIONAL VOCS						
								µg/L	µg/L	B	T	E	X	µg/L	µg/L	Ethanol	TBA	DIPE	ETBE	TAME
Units		ft	ft	ft-amsl	ft	gal		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

ft = Feet

µg/L = Micrograms per liter

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

VOCS = Volatile organic compounds

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes (Total)

MTBE = Methyl tert butyl ether

TBA = Tert-butyl alcohol

DIPE = Diisopropyl ether

ETBE = Tert-butyl ethyl ether

TAME = Tert-amyl methyl ether

J = Estimated value (the result method result > the detection limit < the limit of quantitation)

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

* TOC elevations were re-surveyed on May 31, 2005, by Morrow Surveying Land Surveyors using the previous benchmark. TOC elevations were surveyed in April 2002, by Morrow Surveying. Elevations are based on City of Oakland Benchmark designated 3787 in field book 1595, page 50; cut square northerly curb on Krause Ave., approx. 37 feet westerly of PL westerly of 73rd Ave., (Elevation = 33.82 feet).

** GWE corrected for the presence of LNAPL; correction factor: [(TOC - DTW) + (LNAPLT x 0.8)].

1 Confirmation run.

2 Laboratory report indicates gasoline C6-C12.

3 Laboratory report indicates weathered gasoline C6-C12.

4 Product and water removed.

5 MTBE by EPA Method 8260.

6 Well development performed.

Table 1

**Groundwater Monitoring and Sampling Data
Former Chevron Service Station 93322
7225 Bancroft Avenue
Oakland, California**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS		PRIMARY VOCS				ADDITIONAL VOCS															
							TPH-GRO	µg/L	B	µg/L	T	µg/L	E	µg/L	X	µg/L	MTBE by SW8260	µg/L	MTBE by VOC	µg/L	Ethanol	µg/L	TBA	µg/L	DPE	µg/L	ETBE	µg/L
Units	ft	ft	ft	ft	gal																							

7 BTEX and MTBE by EPA Method 8260.

8 Laboratory report indicates the trip blank results were investigated and the source of contamination did not occur during analysis.

9 Product removed; no water removed.

10 Laboratory report indicates the value for the TPH-GRO is estimated because the value is over the calibration range of the system. The surrogate recovery is outside the upper statistical QC limit. The sample was not reanalyzed because the hold time had ex

11 Sampled semi-annually.

12 Unable to access well due to large donation bin located on well.

13 Gauged only.

14 Inaccessible

15 SPH present

16 Unable to access well - car parked over well