



Chevron U.S.A. Products Company

2410 Camino Ramon, San Ramon, California • Phone (510) 842-9500
Mail Address: P.O. Box 5004, San Ramon, CA 94583-0804

Operations

February 1, 1993

Mr. Scott Seery
Alameda County Environmental Health
80 Swan Way, Room 200
Oakland, CA 94621

Re: Former Chevron Service Station No. 9-2960
2416 Grove Way, Castro Valley, CA 94546

Dear Mr. Seery:

Enclosed is the quarterly groundwater monitoring and sampling report from Alton Geoscience dated January 28, 1993.

Again, total petroleum hydrocarbon as gasoline (TPH-G), benzene, toluene, ethylbenzene, and xylenes (BTEX) were not detected in monitoring wells C-4, C-5, C-6, and C-7. TPH-G and BTEX were detected in wells C-2 and C-3. **Liquid hydrocarbon was observed and removed from well C-1. Approximately 0.16 gallon (21 fluid ounces) of liquid hydrocarbon was removed during the months of October, November, December, and January.**

~~In the previous Chevron cover letter dated November 18, 1992, the letter mentioned that TPH-G and BTEX were not detected in well C-8. There is no well C-8 at this site. Chevron apologizes for any inconvenience.~~

Presently, Chevron is waiting for the estimates from the various general contractors who will be installing the proposed remediation system.

If you have any questions or comments, please feel free to call me at (510) 842-8752.

Sincerely,

Chevron U.S.A. Products Co.

Kenneth Kan
Engineer

LKAN/MacFile 9-2960R10

Enclosure

cc: Mr. Rich Hiett, RWQCB-S.F. Bay Region
2101 Webster Street, Suite 500, Oakland, CA 94612

Mr. Bob Yule, First Presbyterian Church
2490 Grove Way, Castro Valley, CA 94546

Ms. Bette Owen, Chevron U.S.A. Products Co.

92 FEB - 7 11:43

January 28, 1993

Mr. Kenneth Kan
Chevron U.S.A. Products Company
Post Office Box 5004
San Ramon, California 94583-0804

31-0563

Subject: Quarterly Ground Water Monitoring Report
Former Chevron Station No. 9-2960
2416 Grove Way,
Castro Valley, California

Dear Mr. Kan:

In accordance with our agreement, Alton Geoscience transmits this Quarterly Ground Water Monitoring and Sampling Report for Former Chevron Station No. 9-2960, located at 2416 Grove Way, Castro Valley, California. Figure 1 shows the site location.

Monitoring and sampling of the ground water monitoring wells were performed on December 17, 1992, in accordance with the requirements and procedures of the California Regional Water Quality Control Board (RWQCB) and local regulatory agencies.

FIELD PROCEDURES

Prior to purging and sampling the wells, each well was checked for liquid-phase hydrocarbons or sheen. The depth to ground water and, if present, free product in each well was measured from the top of casing using an electronic interface probe with 0.01 foot tolerance.

Ground water analytical samples were collected using a clean bailer after more than 3 casing volumes of ground water were purged from each well. Ground water samples were then decanted into the appropriate clean sample containers for delivery to a California-certified laboratory following proper preservation and chain of custody procedures. Purged ground water was transferred to a 600-gallon, trailer-mounted, steel tank (California Department of Health Services-registered), and delivered as non-hazardous to the Chevron Richmond Terminal for treatment.

Mr. Kenneth Kan
January 28, 1992
Page 2

31-0563

SAMPLING AND ANALYTICAL RESULTS

The results of the monitoring and laboratory analyses of the ground water samples for this quarter, as well as the results of previous monitoring and sampling events, are summarized in Table 1. Based on the previous wellhead elevation survey data and depth to water measurements collected during this monitoring event, ground water elevations and the general ground water gradient direction at this site are presented in Figure 2.

Free product was noted in monitoring well C-1. Approximately a total of 1/2 of gallon of free product was removed by bailing or skimming during the months of August and September of 1992. The official laboratory reports and chain of custody records are included in Appendix A.


Please call Todd B. Pearson at (510) 734-8134 if you have any questions concerning this report.

Sincerely,

ALTON GEOSCIENCE,





Todd B. Pearson
Staff Scientist



Robert E. Logan R.G. 5088
Manager, Northern California Operations

wp92960tp



0 1,000 2,000

 SCALE (FEET)

Source: U.S.G.S. Map
 Hayward Quadrangle
 California
 7.5 Minute Series



SITE VICINITY MAP

Former Chevron Station No. 9-2960
 2416 Grove Way
 Castro Valley, California



ALTON GEOSCIENCE
 Pleasanton, California

Project No. 31-0563

FIGURE 1

Table 1
 Summary of Results of Ground Water Sampling
 Former Chevron Service Station # 9-2960
 2416 Grove Way/Redwood Road, Castro Valley, California

Concentrations in parts per billion (ppb)

WELL ID	DATE OF SAMPLING/ MONITORING	TOP OF WELL BOX ELEVATION	DEPTH TO WATER	FREE PRODUCT THICKNESS	GROUND WATER ELEVATION	TPH-G	B	T	E	X	LAB
C-2	10/23/86	---	---	---	---	30000	2700	1900	---	1500	TMA
C-2	09/10/87	---	---	---	---	14000	2600	2900	500	1200 *	ENS
C-2	10/16/89	---	---	---	---	600	260	34	1.7	41	NA
C-2	01/04/90	---	---	---	---	2600	470	150	23	130	NA
C-2	04/05/90	---	---	---	---	500	280	29	6.3	19	NA
C-2	07/02/90	---	---	---	---	2400	670	110	17	76	NA
C-2	10/03/90	---	---	---	---	---	---	---	---	---	NA
C-2	10/25/90	151.84	16.60	---	135.24	1300	390	47	9	58	SAL
C-2	01/22/91	151.84	16.69	---	135.15	2600	680	88	29	130	SAL
C-2	02/21/91	151.84	16.31	---	135.53	---	---	---	---	---	NA
C-2	04/01/91	151.84	15.08	---	136.76	---	---	---	---	---	NA
C-2	04/11/91	151.84	15.23	---	136.61	---	---	---	---	---	NA
C-2	07/01/91	151.84	15.96	---	135.88	---	---	---	---	---	NA
C-2	09/24/91	151.84	16.51	---	135.33	3600	1400	63	6.9	63	SAL
C-2	10/23/91	151.84	16.66	---	135.18	---	---	---	---	---	NA
C-2	11/22/91	151.84	16.37	---	135.47	---	---	---	---	---	NA
C-2	01/09/92	151.84	15.56	---	136.28	7100	770	740	190	690	SAL
C-2	03/06/92	151.84	14.37	---	137.47	3200	250	230	59	220	SAL
C-2	06/04/92	151.84	15.04	---	136.80	1500	ND<0.5	180	42	130	SAL
C-2	09/28/92	151.84	16.40	---	135.44	6400	940	230	57	220	SAL
C-2	12/17/92	151.84	15.38	---	136.46	1500	370	160	6	25	SAL

Table 1
 Summary of Results of Ground Water Sampling
 Former Chevron Service Station # 9-2960
 2416 Grove Way/Redwood Road, Castro Valley, California

Concentrations in parts per billion (ppb)

WELL ID	DATE OF SAMPLING/ MONITORING	TOP OF WELL BOX ELEVATION	DEPTH TO WATER	FREE PRODUCT THICKNESS	GROUND WATER ELEVATION	TPH-G	B	T	E	X	LAB
C-3	10/23/86	---	---	---	---	3300	49	24	---	20	TMA
C-3	09/10/87	---	---	---	---	200	110	2.6	ND<2.0	ND<2.0	ENS
C-3	10/16/89	---	---	---	---	900	640	4.2	1.6	16	NA
C-3	01/04/90	---	---	---	---	920	430	7	6	7	NA
C-3	04/05/90	---	---	---	---	930	690	3.4	5.1	4.8	NA
C-3	07/02/90	---	---	---	---	1700	590	11	4.8	9.4	NA
C-3	10/03/90	154.13	19.16	---	134.97	---	---	---	---	---	NA
C-3	10/25/90	154.13	19.28	---	134.85	750	510	2	6	5	SAL
C-3	01/22/91	154.13	19.18	---	134.95	430	260	2	2	5	SAL
C-30	01/22/91	154.13	19.18	---	134.95	400	250	2	2	5	SAL
C-3	02/21/91	154.13	18.88	---	135.25	---	---	---	---	---	NA
C-3	04/01/91	154.13	17.59	---	136.54	---	---	---	---	---	NA
C-3	04/11/91	154.13	17.81	---	136.32	---	---	---	---	---	NA
C-3	07/01/91	154.13	18.56	---	135.57	---	---	---	---	---	NA
C-3	09/24/91	154.13	19.12	---	135.01	260	52	0.7	0.8	2.2	SAL
C-3	10/23/91	154.13	19.24	---	134.89	---	---	---	---	---	NA
C-3	11/22/91	154.13	19.03	---	135.10	---	---	---	---	---	NA
C-3	01/09/92	154.13	18.23	---	135.90	240	120	0.9	ND<0.5	1.6	SAL
C-3	03/06/92	154.13	17.04	---	137.09	230	68	1.2	1.2	1.3	SAL
C-3	06/04/92	154.13	17.79	---	136.34	80	36	0.6	0.5	0.7	SAL
C-3	09/28/92	154.13	19.00	---	135.13	84	49	ND<0.5	ND<0.5	1.5	SAL
C-3	12/17/92	154.13	18.18	---	135.95	220	30	ND<0.5	ND<0.5	ND<0.5	SAL

Table 1
 Summary of Results of Ground Water Sampling
 Former Chevron Service Station # 9-2960
 2416 Grove Way/Redwood Road, Castro Valley, California

Concentrations in parts per billion (ppb)

WELL ID	DATE OF SAMPLING/ MONITORING	TOP OF WELL BOX ELEVATION	DEPTH TO WATER	FREE PRODUCT THICKNESS	GROUND WATER ELEVATION	TPH-G	B	T	E	X	LAB
C-4	10/23/86	---	---	---	---	570	3	4	---	5	TMA
C-4	09/10/87	---	---	---	---	500	3.0	ND<0.5	ND<0.5	ND<0.5	ENS
C-4	10/16/89	---	---	---	---	ND<500	12	1.0	ND<0.5	0.8	NA
C-4	01/04/90	---	---	---	---	ND<500	5	ND<0.5	ND<0.5	0.9	NA
C-4	04/05/90	---	---	---	---	ND<50	6.6	ND<0.5	ND<0.5	0.7	NA
C-4	07/02/90	---	---	---	---	71	4.1	ND<0.5	ND<0.5	ND<0.5	NA
C-4	10/03/90	---	---	---	---	---	---	---	---	---	NA
C-4	10/25/90	156.00	20.43	---	135.57	ND<50	2	ND<0.5	ND<0.5	ND<0.5	SAL
C-4	01/22/91	156.00	20.50	---	135.50	ND<50	3	ND<0.5	ND<0.5	ND<0.5	SAL
C-4	02/21/91	156.00	20.23	---	135.77	---	---	---	---	---	NA
C-4	04/01/91	156.00	19.03	---	136.97	---	---	---	---	---	NA
C-4	04/11/91	156.00	19.05	---	136.95	---	---	---	---	---	NA
C-4	07/01/91	156.00	19.90	---	136.10	---	---	---	---	---	NA
C-4	09/24/91	156.00	20.41	---	135.59	87 **	1.6	ND<0.5	ND<0.5	ND<0.5	SAL
C-4	10/23/91	156.00	20.53	---	135.47	---	---	---	---	---	NA
C-4	11/22/91	156.00	20.35	---	135.65	---	---	---	---	---	NA
C-4	01/09/92	156.00	19.54	---	136.46	51 ***	4.3	ND<0.5	ND<0.5	ND<0.5	SAL
C-4D	01/09/92	156.00	19.54	---	136.46	ND<50	4.8	ND<0.5	ND<0.5	ND<0.5	SAL
C-4	03/06/92	156.00	18.26	---	137.74	ND<50	0.8	ND<0.5	ND<0.5	ND<0.5	SAL
C-4	06/04/92	156.00	18.92	---	137.08	ND<50	ND<0.5	ND<0.5	ND<0.5	0.7	SAL
C-4	09/28/92	156.00	20.31	---	135.69	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-4	12/17/92	156.00	19.57	---	136.43	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL

Table 1
 Summary of Results of Ground Water Sampling
 Former Chevron Service Station # 9-2960
 2416 Grove Way/Redwood Road, Castro Valley, California
 Concentrations in parts per billion (ppb)

WELL ID	DATE OF SAMPLING/ MONITORING	TOP OF WELL BOX ELEVATION	DEPTH TO WATER	FREE PRODUCT THICKNESS	GROUND WATER ELEVATION	TPH-G	B	T	E	X	LAB
C-5	10/03/90	153.38	17.78	---	135.60	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-5	10/25/90	153.38	17.92	---	135.46	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-5	11/09/90	153.38	17.92	---	135.46	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-5	01/22/91	153.38	17.80	---	135.58	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-5	02/21/91	153.38	17.51	---	135.87	---	---	---	---	---	NA
C-5	04/01/91	153.38	16.31	---	137.07	---	---	---	---	---	NA
C-5	04/11/91	153.38	16.36	---	137.02	---	---	---	---	---	NA
C-5	07/01/91	153.38	17.12	---	136.26	---	---	---	---	---	NA
C-5	09/24/91	153.38	17.70	---	135.68	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-5D	09/24/91	153.38	17.70	---	135.68	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-5	10/23/91	153.38	17.82	---	135.56	---	---	---	---	---	NA
C-5	11/22/91	153.38	17.61	---	135.77	---	---	---	---	---	NA
C-5	01/09/92	153.38	17.04	---	136.34	ND<50	ND<0.5	0.7	ND<0.5	ND<0.5	SAL
C-5	03/06/92	153.38	15.76	---	137.62	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-5	06/04/92	153.38	16.40	---	136.98	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-5	09/28/92	153.38	17.58	---	135.80	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-5	12/17/92	153.38	16.82	---	136.56	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-6	10/03/90	152.84	18.14	---	134.70	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-6	10/25/90	152.84	18.29	---	134.55	ND<50	ND<0.5	1	ND<0.5	ND<0.5	SAL
C-6	11/09/90	152.84	18.26	---	134.58	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-6	01/22/91	152.84	18.15	---	134.69	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-6	02/21/91	152.84	17.92	---	134.92	---	---	---	---	---	NA
C-6	04/01/91	152.84	17.11	---	135.73	---	---	---	---	---	NA
C-6	04/11/91	152.84	17.01	---	135.83	---	---	---	---	---	NA
C-6	07/01/91	152.84	17.72	---	135.12	---	---	---	---	---	NA
C-6	09/24/91	152.84	18.12	---	134.72	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-6	10/23/91	152.84	18.25	---	134.59	---	---	---	---	---	NA
C-6	11/22/91	152.84	18.05	---	134.79	---	---	---	---	---	NA
C-6	01/09/92	152.84	17.42	---	135.42	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-6	03/06/92	152.84	16.51	---	136.33	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-6	06/04/92	152.84	17.01	---	135.83	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-6	09/28/92	152.84	18.00	---	134.84	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-6	12/17/92	152.84	17.26	---	135.58	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL

Table 1
 Summary of Results of Ground Water Sampling
 Former Chevron Service Station # 9-2960
 2416 Grove Way/Redwood Road, Castro Valley, California

Concentrations in parts per billion (ppb)

WELL ID	DATE OF SAMPLING/ MONITORING	TOP OF WELL BOX ELEVATION	DEPTH TO WATER	FREE PRODUCT THICKNESS	GROUND WATER ELEVATION	TPH-G	B	T	E	X	LAB
C-7	10/03/90	155.34	20.82	---	134.52	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-7	10/25/90	155.34	20.91	---	134.43	ND<50	ND<0.5	1	ND<0.5	ND<0.5	SAL
C-7	11/09/90	155.34	20.94	---	134.40	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-7	01/22/91	155.34	21.50	---	133.84	ND<50	4	ND<0.5	ND<0.5	ND<0.5	SAL
C-7	02/21/91	155.34	20.71	---	134.63	---	---	---	---	---	NA
C-7	04/01/91	155.34	20.00	---	135.34	---	---	---	---	---	NA
C-7	04/11/91	155.34	20.05	---	135.29	---	---	---	---	---	NA
C-7	07/01/91	155.34	20.52	---	134.82	---	---	---	---	---	NA
C-7	09/24/91	155.34	20.82	---	134.52	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-7	10/23/91	155.34	20.91	---	134.43	---	---	---	---	---	NA
C-7	11/22/91	155.34	20.79	---	134.55	---	---	---	---	---	NA
C-7	01/09/92	155.34	20.16	---	135.18	ND<50	ND<0.5	ND<0.5	ND<0.5	0.9	SAL
C-7	03/06/92	155.34	19.42	---	135.92	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-7	06/04/92	155.34	19.81	---	135.53	250 ***	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-7	09/28/92	155.34	20.65	---	134.69	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
C-7	12/17/92	155.34	20.02	---	135.32	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	10/03/90	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	10/25/90	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	11/09/90	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	01/22/91	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	09/24/91	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	01/09/92	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	03/06/92	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	06/04/92	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	09/28/92	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL
TB	12/17/92	NA	NA	NA	NA	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	SAL

APPENDIX A
OFFICIAL LABORATORY RESULTS
AND
CHAIN OF CUSTODY FORMS



Alton Geoscience
Attn: TODD PEARSON

Project 31-0563
Reported 01/05/93

TOTAL PETROLEUM HYDROCARBONS

Lab #	Sample Identification	Sampled	Analyzed Matrix
87470- 1	TB-LB	12/17/92	12/30/92 Water
87470- 2	C-4	12/17/92	12/30/92 Water
87470- 3	C-5	12/17/92	12/29/92 Water
87470- 4	C-6	12/17/92	12/29/92 Water
87470- 5	C-7	12/17/92	12/30/92 Water
87470- 6	C-3	12/17/92	12/29/92 Water
87470- 7	C-2	12/17/92	12/30/92 Water

RESULTS OF ANALYSIS

Laboratory Number: 87470- 1 87470- 2 87470- 3 87470- 4 87470- 5

Gasoline:	ND<50	ND<50	ND<50	ND<50	ND<50
Benzene:	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Toluene:	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Ethyl Benzene:	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Xylenes:	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
Concentration:	ug/L	ug/L	ug/L	ug/L	ug/L

Laboratory Number: 87470- 6 87470- 7

Gasoline:	220	1500
Benzene:	30	370
Toluene:	ND<0.5	160
Ethyl Benzene:	ND<0.5	6.0
Xylenes:	ND<0.5	25
Concentration:	ug/L	ug/L



C E R T I F I C A T E O F A N A L Y S I S

ANALYSIS FOR TOTAL PETROLEUM HYDROCARBONS

Page 2 of 2
QA/QC INFORMATION
SET: 87470

NA = ANALYSIS NOT REQUESTED
ND = ANALYSIS NOT DETECTED ABOVE QUANTITATION LIMIT
ug/L = parts per billion (ppb)

OIL AND GREASE ANALYSIS By Standard Methods Method 5520F:
Minimum Detection Limit in Water: 5000ug/L

Modified EPA SW-846 Method 8015 for Extractable Hydrocarbons:
Minimum Quantitation Limit for Diesel in Water: 50ug/L

EPA SW-846 Method 8015/5030 Total Purgable Petroleum Hydrocarbons:
Minimum Quantitation Limit for Gasoline in Water: 50ug/L

EPA SW-846 Method 8020/BTXE
Minimum Quantitation Limit in Water: 0.5ug/L

ANALYTE	SPIKE LEVEL	MS/MSD RECOVERY	RPD	CONTROL LIMIT
Gasoline:	200 ng	105/91	14%	70-130
Benzene:	200 ng	83/91	9%	70-130
Toluene:	200 ng	88/95	8%	70-130
Ethyl Benzene:	200 ng	95/100	5%	70-130
Xylenes:	600 ng	98/105	7%	70-130

Richard Srna, Ph.D.

Richard Srna
Laboratory Director



Superior Precision Analytical, Inc.

825 Arnold Drive, Suite 114 • Martinez, California 94553 • (510) 229-1512 / fax (510) 229-1526

MOCK INVOICE

Chevron USA
P.O. Box 5004
San Ramon, CA 94583

Date: 01/05/93
Date Rcvd: 12/18/92
Date Rptd: 01/05/93
Our Job #: 87470
Invoice #: 87470

Alton Geoscience Job # 31-0563
Chevron USA Release # 6826750

Facility #: 9-2960

QTY/MATRIX	ANALYSIS	EXT. PRICE
6	Water sample(s) for VPHBTXE @	\$0.00 (NORMAL)
		=====
TOTAL INVOICE		0.00

Please Send Payment To:
Superior Precision Analytical
P.O. Box 1545
Martinez, CA 94553

TERMS: NET 30

A charge of 1.5% per month may be applied to unpaid balances.