



Weiss Associates

5500 Shellmound Street, Emeryville, CA 94608-2411

Environmental and Geologic Services

Fax: 510-547-5043 Phone: 510-450-6000

March 5, 1996

Kenneth Kan  
Project Engineer  
Chevron USA Products Company  
P.O. Box 5004  
San Ramon, California 94583-0804

Re: ***System Performance Report:***  
Former Chevron Service Station 9-2960  
2416 Grove Way  
Castro Valley, California  
WA Job #4-0552-88

Dear Mr. Kan:

As you requested, Weiss Associates (WA) presents the following system performance report for the ground water extraction and treatment system and soil vapor extraction (SVE) system operating at the site referenced above (Figure 1). This report contains: a summary of petroleum hydrocarbon removal, a description of the GWE and SVE systems, a discussion of GWE and SVE system operations and maintenance activities, and an evaluation of system performance.

#### ***Summary of Petroleum Hydrocarbon Removal***

The table below summarizes total petroleum hydrocarbons removed to date by the GWE system, SVE system, and manual bailing performed during system operation and maintenance visits.

Total Pounds Of Petroleum Hydrocarbons Removed	
Aqueous Phase	35
Soil Vapor Extraction	8,816
Manual Bailing	31
<b>Total</b>	<b>8,882</b>

### ***System Descriptions***

On October 18, 1993, WA began ground water extraction from well EW-1 using an electric submersible pump. The ground water treatment system consists of a particulate filter followed by two 1,000-lb aqueous-phase carbon vessels connected in series. As permitted by the Castro Valley Sanitary District (CVSD), treated ground water is discharged to the sanitary sewer. Table 1 and 2 present historical GWE system performance data and analytic results, respectively. Charts 1 and 2 present graphically the decrease in hydrocarbon removal rates and the decrease in influent TPH-G and benzene concentrations, respectively.

On June 28, 1994, WA began start-up procedures for the soil vapor extraction (SVE) system at this site. The SVE system extracts soil vapors from well C-1 with a 5 horse power blower and abates the vapors with a water knockout drum followed by a thermal oxidation unit utilizing natural gas as a supplemental fuel. Table 3 presents historical SVE system performance data. Charts 3 and 4 present graphically the decrease in hydrocarbon removal rates and the decrease in influent TPH concentrations, respectively.

### ***Operational And Maintenance Activities***

WA performs monthly operations and maintenance (O&M) in accordance with a Castro Valley Sanitary District (CVSD) permit for the ground water extraction system and a Bay Area Air Quality Management District (BAAQMD) permit for the soil vapor extraction system.

#### **Ground Water Extraction:**

WA tracks the cumulative pounds of hydrocarbons removed and the carbon consumption rate of the ground water extraction system to predict carbon breakthrough. Table 1 tracks the total hydrocarbon removed, the carbon consumption rate, and the amount of unspent carbon available in the ground water extraction system.

WA collects GWE system samples quarterly and analyzes for total petroleum hydrocarbons as gasoline (TPH-G) and benzene, toluene, ethylbenzene and xylenes (BTEX) by modified EPA methods 8015 and 8020, respectively. WA collects an effluent water sample and submits it for total

suspended solids (TSS) and chemical oxygen demand (COD) analysis annually. WA measures the effluent pH in the field quarterly. Table 2 presents historical GWE system analytic results.

#### **Soil Vapor Extraction:**

WA tracks the SVE system performance parameters including well flow rates, system flow rates, applied vacuum and operating temperatures monthly. WA collects flame ionization detector readings monthly and air samples for TPH-G and BTEX analysis biannually from the SVE system. Table 3 present historical SVE system performance parameters and analytic results.

#### **Separate Phase Hydrocarbon Bailing:**

Although not required, WA also periodically measures separate phase hydrocarbon (SPH) thickness in extraction well EW-1 and nearby soil vapor extraction well C-1. WA removes collected SPH from a passive skimmer (currently in EW-1). Table 4 summarizes SPH thickness measurements and the volume and mass of SPH removed. Charts 5 and 6 present graphically the removal of SPH and ground water elevations for wells C-1 and EW-1, respectively.

#### ***System Performance Evaluation***

Based on the data WA collects from the remediation system and ground water monitoring data collected by Blaine Tech Services Inc. of San Jose (Attachment A), WA notes that:

- Since monitoring began in 1986, overall ground water concentrations from source area monitoring wells have decreased while down gradient monitoring wells have consistently remained near or below detection limits for TPH-G and BTEX.
- TPH-G and benzene concentrations in ground water extracted from EW-1 and processed by the ground water treatment system have decreased since the system started-up; consequently the mass removal rate for the ground water extraction and treatment system has also decreased.
- Separate phase hydrocarbons have not been detected by Blaine Tech in site monitoring wells for almost one year. Since soil vapor extraction system start-up, the separate phase hydrocarbon thickness has been reduced from several inches to zero in both wells C-1 and EW-1.

- Hydrocarbon concentrations in soil vapor have decreased since start-up of the soil vapor extraction system. The influent concentration curve on Chart 4 indicates that the influent concentrations are approaching an asymptotic level, consequently the mass removal rate for the soil vapor extraction system has declined.

The GWE and SVE systems have removed over 8,880 pounds of TPHs from the subsurface of this site. The subsurface conditions have improved as indicated by the:

- Removal of the SPH plume;
- Overall decrease of hydrocarbon concentrations in ground water concentrations from source area monitoring wells, and;
- Decrease in soil vapor concentrations measured from the SVE system.

If you have any questions please contact us at (510) 450-6000.

Sincerely,  
Weiss Associates



Paul M. Nuti  
Senior Staff Engineer



Michael Cooke  
Project Geologist

MC/PMN:pmn

JACIEVRON0052\WAM\REPORTS\1295DCR4.DOC

Attachments:

- Figure 1. Site Location Map
- Table 1. Ground Water Treatment System Performance Summary
- Table 2. Ground Water Treatment System Analytic Results Summary
- Table 3. Thermal Oxidizer, Soil Vapor Extraction System Performance and Monitoring Data
- Table 4. Separate Phase Hydrocarbon Thickness and Recovery Record
- Chart 1. Ground Water Extraction System: Total Hydrocarbon Removal
- Chart 2. Ground Water Extraction System: Influent Concentrations
- Chart 3. Soil Vapor Extraction System: Total Hydrocarbon Removal
- Chart 4. Soil Vapor Extraction System: Hydrocarbon Influent Concentrations
- Chart 5. Manual Bailing From C-1 and EW-1: Total Hydrocarbon Removal
- Chart 6. Ground Water Elevations in Monitoring Wells C-1 and EW-1
- A . Ground Water Monitoring Data From Blaine Tech Services Inc.




Figure 1. Site Location Map, Former Chevron Service Station #9-2960, 2416 Grove Way, Castro Valley, California

Table 1. Ground Water Treatment System Performance Summary, Former Chevron Service Station #9-2960, 2416 Grove Wa

DATE	EW-1 TOTALIZER READING (gal)	FLOW BETWEEN READINGS (gal)	DAYS BETWEEN READINGS (days)	AVERAGE FLOW (gpm)	SYSTEM INFLUENT TPH-G (ppm) (b)	TOTAL POUNDS OF TPH-G REMOVED (lbs)	ESTIMATED CARBON CONSUMPTION (lbs/day)	ESTIMATED POUNDS OF UNSPENT CARBON (lbs)	COMMENTS
18-Oct-93	1,110	0	0	0.0	4.80	0	0	2000	System Started (a)
02-Nov-93	31,854	30,744	15	1.4	4.80	1.23	1.64	1975	
09-Nov-93	43,508	11,654	7	1.2	4.80	1.70	1.33	1966	
17-Nov-93	55,311	11,803	8	1.0	4.80	2.17	1.18	1957	
24-Nov-93	62,611	7,300	7	0.7	4.80	2.46	0.83	1951	
20-Dec-93	97,671	35,061	26	0.9	3.00	3.34	0.67	1933	Hose between pump and treatment system had leak. Temporarily repaired.
12-Jan-94	119,502	21,831	23	0.7	3.00	3.88	0.47	1922	Hose replaced.
28-Jan-94	155,877	36,375	16	1.6	0.97	4.18	0.37	1916	System shut down by WA, due to a
09-Feb-94	158,524	2,647	12	0.2	1.50	4.21	0.06	1916	System restarted by WA. Toluene hit assumed to be anomalous.
15-Mar-94	239,316	80,792	34	1.7	2.80	6.09	1.11	1878	
13-Apr-94	293,968	54,653	29	1.3	4.80	8.28	1.51	1834	
25-May-94	338,656	44,688	42	0.7	8.50	11.45	1.51	1771	
28-Jun-94	366,715	28,060	34	0.6	6.30	12.92	0.87	1742	SVE System Start-Up.
05-Jul-94	377,565	10,850	7	1.1	6.70	13.52	1.73	1730	
02-Aug-94	396,324	18,759	28	0.5	6.90	14.60	0.77	1708	
06-Sep-94	436,168	39,844	35	0.8	3.50	15.77	0.66	1685	
14-Sep-94	448,459	12,291	8	1.1	3.50	16.12	0.90	1678	no samples taken
15-Sep-94	449,836	1,377	1	1.0	3.50	16.16	0.80	1677	no samples taken
04-Oct-94	460,368	10,532	19	0.4	16.00	17.57	1.48	1649	quarterly samples collected
17-Oct-94	481,149	20,780	13	1.1	16.00	20.34	4.26	1593	no samples taken
22-Nov-94	490,524	9,376	36	0.2	16.00	21.59	0.69	1568	no samples taken
12-Dec-94	509,587	19,063	20	0.7	16.00	24.13	2.54	1517	System overhaul: redevelop EW-1, clean pump and discharge line.
05-Jan-95	558,435	48,848	24	1.4	5.30	26.29	1.80	1474	quarterly samples collected
01-Feb-95	603,505	45,070	27	1.2	5.30	28.28	1.47	1434	no samples taken
01-Mar-95	618,780	15,275	28	0.4	5.30	28.95	0.48	1421	no samples taken
12-Apr-95	654,438	35,658	42	0.6	4.30	30.23	0.61	1395	quarterly samples collected
22-May-95	681,576	27,138	40	0.5	4.30	31.20	0.49	1376	no samples taken, replaced broken 1"
29-Jun-95	762,836	81,260	38	1.5	4.30	34.12	1.53	1318	no samples taken
27-Jul-95	809,658	46,822	28	1.2	2.00	34.90	0.56	1302	quarterly samples collected
28-Aug-95	810,497	840	32	0.0	2.00	34.91	0.01	1302	system down due to low water level in
05-Sep-95	813,545	3,048	8	0.3	2.00	34.96	0.13	1301	system down due to low water level in
13-Sep-95	818,361	4,806	8	0.4	2.00	35.04	0.20	1299	system down due to low water level in
31-Oct-95	822,268	3,917	48	0.1	0.83	35.07	0.01	1299	quarterly samples collected
20-Nov-95	852,361	30,093	20	1.0	0.83	35.28	0.21	1294	system on but very low flow rate.
14-Dec-95	879,351	26,990	24	0.8	0.83	35.46	0.16	1291	Replaced pump controller. no samples taken, system running.
17-Jan-96	880,723	1,372	34	0.0	1.10	35.48	0.01	1290	system down due to high rain water level in secondary containment sump, quarterly

Notes:

Total lbs TPH-G removed = [flow rate (gpm) \* concentration of TPH-G (parts/1,000,000) \* density of water (8.34lb/gal) \* 1440 (min/day)] \* number of days of operation + the previous total.

Carbon Consumption = [flow rate (gpm) \* concentration of TPH-G (parts/1,000,000) \*

density of water (8.34lb/gal) \* 1440 (min/day)] / 0.05 (adsorption capacity of TPH-G on carbon)

Pounds Of Unspent Carbon = 2000 (lbs (two 1,000 lbs carbon vessels) - Carbon Consumption (lbs/day) \* number of days (days)

gal = gallons

gpm = gallons per minute

(a) = Initial 1,110 gallons was from the 3 hour start-up test on 7/7/93.

The water was stored in a tank on site until analyzed and then discharged to the sanitary sewer on 7/20/93.

(b) = If no influent data is available, the influent concentration is assumed equal to the concentration when last sampled.

**Table 2. Ground Water Treatment System Analytic Results Summary, Former Chevron Service Station #9-2960, 2416 Grove Way, Castro Valley, California**

DATE SAMPLED	LAB	SYSTEM INFLUENT					SYSTEM MIDPOINT					SYSTEM EFFLUENT					pH	COD mg/l	TSS mg/l			
							First Carbon Effluent					Second Carbon Effluent										
		TPH-G	B	E	T	X	TPH-G	B	E	T	X	TPH-G	B	E	T	X						
18-Oct-93	SPA	4,800	1,600	72	63	94	---	---	---	---	---	---	---	---	---	---	---	---	---			
26-Oct-93	SPA	---	---	---	---	---	---	---	---	---	---	<50	<0.5	<0.5	<0.5	<1.5	---	---	---			
02-Nov-93	SPA	---	---	---	---	---	---	---	---	---	---	<50	<0.5	<0.5	<0.5	<1.5	---	---	---			
09-Nov-93	SPA	---	---	---	---	---	---	---	---	---	---	<50	<0.5	<0.5	<0.5	<1.5	---	---	---			
17-Nov-93	SPA	---	---	---	---	---	---	---	---	---	---	<50	<0.5	<0.5	<0.5	<0.5	---	---	---			
24-Nov-93	SPA	3,000	880	24	110	130	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.78	<20	<0.10			
20-Dec-93	SPA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7.24	---	---			
12-Jan-94	SPA	970	250	1.8	44	88	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	0.7	<0.5	7.44	31	<10			
28-Jan-94	SPA	1,500	520	18	82	110	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	7.05	28	<4			
15-Mar-94	SPA	2,800	800	31	120	270	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.96	<20	<10			
13-Apr-94	SPA	4,800	680	38	180	620	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	7.30	25	<10			
25-May-94	SPA	8,500	1,000	67	820	1,100	<50	0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.77	27	<4			
28-Jun-94	SPA	6,300	1,000	82	290	900	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.87	<20	<4			
05-Jul-94	SPA	6,700	1,600	56	170	650	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	---	57	<4			
02-Aug-94	SPA	6,900	1,700	2.8	23	460	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.83	33	<4			
06-Sep-94	SPA	3,500	1,000	15	61	200	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	7.54	30	190			
04-Oct-94	SPA	16,000	2,800	55	420	700	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	7.10	51	<4			
05-Jan-95	SPA	5,300	1,200	35	130	340	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.93	<20	<10			
12-Apr-95	SQA	4,300	1,600	28	67	440	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.6	---	---			
27-Jul-95	GTEL	2,000	500	15	33	120	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.88	---	---			
31-Oct-95	SQA	830	210	13	3.7	42	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.9	30	6.5			
17-Jan-96	SQA	1,100	350	28	22.0	84	<50	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	6.85	<20	<1.0			

**Abbreviations:**

TPH-G = Total petroleum hydrocarbons as gasoline  
by modified EPA Method 8015

B = Benzene by EPA Method 8020

E = Ethylbenzene by EPA Method 8020

T = Toluene by EPA Method 8020

X = Xylenes by EPA Method 8020

COD = Chemical oxygen demand by EPA Method 410.4

TSS = Total suspended solids by EPA Method 160.1

<n = Not detected at detection limit of n ppb

SPA = Superior Precision Analytical Laboratory,

Martinez, California

SQA = Sequoia Analytical Laboratory, Redwood City, California.

mg/l = milligrams per liter

--- = Not analyzed

**Notes:**

(a) = Due to laboratory error, the sample was analyzed for settleable solids rather than total suspended solids.

(b) = Due to laboratory error, the samples for December were not analyzed.

(c) = The effluent toluene concentration is assumed to be an anomalous reading.

A confirmation sample was collected on January 28, 1994, and was below detection limits for toluene.

(d) = Due to a field error an effluent pH measurement was not taken during the July 5, 1994 site visit.

Table 3. Thermal Oxidizer, Soil Vapor Extraction System Performance and Monitoring Data, Former Chevron Service Station #9-2960, 2416 Grove Way, Castro Valley, California

Date	Interval Days of Operation (days)	Well Flow Rate (scfm)	System Flow Rate (scfm)	Total Interval Throughput (cf)	Vacuum (*H <sub>2</sub> O)	Operating Temperature (degrees F)	Fuel Hydrocarbon Concentrations (ppmv)						TPH-G Removal Rate (#/day)	Total TPH-G Removal (#)	Emission Rates		TPH-G Destruction Efficiency (%)	
	<-----Influent----->		OVM	TPH-G	Benzene	<-----Effluent----->		OVM	TPH-G	Benzene								
28-Jun-94	0.5	48	48	34,560	18	960	23,200	10,000	160	0	390	6.2	179	90	6,984	0.0866	96.10%	a
13-Jul-94	1	38	33	47,520	30	1,060	14,500	10,000	140	80	130	2.8	123	213	1,600	0.0269	98.70%	b
2-Aug-94	14	17	43	866,880	24	1,114	8,400	---	---	20	---	---	135	2,099	0.321	---	99.76%	
6-Sep-94	17	15	50	1,224,000	26	1,100	6,900	---	---	1	---	---	129	4,287	0.019	---	99.99%	
4-Oct-94	30	---	43	1,857,600	24	1,195	3,100	---	---	0	---	---	50	5,779	0.000	---	100.00%	
22-Nov-94	36	76	17	881,280	26	1,150	3,800	---	---	0	---	---	24	6,647	0.000	---	100.00%	
12-Dec-94	1	13	23	33,120	28	NM	5,250	---	---	0	---	---	45	6,692	0.000	---	100.00%	
5-Jan-95	16	NM	26	599,040	29	1,160	3,600	---	---	0	---	---	35	7,250	0.000	---	100.00%	
1-Feb-95	27	31	23	894,240	38	1,160	5	---	---	0	---	---	0	7,251	0.000	---	100.00%	
1-Mar-95	10	10	23	331,200	24	1,175	27	140	1.5	2	ND < 2.8	ND < 0.031	1	7,263	0.000	0.0000	100.00%	
12-Apr-95	42	5	35	2,116,800	29	---	30	---	---	0	---	---	0	7,280	0.000	---	100.00%	
22-May-95	40	9	23	1,324,800	30	1,150	250	---	---	1	---	---	2	7,366	0.000	---	99.60%	
29-Jun-95	15	NM	31	669,600	27	1,165	1,000	---	---	7	---	---	12	7,539	0.000	---	99.35%	
27-Jul-95	28	9	29	1,169,280	29	1,148	65	---	---	0	---	---	1	7,559	0.000	---	100.00%	
28-Aug-95	32	7	28	1,290,240	31	1,140	12	---	---	5	---	---	0	7,563	0.000	---	58.33%	
13-Sep-95	11	9	16	253,440	29	1,155	570	---	---	35	---	---	3	7,600	0.000	---	93.86%	
30-Oct-95	47	8	16	1,082,880	28	1,150	3,750	640	10	207	ND < 3.8	ND < 0.031	4	7,780	0.000	0.0000	100.00%	
20-Nov-95	21	NM	40	1,209,600	30	1,251	220	---	---	4	---	---	3	7,849	0.000	---	98.18%	
14-Dec-95	20	13	40	1,152,000	30	1,251	3,200	---	---	0	---	---	48	8,804	0.000	---	100.00%	
17-Jan-96	1	10	45	64,800	30	1,240	700	280	3.4	0	ND < 3.8	ND < 0.031	12	8,816	0.000	0.0000	100.00%	

NOTES:

a = Initial attempt at start-up. System shut down on July 1, 1994, due to system malfunction. System was restarted on July 6, and shut down on July 7 due to a flame out.

Initial confirmation test results received on July 8, 1994. The system was left off after receiving June 28, 1994 laboratory analytic results

b = Second attempt at start-up. Samples taken at higher operating temp. System shut-off before leaving the site.

System restarted on July 26, 1994, after receiving July 13, 1994 laboratory analytic results.

ABBREVIATIONS:

ppmv = Parts per million by volume.

# = Pounds

--- = Not analyzed or not available.

SVE = Soil vapor extraction from wells with a King Buck thermal oxidizer.

TPH-G = Total purgeable hydrocarbons as gasoline by EPA Method 8015 (or by OVM if no laboratory test was conducted).

BENZENE = Benzene by modified EPA Method 8020.

OVM = Flame Ionization Detector (FID).

TPH-G REMOVAL/EMISSION RATE = Rate based on Bay Area Air Quality Management District's Manual of Procedures for Soil Vapor Extraction dated

July 17, 1991. Rate = lab concentration(ppmv) x system flow rate(scfm) x (1lb-mole/386ft<sup>3</sup>) x molecular weight (100 lb/lb-mole for TPH-G

,78 lb/lb-mole for benzene) x 1440 min/day x 1/1,000,000.

If laboratory analyses were not done, FID readings will be used in place of TPH-G for calculations and benzene calculations will be omitted.

TOTAL TPH-G REMOVAL = Average of the current and previous removal rates multiplied by the day-interval of operation plus the previous total amount removed. When the current removal rate exceeds the previous removal rate, the interval removal rate is based on the previous removal rate.

Table 4. Separate Phase Hydrocarbon Thickness and Recovery Record. Former Chevron Service Station #9-2960, 2416 Grove Way, Castro Valley, California

DATE	C-1					EW-1					Passive Skimmer Location	Total Cumulative SPH Recovered (lbs)	
	Depth to Water (ft)	Depth to SPH (ft)	SPH Thickness (ft)	SPH Recovered (gal)	Cumulative SPH Recovered (gal)	Depth to Water (ft)	Depth to SPH (ft)	SPH Thickness (ft)	SPH Recovered (gal)	Cumulative SPH Recovered (gal)			
18-Oct-93	16.91	NM	NM	NM	NM	16.49	NP	0	0	0	C-1	0	
26-Oct-93	NM	NM	NM	NM	NM	NM	NM	NM	NM	0	C-1	0	
02-Nov-93	18.59	17.71	0.88	NM	NM	23.70	NP	0	0	0	C-1	0	
09-Nov-93	18.54	17.89	0.65	0.75	0.75	22.13	NP	0	0	0	C-1	4.95	
17-Nov-93	NM	NM	NM	1.00	1.75	21.40	NP	0	0	0	C-1	11.55	
24-Nov-93	18.15	18.03	0.12	0.55	2.30	22.47	NP	0	0	0	C-1	15.18	
20-Dec-93	17.72	17.38	0.34	NM	2.30	NM	NM	NM	NM	0	C-1	15.18	
12-Jan-94	17.75	NM	NM	0.25	2.55	16.36	NP	0	0	0	C-1	16.83	
28-Jan-94	18.59	17.81	0.78	NM	2.55	NM	NM	NM	NM	0	Reset Skimmer lower in well	16.83	
15-Mar-94	17.63	17.15	0.48	0.50	3.05	26.60	NP	0	0	0		20.13	
13-Apr-94	17.35	NM	NM	1.00	4.05	28.52	NP	0	0	0	C-1	26.73	
25-May-94	16.63	16.6	0.03	NB	4.05	20.74	20.46	0.28	NB	0	C-1	26.73	
28-Jun-94	(a)	17.90	17.76	0.14	0.25	4.30	23.03	22.67	0.36	NB	0	C-1 (Skimmer set in EW-1)	28.38
05-Jul-94	(b)	17.31	17.19	0.12	NB	4.30	21.70	21.49	0.21	0.5	0.50	EW-1	31.68
02-Aug-94	(b)	16.67	16.6	0.07	NB	4.30	17.49	NP	0	0	0.50	EW-1	31.68
06-Sep-94	(b)	17.63	17.08	0.55	NB	4.30	20.22	NP	0	0	0.50	EW-1	31.68
04-Oct-94	(b)	NM	NM	NM	0	4.30	16.89	NP	0	0	0.50	EW-1	31.68
22-Nov-94	NM	NM	NM	0	4.30	NM	NM	NM	0	0.50	EW-1	31.68	
12-Dec-94	(b)	16.53	16.50	0.03	NB	4.30	16.70	NP	0	0	0.50	EW-1	31.68
05-Jan-95	(b)	16.65	16.65	Sheen	NB	4.30	18.60	NP	0	0	0.50	EW-1	31.68
01-Feb-95	(b)	14.48	14.48	Sheen	NB	4.30	14.41	NP	0	0	0.50	EW-1	31.68
01-Mar-95	(b)	15.57	15.56	Sheen	NB	4.30	15.84	NP	0	0	0.50	EW-1	31.68
12-Apr-95	(b)	14.32	NP	0.00	0	4.30	16.85	NP	0	0	0.50	EW-1	31.68
22-May-95	(b)	NA	NP	0.00	0	4.30	15.43	NP	0	0	0.50	EW-1	31.68
29-Jun-95	(b)	16.93	NP	0.00	0	4.30	28.05	NP	0	0	0.50	EW-1	31.68
27-Jul-95	(b)	15.80	NP	0.00	0	4.30	27.50	NP	0	0	0.50	EW-1	31.68
28-Aug-95	(b)	15.75	NP	0.00	0	4.30	27.92	NP	0	0	0.50	EW-1	31.68
13-Sep-95	(b)	16.91	NP	0.00	0	4.30	24.75	NP	0	0	0.50	EW-1	31.68
30-Oct-95	(b)	15.80	NP	0.00	0	4.30	16.24	NP	0	0	0.50	EW-1	31.68
20-Nov-95	(b)	NM	NM	NM	NM	4.30	NM	NM	NM	0.50	EW-1	31.68	
14-Dec-95	(b)	17.40	NP	0.00	0	4.30	17.30	NP	0	0	0.50	EW-1	31.68
17-Jan-96		16.06	NP	0.00	0	4.30	16.01	NP	0	0	0.50	EW-1	31.68

Notes:

(a) = SVE system started extracting soil vapor from well C-1.

(b) = EW-1 water level influenced by the soil vapor extraction (SVE).

SPH = separate phase hydrocarbons

NM = Not measured

NP = No SPH


NB = SPH was not removed

NA = Well was inspected for SPH but no measurements were recorded because the SVE system was operating.

Sheen = A hydrocarbon sheen was present on the water in the observation well.


**Chart 1**

**Ground Water Extraction System: Total Hydrocarbon Removal**  
Former Chevron Service Station # 9-2016, 1624 Grove Way, Castro Valley, California




**Chart 2**

**Ground Water Extraction System: Influent Concentrations**  
Former Chevron Service Station # 9-2960, 2416 Grove Way, Castro Valley, California




### Chart 3

**Soil Vapor Extraction System: Total Hydrocarbon Removal**  
Former Chevron Service Station # 9-2960, 2416 Grove Way, Castro Valley, California




**Chart 4**

**Soil Vapor Extraction System: Hydrocarbon Influent Concentrations**  
Former Chevron Service Station #9-2960, 241 Grove Way Castro Valley, California




**Chart 5**

**Manual Bailing From C-1 and EW-1: Total Hydrocarbon Removal**  
Former Chevron Service Station # 9-2960, 2416 Grove Way, Castro Valley, California




**Chart 6**

**Ground Water Elevations in Monitoring Wells C-1 and EW-1**  
Former Chevron Service Station # 9-2960, 2416 Grove Way, Castro Valley, California



**ATTACHMENT A**

GROUND WATER MONITORING DATA FROM BLAINE TECH SERVICES INC.



# BLAINE TECH SERVICES INC.

985 TIMOTHY DRIVE  
SAN JOSE, CA 95133  
(408) 995-5535  
FAX (408) 293-8773

DATE 2/9/96

Total pages  
including  
cover sheet 10

TO PAUL NUTI  
OF WEISS  
FROM FRAN THIE

REMARKS: HERE ARE THE LATEST TABLES  
FROM 9-2960 YOU REQUESTED.

---

---

---


---

---


---

---

---



<u>EXPLANATION</u>	
G C-7	GROUND-WATER MONITORING WELL
RW	RECOVERY WELL (NOT MEASURED)
135.64	GROUND-WATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL
136.5	GROUND-WATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL
B.DI	APPROXIMATE DIRECTION OF GROUND-WATER FLOW. GRADIENT INDICATED IN FEET / FEET



GEOCONSULTANTS, INC.

SAN JOSE, CALIFORNIA

Project No. 6750-05

DRNG NO: W018296

Digitized by srujanika@gmail.com

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.							Volumetric Measurements are in gallons.			Analytical results are in parts per billion (ppb)				
DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	
	Head	Water	To Water	SPH	SPH	Thickness	Removed	Removed						
C-1														
10/23/86	153.36	—	—	—	—	—	—	3100	6400	3700	—	4300	—	
09/10/87	153.36	—	—	—	—	—	—	120,000	25,000	50,000	13,000	56,000	—	
10/03/90	153.36	134.69	18.67	—	—	—	—	—	—	—	—	—	—	
10/25/90	153.36	135.22	18.71	0.71	—	—	—	—	—	—	—	—	—	
01/22/91	153.36	135.22	18.70	0.70	—	—	—	—	—	—	—	—	—	
02/21/91	153.36	135.44	18.62	0.88	—	—	—	—	—	—	—	—	—	
04/01/91	153.36	136.47	16.91	0.03	—	—	—	—	—	—	—	—	—	
04/11/91	153.36	136.49	16.90	0.04	—	—	—	—	—	—	—	—	—	
07/01/91	153.36	135.75	17.61	0.00	—	—	—	—	—	—	—	—	—	
09/24/91	153.36	135.17	18.98	0.99	—	—	—	—	—	—	—	—	—	
10/23/91	153.36	135.03	19.32	1.24	—	—	—	—	—	—	—	—	—	
11/22/91	153.36	134.53	18.83	0.97	—	—	—	—	—	—	—	—	—	
01/09/92	153.36	136.10	17.26	—	—	—	—	—	—	—	—	—	—	
03/06/92	153.36	137.16	16.69	0.61	—	—	—	—	—	—	—	—	—	
06/04/92	153.36	136.44	17.10	0.22	—	—	—	—	—	—	—	—	—	
09/28/92	153.36	—	18.71	0.77	—	—	—	—	—	—	—	—	—	
12/17/92	153.36	—	17.54	0.45	—	—	—	—	—	—	—	—	—	
04/29/93	153.36	137.50	16.40	0.68	—	—	—	—	—	—	—	—	—	
07/26/93	153.36	136.92	16.85	0.51	—	—	—	—	—	—	—	—	—	
10/22/93	153.36	135.55	17.83	0.03	—	—	—	—	—	—	—	—	—	
01/24/94	153.36	—	—	—	—	—	—	—	—	—	—	—	—	
04/11/94	153.36	136.01	17.76	0.51	—	—	—	—	—	—	—	—	—	
07/01/94	153.36	135.95	17.46	0.06	—	—	—	—	—	—	—	—	—	
10/06/94	153.36	135.24	18.18	0.08	—	—	—	—	—	—	—	—	—	
01/11/95	153.36	136.63	16.79	0.08	0.04	0.04	—	44,000	410	100	130	5400	—	
04/07/95	153.36	139.23	14.13	0.00	0.00	0.04	—	16,000	96	81	53	1000	—	
07/20/95	153.36	136.84	16.52	0.00	0.00	0.04	—	59,000	150	36	16	56	—	
09/22/95	153.36	137.22	16.14	0.00	0.00	0.04	—	29,000	4500	1100	520	1900	-250	
01/06/96	153.36	137.43	15.93	0.00	0.00	0.04	—	—	—	—	—	—	—	

### Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.										Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)			
DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethy-	Xylene	MTBE				
	Head	Water	To Water	SPH	SPH	Thickness			Removed	Removed	Benzene						
<b>C-2</b>																	
10/23/86	151.84	-	-	-	-	-	-	30,000	2700	1900	-	1500	-				
09/10/87	151.84	-	-	-	-	-	-	14,000	2600	2900	500	1200	-				
10/16/88	151.84	-	-	-	-	-	-	600	260	34	1.7	41	-				
01/04/90	151.84	-	-	-	-	-	-	2600	470	150	23	130	-				
04/05/90	151.84	-	-	-	-	-	-	500	280	29	6.3	19	-				
07/02/90	151.84	-	-	-	-	-	-	2400	670	110	17	76	-				
10/03/90	151.84	-	-	-	-	-	-	-	-	-	-	-	-				
10/25/90	151.84	135.24	16.60	-	-	-	-	1300	390	47	9.0	58	-				
01/22/91	151.84	135.15	16.69	-	-	-	-	2600	680	88	29	130	-				
02/21/91	151.84	135.53	16.31	-	-	-	-	-	-	-	-	-	-				
04/01/91	151.84	136.76	15.08	-	-	-	-	-	-	-	-	-	-				
04/11/91	151.84	136.61	15.23	-	-	-	-	-	-	-	-	-	-				
07/01/91	151.84	135.88	15.96	-	-	-	-	3600	1400	83	6.9	63	-				
08/24/91	151.84	135.33	16.51	-	-	-	-	-	-	-	-	-	-				
10/23/91	151.84	135.18	16.66	-	-	-	-	-	-	-	-	-	-				
11/22/91	151.84	135.47	16.37	-	-	-	-	7100	770	740	180	690	-				
01/09/92	151.84	136.28	15.56	-	-	-	-	3200	250	230	59	220	-				
03/06/92	151.84	137.47	14.37	-	-	-	-	1500	40.5	180	42	130	-				
06/04/92	151.84	136.80	15.04	-	-	-	-	6400	940	230	57	220	-				
09/28/92	151.84	135.44	16.40	-	-	-	-	1500	370	160	6.0	25	-				
12/17/92	151.84	136.46	15.38	-	-	-	-	1800	690	120	74	140	-				
04/29/93	151.84	136.87	14.97	0.00	-	-	-	4300	1500	96	29	96	-				
07/29/93	151.84	136.92	14.92	0.00	-	-	-	820	560	57	15	58	-				
10/22/93	151.84	136.03	15.81	0.00	-	-	-	-	-	-	-	-	-				
01/24/94	151.84	--	--	--	-	-	-	2000	240	48	36	310	-				
04/11/94	151.84	136.49	15.35	0.00	-	-	-	370	55	12	3.1	8.8	-				
07/01/94	151.84	136.44	15.40	0.00	-	-	-	150	47	4.8	1.8	5.4	-				
10/06/94	151.84	135.84	16.00	0.00	-	-	-	52	0.65	<0.5	<0.5	<0.5	-				
01/11/95	151.84	137.06	14.78	0.00	-	-	-	1500	260	64	52	85	-				
04/07/95	151.84	138.93	12.91	0.00	-	-	-	3000	500	100	96	110	-				
07/20/95	151.84	136.81	15.03	0.00	-	-	-	2000	630	120	20	79	-				
09/22/95	151.84	137.05	14.79	0.00	-	-	-	1900	240	110	58	180	-				
01/06/96	151.84	137.37	14.47	0.00	-	-	-	-	-	-	-	-	<12				

### Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.										Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)			
DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethy-Benzen	Xylene	MTBE				
	Head	Water	To Water	SPH	SPH	Thickness			Removed	Removed							
<b>C-3</b>																	
10/23/86	154.13	--	--	--	--	--	--	3300	49	24	--	20	--	--	--	--	--
09/10/87	154.13	--	--	--	--	--	--	200	110	2.6	<2.0	<2.0	--	--	--	--	--
10/16/89	154.13	--	--	--	--	--	--	900	640	4.2	1.6	16	--	--	--	--	--
01/04/90	154.13	--	--	--	--	--	--	920	430	7.0	6.0	7.0	--	--	--	--	--
04/05/90	154.13	--	--	--	--	--	--	930	690	3.4	5.1	4.8	--	--	--	--	--
07/02/90	154.13	--	--	--	--	--	--	1700	590	11	4.8	9.4	--	--	--	--	--
10/03/90	154.13	134.97	19.16	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/25/90	154.13	134.85	19.28	--	--	--	--	750	510	2.0	6.0	5.0	--	--	--	--	--
01/22/91	154.13	134.95	19.18	--	--	--	--	430	260	2.0	2.0	5.0	--	--	--	--	--
01/22/91	154.13	134.95	19.18	--	--	--	--	400	250	2.0	2.0	5.0	--	--	--	--	--
02/21/91	154.13	135.25	18.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/01/91	154.13	136.54	17.59	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/11/91	154.13	136.32	17.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/01/91	154.13	135.57	18.56	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/24/91	154.13	135.01	19.12	--	--	--	--	260	52	0.7	0.8	2.2	--	--	--	--	--
10/23/91	154.13	134.89	19.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--
11/22/91	154.13	135.10	19.03	--	--	--	--	240	120	0.9	<0.5	1.6	--	--	--	--	--
01/09/92	154.13	135.90	18.23	--	--	--	--	230	68	1.2	1.2	1.3	--	--	--	--	--
03/06/92	154.13	137.09	17.04	--	--	--	--	80	36	0.6	0.5	0.7	--	--	--	--	--
06/04/92	154.13	136.34	17.79	--	--	--	--	84	49	<0.5	<0.5	1.5	--	--	--	--	--
09/28/92	154.13	135.13	19.00	--	--	--	--	220	30	<0.5	<0.5	<0.5	--	--	--	--	--
12/17/92	154.13	135.95	18.18	--	--	--	--	360	12	0.6	<0.5	<1.5	--	--	--	--	--
04/29/93	154.13	135.35	18.78	0.00	--	--	--	800	38	1.1	<0.5	<1.5	--	--	--	--	--
07/26/93	154.13	136.41	17.72	0.00	--	--	--	200	64	0.6	<0.5	<1.5	--	--	--	--	--
10/22/93	154.13	135.63	18.50	0.00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/24/94	154.13	135.62	18.51	0.00	--	--	--	100	3.6	2.1	<0.5	2.3	--	--	--	--	--
04/11/94	154.13	136.09	18.04	0.00	--	--	--	140	3.7	1.2	<0.5	1.0	--	--	--	--	--
07/01/94	154.13	136.01	18.12	0.00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/06/94	154.13	135.50	18.63	0.00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/11/95	154.13	137.01	17.12	0.00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
04/07/95	154.13	138.34	15.79	0.00	--	--	--	<50	1.5	1.9	<0.5	3.5	--	--	--	--	--
07/20/95	154.13	136.37	17.76	0.00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
09/22/95	154.13	136.58	17.55	0.00	--	--	--	<50	<0.5	<0.5	<0.5	1.1	--	--	--	--	--
01/02/96	154.13	136.88	17.25	0.00	--	--	--	<50	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--

### Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)					
DATE	Well Head	Ground Water	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH Gasoline	Benzene	Toluene	Ethyl-Benzenes	Xylene	MTBE
	Elev.	Elev.											
<b>C-4</b>													
10/23/86	156.00	-	-	-	-	-	-	570	3.0	4.0	-	5.0	-
09/10/87	156.00	-	-	-	-	-	-	500	3.0	<0.5	<0.5	<0.5	-
10/16/89	156.00	-	-	-	-	-	-	500	12	1.0	<0.5	0.8	-
01/04/90	156.00	-	-	-	-	-	-	500	5.0	<0.5	<0.5	0.9	-
04/05/90	156.00	-	-	-	-	-	-	50	6.6	<0.5	<0.5	0.7	-
07/02/90	156.00	-	-	-	-	-	-	71	4.1	<0.5	<0.5	<0.5	-
10/03/90	156.00	-	-	-	-	-	-	-	-	-	-	-	-
10/25/90	156.00	135.57	20.43	-	-	-	-	50	2.0	<0.5	<0.5	<0.5	-
01/22/91	156.00	135.50	20.50	-	-	-	-	50	3.0	<0.5	<0.5	<0.5	-
02/21/91	156.00	135.77	20.23	-	-	-	-	-	-	-	-	-	-
04/01/91	156.00	136.97	19.03	-	-	-	-	-	-	-	-	-	-
04/11/91	156.00	136.95	19.05	-	-	-	-	-	-	-	-	-	-
07/01/91	156.00	136.10	19.90	-	-	-	-	-	-	-	-	-	-
09/24/91	156.00	135.59	20.41	-	-	-	-	87	1.6	<0.5	<0.5	<0.5	-
10/23/91	156.00	135.47	20.53	-	-	-	-	-	-	-	-	-	-
11/22/91	156.00	135.65	20.35	-	-	-	-	-	-	-	-	-	-
01/08/92	156.00	136.46	19.54	-	-	-	-	51	4.3	<0.5	<0.5	<0.5	-
01/09/92	156.00	136.46	19.54	-	-	-	-	50	4.8	<0.5	<0.5	<0.5	-
03/06/92	156.00	137.74	18.26	-	-	-	-	50	0.8	<0.5	<0.5	<0.5	-
06/04/92	156.00	137.08	18.92	-	-	-	-	50	0.5	<0.5	<0.5	<0.5	-
09/28/92	156.00	135.89	20.31	-	-	-	-	50	0.5	<0.5	<0.5	<0.5	-
12/17/92	156.00	136.43	19.57	-	-	-	-	50	0.5	<0.5	<0.5	<0.5	-1.5
04/29/93	156.00	138.22	17.78	0.00	-	-	-	50	0.5	<0.5	<0.5	<0.5	-
07/26/93	156.00	-	-	-	-	-	-	-	-	-	-	-	-
08/18/93	156.00	137.09	18.91	0.00	-	-	-	50	0.5	<0.5	<0.5	<0.5	-1.5
10/22/93	156.00	136.61	19.39	0.00	-	-	-	50	2.9	2.1	1.1	4.3	-
01/24/94	158.00	136.58	19.42	0.00	-	-	-	50	0.5	<0.5	<0.5	<0.5	-
04/11/94	156.00	136.88	19.14	0.00	-	-	-	50	0.5	0.6	<0.5	0.5	-
07/01/94	156.00	136.80	19.20	0.00	-	-	-	50	0.5	<0.5	<0.5	<0.5	-
10/06/94	156.00	136.26	19.74	0.00	-	-	-	50	0.5	<0.5	<0.5	<0.5	-
01/11/95	156.00	139.70	16.30	0.00	-	-	-	50	0.5	<0.5	<0.5	<0.5	-
04/07/95	156.00	139.49	16.51	0.00	-	-	-	50	0.5	<0.5	<0.5	<0.5	-
07/20/95	156.00	137.20	18.80	0.00	-	-	-	50	0.5	<0.5	<0.5	<0.5	-
09/22/95	156.00	137.26	18.74	0.00	-	-	-	50	1.6	1.6	0.95	4.1	-2.5
10/09/95	156.00	137.85	18.35	0.00	-	-	-	-	-	-	-	-	-

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.					Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)					
DATE	Well	Ground	Depth	Total	SPH Thickness	SPH Removed	Notes	TPH Gasoline	Benzene	Toluene	Ethyl-	Xyloane	MTBE	
	Head Elev.	Water Elev.	To Water	SPH Removed					SPH Removed	SPH Removed	Ethyl- Benzene	Xyloane	MTBE	
C-5														
10/03/90	153.38	135.60	17.78	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
10/25/90	153.38	135.48	17.92	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/09/90	153.38	135.46	17.92	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
01/22/91	153.38	135.58	17.80	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
02/21/91	153.38	135.87	17.51	-	-	-	-	-	-	-	-	-	-	
04/01/91	153.38	137.07	16.31	-	-	-	-	-	-	-	-	-	-	
04/11/91	153.38	137.02	16.36	-	-	-	-	-	-	-	-	-	-	
07/01/91	153.38	136.26	17.12	-	-	-	-	-	-	-	-	-	-	
09/24/91	153.38	135.68	17.70	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
09/24/91	153.38	135.68	17.70	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
10/23/91	153.38	135.56	17.82	-	-	-	-	-	-	-	-	-	-	
11/22/91	153.38	135.77	17.61	-	-	-	-	-	-	-	-	-	-	
01/09/92	153.38	136.34	17.04	-	-	-	-	<50	<0.5	0.7	<0.5	<0.5	<0.5	
03/06/92	153.38	137.62	15.76	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
06/04/92	153.38	136.98	16.40	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
09/28/92	153.38	135.80	17.58	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
12/17/92	153.38	136.56	16.82	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<1.5	
04/29/93	153.38	138.14	15.24	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<1.5	
07/26/93	153.38	137.08	16.30	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
10/22/93	153.38	136.30	17.08	0.00	-	-	-	52	2.3	2.7	1.1	5.2		
01/24/94	153.38	136.25	17.13	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
04/11/94	153.38	136.75	16.63	0.00	-	-	-	<50	<0.5	0.7	<0.5	0.6		
07/01/94	153.38	136.73	16.65	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5		
10/06/94	153.38	136.16	17.22	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5		
01/11/95	153.38	137.41	15.97	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5		
04/07/95	153.38	139.37	14.01	0.00	-	-	-	<50	<0.5	<0.5	<0.5	0.61		
07/20/95	153.38	137.17	16.21	0.00	-	-	-	52	<0.5	<0.5	<0.5	<0.5		
09/22/95	153.38	137.07	16.31	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5		
01/02/96	153.38	137.56	15.82	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	2.5	

## Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)					
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE
C-6									<0.5	<0.5	<0.5	<0.5	<0.5
10/03/90	152.84	134.70	18.14	-	-	-	-	<0.5	<0.5	1.0	<0.5	<0.5	
10/25/90	152.84	134.55	18.29	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
11/09/90	152.84	134.58	18.26	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
01/22/91	152.84	134.69	18.15	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
02/21/91	152.84	134.92	17.92	-	-	-	-	-	-	-	-	-	
04/01/91	152.84	135.73	17.11	-	-	-	-	-	-	-	-	-	
04/11/91	152.84	135.83	17.01	-	-	-	-	-	-	-	-	-	
07/01/91	152.84	135.12	17.72	-	-	-	-	-	-	-	-	-	
09/24/91	152.84	135.72	17.12	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
10/23/91	152.84	134.59	18.25	-	-	-	-	-	-	-	-	-	
11/22/91	152.84	134.79	18.05	-	-	-	-	-	-	-	-	-	
01/09/92	152.84	135.42	17.42	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
03/06/92	152.84	136.33	16.51	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
06/04/92	152.84	135.83	17.01	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
09/28/92	152.84	134.84	18.00	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
12/17/92	152.84	135.58	17.26	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
04/29/93	152.84	136.61	16.23	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<1.5	
07/29/93	152.84	135.88	16.96	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<1.5	
10/22/93	152.84	135.38	17.46	0.00	-	-	-	74	74	6.1	3.3	9.7	
01/24/94	152.84	135.38	17.46	0.00	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
04/11/94	152.84	135.64	17.20	0.00	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
07/01/94	152.84	135.66	17.18	0.00	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
10/06/94	152.84	135.19	17.65	0.00	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
01/11/95	152.84	136.18	16.66	0.00	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
04/07/95	152.84	137.25	15.59	0.00	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
07/20/95	152.84	135.80	17.04	0.00	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
09/22/95	152.84	135.74	17.10	0.00	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	
01/02/96	152.84	136.08	16.76	0.00	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	2.5

## Cumulative Table of Well Data and Analytical Results

### Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)					
DATE	Well	Ground	Depth	Total	SPH Thickness	SPH Removed	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE
	Head Elev.	Water Elev.	To Water	SPH Removed									
<b>TRIP BLANK</b>													
10/03/90	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
10/25/90	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
11/09/90	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
01/22/91	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
09/24/91	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
01/09/92	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
03/06/92	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
06/04/92	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
09/28/92	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
12/17/92	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	-
04/29/93	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	-
07/26/93	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	-
10/22/93	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
01/24/94	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
04/11/94	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
07/01/94	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
10/06/94	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
01/11/95	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
04/07/95	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
07/20/95	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
09/22/95	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
01/02/96	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on November 1, 1994.  
 Earlier field data and analytical results are drawn from the September 27, 1994 Groundwater Technology, Inc. report.

#### ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons  
 SPH = Separate-Phase Hydrocarbons  
 MTBE = Methyl t-butyl ether