


6528 E EF



SIERRA

SLCC  
HAZMAT  
24 JUL 29 PM 2:44

**MEMORANDUM**

To: Jon Legallet July 27, 1994

From: Chris Bramer

RE: Telegraph Business Park, Oakland, California

Jon:

I spoke with Susan Hugo by phone today regarding the proposed remediation system for the Telegraph Business Park. She gave verbal approval to proceed with system permitting and installation. Ms. Hugo reiterated that Alameda County would need plume definition at the site, due to the presence of other environmental sites in the downgradient direction. It is very important to the County to define the plume so that environmental work is productive at these other sites.

Ms. Hugo requested a meeting with Sierra and Jon Legallet to discuss and plan the downgradient definition work. I indicated that a meeting could be arranged as soon as Mr. Legallet returns to work, around the end of August. She was agreeable to this timeframe.

As part of the County's need to address the potential for downgradient contaminants from the Telegraph site, Susan requested analysis for chlorinated hydrocarbons on the samples from the monitoring wells at the site. I responded that this would be completed at the next sampling event.

The file review completed prior to preparing this memo indicates that analyses for chlorinated hydrocarbons were included during two previous sampling events. I have included these results in the copy of this memo sent to Ms. Hugo, along with a request to call us if she stills wants another round of analytic tests for chlorinated compounds. At this point, we will not schedule the additional testing because it has been previously completed.

cc: Susan Hugo, Alameda County Department of Environmental Health

c:71909mem.jl4




Figure 2. Monitoring Well and Grab Ground Water Sampling Locations - Telegraph Business Park, 5427 Telegraph Avenue, Oakland, California

4-79-07 MW/SB locs

3/14/94

Table 2. Analytic Results for Ground Water - Petroleum Hydrocarbons - Telegraph Business Park, 5427 Telegraph Avenue, Oakland, California

Sample ID	Date Sampled	Analytic Method	TPH(D)	Stoddard Solvent	O&G	B T E X			
						-----ppb----->			
B-1	12/13/93	LUFT	1,200	93,000	---	---	---	---	---
B-2	12/13/93	LUFT	4,000	1,400,000	---	---	---	---	---
B-3	12/13/93	LUFT	3,700	780,000	---	---	---	---	---
B-4	12/13/93	LUFT	90	15,000	---	---	---	---	---
B-5	12/14/93	LUFT	100	1,600	---	---	---	---	---
B-6	12/14/93	LUFT	460	9,000	---	---	---	---	---
B-7	12/14/93	LUFT	390	18,000	---	---	---	---	---
B-8	12/14/93	LUFT	<50	<50	---	---	---	---	---
B-9	12/14/93	LUFT	<50	60	---	---	---	---	---
MW-1	1/5/94	LUFT/602	500	1,000	6,300*	3.3	1.6	<0.3	6.0
	<b>4/6/94</b>	<b>LUFT/602/5520</b>	<b>800</b>	<b>1,400</b>	<b>&lt;5,000</b>	<b>5.6</b>	<b>4.5</b>	<b>&lt;0.3</b>	<b>11</b>
MW-2	1/5/94	LUFT/602	200	35,000	<5,000	12	38	<3.0	150
	<b>4/6/94</b>	<b>LUFT/602/5520</b>	<b>2,200</b>	<b>94,000</b>	<b>15,600</b>	<b>21</b>	<b>22</b>	<b>&lt;6.0</b>	<b>110</b>
MW-3	1/5/94	LUFT/602	70	1,100	<5,000	180	20	85	10
	<b>4/6/94</b>	<b>LUFT/602/5520</b>	<b>&lt;50</b>	<b>1,000</b>	<b>&lt;5,000</b>	<b>140</b>	<b>13</b>	<b>60</b>	<b>&lt;12</b>
Trip Blank TB-LB	1/5/94	602	---	---	---	<0.3	<0.3	<0.3	<0.3
	<b>4/6/94</b>	<b>602</b>	---	---	---	<b>&lt;0.3</b>	<b>&lt;0.3</b>	<b>&lt;0.3</b>	<b>&lt;0.6</b>
Bailer Blank BB	1/5/94	602	---	---	---	<0.3	<0.3	<0.3	<0.3
	<b>4/6/94</b>	<b>602</b>	---	---	---	<b>&lt;0.3</b>	<b>0.8</b>	<b>&lt;0.3</b>	<b>&lt;0.6</b>

Table 2. Analytic Results for Ground Water - Petroleum Hydrocarbons - Telegraph Business Park, 5427 Telegraph Avenue, Oakland, California (continued)

---

EXPLANATION:

TPH(D) = Total Petroleum Hydrocarbons as Diesel  
O&G = Oil and Grease  
HC = Hydrocarbons  
B = Benzene  
T = Toluene  
E = Ethylbenzene  
X = Xylenes  
HVOCs = Halogenated Volatile Organic Compounds  
LUFT = Leaking Underground Fuel Tanks  
ppb = Parts per billion  
--- = Not analyzed/Not applicable

ANALYTIC LABORATORY:

All samples analyzed by Precision Analytical Laboratory, Inc. of Richmond, California.

ANALYTIC METHODS:

LUFT = Department of Health Services LUFT Manual Method for TPH(D), Stoddard Solvent, and O&G  
602 = EPA Method 602 for BTEX  
5520 = Standard Methods Method 5520 F for total hydrocarbons analysis (non-polar).

NOTES:

\* This result represents both naturally occurring organics and petroleum hydrocarbons due to its analysis by Standard Methods Method 5520B.

Table 3. Analytic Results for Ground Water - Halogenated Volatile Organic Compounds - Telegraph Business Park, 5427 Telegraph Avenue, Oakland, California

Sample ID	Date Sampled	Analytic Method	1,1-DCA	t-1,2-DCE	c-1,2-DCE	C	1,2-DCA	TCE	1,2-DCB	Other HVOCs
			←-----ppb-----→							
MW-1	1/5/94	8010	<0.3	<0.2	0.44	0.35	<0.2	<0.3	0.36	ND <sup>1</sup>
	<b>4/6/94</b>	<b>8010</b>	<b>&lt;0.3</b>	<b>&lt;0.2</b>	<b>0.32</b>	<b>&lt;0.2</b>	<b>&lt;0.2</b>	<b>&lt;0.3</b>	<b>0.21</b>	<b>ND<sup>4</sup></b>
MW-2	1/5/94	8010	10	1.1	130	5.6	2.7	2.6	0.90	ND <sup>2</sup>
	<b>4/6/94</b>	<b>8010</b>	<b>0.40</b>	<b>&lt;0.2</b>	<b>4.3</b>	<b>&lt;0.2</b>	<b>&lt;0.2</b>	<b>&lt;0.3</b>	<b>0.80</b>	<b>ND<sup>6</sup></b>
MW-3	1/5/94	8010	0.70	<0.2	5.2	1.3	0.20	<0.3	1.5	ND <sup>3</sup>
	<b>4/6/94</b>	<b>8010</b>	<b>0.40</b>	<b>&lt;0.2</b>	<b>4.2</b>	<b>&lt;0.2</b>	<b>&lt;0.2</b>	<b>&lt;0.3</b>	<b>0.80</b>	<b>ND<sup>6</sup></b>

EXPLANATION:

1,1-DCA = 1,1-Dichloroethane  
t-1,2-DCE = trans-1,2-Dichloroethene  
c-1,2-DCE = cis-1,2-Dichloroethene  
C = Chloroform  
1,2-DCA = 1,2-Dichloroethane  
TCE = Trichloroethene  
1,2-DCB = 1,2-Dichlorobenzene  
HVOCs = Halogenated Volatile Organic Compounds  
ppb = Parts per billion  
ND = Not detected

ANALYTIC LAB:

All samples analyzed by Precision Analytic Laboratory, Inc. of Richmond, California.

ANALYTIC METHODS:

8010 = EPA Method 8010 for HVOCs

NOTES:

- <sup>1</sup> 1,4-Dichlorobenzene was detected at 0.34 ppb. Other HVOCs not detected at detection limits of 0.2 to 2.0 ppb.
- <sup>2</sup> 1,2-Dichloropropene, T-1,3-Dichloropropene, and 1,4-Dichlorobenzene were detected at 18, 1.0 and 1.0 ppb, respectively. Other HVOCs not detected at detection limits of 0.2 to 2.0 ppb.
- <sup>3</sup> Chlorobenzene and 1,4-Dichlorobenzene were detected at 0.70 and 0.30 ppb, respectively. Other HVOCs not detected at detection limits of 0.2 to 2.0 ppb.
- <sup>4</sup> 1,4-Dichlorobenzene was detected at 0.21 ppb. Other HVOCs not detected at detection limits of 0.2 to 2.2 ppb.
- <sup>5</sup> Chlorobenzene was detected at 1.7 ppb. Other HVOCs not detected at detection limits of 0.2 to 2.2 ppb.
- <sup>6</sup> Chlorobenzene was detected at 1.6 ppb. Other HVOCs not detected at detection limits of 0.2 to 2.2 ppb.



1/94

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: Ed Morales
Sierra Environmental Services
P.O. Box 2546
Martinez, CA 94553

Date Received: 01/06/94
Date Analyzed: 01/10/94
Date Reported: 01/13/94
Job #: 75365

Project: #4-719-07/Telegraph Business Park
5427 Telegraph Avenue, Oakland
Matrix: Water

PURGEABLE HALOCARBONS
EPA Method 8010
ug/L

Lab I.D.: 75365-3
Client I.D.: MW1

Table with 3 columns: Compound Name, Result, MDL. Lists various halocarbons and their detection results.

MDL: Method Detection Limit

Jaime Chow
Laboratory Director



Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

**CERTIFICATE OF ANALYSIS**

STATE LICENSE NO. 1150

Attn: Ed Morales  
Sierra Environmental Services  
P.O. Box 2546  
Martinez, CA 94553


Date Received: 01/06/94  
Date Analyzed: 01/10/94  
Date Reported: 01/13/94  
Job #: 75365

Project: #4-719-07/Telegraph Business Park  
5427 Telegraph Avenue, Oakland  
Matrix: Water

PURGEABLE HALOCARBONS  
EPA Method 8010  
µg/L

Lab I.D.: 75365-4  
Client I.D.: MW2

	<u>Result</u>	<u>MDL</u>
Bromomethane & Chloroethane	ND<2.0	2.0
Vinyl Chloride & Chloromethane	ND<1.0	1.0
Freon 113	ND<1.0	1.0
1,1-Dichloroethene	ND<0.4	0.4
Methylene Chloride	ND<1.0	1.0
Trans-1,2-Dichloroethene	1.1	0.2
1,1-Dichloroethane	10	0.3
Cis-1,2-Dichloroethene	130	0.3
Chloroform	5.6	0.2
1,1,1-Trichloroethane	ND<0.3	0.3
Carbon Tetrachloride	ND<0.2	0.2
1,2-Dichloroethane	2.7	0.2
Trichloroethene	2.6	0.3
1,2-Dichloropropene	18	0.3
2-Chloro-vinyl ether	ND<0.4	0.4
Bromodichloromethane	ND<0.2	0.2
T-1,3-Dichloropropene	1.0	0.3
Cis-1,3-Dichloropropene	ND<0.2	0.2
1,1,2-Trichloroethane	ND<0.3	0.3
Tetrachloroethene	ND<0.3	0.3
Dibromochloromethane	ND<0.3	0.3
Chlorobenzene	ND<0.2	0.2
Bromoform	ND<0.3	0.3
1,1,2,2-Tetrachloroethane	ND<0.3	0.3
1,3-Dichlorobenzene	ND<0.3	0.3
1,4-Dichlorobenzene	1.0	0.2
1,2-Dichlorobenzene	0.90	0.2
MDL: Method Detection Limit		

  
Jaime Chow  
Laboratory Director

JC/dwc



Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: Ed Morales
Sierra Environmental Services
P.O. Box 2546
Martinez, CA 94553

Date Received: 01/06/94
Date Analyzed: 01/10/94
Date Reported: 01/13/94
Job #: 75365

Project: #4-719-07/Telegraph Business Park
5427 Telegraph Avenue, Oakland
Matrix: Water

PURGEABLE HALOCARBONS
EPA Method 8010
µg/L

Lab I.D.: 75365-5
Client I.D.: MW3

Table with 3 columns: Compound Name, Result, MDL. Lists various halocarbons and their detection results.

Jaime Chow
Laboratory Director

JC/dwc





4/94

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: Ed Morales
Sierra Environmental Services
P.O. Box 2546
Martinez, CA 94553

Date Received: 04/07/94
Date Analyzed: 04/19/94
Date Reported: 04/21/94
Job #: 75698

Project: #4-719-04/Telegraph Business Park
5427 Telegraph, Oakland

Matrix: Water

PURGEABLE HALOCARBONS

EPA Method 8010

µg/L

Lab I.D.: 75698-3

Client I.D.: MW1

Table with 3 columns: Compound Name, Result, MDL. Lists various halocarbons and their detection results.

MDL: Method Detection Limit

Handwritten signature of Jaime Chow

Jaime Chow
Laboratory Director



Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

**CERTIFICATE OF ANALYSIS**

STATE LICENSE NO. 1150

Attn: Ed Morales  
Sierra Environmental Services  
P.O. Box 2546  
Martinez, CA 94553

Date Received: 04/07/94  
Date Analyzed: 04/19/94  
Date Reported: 04/21/94  
Job #: 75698

Project: #4-719-04/Telegraph Business Park  
5427 Telegraph, Oakland

Matrix: Water


PURGEABLE HALOCARBONS  
EPA Method 8010  
µg/L

Lab I.D.: 75698-4

Client I.D.: MW2


	<u>Result</u>	<u>MDL</u>
Bromomethane & Chloroethane	ND<2.0	2.0
Vinyl Chloride & Chloromethane	ND<1.0	1.0
Freon 113	ND<1.0	1.0
1,1-Dichloroethene	ND<0.4	0.4
Methylene Chloride	ND<2.2	2.2
Trans-1,2-Dichloroethene	ND<0.2	0.2
1,1-Dichloroethane	0.40	0.3
Cis-1,2-Dichloroethene	4.3	0.3
Chloroform	ND<0.2	0.2
1,1,1-Trichloroethane	ND<0.3	0.3
Carbon Tetrachloride	ND<0.2	0.2
1,2-Dichloroethane	ND<0.2	0.2
Trichloroethene	ND<0.3	0.3
1,2-Dichloropropene	ND<0.3	0.3
2-Chloro-vinyl ether	ND<0.4	0.4
Bromodichloromethane	ND<0.2	0.2
T-1,3-Dichloropropene	ND<0.3	0.3
Cis-1,3-Dichloropropene	ND<0.2	0.2
1,1,2-Trichloroethane	ND<0.3	0.3
Tetrachloroethene	ND<0.3	0.3
Dibromochloromethane	ND<0.3	0.3
Chlorobenzene	1.7	0.2
Bromoform	ND<0.3	0.3
1,1,2,2-Tetrachloroethane	ND<0.3	0.3
1,3-Dichlorobenzene	ND<0.3	0.3
1,4-Dichlorobenzene	ND<0.2	0.2
1,2-Dichlorobenzene	0.80	0.2

MDL: Method Detection Limit

  
\_\_\_\_\_  
Jaime Chow  
Laboratory Director

JC/dwc

OUTSTANDING QUALITY AND SERVICE  
CALIFORNIA STATE CERTIFIED LABORATORY



Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

**CERTIFICATE OF ANALYSIS**

STATE LICENSE NO. 1150

Attn: Ed Morales  
Sierra Environmental Services  
P.O. Box 2546  
Martinez, CA 94553

Date Received: 04/07/94  
Date Analyzed: 04/19/94  
Date Reported: 04/21/94  
Job #: 75698

Project: #4-719-04/Telegraph Business Park  
5427 Telegraph, Oakland

Matrix: Water


PURGEABLE HALOCARBONS  
EPA Method 8010  
µg/L

Lab I.D.: 75698-5

Client I.D.: MW3

	<u>Result</u>	<u>MDL</u>
Bromomethane & Chloroethane	ND<2.0	2.0
Vinyl Chloride & Chloromethane	ND<1.0	1.0
Freon 113	ND<1.0	1.0
1,1-Dichloroethene	ND<0.4	0.4
Methylene Chloride	ND<2.2	2.2
Trans-1,2-Dichloroethene	ND<0.2	0.2
1,1-Dichloroethane	0.40	0.3
Cis-1,2-Dichloroethene	4.2	0.3
Chloroform	ND<0.2	0.2
1,1,1-Trichloroethane	ND<0.3	0.3
Carbon Tetrachloride	ND<0.2	0.2
1,2-Dichloroethane	ND<0.2	0.2
Trichloroethene	ND<0.3	0.3
1,2-Dichloropropene	ND<0.3	0.3
2-Chloro-vinyl ether	ND<0.4	0.4
Bromodichloromethane	ND<0.2	0.2
T-1,3-Dichloropropene	ND<0.3	0.3
Cis-1,3-Dichloropropene	ND<0.2	0.2
1,1,2-Trichloroethane	ND<0.3	0.3
Tetrachloroethene	ND<0.3	0.3
Dibromochloromethane	ND<0.3	0.3
Chlorobenzene	1.6	0.2
Bromoform	ND<0.3	0.3
1,1,2,2-Tetrachloroethane	ND<0.3	0.3
1,3-Dichlorobenzene	ND<0.3	0.3
1,4-Dichlorobenzene	ND<0.2	0.2
1,2-Dichlorobenzene	0.80	0.2

MDL: Method Detection Limit

  
\_\_\_\_\_  
Jaime Chow  
Laboratory Director

JC/dwc

OUTSTANDING QUALITY AND SERVICE  
CALIFORNIA STATE CERTIFIED LABORATORY

7/94

Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: Ed Morales  
Sierra Environmental Services  
P.O. Box 2546  
Martinez, CA 94553

Date Received: 07/12/94  
Date Analyzed: 07/20/94  
Date Reported: 07/27/94  
Job #: 75990


Project: #4-719-04  
Matrix: Water

PURGEABLE HALOCARBONS  
EPA Method 601  
µg/L

Lab I.D.: 75990-3  
Client I.D.: MW-1

	<u>Result</u>	<u>MDL</u>
Bromomethane & Chloroethane	ND<2.0	2.0
Vinyl Chloride & Chloromethane	ND<1.0	1.0
Freon 113	ND<1.0	1.0
1,1-Dichloroethene	ND<0.3	0.3
Methylene Chloride	ND<1.0	1.0
Trans-1,2-Dichloroethene	ND<0.2	0.2
1,1-Dichloroethane	ND<0.2	0.2
Cis-1,2-Dichloroethene	ND<0.2	0.2
Chloroform	ND<0.1	0.1
1,1,1-Trichloroethane	ND<0.2	0.2
Carbon Tetrachloride	ND<0.2	0.2
1,2-Dichloroethane	ND<0.5	0.5
Trichloroethene	ND<0.2	0.2
1,2-Dichloropropene	ND<0.4	0.4
2-Chloro-vinyl ether	ND<0.2	0.2
Bromodichloromethane	ND<0.3	0.3
T-1,3-Dichloropropene	ND<0.2	0.2
Cis-1,3-Dichloropropene	ND<0.4	0.4
1,1,2-Trichloroethane	ND<0.3	0.3
Tetrachloroethene	ND<0.2	0.2
Dibromochloromethane	ND<0.4	0.4
Chlorobenzene	ND<0.3	0.3
Bromoform	ND<0.3	0.3
1,1,2,2-Tetrachloroethane	ND<0.5	0.5
1,3-Dichlorobenzene	ND<0.2	0.2
1,4-Dichlorobenzene	0.26	0.2
1,2-Dichlorobenzene	ND<0.2	0.2

MDL: Method Detection Limit

  
Jaime Chow  
Laboratory Director

JC/dwc

Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: Ed Morales  
Sierra Environmental Services  
P.O. Box 2546  
Martinez, CA 94553

Date Received: 07/12/94  
Date Analyzed: 07/20/94  
Date Reported: 07/27/94  
Job #: 75990


Project: #4-719-04  
Matrix: Water

PURGEABLE HALOCARBONS  
EPA Method 601  
µg/L

Lab I.D.: 75990-4  
Client I.D.: MW-2

	Result	MDL
Bromomethane & Chloroethane	ND<2.0	2.0
Vinyl Chloride & Chloromethane	ND<1.0	1.0
Freon 113	ND<1.0	1.0
1,1-Dichloroethene	ND<0.3	0.3
Methylene Chloride	ND<1.0	1.0
Trans-1,2-Dichloroethene	ND<0.2	0.2
1,1-Dichloroethane	3.4	0.2
Cis-1,2-Dichloroethene	15	0.2
Chloroform	ND<0.1	0.1
1,1,1-Trichloroethane	ND<0.2	0.2
Carbon Tetrachloride	ND<0.2	0.2
1,2-Dichloroethane	0.60	0.5
Trichloroethene	0.60	0.2
1,2-Dichloropropene	6.5	0.4
2-Chloro-vinyl ether	ND<0.2	0.2
Bromodichloromethane	ND<0.3	0.3
T-1,3-Dichloropropene	ND<0.2	0.2
Cis-1,3-Dichloropropene	ND<0.4	0.4
1,1,2-Trichloroethane	ND<0.3	0.3
Tetrachloroethene	1.4	0.2
Dibromochloromethane	ND<0.4	0.4
Chlorobenzene	ND<0.3	0.3
Bromoform	ND<0.3	0.3
1,1,2,2-Tetrachloroethane	ND<0.5	0.5
1,3-Dichlorobenzene	ND<0.2	0.2
1,4-Dichlorobenzene	0.34	0.2
1,2-Dichlorobenzene	0.40	0.2

MDL: Method Detection Limit

  
Jaime Chow  
Laboratory Director

JC/dwc

OUTSTANDING QUALITY AND SERVICE  
CALIFORNIA STATE CERTIFIED LABORATORY

Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806 PHONE (510) 222-3002 FAX (510) 222-1251

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: Ed Morales  
Sierra Environmental Services  
P.O. Box 2546  
Martinez, CA 94553

Date Received: 07/12/94  
Date Analyzed: 07/20/94  
Date Reported: 07/27/94  
Job #: 75990


Project: #4-719-04  
Matrix: Water

PURGEABLE HALOCARBONS  
EPA Method 601  
µg/L

Lab I.D.: 75990-2  
Client I.D.: MW-3

	<u>Result</u>	<u>MDL</u>
Bromomethane & Chloroethane	ND<2.0	2.0
Vinyl Chloride & Chloromethane	ND<1.0	1.0
Freon 113	ND<1.0	1.0
1,1-Dichloroethene	ND<0.3	0.3
Methylene Chloride	ND<1.0	1.0
Trans-1,2-Dichloroethene	ND<0.2	0.2
1,1-Dichloroethane	0.30	0.2
Cis-1,2-Dichloroethene	2.9	0.2
Chloroform	ND<0.1	0.1
1,1,1-Trichloroethane	ND<0.2	0.2
Carbon Tetrachloride	ND<0.2	0.2
1,2-Dichloroethane	ND<0.5	0.5
Trichloroethene	ND<0.2	0.2
1,2-Dichloropropene	ND<0.4	0.4
2-Chloro-vinyl ether	ND<0.2	0.2
Bromodichloromethane	ND<0.3	0.3
T-1,3-Dichloropropene	ND<0.2	0.2
Cis-1,3-Dichloropropene	ND<0.4	0.4
1,1,2-Trichloroethane	ND<0.3	0.3
Tetrachloroethene	ND<0.2	0.2
Dibromochloromethane	ND<0.4	0.4
Chlorobenzene	ND<0.3	0.3
Bromoform	ND<0.3	0.3
1,1,2,2-Tetrachloroethane	ND<0.5	0.5
1,3-Dichlorobenzene	ND<0.2	0.2
1,4-Dichlorobenzene	ND<0.2	0.2
1,2-Dichlorobenzene	1.3	0.2

MDL: Method Detection Limit

  
Jaime Chow  
Laboratory Director