May 28, 1996

ALAMEDA COUNTY DEPT. OF ENVIRONMENTAL HEALTH HAZARDOUS MATERIALS DIVISION 1131 HARBOR BAY PKWY. ROOM 250 ALAMEDA, CA. 94502

ATTENTION:

SCOTT SEERY

REGARDING:

3495 CASTRO VALLEY BLVD.

CASTRO VALLEY

DEAR MR. SEERY,

PLEASE FIND ENCLOSED, THE MOST RECENT QUARTERLY REPORT FOR THE ABOVE LOCATION. IF YOU HAVE ANY QUESTIONS FEEL FREE TO CONTACT ME.

SINCERELY,

ENCLOSURES

EN VISON EN PH 3: 23

P & D Environmental

4020 Panama Court Oakland, CA 94611 Telephone (510) 658-6916

Report 0014.R19

Mr. Ted Simas Mr. Keith Simas XTRA OIL Company 2307 Pacific Ave. Alameda, CA 94501

SUBJECT: QUARTERLY GROUNDWATER MONITORING AND SAMPLING REPORT

XTRA OIL Company

3495 Castro Valley Blvd.

Castro Valley, CA

Gentlemen:

Sec. 1981

P&D Environmental (P&D) is pleased to present this report documenting the results of the most recent quarterly monitoring and sampling of the wells at the subject site. This work was performed in accordance with P&D's proposal 021496.Pl dated February 14, 1996. The wells were monitored and sampled on April 23, 1996. The reporting period is for February through April, 1996. A Site Location Map (Figure 1) and Site Plan (Figure 2) are attached with this report.

BACKGROUND

The site is currently used as a gasoline station. Four 12,000 gallon underground fuel storage tanks are present at the site. Three of the tanks contain gasoline and the fourth tank contains diesel fuel. A 550 gallon waste oil tank was removed from the site in November, 1988. The fuel tanks were replaced during August, 1992.

Three monitoring wells, designated as MW1, MW2 and MW3 were installed at the site on February 14 and 15, 1990 by Western Geo-Engineers. The subsurface materials encountered in the boreholes consisted primarily of silt and clay. The locations of the monitoring wells are shown in Figure 2. Soil samples collected during drilling of the boreholes for the monitoring wells revealed the presence of total petroleum hydrocarbons as gasoline (TPH-G) and total petroleum hydrocarbons as diesel (TPH-D). TPH-G was encountered in borehole MW1 at depths of 5 and 10 feet below grade at concentrations of 40 and 1,400 ppm, respectively; in borehole MW2 at depths of 10 and 15 feet below grade at concentrations of 230 and 95 ppm, respectively; and in borehole MW3 at depths of 5, 10 and 15 feet at concentrations of 140, 250 and 25 ppm, respectively. In addition, 120 ppm TPH-D was detected in borehole MW3 at a depth of 5 feet. Soil samples collected at a depth of 20 feet in borehole MW1 and at a depth of 18 feet in boreholes in MW2 and MW3 did not show any detectable concentrations of TPH-G or TPH-D. Groundwater was encountered in the boreholes at depths of approximately 15 to 16 feet below grade.

On February 15, 1990 Western Geo-Engineers drilled three exploratory boreholes at the site designated as SB1, SB2 and SB3. The subsurface materials encountered in the boreholes consisted primarily of silt and clay. The approximate locations of the boreholes are shown on Figure 2. It is P&D's understanding that soil samples were collected from the exploratory boreholes at depths of 10 and 12 feet and evaluated in the field using a photo ionization detector. In borehole SB1, TPH-G was detected at the depths of 10 and 12 feet at concentrations of 1,700 and 450 ppm, respectively. In boreholes SB2 and SB3, TPH-G was detected at the depths of 10 and 12 feet in both boreholes at concentrations of 800 ppm and greater than 2,000 ppm, respectively. A groundwater monitoring and sampling program was initiated at the site on February 20, 1990.

It is P&D's understanding that during fuel tank replacement activities in August, 1992 soil surrounding the tank pit was removed and disposed of offsite. An extraction well, designated as EW1, was designed and constructed in one corner of the new tank pit by K&B Environmental at the time of installation of the new tanks. The location of EW1 is shown on Figure 2.

On February 7, 1996 well MW2 was destroyed for the purpose of widening Redwood Road. The destruction was overseen by ACC Environmental Consultants of Oakland, California.

FIELD ACTIVITIES

On February 7, 1996 all three of the groundwater menitoring wells at the site, NW1, NW2, and NW3, were monitored by PaD personnel prior to the destruction of NW2. On April 23, 1996 the two remaining groundwater monitoring wells at the site, NW1 and NW3, were monitored and sampled by PaD personnel. Extraction well EW1 was not monitored or sampled during the quarter. The wells were monitored for depth to water and the presence of free product or sheen. Depth to water was measured to the nearest 0.01 foot using an electric water level indicator. The presence of free product and sheen was evaluated using a transparent bailer. No free product or sheen were observed in either of the monitoring wells except for NW3 where sheen was observed. Petroleum-absorbent socks were present in both of the wells. Depth to water level measurements are presented in Table 1.

dreen" MW-3

Prior to sampling, the monitoring wells were purged of a minimum of three casing volumes of water, or until the wells had been purged dry. During purging operations, the field parameters of electrical conductivity, temperature and pH were monitored. Once the field parameters were observed to stabilize, and a minimum of three casing volumes had been purged or the wells had been purged dry and partially recovered, water samples were collected using a clean Teflon bailer.

The water samples were transferred to 40-milliliter glass Volatile Organic Analysis (VOA) vials and 1-liter amber glass bottles which were sealed with Teflon-lined screw caps. The VOA vials were overturned and tapped to assure that no air bubbles were present.

The VOA vials and bottles were then transferred to a cooler with ice, until they were transported to McCampbell Analytical, Inc. in Pacheco, California. McCampbell Analytical, Inc. is a State-certified hazardous waste testing laboratory. Chain of custody documentation accompanied the samples to the laboratory. Records of the field parameters measured during well purging are attached with this report.

HYDROGEOLOGY

Water levels were measured in the monitoring wells once during the quarter. The measured depth to water at the site on April 23, 1996 ranged from 6.81 to 7.47 feet. Groundwater levels have decreased in all wells MW1, and MW3 by 1.30, and 1.04 feet, respectively, since the previous monitoring on January 29, 1996. There is no calculated groundwater flow direction for the water level data collected on April 23, 1996, because MW2 was destroyed on February 7, 1996, and has not been replaced. The calculated groundwater flow direction on February 7, 1996 was to the east-northeast with a gradient of 0.015. Groundwater level data collected during the quarter on February 7 and April 23, 1996 are presented in Table 1.

LABORATORY RESULTS

All of the groundwater samples collected from the monitoring wells were analyzed for TPH-G using EPA Method 5030 and Modified EPA Method 8015; benzene, toluene, ethylbenzene, total xylenes (BTEX), and MTBE using EPA Method 8020; and for TPH-D using EPA Method 3510 in conjunction with Modified EPA Method 8015.

The laboratory analytical results for the groundwater samples from MW1 and MW3 show TPH-G concentrations of 73 and 170 ppm, respectively; benzene concentrations of 8.6 and 34 ppm, respectively; and TPH-D concentrations of 5.7 and 280 ppm, respectively. Review of the laboratory analytical reports indicates that the TPH-D results consist of both gasoline and diesel compounds in wells MW1 and MW3.

Since the previous quarter, TPH-G and TPH-D concentrations have decreased in well MW1, and increased in well MW3. The laboratory analytical results of the groundwater samples are summarized in Table 2. Copies of the laboratory analytical reports and chain of custody documentation are attached with this report.

DISCUSSION AND RECOMMENDATIONS

P&D recommends that use of absorbent socks in the wells be continued. The socks should be checked periodically.

Based on the laboratory analytical results of the water samples collected from the monitoring wells, P&D recommends that the quarterly groundwater monitoring and sampling program be continued. In addition, P&D recommends that future monitoring and sampling efforts continue to be coordinated with other sites in the vicinity of the subject site which are presently being monitored and sampled.

DISTRIBUTION

Copies of this report should be sent to Mr. Kevin Graves at the Regional Water Quality Control Board, San Francisco Bay Region, and to Mr. Scott Seery at the Alameda County Department of Environmental Health. Copies of the report should be accompanied by a transmittal letter signed by the principal executive officer of the XTRA OIL Company.

LIMITATIONS

This report was prepared solely for the use of XTRA OIL Company. The content and conclusions provided by P&D in this assessment are based on information collected during our investigation, which may include, but not be limited to, visual site inspections; interviews with the site owner, regulatory agencies and other pertinent individuals; review of available public documents; subsurface exploration and our professional judgement based on said information at the time of preparation of this document. Any subsurface sample results and observations presented herein are considered to be representative of the area of investigation; however, geological conditions may vary between borings and may not necessarily apply to the general site as a whole. If future subsurface or other conditions are revealed which vary from these findings, the newly-revealed conditions must be evaluated and may invalidate the findings of this report.

This report is issued with the understanding that it is the responsibility of the owner, or his representative, to ensure that the information contained herein is brought to the attention of the appropriate regulatory agencies, where required by law. Additionally, it is the sole responsibility of the owner to properly dispose of any hazardous materials or hazardous wastes left onsite, in accordance with existing laws and regulations.

This report has been prepared in accordance with generally accepted practices using standards of care and diligence normally practiced by recognized consulting firms performing services of a similar nature. P&D is not responsible for the accuracy or completeness of information provided by other individuals or entities which is used in this report. This report presents our professional judgement based upon data and findings identified in this report and interpretation of such data based upon our experience and background, and no warranty, either express or implied, is made. The conclusions presented are based upon the current regulatory climate and may require revision if future regulatory changes occur.

Should you have any questions, please do not hesitate to contact us at (510) 658-6916.

Sincerely,

P&D Environmental

Paul H. King Hydrogeologist

Don R. Braun

Certified Engineering Geologist

Registration No.: 1310 Expiration Date: 6/30/96

PHK/aog 0014.R19

Attachments:

Tables 1 & 2

Site Location Map (Figure 1)

Site Plan (Figure 2) Field Parameter Forms

Laboratory Analytical Results Chain of Custody Documentation j i, (

TABLE 1 WELL MONITORING DATA

Well	Date	Top of Casing	Depth to	Water Table
No.	Monitored	Elev. (ft.)	Water (ft.)	Elev. (ft.)
MW1	4/23/96	177.43*	7.47	169.96
	2/07/96		6.09	171.34
	1/29/96		6.17	171.26
	10/26/95		8.45	168.98
	7/28/95		8.27	169.16
	5/02/95		6.96	170.47
	2/23/95		7.72	169.71
	11/18/94		7.14	170.29
	8/22/94		8.67	168.76
	5/19/94		8.05	169.38
	2/28/94		7.44	169.99
	11/24/93		8.74	168.69
	8/30/93		8.78	168.65
	5/18/93		8.12	169.31
	2/23/93	222 224	7.34	170.09
	11/13/92	200.00**	9.13	190.87
	5/29/92	175.73	8.59	167.14
	1/14/92		8.57	167.16
	12/23/91		9.65	166.08
	11/25/91 10/10/91		9.41 9.70	166.32
	9/17/91			166.03 166.23
	8/19/91		9.50 9.31	166.42
	0/19/31			100.42
MW2	NOT MEASU	RED (DESTROYED O	N FEBRUARY 7, 1996)	
	2/07/96	176.04*	5.70	170.34
	1/29/96		5.16	170.88
	10/26/95		8.21	167.83
	7/28/95		7.99	168.05
	5/02/95		6.79	169.25
	2/23/95		7.51	168.53
	11/18/94		6.92	169.12
	8/22/94		8.59	167.45
	5/19/94		7.70	168.34
	2/28/94		6.99	169.05
	11/24/93		8.47	167.57
	8/30/93		8.64	167.40
	5/18/93		7.73	168.31
	2/23/93		6.39	169.65
	11/13/92	198.61**	8.70	189.91
	5/29/92	175.45	9.31	166.14
	1/14/92		8.97	166.48
	12/23/91		10.39	165.06
	11/25/91		9.81	165.64
	10/10/91		10.39	165.06
	9/17/91		10.23	165.22
	8/19/91		9.60	165.85

NOTES:
* = Surveyed on March 24, 1993
** = Surveyed on December 5, 1992

May 7, 1996 Report 0014.R19

j 1; (

TABLE 1 WELL MONITORING DATA (Continued)

Well No.	Date Monitored	Top of Casing Elev. (ft.)	Depth to Water (ft.)	Water Table Blev. (ft.)
MW3	4/23/96 2/07/96 1/29/96 10/26/95 7/28/95 5/02/95 2/23/95 11/18/94 8/22/94 5/19/94 2/24/94 11/24/93 8/30/93 5/18/93 2/23/93 11/13/92 5/29/92 1/14/92 12/23/91 11/25/91 10/10/91 9/17/91	176.41* 190.97** 175.00	6.81 5.05 5.77 7.72 7.80 6.50 7.24 6.05 7.65 7.15 6.68 7.55 7.64 7.12 8.01 7.86 8.45 8.45 8.45 8.24 9.37 9.19	169.60 170.36 170.64 168.69 168.61 169.91 169.17 170.36 168.76 169.26 169.73 168.86 168.77 169.29 168.40 191.12 166.55 165.63 165.81 165.80
	8/19/91		8.95	166.05

NOTES:

^{* =} Surveyed on March 24, 1993 ** = Surveyed on December 5, 1992

1 12 (

TABLE 2 SUMMARY OF LABORATORY ANALYTICAL RESULTS

Well No.	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl- benzene	Total Xylenes
				les Collect pril 23, 19		2011-02-0	10, 002.02
MW1***	5.7	73	ND	8.6	12	2.2	9.8
MW2	Not Samp	led (Des	troyed or	February	7, 1996)	•	
MW3***	280	170	0.72	34	22	2.2	14
EW1	Not Samp	led			_		
				les Collect nuary 29, 1			
MW1 * * *	6.6	81	0.25	7.6	13	1.9	8.9
MW2***	4.6	38	0.0071	1.9	5.7	1.1	5.9
MW3***	45	150	0.54	32	21	1.9	12
EW1	Not Samp	led	_				
				les Collect tober 26, 1			
MW1****	62	89	ND	7.8	12	2.4	11
MW2	900	74	ND	2.9	5.9	2.0	10
MM3	33	130	0.69	37	21	0.21	11
EW1	Not Samp	led.		les Collect Tuly 28, 19			
MW1****	2.0	35	NA	3.8	8.7	1.1	6.5
MW2****	2.0	15	NA	1.4	2.3	0.62	3.2
MM3 ****	1.9	86	NA	28	16	1.3	7.6
EW1	Not Samp	led.					

NOTES:

NA = Not Analyzed

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

^{*** =} Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds in wells MW1, MW2, and MW3.

**** = Review of the laboratory analytical reports indicates that the TPH-D results consist of gasoline range compounds in well MW1.

^{***** =} Review of the laboratory analytical reports indicates that the TPH-D results consist of both gasoline and diesel range compounds in well MW3 and gasoline-range compounds in wells MW1 and MW2.

2 G .

TABLE 2
SUMMARY OF LABORATORY ANALYTICAL RESULTS
(Continued)

Well No.	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes
				les Collect May 2, 1995		
MW1@	6.5	86	8.9	14	2.3	11
MW2@	6.6	55	3.3	10	1.8	10
MW3@	9.7	170	43	30	2.5	14
EW1	Not Samp	led.		les Collect oruary 24, 1		
MW1	9.1	90	7.5	12	1.5	11
MW2	22	67	4.9	11	1.8	11
MW3	9.2	130	31	19	1.8	10
EW1	Not Samp	led.				
				les Collect vember 18, 1		
MW1	10	96	9.3	14	2.5	11
MW2	5.0	86	11	17	1.8	12
MW3	23	140	38	22	2.0	11
EW1	Not Samp	led.				
				les Collect igust 22, 1		
MW1	8.3	100	9.0	11	2.1	9.4
MW2	4.1	91	10	13	1.5	9.0
MW3	5.3	170	35	20	1.8	10
EW1	Not Samp	led.				

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.

^{@ =} Review of the laboratory analytical reports shows that the TPH-D results are gasoline range compounds in well MW1 and both gasoline-range and diesel-range compounds in wells MW2 and MW3.
Results in parts per million (ppm), unless otherwise indicated.

TABLE 2 SUMMARY OF LABORATORY ANALYTICAL RESULTS (Continued)

Well No.	TPH-D	TPH-G	Benzen	e Toluene	Ethyl- benzene	Total Xylenes
			Samp on	les Collec May 19, 19	teđ 94	
MW1	30	100	12	14	3.5	17
MW2	5.8	62	9.2	13	1.3	8.4
мwз	30	150	38	25	2.4	14
EW1	Not Sam	pled.		oles Collec bruary 28,		
MW1	110	90	11	9.6	2.1	9.9
MW2	13	91	13	16	1.5	9.0
MW3	210	110	36	21	1.9	11
EWl	Not Sam	pled.				
				oles Collec vember 24,		
MW1	8.2	66	8.3	8.9	2.0	11
MW2	79	12	13	17	2.5	17
MW3	24	160	48	26	2.2	12
EW1	Not Sam	pled.				
				oles Collec ugust 30, 1		
MW1	9.4	77	6.4	11	2.2	12
MW2	110	110	11	14	1.8	11
MW3	32	130	36	21	1.9	8.2
EW1	Not Sa	mpled.				

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline. TPH-D = Total Petroleum Hydrocarbons as Diesel.

y 4; (

TABLE 2
SUMMARY OF LABORATORY ANALYTICAL RESULTS
(Continued)

Well No.	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes
			Sampl	les Collecte May 18, 1993	ed I	
MW1	30	92	4.0	11	2.5	15
MW2	44	67	9.2	12	1.4	9.3
MW3	7.2	130	36	21	2.1	12
EW1	Not Sampl	ed.				
			Sampl on Feb	les Collecte ruary 23, 1	ed 993	
MW1	14	100	4.5	11	2.1	12
MW2	7.0	76	12	17	1.6	9.6
миз	8.1	110	31	18	1.9	11
EW1	9.6	66	14	8.5	1.4	9.8
			Samp: on Nov	les Collecto ember 13, 1	ed 992	
MW1	4.4	120	5.8	10	2.1	13
MW2	8.2	79	10	13	1.4	8.6
MW3	4.7	140	38	24	2.0	12
EW1	13	62	11	9.2	1.1	9.6
				les Collect May 27, 199		
MW1	11	120	8.8	16	2.3	15
MW2	130	89	18	19	1.7	14
MW3	27	370	91	57	3.0	21

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline. TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

4 20 E

TABLE 2 SUMMARY OF LABORATORY ANALYTICAL RESULTS (Continued)

Well No.	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes
				es Collecte uary 14, 19		
MW1	19	39	7.3	8.7	1.3	8.9
MW2	1600	59	17	14	1.8	15
мw3	270	130	76	30	3.4	21
			Sampl On Dec	es Collecte ember 23, 1	ed 991	
MW1	34	78	9.3	7.3	0.54	13
MW2	700	2100	36	130	79	560
мw3	540	740	30	61	31	180
				es Collecte ember 25, 1		
MWl	36	170	5.5	5.6	1.6	8.4
MW2	130	230	11	9.7	1.4	9.7
ммз	74	150	65	31	3.4	18
				es Collecte ober 10, 1		
MW1	19	28	4.1	4.7	1.0	4.8
MW2	360	85	21	25	2.1	14
MW3	39	140	57	31	2.2	14
				les Collect cember 17,		
MW1	19	39	4.9	4.1	1.2	5.9
MW2	56	74	10	11	1.4	8.1
WM3	140	180	47	25	2.6	15

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline. TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

NA = Not Analyzed. Results in parts per million (ppm), unless otherwise indicated.

3 10 6

TABLE 2
SUMMARY OF LABORATORY ANALYTICAL RESULTS
(Continued)

Well No.	TPH-D	TPH-G	Benzene	. Toluene	Ethyl- benzene	Total Xylenes
				les Collect gust 19, 1		
MW1	47	48	13	8.4	.0.99	29
MW2	19	69	26	22	2.1	18
WM 3	150	170	82	31	4.4	22
				les Collect Tuly 20, 19		
MW1	49	100	11	14	2.3	17
MW2	100	51	9.9	7.7	1.2	7.5
MM3	270	450	46	29	3.5	21
			Samp On S	les Collec June 20, 19	ted 91	
MW1	42	76	4.7	7.1	1.5	9.8
MW2	69	87	8.1	8.4	1.1	8.9
MW3	210	920	39	49	13	69
				les Collec May 17, 19		
MWl	26	72	7.7	9.9	ND	11
MW2	33	62	5.9	6.3	1.2	9.0
MW3	70	170	32	22	2.2	18
				les Collec pril 15, 1		
MW1	NA	56	6.5	8.5	0.41	9.9
MW2	NA	82	5.3	7.4	1.0	9.4
MW3	NA	110	31	15	0.88	7.4

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline. TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

NA = Not Analyzed.

13 m

TABLE 2
SUMMARY OF LABORATORY ANALYTICAL RESULTS
(Continued)

Well No.	TPH-D	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes
				es Collecte rch 21, 19		
MW1	NA	36	4.5	5.7	0.087	7.3
MW2	NA	62	9.3	11	0.35	9.7
мw3	NA	87	30	14	0.69	5.4
				es Collectoruary 15, 1		
MW1	NA	120	7 - 4	6.6	MD	13
MW2	NA	200	12	12	1.7	14
мw3	NA	230	44	40	ND	31
				es Collecte muary 14, 1		
MW1	NA	33	3.9	2.9	0.21	5.3
MW2	NA	78	11	8.7	0.58	8.0
мw3	NA	160	48	25	1.0	16
				es Collecto ember 27,		
MW1	NA	28	3.7	3.5	0.01	6.5
MW2	NA	59	8.4	12	0.88	9.0
MW3	NA	25	7.2	6.4	0.42	3.4
				les Collecto gust 23, 19		
MW1	NA	40	5.1	4.9	0.35	6.0
MW2	NA	96	8.1	8.4	1.5	8.6
MW3	NA	220	67	46	27	18

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline. TPH-D = Total Petroleum Hydrocarbons as Diesel.

ND = Not Detected.

NA = Not Analyzed.

in the r

TABLE 2
SUMMARY OF LABORATORY ANALYTICAL RESULTS
(Continued)

Well No.	TPH-D	TPH-G	Benzen	e Toluene	Ethyl- benzene	Total Xylenes
				oles Collect July 20, 19		
MW1	44	NA	5.1	4.2	ND	9.1
MW2	86	NA	9.1	14	0.94	13
MW3	88	NA	25.1	21.1	0.61	14.1
				ples Collec March 19, 1		
MW1	NA	40	3.7	1.1	ND	3.3
MW2	NA	50	7.7	8.7	0.075	5.6
MW3	NA	210	38	28	1.8	12
				ples Collec bruary 20,		
MW1+	NA	7.6	1.6	ND	ND	1.3
MW2+	NA	38	7.3	3.1	0.075	6.8
MW3+	NA	46	20	15	1.8	9.7

NOTES:

TPH-G = Total Petroleum Hydrocarbons as Gasoline.

TPH-D = Total Petroleum Hydrocarbons as Diesel.


ND = Not Detected.

NA = Not Analyzed.

+ Indicates Organic Lead was not detected.

P & D ENVIRONMENTAL

4020 Panama Court Oakland, CA 94611 Telephone (510) 658-6916



Base Map from: U.S. Geological Survey Hayward, Calif. 7.5 Minute Quadrangle Photorevised 1980

r is e






Figure 1 SITE LOCATION MAP XTRA OIL Company 3495 Castro Valley Blvd. Alameda, California

P & D Environmental

4020 Panama Court Oakland, CA 94611 Telephone (510) 658-6916

Castro Valley Blvd.





P/L Property Line

Base Map From XTRA OIL Company




Figure 2 SITE PLAN XTRA OIL Company 3459 Castro Valley Blvd. Castro Valley, CA

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET

Site Name	XTRA OIL Company.	. Pustro Villey	Well No.	
Job No	७०१५		Date	217196
TOC to Wate	er (ft.)		Sheen	
Well Depth	(ft.)		Free Pro	duct Thickness
Well Diamet	ter		Sample Co	ollection Method
Gal./Casing	g Vol			
TIME	GAL. PURGED	Ħq	TEMPERATURE	ELECTRICAL CONDUCTIVITY
	Wal No	Tex- to Hel	Theon	Free Product thickness
	'mw	6.09	None	ϕ
	mw2	5.70	None	φ
	mw3	5.05	<u>yes</u>	φ
				·
				·
			****	****
				
				
				
				
				
•				
NOTES:				

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET

Site Name XILA	51- Casho Valle	[4]	Well No	MWI
Job No. C			Date	4/23/96
TOC to Water (f			Sheen	None
Well Depth (ft.	20.0		Free Produ	ct Thickness
Well Diameter	4"	_	Sample Col	lection Method Teffon
Gal./Casing Vol	. 3.0	-	Bailer	
TIME GAL	. PURGED	TT Eq	emperature (c)	ELECTRICAL (WS/OW)
11:00	4.0	7.30	62.1	801 × 100
11:05	8.0	7.18	62.3	834
11:10	12.0	<u> </u>	63.1	8.40
11:15	16.0	7.07	63 i	8.35
11:20	20.0	7.06	62.8	830
	24.0	7.07	62.9	8.29
11:30	Sample			
				•
	 			
				
				
				
	· · · · · · · · · · · · · · · · · · ·		, , , , , , , , , , , , , , , , , , , 	
NOTES:			·	·
			ــــــــــــــــــــــــــــــــــــــ	0 1 1
Well pur	ged USIV	rey Hond	a pump &	foot value
PURGE10.92	V	V	, v	

P&D ENVIRONMENTAL GROUNDWATER MONITORING/WELL PURGING DATA SHEET

Site Name XTAX C	IL- Coshov	alley	Well No	MW3
Job No. 0014	·	- /	Date <u> </u>	123/96
TOC to Water (ft.		_	Sheen	William .
Well Depth (ft.)		_	Free Produc	t Thickness 🔑
Well Diameter	4"	_	Sample Coll	ection Method Teflon
Gal./Casing Vol.	8.6	-	Briler	
TIME GAL.	PURGED	рн	TEMPERATURE (C)	ELECTRICAL (US/cm)
	3	6.92	60.9	1,21×1000
	P.6	6.91	60.2	1.06_
-	2.9	6.25	60.2	1.15
12;22	7, 2	6.80	100.7	1. 18
12:45 2	1.5	6.75	60.6	1,17
12:48 2	5,8	6-75	60.9	1.20
1:00	Saudel			•
				
				•
	 			
				
· <u></u>				
				
NOTES:				
Well ourged	wing	torde Jun	ip & fortralue	
PURGE10.92	J.	ľ	1 , ,	

110 2nd Avenue South, #D7, Pacheco, CA 94553 Tele: 510-798-1620 Fax: 510-798-1622

P & D Environmental 4020 Panama Court Oakland, CA 94611			Client Project ID: # 0014; Xtra Oil-Castro Date Sampled: 04/23/96 Valley Date Received: 04/24/96									
		Client	Contact: Par	ıl King	Date I	Date Extracted: 04/24-04/25/96						
		Client	P.O:		Date A	Date Analyzed: 04/240-04/25/96						
EPA methods	Gasoline Range 5030, modified 8015.	(C6-C12 and 8020 o) Volatile Hy r 602; California	drocarbons RWQCB (SF	as Gasolii Bay Region)	ne*, with I	MTBE & I	STEX*				
Lab ID	Client ID	Matrix	TPH(g) [†]	МТВЕ	Benzene	Toluene	Ethylben -zene	Xylenes	% Rec. Surrogate			
63461	MW1	w	73,000,a	ND< 150	8600	12,000	2200	9800	97			
63462	MW3	W	170,000,a,h	#20°	34,000	22,000	2200	14,000	100			
		<u></u>			<u> </u>							
				<u> </u>								
		1				-						
							-	<u> </u>				
				<u> </u>								

otherwis	g Limit unless se stated; ND	W	50 ug/L	5.0	0.5	0.5	0.5	0.5				
	means not detected above the reporting limit		1.0 mg/kg	0.05	0.005	0.005	0.005	0.005				

^{*} water and vapor samples are reported in ug/L, soil samples in mg/kg, and all TCLP extracts in mg/L

Edward Hamilton, Lab Director

[#] cluttered chromatogram; sample peak coelutes with surrogate peak

⁺ The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant (aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than - 5 vol. % sediment; j) no recognizable pattern.

110 2nd Avenue South, #D7, Pacheco, CA 94553 Tele: 510-798-1620 Fax: 510-798-1622

4020 Panama Court			t ID: # 0014; Xtra Oil-Castro	Date Sampled: 04/23/96					
		Valley		Date Received: 04/24/96					
		Client Contac	et: Paul King	Date Extracted: 04/24/96 Date Analyzed: 04/24/96					
<u> </u> 	CI								
EPA methods mo			23) Extractable Hydrocarbons nia RWQCB (SF Bay Region) method		o(3510)				
Lab ID	Client ID	Matrix	TPH(d) ⁺		% Recovery Surrogate				
63461	MW1	w	5700,d		110				
63462	MW3	w	280,000,a,d,1	h	108				
Reporting I	imit unless other ND means not de	W	50 ug/L						
tected above	the reporting lim	it s	1.0 mg/kg						

DHS Certification No. 1644

Edward Hamilton, Lab Director

^{*} water samples are reported in ug/L, soil samples in mg/kg, and all TCLP and STLC extracts in mg/L

[#] cluttered chromatogram resulting in cocluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

⁺ The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant); d) gasoline range compounds are significant; e) medium boiling point pattern that does not match diesel (?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~ 5 vol. % sediment.

QC REPORT FOR HYDROCARBON ANALYSES

Date:

04/24/96-04/25/96

Matrix: Water

3 - a 3 auts -	Concent	ration	(ug/L)	* Recovery							
Analyte	(#63331)	MS	MSD	Amount Spiked	MS	MSD	RPD				
TPH (gas)	0.0	108.5	118,2	100.0	108.5	118.2	8.6				
Benzene	0.0	9.7	10.4	10.0	97.0	104.0	7.0				
Toluene	0.0	9.6	10.3	10.0	96.0	103.0	7.0				
Ethyl Benzene	0.0	9.5	10.1	10.0	95.0	101.0	6.1				
Xylenes	0.0	28.2	30.3	30,0	94.0	101.0	7.2				
TPH (diesel)	0	174	174	150	116	116	0.0				
TRPH (oil & grease)	N/A	N/A	N/A	N/A	N/A	N/A	N/A				

% Rec. = (MS - Sample) / amount spiked x 100

RPD = $\{MS - MSD\} / \{MS + MSD\} \times 2 \times 100$

4020 Panama Court Oakland, CA 94611 Telephone (\$10) 658-6916

CHAIN OF CUSTODY RECORD

PROJECT NUMBER	:		PO IFC	MANT.			- 				266	Afd:	X170 PAGE 1 OF	
- JED ATTX PICO				NAME: Castro	vailley					/ /		/7	w /	
SAMPLED BY: (PR Ahmend Gr	handou	SIGNA?	TURE)	lundelan	dork	NUMBER OF CONTAINERS	X X	Services;		//	//	$^{\prime }//_{s}$	REMARKS	
SAMPLE NUMBER	DATE	TIME	TYPE	SAMPLE	LOCATION	NUMB CONT	1	3/3		$^{\prime}/$				
MWI	4/23/96		Wester			4	15	17	+		H	-15	(1)	
HW3	4/23/96		11			4	╬	 	+			ICE		احا
						1	 ^	什	-	1-				्राष्ट्र
			 _										63461	
													63462	
· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·	···								The second second second	
						LE LE	1197		11901					
				105/5	PRESERVA		V.K	791 1		itk				
				COOD CONDITION HEAD SPACE ARS	APPROPRI	OF.		=			\dashv			
					201111111	Tilling.			1	╂═╂				
·									1-		+			
											\prod			
RELINDUISHED BY:	SGNA JURE		DATE	TIME RECEIVED	BY (SIGNATURE)		1014	. #0. 01	SALP.		<u> </u>	 l		
aleundeli	anders		4-21-46	1042 /	X E		TOTAL	HD. OF	CONTA	. [<u>ર</u> જ		PRATORY:	7
RELINGUISMED BY: (SIGNATURE) DATE TIME				RECEIVED BY: (SICHATURE) WILL REFEIVED FOR LABORATORY DV.)		I A STORY AND A ST			TACT:	LABO	McComphell Analytical LABORATORY PHONE NUMBER:			
ELINOUISHED BY: (SIGNATURE) DATE TIME			THE THEOLITED	RECEIVED FOR LABORATORY BY:) (SIGNATURE)			SAMPLE ANALYSIS REQUEST SHEET ATTACHED: ()YES (X)NO					QUEST SHEET		
,				REMARKS:	VOA'S P	reser	we.	 _e l						