

Xtra OIL COMPANY

2307 PACIFIC AVENUE
ALAMEDA, CA 94501
(510) 855-9503 FAX (510) 865-1889

RECEIVED

8:00 am, Jun 05, 2012

Alameda County
Environmental Health

July 15, 2011

Mr. Paresh Khatri
Alameda County Environmental Health Department
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

**SUBJECT: SEMI-ANNUAL GROUNDWATER MONITORING AND SAMPLING REPORT
CERTIFICATION**
County Case # RO 285
Xtra Oil Company
3495 Castro Valley Blvd.
Castro Valley, CA

Dear Mr. Khatri:

P&D Environmental, Inc. has prepared the following document:


- Semi-Annual Groundwater Monitoring and Sampling Report (September 2010 Through February 2011) dated July 15, 2011 (document 0014.R79).

I declare under penalty of perjury that the contents and conclusions in the document are true and correct to the best of my knowledge.

Should you have any questions, please do not hesitate to contact me at (510) 865-9506.

Sincerely,

Xtra Oil Company



Keith Simas

0014.L174

P&D ENVIRONMENTAL, INC.

55 Santa Clara Ave, Suite 240
Oakland, CA 94610
(510) 658-6916

July 15, 2011
Report 0014.R79

Mr. Ted Simas
Mr. Keith Simas
Xtra Oil Company
2307 Pacific Ave.
Alameda, CA 94501

SUBJECT: SEMI-ANNUAL GROUNDWATER MONITORING AND SAMPLING REPORT
(SEPTEMBER 2010 THROUGH FEBRUARY 2011)
County Case # RO 285
Xtra Oil Company
3495 Castro Valley Blvd.
Castro Valley, California

Gentlemen:

P&D Environmental, Inc. (P&D) is pleased to present this report documenting the results of the most recent semi-annual monitoring and sampling of both the on- and off-site wells for the subject property. Onsite wells MW1, MW3, MW4, and EW1, offsite monitoring wells MW5 through MW12, and offsite observation wells OW1 and OW2 were monitored on February 14, 2011 and wells MW1, MW3, EW1, and MW5 through MW12 were sampled on February 14 and 15, 2011. The reporting period is for September 2010 through February 2011.

A Site Location Map (Figure 1), a Site Plan showing onsite well locations (Figure 2), and a Site Vicinity Map showing offsite well locations (Figure 3) are attached with this report. Figure 3 has been updated to show the correct location of OW2. Norbridge School shown on Figure 1 to the south of the subject site has been demolished and replaced with the Castro Valley BART station and associated parking lot.

The top of well MW1 was partially removed during expansion of the facility in 2009. On April 18, 2011 the elevations for the tops of wells MW1, MW4 and EW1 were resurveyed by a State-licensed surveyor. A copy of the survey report is attached with this report. The survey data was used in this semi-annual report for determination of groundwater surface elevations and groundwater flow direction determination at the site.

BACKGROUND

The site is currently used as a gasoline station. Four 12,000 gallon underground fuel storage tanks are present at the site. Three of the tanks contain gasoline and the fourth tank contains diesel fuel. A 550 gallon waste oil tank was removed from the site in November 1988. The fuel tanks were replaced during August 1992.

Three monitoring wells, designated MW1, MW2 and MW3, were installed at the site on February 14 and 15, 1990 by Western Geo-Engineers. The subsurface materials encountered in the boreholes consisted primarily of silt and clay. The locations of the monitoring wells are shown on Figure 2. Soil samples collected during drilling of the boreholes for the monitoring wells revealed the presence of total petroleum hydrocarbons as gasoline (TPH-G) and total petroleum hydrocarbons as diesel (TPH-D).

TPH-G was encountered in borehole MW1 at depths of 5 and 10 feet below grade at concentrations of 40 and 1,400 mg/kg, respectively; in borehole MW2 at depths of 10 and 15 feet below grade at concentrations of 230 and 95 mg/kg, respectively; and in borehole MW3 at depths of 5, 10, and 15 feet at concentrations of 140, 250 and 25 mg/kg, respectively. In addition, 120 mg/kg TPH-D was detected in borehole MW3 at a depth of 5 feet. Soil samples collected at a depth of 20 feet in borehole MW1 and at a depth of 18 feet in boreholes in MW2 and MW3 did not show any detectable concentration of TPH-G or TPH-D. Groundwater was encountered in the boreholes at depths of approximately 15 to 16 feet below grade.

On February 15, 1990 Western Geo-Engineers drilled three exploratory boreholes at the site designated as SB1, SB2 and SB3. The subsurface materials encountered in the boreholes consisted primarily of silt and clay. The approximate locations of the boreholes are shown on Figure 2. It is P&D's understanding that soil samples were collected from the exploratory boreholes at depths of 10 and 12 feet and evaluated in the field using a photoionization detector. In borehole SB1, TPH-G was detected at the depths of 10 and 12 feet at concentrations of 1,700 and 450 mg/kg, respectively. In boreholes SB2 and SB3, TPH-G was detected at the depths of 10 and 12 feet in both boreholes at concentrations of 800 mg/kg and greater than 2,000 mg/kg, respectively. A groundwater monitoring and sampling program was initiated at the site on February 20, 1990.

It is P&D's understanding that during fuel tank replacement activities in August, 1992 soil surrounding the tank pit was removed and disposed of offsite. An extraction well, designated as EW1, was designed and constructed in one corner of the new tank pit by K&B Environmental at the time of installation of the new tanks. The location of EW1 is shown on Figure 2.

On February 7, 1996 well MW2 was destroyed associated with the widening of Redwood Road. The destruction was overseen by ACC Environmental Consultants of Oakland, California.

On August 15, 1997 P&D personnel oversaw the installation of one groundwater monitoring well, designated as MW4, at the subject site. The location of the monitoring well is shown on the attached Site Plan, Figure 2. This work was performed in accordance with P&D's work plan 0014.W4 dated June 27, 1997. The work plan was approved by the Alameda County Department of Environmental Health (ACDEH) in a telephone conversation with Mr. Scott Seery on August 14, 1997. During the conversation, Mr. Seery indicated that he would record his approval of the work plan in the county file for the site. In accordance with an October 25, 2002 letter from Mr. Seery, groundwater samples are to be analyzed for fuel oxygenates methyl tertiary-butyl ether (MTBE), tertiary amyl methyl ether (TAME), ethyl tertiary-butyl ether (ETBE), diisopropyl ether (DIPE), and tertiary-butyl alcohol (TBA), and lead scavengers ethylene dibromide (EDB), 1,2-dichloroethane (1,2-DCA) using EPA Method 8260; and data for observation wells OW1 and OW2, located in Redwood Road, are to

be incorporated into monitoring and sampling reports for the subject site. Documentation of the well installation is provided in P&D's Monitoring Well Installation Report dated September 30, 1997 (document 0014.R25).

On May 31, 2005, P&D submitted an Interim Source Area Remediation Plan (ISARP) to ACDEH proposing free product removal at the site (document 0014.W9). P&D proposed using existing extraction well EW1 in the existing UST pit to dewater the existing pit and the previous UST pit. Monitoring of existing wells MW1, MW3, and MW4 to evaluate the effectiveness of water table drawdown at the site for plume control and associated free product recovery was also proposed.

In January 2007, P&D installed a groundwater extraction system consisting of a pump in well EW1, associated piping for discharge of water from the well, and a carbon filtration system. System operation began in February 2007. Documentation of the system installation and operation is provided in P&D's Interim Source Area Remediation Plan Progress Evaluation Report dated October 25, 2007 (document 0014.R67).

In response to a February 6, 2007 letter request from the ACDEH, P&D submitted a Groundwater Monitoring Well Installation Work Plan (MW5 Through MW13) dated March 5, 2007 (document 0014.W10) to the ACDEH proposing the installation of nine offsite groundwater monitoring wells in the vicinity of the subject site designated as MW5 through MW13. The ACDEH conditionally approved the work plan in an April 4, 2007 letter. P&D subsequently submitted a Groundwater Monitoring Well Installation Work Plan Amendment (MW5 Through MW12) dated May 3, 2007 (document 0014.W10A) to the ACDEH proposing the installation of eight offsite groundwater monitoring wells in the vicinity of the subject site designated as MW5 through MW12. Documentation of the implementation of the work plan and work plan amendment is provided in P&D's Groundwater Monitoring Well Installation Report (MW5 Through MW12) dated January 30, 2008 (document 0014.R68).

The groundwater extraction system that pumped from well EW1 was shut off on April 29, 2009 so that the carbon vessel could be moved to a new location as part of an expansion of the site onto the adjacent parcel located to the west. The system was subsequently sampled on October 26, 2010 in preparation for restarting the system which occurred on November 4, 2010.

The top of well MW1 was partially removed during expansion of the facility in 2009. On April 18, 2011 the elevations for the tops of wells MW1, MW4 and EW1 were resurveyed by a State-licensed surveyor. A copy of the survey report is attached with this report. The survey data was used in this semi-annual report for determination of groundwater surface elevations and groundwater flow direction determination at the site.

FIELD ACTIVITIES

Onsite wells MW1, MW3, MW4, and EW1, offsite monitoring wells MW5 through MW12, and offsite observation wells OW1 and OW2 were monitored on February 14, 2011 and wells MW1, MW3, EW1, and MW5 through MW12 were sampled on February 14 and 15, 2010. The monitoring and sampling was performed in conjunction with monitoring and sampling by SOMA

Environmental Engineering, Inc. of Pleasanton, California at the Former BP site at 3519 Castro Valley Boulevard.

On February 14, 2011 the wells at the subject site were monitored for depth to water and the presence of free product or sheen. In well MW4 the depth to water and depth to free product were measured to the nearest 1/32-inch with a steel tape and water-finding and product-finding paste. The passive hydrocarbon collection device in well MW4 was removed by P&D personnel and placed in storage near MW1 during pressure transducer installation in well MW4 on November 2, 2006. In wells OW1, OW2, MW1, MW3, and EW1, the depth to water was measured to the nearest 0.01 foot using an electric water level indicator. The presence of free product and sheen was also evaluated using a transparent bailer in wells MW1, MW3, MW5 through MW12, and EW1. The measured free product thickness in well MW4 was 0.17 feet. No water was encountered in observation wells OW1 and OW2, which are located in Redwood Road. No sample was collected from MW4 due to the presence of free product in the well, and no samples were collected from OW1 or OW2 because of insufficient water for sample collection in the wells (both wells were dry).

Prior to well sampling, onsite wells MW1, MW3, and EW1, and offsite wells MW5 through MW12 were purged of a minimum of three casing volumes of water or until the wells had been purged dry. Petroleum hydrocarbon odors were detected on the purge water from all three of the onsite sampled wells (MW1, MW3 and EW1), and petroleum hydrocarbon sheen was observed on the purge water and samples from the same three wells. Petroleum hydrocarbon odors were also detected for the samples collected from offsite wells MW6 and MW8, and petroleum hydrocarbon sheen was observed on the purge water from the same two offsite wells.

During purging operations, the field parameters of electrical conductivity, temperature, and pH were monitored and recorded on a groundwater monitoring/well purging data sheet. Once the field parameters were observed to stabilize and a minimum of three casing volumes had been purged, or the wells had purged dry and partially recovered, water samples were collected using a clean, new disposable bailer. Records of the field parameters measured during well purging are included with this report.

The water samples were transferred to 40-milliliter glass VOA vials and 1-liter amber glass bottles that were sealed with Teflon-lined screw caps. The VOA vials were overturned and tapped to ensure that no air bubbles were present. The VOA vials and bottles were then transferred to a cooler with ice, until they were transported to McCampbell Analytical, Inc. in Pittsburg, California. McCampbell Analytical, Inc. is a State-accredited hazardous waste testing laboratory. Chain of custody documentation accompanied the samples to the laboratory.

HYDROGEOLOGY

On January 7, 2008 Kier & Wright (State-licensed surveyors) surveyed the top of all of the wells, including onsite wells MW1, MW3, MW4 and EW1, and offsite observation wells OW1 and OW2. The new top of well casing elevations for the wells and the associated calculated groundwater surface elevations are shown in Table 1. Comparison of the previous top of well casing elevations for wells MW1, MW3 and MW4 with the January 7, 2008 elevations shows that the January 7, 2008

elevations are 2.85, 3.06, and 2.86 feet higher, respectively, than the previously surveyed elevations. The top of well MW1 was partially removed during expansion of the facility in 2009. On April 18, 2011 the elevations for the tops of wells MW1, MW4 and EW1 were resurveyed by Kier & Wright. A copy of the survey report is attached with this report. The 2011 survey data was used to replace the 2008 survey data for wells MW1, MW4 and EW1 in this semi-annual report for determination of groundwater surface elevations and groundwater flow direction determination at the site.

The groundwater extraction system that pumped from well EW1 was shut off on April 29, 2009 so that the carbon vessel could be moved to a new location as part of an expansion of the site onto the adjacent parcel located to the west. The system was subsequently resampled on October 26, 2010 and restarted on November 4, 2010.

On February 14, 2011 the measured depth to water in onsite wells MW1, MW3, MW4, and EW1 was 7.80, 8.96, 7.91, and 11.38 feet, respectively. A separate phase hydrocarbon layer measuring approximately 0.17 feet in thickness was measured in well MW4. Using a specific gravity of 0.75, the corrected depth to water in well MW4 is 7.78 feet. Since the previous monitoring event on July 26, 2010 the groundwater elevations (corrected for the presence of any detected free product) have decreased in onsite wells MW1, MW3, MW4, and EW1 by 0.49, 0.90, 0.03, and 3.94 feet, respectively. The comparatively large decrease in groundwater elevation in well EW1 is the result of non-pumping conditions in July 2010 when compared with pumping conditions in the well in February 2011.

Since the previous monitoring and sampling event for the offsite wells on July 26, 2010 the groundwater elevations have decreased in offsite groundwater monitoring wells MW5, MW6, MW7, and MW10 by 0.04, 0.04, 0.01, and 0.04 feet, respectively, increased in offsite groundwater monitoring wells MW8, MW11, and MW12 by 0.01, 0.03, and 0.18 feet respectively, and stayed the same in offsite monitoring well MW9. Although the measured change in the water level in well MW11 has historically been attributed to very slow recovery of the well during previous sampling episodes in 2007, the change in water level since the previous sampling event in well MW11 of 0.03 feet and in nearby well MW7 of 0.01 feet is similar to the water level changes in other offsite wells which ranged from 0.00 to 0.18 feet. Historical differences in water levels observed in well MW12 are attributed to the lithology in the vicinity of Redwood Court. The measured depth to water in the wells and the separate phase layer thickness measured in monitoring well MW4 are summarized in Table 1.

Based on the measured depth to groundwater (corrected for the presence of any detected free product) in the onsite groundwater monitoring wells MW1, MW3 and MW4, the apparent groundwater flow direction at the site on February 14, 2011 was calculated to be to the south-southwest with a gradient of 0.015. During the previous monitoring and sampling event on July 26, 2010 (during non-groundwater pumping conditions at the site) the groundwater flow direction was calculated to be to the southeast with a gradient of 0.007. The groundwater flow direction at the site on February 14, 2011 is shown on Figure 2. The groundwater flow direction has shifted towards the southwest and the gradient has increased since the previous monitoring and sampling event on July 26, 2010. The current groundwater flow direction is different from historical groundwater flow directions prior to 2007 (when groundwater was not being pumped from well

EW1), and is consistent with the groundwater flow direction observed during groundwater pumping. Rose diagrams showing historical groundwater flow directions at the site when groundwater was being pumped from well EW1 and when groundwater was not being pumped from well EW1 are shown on Figure 2. Rose diagrams shown on Figure 2 have been amended from previous reports to show historical groundwater flow directions during pumping and non-pumping periods.

Based on review of groundwater surface elevations in offsite groundwater monitoring wells MW5 through MW12, the groundwater flow direction in the vicinity of the site is southerly, ranging from the south-southeast with a gradient of 0.023 in the vicinity of Redwood Road to the south-southwest with a gradient of 0.015 in the vicinity of the west end of Redwood Court. These offsite groundwater flow directions and gradients are relatively consistent with groundwater flow directions and gradients observed during the previous monitoring and sampling episode. Groundwater surface elevations and contours and the approximate groundwater flow direction in the vicinity of the site based on February 14, 2011 water level measurements from the offsite wells are shown on Figure 3.

Pumping was restarted on November 4, 2010 at extraction well EW1 located in the former UST pit. As of January 14, 2011 the total number of gallons pumped by the groundwater treatment system was 1,624,308 gallons. The historical volume of water pumped from the extraction well is presented in Table 2.

LABORATORY RESULTS

All of the groundwater samples collected on February 14 and 15, 2011 were analyzed for TPH Multirange (TPH-G, TPH-D, and TPH-MO) using EPA Methods 5030B and 3510C in conjunction with modified EPA Method 8015C; and for benzene, toluene, ethylbenzene, and total xylenes (BTEX), fuel oxygenates (MTBE, TAME, ETBE, TAME, and TBA) and lead scavengers EDB and 1,2-DCA/EDC using EPA Method 5030B in conjunction with EPA Method 8260B.

The laboratory analytical results for the samples collected from onsite wells MW1, MW3, and EW1 show that TPH-D was detected at concentrations of 17,000, 50,000, and 24,000 micrograms per Liter ($\mu\text{g/L}$), respectively; TPH-G was detected at concentrations of 17,000, 49,000, and 22,000 $\mu\text{g/L}$, respectively; benzene was detected at concentrations of 120, 17,000, and 6,100 $\mu\text{g/L}$, respectively; and MTBE was detected at concentrations of 20, 2,000, and 2,900 $\mu\text{g/L}$, respectively. No fuel oxygenates or lead scavengers were detected in the groundwater samples collected from onsite wells MW1, MW3, and EW1, with the exception of MTBE mentioned above and TBA, which was detected in the samples collected from wells MW3 and EW1 at concentrations of 3,300 and 5,500 $\mu\text{g/L}$, respectively.

The laboratory analytical results for the samples collected from offsite wells MW5 through MW12 shows that no analytes were detected in the samples collected from wells MW5 and MW11; that the only analyte detected in well MW9 was TPH-D at a concentration of 52 $\mu\text{g/L}$; that the only analyte detected in well MW10 was ethylbenzene a concentration of 0.55 $\mu\text{g/L}$; and that the only analytes detected in well MW12 were TPH-G and MTBE at concentrations of 140 and 4.3 $\mu\text{g/L}$, respectively. In the samples collected from the remaining offsite wells (MW6, MW7, and MW8) TPH-D was not detected in the sample collected from well MW7 and was detected in MW6 and MW8 at

concentrations of 7,900 and 1,100 µg/L, respectively; TPH-G was detected at concentrations of 52,000, 120, and 1,900 µg/L, respectively; benzene was detected at concentrations of 5,100, 41, and 19 µg/L, respectively; and MTBE was only detected in the sample collected from offsite well MW7 at a concentration of 5.6 µg/L, and was not detected in the samples collected from offsite wells MW6 and MW8.

No other fuel oxygenates or lead scavengers were detected in any of the samples collected from any of offsite wells MW5 through MW12.

Review of the laboratory analytical reports shows that the TPH-D results for the sample collected from well MW1 are described as consisting of oil and gasoline range compounds, the results for the sample collected from well MW3 are described as consisting of diesel and oil range compounds, and the TPH-D results for the sample collected from well EW1 are described as consisting of both diesel and gasoline range compounds, and the TPH-D results for the samples collected from well MW6 and MW8 are described as consisting of gasoline-range compounds.

The laboratory analytical results for the groundwater samples are summarized in Table 3. Copies of the laboratory analytical reports and chain of custody documentation are included with this report.

DISCUSSION AND RECOMMENDATIONS

Onsite wells MW1, MW3, MW4, and EW1, offsite observation wells OW1 and OW2, and offsite monitoring wells MW5 through MW12 were monitored on February 14, 2011 and wells MW1, MW3, EW1, and MW5 through MW12 were sampled on February 14 and 15, 2011. Separate phase hydrocarbons were measured in well MW4 at a thickness of 0.17 feet. The separate phase hydrocarbon thickness has decreased from 0.76 on July 26, 2010.

Dewatering of the former UST pit began in February 2007 at extraction well EW1. The groundwater extraction system that pumped from well EW1 was shut off on April 29, 2009 so that the carbon vessel could be moved to a new location as part of an expansion of the site onto the adjacent parcel located to the west. The groundwater extraction system was subsequently restarted on November 4, 2010. As of January 14, 2011 the total number of gallons pumped by the groundwater treatment system was 1,624,308 gallons.

The top of well MW1 was partially removed during expansion of the facility in 2009. On April 18, 2011 the elevations for the tops of wells MW1, MW4 and EW1 were resurveyed by a State-licensed surveyor. The 2011 survey data was used in this semi-annual report for determination of groundwater surface elevations and groundwater flow direction determination at the site. Based on the measured depth to groundwater (corrected for the presence of any detected free product) in the onsite groundwater monitoring wells MW1, MW3 and MW4, the apparent groundwater flow direction at the site on February 14, 2011 was calculated to be to the south-southwest with a gradient of 0.015.

The current groundwater flow direction is different from historical groundwater flow directions prior to 2007 (when groundwater was not being pumped from well EW1), and is consistent with the

groundwater flow direction observed during groundwater pumping. Rose diagrams showing historical groundwater flow directions at the site when groundwater was being pumped from well EW1 and when groundwater was not being pumped from well EW1 are shown on Figure 2. Rose diagrams shown on Figure 2 have been amended from previous reports to show historical groundwater flow directions during pumping and non-pumping periods. Based on review of groundwater surface elevations in offsite groundwater monitoring wells MW5 through MW12, the groundwater flow direction in the vicinity of the site is southerly, ranging from the south-southeast with a gradient of 0.023 in the vicinity of Redwood Road to the south-southwest with a gradient of 0.015 in the vicinity of the west end of Redwood Court. These offsite groundwater flow directions and gradients are relatively consistent with groundwater flow directions and gradients observed during the previous monitoring and sampling episode.

Review of changes in onsite water quality since the previous sampling event on July 26 and 27, 2010 shows that in wells MW1 and MW3 all analyte concentrations have decreased or remained the same with the exceptions of TPH-D in well MW1 and TPH-D and TPH-G in well MW3 which increased. In well EW1 all analyte concentrations have increased substantially. The increase in analyte concentrations in well EW1 is attributed to the resumption of pumping from well EW1 on November 4, 2010.

Review of changes in offsite water quality since the previous sampling event on July 26 and 27, 2010 shows that all analyte concentrations have decreased or remained not detected in wells MW5, MW6, MW7, MW8, MW9, MW10, MW11, and MW12 with the exceptions of TPH-D in wells MW6, MW8 and MW9, ethylbenzene in wells MW8 and MW10, and TPH-G in well MW12, which increased.

Based on the laboratory analytical results of the water samples collected from the monitoring wells, P&D recommends that semi-annual groundwater monitoring and sampling be continued. In addition, P&D recommends that future monitoring and sampling efforts continue to be coordinated with the Former BP site located at 3519 Castro Valley Boulevard. In accordance with communications with ACDEH, although future monitoring and sampling events will be performed in conjunction with the consultant for the Former BP site located at 3519 Castro Valley Boulevard, the results obtained by the other consultant are not included in this current report and will not be included in future P&D reports because the information is readily available via the internet at both the county website and the GeoTracker website.

Based on the decreased separate phase petroleum hydrocarbon layer thickness in well MW4 and the decreased benzene concentrations in wells MW1 and MW3 since the resumption of groundwater pumping at well EW1, P&D recommends that groundwater pumping be continued at well EW1. P&D also recommends that the separate phase petroleum layer be removed from well MW4.

DISTRIBUTION

A copy of this report will be uploaded to the ACDEH website, in accordance with ACDEH requirements. In addition, a copy of this report will be uploaded to the GeoTracker database.

LIMITATIONS

This report was prepared solely for the use of Xtra Oil Company. The content and conclusions provided by P&D in this assessment are based on information collected during our investigation, which may include, but not be limited to, visual site inspections; interviews with the site owner, regulatory agencies and other pertinent individuals; review of available public documents; subsurface exploration and our professional judgment based on said information at the time of preparation of this document. Any subsurface sample results and observations presented herein are considered to be representative of the area of investigation; however, geological conditions may vary between borings and may not necessarily apply to the general site as a whole. If future subsurface or other conditions are revealed which vary from these findings, the newly revealed conditions must be evaluated and may invalidate the findings of this report.

This report is issued with the understanding that it is the responsibility of the owner, or his representative, to ensure that the information contained herein is brought to the attention of the appropriate regulatory agencies, where required by law. Additionally, it is the sole responsibility of the owner to properly dispose of any hazardous materials or hazardous wastes left onsite, in accordance with existing laws and regulations.


This report has been prepared in accordance with generally accepted practices using standards of care and diligence normally practiced by recognized consulting firms performing services of a similar nature. P&D is not responsible for the accuracy or completeness of information provided by other individuals or entities which is used in this report. This report presents our professional judgment based upon data and findings identified in this report and interpretation of such data based upon our experience and background, and no warranty, either express or implied, is made. The conclusions presented are based upon the current regulatory climate and may require revision if future regulatory changes occur.

July 15, 2011
Report 0014.R79


Should you have any questions, please do not hesitate to contact us at (510) 658-6916.

Sincerely,

P&D Environmental, Inc.



Paul H. King
Professional Geologist #5901
Expires: 12/31/11



Attachments:

Table 1 – Historical Water Level Data
Table 2 – Historical Volume Pumped From Well EW1
Table 3 – Historical Water Quality Data

Figure 1 – Site Location Map
Figure 2 – Site Plan Showing February 14, 2011 Water Level Data
Figure 3 – Site Vicinity Map Showing February 14, 2011 Water Level Data

April 18, 2011 Kier & Wright Tables of Elevations & Coordinates (Survey Data)
Well Monitoring and Purge Data Sheets
Laboratory Analytical Reports and Chain of Custody Documentation

PHK/ sjc
0014.R79

TABLES

TABLE 1
HISTORICAL WATER LEVEL DATA

<u>Well Number</u>	<u>Date Monitored</u>	<u>Top of Casing Elevation (Ft)</u>	<u>Depth to Water (Ft)</u>	<u>Water Table Elevation (Ft)</u>
MW1	2/14/2011	179.43+++	7.80	171.63
	7/26/2010	180.22++	8.10	172.12
	1/27/2010	180.22++	6.41	173.81
	10/15/2009	180.22++	7.22	173.00
	7/7/2009	180.22++	8.44	171.78
	4/6/2009	180.22++	8.35	171.87
	1/6/2009	180.22++	8.42	171.80
	10/22/2008	180.22++	8.80	171.42
	7/16/2008	180.22++	8.40	171.82
	4/15/2008	180.22++	8.41	171.81
	1/17/2008	180.22++	8.01	169.36
	10/16/2007	177.37*	8.65	168.72
	7/25/2007	177.37*	8.49	168.88
	4/17/2007	177.37*	8.30	169.07
	1/18/2007	177.37*	7.85	169.52
	11/14/2006	177.37*	7.38	169.99
	6/29/2006	177.37*	7.80	169.57
	2/3/2006	177.37*	6.65	170.72
	11/18/2005	177.37*	8.17	169.20
	7/28/2005	177.37*	7.98	169.39
	4/13/2005	177.37*	6.90	170.47
	1/31/2005	177.37*	7.20	170.17
	10/15/2004	177.37*	8.52	168.85
	7/13/2004	177.37*	8.33	169.04
	4/6/2004	177.37*	7.93	169.44
	12/18/2003	177.37*	7.65	169.72
	9/18/2003	177.37*	8.15	169.22
	6/19/2003	177.37*	8.13	169.24
	3/18/2003	177.37*	7.77	169.60
	12/21/2002	177.37*	5.74	171.63
	9/10/2002	177.37*	8.28	169.09
	3/30/2002	177.37*	7.43	169.94
	12/21/2001	177.37*	6.92	170.45
	9/23/2001	177.37*	8.53	168.84
	6/22/2001	177.37*	8.30	169.07
	4/22/2001	177.37*	7.77	169.60
	12/14/2000	177.37*	8.49	168.88
	9/18/2000	177.37*	8.56	168.81
	6/8/2000	177.37*	7.97	169.40
	3/9/2000	177.37*	6.68	170.69
	12/9/1999	177.37*	8.15	169.22
	8/31/1999	177.37*	8.36	169.01
	4/29/1999	177.37*	7.68	169.69
	01/29/1999	177.37*	6.99	170.38
	4/26/1998	177.37*	7.5	169.87
	1/24/1998	177.37*	6.61	170.76
	11/6/1997	177.37*	8.79	168.58
	8/26/1997	177.37*	8.51	168.86
	7/24/1997	177.43**	8.71	168.72
	4/25/1997	177.43**	7.98	169.45
	1/20/1997	177.43**	7.12	170.31
	7/26/1996	177.43**	8.39	169.04
	7/9/1996	177.43**	8.16	169.27
	4/23/1996	177.43**	7.47	169.96
	2/7/1996	177.43**	6.09	171.34
	1/29/1996	177.43**	6.17	171.26
	10/26/1995	177.43**	8.45	168.98
	7/28/1995	177.43**	8.27	169.16
	5/2/1995	177.43**	6.96	170.47
	2/23/1995	177.43**	7.72	169.71
	11/18/1994	177.43**	7.14	170.29
	8/22/1994	177.43**	8.67	168.76
	5/19/1994	177.43**	8.05	169.38
	2/28/1994	177.43**	7.44	169.99
	11/24/1993	177.43**	8.74	168.69
	8/30/1993	177.43**	8.78	168.65
	5/18/1993	177.43**	8.12	169.31
	2/23/1993	177.43**	7.34	170.09
	11/13/1992	200.00***	9.13	190.87
	5/29/1992	175.73	8.59	167.14
	1/14/1992	175.73	8.57	167.16
	12/23/1991	175.73	9.65	166.08
	11/25/1991	175.73	9.41	166.32
	10/10/1991	175.73	9.7	166.03
	9/17/1991	175.73	9.5	166.23
	8/19/1991	175.73	9.31	166.42

TABLE 1
HISTORICAL WATER LEVEL DATA

<u>Well Number</u>	<u>Date Monitored</u>	<u>Top of Casing Elevation (Ft)</u>	<u>Depth to Water (Ft)</u>	<u>Water Table Elevation (Ft)</u>
MW2	NOT MEASURED (DESTROYED ON FEBRUARY 7, 1996)			
	2/7/1996	176.04**	5.70	170.34
	1/29/1996	176.04**	5.16	170.88
	10/26/1995	176.04**	8.21	167.83
	7/28/1995	176.04**	7.99	168.05
	5/2/1995	176.04**	6.79	169.25
	2/23/1995	176.04**	7.51	168.53
	11/18/1994	176.04**	6.92	169.12
	8/22/1994	176.04**	8.59	167.45
	5/19/1994	176.04**	7.70	168.34
	2/28/1994	176.04**	6.99	169.05
	11/24/1993	176.04**	8.47	167.57
	8/30/1993	176.04**	8.64	167.40
	5/18/1993	176.04**	7.73	168.31
	2/23/1993	176.04**	6.39	169.65
	11/13/1992	198.61***	8.70	189.91
	5/29/1992	175.45	9.31	166.14
	1/14/1992	175.45	8.97	166.48
	12/23/1991	175.45	10.39	165.06
	11/25/1991	175.45	9.81	165.64
	10/10/1991	175.45	10.39	165.06
	9/17/1991	175.45	10.23	165.22
	8/19/1991	175.45	9.60	165.85
MW3	2/14/2011	179.46++	8.96	170.50
	7/26/2010	179.46++	8.06	171.40
	1/27/2010	179.46++	5.82	173.64
	10/15/2009	179.46++	7.55	171.91
	7/7/2009	179.46++	8.50	170.96
	4/6/2009	179.46++	8.73	170.73
	1/6/2009	179.46++	8.88	170.58
	10/22/2008	179.46++	9.29	170.17
	7/16/2008	179.46++	9.03	170.43
	4/15/2008	179.46++	9.19	170.27
	1/17/2008	176.40*	8.90	167.50
	11/16/2007	176.40*	9.43	166.97
	7/25/2007	176.40*	9.35	167.05
	4/17/2007	176.40*	8.88	167.52
	1/18/2007	176.40*	7.32	169.08
	11/14/2006	176.40*	7.53	168.87
	6/29/2006	176.40*	7.58	168.82
	2/3/2006	176.40*	6.10	170.30
	11/18/2005	176.40*	7.63	168.77
	7/28/2005	176.40*	7.58	168.82
	4/13/2005	176.40*	6.35	170.05
	1/31/2005	176.40*	6.79	169.61
	10/15/2004	176.40*	8.28	168.12
	7/13/2004	176.40*	8.11	168.29
	4/6/2004	176.40*	7.41	168.99
	12/18/2003	176.40*	6.99	169.41
	9/18/2003	176.40*	7.91	168.49
	6/19/2003	176.40*	7.60	168.80
	3/18/2003	176.40*	7.35	169.05
	12/21/2002	176.40*	5.43	170.97
	09/10/2002	176.40*	7.97	168.43
	03/30/2002	176.40*	6.97	169.43
	12/22/2001	176.40*	6.44	169.96
	09/23/2001	176.40*	8.17	168.23
	06/22/2001	176.40*	8.06	168.34
	04/22/2001	176.40*	7.50	168.90
	12/14/2000	176.40*	8.13	168.27
	9/18/2000	176.40*	7.83	168.57
	09/26/2000	176.40*	7.77	168.63
	6/8/2000	176.40*	7.50	168.90
	03/09/2000	176.40*	6.08	170.32
	12/9/1999	176.40*	7.90	168.50
	8/31/1999	176.40*	7.95	168.45
	4/29/1999	176.40*	7.09	169.31
	1/29/1999	176.40*	6.42	169.98
	04/26/1998	176.40*	6.85	169.55
	01/24/1998	176.40*	5.90	170.50
	11/6/1997	176.40*	7.80	168.80
	8/26/1997	176.40*	7.67	168.73
	7/24/1997	176.41**	7.90	168.51
	4/25/1997	176.41**	7.12	169.29
	01/20/1997	176.41**	6.35	170.06

TABLE 1
HISTORICAL WATER LEVEL DATA

<u>Well Number</u>	<u>Date Monitored</u>	<u>Top of Casing Elevation (Ft)</u>	<u>Depth to Water (Ft)</u>	<u>Water Table Elevation (Ft)</u>
MW3	7/26/1996	176.41**	7.84	169.57
(Continued)	7/9/1996	176.41**	7.61	168.80
	04/23/1996	176.41**	6.81	169.60
	2/7/1996	176.41**	5.05	170.36
	01/29/1996	176.41**	5.77	170.64
	10/26/1995	176.41**	7.72	168.69
	07/28/1995	176.41**	7.80	168.61
	05/02/1995	176.41**	6.50	169.91
	2/23/1995	176.41**	7.24	169.17
	11/18/1994	176.41**	6.05	170.36
	8/22/1994	176.41**	7.65	168.76
	5/19/1994	176.41**	7.15	169.26
	2/24/1994	176.41**	6.68	169.73
	11/24/1993	176.41**	7.55	168.86
	8/30/1993	176.41**	7.64	168.77
	5/18/1993	176.41**	7.12	169.29
	2/23/1993	176.41**	8.01	168.40
	11/13/1992	190.97***	7.86	191.12
	5/29/1992	175.00	8.45	166.55
	1/14/1992	175.00	8.24	166.55
	12/23/1991	175.00	9.37	165.63
	11/25/1991	175.00	9.19	165.81
	10/10/1991	175.00	9.43	165.57
	09/17/1991	175.00	9.20	165.80
	8/19/1991	175.00	8.95	166.05
MW4	2/14/2011	179.22+++	7.91(0.17)#	171.44
	7/26/2010	179.21++	8.31(0.76)#	171.47
	1/27/2010	179.21++	6.58(0.83)#	173.25
	10/15/2009	179.21++	7.06(0.46)#	172.50
	7/7/2009	179.21++	8.16(0.22)#	171.22
	4/6/2009	179.21++	7.90(0.16)#	171.43
	1/6/2009	179.21++	8.00(0.19)#	171.35
	10/22/2008	179.21++	8.46(0.08)#	170.81
	7/16/2008	179.21++	8.04(0.21)#	171.33
	4/15/2008	179.21++	8.00(0.25)#	171.40
	1/17/2008	176.35*	7.50(0.17)#	168.98
	10/16/2007	176.35*	8.50(0.25)#	168.04
	7/25/2007	176.35*	8.04(0.17)#	168.44
	4/17/2007	176.35*	7.94(0.19)#	168.55
	1/18/2007	176.35*	7.38(0.21)#	169.13
	11/14/2006	176.35*	7.36(0.25)#	169.18
	6/29/2006	176.35*	Unknown	Unknown
	2/3/2006	176.35*	5.86	170.49
	11/18/2005	176.35*	7.99 (0.51)#	168.36
	7/28/2005	176.35*	7.59	168.76
	4/13/2005	176.35*	6.78 (0.01)#	169.58
	1/31/2005	176.35*	7.34 (0.19)#	169.15
	10/15/2004	176.35*	8.73 (0.15)#	167.73
	7/13/2004	176.35*	8.44 (0.03)#	167.93
	4/6/2004	176.35*	9.58 (2.83)#	168.89
	2/11/2004	176.35*	9.43 (2.70)#	168.95
	12/18/2003	176.35*	9.75 (1.51)#	167.73
	9/18/2003	176.35*	9.13 (1.80)#	168.57
	6/19/2003	176.35*	8.56 (0.31)#	168.02
	3/18/2003	176.35*	7.49 (0.06)#	168.91
	12/21/2002	176.35*	8.58 (4.39)#	171.06
	9/10/2002	176.35*	9.09 (1.60)#	168.46
	03/30/2002	176.35*	9.86 (2.49)#	168.36
	12/22/2001	176.35*	7.79 (1.75)#	169.87
	9/23/2001	176.35*	8.97 (1.17)#	168.26
	06/22/2001	176.35*	7.79	168.56
	4/22/2001	176.35*	9.07 (2.20)#	168.93
	12/14/2000	176.35*	8.87 (0.72)#	168.02
	09/18/2000	176.35*	8.50 (0.45)#	168.19
	6/8/2000	176.35*	7.34	169.01
	3/9/2000	176.35*	6.61 (0.46)#	170.08
	12/9/1999	176.35*	8.80	167.55
	08/31/1999	176.35*	8.28	168.07
	4/29/1999	176.35*	7.14	169.21
	1/29/1999	176.35*	6.68	169.67
	04/26/1998	176.35*	6.87	169.48
	01/24/1998	176.35*	6.61	169.74
	11/6/1997	176.35*	9.16	167.19
	08/26/1997	176.35*	8.92	167.43
	08/20/1997	176.35*	7.66^	

TABLE 1
HISTORICAL WATER LEVEL DATA

<u>Well Number</u>	<u>Date Monitored</u>	<u>Top of Casing Elevation (Ft)</u>	<u>Depth to Water (Ft)</u>	<u>Water Table Elevation (Ft)</u>
MW5	2/14/2011	176.02++	6.00	170.02
	7/26/2010	176.02++	5.96	170.06
	1/27/2010	176.02++	4.20	171.82
	10/15/2009	176.02++	5.04	170.98
	7/7/2009	176.02++	6.18	169.84
	4/6/2009	176.02++	5.86	170.16
	1/6/2009	176.02++	5.91	170.11
	10/22/2008	176.02++	6.55	169.47
	7/16/2008	176.02++	6.01	170.01
	4/15/2008	176.02++	5.90	170.12
	12/17/2007	176.02++	5.83	170.19
	12/13/2007	176.02++	5.83	170.19
	12/12/2007	176.02++	5.98	170.04
MW6	2/14/2011	175.24++	5.83	169.41
	7/26/2010	175.24++	5.79	169.45
	1/27/2010	175.24++	4.02	171.22
	10/15/2009	175.24++	4.92	170.32
	7/7/09	175.24++	6.00	169.24
	4/6/2009	175.24++	5.66	169.58
	1/6/2009	175.24++	5.72	169.52
	10/22/2008	175.24++	6.36	168.88
	7/16/2008	175.24++	5.88	169.36
	4/15/2008	175.24++	5.00	170.24
	12/17/2007	175.24++	5.69	169.55
	12/13/2007	175.24++	5.63	169.61
	12/11/2007	175.24++	6.17^	169.07
MW7	2/14/2011	170.34++	3.73	166.61
	7/26/2010	170.34++	3.72	166.62
	1/27/2010	170.34++	2.22	168.12
	10/15/2009	170.34++	2.76	167.58
	7/7/2009	170.34++	3.98	166.36
	4/6/2009	170.34++	3.57	166.77
	1/6/2009	170.34++	3.62	166.72
	10/22/2008	170.34++	4.24	166.10
	7/16/2008	170.34++	4.06	166.28
	4/15/2008	170.34++	3.60	166.74
	12/17/2007	170.34++	3.68	166.66
	12/13/2007	170.34++	4.74	165.60
	12/12/2007	170.34++	5.49	164.85
	12/11/2007	170.34++	5.98^	164.36
MW8	2/14/2011	176.00++	6.95	169.05
	7/26/2010	176.00++	6.96	169.04
	1/27/2010	176.00++	5.17	170.83
	10/15/2009	176.00++	6.08	169.92
	7/7/2009	176.00++	7.34	168.66
	4/6/2009	176.00++	6.84	169.16
	1/6/2009	176.00++	6.88	169.12
	10/22/2008	176.00++	7.91	168.09
	7/16/2008	176.00++	7.20	168.80
	4/15/2008	176.00++	6.76	169.24
	12/17/2007	176.00++	6.73	169.27
	12/13/2007	176.00++	6.52	169.48
	12/12/2007	176.00++	6.56^	169.44
MW9	2/14/2011	175.09++	6.41	168.68
	7/26/2010	175.09++	6.41	168.68
	1/27/2010	175.09++	4.61	170.48
	10/15/2009	175.09++	5.57	169.52
	7/7/2009	175.09++	6.69	168.40
	4/6/2009	175.09++	6.27	168.82
	1/6/2009	175.09++	6.32	168.77
	10/22/2008	175.09++	6.96	168.13
	7/16/2008	175.09++	6.57	168.52
	4/15/2008	175.09++	6.44	168.65
	12/17/2007	175.09++	6.35	168.74
	12/13/2007	175.09++	6.31	168.78
	12/11/2007	175.09++	11.21^	163.88
MW10	2/14/2011	176.03++	5.82	170.21
	7/26/2010	176.03++	5.78	170.25
	1/27/2010	176.03++	3.94	172.09
	10/15/2009	176.03++	4.83	171.20
	7/7/2009	176.03++	6.00	170.03
	4/6/2009	176.03++	5.63	170.40
	1/6/2009	176.03++	5.71	170.32

TABLE 1
HISTORICAL WATER LEVEL DATA

<u>Well Number</u>	<u>Date Monitored</u>	<u>Top of Casing Elevation (Ft)</u>	<u>Depth to Water (Ft)</u>	<u>Water Table Elevation (Ft)</u>
MW10 (Continued)	10/22/2008	176.03++	6.46	169.57
	7/16/2008	176.03++	5.83	170.20
	4/15/2008	176.03++	5.64	170.39
	12/17/2007	176.03++	5.77	170.26
	12/13/2007	176.03++	5.55	170.48
	12/12/2007	176.03++	5.70^	170.33
MW11	2/14/2011	171.03++	4.14	166.89
	7/26/2010	171.03++	4.17	166.86
	1/27/2010	171.03++	1.83	169.20
	10/15/2009	171.03++	3.26	167.77
	7/7/2009	171.03++	4.40	166.63
	4/6/2009	171.03++	3.97	167.06
	1/6/2009	171.03++	4.04	166.99
	10/22/2008	171.03++	4.87	166.16
	7/16/2008	171.03++	4.38	166.65
	4/15/2008	171.03++	3.70	167.33
	12/17/2007	171.03++	10.19	160.84
	12/13/2007	171.03++	12.72	158.31
	12/12/2007	171.03++	12.99	158.04
	12/11/2007	171.03++	11.94^	159.09
MW12	2/14/2011	173.98++	7.78	166.20
	7/26/2010	173.98++	7.96	166.02
	1/27/2010	173.98++	5.99	167.99
	10/15/2009	173.98++	7.02	166.96
	7/7/2009	173.98++	8.31	165.67
	4/6/2009	173.98++	7.70	166.28
	1/6/2009	173.98++	7.61	166.37
	10/22/2008	173.98++	9.02	164.96
	7/16/2008	173.98++	8.47	165.51
	4/15/2008	173.98++	7.77	166.21
	12/17/2007	173.98++	7.71	166.27
	12/13/2007	173.98++	7.66	166.32
	12/12/2007	173.98++	7.67^	166.31
EW1	2/14/2011	179.28+++	11.38	167.90
	7/26/2010	179.27++	7.43	171.84
	1/27/2010	179.27++	4.22	175.05
	10/15/2009	179.27++	5.96	173.31
	7/7/2009	179.27++	8.29	170.98
	4/6/2009	179.27++	11.35	167.92
	1/6/2009	179.27++	11.41	167.86
	10/22/2008	179.27++	11.40	167.87
	7/16/2008	179.27++	11.40	167.87
	4/15/2008	179.27++	11.40	167.87
	1/17/2008	179.27++	11.41	167.86
	11/16/2007	179.27++	11.95	167.32
	7/25/2007	179.27++	11.57	167.70
	4/17/2007	179.27++	11.35	167.92
	1/18/2007	179.27++	6.60	172.67
	11/14/2006	179.27++	6.11	173.16
	6/29/2006	179.27++	6.88	172.39
	2/3/2006	179.27++	5.23	174.04
	11/18/2005	179.27++	6.63	172.64
	7/28/2005	179.27++	6.94	172.33
	4/13/2005	179.27++	5.23	174.04
	1/31/2005	179.27++	6.25	173.02
	10/15/2004	179.27++	7.65	171.62
	7/13/2004	179.27++	7.51	171.76
	4/6/2004	179.27++	6.63	172.64
12/18/2003	179.27++	6.72	172.55	
9/18/2003	179.27++	7.29	171.98	
OW1	2/14/2011	178.93++	No Water or Product	None
	7/26/2010	178.93++	No Water or Product	None
	1/27/2010	178.93++	6.95	171.98
	10/16/2009	178.93++	No Water or Product	None
	7/7/2009	178.93++	No Water or Product	None
	4/6/2009	178.93++	Not Measured	None
	1/6/2009	178.93++	No Water or Product	None
	10/22/2008	178.93++	No Water; (0.33)	None
	7/16/2008	178.93++	6.95	171.98
4/15/2008	178.93++	7.11	171.82	

TABLE 1
HISTORICAL WATER LEVEL DATA

Well Number	Date Monitored	Top of Casing Elevation (Ft)	Depth to Water (Ft)	Water Table Elevation (Ft)
OW1	1/17/2008	178.93++	4.00	174.93
(Continued)	11/16/2007	178.93++	No Water or Product	None
	7/25/2007	178.93++	No Water or Product	None
	4/17/2007	178.93++	No Water or Product	None
	1/18/2007	178.93++	No Water or Product	None
	11/14/2006	178.93++	No Water (sheen)	None
	6/29/2006	178.93++	7.13	171.8
	2/3/2006	178.93++	6.97	171.96
	11/18/2005	178.93++	7.43 (0.13)#	171.60
	7/28/2005	178.93++	7.06 (0.01)#	171.88
	4/13/2005	178.93++	6.99	171.94
	1/31/2005	178.93++	7.03	171.90
	10/15/2004	178.93++	7.19 (0.08)#	171.80
	7/14/2004	178.93++	7.02	171.91
	4/6/2004	178.93++	7.01	171.92
	2/11/2004	178.93++	7.01	171.92
	10/6/2003	178.93++	7.07 (0.01)#	171.87
	11/2/2000	178.93++	7.12,##	171.81
	1/29/1999	178.93++	7.12	171.81
	12/9/1999	178.93++	7.27	171.66
OW2	2/14/2011	176.03++	No Water or Product	None
	7/26/2010	176.03++	No Water or Product	None
	1/27/2010	176.03++	7.03	169.00
	10/16/2009	176.03++	No Water or Product	None
	7/7/2009	176.03++	No Water or Product	None
	4/6/2009	176.03++	Not Measured	None
	1/6/2009	176.03++	No Water or Product	None
	10/22/2008	176.03++	No Water or Product	None
	7/16/2008	176.03++	No Water or Product	None
	4/15/2008	176.03++	No Water or Product	None
	1/17/2008	176.03++	No Water or Product	None
	11/16/2007	176.03++	No Water or Product	None
	7/25/2007	176.03++	No Water or Product	None
	4/17/2007	176.03++	No Water or Product	None
	1/18/2007	176.03++	No Water or Product	None
	11/14/2006	176.03++	7.27	168.76
	6/29/2006	176.03++	7.30	168.73
	2/3/2006	176.03++	7.08	168.95
	11/18/2005	176.03++	7.33	168.70
	7/28/2005	176.03++	7.27	168.76
	4/13/2005	176.03++	7.06	168.97
	1/31/2005	176.03++	7.29	168.74
	10/15/2004	176.03++	No Water or Product	None
	7/14/2004	176.03++	No Water or Product	None
	4/6/2004	176.03++	7.27	168.76
	2/11/2004	176.03++	7.19	168.84
	10/6/2003	176.03++	7.29	168.74
	11/2/2000	176.03++	7.19	168.84
	1/29/1999	176.03++	7.19	168.84
	12/9/1999	176.03++	7.17	168.86
NOTES:				
+++ = Surveyed on April 18, 2011 (MW1, MW4, EW1 only)				
++ = Surveyed on January 7, 2008				
* = Surveyed on August 20, 1997				
** = Surveyed on March 24, 1993				
*** = Surveyed on December 5, 1992				
^ = Prior to well development.				
# = Indicates free product thickness in feet. The water table elevation has been corrected for the presence of free product by assuming a free product specific gravity of 0.75.				
## = Petroleum hydrocarbon odor reported on probe for water level indicator.				
^ = Sheen observed either during initial monitoring, purging, and/or sample collection; from 2nd half 2007 to present only.				
N/A = Not Applicable				

TABLE 2
HISTORICAL VOLUME PUMPED FROM WELL EW1

Date	Totalizer Readings (Gal)	Actual Cumulative Amount Pumped (Gal)	Amount Pumped Between Recordings (Gal)	Days Between Recordings	GPD Pumped	Comments
2/22/2007	999,868.70		0	0		
3/1/2007	32,220	32,351.3	32,351.3	7	4,621.6	
3/7/2007	42,970	43,101.3	10,750.0	6	1,791.7	
3/23/2007	43,154.30	43,285.6	184.3	16	11.5	
3/28/2007	58,660	58,791.3	15,505.7	5	3,101.1	
4/5/2007	80,015	80,146.3	21,355.0	8	2,669.4	
4/11/2007	98,060	98,191.3	18,045.0	6	3,007.5	
4/20/2007	119,080	119,211.3	21,020.0	9	2,335.6	
4/27/2007	136,230	136,361.3	17,150.0	7	2,450.0	
5/7/2007	154,520	154,651.3	18,290.0	10	1,829.0	
5/11/2007	160,500	160,631.3	5,980.0	4	1,495.0	
5/23/2007	177,410	177,541.3	16,910.0	12	1,409.2	
5/25/2007	180,000	180,131.3	2,590.0	2	1,295.0	
5/30/2007	185,970	186,101.3	5,970.0	5	1,194.0	
6/7/2007	195,490	195,621.3	9,520.0	8	1,190.0	
6/14/2007	203,440	203,571.3	7,950.0	7	1,135.7	
6/18/2007	208,817	208,948.3	5,377.0	4	1,344.3	
6/22/2007	213,027	213,158.3	4,210.0	4	1,052.5	
6/28/2007	219,263	219,394.3	6,236.0	6	1,039.3	
7/6/2007	227,852	227,983.3	8,589.0	8	1,073.6	
7/16/2007	238,618	238,749.3	10,766.0	10	1,076.6	
7/20/2007	242,625	242,756.3	4,007.0	4	1,001.8	
7/30/2007	252,741	252,872.3	10,116.0	10	1,011.6	
8/2/2007	255,819	255,950.3	3,078.0	3	1,026.0	
8/13/2007	267,010	267,141.3	11,191.0	11	1,017.4	
8/17/2007	271,020	271,151.3	4,010.0	4	1,002.5	
8/24/2007	278,020	278,151.3	7,000.0	7	1,000.0	
8/30/2007	284,065	284,196.3	6,045.0	6	1,007.5	
8/31/2007	285,073	285,204.3	1,008.0	1	1,008.0	
9/5/2007	289,721	289,852.3	4,648.0	5	929.6	
9/7/2007	291,719	291,850.3	1,998.0	2	999.0	
9/14/2007	298,444	298,575.3	6,725.0	7	960.7	
9/21/2007	304,875	305,006.3	6,431.0	7	918.7	
10/1/2007	313,953	314,084.3	9,078.0	10	907.8	
10/8/2007	320,958	321,089.3	7,005.0	7	1,000.7	
10/12/2007	326,044	326,175.3	5,086.0	4	1,271.5	
10/18/2007	334,840	334,971.3	8,796.0	6	1,466.0	
10/26/2007	344,701	344,832.3	9,861.0	8	1,232.6	
11/2/2007	353,002	353,133.3	8,301.0	7	1,185.9	
11/9/2007	360,330	360,461.3	7,328.0	7	1,046.9	
11/16/2007	369,316	369,447.3	8,986.0	7	1,283.7	
11/21/2007	374,572	374,703.3	5,256.0	5	1,051.2	
11/23/2007	376,845	376,976.3	2,273.0	2	1,136.5	
11/30/2007	382,319	382,450.3	5,474.0	7	782.0	
12/10/2007	391,233	391,364.3	8,914.0	10	891.4	
12/18/2007	397,933	398,064.3	6,700.0	8	837.5	
12/31/2007	417,428	417,559.3	19,495.0	13	1,499.6	
1/4/2008	426,380	426,511.3	8,952.0	4	2,238.0	
1/11/2008	447,281	447,412.3	20,901.0	7	2,985.9	
1/18/08	461,477	461,608.3	14,196.0	7	2,028.0	
1/25/2008	476,953	477,084.3	15,476.0	7	2,210.9	
1/31/2008	499,930	500,061.3	22,977.0	6	3,829.5	
2/8/2008	527,848	527,979.3	27,918.0	8	3,489.8	
2/14/2008	543,845	543,976.3	15,997.0	6	2,666.2	
2/22/2008	564,116	564,247.3	20,271.0	8	2,533.9	
2/29/2008	585,642	585,773.3	21,526.0	7	3,075.1	
3/10/2008	610,462	610,593.3	24,820.0	10	2,482.0	
3/14/2008	619,991	620,122.3	9,529.0	4	2,382.3	
3/21/2008	636,215	636,346.3	16,224.0	7	2,317.7	
3/28/2008	651,728	651,859.3	15,513.0	7	2,216.1	
4/2/2008	663,123	663,254.3	11,395.0	5	2,279.0	
4/4/2008	667,653	667,784.3	4,530.0	2	2,265.0	
4/11/2008	682,120	682,251.3	14,467.0	7	2,066.7	
4/18/2008	696,558	696,689.3	14,438.0	7	2,062.6	
4/25/2008	709,663	709,794.3	13,105.0	7	1,872.1	
5/2/2008	723,517	723,648.3	13,854.0	7	1,979.1	
5/8/2008	734,893	735,024.3	11,376.0	6	1,896.0	
5/16/2008	746,607	746,738.3	11,714.0	8	1,464.3	
5/22/2008	754,623	754,754.3	8,016.0	6	1,336.0	
5/29/2008	763,843	763,974.3	9,220.0	7	1,317.1	
6/5/2008	772,053	772,184.3	8,210.0	7	1,172.9	
6/13/2008	780,920	781,051.3	8,867.0	8	1,108.4	
6/20/2008	788,488	788,619.3	7,568.0	7	1,081.1	
7/1/2008	800,684	800,815.3	12,196.0	11	1,108.7	
7/16/2008	817,791	817,922.3	17,107.0	15	1,140.5	
7/25/2008	826,774	826,905.3	8,983.0	9	998.1	
8/8/2008	840,279	840,410.3	13,505.0	14	964.6	
8/20/2008	850,914	851,045.3	10,635.0	12	886.3	
9/2/2008	861,872	862,003.3	10,958.0	13	842.9	
9/5/2008	864,204	864,335.3	2,332.0	3	777.3	
9/15/2008	872,216	872,347.3	8,012.0	10	801.2	
9/19/2008	875,579	875,710.3	3,363.0	4	840.8	
10/9/2008	892,386	892,517.3	16,807.0	20	840.4	
10/16/2008	898,349	898,480.3	5,963.0	7	851.9	
10/20/2008	901,381	901,512.3	3,032.0	4	758.0	
10/31/2008	910,010	910,141.3	8,629.0	11	784.5	
11/10/2008	923,993	924,124.3	13,983.0	10	1,398.3	
11/25/2008	942,253	942,384.3	18,260.0	15	1,217.3	
12/1/2008	949,254	949,385.3	7,001.0	6	1,166.8	
2/3/2009	1,107,684	1,107,815.3	158,430.0	64	2,475.5	
2/26/2009	1,116,393	1,116,524.3	8,709.0	23	378.7	
3/31/2009	1,126,356	1,126,487.3	9,963.0	35	284.7	
4/29/2009	1,322,059	1,322,190.3	195,703.0	29	6,748.4	Treatment system shut down and re-located 4/29/09
12/10/2010	1,418,236	1,418,367.3	96,177.0	36	2,671.6	Pumping resumed 11/4/10
1/14/2011	1,549,902	1,550,033.3	131,666.0	35	3,761.9	
2/11/2011	1,624,177	1,624,308.4	74,275.1	28	2,652.7	
				Average GPD =	1808.8	
				Average GPM =	1.3	

TABLE 3
HISTORICAL WATER QUALITY DATA

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
MW1								
2/15/2011	17,000, a,d	17,000, a	20	120	48	930	490	ND<12, except TBA ND<50
7/27/2010	4,700, f	20,000	45	330	180	1,500	1,000	ND<25, except TBA ND<100
1/28/2010	4,500, d	18,000	ND<50	200	170	1,200	1,200	ND<50, except TBA ND<200
10/16/2009	5,800, a,d	23,000, a	ND<25	240	170	1,800	2,200	ND<25, except TBA ND<100
7/8/2009	6,800, a,d	16,000, a	ND<17	99	100	880	1,100	ND<17, except TBA ND<67
1/7/2009	5,400, d	15,000	ND<50	140	160	1,100	1,600	ND<50, except TBA ND<200
10/23/2008	3,800, c	18,000	ND<50	180	200	1,400	1,900	ND<50, except TBA ND<200
7/17/2008	4,300, c	16,000	ND<25	210	160	1,000	1,600	ND<25, except TBA ND<100
4/16/2008	3,200, c	13,000	29	150	110	870	1,200	ND<17, except TBA ND<67
1/17/2008	3,800, d	22,000	74	310	220	1,200	1,700	ND<50, except TBA ND<200
10/16/2007	2,500, a, d	23,000, a	130	480	230	1,100	1,700	ND<25, except TBA ND<250
7/25/2007	3,900, d	15,000, b	130	250	23	ND<10	1,500	ND<10, except TBA ND<100
4/17/2007	6,200, d	23,000	260	780	320	1,100	2,000	ND<25, except TBA ND<250
1/18/2007	6,400, d	29,000	ND<1,000	1,800	870	1,600	3,300	ND<50, except TBA ND<500
11/14/2006	7,200, d	30,000	440	2,200	600	1,800	2,900	ND<50, except TBA ND<500, Ethanol ND<5,000, Methanol ND<50,000
6/29/2006	22,000,d	45,000	1,200	3,100	940	2,000	3,900	ND<50, TBA ND<500
2/3/2006	9,700,c	37,000	620	2,200	1,200	2,000	3,500	ND<50, TBA ND<500
11/18/2005	4,300,d	25,000	140	1,600	430	1,800	2,700	ND<50, TBA ND<500
7/28/2005	16,000,a,d	30,000,a	260,+	2,500	760	2,100	4,800	ND<50, TBA ND<500
4/13/2005	9,300,d	30,000	300	1,900	600	1,700	3,000	ND<50, TBA ND<500
1/31/2005	14,000,d	29,000	270	2,200	1,200	1,900	5,000	ND<50, TBA ND<500
10/15/2004	16,000,a,d	36,000,a	ND<50	1,500	1,000	2,100	5,100	ND<50, TBA ND<500
7/13/2004	22,000,a,d	34,000,a	53	2,100	590	2,100	4,400	ND<50, TBA ND<500
4/6/2004	18,000,a,d	28,000,a	110	2,300	800	990	4,500	ND<100, TBA ND<1,000
12/18/2003	13,000,d	33,000	38	2,100	770	1,800	4,400	ND<5 TBA ND<50
9/18/2003	15,000,a,d	32,000	52	2,200	620	1,800	3,800	ND<17, TBA ND<170
6/26/2003	67,000,a,d	45,000	ND<50	2,100	720	2,300	5,500	ND
3/18/2003	7,300,a,d	33,000	ND<50	2,400	900	1,600	1,000	ND
12/21/2002	11,000,a,d	32,000	ND<100	2,600	980	2,200	5,500	ND
9/10/2002	18,000,c	31,000	ND<250	2,200	650	1,700	4,800	NA
3/30/2002	12,000,a,d	99,000	ND	4,100	1,200	2,500	6,400	NA
12/22/2001	22,000,a,d	60,000	ND	3,200	1,900	2,000	6,200	NA
9/23/2001	16,000,a,c	49,000	ND	4,000	1,400	2,200	6,200	NA
6/22/2001	85,000,a,d	35,000	ND	3,100	750	1,200	4,000	NA
4/22/2001	16,000,a	43,000	ND	3,600	1,200	1,600	5,800	NA
12/14/2000	11,000,a,e	49,000	ND	5,800	1,600	2,000	6,900	NA
9/18/2000	15,000,a,d	86,000	ND	7,200	2,000	3,200	13,000	NA
6/8/2000	6,500,a,c	50,000	ND	5,700	1,500	1,800	7,000	NA
3/9/2000	7,400,a,d	48,000	ND	5,300	3,100	1,600	8,100	NA
12/9/1999	12,000,a,d	65,000	ND	9,300	2,900	2,200	8,800	NA
8/31/1999	22,000,d	66,000	710	8,700	2,700	2,400	10,000	NA
4/29/1999	22,000,d	48,000	ND	8,400	2,800	2,000	8,100	NA
1/29/1999	9,100,d	47,000	ND	9,000	2,900	1,900	8,000	NA
4/26/1998	7,800,c	60,000	ND	9,300	5,700	2,100	9,100	NA
1/24/1998	24,000,d	57,000	ND	6,900	5,500	2,000	8,700	NA
11/6/1997	17,000,c	63,000	ND	7,400	6,700	2,300	9,900	NA
7/27/1997	28,000,c	66,000	1,800	8,600	8,100	2,200	10,000	NA
4/25/1997	170,000,d	77,000	ND	7,400	7,900	2,100	9,800	NA
1/21/1997	57,000,c	80,000	250	7,800	8,300	1,900	8,900	NA
7/26/1996	11,000,c	76,000	ND	11,000	13,000	2,400	10,000	NA
4/23/1996	5,700,c	73,000	ND	8,600	12,000	2,200	9,800	NA
1/29/1996	6,600,c	81,000	250	7,600	13,000	1,900	8,900	NA
10/26/1995	62,000,c	89,000	ND	7,800	12,000	2,400	11,000	NA
7/28/1995	2,000,c	35,000	NA	3,800	8,700	1,100	6,500	NA
5/2/1995	6,500,c	86,000	NA	8,900	14,000	2,300	11,000	NA
2/24/1995	9,100	90,000	NA	7,500	12,000	1,500	11,000	NA
11/18/1994	10,000	96,000	NA	9,300	14,000	2,500	11,000	NA
8/22/1994	8,300	100,000	NA	9,000	11,000	2,100	9,400	NA
5/19/1994	30,000	100,000	NA	12,000	14,000	3,500	17,000	NA
2/28/1994	110,000	90,000	NA	11,000	9,600	2,100	9,900	NA
11/24/1993	8,200	66,000	NA	8,300	8,900	2,000	121,000	NA
8/30/1993	9,400	77,000	NA	6,400	11,000	2,200	12,000	NA
5/18/1993	30,000	92,000	NA	4,000	11,000	2,500	15,000	NA
2/23/1993	14,000	100,000	NA	4,500	11,000	2,100	12,000	NA

TABLE 3
HISTORICAL WATER QUALITY DATA

Date MW1 (Cont.)	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
11/13/1992	4,400	120,000	NA	5,800	10,000	2,100	13,000	NA
5/27/1992	11,000	120,000	NA	8,800	16,000	2,300	15,000	NA
1/24/1992	19,000	39,000	NA	7,300	8,700	1,300	8,900	NA
12/23/1991	34,000	78,000	NA	9,300	7,300	540	13,000	NA
11/25/1991	36,000	170,000	NA	5,500	5,600	1,600	8,400	NA
10/10/1991	19,000	28,000	NA	4,100	4,700	1,000	4,800	NA
9/17/1991	19,000	39,000	NA	4,900	4,100	1,200	5,900	NA
8/19/1991	47,000	48,000	NA	13,000	8,400	990	29,000	NA
7/20/1991	49,000	100,000	NA	11,000	14,000	2,300	17,000	NA
6/20/1991	42,000	76,000	NA	4,700	7,100	1,500	9,800	NA
5/17/1991	26,000	72,000	NA	7,700	9,900	ND	11,000	NA
4/15/1991	NA	56,000	NA	6,500	8,500	410	9,900	NA
3/21/1991	NA	36,000	NA	4,500	5,700	87	7,300	NA
2/15/1991	NA	120,000	NA	7,400	6,600	ND	13,000	NA
1/15/1991	NA	33,000	NA	3,900	2,900	210	5,300	NA
9/27/1990	NA	28,000	NA	3,700	3,500	10	6,500	NA
8/23/1990	NA	40,000	NA	5,100	4,900	350	6,000	NA
7/20/1990	44,000	NA	NA	5,100	4,200	ND	9,100	NA
3/19/1990	NA	40,000	NA	3,700	1,100	ND	3,300	NA
02/20/90**	NA	7,600	NA	1,600	ND	ND	1,300	NA
MW2								
2/7/1996								MW2 Destroyed
1/29/1996	4,600.c	38,000	7.1	1,900	5,700	1,100	5,900	NA
10/26/1995	900,000	74,000	ND	2,900	5,900	2,000	10,000	NA
7/28/1995	2,000.c	15,000	NA	1,400	2,300	620	3,200	NA
5/2/1995	6,600.d	55,000	NA	3,300	10,000	1,800	10,000	NA
2/24/1995	22,000	67,000	NA	4,900	11,000	1,800	11,000	NA
11/18/1994	5,000	86,000	NA	11,000	17,000	1,800	12,000	NA
8/22/1994	4,100	91,000	NA	10,000	13,000	1,500	9,000	NA
5/19/1994	5,800	62,000	NA	92,000	13,000	1,300	8,400	NA
2/28/1994	13,000	91,000	NA	13,000	16,000	1,500	9,000	NA
11/24/1993	79,000	12,000	NA	13,000	17,000	2,500	17,000	NA
8/30/1993	110,000	110,000	NA	11,000	14,000	1,800	11,000	NA
5/18/1993	44,000	67,000	NA	9,200	12,000	1,400	9,300	NA
2/23/1993	7,000	76,000	NA	12,000	17,000	1,600	9,600	NA
11/13/1992	8,200	79,000	NA	10,000	13,000	1,400	8,600	NA
5/27/1992	130,000	89,000	NA	18,000	19,000	1,700	14,000	NA
1/14/1992	1,600,000	59,000	NA	17,000	14,000	1,800	15,000	NA
12/23/1991	700,000	2,100,000	NA	36,000	130,000	79,000	560,000	NA
11/25/1991	130,000	230,000	NA	11,000	9,700	1,400	9,700	NA
10/10/1991	360,000	85,000	NA	21,000	25,000	2,100	14,000	NA
9/17/1991	56,000	74,000	NA	10,000	11,000	1,400	8,100	NA
8/19/1991	19,000	69,000	NA	26,000	22,000	2,100	18,000	NA
7/20/1991	100,000	51,000	NA	9,900	7,700	1,200	7,500	NA
6/20/1991	69,000	87,000	NA	8,100	8,400	1,100	8,900	NA
5/17/1991	33,000	62,000	NA	5,900	6,300	1,200	9,000	NA
4/15/1991	NA	82,000	NA	5,300	7,400	1,000	9,400	NA
3/21/1991	NA	62,000	NA	9,300	11,000	350	9,700	NA
2/15/1991	NA	200,000	NA	12,000	12,000	1,700	14,000	NA
1/14/1991	NA	78,000	NA	11,000	8,700	580	8,000	NA
9/27/1990	NA	59,000	NA	8,400	12,000	880	9,000	NA
8/23/1990	NA	96,000	NA	8,100	8,400	1,500	8,600	NA
7/20/1990	86,000	NA	NA	9,100	14,000	940	13,000	NA
3/19/1990	NA	50,000	NA	7,700	8,700	75	5,600	NA
2/20/90**	NA	38,000	NA	7,300	3,100	75	6,800	NA
MW3								
2/15/2011	50,000, a.k	49,000, a	2,000	17,000	ND<500	ND<500	940	ND<500, except TBA = 3,300
7/27/2010	13,000, a.f	30,000	2,900	27,000	ND<500	750	1,600	ND<500, except TBA = 3,600
1/28/2010	6,200, a.d	56,000, a	3,200	27,000	ND<500	1,000	2,800	ND<500, except TBA ND<2,000
10/16/2009	10,000, a.d	84,000, a	3,300	33,000	ND<1,000	ND<1,000	7,300	ND<1,000, except TBA = 4,000
7/8/2009	7,400, d	82,000	3,300	37,000	ND<500	2,400	8,200	ND, except TBA= 5,000
1/7/2009	13,000, a, d	50,000, a	3,500	28,000	ND<500	1,300	3,200	ND, except TBA= 5,700
10/23/2008	7,800, d	87,000	4,700	26,000	ND<500	ND<500	8,200	ND, except TBA= 8,000
7/17/2008	19,000, a, d	63,000, a	5,100	24,000	ND<1,000	ND<1,000	4,100	ND, except TBA= 6,100

TABLE 3
HISTORICAL WATER QUALITY DATA

Date MW 3 (Cont.)	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
4/16/2008	14,000, a, d	52,000, a	6,700	24,000	ND-500	ND-500	5,100	ND, except TBA= 6,700
1/17/2008	9,900, a, d	110,000, a, h	9,300	34,000	ND-500	2,500	9,500	ND, except TBA= 8,000
10/16/2007	13,000, a, d	69,000, a	13,000	18,000	ND-500	ND-500	5,000	ND, except TBA= 10,000
7/25/2007	6,700, a, f	52,000, a	12,000	23,000	ND-250	ND-250	6,000	ND, except TBA= 8,600
4/17/2007	7,900, a, d	92,000, a	14,000	23,000	ND-500	1,500	5,900	ND-500, except TBA = 8,000
1/18/2007	6,400, d	94,000	22,000	29,000	1,300	2,100	9,600	ND-500, except TBA = 12,000
11/14/2006	21,000, a, d	100,000, a	23,000	37,000	1,000	2,200	11,000	ND-500 except, TBA= 16,000, Ethanol ND-5,000, Methanol ND-50,000
6/29/2006	12,000,d	36,000	27,000	14,000	ND-500	ND-500	ND-500	ND-500, except TBA = 11,000
2/3/2006	22,000,d	86,000	24,000	26,000	ND-500	1,700	6,000	ND-500, except TBA = 11,000
11/18/2005	32,000,a,d	87,000,a	22,000	35,000	ND<1,000	2,000	11,000	ND<1,000, except TBA ND<10,000
7/28/2005	77,000,a,d	100,000,a	32,000,+	30,000	1,100	2,300	12,000	ND-500, except TBA = 13,000
4/13/2005	19,000,a,d	96,000,a	28,000	31,000	4,000	2,300	12,000	ND-500, except TBA = 12,000
1/31/2005	13,000,a,d	93,000,a	31,000	36,000	1,500	2,500	11,000	ND<1,000, except TBA = 24,000
10/15/2004	13,000,a,d	76,000,a	24,000	28,000	ND-500	1,100	3,600	ND-500, except TBA = 18,000
7/13/2004	57,000,a,d	98,000,a	15,000	28,000	2,900	1,700	8,900	ND-500, except TBA = 11,000
4/6/2004	32,000,a,d	81,000,a	17,000	34,000	5,900	1,500	9,900	ND-500, except TBA = 8,800
12/18/2003	32,000,a,d	130,000,a	32,000	33,000	5,400	720	11,000	ND-500, except TBA = 17,000
9/18/2003	140,000,a,d	130,000	23,000	34,000	11,000	2,500	14,000	ND-500, except TBA = 10,000
6/26/2003	27,000,a,d	96,000	21,000	29,000	5,200	2,000	10,000	ND, except TBA = 8,900
3/18/2003	11,000,a,d	120,000	16,000	36,000	12,000	1,800	2,400	ND, except TBA = 5,100
12/21/2002	21,000,a,d	110,000	33,000	34,000	9,300	2,000	13,000	ND, except TBA = 14,000
9/10/2002	43,000,d	70,000	19,000	21,000	2,200	1,600	7,600	NA
3/30/2002	8,500,a,d	170,000	26,000	40,000	17,000	2,600	16,000	NA
12/22/2001	9,200,a,d	140,000	27,000	37,000	20,000	2,600	15,000	NA
9/23/2001	47,000,a,d	130,000	26,000	32,000	9,100	2,400	12,000	NA
6/22/2001	33,000,a,d	110,000	25,000	31,000	7,200	1,900	11,000	NA
4/22/2001	61,000,a	140,000	24,000	25,000	5,400	1,700	11,000	NA
12/14/2000	120,000,a,d	140,000	35,000	37,000	16,000	2,400	15,000	NA
9/18/2000	43,000,a,d	130,000	33,000	39,000	91,000	2,300	14,000	NA
7/26/2000	NA	NA	21,000	NA	NA	NA	NA	ND***, except tert-butanol = 19,000
6/8/2000	74,000,a,d	130,000	23,000	41,000	16,000	1,900	13,000	NA
3/9/2000	14,000,a,d	180,000	24,000	39,000	22,000	2,500	16,000	NA
12/9/1999	17,000,a,d	120,000	16,000	35,000	6,700	2,400	12,000	NA
8/31/1999	22,000,d	120,000	4,700	35,000	3,700	2,400	14,000	NA
4/29/1999	48,000,d	100,000	2,500	33,000	8,000	2,100	14,000	NA
1/29/1999	240,000,d	84,000	1,300	31,000	2,800	1,800	12,000	NA
4/26/1998	380,000,d	100,000	9,700	29,000	7,100	1,800	14,000	NA
1/24/1998	77,000,d	97,000	ND	28,000	7,100	1,800	11,000	NA
11/6/1997	120,000,d	140,000	ND	37,000	19,000	2,400	14,000	NA
7/24/1997	91,000,c	120,000	1,400	33,000	17,000	2,200	12,000	NA
4/25/1997	760,000,d	240,000	1,600	24,000	18,000	4,100	24,000	NA
1/21/1997	34,000,c	150,000	1,300	40,000	14,000	2,600	12,000	NA
7/26/1996	24,000,c	130,000	890	40,000	22,000	2,400	12,000	NA
4/23/1996	280,000,c	170,000	720	34,000	22,000	2,200	14,000	NA
1/29/1996	45,000,c	150,000	540	32,000	21,000	1,900	12,000	NA
10/26/1995	33,000	130,000	690	37,000	21,000	210	11,000	NA
7/28/1995	1,900,d	86,000	NA	1,400	2,300	620	3,200	NA
5/2/1995	9,700,d	170,000	NA	43,000	30,000	2,500	14,000	NA
2/24/1995	9,200	130,000	NA	31,000	19,000	1,800	10,000	NA
11/18/1994	23,000	140,000	NA	38,000	22,000	2,000	11,000	NA
7/22/1994	5,300	170,000	NA	35,000	20,000	1,800	10,000	NA
5/19/1994	30,000	150,000	NA	38,000	25,000	2,400	14,000	NA
2/28/1994	210,000	110,000	NA	36,000	21,000	1,900	11,000	NA
11/24/1993	24,000	160,000	NA	48,000	26,000	2,200	12,000	NA
7/30/1993	32,000	130,000	NA	36,000	21,000	1,900	8,200	NA
5/18/1993	7,200	130,000	NA	36,000	21,000	2,100	12,000	NA
2/23/1993	8,100	110,000	NA	31,000	18,000	1,900	11,000	NA
11/13/1992	4,700	140,000	NA	38,000	24,000	2,000	12,000	NA
5/27/1992	27,000	370,000	NA	91,000	57,000	3,000	21,000	NA
7/14/1992	270,000	130,000	NA	76,000	30,000	3,400	21,000	NA
12/23/1991	540,000	740,000	NA	30,000	61,000	31,000	180,000	NA
11/25/1991	74,000	150,000	NA	65,000	31,000	3,400	18,000	NA
10/10/1991	39,000	140,000	NA	57,000	31,000	2,200	14,000	NA
9/17/1991	140,000	180,000	NA	47,000	25,000	2,600	15,000	NA

TABLE 3
HISTORICAL WATER QUALITY DATA

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
8/19/1991	150,000	170,000	NA	82,000	31,000	4,400	22,000	NA
7/20/1991	270,000	450,000	NA	46,000	29,000	3,500	21,000	NA
6/20/1991	210,000	920,000	NA	39,000	49,000	13,000	69,000	NA
5/17/1991	70,000	170,000	NA	32,000	22,000	2,200	18,000	NA
4/15/1991	NA	110,000	NA	31,000	15,000	880	7,400	NA
3/21/1991	NA	87,000	NA	30,000	14,000	690	5,400	NA
2/15/1991	NA	230,000	NA	44,000	40,000	ND	31,000	NA
1/14/1991	NA	160,000	NA	48,000	25,000	1,000	16,000	NA
9/27/1990	NA	25,000	NA	7,200	6,400	420	3,400	NA
8/23/1990	NA	220,000	NA	67,000	46,000	27,000	18,000	NA
7/20/1990	86,000	NA	NA	9,100	14,000	940	13,000	NA
3/19/1990	NA	210,000	NA	38,000	28,000	1,800	12,000	NA
02/20/90**	NA	46,000	NA	20,000	15,000	1,800	9,700	NA
MW4								
2/14/2011								Not Sampled (Free Product Present in Well)
7/26/2010								Not Sampled (Free Product Present in Well)
1/27/2010								Not Sampled (Free Product Present in Well)
10/15/2009								Not Sampled (Free Product Present in Well)
7/7/2009								Not Sampled (Free Product Present in Well)
1/6/2009								Not Sampled (Free Product Present in Well)
10/22/2008								Not Sampled (Free Product Present in Well)
7/16/2008								Not Sampled (Free Product Present in Well)
4/16/2008								Not Sampled (Free Product Present in Well)
1/17/2008								Not Sampled (Free Product Present in Well)
10/16/2007								Not Sampled (Free Product Present in Well)
7/25/2007								Not Sampled (Free Product Present in Well)
4/17/2007								Not Sampled (Free Product Present in Well)
1/18/2007								Not Sampled (Free Product Present in Well)
11/14/2006								Not Sampled (Free Product Present in Well)
6/29/2006	83,000.a.d	140,000.a	31,000	44,000	13,000	2,600	19,000	ND<1,000, except TBA = ND<10,000
2/3/2006	83,000.a.d	150,000.a	22,000	35,000	12,000	3,200	14,000	ND<500, except TBA = 7000
11/18/2005								Not Sampled (Free Product Present in Well)
7/28/2005	94,000.a.d	130,000.a	27,000.+	32,000	8,900	2,900	14,000	ND<500, except TBA = 8,400
4/13/2005								Not Sampled (Free Product Present in Well)
1/31/2005								Not Sampled (Free Product Present in Well)
10/15/2004								Not Sampled (Free Product Present in Well)
7/13/2004								Not Sampled (Free Product Present in Well)
2/11/2004								Free Product sampled. Laboratory fuel fingerprint notes a pattern resembling diesel, with a less significant gasoline-range pattern.
12/18/2003								Not Sampled (Free Product Present in Well)
9/18/2003								Not Sampled (Free Product Present in Well)
6/26/2003								Not Sampled (Free Product Present in Well)
3/18/2003								Not Sampled (Free Product Present in Well)
12/21/2002								Not Sampled (Free Product Present in Well)
9/10/2002								Not Sampled (Free Product Present in Well)
3/30/2002								Not Sampled (Free Product Present in Well)
12/22/2001								Not Sampled (Free Product Present in Well)
9/23/2001								Not Sampled (Free Product Present in Well)
6/22/2001	440,000.a.d	140,000	15,000	35,000	19,000	2,000	10,000	NA
4/22/2001								Not Sampled (Free Product Present in Well)
12/14/2000								Not Sampled (Free Product Present in Well)
9/18/2000								Not Sampled (Free Product Present in Well)
6/8/2000								Not Sampled (Free Product Present in Well)
3/9/2000	2,100,000.a.d	130,000	6,900	35,000	13,000	2,100	11,000	NA
12/9/1999	9,000,000.a.d	120,000	8,100	33,000	6,000	2,400	12,000	NA
8/31/1999	9,400.d	190,000	4,400	46,000	30,000	2,800	15,000	NA
4/29/1999	9,400.d	210,000	3,200	42,000	35,000	2,800	15,000	NA
1/29/1999	7,300.d	190,000	2,400	44,000	40,000	3,100	17,000	NA
4/26/1998	13,000.d	190,000	ND	49,000	37,000	3,200	18,000	NA
1/24/1998	20,000.d	200,000	ND	50,000	40,000	3,100	17,000	NA
11/6/1997	110,000.d	160,000	ND	48,000	30,000	2,800	16,000	NA
8/26/1997	5,500.d	210,000	1,700	48,000	42,000	3,400	19,000	NA
8/15/1997								MW4 Installed

TABLE 3
HISTORICAL WATER QUALITY DATA

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
MW5								
2/15/2011	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/27/2010	ND<50	ND<50	0.51	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/28/2010	ND<50	ND<50	0.57	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/16/2009	ND<50	ND<50	0.63	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/8/2009	ND<50	ND<50	0.72	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/7/2009	ND<50	ND<50	0.97	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/23/2008	ND<50	ND<50	1.2	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/17/2008	ND<50	ND<50	2.2	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
4/16/2008	ND<50	ND<50	3.9	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
12/13/2007	ND<50	110	4.0	5.3	0.5	ND<0.5	5.1	ND<0.5, except TBA ND<5.0
MW6								
2/14/2011	7,900, c	52,000	ND<120	5,100	2,100	2,600	13,000	ND<120, except TBA ND<500
7/26/2010	6,500, c	58,000	ND<170	5,500	2,600	3,300	15,000	ND<170, except TBA ND<670
1/27/2010	7,000, c	57,000	ND<100	4,900	2,400	3,000	15,000	ND<100, except TBA ND<400
10/16/2009	6,100, c	53,000	ND<170	7,400	3,700	3,600	17,000	ND<170, except TBA ND<670
7/7/2009	8,400, c	60,000	ND<170	6,600	3,500	2,800	13,000	ND<170, except TBA ND<670
1/6/2009	6,200, c	51,000	ND<120	6,900	3,400	2,100	13,000	ND<120, except TBA ND<500
10/23/2008	4,100, c	82,000	ND<120	7,800	4,200	3,400	16,000	ND<120, except TBA ND<500
7/17/2008	5,700, c	88,000	ND<250	6,100	3,400	2,500	16,000	ND<250, except TBA ND<1,000
4/16/2008	6,500, c	51,000	ND<170	4,800	3,300	2,400	16,000	ND<170, except TBA ND<670
12/13/2007	6,200, c	66,000	ND<120	7,900	3,600	2,600	16,000	ND<120, except TBA ND<1,200
MW7								
2/14/2011	ND<50	120	5.6	41	ND<1.0	11	ND<1.0	ND<1.0, except TBA ND<4.0
7/26/2010	ND<50	200	7.6	75	ND<1.7	17	ND<1.7	ND<1.7, except TBA ND<6.7
1/27/2010	110, d	150	4.2	48	ND<1.0	9.3	1.4	ND<1.0, except TBA ND<4.0
10/15/2009	60	220	8.7	41	ND<1.0	16	ND<1.0	ND<1.0, except TBA ND<4.0
7/7/2009	62, d	150	4.8	38	ND<0.5	15	ND<0.5	ND<0.5, except TBA = 2.2
1/6/2009	87	52	3.2	18	ND<0.5	4.7	ND<0.5	ND<0.5, except TBA ND<2.0
10/22/2008	66, d	170	8.3	67	ND<1.7	20	ND<1.7	ND<1.7, except TBA ND<6.7
7/16/2008	78, d	280	7.0	59	ND<1.0	8.3	1.3	ND<1.0, except TBA ND<4.0
4/15/2008	77, d	170	4.8	48	1.5	13	5.0	ND<1.0, except TBA ND<4.0
12/13/2007	ND<50	ND<50	9.3	ND<0.5	ND<0.5	ND<0.5	0.83	ND<0.5, except TBA = 14
MW8								
2/14/2011	1,100, a,c	1,900, a	ND<1.2	19	ND<1.2	22	ND<1.2	ND<1.2, except TBA ND<5.0
7/26/2010	1,000, c	4,400	3.4	26	ND<0.5	13	0.98	ND<0.5, except TBA < 2.0
1/27/2010	920, d	3,400	3.8	32	ND<1.0	73	2.7	ND<1.0, except TBA ND<4.0
10/15/2009	380, d	1,500	4.4	23	ND<0.5	3.1	0.92	ND<0.5, except TBA = 3.2
7/7/2009	1,000, d	2,000	3.8	28	ND<1.2	30	1.9	ND<1.2, except TBA ND<5.0
1/7/2009	1,000, c	3,100	3.8	36	ND<1.7	74	2.7	ND<1.7, except TBA ND<6.7
10/22/2008	910, c	4,800	5.2	32	ND<1.0	41	2.6	ND<1.0, except TBA = 5.0
7/16/2008	1,500, c	7,000	ND<5.0	53	ND<5.0	140	7.1	ND<5.0, except TBA ND<20
4/15/2008	2,000, c	4,300	6.5	63	ND<2.5	110	9.1	ND<2.5, except TBA ND<10
12/13/2007	1,500, c	6,200	11	57	ND<5.0	160	18	ND<5.0, except TBA ND<50
MW9								
2/14/2011	52	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/26/2010	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/27/2010	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/16/2009	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/7/2009	69	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/6/2009	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/22/2008	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/17/2008	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
4/16/2008	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
12/13/2007	ND<50	ND<50	ND<0.5	1.0	ND<0.5	ND<0.5	4.5	ND<0.5, except TBA ND<5.0
MW10								
2/15/2011	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	0.55	ND<0.5	ND<0.5, except TBA ND<2.0
7/27/2010	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/28/2010	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	0.82	0.87	ND<0.5, except TBA ND<2.0
10/16/2009	ND<50	ND<50	0.61	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/8/2009	ND<50	ND<50	0.71	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
1/7/2009	ND<50	ND<50	1.1	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
10/23/2008	ND<50	ND<50	1.6	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0
7/17/2008	ND<50	ND<50	1.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except TBA ND<2.0

TABLE 3
HISTORICAL WATER QUALITY DATA

Date MW10 (Cont.)	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
4/16/2008	ND-50	ND-50	1.7	ND-0.5	ND-0.5	0.6	0.56	ND-0.5, except TBA ND-2.0
12/13/2007	ND-50	ND-50	1.9	ND-0.5	ND-0.5	1.5	1.8	ND-0.5, except TBA ND-5.0
MW11								
2/14/2011	ND-50	ND-50	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
7/26/2010	ND-50	ND-50	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
1/27/2010	ND-50	ND-50	0.51	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
10/15/2009	ND-50	ND-50	36	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
7/7/2009	ND-50	ND-50	37	ND-1.0	ND-1.0	ND-1.0	ND-1.0	ND-1.0, except TBA ND-4.0
1/6/2009	ND-50	ND-50	32	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
10/22/2008	ND-50	ND-50	31	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA = 3.1
7/16/2008	ND-50	ND-50	23	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
4/15/2008	ND-50	ND-50	26	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
12/14/2007	ND-50	ND-50	21	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-5.0
MW12								
2/14/2011	ND-50	140	4.3	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
7/26/2010	ND-50	ND-50	7.1	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
1/27/2010	58, d	200, b	6.2	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
10/15/2009	71, d	230, b	7.0	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
7/7/2009	ND-50	76	7.8	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
1/7/2009	ND-50	110, b	8.2	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA = 2.7
10/22/2008	54, c	200, b	11	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA = 2.3
7/16/2008	89, d	440, b	8.2	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
4/15/2008	76, d	180, b	9.1	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-2.0
12/13/2007	200, c	320, b	11	ND-0.5	ND-0.5	ND-0.5	ND-0.5	ND-0.5, except TBA ND-5.0
EW1								
2/15/2011	24,000, a, d	22,000, a	2,900	6,100	1,000	630	2,000	ND<120, except TBA = 5,500
7/27/2010	6,600, d	2,400	170	220	ND-5.0	14	44	ND-5.0, except TBA = 1,600
1/28/2010	1,100, d	1,500	65	160	ND<10	ND<10	10	ND<10, except TBA = 2,400
10/16/2009	10,000, a,d	1,600, a	180	470	ND-10	38	39	ND<10, except TBA = 1,100
7/8/2009	7,500, d	9,100	2,900	3,400	ND-50	290	290	ND-50, except TBA = 6,400
1/7/2009	7,900, a, d	33,000, a	16,000	10,000	1,900	1,700	3,300	ND, except TBA = 16,000
10/23/2008	7,600, d	21,000	7,700	4,500	ND-120	820	390	ND, except TBA = 10,000
7/17/2008	6,900, d	16,000	7,600	4,100	ND-100	ND<100	650	ND, except TBA = 15,000
4/16/2008	7,700, a, d	17,000, a	9,300	4,500	260	650	2,200	ND, except TBA = 15,000
1/17/2008	13,000, d	24,000	16,000	4,600	1,200	520	3,700	ND, except TBA = 19,000
10/16/2007	12,000, a, d	14,000, a	8,300	2,600	310	270	3,000	ND, except TBA = 15,000
7/25/2007	7,700, a, j	11,000, a	14,000	3,200	ND-25	ND-25	2,600	ND, except TBA = 17,000
4/17/2007	5,800, d	21,000	9,600	3,700	1,400	490	1,600	ND-100, except TBA = 18,000
1/18/2007	930, d	930, b	600	3.4	5.0	ND< 0.5	41	ND< 50, except TBA= 6,800
11/14/2006	1,800, d	870, b	170	ND-25	ND-25	ND-25	ND-25	ND-25, except TBA= 5,900, Ethanol ND-2,500, Methanol ND-25,000
6/29/2006	710, d	290	21	ND-10	ND-10	ND-10	ND-10	ND-10, except TBA = 2,000
2/3/2006	1,200, d	790	3,100	ND-50	ND-50	ND-050	ND-050	ND-50, Except TBA = 13,000
11/18/2005	1,200, a	900	2,000	ND-50	ND-50	ND-050	ND-050	ND-50, Except TBA = 18,000
7/28/2005	1,800, d	1,200	17,000, +	33	5.1	0.56	5.9	ND-250, except TBA = 22,000
4/13/2005	2,200, d	380	2,700	ND-50	ND-50	ND-50	ND-50	ND-50, except TBA = 1,600
1/31/2005	3,400, d	1,900	38,000	ND-1,000	ND-1,000	ND-1,000	ND-1,000	ND-1,000, except TBA = 32,000
10/15/2004	4,100, a, d	ND-5,000, a, j	96,000	ND-1,700	ND-1,700	ND-1,700	ND-1,700	ND-1,700, except TBA = 97,000
7/13/2004	3,300, a, d	2,600, a	73,000	ND-1,200	ND-1,200	ND-1,200	ND-1,200	ND-1,200, except TBA = 40,000
4/6/2004	3,400, a, d	2,600, a	72,000	ND-1,000	ND-1,000	ND-1,000	ND-1,000	ND-1,000, except TBA = 34,000
12/18/2003	3,000, d	ND-5,000, j	160,000	220	ND-50,000	ND-50,000	73	ND-5,000, except TBA = 64,000
9/18/2003	8,200, a, d	7,500	220,000	330	ND-50	ND-50	ND-50	ND-2,500, except TBA = 51,000
2/23/1993	9,600	66,000	NA	14,000	8,500	1,400	9,800	NA
11/13/1992	13,000	62,000	NA	11,000	9,200	1,100	9,600	NA
8/1/1992								EW1 Installed
OW1								
2/14/2011								No sample recovered
7/26/2010								No sample recovered
1/27/2010								No sample recovered
10/16/2009								No sample recovered
7/8/2009								No sample recovered
1/7/2009								No sample recovered
10/22/2008								No sample recovered
7/16/2008								No sample recovered

TABLE 3
HISTORICAL WATER QUALITY DATA

Date	TPH-D	TPH-G	MTBE	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Other Fuel Additives by 8260*
OW1 (Cont.)								
4/15/2008						No sample recovered		
1/17/2008	29,000.a,d	6,900.a,h	8,800	480	ND<10	41	23	ND, except TBA = 97
10/16/2007						No sample recovered		
7/25/2007						No sample recovered		
4/17/2007						No sample recovered		
1/18/2007						No sample recovered		
11/14/2006						No sample recovered		
6/29/2006	290,000.d	24,000	NA	NA	NA	NA	NA	NA
2/3/2006	710,000.a,g	31,000.a	210,000	NA	NA	NA	NA	NA
11/18/2005	820,000.d	370,000	NA	130	ND<25	400	290	ND<25, except TBA<250
7/28/2005	230,000.a,d	10,000.a	NA	1,300	30	190	72	ND<50, TBA ND<500
4/13/2005	590,000.a,d,e	35,000.a	NA	2,000	ND<50	460	140	ND<50, TBA ND<500
1/31/2005						No sample recovered		
10/15/2004						No sample recovered		
7/14/2004	240,000.a,d	66,000.a	ND<50	1,800	ND<50	1,800	56	ND<50, TBA ND<500
4/6/2004	74,000.a,d	50,000.a	NA	3,100	ND<100	210	140	ND<100, TBA ND<1,000
2/11/2004	450,000.a,d	15,000.a	130,000	2,200	31	160	54	ND<25, TBA ND<250
11/21/2003	1,900,000.a,d	38,000	570,000	2,000	59	190	95	ND<50, TBA ND<500
6/10/1998						OW1 Installed		
OW2								
2/14/2011						No sample recovered		
7/26/2010						No sample recovered		
1/27/2010						No sample recovered		
10/16/2009						No sample recovered		
7/8/2009						No sample recovered		
1/7/2009						No sample recovered		
10/22/2008						No sample recovered		
7/16/2008						No sample recovered		
4/15/2008						No sample recovered		
1/17/2008	NA	140	NA	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND, Except MTBE = 2.2, TBA = 11
10/16/2007						No sample recovered		
7/25/2007						No sample recovered		
4/17/2007						No sample recovered		
1/18/2007						No sample recovered		
11/14/2006						No sample recovered		
6/29/2006						No sample recovered		
2/3/2006	370.d	140.i	ND<250	NA	NA	NA	NA	NA
11/18/2005						No sample recovered		
7/28/2005						No sample recovered		
4/13/2005	220.d	65	NA	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except MTBE = 9.7
1/31/2005						No sample recovered		
10/15/2004						No sample recovered		
7/14/2004						No sample recovered		
4/6/2004	NA	69.a	NA	ND<0.62	ND<0.62	ND<0.62	ND<0.62	NA
2/11/2004	NA	210	NA	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5, except MTBE = 6.4, TBA = 7.0
11/21/2003						No sample recovered.		
6/10/1998						OW2 Installed		
ESL	100	100	5.0	1.0	40	30	20	MTBE = 5.0 TBA = 12.0
Notes:								
TPH-G = Total Petroleum Hydrocarbons as Gasoline.								
TPH-D = Total Petroleum Hydrocarbons as Diesel.								
MTBE = Methyl-tert-Butyl Ether								
ND = Not Detected.								
NA = Not analyzed.								
a = Laboratory analytical report note: lighter than water immiscible sheen/ product present on the sample.								
b = Laboratory analytical report note: TPH-G results have no recognizable pattern.								
c = Laboratory analytical report note: TPH-D results consist of gasoline range compounds.								
d = Laboratory analytical report note: TPH-D results consist of both diesel and gasoline range compounds.								
e = Laboratory analytical report note: TPH-D results consist of both oil and gasoline range compounds.								
f = Laboratory analytical report note: TPH-D results consist of diesel, oil, and gasoline range compounds.								
g = Laboratory analytical report note: Fuel Oil.								
h = Laboratory analytical report note: strongly aged gasoline or diesel range compounds.								
i = Laboratory analytical report note: heavier gasoline range compounds are significant (aged gasoline?)								
j = Laboratory analytical report note: reporting limit raised due to high MTBE content.								
k = Laboratory analytical report note: TPH-D results consist of both diesel and oil range compounds.								
+ = analyzed by EPA 8260.								
* = This column summarizes results for analysis using EPA Method 8260 for non-MTBE fuel oxygenates (TAME, DIPE, ETBE, and TBA) or lead scavengers (EDB, 1,2-DCA/EDC).								
ESL = Environmental Screening Level, developed by San Francisco Bay - Regional Water Quality Control Board (SF-RWQCB) updated May 2008, from Table A - Shallow Soil Screening Levels. Groundwater is a current or potential source of drinking water.								
All results in micrograms per Liter (ug/L) unless otherwise noted.								

FIGURES





Figure 1
 Site Location Map
 Xtra Oil Company
 3495 Castro Valley Blvd.
 Castro Valley, California



Base Map From:
 U.S. Geological Survey
 Hayward, California
 7.5 Minute Quadrangle
 Photorevised 1980

P&D Environmental, Inc.
 55 Santa Clara Ave., Suite 240
 Oakland, CA 94610








Figure 2
 Site Plan Showing February 14, 2011 Water Level Data
 Xtra Oil Company
 3495 Castro Valley Boulevard
 Castro Valley, California



Base Map From:
 RHL Design Group, Inc.,
 June 2009, and Google Earth,
 October 2009

P&D Environmental, Inc.
 55 Santa Clara Avenue, Suite 240
 Oakland CA 94610







Figure 3
Site Vicinity Map Showing February 14, 2011 Water Level Data
Xtra Oil Company
3495 Castro Valley Boulevard
Castro Valley, California



Base Map From:
 Castro Valley Sanitation
 District

P&D Environmental, Inc.
 55 Santa Clara Avenue, Suite 240
 Oakland CA 94610



**APRIL 18, 2011 KIER & WRIGHT TABLE OF
ELEVATIONS & COORDINATES (SURVEY
DATA)**

**TABLE OF ELEVATIONS & COORDINATES
ON MONITORING WELLS**
P & D ENVIRONMENTAL
3495 CASTRO VALLEY BOULEVARD, CASTRO VALLEY

WELL ID #	NORTHING (FT.) / LATITUDE (D.M.S.)	EASTING (FT.) / LONGITUDE (D.M.S.)	ELEVATION (FT.)	DESCRIPTION
MW1	2079508.768	6106168.111	179.43	4" PVC NORTH SIDE
	N 37° 41' 43.48102"	W 122° 04' 27.80500"	179.81	RIM OF WELL
			179.79	CONC. NORTH SIDE
MW4	2079456.011	6106244.247	179.22	2" PVC NORTH SIDE
	N 37° 41' 42.97215"	W 122° 04' 26.84677"	179.67	RIM OF WELL
			179.63	CONC. NORTH SIDE
EW1	2079411.710	6106190.351	179.28	8" PVC NORTH SIDE
	N 37° 41' 42.52526"	W 122° 04' 27.50801"	179.77	RIM OF WELL
			179.73	CONC. NORTH SIDE

BENCH MARK: NGS Bench mark No.PID# HT0223

THE STATION IS LOCATED IN THE CITY OF HAYWARD AT THE RAILROAD CROSSING OF THE SOUTHERN PACIFIC RAIL-ROAD AND BLOSSOM WAY, IN THE TOP OF THE NORTHWEST CURB OF BLOSSOM WAY.

TO REACH THE STATION FROM THE JUNCTION OF U S HIGHWAY 880 ON WEST A STREET, GO SOUTHEAST ON WEST A STREET FOR 0.2 MILES TO A CROSSROAD, HATHAWAY AVE ON THE LEFT, SANTA CLARA STREET ON THE RIGHT. TURN LEFT, NORTH, ON HATHAWAY AVENUE AND CONTINUE FOR 0.7 MILES TO WEST BLOSSOM WAY. TURN RIGHT, NORTH, ON WEST BLOSSOM WAY AND CONTINUE FOR 0.25 MILES TO THE STATION ON THE LEFT, JUST PAST THE RAIL-ROAD TRACKS.THE STATION IS 48.95 M (160.6 FT) NORTHEAST OF THE NORTHEAST RAIL, 7.01 M NORTHWEST OF THE CENTER OF BLOSSOM WAY, 0.24 M (0.8 FT) NORTH OF THE NORTH CORNER OF A STEEL GRATE IN THE STREET, 5.6 M (18.5 FT) SOUTHWEST OF A POWER POLE AND 0.12 M (0.4 FT) HIGHER THAN THE STREET.

Elevation = 56.33 FEET NAVD88 Datum Adjusted

HORIZONTAL CONTROL:

PID - HT0223

NORTHING =2,072,670.26 , EASTING = 6,095,650.79 FEET; EPOCH DATE = 1998.50

PID - HT 2583

NORTHING =2,082,510.30 , EASTING = 6,116,892.13 FEET; EPOCH DATE = 1991.35

Coordinate values are based on the California Coordinate System, Zone III NAD 83 Datum.

Kier & Wright Civil Engineers & Surveyors
2850 Collier Canyon Road, Livermore, CA 94551
Phone: (925) 245-8788
Fax: (925) 245-8796

**WELL MONITORING AND
PURGE DATA SHEETS**

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley
Job No. 0014
TOC to Water (ft.) 7.80
Well Depth (ft.) 20.0
Well Diameter 4" (0.646)
Gal./Casing Vol. 7.9
3 vol = 23.7

Well No. MW1
monitored by 2/14/2011 sampled by 2/15/11
Date 2/14/2011
Sheen yes
Free Product Thickness 0
Sample Collection Method Disposable bailer

TIME	GAL. PURGED	pH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY µs/cm
<u>1047</u>	<u>2.6</u>	<u>6.18</u>	<u>18.3</u>	<u>760</u>
<u>1046</u>	<u>5.2 5.3</u>	<u>6.61</u>	<u>18.8</u>	<u>724</u>
<u>1049</u>	<u>7.9</u>	<u>6.59</u>	<u>19.0</u>	<u>723</u>
<u>1052</u>	<u>10.5</u>	<u>6.60</u>	<u>19.1</u>	<u>725</u>
<u>1056</u>	<u>13.2</u>	<u>6.60</u>	<u>19.3</u>	<u>719</u>
<u>1100</u>	<u>15.8</u>	<u>6.59</u>	<u>19.3</u>	<u>728</u>
<u>1104</u>	<u>18.4</u>	<u>6.58</u>	<u>19.5</u>	<u>741</u>
<u>1111</u>	<u>21.1</u>	<u>6.61</u>	<u>19.5</u>	<u>719</u>
<u>23.7 sic</u>				
<u>1116 well dewatered @ ~ 22.5 gallons</u>				

NOTES: Sheen + mod - strong phc odor - Sample time @ 11:25 hr

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley

Well No. MW3

Job No. 0014

monitored \rightarrow 2/14/2011 sampled \rightarrow 2/15/11

TOC to Water (ft.) 8.96

Sheen yes

Well Depth (ft.) 18.6

Free Product Thickness 0

Well Diameter 4" (0.646)

Sample Collection Method Disposable bailer

Gal./Casing Vol. 6.3

$3 vol = 18.9$

TIME	GAL. PURGED	DH	TEMPERATURE $^{\circ}C$	ELECTRICAL CONDUCTIVITY $\mu S/cm$
<u>1151</u>	<u>2.1</u>	<u>6.64</u>	<u>17.6</u>	<u>1,242</u>
<u>1154</u>	<u>4.2</u>	<u>6.64</u>	<u>18.4</u>	<u>1,263</u>
<u>1157</u>	<u>6.3</u>	<u>6.62</u>	<u>18.7</u>	<u>1,260</u>
<u>1201</u>	<u>8.4</u>	<u>6.62</u>	<u>18.8</u>	<u>1,252</u>
1206 <u>1206</u>	<u>10.5</u>	<u>6.63</u>	<u>18.9</u>	<u>1,245</u>
<u>1209</u>	<u>12.6</u>	<u>6.61</u>	<u>19.0</u>	<u>1,260</u>
	<u>14.7</u>			
	<u>16.8</u>			
	<u>18.9</u>			
<u>1211</u>	<u>well dewatered @ \sim 12.75 gal</u>			


NOTES: Sheen + mod - strong phc odor
sample time \Rightarrow 1200 hrs

**P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET**

Site Name XtraOil/Castro Valley
 Job No. 0014
 TOC to Water (ft.) 7.91
 Well Depth (ft.)
 Well Diameter 4"
 Gal./Casing Vol. N/A

Well No. MW4
 Date 2/14/11
 Sheen N/A
 Free Product Thickness 0.13
 Sample Collection Method
No sample collected; SpH encountered

TIME	GAL. PURGED	pH	TEMPERATURE	ELECTRICAL CONDUCTIVITY



$8.0' - 3 \frac{2}{32}'' = 8.0' - 0.0625'' = 8.0' - 0.0052' = 7.9948'$
 $8.0' - 1 \frac{1}{32}'' = 8.0' - 0.03125'' = 8.0' - 0.0026' = 7.9974'$
 FP thickness = 0.17'
 FP Correction = $0.17 \times 0.75 = 0.13'$
 Corrected water level = $7.91' - 0.13' = 7.78'$ TOC to H_2O sic

NOTES:

4

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name XtraOil/Castro Valley
Job No. 0014
TOC to Water (ft.) 6.00
Well Depth (ft.) 21.8
Well Diameter 2" (0.16)
Gal./Casing Vol. 2.6
3 vol = 7.8

Well No. MW5
Actual Date 2/14/2011 Sample Date 2/15/11
Sheen No
Free Product Thickness 0
Sample Collection Method Disposable bailer

TIME	GAL. PURGED	DH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY $\mu\text{S/cm}$
0906	0.4	6.74	17.9	530
0908	1.7	6.69	19.0	489
0910	2.6	6.60	19.7	483
0911	3.4	6.59	19.9	473
0913	4.3	6.57	20.1	475
0915	5.2	6.53	20.3	478
0916	6.0	6.48	20.3	472
0918	6.9	6.49	20.4	471
0920	7.6	6.50	20.5	471

NOTES: No color + no sheen.
Sample time = 0930 hrs

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley
 Job No. 0014
 TOC to Water (ft.) 5.83
 Well Depth (ft.) 10.5
 Well Diameter 2" (0.16)
 Gal./Casing Vol. 0.4

Well No. MW6
 Date 2/14/2011
 Sheen YES
 Free Product Thickness 0
 Sample Collection Method Disposable bailer

3 vol = 2.4

TIME	GAL. PURGED	SIC DH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY μs/cm
1741	0.2	6.87 6.87	18.7	712 712
1745	0.5	6.80	19.4	694
1746	0.8	6.78	19.6	690
1748	1.0	6.74	19.8	694
1749	1.3	6.72	19.9	694
1749	1.6	6.70	19.9	693
1750 1750	1.8	6.68	20.1	691
1751	2.1	6.68	20.2	689
1752	2.4	6.67	20.2	690

NOTES: sheen - mod-strong - phc - etc
Sample time = 1800hrs

6

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley
Job No. 0014
TOC to Water (ft.) 3.73
Well Depth (ft.) 10.2
Well Diameter 2" (0.16)
Gal./Casing Vol. 1.1
3 vol = 3.3

Well No. MW7
Date 2/14/2011
Sheen NO
Free Product Thickness Ø
Sample Collection Method Disposable bailer

TIME	GAL. PURGED	DH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY µs/cm
<u>1349</u>	<u>0.3</u>	<u>6.29</u>	<u>18.2</u>	<u>803</u>
<u>1351</u>	<u>0.7</u>	<u>6.16</u>	<u>18.3</u>	<u>664</u>
<u>1352</u>	<u>1.1</u>	<u>6.01</u>	<u>18.4</u>	<u>675</u>
<u>1353</u>	<u>1.4</u>	<u>5.92</u>	<u>18.5</u>	<u>656</u>
<u>1354</u>	<u>1.8</u>	<u>5.98</u>	<u>18.6</u>	<u>647</u>
<u>1355</u>	<u>2.2</u>	<u>6.00</u>	<u>18.8</u>	<u>637</u>
<u>1356</u>	<u>2.5</u>	<u>6.02</u>	<u>18.8</u>	<u>632</u>
<u>1357</u>	<u>2.9</u>	<u>6.08</u>	<u>18.8</u>	<u>635</u>
	<u>3.3</u>	<u>5.6</u> six		
<u>1400</u>	<u>Well dewatered @ ~ 3.2 gallons</u>			

NOTES: No odor & no sheen. Sample time @ 1540

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley
Job No. 0014
TOC to Water (ft.) 6.95
Well Depth (ft.) 14.4
Well Diameter 2" (0.16)
Gal./Casing Vol. 1.2
3 vol = 3.6

Well No. MW8
Date 2/14/2011
Sheen yes
Free Product Thickness 0
Sample Collection Method Disposable bailer

TIME	GAL. PURGED	pH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY µs/cm
1636	0.4	6.48	17.5	741
1638	0.8	6.62	17.9	719
1639	1.2	6.63	18.1	723
1640	1.6	6.59	18.2	718
1641	2.0	6.57	18.2	727
1641	2.4	6.56	18.3	728
1642	2.8	6.55	18.4	739
1644	3.2	6.54	18.4	737
1645	3.6	6.54	18.3	722

NOTES: Sheen + slight-moderate phc od -
sample time => 1655

①

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley
Job No. 0014
TOC to Water (ft.) 6.41
Well Depth (ft.) 21.3
Well Diameter 2" (0.16)
Gal./Casing Vol. 2.4
3 vol = 7.2

Well No. MW 9
Date 2/14/2011
Sheen No
Free Product Thickness 0
Sample Collection Method Disposable bailer

TIME	GAL. PURGED	pH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY µs/cm
1707	0.8	7.03	18.2	155
1709	1.6	6.89	18.9	145
1711	2.4	6.64	19.4	234
1712	3.2	6.65	19.4	488
1714	4.0	6.64	19.6	512
1715	4.8	6.64	19.6	524
1716	5.6	6.64 ^{6.64} _{6.66} ^{5.2}	19.7	554
1718	6.4	6.68	19.7	619
1719	7.2	6.68	19.7	668
1720	7.5	6.68	19.8	673

NOTES: No sheens no odor
Sampling time -> 1730

2

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley

Well No. MW10
monitored → Date 2/14/2011 sample → 2/15/11

Job No. 0014

TOC to Water (ft.) 5.82

Sheen NO

Well Depth (ft.) 21.6

Free Product Thickness 0

Well Diameter 2" (0.16)

Sample Collection Method Disposable bailer

Gal./Casing Vol. 2.6

3 vol = 7.8

TIME	GAL. PURGED	DH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY µs/cm
<u>0951</u>	<u>0.8</u>	<u>7.07</u>	<u>18.6</u>	<u>105</u>
<u>0953</u>	<u>1.7</u>	<u>6.86</u>	<u>19.7</u>	<u>106</u>
<u>0955</u>	<u>2.6</u>	<u>6.69</u>	<u>20.4</u>	<u>136</u>
<u>0956</u>	<u>3.4</u>	<u>6.64</u>	<u>20.8</u>	<u>172</u>
<u>0958</u>	<u>4.3</u>	<u>6.55</u>	<u>21.0</u>	<u>204</u>
<u>0959</u>	<u>5.2</u>	<u>6.53</u>	<u>21.0</u>	<u>238</u>
<u>1001</u>	<u>6.0</u>	<u>6.52</u>	<u>21.2</u>	<u>294</u>
<u>1007</u>	<u>6.9</u>	<u>6.51</u>	<u>21.2</u>	<u>354</u>
<u>1005</u>	<u>7.8</u>	<u>6.51</u>	<u>21.2</u>	<u>405</u>
<u>1008</u>	<u>8.1</u>	<u>6.50</u>	<u>21.2</u>	<u>402</u>

NOTES: No sheen & No odor
Sampling → 195

3

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley
Job No. 0014
TOC to Water (ft.) 4.14
Well Depth (ft.) 14.4
Well Diameter 2" (0.16)
Gal./Casing Vol. 1.7

Well No. MW11
Date 2/14/2011
Sheen NO
Free Product Thickness 0
Sample Collection Method Disposable bailer

3 vol = 5.1

TIME	GAL. PURGED	DH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY µs/cm
1408	0.5	6.45	18.0	556
1410	1.1	6.33	18.4	521
1413	1.7	6.37	18.8	528
1414	2.2	6.46	18.8	533
1415	2.8	6.51	19.0	526
1416	3.4	6.76	19.1	528
1417	3.4	6.85	19.1	523
1420	4.5 well dewatered @ 5.1 S.C.		~ 4.4 gallons	

NOTES: No sheen & no odor
Sample time -> 1550

5

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley
Job No. 0014
TOC to Water (ft.) 7.78
Well Depth (ft.) 12.5
Well Diameter 2" (0.16)
Gal./Casing Vol. 0.8
3 vol = 2.4

Well No. MW12
Date 2/14/2011
Sheen No
Free Product Thickness 0
Sample Collection Method Disposable bailer

TIME	GAL. PURGED	pH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY µs/cm
<u>1611</u>	<u>0.2</u>	<u>6.50</u>	<u>17.6</u>	<u>631</u>
<u>1613 1913</u>	<u>0.5</u>	<u>6.40</u>	<u>18.0</u>	<u>580</u>
<u>1614 1819</u>	<u>0.8</u>	<u>6.40</u>	<u>18.0</u>	<u>573</u>
<u>1615 1915 sic</u>	<u>1.0</u>	<u>6.39</u>	<u>18.3</u>	<u>576</u>
<u>1616 1816</u>	<u>1.3</u>	<u>6.41</u>	<u>18.3</u>	<u>572</u>
<u>1617 1417</u>	<u>1.6</u>	<u>6.60</u>	<u>18.4</u>	<u>578</u>
<u>1618 1418</u>	<u>1.8</u>	<u>6.66</u>	<u>18.5</u>	<u>583</u>
<u>1619 1419</u>	<u>2.1</u>	<u>6.70</u>	<u>18.6</u>	<u>586</u>
<u>1620 1420</u>	<u>2.4</u>	<u>6.69</u>	<u>18.5</u>	<u>581</u>

NOTES: No Sheen or Nodder - sample time 1425 sic 1625

(8)

P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET

Site Name Xtra Oil / Castro Valley

Well No. EW1

Job No. 0014

Date 2/14/2011 Sampled → 2/15/11

TOC to Water (ft.) 11.38

Sheen Nic yes

Well Depth (ft.) 13.2

Free Product Thickness 0

Well Diameter 8" (2.584)

Sample Collection Method _____

Gal./Casing Vol. Pump Running Continuously
3 vol = N/A

Sample Collection Method Disposable bailer yes

TIME	GAL. PURGED	pH	TEMPERATURE °C	ELECTRICAL CONDUCTIVITY $\mu\text{S/cm}$
<u>1223</u>	<u>—</u>	<u>6.67</u>	<u>16.5</u>	<u>900</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

NOTES: Sheen + mod-strong phc odor
sample time → 1225

**P&D ENVIRONMENTAL
GROUNDWATER MONITORING/WELL PURGING
DATA SHEET**

Site Name Xtra Oil / Castro Valley
Job No. 0014
TOC to Water (ft.) 7.1
Well Depth (ft.) 7.1
Well Diameter 1"
Gal./Casing Vol. N/A
3000 sic

Well No. OW2
Date 2/14/2011
Sheen N/A
Free Product Thickness Ø
Sample Collection Method Disposable bailer sic
In sufficient water

TIME	GAL. PURGED	pH	TEMPERATURE <u>sic</u>	ELECTRICAL CONDUCTIVITY <u>us/cm sic</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

NOTES: No Sample Collected; In sufficient water

**LABORATORY REPORTS
AND CHAIN OF CUSTODY
DOCUMENTATION**

P & D Environmental 55 Santa Clara, Ste.240 Oakland, CA 94610	Client Project ID: #0014; Xtra Oil 3495 Castro Valley Blvd., Castro V	Date Sampled: 02/14/11-02/15/11
	Client Contact: Steve Carmack	Date Received: 02/15/11
	Client P.O.:	Date Reported: 02/23/11
		Date Completed: 02/23/11

WorkOrder: 1102430

February 23, 2011

Dear Steve:

Enclosed within are:

- 1) The results of the **11** analyzed samples from your project: **#0014; Xtra Oil 3495 Castro Valley Blvd., Castro V**,
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McC Campbell Analytical Laboratories for your analytical needs.

Best regards,



Angela Rydelius
 Laboratory Manager
 McC Campbell Analytical, Inc.

1102430

CHAIN OF CUSTODY RECORD

PROJECT NUMBER: 0014			PROJECT NAME: Xtra Oil/ 3495 Castro Valley Blvd. Castro Valley			NUMBER OF CONTAINERS	ANALYSIS(ES): TPH-Multi (G.D.M.O) MBTEX, Fuel Oils, Pb & Seawater by EPA 8260B	PRESERVATIVE	REMARKS
SAMPLED BY: (PRINTED AND SIGNATURE) Steve Carmack <i>[Signature]</i>									
SAMPLE NUMBER	DATE	TIME	TYPE	SAMPLE LOCATION					
MW1	2/15/11	1125	H ₂ O		7	X	X	ICE	Normal Turnaround
MW3	"	1220			7	X	X		
MW5	"	0930			7	X	X		
MW6	2/14/11	1800			7	X	X		
MW7	"	1540			6	X	X		
MW8	"	1655			7	X	X		
MW9	"	1730			7	X	X		
MW10	2/15/11	1015			7	X	X		
MW11	2/14/11	1550			6	X	X		
MW12	"	1625			7	X	X		
EW1	2/15/11	1225			7	X	X		
ICE/P GOOD CONDITION <input checked="" type="checkbox"/> APPROPRIATE CONTAINERS <input checked="" type="checkbox"/> HEAD SPACE ABSENT <input checked="" type="checkbox"/> PRESERVED IN LAB <input checked="" type="checkbox"/> DECHLORINATED IN LAB <input checked="" type="checkbox"/> PRESERVATION <input checked="" type="checkbox"/>					VOCS <input checked="" type="checkbox"/> O&G <input checked="" type="checkbox"/> METALS <input checked="" type="checkbox"/> OTHER <input checked="" type="checkbox"/>				
RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>			DATE 2/15/11	TIME 1540	RECEIVED BY: (SIGNATURE) <i>[Signature]</i>			TOTAL NO. OF SAMPLES (THIS SHIPMENT) 11	LABORATORY: McCampbell Analytical
RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>			DATE 2/15/11	TIME 1645	RECEIVED BY: (SIGNATURE) <i>[Signature]</i>			TOTAL NO. OF CONTAINERS (THIS SHIPMENT) 75	LABORATORY CONTACT: Angela Rydelius
RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>			DATE	TIME	RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>[Signature]</i>			LABORATORY PHONE NUMBER: (877) 257-9262	
Results and billing to: P&D Environmental, Inc. lab@pdenviro.com					SAMPLE ANALYSIS REQUEST SHEET ATTACHED: () YES (X) NO				
REMARKS: All bottles preserved w/ HCl.									

+++++

McC Campbell Analytical, Inc.



1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1102430

ClientCode: PDEO

WaterTrax
 WriteOn
 EDF
 Excel
 Fax
 Email
 HardCopy
 ThirdParty
 J-flag

Report to:

Steve Carmack
P & D Environmental
55 Santa Clara, Ste.240
Oakland, CA 94610
(510) 658-6916 FAX 510-834-0152

Email: lab@pdenviro.com
cc:
PO:
ProjectNo: #0014; Xtra Oil 3495 Castro Valley Blvd.,
Castro Valley

Bill to:

Accounts Payable
P & D Environmental
55 Santa Clara, Ste.240
Oakland, CA 94610

Requested TAT: 5 days

Date Received: 02/15/2011

Date Printed: 02/15/2011

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
1102430-001	MW-1	Water	2/15/2011 11:25	<input type="checkbox"/>	A	B											
1102430-002	MW-3	Water	2/15/2011 12:20	<input type="checkbox"/>	A	B											
1102430-003	MW-5	Water	2/15/2011 9:30	<input type="checkbox"/>	A	B											
1102430-004	MW-6	Water	2/14/2011 18:00	<input type="checkbox"/>	A	B											
1102430-005	MW-7	Water	2/14/2011 15:40	<input type="checkbox"/>	A	B											
1102430-006	MW-8	Water	2/14/2011 16:55	<input type="checkbox"/>	A	B											
1102430-007	MW-9	Water	2/14/2011 17:30	<input type="checkbox"/>	A	B											
1102430-008	MW-10	Water	2/15/2011 10:15	<input type="checkbox"/>	A	B											
1102430-009	MW-11	Water	2/14/2011 15:50	<input type="checkbox"/>	A	B											
1102430-010	MW-12	Water	2/14/2011 16:25	<input type="checkbox"/>	A	B											
1102430-011	EW-1	Water	2/15/2011 12:25	<input type="checkbox"/>	A	B											

Test Legend:

1	G-MBTEX_W	2	MBTEXOXPBSCV-8260B_V	3		4		5	
6		7		8		9		10	
11		12							

The following SampIDs: 001A, 002A, 003A, 004A, 005A, 006A, 007A, 008A, 009A, 010A, 011A contain testgroup.

Prepared by: Zoraida Cortez

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.



Sample Receipt Checklist

Client Name: **P & D Environmental** Date and Time Received: **2/15/2011 5:18:58 PM**
Project Name: **#0014; Xtra Oil 3495 Castro Valley Blvd., Castro V** Checklist completed and reviewed by: **Zoraida Cortez**
WorkOrder N°: **1102430** Matrix Water Carrier: Rob Pringle (MAI Courier)

Chain of Custody (COC) Information

Chain of custody present? Yes No
Chain of custody signed when relinquished and received? Yes No
Chain of custody agrees with sample labels? Yes No
Sample IDs noted by Client on COC? Yes No
Date and Time of collection noted by Client on COC? Yes No
Sampler's name noted on COC? Yes No

Sample Receipt Information

Custody seals intact on shipping container/cooler? Yes No NA
Shipping container/cooler in good condition? Yes No
Samples in proper containers/bottles? Yes No
Sample containers intact? Yes No
Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes No
Container/Temp Blank temperature Cooler Temp: 4.6°C NA
Water - VOA vials have zero headspace / no bubbles? Yes No No VOA vials submitted
Sample labels checked for correct preservation? Yes No
Metal - pH acceptable upon receipt (pH<2)? Yes No NA
Samples Received on Ice? Yes No
(Ice Type: WET ICE)

* NOTE: If the "No" box is checked, see comments below.

Client contacted: Date contacted: Contacted by:

Comments:



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

P & D Environmental 55 Santa Clara, Ste.240 Oakland, CA 94610	Client Project ID: #0014; Xtra Oil 3495 Castro Valley Blvd., Castro V	Date Sampled: 02/14/11-02/15/11
	Client Contact: Steve Carmack	Date Received: 02/15/11
	Client P.O.:	Date Analyzed 02/17/11-02/19/11
		Date Extracted: 02/15/11

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*

Extraction method SW5030B

Analytical methods SW8015Bm

Work Order: 1102430

Lab ID	Client ID	Matrix	TPH(g)	DF	% SS	Comments
1102430-001A	MW-1	W	17,000	10	105	d1,b6
1102430-002A	MW-3	W	49,000	50	113	d1,b6
1102430-003A	MW-5	W	ND	1	102	
1102430-004A	MW-6	W	52,000	100	111	d1
1102430-005A	MW-7	W	120	1	106	d1
1102430-006A	MW-8	W	1900	3.3	116	d1,b6
1102430-007A	MW-9	W	ND	1	100	
1102430-008A	MW-10	W	ND	1	102	
1102430-009A	MW-11	W	ND	1	108	
1102430-010A	MW-12	W	140	1	107	d1
1102430-011A	EW-1	W	22,000	50	107	d1,b6

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	NA	NA

* water and vapor samples are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts in mg/L.

cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference. %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:

- b6) lighter than water immiscible sheen/product is present
- d1) weakly modified or unmodified gasoline is significant



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

P & D Environmental 55 Santa Clara, Ste.240 Oakland, CA 94610	Client Project ID: #0014; Xtra Oil 3495 Castro Valley Blvd., Castro V	Date Sampled: 02/14/11-02/15/11
	Client Contact: Steve Carmack	Date Received: 02/15/11
	Client P.O.:	Date Extracted: 02/18/11-02/22/11
		Date Analyzed: 02/18/11-02/22/11

Oxygenates, MBTEX & Lead Scavengers by GC/MS*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 1102430

Lab ID	1102430-001B	1102430-002B	1102430-003B	1102430-004B	Reporting Limit for DF =1	
Client ID	MW-1	MW-3	MW-5	MW-6		
Matrix	W	W	W	W		
DF	25	1000	1	250	S	W

Compound	Concentration				ug/kg	µg/L
tert-Amyl methyl ether (TAME)	ND<12	ND<500	ND	ND<120	NA	0.5
Benzene	120	17,000	ND	5100	NA	0.5
t-Butyl alcohol (TBA)	ND<50	3300	ND	ND<500	NA	2.0
1,2-Dibromoethane (EDB)	ND<12	ND<500	ND	ND<120	NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND<12	ND<500	ND	ND<120	NA	0.5
Diisopropyl ether (DIPE)	ND<12	ND<500	ND	ND<120	NA	0.5
Ethylbenzene	930	ND<500	ND	2600	NA	0.5
Ethyl tert-butyl ether (ETBE)	ND<12	ND<500	ND	ND<120	NA	0.5
Methyl-t-butyl ether (MTBE)	20	2000	ND	ND<120	NA	0.5
Toluene	48	ND<500	ND	2100	NA	0.5
Xylenes	490	940	ND	13,000	NA	0.5

Surrogate Recoveries (%)

%SS1:	96	87	91	94	
%SS2:	100	102	103	101	
%SS3:	84	84	75	80	
Comments	b6	b6			

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

%SS = Percent Recovery of Surrogate Standard

DF = Dilution Factor

b6) lighter than water immiscible sheen/product is present



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

P & D Environmental 55 Santa Clara, Ste.240 Oakland, CA 94610	Client Project ID: #0014; Xtra Oil 3495 Castro Valley Blvd., Castro V	Date Sampled: 02/14/11-02/15/11
	Client Contact: Steve Carmack	Date Received: 02/15/11
	Client P.O.:	Date Extracted: 02/18/11-02/22/11
		Date Analyzed: 02/18/11-02/22/11

Oxygenates, MBTEX & Lead Scavengers by GC/MS*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 1102430

Lab ID	1102430-005B	1102430-006B	1102430-007B	1102430-008B	Reporting Limit for DF =1	
Client ID	MW-7	MW-8	MW-9	MW-10		
Matrix	W	W	W	W		
DF	2	2.5	1	1	S	W

Compound	Concentration				ug/kg	ug/L
tert-Amyl methyl ether (TAME)	ND<1.0	ND<1.2	ND	ND	NA	0.5
Benzene	41	19	ND	ND	NA	0.5
t-Butyl alcohol (TBA)	ND<4.0	ND<5.0	ND	ND	NA	2.0
1,2-Dibromoethane (EDB)	ND<1.0	ND<1.2	ND	ND	NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND<1.0	ND<1.2	ND	ND	NA	0.5
Diisopropyl ether (DIPE)	ND<1.0	ND<1.2	ND	ND	NA	0.5
Ethylbenzene	11	22	ND	0.55	NA	0.5
Ethyl tert-butyl ether (ETBE)	ND<1.0	ND<1.2	ND	ND	NA	0.5
Methyl-t-butyl ether (MTBE)	5.6	ND<1.2	ND	ND	NA	0.5
Toluene	ND<1.0	ND<1.2	ND	ND	NA	0.5
Xylenes	ND<1.0	ND<1.2	ND	ND	NA	0.5

Surrogate Recoveries (%)

%SS1:	93	90	88	87	
%SS2:	101	100	100	102	
%SS3:	79	90	86	83	

Comments b6

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

%SS = Percent Recovery of Surrogate Standard

DF = Dilution Factor

b6) lighter than water immiscible sheen/product is present



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

P & D Environmental 55 Santa Clara, Ste.240 Oakland, CA 94610	Client Project ID: #0014; Xtra Oil 3495 Castro Valley Blvd., Castro V	Date Sampled: 02/14/11-02/15/11
	Client Contact: Steve Carmack	Date Received: 02/15/11
	Client P.O.:	Date Extracted: 02/18/11-02/22/11
		Date Analyzed: 02/18/11-02/22/11

Oxygenates, MBTEX & Lead Scavengers by GC/MS*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 1102430

Lab ID	1102430-009B	1102430-010B	1102430-011B		Reporting Limit for DF =1	
Client ID	MW-11	MW-12	EW-1			
Matrix	W	W	W			
DF	1	1	250			

Compound	Concentration			ug/kg	µg/L
tert-Amyl methyl ether (TAME)	ND	ND	ND<120	NA	0.5
Benzene	ND	ND	6100	NA	0.5
t-Butyl alcohol (TBA)	ND	ND	5500	NA	2.0
1,2-Dibromoethane (EDB)	ND	ND	ND<120	NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND	ND	ND<120	NA	0.5
Diisopropyl ether (DIPE)	ND	ND	ND<120	NA	0.5
Ethylbenzene	ND	ND	630	NA	0.5
Ethyl tert-butyl ether (ETBE)	ND	ND	ND<120	NA	0.5
Methyl-t-butyl ether (MTBE)	ND	4.3	2900	NA	0.5
Toluene	ND	ND	1000	NA	0.5
Xylenes	ND	ND	2000	NA	0.5

Surrogate Recoveries (%)

%SS1:	89	89	87	
%SS2:	100	98	103	
%SS3:	87	92	88	

Comments			b6	
-----------------	--	--	----	--

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

%SS = Percent Recovery of Surrogate Standard

DF = Dilution Factor

b6) lighter than water immiscible sheen/product is present



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

P & D Environmental 55 Santa Clara, Ste.240 Oakland, CA 94610	Client Project ID: #0014; Xtra Oil 3495 Castro Valley Blvd., Castro V	Date Sampled: 02/14/11-02/15/11
	Client Contact: Steve Carmack	Date Received: 02/15/11
	Client P.O.:	Date Extracted: 02/15/11
		Date Analyzed: 02/16/11-02/19/11

Total Extractable Petroleum Hydrocarbons*

Extraction method: SW3510C

Analytical methods: SW8015B

Work Order: 1102430

Lab ID	Client ID	Matrix	TPH-Diesel (C10-C23)	TPH-Motor Oil (C18-C36)	DF	% SS	Comments
1102430-001A	MW-1	W	17,000	ND<5000	20	---#	e4,e2,b6
1102430-002A	MW-3	W	50,000	24,000	20	116	e1,e7,b6
1102430-003A	MW-5	W	ND	ND	1	101	
1102430-004A	MW-6	W	7900	ND	1	106	e4
1102430-005A	MW-7	W	ND	ND	1	100	
1102430-006A	MW-8	W	1100	ND	1	102	e4,b6
1102430-007A	MW-9	W	52	ND	1	103	e2
1102430-008A	MW-10	W	ND	ND	1	100	
1102430-009A	MW-11	W	ND	ND	1	99	
1102430-010A	MW-12	W	ND	ND	1	99	
1102430-011A	EW-1	W	24,000	12,000	10	93	e1,e4,b6

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	250	µg/L
	S	NA	NA	mg/Kg

* water samples are reported in µg/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

%SS = Percent Recovery of Surrogate Standard. DF = Dilution Factor

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:

b6) lighter than water immiscible sheen/product is present
e1) unmodified or weakly modified diesel is significant
e2) diesel range compounds are significant; no recognizable pattern
e4) gasoline range compounds are significant.
e7) oil range compounds are significant



QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 56262

WorkOrder 1102430

EPA Method SW8021B/8015Bm		Extraction SW5030B							Spiked Sample ID: 1102410-007A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) ^f	ND	60	115	111	3.20	99.3	121	20.0	70 - 130	20	70 - 130	20
MTBE	ND	10	123	121	1.50	116	119	2.37	70 - 130	20	70 - 130	20
Benzene	ND	10	107	106	0.834	107	107	0	70 - 130	20	70 - 130	20
Toluene	ND	10	107	106	0.675	106	106	0	70 - 130	20	70 - 130	20
Ethylbenzene	ND	10	106	106	0	105	105	0	70 - 130	20	70 - 130	20
Xylenes	ND	30	109	109	0	108	108	0	70 - 130	20	70 - 130	20
%SS:	102	10	98	98	0	98	98	0	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 56262 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1102430-001A	02/15/11 11:25 AM	02/18/11	02/18/11 7:17 AM	1102430-002A	02/15/11 12:20 PM	02/18/11	02/18/11 7:49 AM
1102430-003A	02/15/11 9:30 AM	02/17/11	02/17/11 1:15 AM	1102430-004A	02/14/11 6:00 PM	02/17/11	02/17/11 3:32 PM
1102430-005A	02/14/11 3:40 PM	02/17/11	02/17/11 1:48 AM	1102430-006A	02/14/11 4:55 PM	02/19/11	02/19/11 5:06 AM
1102430-007A	02/14/11 5:30 PM	02/17/11	02/17/11 12:03 AM	1102430-008A	02/15/11 10:15 AM	02/17/11	02/17/11 2:03 AM
1102430-009A	02/14/11 3:50 PM	02/17/11	02/17/11 2:33 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.



QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 56280

WorkOrder 1102430

EPA Method SW8021B/8015Bm		Extraction SW5030B							Spiked Sample ID: 1102433-005A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) ^f	ND	60	94.7	93	1.71	95.5	91.8	3.97	70 - 130	20	70 - 130	20
MTBE	ND	10	112	105	6.26	117	108	7.90	70 - 130	20	70 - 130	20
Benzene	ND	10	104	104	0	105	105	0	70 - 130	20	70 - 130	20
Toluene	ND	10	103	103	0	104	104	0	70 - 130	20	70 - 130	20
Ethylbenzene	ND	10	102	103	0.759	102	103	1.21	70 - 130	20	70 - 130	20
Xylenes	ND	30	104	105	0.636	105	106	0.509	70 - 130	20	70 - 130	20
%SS:	103	10	98	100	1.73	99	100	1.00	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 56280 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1102430-010A	02/14/11 4:25 PM	02/17/11	02/17/11 3:34 AM	1102430-011A	02/15/11 12:25 PM	02/18/11	02/18/11 4:51 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 56263

WorkOrder 1102430

EPA Method SW8260B		Extraction SW5030B							Spiked Sample ID: 1102410-008B			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
tert-Amyl methyl ether (TAME)	ND	10	87.8	87	0.868	94	92.9	1.15	70 - 130	30	70 - 130	30
Benzene	ND	10	104	99.2	4.82	109	109	0	70 - 130	30	70 - 130	30
t-Butyl alcohol (TBA)	ND	50	116	102	13.2	96.2	91.6	4.93	70 - 130	30	70 - 130	30
1,2-Dibromoethane (EDB)	ND	10	103	95.7	7.62	118	114	3.76	70 - 130	30	70 - 130	30
1,2-Dichloroethane (1,2-DCA)	ND	10	107	100	6.42	103	102	0.905	70 - 130	30	70 - 130	30
Diisopropyl ether (DIPE)	ND	10	114	108	5.03	106	107	0.790	70 - 130	30	70 - 130	30
Ethyl tert-butyl ether (ETBE)	ND	10	107	101	5.77	102	101	0.766	70 - 130	30	70 - 130	30
Methyl-t-butyl ether (MTBE)	ND	10	107	102	5.21	114	114	0	70 - 130	30	70 - 130	30
Toluene	ND	10	99.3	94	5.24	111	109	1.81	70 - 130	30	70 - 130	30
%SS1:	100	25	89	89	0	86	87	0.144	70 - 130	30	70 - 130	30
%SS2:	96	25	100	100	0	101	101	0	70 - 130	30	70 - 130	30
%SS3:	87	2.5	74	75	1.76	87	87	0	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 56263 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1102430-001B	02/15/11 11:25 AM	02/18/11	02/18/11 2:46 AM	1102430-002B	02/15/11 12:20 PM	02/22/11	02/22/11 4:09 PM
1102430-003B	02/15/11 9:30 AM	02/19/11	02/19/11 12:43 AM	1102430-004B	02/14/11 6:00 PM	02/18/11	02/18/11 4:52 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 56281

WorkOrder 1102430

EPA Method SW8260B		Extraction SW5030B							Spiked Sample ID: 1102430-009B			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
tert-Amyl methyl ether (TAME)	ND	10	88.7	87.2	1.70	91.7	91.9	0.147	70 - 130	30	70 - 130	30
Benzene	ND	10	107	107	0	112	112	0	70 - 130	30	70 - 130	30
t-Butyl alcohol (TBA)	ND	50	76.7	79.2	3.28	94.2	91.7	2.72	70 - 130	30	70 - 130	30
1,2-Dibromoethane (EDB)	ND	10	90.7	83.4	8.38	117	116	0.742	70 - 130	30	70 - 130	30
1,2-Dichloroethane (1,2-DCA)	ND	10	87.4	88.5	1.26	106	105	0.968	70 - 130	30	70 - 130	30
Diisopropyl ether (DIPE)	ND	10	102	105	2.26	111	111	0	70 - 130	30	70 - 130	30
Ethyl tert-butyl ether (ETBE)	ND	10	89.6	90.4	0.859	105	105	0	70 - 130	30	70 - 130	30
Methyl-t-butyl ether (MTBE)	ND	10	103	104	0.820	116	115	0.973	70 - 130	30	70 - 130	30
Toluene	ND	10	97.2	95	2.26	113	113	0	70 - 130	30	70 - 130	30
%SS1:	89	25	99	99	0	87	87	0	70 - 130	30	70 - 130	30
%SS2:	100	25	102	103	1.66	101	101	0	70 - 130	30	70 - 130	30
%SS3:	87	2.5	84	85	0.533	86	87	0.530	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 56281 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1102430-005B	02/14/11 3:40 PM	02/18/11	02/18/11 5:34 AM	1102430-006B	02/14/11 4:55 PM	02/18/11	02/18/11 6:15 AM
1102430-007B	02/14/11 5:30 PM	02/18/11	02/18/11 3:14 AM	1102430-008B	02/15/11 10:15 AM	02/19/11	02/19/11 2:44 AM
1102430-009B	02/14/11 3:50 PM	02/18/11	02/18/11 4:31 AM	1102430-010B	02/14/11 4:25 PM	02/18/11	02/18/11 5:09 AM
1102430-011B	02/15/11 12:25 PM	02/19/11	02/19/11 2:06 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



QC SUMMARY REPORT FOR SW8015B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 56227

WorkOrder 1102430

EPA Method SW8015B		Extraction SW3510C							Spiked Sample ID: N/A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH-Diesel (C10-C23)	N/A	1000	N/A	N/A	N/A	103	103	0	N/A	N/A	70 - 130	30
%SS:	N/A	625	N/A	N/A	N/A	102	101	0.517	N/A	N/A	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 56227 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1102430-001A	02/15/11 11:25 AM	02/15/11	02/17/11 7:46 PM	1102430-002A	02/15/11 12:20 PM	02/15/11	02/19/11 8:05 AM
1102430-003A	02/15/11 9:30 AM	02/15/11	02/16/11 6:59 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.



QC SUMMARY REPORT FOR SW8015B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 56279

WorkOrder 1102430

EPA Method SW8015B		Extraction SW3510C							Spiked Sample ID: N/A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH-Diesel (C10-C23)	N/A	1000	N/A	N/A	N/A	118	119	0.0608	N/A	N/A	70 - 130	30
%SS:	N/A	625	N/A	N/A	N/A	95	95	0	N/A	N/A	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 56279 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1102430-004A	02/14/11 6:00 PM	02/15/11	02/16/11 9:17 PM	1102430-005A	02/14/11 3:40 PM	02/15/11	02/16/11 10:27 PM
1102430-006A	02/14/11 4:55 PM	02/15/11	02/16/11 11:36 PM	1102430-007A	02/14/11 5:30 PM	02/15/11	02/18/11 8:34 PM
1102430-008A	02/15/11 10:15 AM	02/15/11	02/17/11 4:12 AM	1102430-009A	02/14/11 3:50 PM	02/15/11	02/17/11 5:20 AM
1102430-010A	02/14/11 4:25 PM	02/15/11	02/17/11 7:38 AM	1102430-011A	02/15/11 12:25 PM	02/15/11	02/19/11 3:29 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.