THE SUTTON GROUP

PHONE (925) 284-4208 FAX (925) 871-3617 EMAIL: suttongeo@sbcglobal.net

SOILS, FOUNDATIONS, DRAINAGE, SLOPES, CONTAINMENTS CIVIL, GEOTECHNICAL AND ENVIRONMENTAL ENGINEERING 3708 Mount Diablo Blvd Suite 215 Lafayette, CA, 94549

July 31, 2007

Mr. Michael Cameron Oro Loma Sanitary District 2655 Grant Avenue San Lorenzo, 94580

RECEIVED

2:29 pm, Aug 02, 2007

Alameda County Environmental Health

Results of 20th Quarterly Round of Sampling of Ground Water Monitoring Wells Site of the Former Gasoline Tank 2655 Grant Ave., San Lorenzo, CA OLSD PO No. 4911, LOP Site No. RO0000288 ST ID 1996

Dear Mr. Cameron

We attach results for the most recent round of quarterly sampling of the ground water monitoring wells in the area of the former gasoline tank, conducted on July 19, 2007. This is the 20th quarterly sampling of wells in the gasoline tank area.

Please note that the street address of the District's offices, and thus that of the tank location, has been changed at the request of the Post Office, from 2600 to 2655 Grant Avenue. We hope this does not upset the Agency's filing system.

This work has been performed in accordance with the Work Plan that was approved by Alameda County Health Care Agency's Environmental Protection Division (ACEP) in their letter dated April 18, 2003, as amended.

Figure 1 is a plan of the District's facilities at the foot of Grant Avenue in San Lorenzo. It shows the relative locations of the former gasoline and diesel tanks to the District's offices and adjacent sewage treatment plant. Figure 2 is a plan of the engineering offices and maintenance area, showing the monitoring well locations and the calculated groundwater flow gradient. Figure 2A is the calculation sheet used to develop Figure 2.

This quarter's monitoring data was up-loaded to the State Water Resources Control Board's Geotracker computer database, as required by law. We have also electronically uploaded this report to Alameda County's own electronic database.

Groundwater Monitoring

Review of groundwater level measurements around the former gasoline tank site indicates an reduction of ground water elevations typical of seasonal conditions in recent

Page 2 July 31, 2007

Groundwater levels are about a foot lower than the same quarter a year ago. Table 1 is a cumulative tabulation of groundwater level data.

Sampling Results

On July 19th, 2007 water samples were collected from the three onsite wells and two wells in Grant Avenue in accordance with the approved work plan. The samples were collected by bailing. Each sample was analyzed for gasoline, BTEX and MTBE. Table 2 is a summary of the results of the current round of analytical results for hydrocarbons. Table 2A is a compilation of all test results for gasoline-related hydrocarbon constituents in the gasoline tank area since well sampling began in 1999. Laboratory certificates and field sampling logs are also attached.

We appreciate the opportunity to be of continued service to The District. Please call me if you have questions or if I can assist you in any other way.

Yours truly,

THE SUTTON GROUP



John R. Sutton, PE

Attachments:

Figure 1 Site Plan Figure 2 Well Location Plan, Former Gasoline Tank Area Figure 2A Gradient calculation sheet Table 1 Ground Water Elevations, Former Gasoline Tank Area Table 2 Summary of Current Water Sample Analyses for Gasoline and constituents, Former Gasoline Tank Area

Table 2A Cumulative Summary of Water Sample Analyses, Gas Tank Area

Analytical Laboratory Reports (McCampbell) Field sampling Reports (Blaine Tech)

302210, Qtr #20 rept 03-2007 sig.doc

July 31, 2007 Page 3


Copy uploaded to Alameda Co web site. Data uploaded to Geotracker database.


Copy with attachments in pdf and MSExcel formats sent by email to Mr. Steven Plunkett at Alameda County Health Dept.

Copy sent by email to Mr. Cameron

Copy sent by email to Mr. Tim Becker at Environmental Guidance, Inc.

302210, Qtr #20 rept 03-2007 sig.doc





ORO LOMA SANITARY DISTRICT

2600 GRANT AVENUE

SAN LORENZO, CA


File 3022/10-2014 BIRLY

PLOT SHEET

Revised following New Engineering's survey of 03/07/2007

FIGURE ZA

THE SUTTON GROUP 3708 Mount Diablo Blvd, Suite 215 Lafayette, CA, 94549



Lafayette, California, 94549 Phone: (925).284-4208 (925).284-4189 Fax:

2600 GRANT AVENUE, SAN LORENZO, CA

8/2/03

TABLE 1 GROUND WATER ELEVATIONS All measurements are in feet

Monitoring	Well ID	MW-1	MW-2	MW-3	MW-4	MW-5	Estima	ted Net
Well Cover R	im Elevn*	8.37	8.48	9.91	9.40	8.62	Flow Directi	Gradient ft/ft
Groundwater	Elevation						1	
Initial Sampling	10/21/02	1.72	2.04	3.21	3.58	2.84	S21°E	0.016
2 nd Quarterly	1/28/03	2.23	2.65	4.94	5.35	4.42	S23°E	0.033
3rd Quarterly	4/28/03	Not Measured	3.18	Not Meas.	5.80	5.20	S22½°W	0.042
4 th Quarterly	7/25/03	0.45	2.35	3.44	3.58	3.52	S18°W	0.027
5 th Quarterly	10/30/03	1.82	2.75	3.61	4.18	4.09	S26°E	0.014
6 th Quarterly	1/23/04	2.20	3.27	5.27	5.47	5.17	S35°E	0.053
7th Quarterly	4/27/2004	2.35	3.55	4.99	5.08	4.92	S17°E	0.017
8th Quarterly	7/29/2004	1.55	2.43	3.77	4.11	4.14	S52°W	0.006
9th Quarterly	10/28/2004	-0.08	0.98	4.17	4.50	4.69	S63°E	0.087
Special Sampling	12/8/2004	-0.74	-0.83	Not Meas.	Not Meas.	Not Meas.	Not Meas.	Not Meas.
10th Quarterly	1/24/2005	0.79	2.75	5.64	5.83	4.74	S27°E	0.03
11th Quarterly	4/28/2005	1.37	3.02	5.15	5.19	4.52	S40°E	0.023
12th Quarterly	7/19/2005	1.18	2.37	4.31	4.48	4.32	S59°E	0.063
13th Quarterly	10/26/2005	0.79	1.72	3.69	4.10	4.20	S64°E	0.065
14th Quarterly	1/30/2006	1.72	3.17	4.85	4.92	4.24	S73°E	0.05
15th Quarterly	4/18/2006	2.17	3.44	5.94	5.09	4.25	S78°E	0.025
16th Quarterly	7/19/2006	1.55	2.88	4.41	4.57	4.13	S69E	0.048
17th Quarterly	10/26/2006	1.17	2.63	3.47	3.92	5.38	S30W / B:S7	:.054/B: .087
18th Quarterly	1/15/2007	1.35	3.20	4.84	4.73	4.37	A: S64E / B	A: .007/ B:.0
19th Quarterly	4/19/2007	1.72	3.39	6.06	5.20	4.05	A: S70E /B:	0.036 / 0.044
Current (20th) r	eading on 7/1	9/2007						
Ground	vater Depth	7.27	6.78	6.53	5.88	5.27		
Ground Elevation		1.10	1.70	3.38	3.52	3.35	S63°E	0.074
Change 4/19/20	07	-0.62	-1.69	-2.68	-1.68	-0.70	S 7°E	~.004
Change s same Qtr	ince r, last year	-0.45	-1.18	-1.03	-1.05	-0.78		

^{*} Wells re-surveyed 03/08/2007 based on NGS Station Loma (HT3751). New rim elevations were 0.27-0.30 feet "lower".

Elevations beginning April 2007 reflect the new elevations. Previously tabulated readings have not been changed.

"Offsite gradient" reflects the dewatering effect of the gravel-bedded sanitary sewer trunk lines beneath Grant Avenue.

RO0000288

OLSD 2007-Q3, Tables.xls, 8/1/2007

^{* &}quot;Onsite gradient" is interpreted to be the natural gradient due to baylands and San Francisco Bay.

TABLE 2

LOP Site No. RO0000288

TABLE 2

SUMMARY OF GROUND WATER SAMPLE ANALYSES

total petroleum hydrocarbons as gasoline, btex and mtbe

EPA METHOD 8015Cm /8021 results in µg/l (ppb)

Sample						Xylenes		Dilution
Location	Sample Date	Gasoline	Benzene	Toluene	Ethyl Benzene	(total)	MTBE	Factor
MW-1	7/19/2007	ND	ND	ND	ND	ND	ND	1
MW-2	7/19/2007	ND	ND	ND	ND	ND	ND	1
MW-3	7/19/2007	ND	2.6	ND	ND	ND	47	1
MW-4	7/19/2007	21,000	4,500	26	1,100	370	ND<240	20
MW-5	7/19/2007	25,000	8,300	36	600	1,700	ND<50	10
Trip Blank	7/19/2007	ND	ND	ND	ND	ND	ND	1
Reporting Li	mits for DF=1	50	0.5	0.5	0.5	0.5	5	

NOTES:

ND Analyte not detected at stated reporting limit

n/a Not analyzed

ORO LOMA SANITARY DISTRICT R00000288 Table 2

THE SUTTON GROUP

TABLE 2A LOP Site No. RO0000288

CUMULATIVE SUMMARY OF GROUND WATER SAMPLE ANALYSES FORMER GASOLINE TANK AREA

total petroleum hydrocarbons as gasoline and mbtex

results in µg/l (ppb)

Sample Location	Sample Date	Gasoline	Benzene	Toluene	Ethyl Benzene	Xylenes (total)	MTBE
MW-1	2/19/1999	nd	nd	nd	nd	nd	nd
	5/10/1999	nd	nd	nd	nd	nd	nd
	8/30/1999	n/a	nd	nd	nd	nd	nd
	11/23/1999	nd	nd	nd	nd	nd	nd
dup	11/23/1999	nd	nd	nd	nd	nd	nd
	7/25/2003	nd	nd	nd	nd	nd	nd
	10/30/2003	n/a	n/a	n/a	n/a	n/a	n/a
	1/23/2004	nd	nd	nd	nd	nd	nd
	4/27/2004	n/a	n/a	n/a	n/a	n/a	n/a
	7/29/2004	nd	nd	nd	nd	nd	nd
MP	10/28/2004	NΑ	NΑ	NΑ	NΑ	NΑ	NΑ
	12/8/2004	nd	nd	nd	nd	nd	nd
MP	1/24/2005	nd	nd	nd	nd	nd	nd
	4/28/2005	NΑ	NΑ	NΑ	NΑ	NΑ	NΑ
	7/19/2005	nd	nd	nd	nd	nd	nd
	10/6/2005	N/A	N/A	N/A	N/A	N/A	N/A
	1/30/2006	ND	ND	ND	ND	ND	ND
	4/18/2006	N/A	N/A	N/A	N/A	N/A	N/A
	7/19/2006	ND	ND	ND	ND	ND	ND
	10/26/2006	n/a	n/a	n/a	n/a	n/a	n/a
	1/15/2007	ND	ND	ND	ND	ND	ND
	4/19/2007	NA	NA	NA	NA	NA	NA
	7/19/2007	ND	ND	ND	ND	ND	ND
MW-2	2/19/1999	nd	nd	nd	nd	nd	nd
	5/10/1999	nd	nd	nd	nd	nd	nd
	8/30/1999	n/a	nd	nd	nd	nd	nd
	11/23/1999	nd	nd	nd	nd	nd	nd
	7/25/2003	nd	nd	nd	nd	nd	< 1
	10/30/2003	n/a					
	1/23/2004	nd	nd	nd	nd	nd	nd
	4/27/2004	n/a	n/a	n/a	n/a	n/a	n/a
	7/29/2004	nd	nd	nd	nd	nd	nd
MP	10/28/2004	ND	ND	ND	ND	ND	ND
	12/8/2004	ND	ND	ND	ND	ND	1.5

ORO LOMA SANITARY DISTRICT, R00000288 Table 2A

OLSD 2007-Q3, Tables.xls 8/1/2007

MP	1/24/2005	ND	ND	ND	ND	ND	9	
	4/28/2005	n a	n a	n a	n a	n a	n a	
	7/19/2005	nd	nd	nd	nd	nd	nd	
	10/6/2005	N/A	N/A	N/A	N/A	N/A	N/A	
	1/30/2006	ND	ND	ND	ND	ND	ND	
	4/18/2006	N/A	N/A	N/A	N/A	N/A	N/A	
	7/19/2006	ND	ND	ND	ND	ND	ND	
	10/26/2006	n/a	n/a	n/a	n/a	n/a	n/a	
	1/15/2007	ND	ND	ND	ND	ND	ND	
	4/19/2007	NA	NA	NA	NA	NA	NA	
	7/19/2007	ND	ND	ND	ND	ND	ND	
	.,							
MW-3	2/19/1999	nd	nd	nd	nd	nd	1.5	*1
dup	2/19/1999	nd	nd	nd	nd	nd	n/a	
	5/10/1999	nd	nd	nd	nd	nd	1.5	*2
	8/30/1999	n/a	nd	nd	nd	nd	nd	
	11/23/1999	nd	nd	[.69]*	[.58]*	[1.3]*	nd	*3
	1/6/2000	nd	nd	nd	nd	nd	3.14	*4
Dup	1/6/2000	nd	nd	nd	nd	nd	2.64	*4
Trip Blank	2/10-22/99	ND	ND	ND	ND	ND	N/A	
	5/8-20/99	n/a	n/a	n/a	n/a	n/a	n/a	
	8/27-31/99	n/a	n/a	n/a	n/a	n/a	n/a	
	7/25/2003	nd	nd	nd	nd	nd	1.1	
	10/30/2003	n/a	n/a	n/a	n/a	n/a	n/a	
	1/23/2004	n/a	n/a	n/a	n/a	n/a	n/a	
	4/27/2004	n/a	n/a	n/a	n/a	n/a	n/a	
	7/29/2004	ND	6.4	ND	ND	ND	8.8	
MP	10/28/2004	390	170	0.7	nd	2.4	57	
	12/8/2004	N/A	N/A	N/A	N/A	N/A	N/A	
MP	1/24/2005	520	260	0.53	nd	1.9	89	
	4/28/2005	220	110	ND	ND	0.63	54	
	7/19/2005	760	370	0.68	ND	2.6	92	
	10/6/2005	190	71	ND	ND	ND	49	
	1/30/2006	300	130	0.74	ND	2.5	71	
	4/18/2006	380	190	1.0	nd	4.0	66	
	7/19/2006	140	61	ND	0.57	0.89	44	
	10/26/2006	91	20	nd	0.55	3.5	46	
	1/15/2007	ND	3.8	ND	ND	ND	32	
	4/19/2007	52	2.9	ND	ND	ND	57	
	7/19/2007	ND	2.6	ND	ND	ND	47	

MW-4	10/21/2002 1/28/2003	n/a n/a	5,800 7,200	6,200 3,500	3,500 2,700	18,000 15,000	140 130
	4/28/2003	n/a	5,700	850	ND<120	10,000	200
	7/25/2003 10/30/2003	97,000 77,000	11,000 12,000	8,400 9,300	4,900 3,200	24,000 16,000	nd<250 nd < 200
	1/23/2004	100,000	16,000	10,000	1,100	19,000	nd < 1,200
	4/27/2004	78,000	13,000	7,800	3,200	17,000	nd < 1,200
	7/29/2004	46,000	8,300	2,100	2,000	7,900	nd<500
MP	10/28/2004	80,000	15,000	7,100	3,500	14,000	ND<1,000
	12/8/2004	n/a	N/A	N/A	N/A	N/A	n/a
MP	1/24/2005	70	9,900	850	2,500	11,000	ND<1,000
	4/28/2005	79,000	9,400	690	4000	16,000	nd<900
	7/19/2005	35,000	7,500	92	1,900	3,900	nd<500
	10/6/2005	65,000	12,000	2,100	3,200	11,000	ND<500
	1/30/2006	45,000	9,800	380	2,400	6,500	nd<130
	4/18/2006	58,000	7,100	420	3,900	13,000	nd < 500
	7/19/2006	71,000	10,000	520	4,900	18,000	ND<500
	10/26/2006	89,000	13,000	1600	4,300	19,000	nd< 800
	1/15/2007	65,000	10,000	570	3,300	13,000	nd< 250
	4/19/2007	52,000	9,400	300	3,600	8,900	ND<600
	7/19/2007	21,000	4,500	26	1,100	370	ND<240
MW-5	10/21/2002	65,000	12,000*	20,000*	1,600*	7,100*	ND<100
	1/28/2003	n/a	9,100	6,600	720	4,000	ND<100
	4/28/2003	n/a	12,000	8,300	ND<250	2,100	ND<250
	7/25/2003	62,000	13,000	14,000	1,300	5,200	nd<250
	10/30/2003	33,000	7,500	2,200	490	1,600	nd < 100
	1/23/2004	97,000	18,000	20,000	ND<120	7,900	nd < 1,200
	4/27/2004	39,000	12,000	11,000	920	4,300	nd < 1,000
	7/29/2004	47,000	11,000	5,500	690	2,800	nd < 1,000
MP	10/28/2004	130,000	23,000	25,000	2,000	9,700	ND<
	12/8/2004	n/a	n/a	N/A	N/A	N/A	N/A
MP	1/24/2005	150,000	22,000	25,000	2,100	12,000	nd<1,000
	4/28/2005	89,000	18,000	11,000	1,600	8,900	nd < 500
	7/19/2005	39,000	11,000	200	710	1,700	nd < 500
	10/6/2005	58,000	17,000	410	1,000	6,600	ND<500
	1/30/2006	61,000	15,000	5,500	1,100	5,600	nd < 500
	4/18/2006	36,000	13,000	490	660	3,300	nd < 500
	7/19/2006	49,000	16,000	460	ND<50	7,700	ND<500
	10/26/2006	55,000	14,000	430	1200	6,700	nd<1,000
	1/15/2007	34,000	11,000	88	720	2,600	ND<250
	1/15/2007 4/19/2007 7/19/2007	34,000 29,000 25,000	11,000 11,000 8,300	63 36	720 700 600	2,800 2,200 1,700	ND<250 ND<130 <i>ND</i> <50

NOTES:

na	Analyte not detected at stated reporting limit
n/a	Not analyzed
u/n	Unless otherwise noted (Reporting limit)
MP	Sampling by Micro Purge technique
*1	Analyzed by EPA method 8260B, reporting limit was 1 µg/l.
*2	Estimated value below method reporting limit of 2 µg/l.
*3	Inconsistent contaminant pattern. Sample result spurious, re-sampled
*4	Reporting limit at 2.5 μg/l.

TEST EQUIPMENT CALIBRATION LOG

Sutton

PROJECT NAM	IE Zleo Grant	Ave Son Le	- Livenzo	PROJECT NUMBER 070717- TVI						
EQUIPMENT NAME	EQUIPMENT NUMBER	DATE/TIME OF TEST	USED	EQUIPMENT READING	CALIBRATED TO: OR WITHIN 10%:	ТЕМР.	INITIALS			
Ultraneter	6210806	7/19/07 0785	pH 4 Cond. 3900 ws	10.04	Y	24.2 °C	70			
2100P Hech Tuck. Simples	21019	7/19/67	NTV 20 100 800	17.6 78.4 798.0	×	-	7			
YSI S50 A	04A0572	7/19/67	160%	100%	X	25°C	7			

WELLHEAD INSPECTION CHECKLIST

Date 7/19/07	7	Client	Sutton]			
Site Address _ 7.	600 Gra	nt Ave.	San	6000/10	- Lore	wi		
Date $\frac{7/1^{\frac{3}{2}/6}}{6}$ Site Address $\frac{7}{2}$ Job Number $\frac{6}{2}$	70719-T	VI	<u></u>	Tec	chnician	Tong Ve	1 ~	
Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Debris Removed From Wellbox	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)
	X				·			
MW-1 MW-2 MW-3 MW-4 MW-5	X	X						
MW-3	X							
MW-4	X							
MW-5	X			X				
·								
·								
-								
			:					
			-A.		· .			
NOTES:		<u> </u>				1		
-								
		70.50	ı					
				-	· · · · · · · · · · · · · · · · · · ·			

WELL GAUGING DATA

Project # 070719 - 7V1	Date	7/19/07	Client Sotton	
Site 7600 Grent Au	C	L 1- 1-00		

Well ID	Time	Well Size (in.)	Sheen / Odor	I .	Thickness of Immiscible Liquid (ft.)	(ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-4	082(5.88	17.03	TOB	
MW-3	0827	2				**Thirties*	6.53	15.68	Ì	
MW-1	0834	2_					7.27	12.44		
MW-5	0842	Z					5.27	13.72		
MW-3 MW-1 MW-5 MW-2	0850	2					6.78	15.28	Literaturi In-	

							-		***************************************	
THE THE PARTY OF T										
						·				
								1		

WL L MONITORING DATA SHEL .

Project #: ¿	70719-	フレー		Client: Sitton					
Sampler:	ナン			Date:	7/19	107	·		
Well I.D.:/	1W-1			Well Diameter: 2 3 4 6 8					
Total Well	Depth (TD)): 12	.44	Depth	to Water	(DTW): 7, z	-7		
Depth to Fr	ee Product	t:		Thickr	ness of F	ree Product (fee	et):		
Referenced	to:	PVC	Grade)	D.O. N	Meter (if	req'd):	YSI HACH		
DTW with	80% Rech	arge [(E	leight of Water	Colum	n x 0.20)	+ DTW]:			
	- Disposable B Positive Air I Electric Subn	Displaceme nersible	Other		;	Other: Other:	Disposable BailerExtraction PortDedicated Tubing		
O, X (0 1 Case Volume	Gals.) XSpeci	fied Volun	$\frac{1}{10000000000000000000000000000000000$	_ Gals. olume	3"	0.37 Other	,		
Time 0923	Temp (°F or 🕏)	pH 6.SZ	Cond. (mS or (u\$)	1	bidity TUs)	Gals. Removed	Observations		
	71.8	ļ <u>-</u>	4475	ļ		6.8	ches/green		
0725	21.1	6.51		17		1.6			
0928	20.7	6.52	5213	188	· ·	2.4			
Did well de	 water?	Yes	<u>(v)</u>	 Gallon	s actuall	y evacuated:	2,4		
Sampling D	Pate: 7/1	9/07	Sampling Tim			Depth to Wate	r: 10,63		
Sample I.D.	: MW-	 		Labora	ntory:	Kiff CalScience	60 /		
Analyzed fo	or: TIHG	Brex	M(BE) TPH-D	Oxygen	ates (5)	Other:			
EB I.D. (if a	applicable)):	© Time	Duplic	ate I.D.	(if applicable):			
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygen	ates (5)	Other:			
D.O. (if req	'd): P	re-purge:		mg/L	P	ost-purge:	mg/L		
ORP (if re	a (q). b	re nurge:		mV	р	ost-nurge:	mV		

		VV	LLL MONIL	UKING	DAIA	SHEE_				
Project #:	070719-	711		Client:	らいか	Pon				
Sampler:	70			Date: 7/19/07						
Well I.D.:	MW-Z	•		Well Diameter: 2 3 4 6 8						
Total Wel	l Depth (TI)):	15.28	Depth to Water (DTW): 6.78						
Depth to I	Free Produc	t:		Thickne	ss of F	ree Produc	t (fee	t):		
Reference	d to:	PVC	(Grade)	D.O. M	eter (if	req'd):		YSI HACH		
DTW with	n 80% Rech	arge [(H	eight of Water	Column	x 0.20)) + DTW]:				
Purge Method 1.4 1 Case Volum	Disposable E Positive Air Electric Subi	Displaceme	Other	_ Gals.	Vell Diamete 1" 2" 3"		Other: Well D 4" 6" Other	Bailer Disposable Bailer Extraction Port Dedicated Tubing iameter Multiplier 0.65 1.47 radius² * 0.163		
Time	Temp (°F or 🖒	pН	Cond. (mS or (18)	Turb (NT	-	Gals. Rem	oved	Observations		
0900	23.6	6.56	7472	179		1.4		cless/green		
0903	21.3	6.68	9085	182		2.8		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
0906	20.8	€.73	9014	164		4,2				
Did well o	dewater?	Yes	No	 Gallons	actual	l ly evacuate	ed:	4,2		
Sampling	Date: 7/1		Sampling Tim	ie: 0910)	Depth to	Wateı	:: 10,44		
Sample I.	D.: MW	-2		Laborat	ory:	Kiff CalS	Science	Other McCampbel		
Analyzed	for: TPH-G	BTEX	MTBE TPH-D	Oxygena	tes (5)	Other:				
EB I.D. (i	f applicable):	@ Time	Duplica	te I.D.	(if applica	ble):			
Analyzed	for: TPH-G	ВТЕХ	MTBE TPH-D	Oxygena	tes (5)	Other:				
D.O. (if re	eq'd): P	re-purge:		$^{ m mg}/_{ m L}$	F	Post-purge:		nig/L		
O.R.P. (if	req'd): F	re-purge:		mV	I	Post-purge:		mV		

	,	1	LL MONIT	OKING	DAIA	SHL					
Project #:	370719	-アレ		Client:	50740	707					
Sampler:	TV			Date:	7/1	9/07					
Well I.D.:	MW-3			1		: Ø 3 4	6 8				
Total Well	Depth (TD): 15.	68	Depth to Water (DTW): 6.53							
Depth to Fro				Thickness of Free Product (feet):							
Referenced	to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH							
DTW with	80% Rech	arge [(H	leight of Water	Column x 0.20) + DTW]:							
Purge Method:	Bailer Disposable B Positive Air I Electric Subn	Displaceme	ent Extrac Other	Waterra Peristaltic tion Pump		Sampling Method: Other:	Bailer Disposable Bailer Extraction Port Dedicated Tubing				
1.5 (C) 1 Case Volume		3 fied Volun	$= \frac{4.5^{\circ}}{\text{Calculated Vo}}$	_ Gals.	Well Diamete 1" 2" 3"	er Multiplier Well I 0.04 4" 0.16 6" 0.37 Other	Diameter Multiplier 0.65 1.47 radius ² * 0.163				
Time	Temp	pH	Cond. (mS or (18)	I	oidity (Us)	Gals. Removed	Observations				
0947	22.8	7.10	1479	57			clen/green				
0950	20.9	6.80	1812	49		3.0 4.5	<u></u>				
1 (13)	2011	6190	1012	• :		6, 2					
Did well de	water?	Yes	<u> </u> (1)	Gallons	actuall	y evacuated:	4.5				
Sampling D	ate: 7/1	9/07	Sampling Tim	e: 100	Ö	Depth to Wate	r: 11.07				
Sample I.D.	: MW	-3		Labora	tory:	Kiff CalScience	Other Mc Compbell				
Analyzed fo	or: TPH-	BIEX	MTBE TPH-D	Oxygena	ites (5)	Other:					
EB I.D. (if a	applicable)):	@ Time	Duplica	ate I.D.	(if applicable):					
Analyzed for	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other:					
D.O. (if req	'd): P1	re-purge:		$^{ m mg}/_{ m L}$	F	ost-purge:	nig/ _L				

mV

Post-purge:

mV

O.R.P. (if req'd):

Pre-purge:

LL MONITORING DATA SH. Γ

Project #:	070719-	-741		Client:	Sutto	7					
Sampler:	TV			Date:	7/19	107					
Well I.D.:	Mb -4			Well D	iameter	: 63 3	4	6 8			
	l Depth (TD): 14	.03	Depth	to Water	r (DTW): -	58	8			
Depth to F	Free Product	- <u>.</u>		Thickness of Free Product (feet):							
Reference		PVC	Grade	D.O. Meter (if req'd): YSI HACH							
DTW with	n 80% Rech	arge [(H	leight of Water	Colum	n x 0.20)) + DTW]:					
f: '7	→ Disposable B Positive Air I Electric Subn (Gals.) X	Displaceme	Other	_ Gals.	Well Diamete 1" 2" 3"	or Multiplier 0.04 0.16	thod: Other: Well Dia 4" 6" Other	Bailer Disposable Bailer Extraction Port Dedicated Tubing ameter Multiplier 0.65 1.47 radius²* 0.163			
Time	Temp (°F or 🗘)	рН	Cond. (mS or $\mu \hat{S}$)	1	 pidity ΓUs)	Gals. Remo	ved	Observations			
1013	23.0	7.01	1445	92		1.3		Clark lances			
1015	21.2	6.71	2698	74		2.6		7,9			
1017	20.6	6.70	3012	78		3.9		, t			
					,,,,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
Did well d	l lewater?	Yes	No.	Gallon	s actuall	y evacuated	l: 3	.9			
Sampling 1	Date: 7/1	9/07	Sampling Tim	e: 107	20	Depth to W	/ater:	: 9.66			
Sample I.I				Labora	tory:	Kiff CalSci	ience	Other McCampbe			
Analyzed	for: түн-с	BEX	MIBE TPH-D	Oxygen	ates (5)	Other:					
EB I.D. (if	f applicable)):	@ Time	Duplic	ate I.D.	(if applicabl	le):				
Analyzed	for: трн-G	BTEX	MTBE TPH-D	Oxygen		Other:	200				
D.O. (if re	eq'd): P1	re-purge:		^{mg} / _L	Р	ost-purge:		^{mg} /L			
O.R.P. (if	req'd): Pr	re-purge:		mV	P	ost-purge:		mV			

N LL MONITORING DATA SH. . ſ

Project #:	070717	1-76	1	Client: Sur,	·····	
Sampler:	TU			Date: 7/13	9/07	
Well I.D.:	MW-S	,		Well Diamete	er: 2 3 4	6 8
Total Well	Depth (TD)): <u>13</u>	,72	Depth to Wate	er (DTW): 、S。Z	7
Depth to Fr	ee Product	t:		Thickness of	Free Product (fee	et):
Referenced	to:	PVC	Grade	D.O. Meter (i	f req'd):	YSI HACH
DTW with	80% Rech	arge [(F	Height of Water	Column x 0.20)) + DTW]:	
	Bailer Disposable B Positive Air I Electric Subn	Displaceme nersible	ent Extrac	Waterra Peristaltic ction Pump Well Diame 1" 2"	0.04 4"	Disposable Bailer Extraction Port Dedicated Tubing : Diameter Multiplier 0.65
1, 3 (0		3 ified Volun	= 3.7 mes Calculated Vo	_ Gals. 3"	0.16 6" 0.37 Other	1.47 radius ² * 0.163
Time	Temp (°F or 🔇)	pH	Cond. (mS or (S)	Turbidity (NTUs)	Gals. Removed	Observations
1030		6.76	1899	73	2.6	Clear / green
6034	70.5	6.68	2490	88	3.9	
Did well de	water?	Yes	(No)	Gallons actual	lly evacuated: 3	9
Sampling D	Pate: $7/t$	9/07	' Sampling Time		Depth to Water	fa
Sample I.D.	: MW-	5		Laboratory:	Kiff CalScience	e Other McCampbell
Analyzed fo	or: TPH-G	ETEX	MTBE TPH-D	Oxygenates (5)	Other:	
EB I.D. (if a	applicable)):	@ Time	Duplicate I.D.	(if applicable):	
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygenates (5)	Other:	
D.O. (if req	'd): P1	re-purge:		mg/L	Post-purge:	mg/ _L
O.R.P. (if re	=q'd): P1	re-purge:		mV	Post-purge:	mV

The Sutton Group	Client Project ID: #2600 Grant Ave., San	Date Sampled: 07/19/07
3708 Mt. Diablo Blvd, Ste. 215	Lorenzo CA	Date Received: 07/20/07
Lafayette, CA 94549	Client Contact: John Sutton	Date Reported: 07/27/07
Larayette, Cri 71317	Client P.O.:	Date Completed: 07/27/07

WorkOrder: 0707473

July 27, 2007

Dear John:

Enclosed are:

- 1). the results of 6 analyzed samples from your #2600 Grant Ave., San Lorenzo CA project,
- 2). a QC report for the above samples
- 3). a copy of the chain of custody, and
- 4). a bill for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits. If you have any questions please contact me. McCampbell Analytical Laboratories strives for excellence in quality, service and cost. Thank you for your business and I look forward to working with you again.

Best regards,

Angela Rydelius, Lab Manager

FOI A	B. H West	X-1-			OGERS AVENU			CON	DUGT A	NALYS	IS-TO DE	TECT	LAE	3	McCampbell	ere.	DHS#
BLA! TECH SER			N JOSE, (FA	RNIA 95112-110 XX (408) 573-77 IE (408) 573-05	71								ANALYSES MUST IITS SET BY CALIF EPA	ORNIA DHS AN		DETECTION
CHAIN OF CUS	STODY	BTS#	070	719-	711	l s								LIA OTHER	070-	747	3
CLIENT	The Sutt	1000				INER							SP	ECIAL INSTRUCTION	ONS		
SITE	2600 Gr					CONTAINERS							In	voice and Repo	ort to : The	Sutton Grou	up
	San Lore	20.0				ALLC	5							, oreo and resp		Sutton	-P
	Duil Lor	ciizo, Ci					8015	8021	802				Ple	ease provide re			John Sutton @
			MATRIX	CC	NTAINERS	SOSI	by	by	by				su	ittongeo@sbcg	lobal.net		
	1 1		30 P		1	COMPOSITE	TPH-G by	EX	BE				Gl	obal ID = T060	00101928	9 9	-
SAMPLE I.D.	DATE	TIME	S= SOIL W=H ₂ 0	TOTAL		0 =	TPI	BTEX	MTBE				AD	D'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
ТВ	7/18/07	1530	W	2	40ml VOAS		Х	Х	х								
MW-1		0932	W	3	YOAS		Х	Х	х								
MW-2		0910	W	3			х	х	х						7		
MW-3		1000	W	3			х	х	х								
MW-4		1020	W	3			Х	х	х								
MW-5		1040	W	3	V		х	х	х								
																	<u> </u>
SAMPLING COMPLETED	DATE 7/19/07	TIME 1040	SAMPLI		y Jey	1/4	n	J	ر ورون ا	lega				SULTS NEEDED LATER THAN	Standard TA	T	
RELEASED BY	of Hos	4					19/0		TIME 153		RECE	Ty /	Vega	Sample Co		DATE 7/19/00	
3	=	4				DAT	1/9/	67	TIME /2	15	RECE	enk	Can	A		7/19/07	12:15
RELEASED BX	Denh	Casta	_			DAT	Ε υ/٥-)	TIME (6)		Y	EIVED BY	21	iVer	~	7/20/	U7 16/6
SHIPPED VIA						DAT	E SEN	IT	TIME S	ENT	cod	LER#	'				

McCampbell Analytical, Inc.



1534 Willow Pass Rd Pittsburg, CA 94565-1701 (925) 252-9262

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

WorkOrder: 0707473 ClientID: TSG

				✓ EDF		Excel		Fax		✓ Emai	I	□Ha	ırdCop	у	Third	lParty		
Report to: John Sutton The Sutton Group 3708 Mt. Diablo Blvd, Ste. 215 Lafayette, CA 94549		TEL: (92	5) 944-28	sbcglobal.net 5 FAX: 925-2 Ave., San Lorenzo		89	Th 37	counts e Sutto 08 Mt. I fayette,	n Grou Diablo	ıp Blvd, Si	te. 215			Date	uested e Rece e Prin	ived:	07/20/	
									R	equest	ed Tes	ts (Se	e leae	end t	pelow)			
Sample ID	ClientSampID		Matrix	Collection Date	Hold	1	2	3	4	5	6	7		8	9	10	11	12
0707473-001	ТВ		Water	07/19/07 3:30:00	ΙП		Α											
0707473-002	MW-1		Water	07/19/07 9:32:00		Α												
0707473-003	MW-2		Water	07/19/07 9:10:00		Α												
0707473-004	MW-3		Water	07/19/07 10:00:00		Α												
0707473-005	MW-4		Water	07/19/07 10:20:00		Α												
0707473-006	MW-5		Water	07/19/07 10:40:00		Α												
Test Legend: 1 G-MBTEX_W 6	7	PREDF REPOR	e T	3 8				4 9]	5	5 0			
11	12												Pre	enar	ed by:]	Rosa V	'enegas	i.
														- Louis				

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

Sample Receipt Checklist

Client Name:	The Sutton Gro	up			[Date a	and Time Received	07/20/07 6	:32:31 PM
Project Name:	#2600 Grant Av	e., San Lorenzo C	A		C	Check	klist completed and r	eviewed by:	Rosa Venegas
WorkOrder N°:	0707473	Matrix <u>Water</u>			C	Carrie	er: <u>Derik Cartan (</u> I	MAI Courier)	
		<u>Chai</u>	n of C	ustody (COC) In	form	nation		
Chain of custody	present?		Yes	V	N				
Chain of custody	signed when reling	uished and received?	Yes	V	N				
Chain of custody	agrees with sample	e labels?	Yes	✓	N				
Sample IDs noted	by Client on COC?		Yes	V	No				
Date and Time of	collection noted by 0	Client on COC?	Yes	✓	No				
Sampler's name r	noted on COC?		Yes	✓	No				
		<u>2</u>	Sample	e Receip	t Inform	natio	<u>ın</u>		
Custody seals in	tact on shipping con	tainer/cooler?	Yes		N			NA 🔽	
Shipping contain	er/cooler in good cor	ndition?	Yes	V	N				
Samples in prope	er containers/bottles	?	Yes	✓	N				
Sample containe	rs intact?		Yes	✓	N				
Sufficient sample	e volume for indicate	d test?	Yes	✓	N				
		Sample Pres	ervati	on and I	Hold Tin	ne (H	IT) Information		
All samples recei	ived within holding ti	me?	Yes	✓	N				
Container/Temp I	Blank temperature		Coole	er Temp:	4.2°C			NA 🗆	
Water - VOA via	ls have zero headsp	ace / no bubbles?	Yes	✓	N		No VOA vials subm	nitted \square	
Sample labels ch	necked for correct pr	eservation?	Yes	V	No				
TTLC Metal - pH	acceptable upon rec	eipt (pH<2)?	Yes		N			NA 🗹	
				===		=			
Client contacted:		Date contact	ed:				Contacted	l by:	
Comments:									

The Sutton Group

Client Project ID: #2600 Grant Ave., San
Lorenzo CA

Date Sampled: 07/19/07

Date Received: 07/20/07

Client Contact: John Sutton

Date Extracted: 07/24/07-07/26/07

Client P.O.:

Date Analyzed 07/24/07-07/26/07

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extracti	on method SW5030B		Analy	tical methods SV	V8021B/8015Cm			: 070	7473	
Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	ТВ	W	ND	ND	ND	ND	ND	ND	1	91
002A	MW-1	W	ND	ND	ND	ND	ND	ND	1	89
003A	MW-2	W	ND	ND	ND	ND	ND	ND	1	93
004A	MW-3	W	ND	47	2.6	ND	ND	ND	1	92
005A	MW-4	W	21,000,a	ND<240	4500	26	1100	370	20	89
006A	MW-5	W	25,000,a	ND<50	8300	36	600	1700	10	94
Rer	oorting Limit for DF =1;	W	50	5.0	0.5	0.5	0.5	0.5	1	па/І
ND	means not detected at or	S	NA	NA	NA	NA	NA	NA	1	μg/L mg/Kg

^{*} water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

⁺The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request; p) see attached narrative.



[#] cluttered chromatogram; sample peak coelutes with surrogate peak.

QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Water QC Matrix: Water WorkOrder 0707473

EPA Method SW8021B/8015Cm	Extra	ction SW	5030B		Bat	chID: 29	465	Spiked Sample ID: 0707467-014					
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acce	eptance	Criteria (%)		
Analyte	μg/L	μg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD	
TPH(btex)	ND	60	106	108	1.36	104	83.3	21.7	70 - 130	30	70 - 130	30	
MTBE	ND	10	113	110	2.84	106	105	0.693	70 - 130	30	70 - 130	30	
Benzene	ND	10	106	103	2.53	98.1	88.4	10.3	70 - 130	30	70 - 130	30	
Toluene	ND	10	117	114	2.42	101	98.6	1.98	70 - 130	30	70 - 130	30	
Ethylbenzene	ND	10	113	111	1.57	104	92.7	11.8	70 - 130	30	70 - 130	30	
Xylenes	ND	30	123	120	2.74	117	96	19.4	70 - 130	30	70 - 130	30	
%SS:	91	10	98	94	4.39	88	80	9.18	70 - 130	30	70 - 130	30	

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:

NONE

BATCH 29465 SUMMARY

Sample ID	Date Sampled	Date Extracted	Date Analyzed	Sample ID	Date Sampled	Date Extracted	Date Analyzed
0707473-001A	07/19/07 3:30 PM	07/24/07	07/24/07 4:37 AM	0707473-002A	07/19/07 9:32 AM	07/24/07	07/24/07 5:10 AM
0707473-003A	07/19/07 9:10 AM	07/24/07	07/24/07 7:55 AM	0707473-004A	07/19/07 10:00 AM	07/24/07	07/24/07 8:28 AM
0707473-005A	07/19/07 10:20 AM	07/25/07	07/25/07 1:52 AM	0707473-006A	07/19/07 10:40 AM	07/24/07	07/24/07 9:42 PM
0707473-006A	07/19/07 10:40 AM	07/26/07	07/26/07 9:26 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

