

ENVIRONMENTAL
PROTECTION



Chevron

98 JUN 30 PM 3: 03

June 27, 1998

Ms. Pam Evans
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

SS-D 478

Chevron Products Company

6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 6004
San Ramon, CA 94583-0904

Marketing - Sales West

Phone 510 842-9500

**Re: Former Chevron Service Station # 9-4816
301 14th Street
Oakland, California**

Dear Ms. Evans:

Enclosed is a copy of the Supplemental Monitoring February 1998 report, prepared by our consultant Blaine Tech Services, Inc. for the above noted site. This report is being submitted in response to the requirements of the Residual Management Plan (RMP) which has been approved for this site.

As noted in the RMP, if the average concentration of the onsite wells C-1, C-2, C-3 and CR-1 exceed the SSTL (2600 ppb-benzene) during any sampling event, your office should be notified within 30 days of the event and the wells re-sampled within 15 days of the sampling event.

As noted in the Fourth Quarter Groundwater Monitoring Report for 1997, dated February 11, 1998 the average concentration of benzene was exceeded in the above noted wells and they were re-sampled as required in the RMP.

The wells were analyzed for the TPH-g, BTEX and MtBE constituents. In this supplemental sampling event, monitoring well C-2 was below method detection limits for the BTEX and MtBE constituents, while well C-1 was below method detection limits for the TE and MtBE constituents. The benzene constituent declined in wells C-3 and CR-1 from the 4th quarter sampling event. The average concentration of benzene in the four wells is 264.87 ppb, which is significantly below the 2,600-ppb threshold limit noted in the (RMP).


It appears that the increase in the average concentration of benzene in the fourth quarter (3052.5-ppb) may have been an anomaly, as the average concentration of benzene in the second quarter of 1997 was 591.7-ppb.

June 27, 1998
Ms. Pam Evans
Former Chevron Service Station #9-4816
Page 2

Chevron's consultant did not include a copy of the site map for reference, therefore, I have included a copy of the fourth quarter site map that you can use for reference of the wells. The groundwater elevation and direction of flow shown does not apply to this sampling event.

If you have any questions or comments, call me at (510) 842-9136.

Sincerely,
CHEVRON PRODUCTS COMPANY



Philip R. Briggs
Site Assessment and Remediation Project Manager

Enclosure

Cc. Ms. Bette Owen, Chevron


Ms. Anne Payne, Chevron

Ms. Joyce Massaro
233 Polhemus Avenue
Atherton, CA 94025

Robert A. Dahl
Project Manager
Terra Vac
1651 Alvarado Street
San Leandro, CA 94577-2636




SCALE (ft)



13th STREET

14th STREET

HARRISON STREET



EXPLANATION

- ⊙ MONITORING WELL
- ▲ VAPOR EXTRACTION WELL
- ⊠ RECOVERY WELL
- 13.70 GROUNDWATER ELEVATION (FT, MSL)
- 13.00 — GROUNDWATER ELEVATION CONTOUR (FT, MSL)
- NA DATA NOT AVAILABLE
- GROUNDWATER DEPRESSION
- APPROXIMATE GROUNDWATER FLOW DIRECTION;
APPROXIMATE GRADIENT = 0.006



PREPARED BY



Chevron Station 9-4816

301 14th Street
Oakland, California

GROUNDWATER ELEVATION CONTOUR MAP,
DECEMBER 18, 1997

FIGURE:

1

PROJECT:

DAC04



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

June 22, 1998

Phil Briggs
Chevron U.S.A. Products Company
P.O. Box 6004
San Ramon, CA 94583-0904

Supplemental Monitoring February 1998

Supplemental Groundwater Monitoring at
Former Chevron Service Station Number 9-4816
301 14th Street
Oakland, CA

Monitoring Performed on February 16, 1998

Groundwater Sampling Report 980216-D-1

This report covers the routine monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read 'Francis Thie', is written over a horizontal line.

Francis Thie
Vice President

FPT/ck

attachments: Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.			Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-1													
06/13/90	30.82	8.85	21.97	--	--	--	--	26,000	2800	5100	400	2600	--
10/30/90	30.82	9.10	21.72	--	--	--	--	67,000	6700	8700	900	5000	--
01/04/91	30.82	8.98	21.84	--	--	--	--	--	--	--	--	--	--
01/07/91	30.82	8.87	21.95	--	--	--	--	100,000	12,000	20,000	1600	11,000	--
01/11/91	30.82	8.83	21.99	--	--	--	--	--	--	--	--	--	--
02/15/91	30.82	8.70	22.12	--	--	--	--	--	--	--	--	--	--
05/02/91	30.82	8.76	22.06	--	--	--	--	59,000	5600	7700	700	5200	--
05/30/91	30.82	8.78	22.04	--	--	--	--	--	--	--	--	--	--
06/13/91	30.82	9.02	21.80	--	--	--	--	--	--	--	--	--	--
07/12/91	30.82	8.81	22.01	--	--	--	--	--	--	--	--	--	--
08/07/91	30.82	--	--	--	--	--	--	7900	2000	150	240	330	--
09/24/91	30.82	--	--	--	--	--	--	--	--	--	--	--	--
10/18/91	30.87	8.45	22.42	--	--	--	--	--	--	--	--	--	--
11/05/91	30.87	8.51	22.36	--	--	--	--	8700	1500	1200	150	580	--
01/06/92	30.87	8.53	22.34	--	--	--	--	--	--	--	--	--	--
01/16/92	30.87	8.61	22.28	0.03	--	--	--	--	--	--	--	--	--
01/22/92	30.87	8.51	22.43	0.09	--	--	--	--	--	--	--	--	--
01/28/92	30.87	8.61	22.28	0.02	--	--	--	--	--	--	--	--	--
02/04/92	30.87	8.64	22.24	0.01	--	--	--	--	--	--	--	--	--
02/14/92	30.87	8.71	22.16	--	--	--	Sheen	--	--	--	--	--	--
02/21/92	30.87	8.80	22.07	--	--	--	Sheen	--	--	--	--	--	--
02/25/92	30.87	8.92	21.95	--	--	--	Sheen	--	--	--	--	--	--
03/06/92	30.87	9.02	21.85	--	--	--	--	--	--	--	--	--	--
03/19/92	30.87	10.33	20.54	--	--	--	--	--	--	--	--	--	--
05/06/92	30.87	9.48	21.39	--	--	--	Sheen	--	--	--	--	--	--
08/31/92	30.87	9.36	21.51	--	--	--	Sheen	--	--	--	--	--	--
12/01/92	30.87	8.99	21.88	--	--	--	Sheen	--	--	--	--	--	--
03/15/93	32.81	11.91	20.90	--	--	--	--	130,000	8900	13,000	1800	11,000	--
06/08/93	32.81	13.35	19.46	--	--	--	--	23,000	2300	2900	540	3300	--
09/07/93	32.81	12.98	19.83	--	--	--	--	14,000	1300	2100	340	2800	--
03/09/94	32.81	12.71	20.10	--	--	--	--	37,000	2700	3400	930	5900	--
06/17/94	32.81	12.79	20.02	--	--	--	--	24,000	2200	2300	520	3800	--
09/13/94	32.81	11.78	21.03	--	--	--	--	15,000	710	550	330	2000	--
09/26/94	32.81	11.84	20.97	--	--	--	--	--	--	--	--	--	--
11/29/94	32.81	12.39	20.42	--	--	--	--	50,000	3100	5400	1300	7000	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-1 (CONT'D)													
03/29/95	32.81	13.91	18.90	--	--	--	--	43,000	2100	3300	880	5200	--
06/19/95	32.81	14.45	18.36	--	--	--	--	26,000	2000	2000	800	2600	--
09/28/95	32.81	13.79	19.02	--	--	--	--	16,000	470	460	330	1300	--
12/27/95	32.81	12.53	20.28	--	--	--	--	8600	28	39	91	1400	<125
03/26/96	32.81	11.56	21.25	--	--	--	--	960	<2.5	<2.5	<2.5	84	<12
06/20/96	32.81	12.53	20.28	--	--	--	--	370	1.1	<1.0	<1.0	8.2	<5.0
09/30/96	32.81	13.37	19.44	--	--	--	--	340	1.7	<0.5	1.2	1.7	<2.5
12/12/96	32.81	11.56	21.25	--	--	--	--	330	1.2	<0.5	0.68	2.6	<2.5
03/31/97	32.81	14.08	18.73	--	--	--	--	220	<0.5	<0.5	0.51	2.4	<2.5
06/27/97	32.81	13.60	19.21	--	--	--	--	140	<0.5	<0.5	<0.5	0.55	<2.5
12/18/97	32.81	13.44	19.37	--	--	--	--	220	<0.5	<0.5	<0.5	1.9	<2.5
02/16/98	32.81	15.13	17.68	--	--	--	--	320	0.98	<0.5	<0.5	1.9	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-2													
06/13/90	30.91	8.83	22.08	--	--	--	--	15,000	1100	1900	260	1700	--
10/30/90	30.91	9.10	21.81	--	--	--	--	13,000	2800	1900	240	1000	--
01/04/91	30.91	9.01	21.90	--	--	--	--	--	--	--	--	--	--
01/07/91	30.91	8.88	22.03	--	--	--	--	15,000	3400	2500	340	1400	--
01/11/91	30.91	8.78	22.13	--	--	--	--	--	--	--	--	--	--
02/15/91	30.91	8.55	22.36	--	--	--	--	--	--	--	--	--	--
05/02/91	30.91	8.47	22.44	--	--	--	--	19,000	4500	3200	660	2900	--
05/02/91	30.91	8.47	22.44	--	--	--	--	21,000	3200	2200	410	2000	--
05/30/91	30.91	8.47	22.44	--	--	--	--	--	--	--	--	--	--
06/13/91	30.91	--	--	--	--	--	--	--	--	--	--	--	--
07/12/91	30.91	8.35	22.57	0.01	--	--	--	--	--	--	--	--	--
08/07/91	30.91	--	--	0.11	--	--	--	--	--	--	--	--	--
09/24/91	30.91	--	--	--	--	--	--	--	--	--	--	--	--
10/18/91	30.72	8.44	22.34	0.07	--	--	--	--	--	--	--	--	--
11/05/91	30.72	8.49	22.26	0.04	--	--	--	--	--	--	--	--	--
01/06/92	30.72	8.47	22.25	--	--	--	--	--	--	--	--	--	--
01/16/92	30.72	8.57	22.16	0.01	--	--	--	--	--	--	--	--	--
01/22/92	30.72	8.49	22.25	0.02	--	--	--	--	--	--	--	--	--
01/28/92	30.72	8.55	22.18	0.01	--	--	--	--	--	--	--	--	--
02/04/92	30.72	8.58	22.15	0.01	--	--	--	--	--	--	--	--	--
02/14/92	30.72	8.63	22.09	--	--	--	--	--	--	--	--	--	--
02/21/92	30.72	8.66	22.06	--	--	--	Sheen	--	--	--	--	--	--
02/25/92	30.72	8.76	21.96	--	--	--	--	--	--	--	--	--	--
03/06/92	30.72	8.92	21.80	--	--	--	--	--	--	--	--	--	--
03/19/92	30.72	9.60	21.12	--	--	--	--	--	--	--	--	--	--
05/06/92	30.72	9.42	21.30	--	--	--	Sheen	--	--	--	--	--	--
08/31/92	30.72	9.29	21.43	--	--	--	Sheen	--	--	--	--	--	--
12/01/92	30.72	8.98	21.74	--	--	--	Sheen	--	--	--	--	--	--
03/15/93	33.27	12.35	20.92	--	--	--	--	66,000	2200	3900	1300	7300	--
06/08/93	33.27	13.22	20.05	--	--	--	--	23,000	1400	2300	680	4000	--
09/07/93	33.27	12.90	20.37	--	--	--	--	22,000	1900	2000	620	4000	--
03/09/94	33.27	12.55	20.72	--	--	--	--	25,000	4100	1100	670	3100	--
06/17/94	33.27	12.66	20.61	--	--	--	--	43,000	13,000	2600	1300	5200	--
09/13/94	33.27	11.58	21.69	--	--	--	--	36,000	7700	2500	1100	4800	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-2 (CONT'D)													
09/26/94	33.27	11.65	21.62	--	--	--	--	--	--	--	--	--	--
11/29/94	33.27	12.15	21.12	--	--	--	--	39,000	6600	3400	880	5000	--
03/29/95	33.27	13.69	19.58	--	--	--	--	77,000	12,000	4100	2000	13,000	--
06/19/95	33.27	14.29	18.98	--	--	--	--	51,000	7900	560	1200	4100	--
09/28/95	33.27	13.73	19.54	--	--	--	--	51,000	8700	990	1500	3700	--
12/27/95	33.27	12.47	20.80	--	--	--	--	5100	130	64	50	380	<50
03/26/96	33.27	12.12	21.15	--	--	--	--	380	2.6	1.5	<1.0	22	<5.0
06/20/96	33.27	12.87	20.40	--	--	--	--	220	2.4	<0.5	<0.5	2.9	<2.5
09/30/96	33.27	13.40	19.87	--	--	--	--	75	0.51	<0.5	<0.5	0.91	<2.5
12/12/96	33.27	12.05	21.22	--	--	--	--	120	1.3	<0.5	0.56	1.7	<2.5
03/31/97	33.27	13.90	19.37	--	--	--	--	140	<0.5	<0.5	<0.5	0.62	<2.5
06/27/97	33.27	12.80	20.47	--	--	--	--	170	1.1	<0.5	<0.5	<0.5	<2.5
12/18/97	33.27	13.29	19.98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/16/98	33.27	14.85	18.42	--	--	--	--	120	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-3													
06/13/90	--	--	24.75	3.00	--	--	--	--	--	--	--	--	--
10/30/90	--	--	23.81	2.50	--	--	--	--	--	--	--	--	--
01/04/91	--	--	24.15	2.70	--	--	--	--	--	--	--	--	--
01/07/91	--	--	24.13	2.50	--	--	--	--	--	--	--	--	--
01/11/91	--	--	24.35	2.66	--	--	--	--	--	--	--	--	--
02/15/91	--	--	24.70	2.93	--	--	--	--	--	--	--	--	--
05/02/91	--	--	--	--	--	--	--	--	--	--	--	--	--
05/30/91	--	--	24.08	2.49	--	--	--	--	--	--	--	--	--
06/13/91	--	--	--	--	--	--	--	--	--	--	--	--	--
07/12/91	--	--	--	--	--	--	--	--	--	--	--	--	--
08/07/91	--	--	--	2.64	--	--	--	--	--	--	--	--	--
09/24/91	--	--	--	--	--	--	--	--	--	--	--	--	--
10/18/91	30.79	6.35	24.44	2.50	--	--	--	--	--	--	--	--	--
11/05/91	30.79	--	24.31	2.46	--	--	--	--	--	--	--	--	--
01/06/92	30.79	--	24.25	2.39	--	--	--	--	--	--	--	--	--
01/16/92	30.79	--	24.02	2.39	--	--	--	--	--	--	--	--	--
01/22/92	30.79	--	24.10	2.28	--	--	--	--	--	--	--	--	--
01/28/92	30.79	--	24.06	2.29	--	--	--	--	--	--	--	--	--
02/04/92	30.79	--	24.04	2.31	--	--	--	--	--	--	--	--	--
02/14/92	30.79	--	23.93	2.31	--	--	--	--	--	--	--	--	--
02/21/92	30.79	--	24.61	3.05	--	--	--	--	--	--	--	--	--
02/25/92	30.79	--	23.69	2.23	--	--	--	--	--	--	--	--	--
03/06/92	30.79	--	23.69	2.23	--	--	--	--	--	--	--	--	--
03/19/92	30.79	--	22.98	2.26	--	--	--	--	--	--	--	--	--
05/06/92	30.79	--	22.74	1.93	--	--	--	--	--	--	--	--	--
08/31/92	30.79	--	21.77	1.93	--	--	--	--	--	--	--	--	--
12/01/92	30.79	--	22.63	1.32	--	--	--	--	--	--	--	--	--
03/15/93	33.28	12.52	20.76	--	--	--	--	530,000	69,000	58,000	6000	32,000	--
06/08/93	33.28	13.31	19.97	--	--	--	--	310,000	56,000	58,000	7000	41,000	--
09/07/93	33.28	13.00	20.28	--	--	--	--	160,000	48,000	43,000	3300	24,000	--
09/26/94	33.28	11.66	22.25	0.79	--	--	--	--	--	--	--	--	--
11/29/94	33.28	11.93	22.10	0.94	0.264	0.264	--	--	--	--	--	--	--
12/20/94	33.28	12.48	21.20	0.50	0.300	0.564	--	--	--	--	--	--	--
12/28/94	33.28	12.57	20.95	0.30	0.300	0.564	--	--	--	--	--	--	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-3 (CONT'D)													
01/03/95	33.28	12.63	20.65	--	--	0.564	--	--	--	--	--	--	--
01/10/95	33.28	12.91	20.50	0.16	0.100	0.664	--	--	--	--	--	--	--
01/17/95	33.28	13.14	20.20	0.07	--	0.664	--	--	--	--	--	--	--
01/23/95	33.28	13.28	20.00	--	--	0.664	--	--	--	--	--	--	--
02/07/95	33.28	13.55	19.73	--	--	0.664	--	--	--	--	--	--	--
02/22/95	33.28	13.78	19.50	--	--	0.664	--	--	--	--	--	--	--
03/07/95	33.28	13.78	19.50	--	--	0.664	--	--	--	--	--	--	--
03/29/95	33.28	12.63	22.46	2.26	0.132	0.796	--	--	--	--	--	--	--
03/30/95	33.28	12.24	21.05	0.01	--	0.796	--	--	--	--	--	--	--
04/10/95	33.28	13.95	19.33	--	--	0.796	--	--	--	--	--	--	--
05/07/95	33.28	14.39	18.91	0.02	0.026	0.822	--	--	--	--	--	--	--
05/09/95	33.28	14.34	18.94	--	--	0.822	--	--	--	--	--	--	--
05/12/95	33.28	14.45	18.83	--	--	0.822	--	--	--	--	--	--	--
05/18/95	33.28	14.70	18.68	0.12	0.158	0.980	--	--	--	--	--	--	--
05/26/95	33.28	13.43	19.85	--	--	0.980	--	--	--	--	--	--	--
06/08/95	33.28	13.46	19.82	--	--	0.980	--	--	--	--	--	--	--
06/16/95	33.28	14.46	18.86	0.05	0.026	1.006	--	--	--	--	--	--	--
06/19/95	33.28	14.48	18.82	0.02	0.010	1.016	--	--	--	--	--	--	--
06/29/95	33.28	14.50	18.78	--	--	1.016	--	--	--	--	--	--	--
07/06/95	33.28	14.71	18.57	--	--	1.016	--	--	--	--	--	--	--
07/12/95	33.28	14.69	18.59	--	--	1.016	--	--	--	--	--	--	--
07/22/95	33.28	14.19	19.09	--	--	1.016	--	--	--	--	--	--	--
07/27/95	33.28	14.14	19.14	--	--	1.016	--	--	--	--	--	--	--
08/02/95	33.28	13.37	19.92	0.01	0.010	1.026	--	--	--	--	--	--	--
09/28/95	33.28	13.81	19.47	--	--	1.026	--	280,000	27,000	36,000	3400	30,000	--
12/27/95	33.28	12.65	20.66	0.04	--	1.026	--	--	--	--	--	--	--
03/26/96	33.28	--	--	--	--	--	Inaccessible	--	--	--	--	--	--
04/01/96	33.28	12.42	20.86	--	--	1.026	--	15,000	28	150	35	1500	<125
06/20/96	33.28	12.42	18.48	--	--	1.026	--	9500	<25	<25	<25	620	<125
09/30/96	33.28	13.48	19.80	--	--	1.026	--	3600	14	39	17	330	27
12/12/96	33.28	12.83	20.45	--	--	1.026	--	15,000	100	160	71	1500	<250
03/31/97	33.28	13.73	19.55	--	--	1.026	--	6700	18	38	29	570	<50
06/27/97	33.28	13.15	20.13	--	--	1.026	--	8500	320	41	44	800	<125
12/18/97	33.28	12.93	20.35	--	--	1.026	--	76,000	12,000	<25	400	940	<125
02/16/98	33.28	14.63	18.65	--	--	1.026	--	9600	1000	<20	47	350	<100

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)					
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-4													
06/13/90	31.42	8.69	22.73	--	--	--	--	440	47	47	3.0	61	--
10/30/90	31.42	8.94	22.48	--	--	--	--	210	72	13	1.0	11	--
01/04/91	31.42	8.78	22.64	--	--	--	--	--	--	--	--	--	--
01/07/91	31.42	8.68	22.74	--	--	--	--	890	100	130	15	88	--
01/11/91	31.42	8.61	22.81	--	--	--	--	--	--	--	--	--	--
02/15/91	31.42	8.87	22.55	--	--	--	--	--	--	--	--	--	--
05/02/91	31.42	8.88	22.54	--	--	--	--	330	140	11	2.0	9.0	--
05/30/91	31.42	8.87	22.55	--	--	--	--	--	--	--	--	--	--
06/13/91	31.42	--	--	--	--	--	--	--	--	--	--	--	--
07/12/91	31.42	--	--	--	--	--	--	--	--	--	--	--	--
08/07/91	31.42	--	--	--	--	--	--	1500	400	79	13	61	--
09/24/91	31.42	--	--	--	--	--	--	--	--	--	--	--	--
10/18/91	31.20	8.23	22.97	--	--	--	--	--	--	--	--	--	--
11/05/91	31.20	8.30	22.90	--	--	--	--	310	130	11	2.6	6.8	--
01/06/92	31.20	8.36	22.84	--	--	--	--	--	--	--	--	--	--
01/16/92	31.20	8.45	22.75	--	--	--	--	--	--	--	--	--	--
01/22/92	31.20	8.39	22.81	--	--	--	--	--	--	--	--	--	--
01/28/92	31.20	8.43	22.77	--	--	--	--	--	--	--	--	--	--
02/04/92	31.20	8.48	22.72	--	--	--	--	300	100	26	2.4	14	--
02/14/92	31.20	8.62	22.58	--	--	--	--	--	--	--	--	--	--
02/21/92	31.20	8.60	22.60	--	--	--	--	--	--	--	--	--	--
02/25/92	31.20	8.70	22.50	--	--	--	--	--	--	--	--	--	--
03/06/92	31.20	--	--	--	--	--	--	--	--	--	--	--	--
03/19/92	31.20	9.45	21.75	--	--	--	--	--	--	--	--	--	--
05/06/92	31.20	9.38	21.82	--	--	--	--	200	26	<0.5	1.2	1.4	--
08/31/92	31.20	9.32	21.88	--	--	--	--	190	20	1.2	1.7	1.7	--
12/01/92	31.20	8.97	22.23	--	--	--	--	72	5.0	0.5	<0.5	1.3	--
03/15/93	33.85	12.47	33.85	--	--	--	--	84	2.1	0.9	<0.5	<1.5	--
06/08/93	33.85	13.30	20.55	--	--	--	--	74	1.0	<0.5	<0.5	0.5	--
09/07/93	33.85	13.00	20.85	--	--	--	--	<50	1.0	<0.5	<0.5	<0.5	--
03/09/94	33.85	12.69	21.16	--	--	--	--	<50	5.0	4.0	<0.5	4.0	--
06/17/94	33.85	12.77	21.08	--	--	--	--	120	4.3	18	2.8	43	--
09/13/94	33.85	11.95	21.90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/26/94	33.85	11.94	21.91	--	--	--	--	--	--	--	--	--	--
11/29/94	33.85	12.25	21.60	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-4 (CONT'D)													
03/29/95	33.85	13.47	20.38	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/19/95	33.85	14.47	19.38	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/28/95	33.85	13.88	19.97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/27/95	33.85	12.71	21.14	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/96	33.85	13.27	20.58	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/96	33.85	14.25	19.60	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/96	33.85	13.65	20.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/96	33.85	13.34	20.51	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	33.85	14.15	19.70	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/27/97	33.85	13.89	19.96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/18/97	33.85	13.51	20.34	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-5													
10/30/90	31.25	9.14	22.11	--	--	--	--	20,000	2500	3300	320	2200	--
01/04/91	31.25	--	22.55	0.31	--	--	--	--	--	--	--	--	--
01/07/91	31.25	9.26	22.36	0.04	--	--	--	--	--	--	--	--	--
01/11/91	31.25	--	23.08	0.73	--	--	--	--	--	--	--	--	--
02/15/91	31.25	--	24.70	2.74	--	--	--	--	--	--	--	--	--
05/02/91	31.25	--	22.02	2.00	--	--	--	--	--	--	--	--	--
05/30/91	31.25	--	24.78	2.70	--	--	--	--	--	--	--	--	--
06/13/91	31.25	--	24.70	2.77	--	--	--	--	--	--	--	--	--
07/12/91	31.25	--	25.10	2.72	--	--	--	--	--	--	--	--	--
08/07/91	31.25	--	--	2.69	--	--	--	--	--	--	--	--	--
09/24/91	31.25	--	--	--	--	--	--	--	--	--	--	--	--
10/18/91	30.16	--	24.71	2.51	--	--	--	--	--	--	--	--	--
11/05/91	30.16	--	24.47	2.29	--	--	--	--	--	--	--	--	--
01/06/92	30.16	--	24.68	--	--	--	--	--	--	--	--	--	--
01/16/92	30.16	--	24.03	1.82	--	--	--	--	--	--	--	--	--
01/22/92	30.16	--	24.01	1.67	--	--	--	--	--	--	--	--	--
01/28/92	30.16	--	23.79	1.46	--	--	--	--	--	--	--	--	--
02/04/92	30.16	--	23.81	1.54	--	--	--	--	--	--	--	--	--
02/14/92	30.16	--	22.79	1.59	--	--	--	--	--	--	--	--	--
02/21/92	30.16	--	24.40	2.22	--	--	--	--	--	--	--	--	--
02/25/92	30.16	--	23.25	1.03	--	--	--	--	--	--	--	--	--
03/06/92	30.16	--	23.20	1.19	--	--	--	--	--	--	--	--	--
03/19/92	30.16	--	--	--	--	--	--	--	--	--	--	--	--
05/06/92	30.16	--	--	--	--	--	--	--	--	--	--	--	--
08/31/92	30.16	--	21.86	--	--	--	Sheen	--	--	--	--	--	--
12/01/92	30.16	--	22.24	--	--	--	Sheen	--	--	--	--	--	--
03/15/93	33.85	20.96	20.96	--	--	--	--	--	--	--	--	--	--
06/08/93	33.85	13.20	20.65	--	--	--	--	90,000	26,000	11,000	2000	16,000	--
09/07/93	33.85	--	--	--	--	--	--	--	--	--	--	--	--
03/09/94	33.85	12.53	21.32	--	--	--	--	170,000	35,000	11,000	2400	13,000	--
06/17/94	33.85	12.74	21.11	--	--	--	--	100,000	57,000	13,000	1800	5,100	--
09/13/94	33.85	11.37	22.48	--	--	--	--	120,000	1500	5400	1700	19,000	--
09/26/94	33.85	11.41	22.44	--	--	--	--	--	--	--	--	--	--
11/29/94	33.85	12.00	21.85	--	--	--	--	31,000	29	220	290	3600	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-5 (CONT'D)													
03/29/95	33.85	13.47	20.38	--	--	--	--	9300	730	420	68	1000	--
06/19/95	33.85	14.35	19.50	--	--	--	--	17,000	900	510	88	1500	--
09/28/95	33.85	13.72	20.13	--	--	--	--	29,000	3700	1600	180	2300	--
12/27/95	33.85	12.48	21.37	--	--	--	--	1200	20	37	13	160	62
03/26/96	33.85	13.16	20.69	--	--	--	--	650	1.2	0.51	<0.5	19	<2.5
06/20/96	33.85	12.50	21.35	--	--	--	--	<50	<0.5	<0.5	<0.5	1.9	<2.5
09/30/96	33.85	13.35	20.50	--	--	--	--	<50	<0.5	<0.5	<0.5	1.0	<2.5
12/12/96	33.85	11.83	22.02	--	--	--	--	90	3.0	<0.5	<0.5	1.7	<2.5
03/31/97	33.85	13.85	20.00	--	--	--	--	290	2.3	<1.0	<1.0	3.7	<5.0
06/27/97	33.85	13.04	20.81	--	--	--	--	490	6.9	<1.0	<1.0	5.7	<5.0
12/18/97	33.85	13.51	20.34	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-6													
05/02/91	30.41	8.57	21.84	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/30/91	30.41	--	--	--	--	--	--	--	--	--	--	--	--
07/12/91	30.41	7.55	22.86	--	--	--	--	--	--	--	--	--	--
08/07/91	30.41	--	--	--	--	--	--	--	--	--	--	--	--
09/24/91	30.41	8.53	21.88	--	--	--	--	--	--	--	--	--	--
10/18/91	30.41	8.23	22.18	--	--	--	--	--	--	--	--	--	--
11/05/91	30.41	8.27	22.14	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/06/92	30.41	8.32	22.09	--	--	--	--	--	--	--	--	--	--
01/16/92	30.41	8.37	22.04	--	--	--	--	--	--	--	--	--	--
01/22/92	30.41	8.37	22.04	--	--	--	--	--	--	--	--	--	--
01/28/92	30.41	8.42	21.99	--	--	--	--	--	--	--	--	--	--
02/04/92	30.41	8.47	21.94	--	--	--	--	<50	<0.5	<0.5	<0.5	0.6	--
02/14/92	30.41	8.54	21.87	--	--	--	--	--	--	--	--	--	--
02/21/92	30.41	8.58	21.83	--	--	--	--	--	--	--	--	--	--
02/25/92	30.41	8.70	21.71	--	--	--	--	--	--	--	--	--	--
03/06/92	30.41	8.88	21.53	--	--	--	--	--	--	--	--	--	--
03/19/92	30.41	9.49	20.92	--	--	--	--	--	--	--	--	--	--
05/06/92	30.41	9.39	21.02	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/31/92	30.41	9.27	21.14	--	--	--	--	80	<0.5	<0.5	<0.5	2.4	--
01/21/93	30.41	9.50	20.91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/15/93	33.09	13.09	20.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/08/93	33.09	13.37	19.72	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/07/93	33.09	13.34	19.75	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/94	33.09	12.79	20.30	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/17/94	33.09	12.88	20.21	--	--	--	--	<50	1.1	<0.5	<0.5	0.6	--
09/13/94	33.09	12.20	20.89	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/26/94	33.09	12.15	20.94	--	--	--	--	--	--	--	--	--	--
11/29/94	33.09	12.61	20.48	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/95	33.09	13.97	19.12	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/19/95	33.09	14.55	18.54	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/28/95	33.09	14.03	19.06	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/27/95	33.09	12.89	20.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-6 (CONT'D)													
03/26/96	33.09	13.32	19.77	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/96	33.09	14.19	18.90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/96	33.09	13.62	19.47	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/96	33.09	13.37	19.72	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	33.09	14.21	18.88	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/27/97	33.09	13.83	19.26	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/18/97	33.09	13.62	19.47	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.			Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-7													
05/02/91	30.56	8.75	21.81	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/30/91	30.56	--	--	--	--	--	--	--	--	--	--	--	--
07/12/91	30.56	8.41	22.15	--	--	--	--	--	--	--	--	--	--
08/07/91	30.56	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/24/91	30.56	9.03	21.53	--	--	--	--	--	--	--	--	--	--
10/18/91	30.56	8.49	22.07	--	--	--	--	--	--	--	--	--	--
11/05/91	30.56	8.55	22.01	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/06/92	30.56	8.53	22.03	--	--	--	--	--	--	--	--	--	--
01/16/92	30.56	8.58	21.98	--	--	--	--	--	--	--	--	--	--
01/22/92	30.56	8.51	22.05	--	--	--	--	--	--	--	--	--	--
01/28/92	30.56	8.55	22.01	--	--	--	--	--	--	--	--	--	--
02/14/92	30.56	8.62	21.94	--	--	--	--	--	--	--	--	--	--
02/21/92	30.56	8.62	21.94	--	--	--	--	--	--	--	--	--	--
02/25/92	30.56	8.74	21.82	--	--	--	--	--	--	--	--	--	--
03/06/92	30.56	8.91	21.65	--	--	--	--	--	--	--	--	--	--
03/19/92	30.56	9.64	20.92	--	--	--	--	--	--	--	--	--	--
05/06/92	30.56	9.35	21.21	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/31/92	30.56	9.17	21.39	--	--	--	--	<50	<0.5	0.7	<0.5	0.9	--
12/01/92	30.56	8.77	21.79	--	--	--	--	<50	<0.5	<0.5	<0.5	0.9	--
03/15/93	33.06	12.12	20.94	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/08/93	33.06	13.07	19.99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/07/93	33.06	13.06	20.00	--	--	--	--	2800	63	36	41	40	--
03/09/94	33.06	12.36	20.70	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/17/94	33.06	12.47	20.59	--	--	--	--	<50	<0.5	<0.5	<0.5	0.6	--
09/13/94	33.06	11.83	21.23	--	--	--	--	65	<0.5	<0.5	<0.5	<0.5	--
09/26/94	33.06	11.84	21.22	--	--	--	--	--	--	--	--	--	--
11/29/94	33.06	13.28	19.78	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/95	33.06	13.67	19.39	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/19/95	33.06	14.13	18.93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/28/95	33.06	13.54	19.52	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/27/95	33.06	10.38	22.68	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-7 (CONT'D)													
03/26/96	33.06	12.81	20.25	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/96	33.06	13.71	19.35	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/96	33.06	13.20	19.86	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/96	33.06	12.75	20.31	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	33.06	13.62	19.44	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/27/97	33.06	12.34	20.72	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/18/97	33.06	13.06	20.00	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.			Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-8													
05/02/91	30.12	8.88	21.24	--	--	--	--	5000	<0.5	17	140	470	--
05/30/91	30.12	--	--	--	--	--	--	--	--	--	--	--	--
07/12/91	30.12	--	--	--	--	--	--	--	--	--	--	--	--
08/07/91	30.12	--	--	--	--	--	--	6300	<0.5	28	100	120	--
09/24/91	30.12	8.79	21.33	--	--	--	--	--	--	--	--	--	--
10/18/91	30.12	8.36	21.76	--	--	--	--	--	--	--	--	--	--
11/05/91	30.12	8.42	21.70	--	--	--	--	5100	<0.5	20	92	74	--
01/06/92	30.12	8.39	21.73	--	--	--	--	--	--	--	--	--	--
01/16/92	30.12	8.49	21.63	--	--	--	--	--	--	--	--	--	--
01/22/92	30.12	8.42	21.70	--	--	--	--	--	--	--	--	--	--
01/28/92	30.12	8.47	21.65	--	--	--	--	--	--	--	--	--	--
02/04/92	30.12	8.50	21.62	--	--	--	--	5300	<2.5	2.5	97	61	--
02/14/92	30.12	8.59	21.53	--	--	--	--	--	--	--	--	--	--
02/21/92	30.12	8.61	21.51	--	--	--	--	--	--	--	--	--	--
02/25/92	30.12	8.73	21.39	--	--	--	--	--	--	--	--	--	--
03/06/92	30.12	8.91	21.21	--	--	--	--	--	--	--	--	--	--
03/19/92	30.12	9.55	20.57	--	--	--	--	--	--	--	--	--	--
05/06/92	30.12	9.35	20.77	--	--	--	--	3700	<0.5	29	110	130	--
08/31/92	30.12	9.21	20.91	--	--	--	--	1100	1.3	2.0	31	48	--
12/01/92	30.12	8.95	21.17	--	--	--	--	3400	<0.5	19	140	290	--
03/15/93	32.77	13.01	19.76	--	--	--	--	4200	<0.5	20	54	33	--
06/08/93	32.77	13.39	19.38	--	--	--	--	3700	53	6.0	74	120	--
09/07/93	32.77	13.39	19.38	--	--	--	--	2900	70	46	39	55	--
03/09/94	32.77	12.65	20.12	--	--	--	--	3400	<0.5	6.0	46	66	--
06/17/94	32.77	12.75	20.02	--	--	--	--	4200	1.0	39	75	86	--
09/13/94	32.77	12.18	20.59	--	--	--	--	3800	<0.5	10	63	79	--
09/26/94	32.77	12.17	20.60	--	--	--	--	--	--	--	--	--	--
11/29/94	32.77	12.61	20.16	--	--	--	--	5300	<10	40	37	39	--
03/29/95	32.77	14.18	18.59	--	--	--	--	7300	<5.0	<5.0	38	67	--
06/19/95	32.77	13.42	19.35	--	--	--	--	5700	37	<10	<10	<10	--
09/28/95	32.77	13.75	19.02	--	--	--	--	12,000	<10	<10	<10	85	--
12/27/95	32.77	12.77	20.00	--	--	--	--	8200	<50	<50	<50	92	390

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-8 (CONT'D)													
03/26/96	32.77	13.19	19.58	--	--	--	--	4500	<10	<10	10	<10	<50
06/20/96	32.77	13.97	18.80	--	--	--	--	4900	<5.0	7.8	6.6	<5.0	<25
09/30/96	32.77	13.43	19.34	--	--	--	--	3900	39	6.5	<5.0	5.9	<25
12/12/96	32.77	13.07	19.70	--	--	--	--	3500	58	51	22	48	<50
03/31/97	32.77	13.87	18.90	--	--	--	--	5000	9.9	28	21	440	<25
06/27/97	32.77	12.01	20.76	--	--	--	--	3600	<2.5	16	15	5.4	<12
12/18/97	32.77	11.97	20.80	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.			Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-9													
05/02/91	30.15	8.88	21.27	--	--	--	--	<50	<0.5	<0.5	<0.5	0.8	--
05/30/91	30.15	--	--	--	--	--	--	--	--	--	--	--	--
07/12/91	30.15	8.58	21.57	--	--	--	--	--	--	--	--	--	--
08/07/91	30.15	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/07/91	30.15	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/24/91	30.15	9.05	21.10	--	--	--	--	--	--	--	--	--	--
10/18/91	30.15	8.48	21.67	--	--	--	--	--	--	--	--	--	--
11/05/91	30.15	8.50	21.65	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/05/91	30.15	8.50	21.65	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/06/92	30.15	8.50	21.65	--	--	--	--	--	--	--	--	--	--
01/16/92	30.15	8.57	21.58	--	--	--	--	--	--	--	--	--	--
01/22/92	30.15	8.50	21.65	--	--	--	--	--	--	--	--	--	--
01/28/92	30.15	8.52	21.63	--	--	--	--	--	--	--	--	--	--
02/04/92	30.15	8.57	21.58	--	--	--	--	<50	<0.5	0.7	<0.5	0.7	--
02/04/92	30.15	8.57	21.58	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/14/92	30.15	8.61	21.54	--	--	--	--	--	--	--	--	--	--
02/21/92	30.15	8.63	21.52	--	--	--	--	--	--	--	--	--	--
02/25/92	30.15	8.76	21.39	--	--	--	--	--	--	--	--	--	--
03/06/92	30.15	8.94	21.21	--	--	--	--	--	--	--	--	--	--
03/19/92	30.15	9.68	20.47	--	--	--	--	--	--	--	--	--	--
05/06/92	30.15	9.34	20.81	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/31/92	30.15	9.18	20.97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/01/92	30.15	8.88	21.27	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
03/15/93	32.70	12.28	20.42	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/08/93	32.70	13.27	19.43	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/07/93	32.70	13.30	19.40	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/94	32.70	12.46	20.24	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/17/94	32.70	12.57	20.13	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/13/94	32.70	12.02	20.68	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/26/94	32.70	12.03	20.67	--	--	--	--	--	--	--	--	--	--
11/29/94	32.70	12.46	20.24	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-9 (CONT'D)													
03/29/95	32.70	14.00	18.70	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/19/95	32.70	14.22	18.48	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/28/95	32.70	--	--	--	--	--	--	--	--	--	--	--	--
12/27/95	32.70	--	--	--	--	--	--	--	--	--	--	--	--
03/26/96	32.70	12.97	19.73	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/96	32.70	13.75	18.95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/96	32.70	13.22	19.48	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/96	32.70	12.85	19.85	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	32.70	13.76	18.94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/27/97	32.70	13.29	19.41	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/18/97	32.70	12.93	19.77	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
CR-1													
10/30/90	30.17	--	23.81	2.50	--	--	--	--	--	--	--	--	--
01/04/91	30.17	--	24.08	2.70	--	--	--	--	--	--	--	--	--
01/07/91	30.17	--	23.30	3.00	--	--	--	--	--	--	--	--	--
01/11/91	30.17	--	24.24	2.64	--	--	--	--	--	--	--	--	--
02/15/91	30.17	--	24.72	2.92	--	--	--	--	--	--	--	--	--
05/02/91	30.17	--	--	--	--	--	--	--	--	--	--	--	--
05/30/91	30.17	--	23.07	2.42	--	--	--	--	--	--	--	--	--
06/13/91	30.17	--	--	--	--	--	--	--	--	--	--	--	--
07/12/91	30.17	--	--	--	--	--	--	--	--	--	--	--	--
08/07/91	30.17	--	--	2.69	--	--	--	--	--	--	--	--	--
09/24/91	30.17	--	--	--	--	--	--	--	--	--	--	--	--
10/18/91	30.17	--	23.75	2.50	--	--	--	--	--	--	--	--	--
11/05/91	30.17	--	23.64	2.43	--	--	--	--	--	--	--	--	--
01/06/92	30.17	--	23.57	--	--	--	--	--	--	--	--	--	--
01/16/92	30.17	--	23.41	2.30	--	--	--	--	--	--	--	--	--
01/22/92	30.17	--	23.44	2.24	--	--	--	--	--	--	--	--	--
01/28/92	30.17	--	23.40	2.29	--	--	--	--	--	--	--	--	--
02/14/92	30.17	--	23.31	2.34	--	--	--	--	--	--	--	--	--
02/21/92	30.17	--	24.10	3.19	--	--	--	--	--	--	--	--	--
02/25/92	30.17	--	23.15	1.03	--	--	--	--	--	--	--	--	--
03/06/92	30.17	--	--	--	--	--	--	--	--	--	--	--	--
03/19/92	30.17	--	--	--	--	--	--	--	--	--	--	--	--
05/06/92	30.17	--	--	--	--	--	--	--	--	--	--	--	--
08/31/92	30.17	--	21.84	0.41	--	--	--	--	--	--	--	--	--
12/01/92	30.17	--	22.06	0.21	--	--	--	--	--	--	--	--	--
03/15/93	33.40	--	20.34	--	--	--	--	410,000	28,000	42,000	5200	37,000	--
06/08/93	33.40	13.33	20.07	--	--	--	--	85,000	10,000	21,000	3200	20,000	--
09/07/93	33.40	13.33	20.07	--	--	--	--	180,000	50,000	48,000	5100	33,000	--
03/09/94	33.40	12.73	20.67	--	--	--	--	94,000	18,000	20,000	2500	19,000	--
06/17/94	33.40	13.75	19.65	--	--	--	--	26,000	2400	3600	480	6100	--
09/13/94	33.40	--	--	--	--	--	Inaccessible	--	--	--	--	--	--
09/26/94	33.40	--	--	--	--	--	--	--	--	--	--	--	--
11/29/94	33.40	8.56	24.90	0.08	0.264	0.264	--	--	--	--	--	--	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
CR-1 (CONT'D)													
12/20/94	33.40	12.49	21.62	0.89	2.000	2.264	--	--	--	--	--	--	--
12/28/94	33.40	12.58	21.29	0.59	0.500	2.764	--	--	--	--	--	--	--
01/03/95	33.40	12.62	21.12	0.42	0.800	3.564	--	--	--	--	--	--	--
01/10/95	33.40	12.96	20.74	0.38	0.500	4.064	--	--	--	--	--	--	--
01/17/95	33.40	13.02	20.45	0.09	--	4.064	--	--	--	--	--	--	--
01/23/95	33.40	14.00	19.40	--	--	4.064	--	--	--	--	--	--	--
02/07/95	33.40	13.53	19.91	0.05	0.300	4.364	--	--	--	--	--	--	--
02/22/95	33.40	13.78	19.62	--	--	4.364	--	--	--	--	--	--	--
03/07/95	33.40	13.68	19.72	--	--	4.364	--	--	--	--	--	--	--
03/29/95	33.40	10.22	23.32	0.17	0.026	4.390	--	--	--	--	--	--	--
03/30/95	33.40	7.39	26.01	--	--	4.390	--	--	--	--	--	--	--
04/10/95	33.40	14.01	19.39	--	--	4.390	--	--	--	--	--	--	--
05/07/95	33.40	14.37	19.03	--	--	4.390	--	--	--	--	--	--	--
05/09/95	33.40	14.25	19.15	--	--	4.390	--	--	--	--	--	--	--
05/12/95	33.40	14.28	19.12	--	--	4.390	--	--	--	--	--	--	--
05/18/95	33.40	14.41	19.03	0.05	0.264	4.654	--	--	--	--	--	--	--
05/26/95	33.40	14.35	19.05	--	--	4.654	--	--	--	--	--	--	--
06/08/95	33.40	14.24	19.16	--	--	4.654	--	--	--	--	--	--	--
06/16/95	33.40	14.48	18.94	0.02	0.021	4.675	--	--	--	--	--	--	--
06/19/95	33.40	14.46	18.95	0.01	0.010	4.685	--	--	--	--	--	--	--
06/29/95	33.40	14.50	18.90	--	--	4.685	--	--	--	--	--	--	--
07/06/95	33.40	14.72	18.68	--	--	4.685	--	--	--	--	--	--	--
07/12/95	33.40	14.69	18.71	--	--	4.685	--	--	--	--	--	--	--
07/22/95	33.40	13.85	19.56	0.01	0.010	4.695	--	--	--	--	--	--	--
07/27/95	33.40	14.17	19.23	--	--	4.695	--	--	--	--	--	--	--
08/02/95	33.40	13.42	20.00	0.02	0.010	4.705	--	--	--	--	--	--	--
09/28/95	33.40	13.64	19.76	--	--	4.705	--	70,000	12,000	10,000	910	5300	--
12/27/95	33.40	12.63	20.79	0.02	--	4.705	--	--	--	--	--	--	--
03/26/96	33.40	12.05	21.35	--	--	4.705	--	15,000	280	650	130	1700	<125
06/20/96	33.40	12.98	20.42	--	--	4.705	--	9900	570	1000	230	2300	60
09/30/96	33.40	12.46	20.94	--	--	4.705	--	3600	200	180	52	480	<50
12/12/96	33.40	12.79	20.61	--	--	4.705	--	21,000	850	1400	500	4200	<125
03/31/97	33.40	13.81	19.59	--	--	4.705	--	9100	300	120	220	1200	<50
06/27/97	33.40	12.70	20.70	--	--	4.705	--	12,000	260	330	210	1500	<125
12/18/97	33.40	12.97	20.43	--	--	4.705	--	7500	210	63	110	600	<125
02/16/98	33.40	14.95	18.45	--	--	4.705	--	5900	58	25	58	770	<100

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.			Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
MW-10													
01/21/93	31.59	10.32	21.27	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/15/93	31.59	12.18	21.10	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/08/93	33.28	13.33	19.95	--	--	--	--	<50	<0.5	<0.5	<0.5	1.0	--
09/07/93	33.28	13.35	19.93	--	--	--	--	<250	<2.5	<2.5	<2.5	<2.5	--
03/09/94	33.28	12.77	20.51	--	--	--	--	<50	1.0	0.5	<0.5	0.9	--
06/17/94	33.28	12.86	20.42	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/13/94	33.28	12.19	21.09	--	--	--	--	<50	2.1	0.7	<0.5	1.1	--
09/26/94	33.28	12.18	21.10	--	--	--	--	--	--	--	--	--	--
11/29/94	33.28	12.54	20.74	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/95	33.28	13.88	19.40	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/19/95	33.28	14.56	18.72	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/28/95	33.28	14.00	19.28	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/27/95	33.28	13.03	20.25	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/96	33.28	13.52	19.76	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/96	33.28	14.30	18.98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/96	33.28	13.73	19.55	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/96	33.28	13.46	19.82	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	33.28	14.38	18.90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/27/97	33.28	14.07	19.21	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/18/97	33.28	13.70	19.58	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE
MW-11													
05/06/94	33.02	--	--	--	--	--	--	<50	1.4	<0.5	<0.5	0.6	--
05/16/94	33.02	12.44	20.58	--	--	--	--	--	--	--	--	--	--
09/13/94	33.02	--	--	--	--	--	--	--	--	--	--	--	--
09/26/94	33.02	11.93	21.09	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/29/94	33.02	12.20	20.82	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/95	33.02	13.62	19.40	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/19/95	33.02	14.10	18.92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/28/95	33.02	13.55	19.47	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/27/95	33.02	12.52	20.50	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/96	33.02	12.84	20.18	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/96	33.02	13.76	19.26	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/96	33.02	13.54	19.48	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/96	33.02	12.78	20.24	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	33.02	13.66	19.36	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/27/97	33.02	13.51	19.51	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/18/97	33.02	13.02	20.00	--	--	--	Sampled annually	--	--	--	--	--	--
MW-12													
05/06/94	33.90	--	--	--	--	--	--	160,000	69,000	16,000	1900	7600	--
05/16/94	33.90	12.63	21.27	--	--	--	--	--	--	--	--	--	--
09/13/94	33.90	--	--	--	--	--	--	--	--	--	--	--	--
09/26/94	33.90	--	--	--	--	--	--	--	--	--	--	--	--
11/29/94	33.90	12.80	21.10	--	--	--	--	41,000	9100	3500	520	1500	--
03/29/95	33.90	14.30	19.60	--	--	--	--	16,000	4000	1000	230	840	--
06/19/95	33.90	15.07	18.83	--	--	--	--	76,000	26,000	4200	1300	3400	--
09/28/95	33.90	14.11	19.79	--	--	--	--	53,000	26,000	720	820	590	--
12/27/95	33.90	13.25	20.65	--	--	--	--	4800	150	130	29	910	<25
03/26/96	33.90	13.89	20.01	--	--	--	--	89	0.86	<0.5	<0.5	9.3	<2.5
06/20/96	33.90	14.12	19.78	--	--	--	--	<50	<0.5	<0.5	<0.5	0.86	<2.5
09/30/96	33.90	13.63	20.27	--	--	--	--	<50	0.52	<0.5	<0.5	<0.5	<2.5
12/12/96	33.90	13.40	20.50	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	33.90	14.71	19.19	--	--	--	--	230	0.85	<0.5	0.99	1.4	<2.5
06/27/97	33.90	14.03	19.87	--	--	--	--	96	1.2	<0.5	<0.5	<0.5	<2.5

NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
VEW-3													
12/20/94	--	--	20.43	--	--	--	--	--	--	--	--	--	--
12/28/94	--	--	21.73	1.32	2.000	2.000	--	--	--	--	--	--	--
01/03/95	--	--	21.07	0.50	1.500	3.500	--	--	--	--	--	--	--
01/10/95	--	--	20.55	0.27	0.300	3.800	--	--	--	--	--	--	--
01/17/95	--	--	20.21	0.26	0.300	4.100	--	--	--	--	--	--	--
01/23/95	--	--	20.10	--	--	--	--	--	--	--	--	--	--
02/07/95	--	--	19.92	0.23	0.300	4.400	--	--	--	--	--	--	--
02/22/95	--	--	19.59	0.16	0.100	4.500	--	--	--	--	--	--	--
03/07/95	--	--	19.47	0.12	0.100	4.600	--	--	--	--	--	--	--
03/30/95	--	--	19.85	--	--	--	--	--	--	--	--	--	--
04/10/95	--	--	19.31	0.07	0.100	4.700	--	--	--	--	--	--	--
05/07/95	--	--	19.00	0.07	0.317	5.017	--	--	--	--	--	--	--
05/09/95	--	--	19.04	0.04	0.005	5.022	--	--	--	--	--	--	--
05/12/95	--	--	18.80	0.04	0.008	5.030	--	--	--	--	--	--	--
05/18/95	--	--	19.27	0.04	0.264	5.294	--	--	--	--	--	--	--
05/26/95	--	--	19.02	0.02	0.005	5.299	--	--	--	--	--	--	--
06/08/95	--	--	18.94	0.05	0.040	5.339	--	--	--	--	--	--	--
06/16/95	--	--	19.00	0.04	0.021	5.360	--	--	--	--	--	--	--
06/19/95	--	--	19.00	0.02	0.010	5.370	--	--	--	--	--	--	--
06/29/95	--	--	19.03	--	--	5.370	--	--	--	--	--	--	--
07/06/95	--	--	18.81	--	--	5.370	--	--	--	--	--	--	--
07/12/95	--	--	19.12	0.01	0.026	5.396	--	--	--	--	--	--	--
07/22/95	--	--	19.09	--	--	5.396	--	--	--	--	--	--	--
07/27/95	--	--	19.10	--	--	5.396	--	--	--	--	--	--	--
08/02/95	--	--	19.99	0.02	0.020	5.416	--	--	--	--	--	--	--
09/28/95	--	--	19.38	--	--	5.416	--	--	--	--	--	--	--
12/27/95	--	--	20.74	0.02	--	5.416	--	--	--	--	--	--	--
03/26/96	--	--	21.04	--	--	5.416	--	--	--	--	--	--	--
06/20/96	--	--	20.32	--	--	5.416	--	--	--	--	--	--	--
09/30/96	--	--	20.87	--	--	5.416	--	--	--	--	--	--	--
12/12/96	--	--	20.18	--	--	5.416	--	--	--	--	--	--	--
03/31/97	--	--	19.38	--	--	5.416	--	--	--	--	--	--	--
06/27/97	--	--	--	--	--	5.416	--	--	--	--	--	--	--

NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.			Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
TRIP BLANK													
05/02/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/07/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/05/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/04/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/06/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/31/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/01/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/15/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/08/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/07/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/17/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/13/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/26/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/29/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/19/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/28/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/27/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/12/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/27/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/18/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/16/98	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on November 1, 1994.
 Earlier field data and analytical results are drawn from the September 27, 1994 Groundwater Technology, Inc. report.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons
 SPH = Separate Phase Hydrocarbons
 MTBE = Methyl t-butyl Ether

Analytical Appendix



Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-4816/980216-D1 Sample Descript: C-1 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9802B34-01	Sampled: 02/16/98 Received: 02/17/98 Analyzed: 02/23/98 Reported: 03/02/98
--	--	---

QC Batch Number: GC022398BTEX17A
Instrument ID: GCHP17


Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	320
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	0.98
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	1.9
Chromatogram Pattern:		Gas
Unidentified HC		C6-C12

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	99

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-4816/980216-D1 Sample Descript: C-2 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9802B34-02	Sampled: 02/16/98 Received: 02/17/98 Analyzed: 02/24/98 Reported: 03/02/98
Attention: Fran Thie		


QC Batch Number: GC022498BTEX03A
Instrument ID: GCHP3

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	120
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern: Unidentified HC		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	102

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Pender
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-4816/980216-D1 Sample Descript: C-3 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9802B34-03	Sampled: 02/16/98 Received: 02/17/98 Analyzed: 02/22/98 Reported: 03/02/98
--	--	---

QC Batch Number: GC022298BTEX17A
Instrument ID: GCHP17


Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	2000	9600
Methyl t-Butyl Ether	100	N.D.
Benzene	20	1000
Toluene	20	N.D.
Ethyl Benzene	20	47
Xylenes (Total)	20	350
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	104

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Renner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-4816/980216-D1 Sample Descript: CR-1 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9802B34-04	Sampled: 02/16/98 Received: 02/17/98 Analyzed: 02/22/98 Reported: 03/02/98
--	---	---


QC Batch Number: GC022298BTEX03A
Instrument ID: GCHP3

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	2000	5900
Methyl t-Butyl Ether	100	N.D.
Benzene	20	58
Toluene	20	25
Ethyl Benzene	20	58
Xylenes (Total)	20	770
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	87

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penher
Project Manager





Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Client Proj. ID: Chevron 9-4816/980216-D1
Sample Descript: TB
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9802B34-05

Sampled: 02/16/98
Received: 02/17/98
Analyzed: 02/22/98
Reported: 03/02/98

QC Batch Number: GC022298BTEX03A
Instrument ID: GCHP3

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		N.D.
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	95

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager





Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-4816 / 980216-D1
Matrix: Liquid

Work Order #: 9802B34 -01

Reported: Mar 9, 1998

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC022398BTEX17A	GC022398BTEX17A	GC022398BTEX17A	GC022398BTEX17A	GC022398BTEX17A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030				

Analyst:	C. Demartini				
MS/MSD #:	9802B5304	9802B5304	9802B5304	9802B5304	9802B5304
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	2/23/98	2/23/98	2/23/98	2/23/98	2/23/98
Analyzed Date:	2/23/98	2/23/98	2/23/98	2/23/98	2/23/98
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	11	9.9	8.6	31	58
MS % Recovery:	110	99	86	103	97
Dup. Result:	9.9	9.3	9.0	28	56
MSD % Recov.:	99	93	90	93	93
RPD:	11	6.2	4.5	10	3.5
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK022398	BLK022398	BLK022398	BLK022398	BLK022398
Prepared Date:	2/23/98	2/23/98	2/23/98	2/23/98	2/23/98
Analyzed Date:	2/23/98	2/23/98	2/23/98	2/23/98	2/23/98
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	10	9.7	9.3	30	57
LCS % Recov.:	100	97	93	100	95

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9802B34.BLA <1>





Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-4816 / 980216-D1
Matrix: Liquid

Work Order #: 9802B34-02

Reported: Mar 9, 1998

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC022498BTEX03A	GC022498BTEX03A	GC022498BTEX03A	GC022498BTEX03A	GC022498BTEX03A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030				

Analyst:	C. Demartini				
MS/MSD #:	9802A5304	9802A5304	9802A5304	9802A5304	9802A5304
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	2/24/98	2/24/98	2/24/98	2/24/98	2/24/98
Analyzed Date:	2/24/98	2/24/98	2/24/98	2/24/98	2/24/98
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	10	9.7	9.9	30	65
MS % Recovery:	100	97	99	100	108
Dup. Result:	10	9.8	10	31	67
MSD % Recov.:	100	98	100	103	112
RPD:	0.0	1.0	1.0	3.3	3.0
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK022498	BLK022498	BLK022498	BLK022498	BLK022498
Prepared Date:	2/24/98	2/24/98	2/24/98	2/24/98	2/24/98
Analyzed Date:	2/24/98	2/24/98	2/24/98	2/24/98	2/24/98
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	9.9	9.7	9.9	30	65
LCS % Recov.:	99	97	99	100	108

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Fenner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9802B34.BLA <2>





Blaine Tech Services, Inc. Client Project ID: Chevron 9-4816 / 980216-D1
 1680 Rogers Ave. Matrix: Liquid
 San Jose, CA 95112 Work Order #: 9802B34-03 Reported: Mar 9, 1998
 Attention: Fran Thie

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	TPH BTEX
QC Batch#:	GC022298BTEX17A	GC022298BTEX17A	GC022298BTEX17A	GC022298BTEX17A	GC022298BTEX17A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030				

Analyst:	C. Demartini				
MS/MSD #:	9802B3701	9802B3701	9802B3701	9802B3701	9802B3701
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	2/22/98	2/22/98	2/22/98	2/22/98	2/22/98
Analyzed Date:	2/22/98	2/22/98	2/22/98	2/22/98	2/22/98
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	11	11	10	32	61
MS % Recovery:	110	110	100	107	102
Dup. Result:	10	9.6	8.9	29	67
MSD % Recov.:	100	96	89	97	112
RPD:	9.5	14	12	9.8	9.4
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK022298	BLK022298	BLK022298	BLK022298	BLK022298
Prepared Date:	2/22/98	2/22/98	2/22/98	2/22/98	2/22/98
Analyzed Date:	2/22/98	2/22/98	2/22/98	2/22/98	2/22/98
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	11	10	9.6	31	58
LCS % Recov.:	110	100	96	103	97

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Feggy Penner
Project Manager

Please Note:
 The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS= Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9802B34.BLA <3>





Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-4816 / 980216-D1
Matrix: Liquid

Work Order #: 9802B34-04-05

Reported: Mar 9, 1998

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	TPH BTEX
QC Batch#:	GC022298BTEX03A	GC022298BTEX03A	GC022298BTEX03A	GC022298BTEX03A	GC022298BTEX03A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030				

Analyst:	C. Demartini				
MS/MSD #:	9802B3701	9802B3701	9802B3701	9802B3701	9802B3701
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	2/22/98	2/22/98	2/22/98	2/22/98	2/22/98
Analyzed Date:	2/22/98	2/22/98	2/22/98	2/22/98	2/22/98
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	10	10	10	31	67
MS % Recovery:	100	100	100	103	112
Dup. Result:	9.9	9.8	10	30	66
MSD % Recov.:	99	98	100	100	110
RPD:	1.0	2.0	0.0	3.3	1.5
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK022298	BLK022298	BLK022298	BLK022298	BLK022298
Prepared Date:	2/22/98	2/22/98	2/22/98	2/22/98	2/22/98
Analyzed Date:	2/22/98	2/22/98	2/22/98	2/22/98	2/22/98
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	10	10	10	31	68
LCS % Recov.:	100	100	100	103	113

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Renner
Project Manager

Please Note:
The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9802B34.BLA <4>





Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Chevron 9-4816/980216-D1

Received: 02/17/98

Lab Proj. ID: 9802B34

Reported: 03/02/98

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 10 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

TPPH Note: Sample 9802B34-03 was diluted 40-fold.
Sample 9802B34-04 was diluted 40-fold.

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager



Field Data Sheets

CHEVRON WELL MONITORING DATA SHEET

Project #: 980216-D1	Station #: 9-4816
Sampler: TLV	Date: 2/16
Well I.D.: C-1	Well Diameter: (2) 3 4 6 8
Total Well Depth: 31.05	Depth to Water: 17.68
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Disposable Bailer <input checked="" type="checkbox"/> Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: Bailer Disposable Bailer <input checked="" type="checkbox"/> Extraction Port Other: _____
--	---

2.3	x	3	=	6.9	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
8:14	72.0	6.7	240	2.5	
8:18	72.2	6.6	320	5	
8:22	73.6	6.6	360	7.0	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: 7.0
Sampling Time: 8:27	Sampling Date: 2/16
Sample I.D.: C-1	Laboratory: Sequoia GTEL N. Creek Assoc. Labs
Analyzed for: TPH-G <input checked="" type="checkbox"/> BTEX <input checked="" type="checkbox"/> MTBE <input checked="" type="checkbox"/> TPH-D Other:	
Duplicate I.D.:	Analyzed for: TPH-G BTEX MTBE TPH-D Other:
D.O. (if req'd):	Pre-purge: <input type="text"/> mg/L Post-purge: <input type="text"/> mg/L
O.R.P. (if req'd):	Pre-purge: <input type="text"/> mV Post-purge: <input type="text"/> mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 980216-01	Station #: 9-4816
Sampler: DV	Date: 2/16
Well I.D.: C-2	Well Diameter: (2) 3 4 6 8
Total Well Depth: 29.14	Depth to Water: 18.42
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer

Disposable Bailer Disposable Bailer

Middleburg Extraction Port

Electric Submersible Other: _____

Extraction Pump

Other: _____

1.8	x	3	=	5.4	Gals.
I Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
7:55	70.6	7.0	820	2	
7:57	70.8	7.0	640	4	
8:00	71.6	6.8	500	55	

Did well dewater? Yes No Gallons actually evacuated: 5.5

Sampling Time: 8.05 Sampling Date: 2/16

Sample I.D.: C-2 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	

CHEVRON WELL MONITORING DATA SHEET

Project #: 980216-D1	Station #: 9-4816
Sampler: DV	Date: 2/16
Well I.D.: C-3	Well Diameter: (2) 3 4 6 8
Total Well Depth: 29.16	Depth to Water: 18.65
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Disposable Bailer <input checked="" type="checkbox"/> Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: Bailer Disposable Bailer <input checked="" type="checkbox"/> Extraction Port Other: _____
--	---

1.8	x	3	=	5.4	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
9:16	68.0	6.8	220	2	
9:18	68.6	6.8	300	4	
9:21	69.4	6.9	360	6.5	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: 6.5
Sampling Time: 9:30	Sampling Date: 2/16
Sample I.D.: C-3	Laboratory: Sequoia GTEL N. Creek Assoc. Labs
Analyzed for: TPH-G <input checked="" type="checkbox"/> BTEX <input checked="" type="checkbox"/> MTBE <input checked="" type="checkbox"/> TPH-D Other:	
Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:	
D.O. (if req'd):	Pre-purge: _____ mg/L Post-purge: _____ mg/L
O.R.P. (if req'd):	Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 980216-D1	Station #: 9-4816
Sampler: 17V	Date: 2/16
Well I.D.: CR-1	Well Diameter: 2 3 4 6 8
Total Well Depth: 24.40	Depth to Water: 18.45
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer
 Disposable Bailer Disposable Bailer
 Middleburg Extraction Port
 Electric Submersible
 Extraction Pump Other: _____
 Other: _____

<u>16.8</u>	\times	<u>3</u>	$=$	<u>50.4</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
8:45	69.8	6.6	300	17	odor
8:48	69.2	6.6	260	39	↓
8:51	69.0	6.7	220	51	

Did well dewater? Yes **No** Gallons actually evacuated: 51

Sampling Time: 8:55 Sampling Date: 2/16

Sample I.D.: CR-1 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: ~~TPH-G~~ **BTEX** ~~MTBE~~ TPH-D Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV